Learn2<sup>™</sup> Seating Price List ■

January 11, 2012 Updated May 3, 2017 800-424-2432





1

Ordering C.O.M., C.O.L., and C.O.V.Bonduel, Green Bay, Ontario, and Tupelo	2
Shipping Location	4
Custom Color Matching Requirements	6
Learn2 <sup>™</sup> Classroom Furniture General Information	8
	12
Intellect Wave <sup>®</sup> Seating	16
Strive <sup>®</sup> Seating	20
Doni <sup>™</sup> (No Worksurface) Seating	36
	40
Intellect Wave <sup>®</sup> (No Worksurface) Seating	

### Ordering C.O.M., C.O.L., and C.O.V. Bonduel, Green Bay, Ontario, and Tupelo

#### How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

#### C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

#### Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

#### C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. vardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707

C.O.M., C.O.L. and C.O.V. Order Processing For products shipped from Green Bay, WI facility, ship upholstery material to:

KI Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

> **KI** Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

Selvaa

Selvage

### Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

> Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

#### Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests. Center




Diagram B

#### **Treated Materials**

Direction of

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

#### **Split Orders**

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

#### **Excess Upholstery Material**

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

#### **Cancelled or Changed Orders**


KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material

Please see information below and check the appropriate box.

Submitted for testing.

Test approved. Submitted for production. KI Acknowledgement Number

Purchasing Agent (Dealer or buying organization) In all instances, send this form to the C.O.M. Specialist. Attentior Selvage Top and Bottom Address City State Zip Project Name Type of seating and number of units of each type





Purchase Order Number



### Ordering C.O.M., C.O.L., and C.O.V. Bonduel, Green Bay, Ontario, and Tupelo

#### C.O.M. SHIPPING LOCATION

#### Architectural Walls

Genius WallsN	1N
---------------	----

#### Casegoods

4

0	
Dante Benches	AG
Darwin Tackboards	MN
Aristotle Tackboards	MN

#### Classroom Furniture

360° Classroom Furniture BW	/
Dorsal 1090 ChairsGB	5
Intellect Wave ChairsGB	5
Learn2 GB	5

#### Desking

0	
700 Series Desking	КР
Balance Overheads	MN
Genesis Desking	MN
True Desking	KP
Universal Overheads	MN
WorkZone Desking	MN

#### Files & Storage

700 Series Pedestal Cushion	GB
Connection Zone Pads	BW
U-Series Pedestal Cushion	GB

#### **Fixed Seating**

Concerto Auditorium Seating	BW
Single Pedestal Seating	GB
Jury Base Seating	GB
Hi5	GB
Lancaster Auditorium Seating	BW
Sequence Seating	GB
University Seating	GB

#### Panel Systems

All Terrain	. KP
Balance Overheads	MN

System 3000	MN
Universal Overheads	MN
Wireworks	MN
Unite	MN

#### Residence Hall Furniture

RoomScape FurnitureMN	

Screens	
All Terrain	KP
Connection Zone	BW
True/Volition	KP
Genesis	KP

#### Seating

aung	
100 Series Folding Chairs	BW
300 Series Folding Chairs	
600 Series Stools	BW
700 Series Folding Chairs	
1000 Series	. GB
1100 Series Folding Chairs	BW
Aerdyn Guest Seating	ΗN
Affina Collection	ΗN
Arissa Lounge	ΗN
Altus Task Chairs	.TM
Apply Stack Chairs	. GB
Auditorium Folding Chairs	BW
Avail Task Chairs	ОM
Bantam Guest Seating	ΗN
Boss Design Chairs	ΗN
Cinturon Lounge & Professional Seating	ΗN
Cody Lounge Seating	ΗN
Connection Zone Privacy Booths	ΗN
Doni Collection	. GB
Dorsal Stack & Tandem Seating	. GB
Engage Task Chairs & Stools	. GB
Front Row Seats (Silk Screening)	BW
GateOne Public Seating	BW
Grazie Seating	. GB

	V
Hub Modular Lounge Seating	HN
Impress Task Chairs	
Impress Ultra Task Chairs	
Jessa Lounge Seating	HN
Jubi Guest Chair	GB
Kismet Task/Guest Chairs & Stools	OM
Kurv Benches	
LaResta Day Beds	HN
Lyra Lounge Seating	
Maestro Stack Chairs	GB
Matrix Stack Chairs	GB
Medical & Laboratory Stools	OM
Mesa Lounge & Task Seating	HN
MyWay Seating	HN
Neena Benches	HN
Opt4	GB
Perry Stack Chairs	GB
Perth Multiple & Healthcare Seating	HN
Perth II Healthcare Seating	HN
Pilot Task Chairs	
Piretti Stack Chairs	GB
Promenade Seating System	BW
Rapture Stack Chairs & Stools	GB
Ruckus	GB
Rose Healthcare	
Sela Lounge Seating	
Sift Task Chairs	TM
Silhouette Stack Chairs & Stools	BW
Soltice Metal Collection	
Soltice Multiple, Healthcare & Guest	HN
Soltice II Healthcare Seating	
Strive Multiple, Stack & Task	GB
Sway	
Tea Cup Lounge Seating	
Torsion-on-the-Go! Nesting Chairs	GB
Torsion Air Stack and Task Seating	
Torsion Stack and Task Seating	
Versa Stack Chairs & Stools	GB

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

<u>AG</u>
Contact KI at
I-800-424-2432

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 <u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

HN KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263 <u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

OM KI Attn: COM Storage III0 S. Mildred Ave. Ontario, CA 91761 <u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

<u>TM</u> KI Tupelo 2112 South Green St. Tupelo, MS 38804

### 5 Ordering C.O.M., C.O.L., and C.O.V. Shipping Location



#### **KI Custom Poly Color Matching Program**

Whatever you imagine, whatever you require, KI's custom color-matching program lets you pick your color. Match an organization's brand colors. Match fabrics. Match surface materials. The choice is yours.

#### Custom Color Matching Requirements

- Pantone Number or Color Samples. To ensure we match your color exactly, we require either a Pantone color number or two color samples (chip, swatch, or paint sample). We do request that the size be substantial enough to allow for us to retain for our internal matching process (minimum 2.5" x 3.5").
- Extended Lead Time. Using the unique combinations of specialty bases and pigments, our Custom Color Matching and Manufacturing processes do add time to your production schedule.
  - The color match process (see steps below) on average will take 2-3 weeks to produce a match sample for your review and gain your written approval to proceed. Starting this during the quoting process is encouraged to reduce overall lead time.
  - Orders with custom colors will typically reflect standard lead time plus 15 additional days to source the appropriate raw materials and run the custom order.
- Minimum Quantity. No additional set-up fee is incurred if the quantity (per color, product line, and order) is 100 or more. A \$500 set-up fee (per color, product line, and order) is applied if the quantity is 99 or less. You'll see a "Custom Color Set-Up Charge" note appear on your Custom Options Quote until the order is placed and quantity is determined.

Note: The Doni Seating Collection, with its two-tone color capabilities, would require a single \$500 set-up fee if one or both colors are custom. In addition, please note that reversing the inner/outer colors of Doni's two-tone standard color combinations would also be considered custom.

#### **Custom Color Matching Process**

When your purchase order is submitted, it is simply placed on hold until the color match is finalized. As soon as we receive your Pantone number or custom color samples, the process for color matching begins.

**Note:** If the project requires a compressed manufacturing/shipping schedule, KI encourages you to process the color match during the quotation stage. This will accelerate the purchase order release into production.

<u>Step 1.</u> Provide the Pantone color number to KI Customer Service by calling Customer Service at 1-800-424-2432 or emailing us at <u>SalesOps@ki.com</u>. Custom color samples can be mailed to KI at:

KI Customer Service (Provide specific contact name if known) Attn: Custom Color Match Required (Please reference the PO# or Project Name) 1330 Bellevue Street Green Bay, WI 54302

\*In the event the color requested is a discontinued KI color or non-standard on the product requested, no color match is necessary (minimum quantities and extended lead time still apply). KI will use the custom options process to facilitate the quote/order.

<u>Step 2</u>. KI begins the matching process which takes 5-10 days depending upon how quickly the exact color is matched, taking into account lighting, visual and spectrographic readings as compared to the originals.

<u>Step 3.</u> We then ship the color sample chip and a letter asking for you to sign the letter and fax it back to us within 24 to 48 hours.

<u>Step 4</u>. Upon receipt of your approval signature, we remove the hold status of your order and begin production, using standard production lead times plus 15 days.



	Doni without Accessroy Rack (L2DT1/NAR)	Doni with Accessory Rack (L2DT1/SAR)	Doni w/Cup Holder Rack (L2DT1/CAR)	Doni w/Flat Accessory Rack (L2DT1/FBR)
Features				
Accessory rack		•	•	•
Cup holder			•	
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Overall Dimensions				
With worksurface; no accessory rack	23-1/4"W x 28"-34"D			
With worksurface; with accessory rack		23-1/4"W x 28"-34"D	23-1/4"W x 28"-34"D	23-1/4"W x 28"-34"D
Height	34-1/2"	34-1/2"	34-1/2"	34-1/2"
Worsurface width x depth	21-1/2"W x 13"D	21-1/2"W x 13"D	21-1/2"W x 13"D	21-1/2"W x 13"D

NOTE: Overall dimensions above are with surface centered to chair back. Dimensions of surface movement and rotation are not included.



Accessory Rack



Cup Holder Rack



Flat Accessory Rack

#### SPECIFICATIONS

#### Frame

Frame shall consist of 14-gauge, 1" 0.D. steel tubing bent and welded to a 13-gauge steel stamped seat plate and finished with baked-on powder coated paint. The chair frame shall be topped by two aluminum die castings with a baked-on black powder coated paint finish. Castings support the chair seat and provide a means of rotation of the tablet about the seat.

#### Shell

Shell swivels a total fo  $55^{\circ}$  (27.5° each way from center) for ease of entry and exist.

#### Doni Seat Shell and Backrest Articulation Mechanism

Backrest, seat, and shroud are injectionmolded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to move through 17 degrees of movement, about an axis through the hips of the occupant.

### Doni Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

#### Intellect Wave Shell

One-piece contoured shell made of

high-impact polypropylene. Colorfastness ensured through complete color impregnation throughout the molded part. Strength and durability shall be assured through an engineered internal structural cavity which eliminates the need for unsightly ribs on the back of the shell. Rolled edges for comfort and strength, textured front and back with a wide, ergonomic handle molded into chair back for ease of mobility. Fastens to frame by a 12-gauge formed steel plate with six torx head screws.

Optional upholstered chairs have partially exposed polypropylene surfaces. Fabric is upholstered over 9/16" foam on the seat and fastened to an inner shell with screws.

#### Strive Shell

Injection molded polypropylene back with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Injection molded polypropylene seat shall be secured to the chair by a 12-gauge formed steel plate.

Optional upholstered seats have molded urethane foam attached to an injection molded polypropylene seat board, then upholstered using a drawstring process. The assembled seat pad is attached to the seat by means of hidden fasteners.

With optional cantilever arms, the supporting structure is 7/8" O.D. x 13-gauge tubular steel welded directly to the seat support structure and matching the seat and back color. The armcaps are injection molded glass filled polypropylene matching the seat and back color. The armcaps are attached to the steel structure by means of screws.


#### **Strive Optional Upholstered Seat**

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

#### Surface Support

The worksurface shall be supported from the chair frame by a formed and welded support tube made from 1.125 O.D. 14-gauge steel. The worksurface shall be supported from the support tube by an aluminum gusset die

General Information



# With worksurface; no accessory rack 23-1/4"W x 28"-34"D With worksurface; with accessory rack 23-1/4"W x 28"-34"D Height 33-1/3" Worsurface width x depth 21-1/2"W x 13"D

NOTE: Overall dimensions above are with surface centered to chair back. Dimensions of surface movement and rotation are not included.

casting with a black powder coated paint finish. The support tube rotates around the chair seat a total of  $220^{\circ}$  ( $110^{\circ}$  each way from front center). A  $1/2^{\circ}$  thick steel plug shall be drilled, tapped, and welded into the end of the support tube. The worksurface shall be structurally secured to the support tube with Grade 5, 3/8-16 bolt, held in place with an epoxy patch.

#### Surface Mechanism

The gusset die casting shall rotate about the support tube by means of a plastic bushing connection, rotating a total of 154° around the support tube. The worksurface shall slide back and forth for a total of 6° of straight in and out movement. The sliding motion shall be accomplished with an aluminum extruded rail and plastic bushing mechanism.

#### Surface Plastic

The writing surface of the plastic worksurface shall be injection molded polycarbonate. The understructure of the plastic worksurface shall be black injection molded nylon with fiberglass reinforcement filling.

#### Laminate

The laminate worksurface shall be 18mm thick Baltic Birch plywood core with .040" laminate face and .020" paper backing sheet. The edge of the wood surface is shaped and sanded with a sealed and clear-coat lacquered finish.

#### Accessory Rack

Optional accessory rack is constructed of 14-gauge perforated steel wrapped with .25" 0.D. steel wire and welded to the frame. Optional cup holder is made of a .25" 0.D. steel wire welded with an 11-gauge flat metal round trim plate to the steel racks. Accessory racks (with or without cup holder) are not field-installable or retrofittable.

#### Casters


Double wheels (60mm) of high-impact thermoplastic with high-impact plastic

frame. Carpet or hard floor casters are black only. Optional Bell glides (2" high) made of high-impact plastic also available, black only.

#### INFORMATION

#### Warranty

Refer to KI Terms & Conditions document or visit ki.com



NOTE: Overall dimensions above are with surface centered to chair back. Dimensions of surface movement and rotation are not included.

#### INFORMATION

#### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

#### Design

Strive is designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

#### KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.

10

General Information

Features	Wave No Worksurface	Strive No Worksurface (L2SNAP/NA/CAR)	Strive Armchair No Worksurface (L2SNAP/CA/CAR)	Doni No Worksurface (L2DN1)
Accessory rack	•	•		
Cup holder	•	•		
General Dimensions				
Seat width	17-1/2"	18"	18"	19-1/4"
Seat depth	17"	18"	18"	18-3/4"
Seat height (upholstered add 1")	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Arms to floor			27"	
Overall Dimensions				
No worksurface; no accessory rack	21-1/5"W x 23-1/4"D	21-1/2"W x 23-1/4""D	22-1/2"W x 23-1/4"D	21-1/2"W x 23-1/4""D
No worksurface; with accessory rack	23-1/4"W x 23-1/4"D	23-1/4"W x 23-1/4"D	23-1/4"W x 23-1/4"D	23-1/4"W x 23-1/4"D
Height	33-1/3"	34-1/2"	34-1/2"	34-1/2"

14

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Doni<sup>™</sup> Seating

		MODEL NU	MBER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color		
	Solid Color, Polypropylene	L2DT1/NAR										
	Solid Color, Upholstered Seat	L2DT2/NAR										
	Two-Tone, Polypropylene	L2DTA/NAR										
	Two-Tone, Upholstered Seat	L2DTB/NAR										
2DWS1												
2DWS2												
2DWSA												
2DWSB												
Without Accessory Rack												
Non-handed worksurface in choice of												
plastic or laminate												
Solid or two-tone colored shell												
<ul> <li>Unlimited custom color matching</li> <li>17 degrees of hip articulation</li> </ul>												
	Solid Color, Polypropylene	L2DT1/SAR										
	Solid Color, Upholstered Seat	L2DT2/SAR										
	Two-Tone, Polypropylene	L2DTA/SAR				_						
	Two-Tone, Upholstered Seat	L2DTB/SAR										
The Carl												
Jan												
2DWS1												
2DWS2												
2DWSA												
2DWSR 2DWSB												
Accessory Rack												
Non-handed worksurface in choice of												
<ul> <li>Non-nanded worksurface in choice of plastic or laminate</li> </ul>												
<ul> <li>Accessory rack included on both</li> </ul>												
sides of frame												
<ul> <li>Solid or two-tone colored shell</li> <li>Unlimited custom color matching</li> </ul>												
<ul> <li>Onlimited custom color matching</li> <li>17 degrees of hip articulation</li> </ul>												
		A	₿	O	D	Ø	G	G	0	0		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - · Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

Belect worksurface type. LW - Laminate worksurface; add \$47 **PW** 

- Plastic worksurface

- Celect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- DSelect fire code. NFR - Compliance to TB 117-2013 FR - Compliance to TB 133
  - See Upholstery Information for TB133 upcharge.
- Belect solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

• Select outside/inside poly color.

- Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- GSelect surface finish. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Belect caster/glide option.

- C - Carpet casters - Hard floor casters Ī GL - Glides SCG - Front hard floor casters, rear glides CCG - Front carpet casters, rear glides
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Doni<sup>™</sup> Seating

V	

Approx. Packaged Weight	Pri	livered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
57.0#	\$	657										
57.0#		N/A	766	775	790	766	790	798	835	850	868	895
57.0#		709										
57.0#		N/A	818	826	842	818	842	850	887	901	920	947

57.0#	\$ 679										
57.0#	N/A	788	796	812	788	812	820	857	871	890	917
57.0#	730			•							
57.0#	N/A	839	848	863	839	863	871	908	923	941	968
07.0#	11//1	000	040	000	000	000	0/1	500	520	541	500

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$63 Model=Solid Color, Upholstered Seat/Back Added List Price=\$90

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Doni<sup>™</sup> Seating

		MODEL NUMBER									
		MODEL NU	MBER	1	1						
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Solid Color, Polypropylene	L2DT1/CAR									
F \	Solid Color, Upholstered Seat	L2DT2/CAR									
	Two-Tone, Polypropylene	L2DTA/CAR									
	Two-Tone, Upholstered Seat	L2DTB/CAR									
op 2DWS1											
2DWS2											
2DWSA											
2DWSB											
Cup Holder/Accessory Rack											
• Non-handed worksurface in choice of											
plastic or laminate											
<ul> <li>Cup holder/accessory rack included on both sides of frame</li> </ul>											
Solid or two-tone colored shell											
Unlimited custom color matching											
• 17 degrees of hip articulation											
	Solid Color, Polypropylene	L2DT1/FBR									
	Solid Color, Upholstered Seat	L2DT2/FBR									
	Two-Tone, Polypropylene	L2DTA/FBR									
	Two-Tone, Upholstered Seat	L2DTB/FBR									
Ь											
2DWS1											
2DWS2											
2DWSA											
2DWSB Flat Accessory Rack											
Non-handed worksurface in choice of											
plastic or laminate											
Flat accessory rack included     Solid entry tone solered shell											
<ul> <li>Solid or two-tone colored shell</li> <li>Unlimited custom color matching</li> </ul>											
<ul> <li>17 degrees of hip articulation</li> </ul>											
		A	6	G	D	Ð	G	G	0	0	
		-	-	-	-	-	-	-	-	-	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

- Select worksurface type. <u>LW</u> - Laminate worksurface; add \$47
  - PW Plastic worksurface
- Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- Image: NFR
   - Compliance to TB 117-2013

   FR
   - Compliance to TB 133
  - See Upholstery Information for TB133 upcharge.
- Belect solid poly color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

• Select outside/inside poly color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Gelect surface finish. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Belect caster/glide option.

- C
   Carpet casters

   S
   Hard floor casters

   GL
   Glides

   SCG
   Front hard floor casters, rear glides

   CCG
   Front carpet casters, rear glides
- Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Doni<sup>™</sup> Seating

Approx. Packaged Weight	Pric	ivered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
57.0#	\$	714										
57.0#		N/A	823	831	847	823	847	855	892	906	925	952
57.0#		765										
57.0#		N/A	874	883	898	874	898	906	943	958	976	1003

57.0#	\$ 755										
57.0#	N/A	864	872	888	864	888	896	933	948	966	993
57.0#	806										
57.0#	N/A	916	924	939	916	939	948	985	999	1018	1044

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$63 Model=Solid Color, Upholstered Seat/Back Added List Price=\$90

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Intellect Wave® Seating

			MODEL NUM	BER							
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Without Accessory Rack <ul> <li>Non-handed worksurface in choice of</li> </ul>	Polypropylene	L2WTP/NAR								
	plastic or laminate	Upholstered Seat	L2WTUS/NAR								
2WWSP 2WWSU											
	Accessory Rack	Polypropylene	L2WTP/SAR								
		Upholstered Seat	L2WTUS/SAR								
	frame										
2WWSP											
2WWSU	Cup Holdox/Accessory Dook	Dolumronulono	L2WTP/CAR								
	Cup Holder/Accessory Rack <ul> <li>Non-handed worksurface in choice of</li> </ul>	Polypropylene Upholstered Seat	L2WTP/GAR								
	<ul><li>plastic or laminate</li><li>Cup holder/accessory rack included on</li></ul>	Opholatoreu ocat	L2W100/0AIT								
	both sides of frame										
and a second											
2WWSP											
2WWSU											
			A	0	G	D	Ø	Ģ	G	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives
     are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

Select worksurface type. LW - Laminate worksurface; add \$47 PW - Plastic worksurface

©Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select fire code.
 NFR - Compliance to TB 117-2013
 FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Belect shell color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Gelect surface finish.

#### Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Select caster/glide option.
 C - Carpet casters
 S - Hard floor casters
 GL - Glides
 SCG - Front hard floor casters, rear
 glides
 CCG - Front carpet casters, rear

glides

Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Intellect Wave® Seating

Approx. Packaged Weight	Pricing \$536		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
37.0#	\$										
40.0#		N/A	589	593	602	602	593	630	643	659	672
46.0#	\$	557									
49.0#		N/A	610	614	623	623	614	651	664	680	693
46.0#	\$	592									
49.0#		N/A	645	649	658	658	649	686	699	715	728

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$20 Model=Upholstered Seat Added List Price=\$61

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Intellect Wave® Seating

			MODEL NUM	IBER							
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
0	Flat Accessory Rack	Polypropylene	L2WTP/FBR								
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>	Upholstered Seat	L2WTUS/FBR								
	Flat accessory rack included										
ð											
2WWSP											
2WWSU											
			۵	6	G	D	Ø	G	G	0	

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives
     are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

Select worksurface type.
 LW - Laminate worksurface; add
 \$47
 PW - Plastic worksurface

Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

### FR - Compliance to TB 133 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Belect shell color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

• Select surface finish.

#### Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

GSelect cas	ter/glide option.
C	- Carpet casters
S	- Hard floor casters
GL	- Glides
SCG	- Front hard floor casters, rear
glides	
CCG	- Front carpet casters, rear
glides	

Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Intellect Wave® Seating

Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
46.0#	\$ 633									
49.0#	N/A	686	691	699	699	691	728	741	756	769

#### UPHOLSTERY INFORMATION

#### C.O.M. Upholstery

C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$20 Model=Upholstered Seat Added List Price=\$61

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

				<b>-</b>							
			MODEL NUMBE	K	1	1	1	1	1	1	
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Without Accessory Rack	Polypropylene	L2STP/NA/NAR								
	Non-handed worksurface in choice of plastic or laminate	Upholstered Seat	L2STUS/NA/NAR								
2SWSP 2SWSU											
	Accessory Rack	Polypropylene	L2STP/NA/SAR								
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> <li>Accessory rack included on both sides of frame</li> </ul>	Upholstered Seat	L2STUS/NA/SAR								
2SWSP 2SWSU											
$\bigcirc$	Cup Holder/Accessory Rack <ul> <li>Non-handed worksurface in choice of</li> </ul>	Polypropylene	L2STP/NA/CAR								
	<ul> <li>Non-intralided worksunate in choice of plastic or laminate</li> <li>Cup holder/accessory rack included on both sides of frame</li> </ul>	Upholstered Seat	L2STUS/NA/CAR								
2SWSP											
2SWSU											
			۵	0	œ	O	0	0	G	0	

#### **HOW TO ORDER**

- Indicate the following information on order form:
- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - · Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Belect worksurface type. LW - Laminate worksurface; add \$47 PW
  - Plastic worksurface
- C Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- DSelect fire code. - Compliance to TB 133 FR - Compliance to TB 117-2013 NFR
  - See Upholstery Information for TB133 upcharge.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

• Select surface finish.

#### Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

- GSelect caster/glide option. C - Carpet casters - Hard floor casters GL - Glides SCG - Front hard floor casters, rear glides CCG - Front carpet casters, rear glides
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Strive<sup>®</sup> Seating

Approx. Packaged Weight	Pri	livered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
48.0#	\$	637									
51.0#		N/A	692	717	729	729	723	761	779	798	814
57.0#	\$	658									
60.0#		N/A	713	739	750	750	745	782	800	819	835
57.0#	\$	693									
60.0#		N/A	748	774	785	785	780	817	835	854	870

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBE	R						
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color
	Flat Accessory Rack	Polypropylene	L2STP/NA/FBR							
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>	Upholstered Seat	L2STUS/NA/FBR							
	Flat accessory rack included									
s de la companya de l										
J.										
2SWSP										
2SWSU										
			A	0	œ	D	Ø	G	œ	0

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives
     are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

Select worksurface type. <u>IW</u> - Laminate worksurface; add \$47

```
PW - Plastic worksurface
```

Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

### FR - Compliance to TB 133 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Belect poly seat and back color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

• Select surface finish.

#### Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

G

Select ca	ster/glide option.	
C	<ul> <li>Carpet casters</li> </ul>	
S	<ul> <li>Hard floor casters</li> </ul>	
GL	- Glides	
000	Front hard floor opetare	roo

 SCG
 - Front hard floor casters, rear glides

 CCG
 - Front carpet casters, rear glides

Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Strive<sup>®</sup> Seating

Approx. Packaged Weight	livered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
57.0#	\$ 734									
60.0#	N/A	789	815	826	826	821	858	877	895	912

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

		MODEL NUMBER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Top Stitch Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	Approx. Packaged Weight
2SWTS Without Accessory Rack with Top Stitch on Seat	Upholstered Seat	L2STTSUS/NA/NAR									51.0#
<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>											
	Upholstered Seat	L2STTSUS/NA/SAR									60.0#
2SWTS											
Accessory Rack with Top Stitch on Seat • Non-handed worksurface in choice of plastic or laminate • Accessory rack included on both											
sides of frame			-	-					-		
		A	0	œ	D	Ø	6	G	0	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.

 Alpha-numeric characters in place of

 indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

Select worksurface type. <u>LW</u> - Laminate worksurface; add \$47

**PW** - Plastic worksurface

Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Select fire code.
 FR - Compliance to TB 133
 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Belect poly seat and back color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>. BLTS - Black WHTS - White

Gelect surface finish. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder</u>.

Select caster/glide option.

C - Carpet casters
S - Hard floor casters
GL - Glides
SCG - Front hard floor casters, rear
glides
CCG - Front carpet casters, rear

glides

Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Select top stitch color.

Strive<sup>®</sup> Seating

Delivered			
Delivered Pricing Pallas Fabric Group P1			
Pallas Fabric			
Group P1			
\$ 798			

\$ 819

#### UPHOLSTERY INFORMATION

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

**MODEL NUMBER** Surface Тор Finish/ Approx. Basic Surface Frame Fire Shell Stitch Plastic Glide Uph. Packaged Features Model Code Color Option Weight Туре Color Color Color Color Upholstered Seat L2STTSUS/NA/CAR 60.0# 2SWTS Cup Holder/Accessory Rack with Top Stitch on Seat · Non-handed worksurface in choice of plastic or laminate Cup holder/accessory rack included on both sides of frame Upholstered Seat L2STTSUS/NA/FBR 60.0# 2SWTS Flat Accessory Rack with Top Stitch on Seat · Non-handed worksurface in choice of plastic or laminate Flat accessory rack included 0 0 Θ O Ø Ø G 0 0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is
  - required.
    The absence of the □ indicates that no choice is required.

Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

Select worksurface type. <u>LW</u> - Laminate worksurface; add \$47

**PW** - Plastic worksurface

Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

DSelect fire code.

- FR
   Compliance to TB 133

   NFR
   No Fire Retardant

   FR
   Compliance to TB 133

   NFR
   Compliance to TB 133

   NFR
   Compliance to TB 117-2013
- See Upholstery Information for TB133 upcharge.
- Select poly seat and back color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Select top stitch color.

BLTS - Black
WHTS - White

Gelect surface finish. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

GSelect caster/glide option.

C	<ul> <li>Carpet casters</li> </ul>
S	<ul> <li>Hard floor casters</li> </ul>
GL	- Glides
SCG	- Front hard floor casters, rear
glides	
CCG	<ul> <li>Front carpet casters, rear</li> </ul>
a Baha a	

glides
Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Strive<sup>®</sup> Seating

Delivered Pricing Pallas Fabr Group P1	ric	
\$ 854		

\$ 895

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBE	R							
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
$\square$	Armchair without Accessory Rack	Polypropylene	L2STP/CA/NAR								
	Non-handed worksurface in choice of plastic or laminate	Upholstered Seat	L2STUS/CA/NAR								
2SWSP											
2SWSU											
$\bigcap$	Armchair with Accessory Rack	Polypropylene	L2STP/CA/SAR								
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> <li>Accessory rack included on both sides of frame</li> </ul>	Upholstered Seat	L2STUS/CA/SAR								
2SWSP											
2SWSU											
	Armchair with Cup Holder/Accessory Rack	Polypropylene	L2STP/CA/CAR								
1 and 1		Upholstered Seat	L2STUS/CA/CAR								
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>										
	Cup holder/accessory rack included on										
	both sides of frame										
6 20											
¢\$											
2SWSP											
2SWSP 2SWSU											
			•	0	G	D	9	G	G	0	1

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - · Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Belect worksurface type. LW - Laminate worksurface; add \$47 PW
  - Plastic worksurface
- C Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- DSelect fire code. - Compliance to TB 133 FR - Compliance to TB 117-2013 NFR

See Upholstery Information for TB133 upcharge.

• Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

• Select surface finish.

#### Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

- GSelect caster/glide option. - Carpet casters C - Hard floor casters GL - Glides SCG - Front hard floor casters, rear glides CCG
  - Front carpet casters, rear glides
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Strive<sup>®</sup> Seating

Approx. Package Weight	d	Deli <sup>,</sup> Pric	vered ing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
51.0#		\$	690									
54.0#			N/A	745	770	782	782	777	814	832	851	867
60.0#		\$	711									
63.0#			N/A	766	791	803	803	798	835	853	872	888
60.0#		\$	746									
60.0# 63.0#		φ	746 N/A	801	826	838	838	833	870	888	907	923
03.0#			N/A	001	020	030	030	000	070	000	907	920

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. equirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

		MODEL NUMBE									
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Armchair with Flat Accessory Rack	Polypropylene	L2STP/CA/FBR								
1 desta	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>	Upholstered Seat	L2STUS/CA/FBR								
	Flat accessory rack included										
Ċ.											
2SWSP											
2SWSU											
			A	₿	Θ	D	Ø	G	G	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - · Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

**B**Select worksurface type. LW - Laminate worksurface; add \$47 PW

- Plastic worksurface

Celect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

#### DSelect fire code. FR - Compliance to TB 133 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Gelect poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

• Select surface finish.

#### Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

GSelect caster/glide option. - Carpet casters C - Hard floor casters GL - Glides - Front hard floor casters, rear SCG glides CCG

- Front carpet casters, rear glides

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Strive<sup>®</sup> Seating

Approx. Packaged Weight	Deli Pric	ivered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Delivered Pricing Pricing Fabric Grade Vinyl Group 3 2V		Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
60.0#	\$	787									
63.0#		N/A	843	868	880	880	874	912	929	949	964

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

Shipping Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

### **Classroom Furniture** Strive<sup>®</sup> Seating

		MODEL NUMBER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Top Stitch Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	Approx. Packaged Weight
	Upholstered Seat	L2STTSUS/CA/NAR									54.0#
2SWTS											
Armchair without Accessory Rack with											
Top Stitch on Seat											
<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>											
	Upholstered Seat	L2STTSUS/CA/SAR									63.0#
a de											
OD 2SWTS											
Armchair with Accessory Rack with											
Top Stitch on Seat											
Non-handed worksurface in choice of											
<ul> <li>plastic or laminate</li> <li>Accessory rack included on both sides of frame</li> </ul>											
		Ø	0	Θ	O	Ø	G	G	0	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.

· Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect worksurface type. LW - Laminate worksurface; add \$47

PW - Plastic worksurface

C Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

DSelect fire code. - Compliance to TB 133 FR NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

• Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

BLTS - Black WHTS - White

GSelect surface finish. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Belect caster/glide option. C - Carpet casters - Hard floor casters S GL - Glides - Front hard floor casters, rear SCG glides

CCG - Front carpet casters, rear glides

Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

GSelect top stitch color.

### Learn2<sup>™</sup> Classroom Furniture Strive<sup>®</sup> Seating

[	Deliv	vered ing as Fabric up P1					
I	Prici	ing					
I	Palla	as Fabric					
(	Grou	up P1					
ę	\$	851					

872 \$

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

**MODEL NUMBER** Surface Тор Finish/ Approx. Basic Surface Frame Fire Shell Stitch Plastic Glide Uph. Packaged Features Model Code Color Color Option Weight Туре Color Color Color Upholstered Seat L2STTSUS/CA/CAR 63.0# 2SWTS Armchair with Cup Holder/Accessory Rack with Top Stitch on Seat · Non-handed worksurface in choice of plastic or laminate Cup holder/accessory rack included on both sides of frame Upholstered Seat L2STTSUS/CA/FBR 63.0# 2SWTS Armchair with Flat Accessory Rack with Top Stitch on Seat · Non-handed worksurface in choice of plastic or laminate · Flat accessory rack included 0 0 O O Ø Ø O 0 0

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives
     are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

- Select worksurface type. <u>LW</u> - Laminate worksurface; add \$47
  - PW Plastic worksurface
- Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- FR
   - Compliance to TB 133

   NFR
   - Compliance to TB 117-2013
  - See Upholstery Information for TB133 upcharge.
- Select poly seat and back color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- Select top stitch color.

#### BLTS - Black WHTS - White

- Select surface finish. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- Select caster/glide option. C - Carpet casters
  - S
     Hard floor casters

     GL
     Glides

     SCG
     Front hard floor casters, rear

     glides
     Front carpet casters, rear

     glides
     Front carpet casters, rear
- Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Strive<sup>®</sup> Seating

Deli Pric Pall Gro	vered ing as Fabric up P1			
\$	907			

\$ 949

### **UPHOLSTERY INFORMATION**

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

#### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information

N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

			MODEL NUMBER								
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Glide Option	Uph. Color		
$\square$	Without Accessory Rack	Solid Color, Polypropylene	L2DN1/NAR								
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>	Solid Color, Upholstered Seat	L2DN2/NAR								
PL	Solid or two-tone colored shell	Two-Tone, Polypropylene	L2DNA/NAR								
	Unlimited custom color matching	Two-Tone, Upholstered Seat	L2DNB/NAR								
	17 degrees of hip articulation										
<b>a</b>											
2DNS1											
2DNS2											
2DNSA											
2DNSB	Assessme Bask	Colid Color Dokupropulano	L2DN1/SAR								
	Accessory Rack <ul> <li>Non-handed worksurface in choice of</li> </ul>	Solid Color, Polypropylene Solid Color, Upholstered Seat	L2DN1/SAR L2DN2/SAR								
	plastic or laminate	Two-Tone, Polypropylene	L2DN2/SAR								
	<ul> <li>Accessory rack included on both sides of frame</li> </ul>	Two-Tone, Upholstered Seat	L2DNA/SAR								
17 State	<ul> <li>Solid or two-tone colored shell</li> </ul>	Two Tone, opnoistered Seat	LEDIND/OAN								
	Unlimited custom color matching										
Jan 199	17 degrees of hip articulation										
2DNS1											
2DNS2											
2DNSA											
2DNSB											
			A	0	Θ	D	G	Ģ	G		

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.

 Alpha-numeric characters in place of

 indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

- ③Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- Select fire code.

   NFR
   - Compliance to TB 117-2013

   FR
   - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Oselect solid poly color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- Select outside/inside poly color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

- Carpet casters

GSelect caster/glide option.

C

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear

 glides
 - Front carpet casters, rear

 CCG
 - Front carpet casters, rear

Doni<sup>™</sup> Seating

Approx. Packaged Weight	Pr Ur	elivered icing nuphol- ered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
57.0#	\$	526										
57.0#		N/A	636	644	659	636	659	667	705	719	737	764
57.0#		578										
57.0#		N/A	687	695	711	687	711	719	756	770	789	816
57.0#	\$	548										
57.0#		N/A	657	665	681	657	681	689	726	741	759	786
57.0#		599										
57.0#		N/A	709	717	732	709	732	741	778	792	811	837

### **UPHOLSTERY INFORMATION**

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$63 Model=Solid Color, Upholstered Seat/Back Added List Price=\$90

#### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

		MODEL NUMBER								
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Glide Option	Uph. Color	
	Cup Holder/Accessory Rack	Solid Color, Polypropylene	L2DN1/CAR							
	<ul> <li>Non-handed worksurface in choice of plastic or laminate</li> </ul>	Solid Color, Upholstered Seat	L2DN2/CAR							
PL	<ul> <li>Cup holder/accessory rack included on</li> </ul>	Two-Tone, Polypropylene	L2DNA/CAR							
	both sides of frame • Solid or two-tone colored shell • Unlimited custom color matching • 17 degrees of hip articulation	Two-Tone, Upholstered Seat	L2DNB/CAR							
2DNS1										
2DNS2 2DNSA										
2DNSA 2DNSB										
201100	Flat Accessory Rack	Solid Color, Polypropylene	L2DN1/FBR							
E \	<ul> <li>Non-handed worksurface in choice of</li> </ul>	Solid Color, Upholstered Seat	L2DN2/FBR							
	<ul><li>plastic or laminate</li><li>Flat accessory rack included</li></ul>	Two-Tone, Polypropylene	L2DNA/FBR							
	<ul> <li>Solid or two-tone colored shell</li> </ul>	Two-Tone, Upholstered Seat	L2DNB/FBR							
	Unlimited custom color matching									
	17 degrees of hip articulation									
CB4										
2DNS1										
2DNS2										
2DNSA										
2DNSB										]
			A	0	G	O	Ø	G	G	

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.

Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Select fire code.
 FR - Compliance to TB 133
 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Oselect solid poly color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- Select outside/inside poly color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

- Carpet casters

GSelect caster/glide option.

C

S - Hard floor casters GL - Glides SCG - Front hard floor casters, rear

glides CCG - Front carpet casters, rear glides

Doni<sup>™</sup> Seating

Approx. Packaged Weight	F I L	elivered ricing Inuphol- tered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
57.0#	\$	583										
57.0#		N/A	692	700	716	692	716	724	761	776	794	821
57.0#		634										
57.0#		N/A	744	752	767	744	767	776	813	827	846	872
57.0#	\$	624										
57.0#		N/A	733	742	757	733	757	765	802	817	835	862
57.0#		676										
57.0#		N/A	785	793	809	785	809	817	854	868	887	914

### **UPHOLSTERY INFORMATION**

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

**California TB133 Fire Safety Code** For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$63 Model=Solid Color, Upholstered Seat/Back Added List Price=\$90

### **SPECIAL SERVICES**

### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Intellect Wave® Seating

			MODEL NUM	DED					
									-
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	-	Polypropylene	L2WNP/NAR					00101	33.0#
0	No Worksurface - Without Accessory Rack	Upholstered Seat	L2WNUS/NAR						36.0#
		opinolotorou oour							
2WNSP									
2WNSU									
(D)	No Worksurface - Accessory Rack	Polypropylene	L2WNP/SAR						42.0#
)	<ul> <li>Accessory rack included on both sides of frame.</li> </ul>	Upholstered Seat	L2WNUS/SAR						45.0#
	frame								
<b>6</b> 3									
9									
2WNSP									
2WNSU									
0	No Worksurface - Cup Holder/Accessory	Polypropylene	L2WNP/CAR						42.0#
	Rack	Upholstered Seat	L2WNUS/CAR						45.0#
	<ul> <li>Cup holder/accessory rack included on both sides of frame</li> </ul>								
	both sides of hame								
" N O									
<b>4</b> 0									
2WNSP									
2WNSU									
			A	0	œ	D	Ø	G	

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- BSelect frame color.
- Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

### • Select fire code.

FR- Compliance to TB 133NFR- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Oselect shell color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

# Select caster/glide option. C - Carpet casters S - Hard floor casters GL - Glides SCG - Front hard floor casters, rear glides

CCG - Front carpet casters, rear glides

# 14

### Learn2<sup>™</sup> Classroom Furniture

Intellect Wave® Seating

Delive Pricing	ered g	Delivered Pricing Fabric Grade 1 & C.O.M.	Pricing Fabric Grade	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	399 N/A	450	450	405	405	450	400	500	500	505
r	N/A	452	456	465	465	456	493	506	522	535
	120 N/A	473	478	486	486	478	515	527	543	556
ľ	IN/A	473	470	400	400	470	010	521	040	000
	155 N/A	500	510	501	F01	E10	550	500	570	501
r	N/A	508	512	521	521	512	550	562	578	591

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$20 Model=Upholstered Seat Added List Price=\$61

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Intellect Wave® Seating

			MODEL NUM	BER		-	-		
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
(D)	No Worksurface - Flat Accessory Rack	Polypropylene	L2WNP/FBR						42.0#
	Flat accessory rack included	Upholstered Seat	L2WNUS/FBR						45.0#
$\sim$									
Se la companya de la comp									
2WNSP									
2WNSU									
			۵	0	G	D	9	G	

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives
     are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

- ③Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- CSelect fire code.

FR- Compliance to TB 133NFR- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Oselect shell color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

# Select caster/glide option. C - Carpet casters S - Hard floor casters GL - Glides SCG - Front hard floor casters, rear glides

CCG - Front carpet casters, rear glides

Intellect Wave® Seating

Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 496									
N/A	550	554	562	562	554	591	604	620	632

### **UPHOLSTERY INFORMATION**

**C.O.M. Upholstery** C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$20 Model=Upholstered Seat Added List Price=\$61

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBE	<b>,</b>					
				1				1	
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
$\square$	No Worksurface - Without Accessory Rack	Polypropylene	L2SNP/NA/NAR						44.0#
	NU WURSUNALE - WILLIUUL ALLESSURY NALK	Upholstered Seat	L2SNUS/NA/NAR						47.0#
2SNSP 2SNSU									
	No Worksurface - Accessory Rack	Polypropylene	L2SNP/NA/SAR						53.0#
	<ul> <li>Accessory rack included on both sides of frame</li> </ul>	Upholstered Seat	L2SNUS/NA/SAR						56.0#
2SNSP 2SNSU									
	No Worksurface - Cup Holder/Accessory	Polypropylene	L2SNP/NA/CAR						53.0#
	<ul> <li>Rack</li> <li>Cup holder/accessory rack included on both sides of frame</li> </ul>	Upholstered Seat	L2SNUS/NA/CAR						56.0#
2SNSP									
2SNSU			•	6	Θ	D	Ð	Ĵ	
			-	-	-	-	-	-	

### **HOW TO ORDER**

- Indicate the following information on order form:
- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - · Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- **B**Select frame color.
- Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- CSelect fire code. FR - Compliance to TB 133 - Compliance to TB 117-2013 NFR
  - See Upholstery Information for TB133 upcharge.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

#### • Select caster/glide option. C - Carpet casters S - Hard floor casters GL - Glides - Front hard floor casters, rear SCG glides

- CCG - Front carpet casters, rear glides
- Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Strive<sup>®</sup> Seating

	livered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$										
	N/A	561	587	598	598	593	630	648	667	683
\$	527									
¢	527 N/A	582	608	620	620	614	651	670	688	705
\$	562									
	N/A	617	643	655	655	649	686	705	723	740

#### **UPHOLSTERY INFORMATION**

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBE	R					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	No Worksurface - Flat Accessory Rack	Polypropylene	L2SNP/NA/FBR						53.0#
	Flat accessory rack included	Upholstered Seat	L2SNUS/NA/FBR						56.0#
~									
2SNSP									
2SNSU									
			۵	6	G	D	Ø	G	

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.

Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

• Select fire code.

FR- Compliance to TB 133NFR- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Select poly seat and back color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Select caster/glide option.
 C - Carpet casters
 S - Hard floor casters
 GL - Glides
 SCG - Front hard floor casters, rear
 glides

CCG - Front carpet casters, rear glides

Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 604									
N/A	659	684	696	696	691	728	746	765	781

### UPHOLSTERY INFORMATION

#### C.O.M. Upholstery

C.O.M. equirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

### Strive<sup>®</sup> Seating

			MODEL NUMBER							
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color	
	No Worksurface - Without Accessory Rack with Top Stitch on Seat	Upholstered Seat	L2SNTSUS/NA/NAR							
2SNTS	<ul> <li>No Worksurface - Accessory Rack with Top Stitch on Seat</li> <li>Accessory rack included on both sides of frame</li> </ul>	Upholstered Seat	L2SNTSUS/NA/SAR							
2SNTS	No Worksurface - Cup Holder/Accessory Rack with Top Stitch on Seat • Cup holder/accessory rack included on both sides of frame	Upholstered Seat	L2SNTSUS/NA/CAR							
2SNTS			0	6	œ	D	•	6	G	

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives
     are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

③Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

# Select fire code. FR - Compliance to TB 133 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Oselect poly seat and back color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- BLTS Black WHTS - White
- Gelect caster/glide option. C - Carpet casters

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear

 glides
 - Front carpet casters, rear

 CCG
 - Front carpet casters, rear

### Learn2<sup>™</sup> Classroom Furniture Strive<sup>®</sup> Seating

14

Approx. Packaged Weight	Delivered Pricing Pallas Fabric Group P1
47.0#	\$ 667

56.0# \$ 688

56.0# \$ 723

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. equirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

#### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBER			_				
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color	
	No Worksurface - Flat Accessory Rack with Top Stitch on Seat	Upholstered Seat	L2SNTSUS/NA/FBR							
	<ul> <li>Flat accessory rack included</li> </ul>									
₿ B										
2SNTS										
			A	0	C	D	9	G	G	

**HOW TO ORDER** 

Indicate the following information on order form:

1. Quantity of each item.

- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.

· Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

CSelect fire code. - Compliance to TB 133 FR - Compliance to TB 117-2013 NFR

See Upholstery Information for TB133 upcharge.

• Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

BLTS - Black WHTS - White

GSelect caster/glide option. C - Carpet casters

- Hard floor casters GL - Glides SCG - Front hard floor casters, rear glides CCG - Front carpet casters, rear glides
- GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

 Delivered

 Approx.
 Pricing

 Packaged
 Pallas Fabric

 Weight
 Group P1

 56.0#
 \$ 765

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. equirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information

N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.



Strive<sup>®</sup> Seating

			MODEL NUMBE	R					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
$\bigcap$	No Worksurface - Armchair without Ac-	Polypropylene	L2SNP/CA/NAR		1				47.0#
	cessory Rack	Upholstered Seat	L2SNUS/CA/NAR						50.0#
2SNSP 2SNSU									
	No Worksurface - Armchair with Acces-	Polypropylene	L2SNP/CA/SAR						56.0#
	sory Rack	Upholstered Seat	L2SNUS/CA/SAR						59.0#
	<ul> <li>Accessory rack included on both sides o frame</li> </ul>	f							
2SNSP									
2SNSU									
	No Worksurface - Armchair with Cup Holder/Accessory Rack	Polypropylene	L2SNP/CA/CAR						56.0#
	<ul> <li>Cup holder/accessory rack included on both sides of frame</li> </ul>	Upholstered Seat	L2SNUS/CA/CAR						59.0#
2SNSP									
2SNSU									
			A	0	Θ	D	0	G	

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.

 Alpha-numeric characters in place of

 indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- BSelect frame color.
- Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

### Select fire code. NFR - Compliance to TB 117-2013 FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Oselect poly seat and back color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

BSelect cas	ter/glide option.
C	- Carpet casters
S	- Hard floor casters
GL	- Glides
SCG	- Front hard floor casters, rear
glides	

CCG - Front carpet casters, rear glides

Strive<sup>®</sup> Seating

Pric		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	559									
	N/A	614	640	651	651	657	694	701	720	736
\$	580									
	N/A	636	661	673	673	667	705	722	742	757
\$	615									
	N/A	671	696	708	708	702	740	757	777	792

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBE	R					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	No Worksurface - Armchair with Flat	Polypropylene	L2SNP/CA/FBR						56.0#
	Accessory Rack	Upholstered Seat	L2SNUS/CA/FBR						59.0#
	Flat accessory rack included								
2SNSP									
2SNSU									
			۵	0	Θ	D	0	G	

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.

 Alpha-numeric characters in place of

 indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

• Select fire code.

FR- Compliance to TB 133NFR- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Select poly seat and back color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Select caster/glide option.
 C - Carpet casters
 S - Hard floor casters
 GL - Glides
 SCG - Front hard floor casters, rear
 glides

CCG - Front carpet casters, rear glides

Strive<sup>®</sup> Seating

Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 657									
N/A	712	737	749	749	744	781	799	818	834

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBER						
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color
	No Worksurface - Armchair without Ac- cessory Rack with Top Stitch on Seat	Upholstered Seat	L2SNTSUS/CA/NAR						
2SNTS									
	<ul> <li>No Worksurface - Armchair with Accessory Rack with Top Stitch on Seat</li> <li>Accessory rack included on both sides or frame</li> </ul>	Upholstered Seat	L2SNTSUS/CA/SAR						
2SNTS									
	No Worksurface - Armchair with Cup Holder/Accessory Rack with Top Stitch on Seat • Cup holder/accessory rack included on both sides of frame	Upholstered Seat	L2SNTSUS/CA/CAR						
2SNTS									
			۵	6	G	D	9	G	G

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - · Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect frame color. Refer to the  $\underline{\text{KI Color Addendum}}$  or  $\underline{\text{KI}}$ Fabrics & Finishes binder.

#### CSelect fire code. FR - Compliance to TB 133

- Compliance to TB 117-2013 NFR See Upholstery Information for TB133

- upcharge.
- **D**Select poly seat and back color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select top stitch color. BLTS - Black WHTS - White
- Select caster/glide option. C Carpet casters

- Hard floor casters S
- GL - Glides SCG - Front hard floor casters, rear glides CCG - Front carpet casters, rear
- glides
- GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

### Learn2<sup>™</sup> Classroom Furniture Strive<sup>®</sup> Seating

 Delivered

 Approx.
 Pricing

 Packaged
 Pallas Fabric

 Weight
 Group P1

 50.0#
 \$ 731

59.0# \$ 742

59.0# \$ 777

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. equirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

#### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive<sup>®</sup> Seating

			MODEL NUMBER							
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color	
$\bigcirc$	No Worksurface - Armchair with Flat Ac- cessory Rack with Top Stitch on Seat	Upholstered Seat	L2SNTSUS/CA/FBR							
	Flat accessory rack included									
J.										
2SNTS										
			۵	0	Θ	D	Ð	Ģ	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.

Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Select fire code.

 FR
 - Compliance to TB 133

 NFR
 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Oselect poly seat and back color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

BLTS - Black WHTS - White

Select caster/glide option. C - Carpet casters 

 S
 - Hard floor casters

 GL
 - Glides

 SCG
 - Front hard floor casters, rear

 glides
 - Front carpet casters, rear

 glides
 - Front carpet casters, rear

Delivered Approx. Pricing Packaged Pallas Fabric Weight Group P1 59.0# \$ 818

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. equirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$10 Model=Upholstered Seat Added List Price=\$63

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information

N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.



KI

| 330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 | -800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2012 KI All Rights Reserved. Code KI-11584/KI/PDF/111