



Finishing Borders.[®] Opt for options.

Ready your ooohs and ahhs. The most comprehensive collection of finishing borders in the industry is making an appearance right here.



163 Millwork[®]
Wall Finishing System

166 Perceptions[®]
Designer Wall Base

Millwork[®] Masquerade[®] 168

Wall Art[™]
Decorative Wall Base 172

BaseWorks[®] Thermoset
Rubber Wall Base 174

175 Traditional
Vinyl + Rubber Wall Base

176 TightLock[®] Wall Base


177 rePLACE[®] Demountable
Wall Base

Millwork® Wall Finishing System.
Be exceptional.



Having it all has never been this easy. Rich architectural detail and the look of finely milled wood – available at roughly half the installed cost in half the time. And, the Millwork® Wall Finishing System is more durable and easier to maintain than real wood – no touch-up or repainting required. We have all the components you need to make any space and any bottom line look fantastic.

INSTALLATION STEPS: REAL WOOD VS. MILLWORK®




TALK ABOUT SAVINGS.

Wood looks and sounds great – until you have to paint, nail, fill and finish it. Then maintain it. So instead, we bring you the same rich look and higher performance in half the time and cost. With the Millwork Wall Finishing System, we’ve perfected what Mother Nature started. We’ve created an integrated system that adds simplicity and confidence to your selection process. It is compatible with all modern construction techniques and materials, and installs easily – even around curves and irregular surfaces. Unlike real wood, it won’t splinter, chip or absorb moisture and humidity. It resists scratches and eliminates future touch-up. Satisfaction simplified. That’s the Millwork Wall Finishing System. And we’ve got to say, saving time and money has never looked so good.

COVER EVERYTHING.

The Millwork® Wall Finishing System eliminates concerns of mismatched wood or color variation. With more than 25 coordinating elements, Johnsonite® can help you cover your bases completely and consistently from batch to batch and year to year. Choose from 21 contoured wall base profiles, 3 chair rail profiles, a corner guard, self-stick quarter round and shoe moulding.



MILLWORK® CHAIR RAIL


All Millwork profiles in wall base, chair rails and corner guard are available in standard 8' lengths.



MILLWORK CORNER GUARD



MILLWORK ACCESSORIES





Millwork®

TVOC ≤ 100 µg/m³

FloorScore® certified and meets CA 01350*

Phthalate free, except for recycled materials

*Except color palette D

Recycled Content

Pre-consumer 14%

A part of ReStart® program

adhesives pg. 190

COLOR PALETTE AVAILABILITY

- A = Color Palette A D = Color Palette D
- B = Color Palette B W = Available in Wall Art™ Palette
- C = Color Palette C ◆ = Available in Selects Color Palette:

| | | | |
|------------------------|-------------------------|------------------------------|------------------------------------|
| 01 Snow White W | 32 Pebble WG | 68 White Sand W | 167 Fudge |
| 08 Icicle W | 34 Almond W | 69 Sterling Silver CG | 179 Steel WG |
| 09 Clay WB | 40 Black B | 76 Cinnamon | 194 Antique White W |
| 11 Canvas WB | 44 Dark Brown B | 79 Bone White W | 283 Toast |
| 20 Charcoal WG | 45 Sandalwood WB | 80 Fawn CB | 460 Cotton W |
| 22 Pearl CB | 47 Brown | 101 Seaweed | 461 Wicker WB |
| 24 Grey Haze WG | 49 Beige WB | 129 Silk WB | 469 Mystify CG |
| 27 Mist WG | 50 White W | 130 Sisal | 592 Seafoam |
| 29 Moon Rock WG | 63 Burnt Umber B | 149 Milk Chocolate | 00 (unfinished and ready to paint) |
| 31 Zephyr CB | 66 Either Ore | 150 Wetlands | |



ATTACHE
M W - X X - E



DIPLOMAT
M W - X X - A



DELINEATE
M W - X X - T



OVERLOOK
M W - X X - C



EMISSARY
M W - X X - P



SILHOUETTE
M W - X X - J



OUTLINE
M W - X X - D



AMBASSADOR
M W - X X - K



ENVOY
M W - X X - L



INFLECTION
M W - X X - G



EQUINOX
M W - X X - R



OBLIQUE
M W - X X - N



Recommended
Millwork Masquerade™ profile



MANDALAY
4 . 5 " M W - X X - H



2 . 5 " M W - X X - H 2 5
3 " M W - X X - H 3
6 " M W - X X - H 6



REVEAL
4 . 2 5 " M W - X X - F



6 " M W - X X - F 6
8 " M W - X X - F 8

Recommended
Millwork Masquerade profile



MONARCH
6 " M W - X X - M
8 " M W - X X - M 8



Perceptions® Designer Wall Base. A Change of View.

The entire idea of wall base is looking up with our Perceptions® Collection. With 5 dramatic designer profiles, over 150 palette-pleasing colors and seamless coordination with our Millwork® Wall Finishing System, adding architectural flair has never been easier.



Perceptions

TVOC ≤ 100 µg/m³

FloorScore® certified and meets CA 01350*

Phthalate free, except for recycled materials

*Except color palette D

Recycled Content

Pre-consumer 14%

A part of ReStart® program

Unique visuals with a standard budget

4.25" height helps hide old adhesive and paint lines

Installs like traditional wall base


Manufactured inside and outside corners available

Available in Duracove Rubber (type TP)

120' coils

4' sections by special order

adhesives pg. 190




RECESS®



FLEX



CONTOUR



ROYALE



COLOR PALETTE AVAILABILITY

- A** = Color Palette A. Reference color guide in back.
- B** = Color Palette B. Reference color guide in back.
- C** = Color Palette C. Reference color guide in back.
- D** = Color Palette D. Reference color guide in back.



PALETTES A + B + C + D

For available colors in Perceptions, reference color palettes A, B, C and D.





EXOTIC WOOD

PRECIOUS STONE

Millwork® Masquerade®. Nod to nature.

Take it all in. The warm richness of wood, the cool sophistication of stone. Nature's beauty is so majestic, even replicating it is an art. And we've made that process possible with Millwork® Masquerade® Wood and Stone. With our high-definition digital printing process, we've captured the authentic textures and patterns of exotic woods, veined marble and more. Then, we add in our enhanced performance qualities; so not only do these finishing borders look luxurious, they perform that way too.




CUSTOM

FINISHING BORDERS
(WALL BASE)

MILLWORK® MASQUERADE® WOOD



307 Rift Oak W



318 Stretched Bamboo WB



314 Buttery Cherry




302 Fine Cherry




319 Zebrano Medium



303 Rattan



306 Red Mahogany



321 Zebrano Dark



315 Dark Rosewood



322 Brown Maple



308 Slender Walnut





312 Soft Oak B

Millwork Masquerade is available in Wall Art™ wood grains and I.D. Freedom™ patterns by special request.

Millwork® Masquerade® Custom. Grab their attention.

They'll stop. They'll stare. And you'll love every minute of it. Getting the attention you're after is that easy with Millwork Masquerade customizable wall base. Make waves. Stripe things up. Take artwork, logos or photography to a place they haven't been before. Framing the floor. With our high-definition digital printing process, we can help you create a fun and functional finishing border that's anything and everything you want it to be.



Millwork Masquerade

TVOC ≤ 100 µg/m³

Phthalate free, except for recycled materials

Recycled Content

Pre-consumer 14%

A part of ReStart® program

adhesives pg. 190

LET'S TALK OPTIONS.

Millwork Masquerade is available in a variety of design-enhancing profiles. Choose from 2 exclusive to this collection, Classic and Viewpoint, created to showcase our advanced imaging process. Or, choose Millwork® Oblique, Reveal, Reveal 6", Reveal 8" and Rampart® Chair Rail by special request.



DB5 Honed Marble W



DB6 Matchstick Stone CB



DB1 Azul Travertine WG



DC2 Tan Ceramic WB




DB2 Pearl Travertine WB




DB4 Browned Veined Marble WG



DB8 Greyish Veined Marble CG



DB7 Clouded Sandstone CG



DC1 Greyed Limestone WG



DB9 Mahogany Sandstone



DB3 Coffee Sandstone

With our high-definition digital printing, create a completely new pattern from an existing element in the environment. Simply send in a sample and we'll create a reproduction for your approval. With Millwork® Masquerade's advanced imaging and your imagination, anything is possible.



Wall Art™ Decorative Wall Base. Advance your standards.

Go ahead. Judge us by our appearance. You'll like what you see – luxurious woods, metals and stones that will add elegance to any space. Great news is – you'll also like what's behind those good looks – high performance patterns, easy coordination and multiple profiles. Wall Art™ is available without the high installation or maintenance costs of other wall base options. Told you we were looking good!



Wall Art

Phthalate free, except for recycled materials

Recycled Content

Pre-consumer 14%

A part of ReStart® program

Permanently impregnated pattern, not a laminate

Manufactured corners available for TightLock® and traditional base

Standard profiles shown

adhesives pg. 190



REVEAL®



SILHOUETTE®



OUTLINE®



OBLIQUE




SHOE MOULDING



QUARTER ROUND

STANDARD PROFILES





PLF Armor WG



GSM Bullion WB



GGT Ironware B



MSA Baroque WB



SLF Silversmith CG



APT Medallion B



NMP Natural Maple WB



BWG Balsa



LBE Light Beech WB



MBE Medium Beech



DBE Dark Beech



LOK Light Oak WB



WOK Willow Oak



MOK Medium Oak



DOK Dark Oak



POK Pin Oak



ACH Amber Cherry



CRW Mission



WAL Walnut



CWG Shaker




WEN Wenge Wood

Wall Art™ wood grains available in Millwork® Masquerade® by special request.

Johnsonite® Wall Bases. Tie it together.

At Johnsonite®, we look at that space between the wall and the floor not as a gap, but an opportunity. Add color, pattern, size, shape, performance or all of the above. With the most comprehensive collection of finishing borders in the country, we make it easy for you to unify your space with wall base that provides the perfect finishing touch.

| | TV Thermoplastic Vinyl | TP Thermoplastic Rubber | TS Thermoset Rubber |
|---|------------------------------|-------------------------------|---------------------------|
| Phthalate Free | ✓ | ✓ | |
| Bio-Based Content | | | ✓ |
| 100% Recyclable | ✓ | ✓ | ✓ |
| 10%+ Recycled Content | ✓ | ✓ | |
| Material Assessment Cradle to Cradle Certified ^{CM} V.3 Silver | | | ✓ |
| ColorMatch® | ✓ | ✓ | ✓ |
| No Dye Lots | ✓ | ✓ | ✓ |



BaseWorks® Thermoset Rubber Wall Base. Have it all.

Rubber's a natural. A functional fusion of aesthetics, performance and sustainability. BaseWorks® Rubber Wall Base looks great. Offering pure, uniform color and an attractive matte finish. It's also a great performer, providing outstanding flexibility for installation. And it won't fade, crack or separate from the wall. Way to go, BaseWorks. Everything you could want in a wall base. And then some.



Thermoset BaseWorks

TVOC < 10 µg/m³
 FloorScore® certified and meets CA 01350
 Cradle to Cradle certified
Rapidly Renewable Resources
 All profiles 2.3%
 A part of ReStart® program

3 standard heights: 2.5" (64 mm),
 4" (102 mm) or 6" (153 mm)

Thermoset rubber (type TS) 1/8"
 (3.175 mm)

Standard heights available in
 toe or toeless

4' sections and coils available

Manufactured inside and outside
 corners available

adhesives pg. 190

PALETTES A + B

For available standard colors,
 reference color palettes A
 and B on color guide in back.
 Custom colors available.



Traditional Vinyl + Rubber Wall Base. Keep it simple.

We all know there is a time and a place for straightforward, no-nonsense options. And for all those opportunities, there's Traditional Wall Base from Johnsonite®. It's basic, but built better – with multiple heights and color options. Our Traditional Wall Base has all the beauty, quality, durability and solid performance that you really need – just nothing that you don't.



Wall Base

TVOC $\leq 100 \mu\text{g}/\text{m}^3$

FloorScore® certified and meets CA 01350*

Phthalate free, except for recycled materials

*Except color palette D

Recycled Content

Pre-consumer 14%

A part of ReStart® program

3 standard heights: 2.5" (64 mm),
4" (102 mm) or 6" (153 mm)

Available in Duracove Rubber (type TP)
1/8" (3.175 mm) and vinyl (type TV)
.080" (2 mm) or 1/8" (3.175 mm)

Standard heights available in toe
or toeless

4' sections and coils available

Manufactured inside and outside
corners available

4.5", 8", 9" and 10" heights are special
order; call for details



Rubber – 4" also available in color palette D

adhesives pg. 190

PALETTES A + B + C + D

For available colors in Traditional,
reference color palettes A, B, C and D.

TRADITIONAL



TightLock® Wall Base System.

U.S. Patent No. 5,212,923


Lock it up.

When we say TightLock® Carpet Base comes first, it really does. Its notched design allows it to be installed before the carpeting and carpet tile, and remain in place when changing out the flooring too. This saves time and money on re-installation and wall repairs. Plus, this durable, high-performance base can stay in place longer, making it a more sustainable choice. Also available in a Resilient Base, TightLock provides a cove base look with a more subtle radius. With a unique tapered design, the resilient base accommodates any commercial flooring and delivers a tight, clean, finished appearance year after year.



TIGHTLOCK CARPET



*Available without spacer tab. (special order)



TIGHTLOCK RESILIENT



TightLock

TVOC $\leq 100 \mu\text{g}/\text{m}^3$

FloorScore® certified and meets CA 01350*

Phthalate free, except for recycled materials

*Except color palette D

Recycled Content

Pre-consumer 14%

A part of ReStart® program

TightLock

4' sections or 75' coils

Manufactured outside corners available

Clean, toeless look

More than 150 colors and specialty finishes

Available in both Duracove Rubber (type TP) and Vinyl (type TV)

More resistant to damage and distortion from maintenance equipment and chairs

TightLock for carpet

3.25" (83 mm), 3" (76 mm) face

4.5" (114 mm), 4.25" (108 mm) face

6.5" (165 mm), 6.25" (159 mm) face

TightLock for resilient flooring

3.125" (79 mm), 3" (76 mm) face



4.375" (111 mm), 4.25" (108 mm) face

6.375" (162 mm), 6.25" (159 mm) face

adhesives pg. 190

PALETTES A + B + C + D

For available colors in TightLock, reference color palettes A, B, C and D.



TightLock Carpet Base can be installed before the flooring, and can remain in place when replacing carpet or carpet tiles. TightLock Resilient Base is designed to offer a cove base look with a more subtle radius for a tight, finished appearance.

rePLACE® Wall Base System. Flex is best.

U.S. Patent No. 6,122,872

Once you install the rePLACE® System, everything changes. Or at least it can. This innovative flexible wall base is hung on a track, allowing you to remove the base as needed. Whether you need to paint the walls, install new floors or replace a damaged piece – the track system allows you to remove the base easily without having to pull out the entire installation. Plus, rePLACE installs without adhesives so this system can ultimately be reclaimed and recycled.

>>



rePLACE

TVOC ≤ 100 µg/m³

FloorScore® certified and meets CA 01350*

Phthalate free, except for recycled materials

*Except color palette D

Recycled Content

Pre-consumer 14%

A part of ReStart® program

Change rooms faster; repair high-abuse areas quickly

Reduce downtime

All replace profiles and track available in standard 4' lengths

Ideal for tenant improvement projects with tight budgets and timetables

Removability permits reuse of product after remodeling

Damaged sections can be easily replaced


Track and base can be removed and reused

Inside and outside corners, and end stops available

Traditional and contemporary profiles

Return rePLACE once you are finished with it as part of our ReStart Reclamation Program. We'll recycle it and keep it out of landfills.

adhesives pg. 190



OUTSIDE CORNER
RBOC-XX



INSIDE CORNER
RBIC-XX

PALETTE A

For available colors, reference color palette A. Also available in 08 Icicle, 50 White, 68 White Sand and 79 Bone White. Custom colors available.

| rePLACE WALL BASE AND TRACK | | |
|--|--------------|---------------------------|
| Profile | Product Code | Height |
| Prominent | RB-XX-A | 4-3/8" (111 mm) |
| Tempo | RB-XX-F | 4-3/8" (111 mm) |
| Gepetto | RB-XX-G | 4-1/2" (114 mm) |
| rePLACE Track | RBT-00 | for use with all profiles |
| rePLACE CORNERS AND END STOPS (for use with all profiles) | | |
| Profile | Product Code | Height |
| Inside Corner | RBIC-XX | 4-5/8" (117 mm) |
| Outside Corner | RBOC-XX | 4-5/8" (117 mm) |
| Right End Stop | RBRS-XX | 4-5/8" (117 mm) |
| Left End Stop | RBLS-XX | 4-5/8" (117 mm) |