

Fusion Collection

Paradox

64647 Woodland

PERFORMANCE FABRIC



© 2017 C.F. Stinson, LLC. All rights reserved.

# Paradox

Fusion Collection

PERFORMANCE FABRIC

## Performance Summary

- Enhanced soil + stain resistance
- Enhanced abrasion resistance
- Bleach-solution cleanable

## Cleaning and Maintenance

Cleaning Code: **(W-S)** For water-based stains use water-based cleaners. For oil-based stains use solvent-based cleaners. We recommend using a professional cleaning service.

Bleach solutions of up to 20% may be used for more difficult stains.

For additional cleaning information visit [cfstinson.com](http://cfstinson.com)

For complete specifications visit [cfstinson.com](http://cfstinson.com)

Dye lots may vary slightly.

\* This term and any corresponding data refer to the typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

\*\* Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be an indicator of increased lifespan.

## Specifications



Content	70% Post Consumer Recycled Polyester, 30% Nylon
Finish	INCASE soil and stain protection
Backing	Acrylic
Weight	16.37 oz./lin. yd. ± 1.0 oz.
Width	54 inches
Repeat	Horizontal: 9.375 inches, Vertical: 18.5 inches, directional
Roll Size	55 yards

## Performance Characteristics


Abrasion Resistance** ASTM D-4157	Exceeds 100,000 double rubs - heavy duty
Break Strength ASTM D-5034	Warp: 338.8 lbs. min., Fill: 490.7 lbs. min.
Seam Slippage ASTM D-4034	Warp: 55.6 lbs. min., Fill: 85.8 lbs. min.
Brush Pilling ASTM D-3511	Class 3.0 min.
Colorfastness to Light AATCC-16	40 Hours, Class 4.5
Crocking AATCC-8	Dry: Class 5.0, Wet: Class 4.5

## Flammability\*

California Technical Bulletin 117-2013 Section 1	Passed
UFAC	Class 1
NFPA 260	Class 1

May contribute to compliance with California Technical Bulletin 133 when used in conjunction with other suitable components.

This product is produced using 70% recycled fiber.



# Stinson®

C.F. Stinson, LLC  
2849 Product Drive  
Rochester Hills, MI 48309

P 800 841 6279  
F 248 299 3884

[cfstinson.com](http://cfstinson.com)