



Prices effective February 6, 2017

Published November 2017

Canvas Office Landscape® Dock-Based

Introduction	page 2
Canvas Office Landscape® Dock-Based	3
Infrastructure	5
Energy Distribution	19
Work Surfaces	43
Storage	83
Screens	90
Indices	123
By Name	123
By Number	125
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Stain-to-Match Program	
Customer's Own Material Order Information-Workspaces	
Proprietary Textiles Application Chart-Workspaces	
Proprietary Textile Colors-Workspaces	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

This book is effective February 6, 2017, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.


All prices are list prices in US Dollars. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.


Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $\frac{1}{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Infrastructure

Energy Distribution

Work Surfaces


Storage

Screens



Dock Structure

FD110.



Product Information

Description

This structural steel wall defines space and channels power and data to the user. Includes 18 1/8"-high frame and top rail. Top rail finish is clear anodized aluminum.

Notes

When finished with cladding, dock structure is 3" thick.


Dock is raised 4" from the floor.

Power can enter from bottom opening using floor power entry (FD144.) or from end of dock with ceiling power entry (FD142.), ordered separately.

Order the following products separately:

- Lower cladding (FD170.)
- Dock foot (FD117.)
- Dock foot, structural (FD119.)
- Dock-to-dock connector (FD128.)
- Dock power harness (FD151.)
- Finished end, architectural, dock (FD16A.)

Dimensions



Specification Information

Step 1.

FD110. A

Step 2. Width


- 42** 42" wide A
- 48** 48" wide A
- 60** 60" wide A
- 72** 72" wide A
- 84** 84" wide A
- 96** 96" wide A

Prices for Steps 1-2.

FD110. 42	\$578
48	\$630
60	\$709
72	\$788
84	\$867
96	\$945

Step 3. Top Rail Finish

AN clear anodized aluminum A +\$0



Product Information

Description

This structural panel stands on the floor and attaches to a dock to provide end of run support and privacy. It is 1 1/4" thick and has a laminate surface with thermoplastic edge, laminate surface with a thermoplastic backed plywood edge, or veneer surface and edge. Leveling glides and attachment hardware included.

Notes

Gallery panels 24"-72" wide are a single panel construction; 84"-144" wide are a 3 panel construction.

Attachment direction is determined by facing the gallery panel from outside the workstation. Left attachment (L) connects the left side of a gallery panel to the end of a dock. Right attachment (R) connects the right side of a gallery panel to the end of a dock. Mid attachment (M) connects the middle of a gallery panel to the end of a dock.




Mid-attached gallery panels are 3" wider than nominal dimensions.

Gallery panels 60" wide and wider require attachment to adjacent surfaces; hardware is included.


Leveling glides provide 2" of adjustment.

Grain direction is vertical on veneer and wood-grain laminate panel.


Dimensions



Left Attachment



Right Attachment



Mid Attachment

Gallery Panel, Dock Attached

continued

Specification Information

Step 1.

FD113.

Step 2. Height

- 22** 22" high
- 29** 29" high
- 42** 42" high
- 46** 46" high

Step 3. Width

For 22" high (22)

- 24** 24" wide
- 30** 30" wide
- 36** 36" wide
- 42** 42" wide
- 48** 48" wide
- 60** 60" wide
- 72** 72" wide

For 29" high (29), 42" high (42), or 46" high (46)

- 24** 24" wide
- 30** 30" wide
- 36** 36" wide
- 42** 42" wide
- 48** 48" wide
- 60** 60" wide
- 72** 72" wide
- 84** 84" wide
- 96** 96" wide
- 120** 120" wide
- 144** 144" wide

Step 4. Surface Material

- L** laminate/thermoplastic edge
- W** veneer
- U** laminate/universal edge

Step 5. Attachment Method

For 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42)

- L** left attachment
- R** right attachment

For 48" wide (48), 60" wide (60), or 72" wide (72)

- L** left attachment
- M** mid attachment
- R** right attachment

For 84" wide (84), 96" wide (96), 120" wide (120), or 144" wide (144)

- M** mid attachment

Prices for Steps 1-5.

		LL	LM	LR	WL	WM	WR	
FD113.	22 24	\$227	—	227	591	—	591	
	30	\$328	—	328	813	—	813	
	36	\$379	—	379	924	—	924	
	42	\$455	—	455	1091	—	1091	
	48	\$530	530	530	1257	1245	1257	
	60	\$631	631	631	1480	1465	1480	
	72	\$732	732	732	1702	1685	1702	
	29 24	\$303	—	303	667	—	667	
	30	\$404	—	404	889	—	889	
	36	\$455	—	455	1000	—	1000	
	42	\$531	—	531	1167	—	1167	
	48	\$606	606	606	1334	1334	1334	
	60	\$707	707	707	1556	1556	1556	
	72	\$808	808	808	1778	1778	1778	
	84	—	\$1010	—	—	2222	—	
	96	—	\$1111	—	—	2445	—	
	120	—	\$1313	—	—	2889	—	
	144	—	\$1515	—	—	3333	—	
		42 24	\$455	—	455	1000	—	1000
		30	\$556	—	556	1223	—	1223
		36	\$606	—	606	1334	—	1334
42		\$682	—	682	1500	—	1500	
48		\$758	758	758	1667	1667	1667	
60		\$859	859	859	1889	1889	1889	
72		\$960	960	960	2111	2111	2111	
	84	—	\$1212	—	—	2667	—	
	96	—	\$1313	—	—	2889	—	
	120	—	\$1515	—	—	3333	—	
	144	—	\$1717	—	—	3778	—	

Gallery Panel, Dock Attached

continued

Canvas Office Landscape® Infrastructure

46 24	\$505	—	505	1111	—	1111
30	\$606	—	606	1334	—	1334
36	\$657	—	657	1445	—	1445
42	\$733	—	733	1611	—	1611
48	\$808	808	808	1778	1778	1778
60	\$909	909	909	2000	2000	2000
72	\$1010	1010	1010	2222	2222	2222
84	—	\$1313	—	—	2889	—
96	—	\$1414	—	—	3111	—
120	—	\$1616	—	—	3556	—
144	—	\$1818	—	—	4000	—

46 24	\$505	—	505
30	\$606	—	606
36	\$657	—	657
42	\$733	—	733
48	\$808	808	808
60	\$909	909	909
72	\$1010	1010	1010
84	—	\$1313	—
96	—	\$1414	—
120	—	\$1616	—
144	—	\$1818	—

			UL	UM	UR
FD113. 22 24			\$227	—	227
30			\$328	—	328
36			\$379	—	379
42			\$455	—	455
48			\$530	530	530
60			\$631	631	631
72			\$732	732	732
29 24			\$303	—	303
30			\$404	—	404
36			\$455	—	455
42			\$531	—	531
48			\$606	606	606
60			\$707	707	707
72			\$808	808	808
84			—	\$1010	—
96			—	\$1111	—
120			—	\$1313	—
144			—	\$1515	—
42 24			\$455	—	455
30			\$556	—	556
36			\$606	—	606
42			\$682	—	682
48			\$758	758	758
60			\$859	859	859
72			\$960	960	960
84			—	\$1212	—
96			—	\$1313	—
120			—	\$1515	—
144			—	\$1717	—

Step 6.

Surface Finish
 For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 84" wide (84), 96" wide (96), 120" wide (120), or 144" wide (144) with laminate/thermoplastic edge (L), or laminate/universal edge (U)

1X	vanilla <input type="checkbox"/>	+\$0
28	canyon <input type="checkbox"/>	+\$0
29	misted <input type="checkbox"/>	+\$0
2X	wheat <input type="checkbox"/>	+\$0
38	twilight <input type="checkbox"/>	+\$0
39	desert <input type="checkbox"/>	+\$0
3X	celery <input type="checkbox"/>	+\$0
4X	coriander <input type="checkbox"/>	+\$0
5X	chamomile <input type="checkbox"/>	+\$0
6X	cinnamon <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
7X	cardamom <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
8X	kale <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
BU	black umber <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
J4	frosted light grey <input type="checkbox"/>	+\$0
J5	frosted inner tone light <input type="checkbox"/>	+\$0
J7	frosted medium tone <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0

Gallery Panel, Dock Attached

continued

LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut A	+\$0
LBE	medium red walnut A	+\$0
LBF	neutral twill A	+\$0
LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LG	light grey (discontinuing) A	+\$0
LM	mahogany A	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
MT	medium tone A	+\$0
OG	honey maple A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
X1	chalk white A	+\$0

Surface Finish
For 60" wide (60) or 72" wide (72) with laminate/thermoplastic edge (L), or laminate/universal edge (U)

8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Surface Finish
For 60" wide (60) or 72" wide (72) with laminate/thermoplastic edge (L), or laminate/universal edge (U)

LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0

Surface Finish
For 60" wide (60) or 72" wide (72) with laminate/thermoplastic edge (L), or laminate/universal edge (U)

LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0

Surface Finish
For 60" wide (60) or 72" wide (72) with laminate/thermoplastic edge (L), or laminate/universal edge (U)

28	canyon A	+\$0
29	misted A	+\$0
38	twilight A	+\$0
39	desert A	+\$0

Surface/Edge Finish: Recut Veneer
For veneer (W)

DU	cathedral recut natural maple A	+\$85
HU	cathedral recut light anigre A	+\$85
JU	cathedral recut aged cherry A	+\$85
VU	cathedral recut light brown walnut A	+\$85
WU	cathedral recut walnut on cherry A	+\$85
XU	cathedral recut medium red cherry A	+\$85
ZU	cathedral recut chocolate brown sapele A	+\$85

Surface/Edge Finish: Wood Veneer
For veneer (W)

2U	light brown walnut A	+\$85
3U	medium red cherry A	+\$85
40	dark brown walnut A	+\$85
6U	chocolate brown sapele A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Canvas Office Landscape® Infrastructure

Gallery Panel, Dock Attached

continued

Canvas Office Landscape® Infrastructure

Step 7. Edge Finish

For laminate/thermoplastic edge (L)


76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
BU	black umber <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
MT	medium tone <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

For laminate/universal edge (U)

PLY	plywood edge <input type="checkbox"/>	+\$50
------------	---------------------------------------	-------

Dock Foot, Structural (Support Foot)

FD119.



Product Information

Description

This painted metal individual structural foot supports 1 end of a dock or the attachment point of 2 adjacent docks, and can support a dock wall run. It adjusts up to 1 1/2" for leveling. Attachment hardware included.


Notes

This foot is used in place of the dock foot (FD117.).

Order service kit (U1BDWGL) for additional leveling spacers.

See planning guide for length of run and proper support information.

Dimensions



Specification Information

Step 1.

FD119. \$245

Step 2. Surface Finish

8Q folkstone grey +\$0
98 studio white +\$0
WL sandstone +\$0

Bright Sand Texture Paint


91 white +\$0
CL cool grey neutral +\$0
G1 graphite +\$0
WN warm grey neutral +\$0

Metallic Paint

CN metallic champagne +\$25
EH metallic bronze +\$25
MS metallic silver +\$25

Dock Foot

FD117.



Canvas Office Landscape® Infrastructure

Product Information


Description

This painted metal individual foot attaches at 1 end of a dock or at the attachment point of 2 adjacent docks. It adjusts up to 2" for leveling. Attachment hardware included.

Notes

Specify configuration (1A) for end-of-dock applications.
 Specify shared configuration (1B) for use where 2 docks come together.
 See planning guide for length of run and proper support information.

Dimensions



Specification Information

Step 1.

FD117. A

Step 2. Configuration

- 1A** end-of-dock A
- 1B** shared A

Prices for Steps 1-2.

FD117. 1A	\$111
1B	\$113

Step 3. Surface Finish

8Q folkstone grey <input type="checkbox"/> A	+\$0
98 studio white <input type="checkbox"/> A	+\$0
WL sandstone <input type="checkbox"/> A	+\$0

Bright Sand Texture Paint


91 white <input type="checkbox"/> A	+\$0
CL cool grey neutral <input type="checkbox"/> A	+\$0
G1 graphite <input type="checkbox"/> A	+\$0
WN warm grey neutral <input type="checkbox"/> A	+\$0

Metallic Paint

CN metallic champagne <input type="checkbox"/> A	+\$10
EH metallic bronze <input type="checkbox"/> A	+\$10
MS metallic silver <input type="checkbox"/> A	+\$10

Dock-to-Dock Connector

FD128.



Product Information

Description

This connecting hardware joins 2 docks together in-line.

Notes

Requires 1 dock foot (FD117.1B) or 1 structural foot (FD119.), ordered separately.

Dimensions

Specification Information

Step 1.

FD128. A


Step 2. Configuration


1 in-line connection A

Prices for Steps 1-2.

FD128. 1

\$36





Product Information


Description

This bracket attaches a Canvas wood or metal low credenza with 4" foot and thin top and provides structural support to the dock wall run. It allows the credenza unit to be positioned parallel or perpendicular to the dock. Includes 1 bracket and attachment hardware.

Notes

For use with low credenza with 4" foot and thin top.
 Bracket attaches with a 1" cable management gap.
 2 brackets required for each credenza unit.
 For information about properly supporting the dock, see Canvas Dock-Based planning guide. See Canvas Office Landscape® planning guide for specific surface support guidelines when using the Canvas low credenza.

Dimensions



Specification Information

Step 1.

FD292. A

Step 2. Storage Type

- M** for use with metal low credenza with 4" high foot A
- W** for use with wood low credenza with 4" high foot A

Step 3. Storage Attachment Position

- G** 1" gap, for cord drop A

Prices for Steps 1-3.


	G
FD292. M	\$122
W	\$122

Step 4. Surface Finish

- MS** metallic silver A +\$10

Low Storage to Dock Spacer

FD293.



Product Information

Description

This spacer attaches a Canvas wood or metal low credenza with 4" foot and thin top to the dock. It creates a uniform 1" cable management gap between the dock and credenza when the low storage to dock bracket is being used to support a dock wall run. Includes 1 spacer.


Notes

2 spacers required for each low credenza.

Spacer does not provide structural support to the dock wall.

For information about properly supporting the dock, see Canvas Dock-Based planning guide. See Canvas Office Landscape® planning guide for specific surface support guidelines when using the Canvas low credenza.

Dimensions



Specification Information

Step 1.

FD293. A

Step 2. Storage Attachment Position

G 1" gap, for cord drop A

Prices for Steps 1-2.


FD293. G \$21

Step 3. Surface Finish

MS metallic silver A +\$5

Lower Cladding

FD170.




Canvas Office Landscape® Infrastructure

Product Information

Description
 This one-piece painted metal cladding finishes 1 side of a dock. It includes cladding and attachment hardware for 1 side of frame. Optional knockouts include 2 data face plate perforated knockouts, 1 for each end of the cladding, and knockouts to route power conduit out of the dock to the underside of a work surface when the undersurface power module is used.

Notes
 Can be specified with knockouts (K) for power/data or without knockouts (N).
 Knockouts are for NEMA data face plates.
 Data face plates are field supplied.
 For power access below the surface, specify undersurface power module (FD152.) and cable manager dock to surface (FD199.) separately.
 Specify cladding to match width of dock structure.

Dimensions



Specification Information

Step 1.

FD170. A

Step 2. Width

- 42** 42" wide A
- 48** 48" wide A
- 60** 60" wide A
- 72** 72" wide A
- 84** 84" wide A
- 96** 96" wide A

Step 3. Surface Material

P painted A

Step 4. Cord Knockouts

- K** knockouts A
- N** no knockouts A

Prices for Steps 1-4.

	K	N
FD170. 42 P	\$189	189
48 P	\$193	193
60 P	\$196	196
72 P	\$207	207
84 P	\$241	241
96 P	\$269	269

Step 5. Surface Finish

- 8Q** folkstone grey A +\$0
- 98** studio white A +\$0
- WL** sandstone A +\$0


Bright Sand Texture Paint

- 91** white A +\$0
- CL** cool grey neutral A +\$0
- G1** graphite A +\$0
- WN** warm grey neutral A +\$0

Metallic Paint

- CN** metallic champagne A +\$10
- EH** metallic bronze A +\$10
- MS** metallic silver A +\$10

Finished End, Architectural, Dock FD16A.




Product Information

Description

This 18 1/4"-high painted metal cover finishes 1 end of a single dock. Attachment hardware included.

Dimensions



Specification Information

Step 1.

FD16A. A

Step 2. Height

22 22" high A

Step 3. Surface Material

P painted A

Prices for Steps 1-3.

	P
FD16A. 22	\$172

Step 4. Surface Finish


8Q folkstone grey <input type="checkbox"/> A	+\$0
98 studio white <input type="checkbox"/> A	+\$0
WL sandstone <input type="checkbox"/> A	+\$0

Bright Sand Texture Paint

91 white <input type="checkbox"/> A	+\$0
CL cool grey neutral <input type="checkbox"/> A	+\$0
G1 graphite <input type="checkbox"/> A	+\$0
WN warm grey neutral <input type="checkbox"/> A	+\$0

Metallic Paint

CN metallic champagne <input type="checkbox"/> A	+\$7
EH metallic bronze <input type="checkbox"/> A	+\$7
MS metallic silver <input type="checkbox"/> A	+\$7






Product Information

Description
 This housing mounts on the bottom of the dock or under a work surface and supports face plates with voice/data ports. Attachment hardware included.

Notes
 Housing accepts a NEMA data faceplate.

Dimensions



Specification Information

Step 1.

FD159. A

Step 2. Application

- 01** bottom of the dock A
- 02** under work surface A

Prices for Steps 1-2.


FD159. 01	\$179
02	\$179

Step 3. Finish

8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
G1	graphite A	+\$0
MS	metallic silver A	+\$0
WL	sandstone A	+\$0

Dock Power Harness

FD151.



Product Information


Description

This power harness distributes power within a dock. It has 2 power blocks with connecting conduit and is suspended from the dock top rail within the interior of the dock. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. Each power block has 3 additional modular connection locations to connect power entries, block to block jumpers, and power modules. Harness is UL listed.

Notes

Specify width of power harness to match width of dock structure.

Dimensions



Specification Information

Step 1.

FD151. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

Step 3. Width

42 42" wide A

48 48" wide A

60 60" wide A

72 72" wide A


84 84" wide A

96 96" wide A

Prices for Steps 1-3.

	42	48	60	72	84	96
FD151. 08	\$177	202	253	303	354	404
10	\$177	202	253	303	354	404

Power, Block to Block Jumper FD154.




Canvas Office Landscape® Energy Distribution

Product Information

Description
 This power jumper routes power from a dock power harness to an adjacent dock power harness in an in-line connection. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It is UL listed and Canadian UL listed.

Notes
 Uses 1 modular connection location on each end of adjacent dock power harnesses (FD151).

Dimensions



Specification Information

Step 1.

FD154. [A]

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral [A]

10 10-wire, 4-circuit, separate neutrals [A]

Step 3. Jumper Application

S for straight dock to dock connections [A]


Step 4. Length

20 20" long [A]

Prices for Steps 1-4.

	20
FD154. 08 S	\$112
10 S	\$112

Power Module - Bottom of Dock FD150.




Product Information

Description

This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Dimensions



Specification Information

Step 1.

FD150. [A]

Step 2. Type

- AN** 8 wire, circuit A, share neutral [A]
- BN** 8 wire, circuit B, share neutral [A]
- CN** 8 wire, circuit C, share neutral [A]
- DN** 8 wire, circuit D, share neutral [A]
- BG** 8 wire, circuit B, isolated ground [A]
- CG** 8 wire, circuit C, isolated ground [A]
- DG** 8 wire, circuit D, isolated ground [A]
- ADN** 8 wire, (1) circuit A and (1) circuit D on each side [A]
- BCI** 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side [A]
- 1N** 10 wire, separate neutrals, circuit A [A]
- 2N** 10 wire, separate neutrals, circuit B [A]
- 3N** 10 wire, separate neutrals, circuit C [A]
- 3G** 10 wire, separate neutrals, isolated ground, circuit C [A]
- 4N** 10 wire, separate neutrals, circuit D [A]
- 4G** 10 wire, separate neutrals, isolated ground, circuit D [A]
- 1N4N** 10 wire, (1) circuit 1N and (1) circuit 4N on each side [A]
- 2N3G** 10 wire, (1) circuit 2N and (1) isolated ground 3G on each side [A]

Prices for Steps 1-2.


FD150. AN	\$354
BN	\$354
CN	\$354
DN	\$354
BG	\$354
CG	\$354
DG	\$354
ADN	\$354
BCI	\$354
1N	\$354
2N	\$354
3N	\$354
3G	\$354
4N	\$354
4G	\$354
1N4N	\$354
2N3G	\$354

Power Module - Bottom of Dock

continued

Canvas Office Landscape® Energy Distribution

Step 3. Finish		
8Q	folkstone grey <input type="checkbox"/> A	+\$0
91	white <input type="checkbox"/> A	+\$0
98	studio white <input type="checkbox"/> A	+\$0
G1	graphite <input type="checkbox"/> A	+\$0
MS	metallic silver <input type="checkbox"/> A	+\$5
WL	sandstone <input type="checkbox"/> A	+\$0



Product Information


Description

This power module attaches beneath a dock-supported work surface. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

Specify cladding (FD170.) with knockouts (K).
 To cover conduit, data cables, and cladding knockout, specify cable manager dock to surface (FD199).
 Uses 1 modular connection location on each end of adjacent dock power harnesses (FD151).

Dimensions



Specification Information

Step 1.

FD152. [A]

Step 2. Type

- AN** 8 wire, circuit A, share neutral [A]
- BN** 8 wire, circuit B, share neutral [A]
- CN** 8 wire, circuit C, share neutral [A]
- DN** 8 wire, circuit D, share neutral [A]
- BG** 8 wire, circuit B, isolated ground [A]
- CG** 8 wire, circuit C, isolated ground [A]
- DG** 8 wire, circuit D, isolated ground [A]
- ADN** 8 wire, (1) circuit A and (1) circuit D on each side [A]
- BCI** 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side [A]
- 1N** 10 wire, separate neutrals, circuit A [A]
- 2N** 10 wire, separate neutrals, circuit B [A]
- 3N** 10 wire, separate neutrals, circuit C [A]
- 3G** 10 wire, separate neutrals, isolated ground, circuit C [A]
- 4N** 10 wire, separate neutrals, circuit D [A]
- 4G** 10 wire, separate neutrals, isolated ground, circuit D [A]
- 1N4N** 10 wire, (1) circuit 1N and (1) circuit 4N on each side [A]
- 2N3G** 10 wire, (1) circuit 2N and (1) isolated ground 3G on each side [A]

Step 3. Cord/Conduit Length

03 3' cord/conduit [A]

Prices for Steps 1-3.

	03
FD152. AN	\$354
BN	\$354
CN	\$354
DN	\$354
BG	\$354
CG	\$354
DG	\$354
ADN	\$354
BCI	\$354
1N	\$354
2N	\$354
3N	\$354
3G	\$354
4N	\$354
4G	\$354
1N4N	\$354
2N3G	\$354

Under Surface Power Module


continued

Canvas Office Landscape® Energy Distribution

Step 4. Finish		
8Q	folkstone grey <input type="checkbox"/> A	+\$0
91	white <input type="checkbox"/> A	+\$0
98	studio white <input type="checkbox"/> A	+\$0
G1	graphite <input type="checkbox"/> A	+\$0
MS	metallic silver <input type="checkbox"/> A	+\$5
WL	sandstone <input type="checkbox"/> A	+\$0

Power Module-Top of Dock

FD158.



Product Information

Description

This power module attaches to the Canvas dock top rail. The unit has a modular connection end that attaches to 1 connection point of the internal dock power harness. It has 3 power outlets, 2 USB charging ports, an opening for data module terminations, and an integrated cable manager. Mounting hardware included. Product is UL listed.

Notes


Power unit is plastic; vertical wire chase is painted metal. When specifying white (G1) or graphite (G1) paint, plastic housing color matches specified painted surface finish. When specifying metallic silver (MS) paint, plastic housing color is cool grey neutral (CL).

USB ports will charge most small electronic devices. Software in each device controls the ability to accept charge via USB. Each USB port supplies 10 watts of power.

When attached to Canvas dock top rail, top of power unit is 25 1/4" above the floor.

8 wire, shared neutral product (AN, BN, CN, DN) is a 3+1 configuration.

Dimensions



Specification Information

Step 1.

FD158. A

Step 2. Configuration

H 3 simplex receptables, 2 powered USB, 1 Data Opening A

Step 3. Circuit Type

AN 8 wire, circuit A, shared neutral A

BN 8 wire, circuit B, shared neutral A

CN 8 wire, circuit C, shared neutral A

DN 8 wire, circuit D, shared neutral A

1N 10 wire, separate neutrals, circuit A A

2N 10 wire, separate neutrals, circuit B A

3N 10 wire, separate neutrals, circuit C A

4N 10 wire, separate neutrals, circuit D A

H for hardwiring-chicago code-conduit with open end A

Prices for Steps 1-3.


	AN	BN	CN	DN	1N	2N
FD158. H	\$566	566	566	566	586	586
					3N	4N
FD158. H					\$586	586
						H
FD158. H						586

Step 4. Surface Finish

91	white <input type="checkbox"/> A					+\$0
G1	graphite <input type="checkbox"/> A					+\$0
MS	metallic silver <input type="checkbox"/> A					+\$10

Controlled Power Module - Bottom of Dock

FD150M



Product Information


Description

This receptacle is to be used for ASHRAE 90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

For modules with 2 circuits, ensure that the controlled marking is only specified for the circuits that will be under automated control by the energy management system.

Dimensions



Specification Information

Step 1.

FD150M. A

Step 2. Type

- AN** 8 wire, circuit A, share neutral A
- BN** 8 wire, circuit B, share neutral A
- CN** 8 wire, circuit C, share neutral A
- DN** 8 wire, circuit D, share neutral A
- BG** 8 wire, circuit B, isolated ground A
- CG** 8 wire, circuit C, isolated ground A
- DG** 8 wire, circuit D, isolated ground A
- ADN** 8 wire, (1) circuit A and (1) circuit D on each side A
- BCI** 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A
- ADNA** 8 wire, (1) circuit A and (1) circuit D on each side A controlled marking on A circuit A
- BCIB** 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A controlled marking on B circuit A
- ADND** 8 wire, (1) circuit A and (1) circuit D on each side A controlled marking on D circuit A
- BCIC** 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A controlled marking on C circuit A
- 1N** 10 wire, separate neutrals, circuit A A
- 2N** 10 wire, separate neutrals, circuit B A
- 3N** 10 wire, separate neutrals, circuit C A
- 3G** 10 wire, separate neutrals, isolated ground, circuit C A
- 4G** 10 wire, separate neutrals, isolated ground, circuit D A
- 4N** 10 wire, separate neutrals, circuit D A
- 1N4N** 10 wire, (1) circuit 1N and (1) circuit 4N on each side A
- 2N3G** 10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A

Controlled Power Module -
Bottom of Dock *continued*


Prices for Steps 1-2.

FD150M. AN	\$354
BN	\$354
CN	\$354
DN	\$354
BG	\$354
CG	\$354
DG	\$354
ADN	\$354
BCI	\$354
ADNA	\$354
BCIB	\$354
ADND	\$354
BCIC	\$354
1N	\$354
2N	\$354
3N	\$354
3G	\$354
4G	\$354
4N	\$354
1N4N	\$354
2N3G	\$354

Step 3. Finish

8Q folkstone grey <input type="checkbox"/>	+\$0
91 white <input type="checkbox"/>	+\$0
98 studio white <input type="checkbox"/>	+\$0
G1 graphite <input type="checkbox"/>	+\$0
MS metallic silver <input type="checkbox"/>	+\$5
WL sandstone <input type="checkbox"/>	+\$0

Under Surface Controlled Power Module FD152M




Canvas Office Landscape® Energy Distribution

Product Information

Description
 This receptacle is to be used for ASHRAE 90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. This power module attaches beneath a dock-supported work surface. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes
 For modules with 2 circuits, ensure that the controlled marking is only specified for the circuits that will be under automated control by the energy management system.

Dimensions



Specification Information

Step 1.

FD152M. [A]

Step 2. Type

- AN** 8 wire, circuit A, share neutral [A]
- BN** 8 wire, circuit B, share neutral [A]
- CN** 8 wire, circuit C, share neutral [A]
- DN** 8 wire, circuit D, share neutral [A]
- BG** 8 wire, circuit B, isolated ground [A]
- CG** 8 wire, circuit C, isolated ground [A]
- DG** 8 wire, circuit D, isolated ground [A]
- ADN** 8 wire, (1) circuit A and (1) circuit D on each side [A]
- BCI** 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side [A]
- ADNA** 8 wire, (1) circuit A and (1) circuit D on each side [A] controlled marking on A circuit [A]
- BCIB** 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side [A] controlled marking on B circuit [A]
- ADND** 8 wire, (1) circuit A and (1) circuit D on each side [A] controlled marking on D circuit [A]
- BCIC** 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side [A] controlled marking on C circuit [A]
- 1N** 10 wire, separate neutrals, circuit A [A]
- 2N** 10 wire, separate neutrals, circuit B [A]
- 3N** 10 wire, separate neutrals, circuit C [A]
- 3G** 10 wire, separate neutrals, isolated ground, circuit C [A]
- 4N** 10 wire, separate neutrals, circuit D [A]
- 4G** 10 wire, separate neutrals, isolated ground, circuit D [A]
- 1N4N** 10 wire, (1) circuit 1N and (1) circuit 4N on each side [A]
- 2N3G** 10 wire, (1) circuit 2N and (1) isolated ground 3G on each side [A]

Step 3. Cord/Conduit Length

03 3' cord/conduit [A]

Under Surface Controlled Power Module *continued*


Prices for Steps 1-3.

	03
FD152M. AN	\$354
BN	\$354
CN	\$354
DN	\$354
BG	\$354
CG	\$354
DG	\$354
ADN	\$354
BCI	\$354
ADNA	\$354
BCIB	\$354
ADND	\$354
BCIC	\$354
1N	\$354
2N	\$354
3N	\$354
3G	\$354
4N	\$354
4G	\$354
1N4N	\$354
2N3G	\$354

Step 4. Finish

8Q	folkstone grey A	+ \$0
91	white A	+ \$0
98	studio white A	+ \$0
G1	graphite A	+ \$0
MS	metallic silver A	+ \$5
WL	sandstone A	+ \$0

Power Module - Bottom of Dock - FD156.
20 amp





Canvas Office Landscape® Energy Distribution

Product Information

Description
This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Receptacles in this module are rated for 20 amps. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes
Receptacles are black. Metal housing is painted.

Dimensions



Specification Information

- Step 1.
FD156. A
-
- Step 2. Type
- AN** 8 wire, shared neutral, circuit A A
 - BN** 8 wire, shared neutral, circuit B A
 - CN** 8 wire, shared neutral, circuit C A
 - DN** 8 wire, shared neutral, circuit D A
 - BG** 8 wire, shared neutral, circuit B, isolated ground A
 - CG** 8 wire, shared neutral, circuit C isolated ground A
 - DG** 8 wire, shared neutral, circuit D, isolated ground A
 - ADN** 8 wire, shared neutral, (1) circuit A and (1) circuit D on each side A
 - BCI** 8 wire, shared neutral, (1) circuit B and (1) circuit CG isolated ground on each side A
 - 1N** 10 wire, separate neutrals, circuit A A
 - 2N** 10 wire, separate neutrals, circuit B A
 - 3N** 10 wire, separate neutrals, circuit C A
 - 3G** 10 wire, separate neutrals, circuit C, isolated ground A
 - 4N** 10 wire, separate neutrals, circuit D A
 - 4G** 10 wire, separate neutrals, isolated ground, circuit D A
 - 1N4N** 10 wire, (1) circuit 1N and (1) circuit 4N on each side A
 - 2N3G** 10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A


Prices for Steps 1-2.

FD156. AN	\$404
BN	\$404
CN	\$404
DN	\$404
BG	\$404
CG	\$404
DG	\$404
ADN	\$404
BCI	\$404
1N	\$404
2N	\$404
3N	\$404
3G	\$404
4N	\$404
4G	\$404
1N4N	\$404
2N3G	\$404

Power Module - Bottom of Dock -
20 amp *continued*

Step 3. Finish		
91	white <input type="checkbox"/>	+\$0
G1	graphite <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$5

Under Surface Power Module - 20 amp FD157.



Canvas Office Landscape® Energy Distribution


Product Information

Description
 This power module attaches to the underside of a dock-supported work surface or storage unit. The modular plug end connects to a dock power harness. This power module includes 4 simplex receptacles, rated for 20 amps. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

Receptacles are black. Metal housing is painted.

Dimensions



Specification Information

Step 1.

FD157. A

Step 2. Type

- AN** 8 wire, shared neutral, circuit A A
- BN** 8 wire, shared neutral, circuit B A
- CN** 8 wire, shared neutral, circuit C A
- DN** 8 wire, shared neutral, circuit D A
- BG** 8 wire, shared neutral, circuit B, isolated ground A
- CG** 8 wire, shared neutral, circuit C isolated ground A
- DG** 8 wire, shared neutral, circuit D, isolated ground A
- ADN** 8 wire, shared neutral, (1) circuit A and (1) circuit D on each side A
- BCI** 8 wire, shared neutral, (1) circuit B and (1) circuit CG isolated ground on each side A
- 1N** 10 wire, separate neutrals, circuit A A
- 2N** 10 wire, separate neutrals, circuit B A
- 3N** 10 wire, separate neutrals, circuit C A
- 3G** 10 wire, separate neutrals, circuit C, isolated ground A
- 4N** 10 wire, separate neutrals, circuit D A
- 4G** 10 wire, separate neutrals, isolated ground, circuit D A
- 1N4N** 10 wire, (1) circuit 1N and (1) circuit 4N on each side A
- 2N3G** 10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A

Step 3. Cord/Conduit Length

03 3' cord/conduit A

Under Surface Power Module - 20
amp *continued*


Prices for Steps 1-3.

	03
FD157. AN	\$404
BN	\$404
CN	\$404
DN	\$404
BG	\$404
CG	\$404
DG	\$404
ADN	\$404
BCI	\$404
1N	\$404
2N	\$404
3N	\$404
3G	\$404
4N	\$404
4G	\$404
1N4N	\$404
2N3G	\$404

Step 4. Finish

91 white <input type="checkbox"/> A	+ \$0
G1 graphite <input type="checkbox"/> A	+ \$0
MS metallic silver <input type="checkbox"/> A	+ \$5

Logic G1000 Grommet Mounted Electrical Distributor Y1425.



Canvas Office Landscape® Energy Distribution

Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible; factory cutouts are recommended.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.







Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425. A

Step 2. Configuration

- A** 2 simplex receptacles, 2 powered USB A
- C** 4 simplex receptacles, 2 powered USB A
- D** 5 simplex receptacles, 2 powered USB A
- E** 3 simplex receptacles A
- F** 5 simplex receptacles A
- G** 6 simplex receptacles A

Step 3. Power Type

- A** power cord with plug end A
- B** conduit with open end, for hard-wiring A
- C** IEC connector for Renew Tables A

Step 4. Cord/Conduit Length

For power cord with plug end (A)

- 03** 3' cord/conduit A
- 06** 6' cord/conduit A
- 10** 10' cord/conduit A
- 20** 20' cord/conduit A

For conduit with open end, for hard-wiring (B)

- 03** 3' cord/conduit A
- 06** 6' cord/conduit A
- 10** 10' cord/conduit A

For IEC connector for Renew Tables (C)

- 03** 3' cord/conduit A

Prices for Steps 1-4.

		03	06	10	20
Y1425. A	A	\$639	639	649	659
	B	\$688	688	698	—
	C	\$649	—	—	—
C	A	\$741	741	751	762
	B	\$790	790	801	—
	C	\$751	—	—	—
D	A	\$807	807	817	827
	B	\$856	856	866	—
	C	\$817	—	—	—
E	A	\$491	491	501	511
	B	\$540	540	550	—
	C	\$501	—	—	—


F	A	\$593	593	604	614
	B	\$643	643	653	—
	C	\$604	—	—	—
G	A	\$659	659	669	680
	B	\$708	708	719	—
	C	\$669	—	—	—

Step 5. Finish

- 91** white A +\$0
- G1** graphite A +\$0
- MS** metallic silver A +\$0

Power Entry, Internal Direct
Connect - Floor

FD144.



Canvas Office Landscape® Energy Distribution

Product Information


Description

This power entry connects a building's electrical supply from a wall, floor or column to the dock. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It connects to the modular connection location on the end of a dock power harness. Power entry is UL listed and Canadian UL listed.

Notes

Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151).
Licensed electrician must wire the power entry.

Dimensions



Specification Information

Step 1.

FD144. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

Step 3. Length

06 6' long A

12 12' long A

18 18' long A


24 24' long A

Prices for Steps 1-3.

	06	12	18	24
FD144. 08	\$195	270	328	387
10	\$195	270	328	387

Controlled Receptacle Decal
(12 per sheet)

G9999.




Product Information

Description

This decal is to be used for ASHRAE90.1 and Title 24 compliance. The decal is used to mark standard receptacles (new or existing) that are under automated control by the energy management system. 1 sheet includes 12 clear decals with white or black print.

Dimensions



Specification Information

Step 1.

G9999. A

Step 2. Color

B black print A


W white print A

Prices for Steps 1-2.

G9999. B	\$7
W	\$7

Power Entry, New York - Floor
Power Entry

FD141.




Canvas Office Landscape® Energy Distribution

Product Information

Description
This floor power entry connects a building's electrical supply from a wall, floor or column to the dock power harness. It connects to the modular connection location on the end of a dock power harness, and includes a junction box. Power entry is UL listed and Canadian UL listed.

Notes
Licensed electrician must wire power entry.
Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151).
Dock power harness, internal (FD151.) is required. Order separately.

Dimensions



Specification Information

Step 1.

FD141. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

Step 3. Length


30 30" long A

Prices for Steps 1-3.

	30
FD141. 08	\$377
10	\$377

Ceiling Power Entry

FD142.



Product Information


Description

This power entry connects a ceiling electrical supply to the end of a dock run. It distributes up to 4 20-amp circuits. The power entry comes with a 10'-high pole that can be field cut to the appropriate length, ceiling trim, connecting hardware conduit, and factory supplied electrical harness. The power entry plugs into the end of the harness. Power entry is UL listed and Canadian UL listed.

Notes

Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151).
Licensed electrician must wire the power entry.

Dimensions



Specification Information

Step 1.

FD142.

Step 2. Dock Height

22 22" high dock

Step 3. Power Configuration

08 8-wire, 4-circuit, shared neutral

10 10-wire, 4-circuit, separate neutrals

N nonpowered

Prices for Steps 1-3.


	08	10	N
FD142. 22	\$726	726	406

Step 4. Finish

91	white <input type="checkbox"/>		+\$0
CL	cool grey neutral <input type="checkbox"/>		+\$0
G1	graphite <input type="checkbox"/>		+\$0
WN	warm grey neutral <input type="checkbox"/>		+\$0

Cable Clips

FD198.




Canvas Office Landscape® Energy Distribution

Product Information

Description
 These optional cable clips are used to route wires and cables in the 1" cable gap between the face of the dock cladding and the back of a Canvas low credenza with 4" feet and thin top. Clip color is black. Package of 4.


Dimensions



Specification Information

Step 1.	
FD198. [A]	\$65
Step 2. Finish	
BK black [A]	+\$0

Cable Manager - Dock to Surface FD199.



Product Information

Description

This optional cable manager routes power and data from the dock to the underside of a dock-supported work surface. Attachment hardware included.


Notes

Manages data cables and covers conduit, cables and knockout in cladding.

Specify undersurface power module (FD152.) separately.

Specify undersurface data module (FD159.02) separately.

Dimensions



Specification Information

Step 1.

FD199. A

Step 2. Height

10 10" high A

Prices for Steps 1-2.

FD199. 10 \$120

Step 3. Finish


91 white A +\$0

CL cool grey neutral A +\$0

G1 graphite A +\$0

Power/Data Module Spacer

FD197.



Canvas Office Landscape® Energy Distribution

Product Information

Description


This optional spacer lowers the height of bottom-of-dock power modules to make them more accessible. Package contains 6 spacers.

Notes

For use with the following products, ordered separately:

- Power module (FD150.)
- Controlled power module (FD150M.)
- Power module - 20 amp (FD156)
- Data housing (FD159)

Dimensions



Specification Information

Step 1.


FD197. \$22

Step 2. Surface Finish

91	white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0

Rectangular Surface

FTE10.
FTS10.
FTT10.



Product Information

Description

This surface hangs from a frame, wall strips, or attaches to various support components to create a freestanding rectangular desk. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. Laminate and veneer surfaces are 1¹/₄" thick. Painted Formcoat® surfaces are 1" thick. When hanging from a frame or wall strips there is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

For surface attachment bracket (D) option:

- Ganging brackets are included for using the surface as a bridge.
- Surface will only attach to front edge of squared-edge surfaces or the transition portion of the thin-edge or eased-edge surfaces.

For Canvas frame attached surface (F) option:

- Order appropriate supports separately; 2 supports are required for each surface (left and right side):
 - Open support, tapered foot, frame attached (FT294.)
 - Open support, architectural foot, frame attached (FT2A1.)
 - Support panel, tapered foot, frame attached (FT291.)
 - Support panel, frame attached (FT2E2.)
 - Universal post leg, frame attached (FT2B1.)
 - Surface cantilever (FT290.)
 - Surface support rail (FT295.)
 - Support pedestal
- Center supports are included for surfaces 54" wide and wider.

For no brackets, for freestanding or use with low credenza (S) option:



- Order the following support products separately:
 - Closed support leg (FV2E2.)
 - Open support leg, architectural foot (FV2A2.)
 - Square open support leg (FV2D2.)
 - Support leg, post (FV689.)
 - Universal post leg (FT2B2.)
 - Surface ganging bracket (FT29B.)
 - Surface support, low credenza, adjustable height (FT299.)
 - Surface support, low credenza, fixed height (FT298.)
 - Surface-attached pedestal
- When creating a freestanding desk with closed support leg (FV2E2.), a modesty panel (FV697.) is required for stability.

Thin-edge surfaces do not work with the following:

- Surface-attached pedestal
- Support pedestal
- Closed support leg (FV2E2.)
- Square open support leg (FV2D2.)

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions



Laminate, Veneer



Painted

Specification Information	
Step 1.	
FT	
Step 2. Edge	
S10.	squared-edge
T10.	thin-edge
E10.	eased-edge
Step 3. Depth	
<i>For squared-edge (S10.)</i>	
20	20" deep
24	24" deep
30	30" deep
36	36" deep
<i>For thin-edge (T10.) or eased-edge (E10.)</i>	
24	24" deep
30	30" deep
36	36" deep
Step 4. Width	
<i>For 20" deep (20), 24" deep (24), or 30" deep (30)</i>	
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide
<i>For 36" deep (36)</i>	
60	60" wide <input type="checkbox"/>
66	66" wide <input type="checkbox"/>
72	72" wide <input type="checkbox"/>
78	78" wide <input type="checkbox"/>
84	84" wide <input type="checkbox"/>
90	90" wide <input type="checkbox"/>
96	96" wide <input type="checkbox"/>

Step 5. Surface Material	
<i>For squared-edge (S10.)</i>	
L	laminate top/thermoplastic edge
W	veneer top/veneer edge <input type="checkbox"/>
P	painted Formcoat® top/edge
U	laminate top/universal edge <input type="checkbox"/>
<i>For thin-edge (T10.)</i>	
L	laminate top/thermoplastic edge
W	veneer top/veneer edge <input type="checkbox"/>
P	painted Formcoat® top/edge
<i>For eased-edge (E10.)</i>	
P	painted Formcoat® top/edge
Step 6. Attachment Bracket	
<i>For 20" deep (20) with 24" wide (24), 30" wide (30), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)</i>	
F	Canvas frame attached surface
<i>For 20" deep (20) with 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)</i>	
D	surface attachment bracket
F	Canvas frame attached surface
<i>For 24" deep (24) or 30" deep (30) with 24" wide (24) or 30" wide (30)</i>	
F	Canvas frame attached surface
S	no brackets, for freestanding or use with low credenza
<i>For 24" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), 48" wide (48), or 54" wide (54)</i>	
D	surface attachment bracket
F	Canvas frame attached surface
S	no brackets, for freestanding or use with low credenza
<i>For 24" deep (24) or 30" deep (30) with 60" wide (60)</i>	
D	surface attachment bracket
F	Canvas frame attached surface
S	no brackets, for freestanding or use with low credenza
<i>For 24" deep (24) or 30" deep (30) with 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)</i>	
F	Canvas frame attached surface
S	no brackets, for freestanding or use with low credenza

Rectangular Surface *continued*

For 36" deep (36) with 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

S no brackets, for freestanding or use with low credenza

Prices for Steps 1-6.

	LD	LF	LS	WD	WF	WS
FTS10. 20 24	—	\$176	—	—	413	—
30	—	\$198	—	—	463	—
36	\$214	224	—	502	513	—
42	\$237	248	—	552	564	—
48	\$262	272	—	594	606	—
54	\$310	320	—	683	695	—
60	\$349	359	—	769	782	—
66	—	\$400	—	—	871	—
72	—	\$442	—	—	958	—
78	—	\$482	—	—	1038	—
84	—	\$537	—	—	1118	—
90	—	\$552	—	—	1169	—
96	—	\$576	—	—	1202	—
24 24	—	\$176	134	—	413	365
30	—	\$198	157	—	463	417
36	\$214	224	182	502	513	466
42	\$237	248	205	552	564	517
48	\$262	272	231	594	606	559
54	\$310	320	279	683	695	649
60	\$349	359	307	769	782	723
66	—	\$400	349	—	871	812
72	—	\$442	390	—	958	899
78	—	\$482	441	—	1038	991
84	—	\$537	496	—	1118	1038
90	—	\$552	501	—	1169	1080
96	—	\$576	503	—	1202	1122
30 24	—	\$193	152	—	458	412
30	—	\$242	200	—	558	512
36	\$269	280	238	614	625	579
42	\$306	316	274	681	693	646
48	\$343	354	312	757	768	722
54	\$406	417	376	871	882	836
60	\$451	462	409	972	995	936
66	—	\$521	469	—	1114	1055
72	—	\$579	526	—	1230	1172
78	—	\$618	577	—	1305	1259
84	—	\$666	613	—	1381	1334
90	—	\$704	639	—	1449	1385
96	—	\$736	664	—	1516	1434

36 60	—	—	\$513	—	—	1148	
66	—	—	\$590	—	—	1299	
72	—	—	\$663	—	—	1445	
78	—	—	\$670	—	—	1485	
84	—	—	\$678	—	—	1525	
90	—	—	\$722	—	—	1608	
96	—	—	\$766	—	—	1690	
		PD	PF	PS	UD	UF	US
FTS10. 20 24	—	\$202	—	—	176	—	—
30	—	\$229	—	—	198	—	—
36	\$300	258	—	214	224	—	—
42	\$326	285	—	237	248	—	—
48	\$356	314	—	262	272	—	—
54	\$410	369	—	310	320	—	—
60	\$455	413	—	349	359	—	—
66	—	\$461	—	—	400	—	—
72	—	\$509	—	—	442	—	—
78	—	\$555	—	—	482	—	—
84	—	\$618	—	—	537	—	—
90	—	\$636	—	—	552	—	—
96	—	\$662	—	—	576	—	—
24 24	—	\$202	161	—	176	134	—
30	—	\$229	187	—	198	157	—
36	\$300	258	217	214	224	182	—
42	\$326	285	243	237	248	205	—
48	\$356	314	272	262	272	231	—
54	\$410	369	327	310	320	279	—
60	\$455	413	372	349	359	307	—
66	—	\$461	420	—	400	349	—
72	—	\$509	467	—	442	390	—
78	—	\$555	514	—	482	441	—
84	—	\$618	577	—	537	496	—
90	—	\$636	594	—	552	501	—
96	—	\$662	620	—	576	503	—

Canvas Office Landscape® Work Surfaces

Rectangular Surface *continued*

Canvas Office Landscape® Work Surfaces

30 24	—	\$223	181	—	193	152
30	—	\$279	237	—	242	200
36	\$364	322	281	269	280	238
42	\$405	364	322	306	316	274
48	\$448	406	365	343	354	312
54	\$521	479	438	406	417	376
60	\$573	531	490	451	462	409
66	—	\$599	558	—	521	469
72	—	\$666	624	—	579	526
78	—	\$711	669	—	618	577
84	—	\$766	724	—	666	613
90	—	\$809	768	—	704	639
96	—	\$848	806	—	736	664
36 60	—	—	\$613	—	—	513
66	—	—	\$703	—	—	590
72	—	—	\$787	—	—	663
78	—	—	\$819	—	—	670
84	—	—	\$852	—	—	678
90	—	—	\$901	—	—	722
96	—	—	\$953	—	—	766

30 24	—	\$270	229	—	549	503
30	—	\$340	299	—	670	623
36	\$434	392	351	797	751	705
42	\$484	443	401	878	832	785
48	\$537	496	454	968	922	876
54	\$625	584	542	1105	1059	1012
60	\$687	646	604	1240	1193	1146
66	—	\$728	686	—	1337	1290
72	—	\$808	767	—	1476	1430
78	—	\$865	823	—	1567	1521
84	—	\$931	889	—	1657	1611
90	—	\$983	941	—	1738	1692
96	—	\$1031	990	—	1820	1773
36 60	—	—	\$641	—	—	1407
66	—	—	\$733	—	—	1587
72	—	—	\$820	—	—	1761
78	—	—	\$855	—	—	1838
84	—	—	\$889	—	—	1914
90	—	—	\$941	—	—	2013
96	—	—	\$994	—	—	2112

	LD	LF	LS	WD	WF	WS
FTT10. 24 24	—	\$246	204	—	494	447
30	—	\$277	236	—	556	509
36	\$355	313	271	662	615	569
42	\$389	347	306	723	677	631
48	\$424	382	340	773	726	680
54	\$490	448	406	881	835	789
60	\$544	503	461	984	938	892
66	—	\$561	519	—	1045	999
72	—	\$618	577	—	1151	1103
78	—	\$675	634	—	1245	1199
84	—	\$750	709	—	1343	1297
90	—	\$772	730	—	1403	1356
96	—	\$805	763	—	1443	1396

	PD	PF	PS	UD	UF	US
FTT10. 24 24	—	\$217	175	—	—	—
30	—	\$243	201	—	—	—
36	\$316	274	233	—	—	—
42	\$345	304	262	—	—	—
48	\$377	335	294	—	—	—
54	\$435	393	352	—	—	—
60	\$481	440	398	—	—	—
66	—	\$491	449	—	—	—
72	—	\$542	501	—	—	—
78	—	\$592	550	—	—	—
84	—	\$658	615	—	—	—
90	—	\$676	635	—	—	—
96	—	\$706	664	—	—	—

Rectangular Surface *continued*

30 24	—	\$237	195	—	—	—
30	—	\$298	256	—	—	—
36	\$385	343	302	—	—	—
42	\$430	388	346	—	—	—
48	\$475	434	392	—	—	—
54	\$552	511	469	—	—	—
60	\$607	566	524	—	—	—
66	—	\$638	596	—	—	—
72	—	\$709	667	—	—	—
78	—	\$757	716	—	—	—
84	—	\$815	774	—	—	—
90	—	\$861	819	—	—	—
96	—	\$901	860	—	—	—
36 60	—	—	\$654	—	—	—
66	—	—	\$748	—	—	—
72	—	—	\$838	—	—	—
78	—	—	\$873	—	—	—
84	—	—	\$908	—	—	—
90	—	—	\$961	—	—	—
96	—	—	\$1014	—	—	—

30 24	—	\$245	202	—	—	—
30	—	\$308	265	—	—	—
36	\$398	355	312	—	—	—
42	\$444	401	358	—	—	—
48	\$491	448	405	—	—	—
54	\$571	528	485	—	—	—
60	\$629	586	543	—	—	—
66	—	\$660	617	—	—	—
72	—	\$732	689	—	—	—
78	—	\$784	741	—	—	—
84	—	\$844	801	—	—	—
90	—	\$891	848	—	—	—
96	—	\$933	890	—	—	—
36 60	—	—	\$677	—	—	—
66	—	—	\$773	—	—	—
72	—	—	\$867	—	—	—
78	—	—	\$902	—	—	—
84	—	—	\$938	—	—	—
90	—	—	\$995	—	—	—
96	—	—	\$1049	—	—	—

Canvas Office Landscape® Work Surfaces

	PD	PF	PS	UD	UF	US
FTE10. 24 24	—	\$224	181	—	—	—
30	—	\$252	209	—	—	—
36	\$327	284	241	—	—	—
42	\$357	314	271	—	—	—
48	\$390	347	304	—	—	—
54	\$449	406	363	—	—	—
60	\$499	456	413	—	—	—
66	—	\$508	465	—	—	—
72	—	\$560	517	—	—	—
78	—	\$612	569	—	—	—
84	—	\$680	637	—	—	—
90	—	\$700	656	—	—	—
96	—	\$729	686	—	—	—

Rectangular Surface *continued*

Step 7.

Top Finish		
<i>For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)</i>		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
HT	inner tone A	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash A	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0

Top/Edge Finish: Wood Veneer		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Top/Edge Finish: Opaque Formcoat®		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Step 8. Edge Finish

<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

<i>For laminate top/universal edge (U)</i>		
PLY	plywood edge A	+\$50

Individual Bridge

FDE17.
FDS17.
FDT17.



Product Information

Description

This surface spans the dock and lower storage on 1 side of the dock. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Laminate surfaces are 1 1/4" thick. Painted Formcoat surfaces are 1" thick. Stabilizer brackets included.


Notes

Bridge is supported by a low credenza with 4" foot and thin top on one side of dock wall. Specify the following products separately, 1 for each side of the individual bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Power access center cutout option (CAC) accepts the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.

Dimensions



Specification Information

Step 1.

FD A

Step 2. Edge

S17. squared_edge A

T17. thin-edge A

E17. eased-edge A

Step 3. Depth

24 24" deep A

30 30" deep A

Step 4. Width

20 20" wide A

Step 5. Surface Material

For squared_edge (S17.)

L laminate top/thermoplastic edge A

W veneer A

P painted Formcoat® top/edge A

U laminate top/universal edge A

For thin-edge (T17.)

L laminate top/thermoplastic edge A

W veneer A

P painted Formcoat® top/edge A

For eased-edge (E17.)

P painted Formcoat® top/edge A

Prices for Steps 1-5.

	L	W	P	U
FDS17. 24 20	\$246	451	462	246
30 20	\$282	503	483	282
	L	W	P	U
FDT17. 24 20	\$328	533	462	—
30 20	\$364	569	483	—
	L	W	P	U
FDE17. 24 20	—	—	\$462	—
30 20	—	—	\$483	—

Individual Bridge *continued*

Step 6. Power Access Cutout		
NNN	no cutout <input type="checkbox"/>	+\$0
CAC	center cutout <input type="checkbox"/>	+\$75

Step 7.

Top Finish
For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0

Top/Edge Finish: Wood Veneer

For veneer (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Individual Bridge *continued*

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)


76	light brown walnut <input type="checkbox"/> <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0

For laminate top/universal edge (U)

PLY	plywood edge <input type="checkbox"/>	+\$50
------------	---------------------------------------	-------

Half Bridge

FDE15.
FDS15.
FDT15.



Canvas Office Landscape® Work Surfaces

Product Information


Description
This surface spans the dock and lower storage on both sides of the dock. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Laminate surfaces are 1 1/4" thick. Painted Formcoat surfaces are 1" thick. Stabilizer brackets included.

Notes
Bridge is supported by a low credenza with 4" foot and thin top on both sides of the dock wall. Specify the following products separately, 1 for each side of the half bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Power access center cutout option (CAC) accepts the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.

Dimensions



Specification Information

Step 1.

FD A

Step 2. Edge

S15. squared-edge A

T15. thin-edge A

E15. eased-edge A

Step 3. Depth

24 24" deep A

30 30" deep A

Step 4. Width

45 45" wide A

Step 5. Surface Material

For squared-edge (S15.)

L laminate top/thermoplastic edge A

W veneer A

P painted Formcoat® top/edge A

U laminate top/universal edge A

For thin-edge (T15.)

L laminate top/thermoplastic edge A

W veneer A

P painted Formcoat® top/edge A

For eased-edge (E15.)

P painted Formcoat® top/edge A

Prices for Steps 1-5.

	L	W	P	U
FDS15. 24 45	\$415	687	513	415
30 45	\$420	748	583	420

	L	W	P	U
FDT15. 24 45	\$516	718	513	—
30 45	\$566	778	583	—

	L	W	P	U
FDE15. 24 45	—	—	\$513	—
30 45	—	—	\$583	—

Step 6. Power Access Cutout		
NNN	no cutout <input type="checkbox"/>	+\$0
CAC	center cutout <input type="checkbox"/>	+\$75

Step 7.

Top Finish
For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0

Top/Edge Finish: Wood Veneer
For veneer (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish: Opaque Formcoat®
For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)


76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0

For laminate top/universal edge (U)

PLY	plywood edge <input type="checkbox"/>	+\$50
------------	---------------------------------------	-------

Team Bridge

FDE16.
FDS16.
FDT16.



Product Information

Description


This surface spans the dock and lower storage on both sides of the dock. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Laminate surfaces are 1 1/4" thick. Painted Formcoat surfaces are 1" thick. Stabilizer brackets included.

Notes

Bridge is supported by a low credenza with 4" foot and thin top on both sides of the dock wall. Specify the following products separately, 1 for each side of the team bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Dimensions



Specification Information

Step 1.

FD A

Step 2. Edge

S16. squared_edge A

T16. thin-edge A

E16. eased-edge A

Step 3. Depth

45 45" deep A

Step 4. Width

45 45" wide A

Step 5. Surface Material

For squared_edge (S16.)

L laminate top/thermoplastic edge A

W veneer A

P painted Formcoat® top/edge A

U laminate top/universal edge A

For thin-edge (T16.)

L laminate top/thermoplastic edge A

W veneer A

P painted Formcoat® top/edge A

For eased-edge (E16.)

P painted Formcoat® top/edge A

Prices for Steps 1-5.

	L	W	P	U
FDS16. 45 45	\$556	925	842	556
FDT16. 45 45	\$564	938	842	—
FDE16. 45 45	—	—	\$842	—

Step 6. Power Access Cutout

NNN no cutout A +\$0

Step 7.

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0

Top/Edge Finish: Wood Veneer

For veneer (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)


76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0

For laminate top/universal edge (U)

PLY	plywood edge <input type="checkbox"/>	+\$50
------------	---------------------------------------	-------

Secondary Surface

FDE10.
FDS10.
FDT10.



Product Information

Description


This surface spans and is supported by Canvas low storage. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Laminate surfaces are 1 1/4" thick. Painted Formcoat surfaces are 1" thick.

Notes


Surface is supported by a low credenza with 4" foot and thin top. Specify 2 surface support, low credenza, adjustable height (FT299.), or 2 surface support, low credenza, fixed height (FT298.), 1 for each end of the secondary surface.

Power access cutout options (CAC, LAC, RAC) accept the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.


Dimensions



Left cutout



Center cutout



Right cutout



Laminate, veneer



Painted

Secondary Surface *continued*

Specification Information

Step 1.

FD

Step 2. Edge

S10. squared-edge

T10. thin-edge

E10. eased-edge

Step 3. Depth

20 20" deep

Step 4. Width

36 36" wide

72 72" wide

Step 5. Surface Material

For squared-edge (S10.)

L laminate top/thermoplastic edge

W veneer

P painted Formcoat® top/edge

U laminate top/universal edge

For thin-edge (T10.)

L laminate top/thermoplastic edge

W veneer

P painted Formcoat® top/edge

For eased-edge (E10.)

P painted Formcoat® top/edge

Step 6. Attachment

S for use with low storage

Prices for Steps 1-6.

	LS	WS	PS	US
FDS10. 20 36	\$217	489	473	217
72	\$429	961	817	429
FDT10. 20 36	\$303	518	493	—
72	\$559	1048	897	—
FDE10. 20 36	—	—	\$493	—
72	—	—	\$897	—

Step 7. Power Access Cutout

For 36" wide (36)

NNN no cutout +\$0

CAC center cutout +\$75

For 72" wide (72)

NNN no cutout +\$0

CAC center cutout +\$75

LAC left cutout +\$75

RAC right cutout +\$75

Step 8.

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

8Q folkstone grey +\$0

91 white +\$0

98 studio white +\$0

CL cool grey neutral +\$0

HF inner tone light +\$0

HT inner tone +\$0

LU soft white +\$0

WL sandstone +\$0

WN warm grey neutral +\$0

76 light brown walnut +\$0

HM natural maple +\$0

HP light anigre +\$0

HX aged cherry +\$0

HY walnut on cherry +\$0

LA light ash +\$0

LBA clear on ash +\$0

LBB oak on ash +\$0

LBC walnut on ash +\$0

LBD dark brown walnut +\$0

LBE medium red walnut +\$0

LBF neutral twill +\$0

LBG sarum twill +\$0

LBH earthen twill +\$0

LBJ graphite twill +\$0

LBQ white twill +\$0

LBK pewter mesh +\$0

LBL steel mesh +\$0

LBM crisp linen +\$0

LBN classic linen +\$0

LBP casual linen +\$0

Secondary Surface *continued*

Top/Edge Finish: Wood Veneer

For veneer (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 9. Edge Finish

For laminate top/thermoplastic edge (L)


76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0

For laminate top/universal edge (U)

PLY	plywood edge <input type="checkbox"/>	+\$50
------------	---------------------------------------	-------

Peninsula Surface

FDE60.
FDS60.
FDT60.



Canvas Office Landscape® Work Surfaces

Product Information

Description

This peninsula surface attaches to the dock top rail or is supported by Canvas low storage. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted Formcoat® top and edge. Laminate surfaces are 1 1/4" thick. Painted Formcoat surfaces are 1" thick. A technology well with urethane edge provides access to power and data.


Notes

When peninsula is supported by the dock top rail, specify dock to surface tethers (FD290.) separately.

When peninsula is supported by the low credenza, specify surface support, low credenza, adjustable height (FT299.), or surface support, low credenza, fixed height (FT298.), separately.

Specify column kit (FD600.) separately.

Dimensions



Specification Information

Step 1.

FD

Step 2. Edge

S60. squared-edge

T60. thin-edge

E60. eased-edge

Step 3. Depth

46 46" deep

Step 4. Width

72 72" wide

Step 5. Position

S seated height

Step 6. Power/Data Access

A modular power cord w/ plug end

Step 7. Surface Material

For squared-edge (S60.)

L laminate

W veneer

P painted Formcoat® top/edge

For thin-edge (T60.)

L laminate

W veneer

P painted Formcoat® top/edge

For eased-edge (E60.)

P painted Formcoat® top/edge

Prices for Steps 1-7.

	SAL	SAW	SAP
FDS60. 46 72	\$1128	2594	2458
FDT60. 46 72	\$1297	2763	2458
FDE60. 46 72	—	—	\$2458

Step 8. Top/Edge Finish

Solid-Color Laminate Top/Thermoplastic Edge

For laminate (L)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Linen Laminate Top/Thermoplastic Edge

For laminate (L)

LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0

Mesh Laminate Top/Thermoplastic Edge

For laminate (L)

LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0

Twill Laminate Top/Thermoplastic Edge

For laminate (L)

LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0

Wood-Grain Laminate Top/Thermoplastic Edge

For laminate (L)

HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0

Zephyr Laminate Top/Thermoplastic Edge

For laminate (L)

28	canyon <input type="checkbox"/>	+\$0
29	misted <input type="checkbox"/>	+\$0

Wood Veneer

For veneer (W)

2U	light brown walnut <input type="checkbox"/>	+\$0
40	dark brown walnut <input type="checkbox"/>	+\$0
ED	aged cherry <input type="checkbox"/>	+\$0
EK	medium red walnut <input type="checkbox"/>	+\$0
ET	clear on ash <input type="checkbox"/>	+\$0
EU	oak on ash <input type="checkbox"/>	+\$0
EV	walnut on ash <input type="checkbox"/>	+\$0
UL	natural maple <input type="checkbox"/>	+\$0
UX	walnut on cherry <input type="checkbox"/>	+\$0

Opaque Formcoat®

For painted Formcoat® top/edge (P)


8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 9. Urethane Edge on Access Zone Cutout

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
G2	graphite satin <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Dock to Surface Tethers

FD290.



Product Information

Description

This bracket supports and attaches a work surface to the dock and positions the surface at 28½" high. Surfaces can be placed parallel or perpendicular to the dock. Includes 1 tether and attachment hardware.


Notes

For surfaces up to and including 48" wide, 2 tethers are required.

For surfaces 54" wide and wider, 3 tethers are required.

Dock to surface tethers are always used in conjunction with floor supports such as the universal post leg (FT2B2., FD2B2.), ordered separately.

Dimensions



Specification Information

Step 1.

FD290. A \$101

Step 2. Surface Finish

8Q folkstone grey A +\$0

98 studio white A +\$0

WL sandstone A +\$0


Bright Sand Texture Paint

91 white A +\$0

G1 graphite A +\$0

Metallic Paint

MS metallic silver A +\$5




Product Information

Description

This single leg supports the front corner edges of 2 adjacent surfaces. It has 2" of leveling adjustment. Attachment hardware included.

Dimensions



Specification Information

Step 1.

FD2B2. [A]

Step 2. Leg Type

F fixed height [A]

Step 3. Position

S shared, single leg [A]

Prices for Steps 1-3.

	S
FD2B2. F	\$475

Step 4. Leg Body Finish

Bright Sand Texture Paint

91 white [A]	+\$0
G1 graphite [A]	+\$0

Metallic Paint

MS metallic silver [A]	+\$5
-------------------------------	------

Step 5. Leg Face Finish

Smooth Paint

8Q folkstone grey [A]	+\$0
91 white [A]	+\$0
98 studio white [A]	+\$0
G2 graphite satin [A]	+\$0
WL sandstone [A]	+\$0

Metallic Paint


MS metallic silver [A]	+\$5
-------------------------------	------

Anodized

AN clear anodized aluminum [A]	+\$10
---------------------------------------	-------

Column Kit

FD600.




Canvas Office Landscape® Work Surfaces

Product Information

Description
 This column kit attaches to and supports the end of a peninsula surface (FDE60., FDS60., FDT60.). It has a 10' power cord with 3-prong plug end. Column kit includes a technology well that has 2 power receptacles and 2 data openings. Glides allow 2" of leveling adjustment.

Notes
 Order peninsula surface (FDx60.) separately.
 Access zone cover finish matches specified column surface finish.

Dimensions



Specification Information

Step 1.

FD600. [A](#)

Step 2. Height

29 seated height [A](#)

Step 3. Application

SS storage supported - Canvas credenza [A](#)

DS dock supported - Canvas dock [A](#)

Prices for Steps 1-3.

	SS	DS
FD600. 29	\$2222	2222

Step 4. Tech Lid Finish


8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
G2	graphite satin A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 5. Column/Bin Finish

Bright Sand Texture Paint

91	white A	+\$0
CL	cool grey neutral A	+\$0
G1	graphite A	+\$0
WN	warm grey neutral A	+\$0
8Q	folkstone grey A	+\$0
98	studio white A	+\$0
WL	sandstone A	+\$0
CN	metallic champagne A	+\$5
EH	metallic bronze A	+\$5
MS	metallic silver A	+\$5

Surface Support, Low Credenza, Fixed Height. FT298.



Product Information

Description


This support allows a low credenza to support 1 end of a surface and places the surface at 28 1/2" high. Attachment hardware included.

Notes

Support heights are:

- 5 1/8" high for storage type (M)
- 6 7/8" high for storage type (S)
- 6" high for storage type (R)
- 4 1/4" high for storage type (W)

Dimensions



Specification Information

Step 1.

FT298.

Step 2. Storage Type

- M** for use with thin top low credenza with 4" high foot
- S** for use with thin top low credenza with 2 1/4" high base
- R** for use with 1 1/4" top low credenza with 2 1/4" high base
- W** for use with 1 1/4" top low credenza with 4" high foot

Prices for Steps 1-2.

FT298. M	\$187
S	\$187
R	\$187
W	\$187

Step 3. Surface Finish


Bright Sand Texture Paint

91	white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0
8Q	folkstone grey A	+\$0
98	studio white A	+\$0
WL	sandstone A	+\$0

Metallic Paint

CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Surface Support, Low Credenza, FT299. Adjustable Height



Canvas Office Landscape® Work Surfaces


Product Information

Description
 This height-adjustable support allows a low credenza to support 1 end of a surface, and provides 3" of height adjustment for the surface. Attachment hardware included.

Notes

In lowest position, the height of supports is as follows:
 • 3⁵/₈" high for storage type (M)
 • 5³/₈" high for storage type (S)
 When used with low credenza with 3/8" thin top, surface adjustment height range is 27" - 30".
 When used with low credenza with 1 1/4" thick top, surface adjustment height range is 27⁵/₈" - 30⁵/₈".

Dimensions



Specification Information

Step 1.
FT299.

Step 2. Storage Type

- M** for use with low credenza with 4" high foot
- S** for use with low credenza with 2 1/4" high base

Prices for Steps 1-2.

FT299. M	\$314
S	\$314

Step 3. Surface Finish

Bright Sand Texture Paint


91	white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0
8Q	folkstone grey	+\$0
98	studio white	+\$0
WL	sandstone	+\$0

Metallic Paint

CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Stiffener

FV696.



Product Information

Description

This stiffener is used to add additional stiffness to a Canvas freestanding surface, Canvas or Ethospace® surface-attached surface, peninsula or any frame-attached surface when a center cantilever cannot be used. Attachment hardware included.



Notes

Canvas and Ethospace laminate or veneer surfaces 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever require stiffener(s).

See Canvas Office Landscape® Planning Guide or Ethospace Work Surface Planning Guide for specific stiffener guidelines.

Stiffener hangs below surface and is 1 1/4" high.

Dimensions



Specification Information

Step 1.

FV696.

Step 2. Width


34	33 7/8" wide
39	38 5/8" wide
43	43 1/4" wide
48	48" wide
57	57 3/8" wide
62	62 1/8" wide
67	66 3/4" wide
71	71 1/2" wide
81	80 7/8" wide

Prices for Steps 1-2.

FV696. 34	\$69
39	\$71
43	\$71
48	\$71
57	\$71
62	\$71
67	\$71
71	\$71
81	\$71

Universal Post Leg

FT2B2.




Canvas Office Landscape® Work Surfaces

Product Information


Description
 This leg is available as a single leg to support 1 corner of a surface, or as a pair to support 1 end of a surface. The fixed-height leg has a 2" leveling range, allowing a surface height of 28 1/2"-30 1/2". The adjustable-height leg is adjustable over a 6" range, allowing a surface height of 25 1/2"-31 1/2". Attachment hardware included.

Dimensions

Fixed Height



Adjustable Height



Specification Information

Step 1.

FT2B2.

Step 2. Leg Type

- F** fixed height
- A** adjustable height

Step 3. Position

- L** left-hand, single leg
- R** right-hand, single leg
- P** left-hand & right-hand, pair

Prices for Steps 1-3.

	L	R	P
FT2B2. F	\$377	377	750
A	\$403	403	805

Step 4. Leg Body Finish

	L	R	P
8Q folkstone grey	+\$0	0	0
98 studio white	+\$0	0	0
WL sandstone	+\$0	0	0

Bright Sand Texture Paint

	L	R	P
91 white	+\$0	0	0
G1 graphite	+\$0	0	0

Metallic Paint

	L	R	P
MS metallic silver	+\$5	5	10

Step 5. Leg Face Finish

Smooth Paint

	L	R	P
8Q folkstone grey	+\$0	0	0
91 white	+\$0	0	0
98 studio white	+\$0	0	0
G2 graphite satin	+\$0	0	0
WL sandstone	+\$0	0	0

Metallic Paint


	L	R	P
MS metallic silver	+\$5	5	10

Universal Post Leg *continued*

Anodized		L	R	P
AN	clear anodized aluminum	+\$10	10	20

Support Leg, Post

FV689.




Product Information

Description

This single painted leg supports a desk or return and includes a glide with 1 1/2" leveling range. Specify 2 legs to support one end of a surface. Attachment hardware included.

Dimensions



Specification Information

Step 1.

FV689.P \$158

Step 2. Surface Finish

Bright Sand Texture Paint


91	white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Closed Support Leg

FV2E2.



Product Information

Description

This individual solid panel leg supports 1 end of a surface or joins 2 surfaces end-to-end, providing shared support at the surface joint. It is available as laminate or veneer and has leveling glides with 1 1/2" of adjustment. Attachment hardware included.


Notes

For additional product options, see Vary Easy Program in Appendices.
 Grain direction is vertical on wood-grain laminate and veneer.
 When leg is supporting the end of a squared- or eased-edge surface, depth of support leg must match depth of surface. Support leg does not work with thin-edge surfaces in this position.
 When leg is supporting the joint between 2 surfaces, specify leg as follows:

Surface Depth—Leg Depth

- 24" deep surface—12" deep leg
- 30" deep surface—24" deep leg
- 36" deep surface—24" deep leg

Dimensions



Specification Information

Step 1.

FV2E2.

Step 2. Surface Edge Type

S for squared edge surface

Step 3. Depth

- 2A** 12" deep, shared
- 2B** 24" deep, shared
- 24** 24" deep
- 30** 30" deep
- 36** 36" deep

Step 4. Leg Type

F fixed height

Step 5. Surface Material

- L** laminate
- W** veneer **A**

Prices for Steps 1-5.

		FL	FW
FV2E2. S	2A	\$173	450
	2B	\$285	591
	24	\$285	591
	30	\$290	608
	36	\$295	797

Step 6. Surface Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
MT	medium tone A	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Linen Laminate

For laminate (L)

LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0

Closed Support Leg *continued*

Mesh Laminate

For laminate (L)

LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0

Twill Laminate

For laminate (L)

LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

For laminate (L)

HM	natural maple	+\$0
HP	light anigre	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
76	light brown walnut	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0


Wood Veneer

For veneer (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Square Open Support Leg

FV2D2.



Product Information

Description

This individual leg supports 1 end of a surface or joins 2 surfaces end-to-end, providing shared support at the surface joint. It has leveling glides with 1½" of adjustment. Attachment hardware included.

Notes

When leg is supporting the end of a squared- or eased-edge surface, depth of support leg must match depth of surface. Support leg does not work with thin-edge surfaces in this position.

When leg is supporting the joint between 2 surfaces, specify leg as follows:


Surface Depth—Leg Depth

24" deep surface—12" deep leg

30" deep surface—24" deep leg

36" deep surface—24" deep leg

Dimensions



Specification Information

Step 1.

FV2D2.

Step 2. Surface Edge Type

S for squared edge surface

Step 3. Depth

2A 12" deep, shared

2B 24" deep, shared

24 24" deep

30 30" deep

36 36" deep

Step 4. Leg Type

F fixed height

Step 5. Position

For 12" deep, shared (2A) or 24" deep, shared (2B)

S shared

For 24" deep (24), 30" deep (30), or 36" deep (36)

L left

R right

Prices for Steps 1-5.

		FL	FS	FR
FV2D2. S	2A	—	\$218	—
	2B	—	\$337	—
	24	\$337	—	337
	30	\$346	—	346
	36	\$356	—	356

Step 6. Surface Finish

8Q folkstone grey +\$0

98 studio white +\$0

WL sandstone +\$0

Bright Sand Texture Paint

91 white +\$0

CL cool grey neutral +\$0

G1 graphite +\$0

WN warm grey neutral +\$0


Square Open Support Leg *continued*

Metallic Paint		
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Canvas Office Landscape® Work Surfaces

Open Support Leg, Architectural Foot

FV2A2.



Product Information

Description

This individual leg supports 1 end of a surface or joins 2 surfaces end-to-end, providing shared support at the surface joint. The fixed height leg has a 2" leveling range allowing a surface height of 28 1/2"-30 1/2". The adjustable height leg has a 6" adjustment range in 1" increments allowing a surface height of 25 1/2"-31 1/2". Attachment hardware included.

Notes

When leg is supporting the end of a surface, depth of support leg must match depth of surface.

When leg is supporting the joint between 2 surfaces, specify leg as follows:


Surface Depth—Leg Depth

24" deep surface—12" deep leg

30" deep surface—24" deep leg

36" deep surface—24" deep leg

Dimensions



Specification Information

Step 1.

FV2A2.

Step 2. Depth

2A	12" deep, shared
2B	24" deep, shared
24	24" deep
30	30" deep
36	36" deep

Step 3. Leg Type

F	fixed height
A	adjustable height

Step 4. Position

For 12" deep, shared (2A) or 24" deep, shared (2B)

S	shared
----------	--------

For 24" deep (24), 30" deep (30), or 36" deep (36)

L	left
R	right

Prices for Steps 1-4.

	L	S	R
FV2A2. 2A F	—	\$262	—
A	—	\$346	—
2B F	—	\$431	—
A	—	\$515	—
24 F	\$431	—	431
A	\$515	—	515
30 F	\$453	—	453
A	\$538	—	538
36 F	\$476	—	476
A	\$560	—	560

Step 5. Surface Finish

8Q	folkstone grey	+\$0
98	studio white	+\$0
WL	sandstone	+\$0

Bright Sand Texture Paint


91	white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0

Open Support Leg, Architectural
Foot *continued*

Metallic Paint		
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Canvas Office Landscape® Work Surfaces

Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surface Attached FT2A2.



Product Information


Description

This support leg attaches to 1 end of a peninsula or D-shaped surface. It can be also be used to create a freestanding peninsula desk. The fixed-height leg has a 2" leveling range, allowing a surface height of 28 1/2"-30 1/2". The adjustable-height leg is adjustable over a 6" range, allowing a surface height of 25 1/2"-31 1/2". Attachment hardware included.

Notes

- For D-shaped surface, specify support leg with inset option (A).
- For peninsula surface attached to a frame or wall strips, specify support leg with inset option (A) or outbound option (B).
- For peninsula supported by a low credenza, specify support leg with outbound option (B).
- To create a freestanding peninsula desk, specify 2 support legs; 1 with inset option (A) and 1 with outbound option (B).

Dimensions



Specification Information

Step 1.

FT2A2.

Step 2. Leg Position

- A** inset
- B** outbound

Step 3. Surface Dimension

For inset (A)

- 24** for 24"-deep peninsula
- 30** for 30"-deep peninsula
- 36** for 36"-deep peninsula
- 51** for 51"-wide d-shaped
- 63** for 63"-wide d-shaped

For outbound (B)

- 24** for 24"-deep peninsula
- 30** for 30"-deep peninsula
- 36** for 36"-deep peninsula

Step 4. Leg Type

- F** fixed height
- A** adjustable height

Step 5. Position

For inset (A)

- S** non-handed support

For outbound (B)

- L** left-hand support
- R** right-hand support

Prices for Steps 1-5.

		FL	FS	FR	AL	AS	AR
FT2A2. A	24	—	\$400	—	—	479	—
	30	—	\$421	—	—	500	—
	36	—	\$442	—	—	521	—
	51	—	\$400	—	—	479	—
	63	—	\$421	—	—	500	—
B	24	\$400	—	400	479	—	479
	30	\$421	—	421	500	—	500
	36	\$442	—	442	521	—	521

Open Support Leg, Architectural
 Foot, Peninsula/D-Shaped
 Surface Attached *continued*

Canvas Office Landscape® Work Surfaces

Step 6. Surface Finish

8Q	folkstone grey A	+\$0
98	studio white A	+\$0
WL	sandstone A	+\$0

Bright Sand Texture Paint


91	white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Cable Manager

FV695.



Product Information



Description

This cable manager attaches beneath a surface to provide routing of cables and cords at the back edge of a desk or return. Attachment hardware included.

Notes

When using cable manager with privacy panel or screen, specify cable manager width 12" less than privacy panel or screen width.

Dimensions



Specification Information

Step 1.

FV695.

Step 2. Width

18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.

FV695. 18	\$65
24	\$71
30	\$77
36	\$82
42	\$89
48	\$97

Step 3. Surface Finish

Bright Sand Texture Paint


91	white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0
8Q	folkstone grey	+\$0
98	studio white	+\$0
WL	sandstone	+\$0

Metallic Paint

CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Cable Management Trough

FT199.



Product Information

Description

This trough attaches along the underside of a Canvas surface to hold and manage power/data cables. It includes two 14"-wide troughs. Finish is black. Attachment hardware is included.


Specification Information

Step 1.

FT199.


\$67

Dimensions



Cable Management Channel

FT19C.




Product Information

Description

This channel attaches to the underside of a surface to hold and manage cords and cables. Attachment hardware included.

Dimensions



Specification Information

Step 1.

FT19C. A

Step 2. Width

08 8" wide A


40 40" wide A

Prices for Steps 1-2.

FT19C. 08	\$40
40	\$73

Cord Cleat

G1331.



Product Information

Description

This cleat attaches to the underside of a work surface or table to manage cords and cables. Finish is cool grey neutral. Package contains 2.


Specification Information

Step 1.


G1331.

\$20

Dimensions



Storage Cabinet, Dock Mounted, Open FD415.



Product Information

Description

This cabinet has a laminate or veneer surface and mounts to the top rail of a Canvas dock to provide storage on 1 or both sides.

Notes

Double-sided (D) provides storage access on both sides of the cabinet, allowing half of the storage to be accessed from each side of the dock wall.


Single-sided (S) provides storage access on 1 side only.

Order stanchion support for center mount (FD417.) or offset mount (FD419.) separately.

Order optional accessories separately:

- Marker board (FT492.)
- Tackboard (FT491.)

Dimensions



Specification Information

Step 1.

FD415. A

Step 2. Height

15 15" high A

Step 3. Width

36 36" wide A

42 42" wide A

48 48" wide A

60 60" wide A

72 72" wide A

Step 4. Attachment

C center mount A

F offset A

Step 5. Storage Type

For center mount (C)

D double-sided A

S single-sided A

For offset (F)

S single-sided A

Step 6. Position

For double-sided (D)

L opening left A

R opening right A

For single-sided (S)

S opening left and right A

Step 7. Surface Material

L laminate A

W veneer A

Prices for Steps 1-7.

	CDLL	CDLW	CDRL	CDRW	CSSL	CSSW
FD415. 15 36	\$859	2020	859	2020	859	2020
42	\$945	2222	945	2222	945	2222
48	\$1031	2682	1031	2682	1031	2682
60	\$1160	2884	1160	2884	1160	2884
72	\$1288	3187	1288	3187	1288	3187

Storage Cabinet, Dock Mounted, Open *continued*

	FSSL	FSSW
FD415. 15 36	\$859	2020
42	\$945	2222
48	\$1031	2682
60	\$1160	2884
72	\$1288	3187

Step 8. Top/Edge Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

For laminate (L)

LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0

For laminate (L)

LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0

For laminate (L)

LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0

Wood-Grain Laminate

For laminate (L)


76	light brown walnut <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0

Wood Veneer

For veneer (W)

2U	light brown walnut <input type="checkbox"/>	+\$0
40	dark brown walnut <input type="checkbox"/>	+\$0
ED	aged cherry <input type="checkbox"/>	+\$0
EK	medium red walnut <input type="checkbox"/>	+\$0
ET	clear on ash <input type="checkbox"/>	+\$0
EU	oak on ash <input type="checkbox"/>	+\$0
EV	walnut on ash <input type="checkbox"/>	+\$0
UL	natural maple <input type="checkbox"/>	+\$0
UX	walnut on cherry <input type="checkbox"/>	+\$0

Upper Storage Stanchion - Center Mount FD417.



Product Information


Description

This painted metal stanchion attaches 1 end of a dock mounted storage cabinet to the dock top rail in a center mounting position. It can be attached anywhere along the top rail. Package contains 1 stanchion. Attachment hardware included.

Notes

Specify shared stanchion (T) to support 2 adjacent cabinet ends.
Order single-sided or double-sided dock mounted storage cabinet (FD415.) separately.

Dimensions



Specification Information

Step 1.

FD417. A

Step 2. Attachment

D dock A

Step 3. Height

09 9" high A

16 16" high A

20 20" high A

Step 4. Grouping/Quantity

S single A

T shared A

Prices for Steps 1-4.

	S	T
FD417. D 09	\$250	250
16	\$258	258
20	\$267	267

Step 5. Surface Finish


Bright Sand Texture Paint

91 white <input type="checkbox"/> A	+\$0
CL cool grey neutral <input type="checkbox"/> A	+\$0
G1 graphite <input type="checkbox"/> A	+\$0
WN warm grey neutral <input type="checkbox"/> A	+\$0
8Q folkstone grey <input type="checkbox"/> A	+\$0
98 studio white <input type="checkbox"/> A	+\$0
WL sandstone <input type="checkbox"/> A	+\$0

Metallic Paint

CN metallic champagne <input type="checkbox"/> A	+\$10
EH metallic bronze <input type="checkbox"/> A	+\$10
MS metallic silver <input type="checkbox"/> A	+\$10

Upper Storage Stanchion - Offset Mount FD419.



Product Information


Description

This painted metal stanchion attaches 1 end of a dock mounted storage cabinet to the dock top rail in an offset mounting position. It can be attached anywhere along the top rail, and is handed. Package contains 1 stanchion. Attachment hardware included.

Notes

Specify single-shared stanchion (T) to support 2 adjacent cabinet ends.
Order single-sided or double-sided dock mounted storage cabinet (FD415.) separately.

Dimensions



Specification Information

Step 1.

FD419. A

Step 2. Attachment

D dock A

Step 3. Height

09 9" high A

16 16" high A

20 20" high A

Step 4. Grouping/Quantity

L single left A

R single right A

T single - shared A

Prices for Steps 1-4.

	L	R	T
FD419. D 09	\$250	250	250
16	\$258	258	258
20	\$267	267	267

Step 5. Surface Finish

Bright Sand Texture Paint


91	white A	+\$0
CL	cool grey neutral A	+\$0
G1	graphite A	+\$0
WN	warm grey neutral A	+\$0
8Q	folkstone grey A	+\$0
98	studio white A	+\$0
WL	sandstone A	+\$0

Metallic Paint

CN	metallic champagne A	+\$10
EH	metallic bronze A	+\$10
MS	metallic silver A	+\$10

Stanchion Infill

FD430.



Product Information

Description

This acrylic infill fits between 2 stanchions below a dock mounted storage cabinet.

Notes


Infill is used between single or shared stanchions.

Specify infill width to match the width of storage cabinet (FD415).

An opening is created between infill and stanchion at each end of infill.

- Single stanchion at each end, openings are $\frac{3}{4}$ "
- Single stanchion at 1 end and shared stanchion at 1 end, openings are $1\frac{1}{4}$ "
- Shared stanchion at each end, openings are $1\frac{3}{4}$ "

Dimensions



Specification Information

Step 1.

FD430. A

Step 2. Type

A acrylic A

Step 3. Height

16 16" high for overhead storage at 53" high A

20 20" high for overhead storage at 57" high A

Step 4. Width

36 36" wide A

42 42" wide A

48 48" wide A

60 60" wide A

72 72" wide A

Prices for Steps 1-4.

		36	42	48	60	72
FD430. A	16	\$404	422	439	464	508
	20	\$413	430	447	473	516

Step 5. Infill Finish

TR clear A +\$0


J9 opal frosted A +\$50

Step 6. Attachment Bracket Finish

MS metallic silver A +\$5

Tackboard, Storage Cabinet,
Frame Top Mounted

FT491.



Canvas Office Landscape® Storage

Product Information

Description

This tackboard attaches to 1 side of a double-sided frame top mounted storage cabinet to provide a tackable surface. Attachment hardware included.

Notes

Specify tackboard width $\frac{1}{2}$ the width of the storage cabinet.

Attaches to back of unit or to interior of open storage cabinet (FT415).

Tackboard accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T)

Width—Yardage

All widths—.61

For tackable fabric, horizontal (R)

Width—Yardage

18—.72

21—.80


24—.88

30—1.05

36—1.22

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT491. [A]

Step 2. Width

- 36** 16 $\frac{3}{4}$ " for 36"-wide cabinet [A]
- 42** 19 $\frac{3}{4}$ " for 42"-wide cabinet [A]
- 48** 22 $\frac{3}{4}$ " for 48"-wide cabinet [A]
- 60** 28 $\frac{3}{4}$ " for 60"-wide cabinet [A]
- 72** 34 $\frac{3}{4}$ " for 72"-wide cabinet [A]
- 84** 20" for 84"-wide cabinet [A]
- 96** 23" for 96"-wide cabinet [A]

Step 3. Surface Material

- T** tackable fabric [A]
- R** tackable fabric, horizontal [A]

Prices for Steps 1-3.

	T	R
FT491. 36	\$127	130
42	\$144	148
48	\$162	167
60	\$188	193
72	\$215	221
84	\$144	148
96	\$162	167

Step 4. Surface Finish


See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+\$0
Price Category 2	+\$19
Price Category 3	+\$33
Price Category 4	+\$51
Price Category 5	+\$103
Price Category B	+\$37
Price Category C	+\$51
Price Category D	+\$64
Price Category E	+\$78
Price Category F	+\$100
Price Category G	+\$130

Markerboard, Storage Cabinet,
Frame Top Mounted

FT492.



Product Information


Description

This marker board attaches to 1 side of a double-sided frame top mounted storage cabinet to provide a writing surface for dry-erase markers. Attachment hardware included.

Notes

Specify marker board width $\frac{1}{2}$ the width of the storage cabinet.
Attaches to back of storage unit (FT415.).

Dimensions



Specification Information

Step 1.


FT492. A

Step 2. Width

- 36** $16\frac{3}{4}$ " for 36"-wide cabinet A
- 42** $19\frac{3}{4}$ " for 42"-wide cabinet A
- 48** $22\frac{3}{4}$ " for 48"-wide cabinet A
- 60** $28\frac{3}{4}$ " for 60"-wide cabinet A
- 72** $34\frac{3}{4}$ " for 72"-wide cabinet A
- 84** 20" for 84"-wide cabinet A
- 96** 23" for 96"-wide cabinet A

Prices for Steps 1-2.

FT492. 36	\$118
42	\$124
48	\$130
60	\$145
72	\$159
84	\$124
96	\$130



Product Information

Description

This tackable fabric screen attaches anywhere along the top rail of the 22" high Canvas dock to extend the overall height and to provide boundary with a tackable surface. Attachment hardware included.

Notes

Order screen attached marker board (FD125.) separately.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

20—1.58

24—1.84

31—2.27

35—2.53

For horizontal fabric direction (R), for 20" high and 24" high:

Width—Yardage

24—0.95

36—1.32

42—1.51

48—1.71

60—2.07

72—2.46

For horizontal fabric direction (R), for 31" high and 35" high:

Width—Yardage

24—1.90

36—2.66

42—3.02


48—3.41

60—4.17

72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Screens, Dock Mounted *continued*

Specification Information

Step 1.

FD115. A

Step 2. Type

F fabric A

Step 3. Height

- 20** 20" high (to reach datum of 42"H) A
- 24** 24" high (to reach datum of 46"H) A
- 31** 31" high (to reach datum of 53"H) A
- 35** 35" high (to reach datum of 57"H) A

Step 4. Width

- 24** 24" wide A
- 36** 36" wide A
- 42** 42" wide A
- 48** 48" wide A
- 60** 60" wide A
- 72** 72" wide A

Step 5. Surface Material

For 24" wide (24), 36" wide (36), 42" wide (42), or 48" wide (48)

- T** tackable fabric A
- R** tackable fabric, horizontal A

For 60" wide (60) or 72" wide (72)

- R** tackable fabric, horizontal A


Prices for Steps 1-5.

		24T	24R	36T	36R	42T	42R
FD115. F	20	\$675	675	765	765	855	855
	24	\$720	720	810	810	900	900
	31	\$900	900	990	990	1080	1080
	35	\$990	990	1080	1080	1170	1170
				48T	48R	60R	72R
FD115. F	20			\$945	945	1080	1170
	24			\$990	990	1125	1215
	31			\$1170	1170	1305	1395
	35			\$1260	1260	1395	1485

Step 6. Fabric

	2024	2036	2042	2048	2060
Price Category E	+\$124	124	172	172	197
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$13	13	18	18	20
Price Category 3	+\$31	31	43	43	49
Price Category 4	+\$53	53	74	74	85
	2072	2424	2436	2442	2448
Price Category E	+\$197	223	223	269	269
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$20	23	23	28	28
Price Category 3	+\$49	55	55	67	67
Price Category 4	+\$85	96	96	117	117
	2460	2472	3124	3136	3142
Price Category E	+\$320	320	247	247	346
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$33	33	26	26	36
Price Category 3	+\$80	80	61	61	86
Price Category 4	+\$138	138	107	107	150
	3148	3160	3172	3524	3536
Price Category E	+\$346	393	393	444	444
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$36	41	41	46	46
Price Category 3	+\$86	98	98	110	110
Price Category 4	+\$150	170	170	192	192
	3542	3548	3560	3572	
Price Category E	+\$543	543	640	640	
Price Category 1	+\$0	0	0	0	
Price Category 2	+\$57	57	67	67	
Price Category 3	+\$135	135	159	159	
Price Category 4	+\$235	235	277	277	

Flat Edge Screen, Dock Mounted FD116.



Product Information

Description

This tackable fabric screen attaches anywhere along the top rail of the 22" high Canvas dock to extend the overall height and to provide boundary with a tackable surface. Attachment hardware included.

Notes

Order screen attached marker board (FD125.) separately.
 Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- 20—1.58
- 24—1.84
- 31—2.27
- 35—2.53

For horizontal fabric direction (R), for 20" high and 24" high:

Width—Yardage

- 24—0.95
- 36—1.32
- 42—1.51
- 48—1.71
- 60—2.07
- 72—2.46


For horizontal fabric direction (R), for 31" high and 35" high:

Width—Yardage

- 24—1.90
- 36—2.66
- 42—3.02
- 48—3.41
- 60—4.17
- 72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Dock Mounted

continued

Specification Information

Step 1.

FD116. A

Step 2. Fabric

F fabric A

Step 3. Height

20 20" high (to reach datum of 42"H) A

24 24" high (to reach datum of 46"H) A

31 31" high (to reach datum of 53"H) A

35 35" high (to reach datum of 57"H) A

Step 4. Width

24 24" wide A

36 36" wide A

42 42" wide A

48 48" wide A

60 60" wide A

72 72" wide A

Step 5. Surface Material

For 24" wide (24), 36" wide (36), 42" wide (42), or 48" wide (48)

T tackable fabric A

R tackable fabric, horizontal A

For 60" wide (60) or 72" wide (72)

R tackable fabric, horizontal A


Prices for Steps 1-5.

		24T	24R	36T	36R	42T	42R
FD116. F	20	\$510	510	578	578	646	646
	24	\$555	555	623	623	691	691
	31	\$735	735	803	803	871	871
	35	\$825	825	893	893	961	961
				48T	48R	60R	72R
FD116. F	20			\$714	714	780	900
	24			\$759	759	825	945
	31			\$939	939	1005	1125
	35			\$1029	1029	1095	1215

Step 6. Fabric

	2024	2036	2042	2048	2060
Price Category E	+\$124	124	172	172	197
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$13	13	18	18	20
Price Category 3	+\$31	31	43	43	49
Price Category 4	+\$53	53	74	74	85
	2072	2424	2436	2442	2448
Price Category E	+\$197	197	197	223	223
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$20	20	20	23	23
Price Category 3	+\$49	49	49	55	55
Price Category 4	+\$85	85	85	96	96
	2460	2472	3124	3136	3142
Price Category E	+\$269	269	247	247	346
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$28	28	26	26	36
Price Category 3	+\$67	67	61	61	86
Price Category 4	+\$117	117	107	107	150
	3148	3160	3172	3524	3536
Price Category E	+\$346	393	393	444	444
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$36	41	41	46	46
Price Category 3	+\$86	98	98	110	110
Price Category 4	+\$150	170	170	192	192
	3542	3548	3560	3572	
Price Category E	+\$543	543	640	640	
Price Category 1	+\$0	0	0	0	
Price Category 2	+\$57	57	67	67	
Price Category 3	+\$135	135	159	159	
Price Category 4	+\$235	235	277	277	


Canvas Office Landscape® Screens



Product Information

Description
 This glass screen attaches anywhere along the top rail of the 22" high Canvas dock to extend the overall height and to provide boundary. Attachment hardware included.

Dimensions



Canvas Office Landscape® Screens

Specification Information

Step 1.

FD114.

Step 2. Type

G glass

Step 3. Height

- 20** 20" high
- 24** 24" high
- 31** 31" high
- 35** 35" high

Step 4. Width

- 24** 24" wide
- 36** 36" wide
- 42** 42" wide
- 48** 48" wide
- 60** 60" wide
- 72** 72" wide

Step 5. Surface Finish

- TR** clear glass - 1/4" thick
- 5A** opal etched - 1/4" thick
- C3** clear glass - 3/8" thick
- G3** opal glass - 3/8" thick
- NN** no glass- for customer's own glass 1/4"
- N3** no glass- for customer's own glass 3/8"

Prices for Steps 1-5.

		24TR	245A	24C3	24G3	24NN	24N3
FD114. G	20	\$486	540	630	900	200	200
	24	\$572	635	729	1010	200	200
	31	\$671	745	927	1100	200	200
	35	\$743	825	1035	1220	200	200
		36TR	365A	36C3	36G3	36NN	36N3
FD114. G	20	\$648	720	900	1000	240	240
	24	\$765	850	1044	1160	240	240
	31	\$927	1030	1287	1430	240	240
	35	\$954	1060	1440	1600	240	240
		42TR	425A	42C3	42G3	42NN	42N3
FD114. G	20	\$743	825	1031	1145	260	260
	24	\$855	950	1179	1310	260	260
	31	\$1060	1175	1431	1590	260	260
	35	\$1062	1180	1590	1765	260	260

Screens, Dock Mounted, Glass

continued


		48TR	485A	48C3	48G3	48NN	48N3
FD114. G	20	\$833	925	1143	1270	280	280
	24	\$954	1060	1328	1475	280	280
	31	\$1071	1190	1611	1790	280	280
	35	\$1206	1340	1791	1990	280	280

		60TR	605A	60C3	60G3	60NN	60N3
FD114. G	20	\$995	1105	1341	1490	300	300
	24	\$1040	1155	1530	1700	300	300
	31	\$1305	1450	1944	2160	300	300
	35	\$1404	1560	2124	2360	300	300

		72TR	725A	72C3	72G3	72NN	72N3
FD114. G	20	\$1040	1155	1557	1730	310	310
	24	\$1230	1365	1836	2040	310	310
	31	\$1490	1655	2250	2500	310	310
	35	\$1634	1815	2498	1775	310	310

Step 6. Finish							
AN	anodized						+\$0

Screens, Dock Mounted, Marker Board FD118.



Product Information

Description

This marker board laminate screen attaches anywhere along the top rail of the 22" high Canvas dock to extend the overall height and to provide boundary with a white, dry-erase marker board face. Attachment hardware included.

Dimensions



Canvas Office Landscape® Screens

Specification Information

Step 1.

FD118. A

Step 2. Type

M marker board - non magnetic A

Step 3. Height

- 20** 20" high A
- 24** 24" high A
- 31** 31" high A
- 35** 35" high A


Step 4. Width

- 24** 24" wide A
- 30** 30" wide A
- 36** 36" wide A
- 42** 42" wide A
- 48** 48" wide A
- 60** 60" wide A
- 72** 72" wide A

Prices for Steps 1-4.

		24	30	36	42	48	60
FD118. M	20	\$516	556	601	687	773	859
	24	\$556	601	647	728	808	899
	31	\$596	657	744	808	884	950
	35	\$707	758	808	869	930	990
		72					
FD118. M	20	\$945					
	24	\$980					
	31	\$1010					
	35	\$1061					

Laminate Screen, Dock Mounted FD120.




Product Information

Description

This laminate screen attaches anywhere along the top rail of the 22"-high Canvas dock to extend the overall height and to provide boundary. Attachment hardware included.

Dimensions



Specification Information

Step 1.

FD120. A

Step 2. Height

- 20** 20" high (to reach datum of 42"H) A
- 24** 24" high (to reach datum of 46"H) A
- 31** 31" high (to reach datum of 53"H) A
- 35** 35" high (to reach datum of 57"H) A

Step 3. Width

- 24** 24" wide A
- 36** 36" wide A
- 42** 42" wide A
- 48** 48" wide A
- 60** 60" wide A
- 72** 72" wide A

Step 4. Surface Material

- L** laminate/thermoplastic edge A
- U** laminate/universal edge A

Prices for Steps 1-4.

		L	U
FD120.	20 24	\$425	425
	36	\$484	484
	42	\$543	543
	48	\$601	601
	60	\$660	660
	72	\$710	710
	24 24	\$470	470
	36	\$529	529
	42	\$588	588
	48	\$646	646
	60	\$705	705
	72	\$755	755
	31 24	\$650	650
	36	\$709	709
	42	\$768	768
	48	\$826	826
	60	\$885	885
	72	\$935	935

Laminate Screen, Dock Mounted

continued

Canvas Office Landscape® Screens

35	24	\$740	740
36		\$799	799
42		\$858	858
48		\$916	916
60		\$975	975
72		\$1025	1025

Step 5. Grain Direction

For 24" wide (24), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)

HRG	horizontal grain A	+\$0
VTG	vertical grain A	+\$0

For 72" wide (72)

HRG	horizontal grain A	+\$0
------------	--	------

Step 6. Surface Finish

76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash A	+\$0
LBA	clear on ash A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut A	+\$0
LBE	medium red walnut A	+\$0
LBF	neutral twill A	+\$0
LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 7. Edge Finish

For laminate/thermoplastic edge (L)


76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BU	black umber A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash A	+\$0
LBA	clear on ash A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut A	+\$0
LBE	medium red walnut A	+\$0
LBF	neutral twill A	+\$0
LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
MT	medium tone A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

For laminate/universal edge (U)

PLY	plywood edge A	+\$50
------------	--	-------

Screens, Freestanding/Surface Attached

FD300.



Product Information

Description

This tackable fabric screen is 42" or 46" high. It has an all fabric surface and a frameless edge. Includes 2 adjustable glides for leveling.

Notes

Screen can be freestanding when connected in 90° or 120° configurations. See planning guide for more information.

Screen can be connected inline (180°). See planning guide for connection rules.

Screen can be attached to:

- Canvas dock
- Table or surface
- Canvas low storage

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T), for 42" high:

Width—Yardage

15, 20—1.49

24, 30, 36, 42, 48—2.96

For vertical fabric direction (T), for 46" high:

Width—Yardage

15, 20—1.60

24, 30, 36, 42, 48—3.22

For horizontal fabric direction (R), for 42" high and 46" high:

Width—Yardage

15—1.32

20—1.64

24—1.90

30—2.27

36—2.66

42—3.02

For horizontal fabric direction (R), for 42" high:

Width—Yardage

48—3.41

54—3.78

60—4.17

66—4.54

72—4.92

For horizontal fabric direction (R), for 46" high:

Width—Yardage


48—3.41

60—4.17

72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Canvas Office Landscape® Screens

Screens, Freestanding/Surface Attached *continued*

Specification Information

Step 1.

FD300. A

Step 2. Type

F fabric/fabric A

Step 3. Height

42 42" high A

46 46" high A

Step 4. Width

For 42" high (42)

15 15" wide A

20 20" wide A

24 24" wide A

30 30" wide A

36 36" wide A

42 42" wide A

48 48" wide A

54 54" wide A

60 60" wide A

66 66" wide A

72 72" wide A

For 46" high (46)

15 15" wide A

20 20" wide A

24 24" wide A

30 30" wide A

36 36" wide A

42 42" wide A

48 48" wide A

60 60" wide A

72 72" wide A

Step 5. Surface Material

For 15" wide (15), 20" wide (20), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

T tackable fabric A

R tackable fabric, horizontal A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-5.


		15T	15R	20T	20R	24T	24R
FD300. F	42	\$800	800	850	850	1000	1000
	46	\$860	860	920	920	1050	1050
		30T	30R	36T	36R	42T	42R
FD300. F	42	\$1050	1050	1100	1100	1150	1150
	46	\$1125	1125	1200	1200	1275	1275
		48T	48R	54R	60R	66R	72R
FD300. F	42	\$1200	1200	1275	1350	1500	1600
	46	\$1275	1500	—	1725	—	1850

Step 6. Fabric

	4215	4220	4224	4230	4236
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$24	24	24	38	38
Price Category 3	+\$57	57	57	90	90
Price Category 4	+\$99	99	99	156	156
Price Category E	+\$240	240	240	0	0
	4242	4248	4254	4260	4272
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$38	52	52	52	52
Price Category 3	+\$90	124	124	124	124
Price Category 4	+\$156	215	215	215	215
Price Category E	+\$0	0	0	0	0
	4266	4615	4620	4624	4630
Price Category 1					+\$0
Price Category 2					+\$52
Price Category 3					+\$124
Price Category 4					+\$215
Price Category E					+\$0

Pari Screen, Stanchion Infill Fabric

FD435.



Product Information

Description

This tackable fabric screen fits between 2 stanchions below a dock mounted storage cabinet. Attachment hardware included.

Notes

Fabric infill is used between single or shared stanchions.

Fabric infill can be installed and removed with storage cabinet (FD415.) installed.

Specify fabric infill width to match the width of storage cabinet (FD415.).

When installed, there is a 3/4" gap around all edges of fabric infill.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

16—1.30

20—1.53

For horizontal fabric direction (R):

Width—Yardage

36—1.17

42—1.36


48—1.53

60—1.92

72—2.29

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FD435. A

Step 2. Height

16 16" high for overhead storage at 53" high A

20 20" high for overhead storage at 57" high A

Step 3. Width

36 36" wide A

42 42" wide A

48 48" wide A

60 60" wide A

72 72" wide A

Step 4. Surface Material

For 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal A

T tackable fabric A

For 60" wide (60) or 72" wide (72)

R tackable fabric, horizontal A


Prices for Steps 1-4.

		R	T
FD435. 16	36	\$720	720
	42	\$810	810
	48	\$900	900
	60	\$945	—
	72	\$990	—
20	36	\$765	765
	42	\$855	855
	48	\$945	945
	60	\$1080	—
	72	\$1125	—

Step 5. Fabric

	36	42	48	60	72
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$18	18	18	31	31
Price Category 3	+\$42	42	42	73	73
Price Category 4	+\$73	73	73	127	127

Flat Edge Screen, Stanchion Infill FD437.



Product Information

Description

This tackable fabric screen fits between 2 stanchions below a dock mounted storage cabinet. Attachment hardware included.

Notes

Fabric infill is used between single or shared stanchions.

Fabric infill can be installed and removed with storage cabinet (FD415.) installed.

Specify fabric infill width to match the width of storage cabinet (FD415.).

When installed, there is a 3/4" gap around all edges of fabric infill.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

16—1.30

20—1.53

For horizontal fabric direction (R):

Width—Yardage

36—1.17

42—1.36


48—1.53

60—1.92

72—2.29

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FD437. A

Step 2. Height

16 16" high for overhead storage at 53" high A

20 20" high for overhead storage at 57" high A

Step 3. Width

36 36" wide A

42 42" wide A

48 48" wide A

60 60" wide A

72 72" wide A

Step 4. Surface Material

For 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal A

T tackable fabric A

For 60" wide (60) or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-4.


		R	T
FD437. 16	36	\$565	565
	42	\$637	637
	48	\$709	709
	60	\$780	—
	72	\$900	—
20	36	\$610	610
	42	\$682	682
	48	\$754	754
	60	\$915	—
	72	\$1035	—

Step 5. Fabric

	36	42	48	60	72
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$18	18	18	31	31
Price Category 3	+\$42	42	42	73	73
Price Category 4	+\$73	73	73	127	127

Glass Screen, Stanchion Infill

FD436.



Product Information



Description

This glass screen fits between 2 stanchions below a dock mounted storage cabinet. Attachment hardware included.

Notes

Glass infill is used between single or shared stanchions.
 Glass infill can be installed and removed with storage cabinet (FD415.) installed.
 Specify glass infill width to match the width of storage cabinet (FD415.).
 When installed, there is a 3/4" gap around all edges of glass infill.

Dimensions



Specification Information

Step 1.

FD436. A

Step 2. Type

G glass A

Step 3. Height

16 16" high for overhead storage at 53" high A

20 20" high for overhead storage at 57" high A

Step 4. Width

36 36" wide A

42 42" wide A

48 48" wide A

60 60" wide A

72 72" wide A

Step 5. Surface Finish

TR clear glass - 1/4" thick A

5A opal etched - 1/4" thick A

C3 clear glass - 3/8" thick A

G3 opal glass - 3/8" thick A

NN no glass- for customer's own glass 1/4" A

N3 no glass- for customer's own glass 3/8" A


Prices for Steps 1-5.

		36TR	365A	36C3	36G3	36NN	36N3
FD436. G	16	\$570	634	726	806	216	216
	20	\$648	720	900	1000	240	240
		42TR	425A	42C3	42G3	42NN	42N3
FD436. G	16	\$605	672	841	935	234	234
	20	\$741	824	1031	1145	260	260
		48TR	485A	48C3	48G3	48NN	48N3
FD436. G	16	\$692	768	961	1068	252	252
	20	\$830	922	1141	1268	280	280
		60TR	605A	60C3	60G3	60NN	60N3
FD436. G	16	\$830	922	1141	1268	270	270
	20	\$994	1104	1341	1490	300	300
		72TR	725A	72C3	72G3	72NN	72N3
FD436. G	16	\$975	1085	1350	1500	290	290
	20	\$1170	1300	1635	1815	320	320

Glass Screen, Stanchion Infill

continued

Step 6. Finish		
AN	anodized <input type="checkbox"/>	+\$0



Product Information

Description


This painted metal hardware connects multiple freestanding screens in 90°, 120°, and 180° configurations.

Notes

Order freestanding screen (FD300.) separately.

See planning guide for planning rules.

Dimensions



Connection Hardware, Screens

continued

Canvas Office Landscape® Screens

Specification Information

Step 1.

FD311.

Step 2. Configuration

- 1** 90° connection - 2 screens
- 2** 120° connection - 2 screens
- 3** 3-way connection - 90°
- 4** 4-way connection - 90°
- 5** 180° connection - inline - 2 screens

Step 3. Height

- 42** 42" high
- 46** 46" high

Prices for Steps 1-3.


	42	46
FD311. 1	\$41	51
2	\$41	51
3	\$101	112
4	\$132	142
5	\$71	81

Step 4. Finish

- 8Q** folkstone grey +\$0
- 91** white +\$0
- 98** studio white +\$0
- G1** graphite +\$0
- MS** metallic silver +\$5
- WL** sandstone +\$0
- WN** warm grey neutral +\$0

Bracket Hardware, Work Surface/Low Storage

FD312.



Product Information

Description

This metal hardware attaches Canvas freestanding screens to a work surface or Canvas low storage. Package of 2 brackets.




Notes

Used with fixed height surfaces.

Provides 1" cable management gap between screen and back of surface or storage.

See planning guide for connection and support rules.

Dimensions



Specification Information

Step 1.

FD312. A

Step 2. Configuration

- 1** connection hardware to surface - pair A
- 3** connection hardware to low storage A


Prices for Steps 1-2.

FD312. 1	\$142
3	\$142

Step 3. Finish

8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
G1	graphite A	+\$0
MS	metallic silver A	+\$5
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Dock to Screen Bracket, Screens FD313.




Product Information

Description
 This bracket connects the Canvas freestanding screen to a Canvas dock wall run.

Notes
 Bracket attaches on left or right end of dock. Handedness determined when user is facing the dock.
 See planning guide for planning rules.

Dimensions



Canvas Office Landscape® Screens

Specification Information

Step 1.

FD313. A

Step 2. Configuration

1 connection hardware to Canvas Dock A

Step 3. Position

L left A

R right A

Prices for Steps 1-3.


	L	R
FD313. 1	\$71	71

Step 4. Finish

8Q	folkstone grey <input type="checkbox"/> A	+ \$0
91	white <input type="checkbox"/> A	+ \$0
98	studio white <input type="checkbox"/> A	+ \$0
G1	graphite <input type="checkbox"/> A	+ \$0
MS	metallic silver <input type="checkbox"/> A	+ \$0
WL	sandstone <input type="checkbox"/> A	+ \$0
WN	warm grey neutral <input type="checkbox"/> A	+ \$0

Bracket Hardware, Screens to Renew Table

FD314.



Product Information





Description

This pair of metal brackets attaches a Canvas freestanding/surface attached screen to the legs of a Renew™ table. Attachment hardware included.

Notes

Compatible with Renew table legs only.
Specify size to match depth of Renew table.

Dimensions



Specification Information

Step 1.

FD314. A

Step 2. Configuration

1 connection hardware to Renew table leg - pair A

Step 3. Size

24C 24" deep renew table - C Foot A

30C 30" deep renew table - C Foot A

30T 30" deep renew table - T Foot A

Prices for Steps 1-3.


	24C	30C	30T
FD314. 1	\$179	179	179

Step 4. Finish

8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
G1	graphite A	+\$0
MS	metallic silver A	+\$5
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Bracket Hardware, Pari Freestanding Screen/Low Credenza

FD315.



Product Information


Description

This metal hardware attaches Canvas freestanding screens perpendicularly to Canvas low storage.


Notes

See planning guide for connection and support rules.

Dimensions



Wooden Attachments



Metal Attachments

Specification Information

Step 1.

FD315. A

Step 2. Storage Type

W for use with wood low credenza with 4" high foot A

M for use with metal low credenza with 4" high foot A

Step 3. Credenza Attachment Location

L left end of credenza A

R right end of credenza A


Prices for Steps 1-3.

	L	R
FD315. W	\$115	115
M	\$115	115

Step 4. Finish

91	white A	+\$0
G1	graphite A	+\$0
MS	metallic silver A	+\$5

Marker Board - Screen Attached FD125.




Product Information

Description
 This marker board attaches to a dock mounted fabric screen.

Notes
 Order dock mounted screen (FD115.) separately.
 Marker board hangs on the top edge of the fabric screen.
 Marker board is not magnetic.

Dimensions



Specification Information

Step 1.

FD125. A

Step 2. Type

M marker board A

Step 3. Height

15 15" high A

Step 4. Width

24 24" wide A

30 30" wide A

Prices for Steps 1-4.


	24	30
FD125. M 15	\$425	455

Step 5. Trim Finish

8Q folkstone grey A + \$0

Pari Screen, Height Adjustable Tables

Y1116.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width. Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

A—1.51

B—1.84

For horizontal fabric direction (R):

Width—Yardage

24—0.89

30—1.08

36—1.25

42—1.45

48—1.64

54—1.84


60—2.01

66—2.20

72—2.40

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Pari Screen, Height Adjustable Tables *continued*

Specification Information

Step 1.

Y1116. A

Step 2. Height

- A** privacy (42" high) A
- B** privacy & modesty (42" high/ 9" below surface) A
- C** privacy (46" high) A
- D** privacy & modesty (46" high/ 9" below surface) A
- E** privacy (53" high) A
- F** privacy & modesty (53" high/ 9" below surface) A

Step 3. Width

- 24** 24" wide A
- 30** 30" wide A
- 36** 36" wide A
- 42** 42" wide A
- 48** 48" wide A
- 54** 54" wide A
- 60** 60" wide A
- 66** 66" wide A
- 72** 72" wide A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

- R** tackable fabric, horizontal A
- T** tackable fabric A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

- R** tackable fabric, horizontal A

Prices for Steps 1-4.

		R	T
Y1116. A	24	\$347	347
	30	\$403	403
	36	\$453	453
	42	\$498	498
	48	\$541	541
	54	\$578	—
	60	\$665	—
	66	\$697	—
	72	\$727	—

B	24	\$437	437
	30	\$499	499
	36	\$551	551
	42	\$596	596
	48	\$634	634
	54	\$667	—
	60	\$741	—
	66	\$765	—
	72	\$785	—
C	24	\$360	360
	30	\$415	415
	36	\$475	475
	42	\$530	530
	48	\$585	585
	54	\$645	—
	60	\$720	—
	66	\$755	—
	72	\$785	—
D	24	\$455	455
	30	\$510	510
	36	\$570	570
	42	\$625	625
	48	\$680	680
	54	\$740	—
	60	\$815	—
	66	\$850	—
	72	\$880	—
E	24	\$505	505
	30	\$555	555
	36	\$600	600
	42	\$650	650
	48	\$735	735
	54	\$775	—
	60	\$795	—
	66	\$805	—
	72	\$820	—
F	24	\$600	600
	30	\$650	650
	36	\$695	695
	42	\$745	745
	48	\$830	830
	54	\$870	—
	60	\$890	—
	66	\$900	—
	72	\$915	—

Pari Screen, Height Adjustable
Tables *continued*

Step 5. Cable Trough
For privacy & modesty (42" high/9" below surface) (B), privacy & modesty (46" high/9" below surface) (D), or privacy & modesty (53" high/9" below surface) (F)

NC	no cable way <input type="checkbox"/> A	+\$0
CW	cable way <input type="checkbox"/> A	+\$25


Step 6. Fabric

Price Category 1	+\$0
Price Category 2	+\$19
Price Category 3	+\$41
Price Category 4	+\$80
Price Category E	+\$152

Canvas Office Landscape® Screens

Signature Screen, Surface-Attached

FT350.



Product Information

Description


This screen attaches to a surface to provide visual privacy. It is designed to match the height of a 42"-high frame, but can be adjusted to provide varying privacy above and below the surface. The screen has an aluminum frame with a textile surface and is available in 2 heights.

Notes

When top of screen matches the height of a 42"-high frame, the 18"-high screen extends approximately 4" below the surface and the 23"-high screen extends approximately 9" below the surface.

When attached to a surface, there is a 1/2" gap between the back edge and the screen.

Dimensions



Specification Information

Step 1.

FT350. A

Step 2. Attachment Type

A surface attached A

Step 3. Configuration

SS straight A

CC corner wrap A

Step 4. Height

18 18" high A

23 23" high A

Step 5. Depth

For straight (SS)

NN none A

For corner wrap (CC)

20 20" deep A

Step 6. Width

40 39 1/2" wide A

46 45 1/2" wide A

52 51 1/2" wide A

60 60" wide A

66 66" wide A

72 72" wide A

Step 7. Surface Material

S woven screen A

Prices for Steps 1-7.

	182040S	182046S	182052S	182060S	182066S	182072S
FT350. A CC	\$1009	1037	1061	1244	1269	1309
	18NN40S	18NN46S	18NN52S	18NN60S	18NN66S	18NN72S
FT350. A SS	\$673	704	734	933	964	1004
	232040S	232046S	232052S	232060S	232066S	232072S
FT350. A CC	\$1038	1063	1090	1279	1306	1346
	23NN40S	23NN46S	23NN52S	23NN60S	23NN66S	23NN72S
FT350. A SS	\$704	735	765	976	1006	1049

Signature Screen, Surface-Attached *continued*

Step 8. Surface Finish
*See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.*


Price Category 1	+\$0
------------------	------

Step 9. Frame Finish

MS metallic silver A	+\$10
------------------------------------	-------

Screen

FV694.



Product Information

Description

This screen attaches to a desk or return. It has a 1"-thick frame with a 1/4"-thick translucent or painted surface. Attachment hardware included.

Notes

When attaching the 12"-high screen to a basic desk or return, specify screen width 6" less than surface width.


When attaching a screen of any height to a single pedestal desk or pedestal return, specify screen width 18" less than surface width. When attaching to a double pedestal desk, specify screen width 30" less than surface width.

When attached to surface, there is a 1 1/2" gap between the back edge and the screen.

For translucent plastic (A) surface material, screen frame finish is metallic silver (MS). For painted (P) surface material, screen frame finish will match bracket finish (Step 6.).

For cable management between screen and back edge of surface, specify cable manager (FV695.) separately.

Dimensions



Canvas Office Landscape® Screens

Specification Information

Step 1.
FV694.

Step 2. Surface Material
A translucent plastic
P painted

Step 3. Height
For painted (P)
12A 12" below work surface

For translucent plastic (A)
12A 12" below work surface
18A 6" above/12" below work surface
18B 12" above/6" below work surface
24A 12" above/12" below work surface

Step 4. Width
For 12" below work surface (12A)
30 30" wide
36 36" wide
42 42" wide
48 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide

For 6" above/12" below work surface (18A), 12" above/6" below work surface (18B), or 12" above/12" below work surface (24A)
30 30" wide
36 36" wide
42 42" wide
48 48" wide
54 54" wide

Prices for Steps 1-4.		30	36	42	48	54	60
FV694. A	12A	\$692	721	748	775	803	831
	18A	\$728	758	786	816	843	—
	18B	\$728	758	786	816	843	—
	24A	\$831	865	898	931	964	—
P	12A	\$630	654	679	705	730	755

	66	72
FV694. A 12A	\$859	885
P 12A	\$781	804

Step 5. Surface Finish

Sand Texture Paint
For painted (P)
8Q folkstone grey +\$0
98 studio white +\$0
WL sandstone +\$0

Bright Sand Texture Paint
For painted (P)
91 white +\$0
CL cool grey neutral +\$0
G1 graphite +\$0
WN warm grey neutral +\$0

Metallic Paint
For painted (P)
CN metallic champagne +\$10
EH metallic bronze +\$10
MS metallic silver +\$10

Translucent Plastic
For translucent plastic (A)
J9 opal frosted +\$0


Step 6. Bracket Finish

Bright Sand Texture Paint
91 white +\$0
CL cool grey neutral +\$0
G1 graphite +\$0
WN warm grey neutral +\$0
8Q folkstone grey +\$0
98 studio white +\$0
WL sandstone +\$0

Metallic Paint
CN metallic champagne +\$10
EH metallic bronze +\$10
MS metallic silver +\$10

Privacy Panel

FV693.



Product Information

Description

This panel stands on the floor and attaches to a desk or return to provide partial- or full-width privacy. It is $\frac{3}{4}$ " thick, has a laminate or veneer surface, and includes leveling glides. Attachment hardware included.

Notes

For additional product options, see Vary Easy Program in Appendices.

Grain direction is vertical on veneer and wood-grain laminate panel.

29"-high panel provides modesty from the floor to the surface.

42"- and 46"-high panels rise above the surface for visual privacy.





When attached to surface, there is a $1\frac{1}{2}$ " gap between the back edge and the panel.

Wood-grain laminate option is only available in 33" - 60" widths. Specify

2 panels to match the width of surfaces wider than 60".

For cable management between privacy panel and back edge of surface, specify cable manager (FV695.) separately.

Dimensions



Specification Information

Step 1.

FV693.

Step 2. Height

29	29" high
42	42" high
46	46" high

Step 3. Width

For 29" high (29)

33	33" wide
36	36" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
84	84" wide

For 42" high (42) or 46" high (46)

48	48" wide
54	54" wide
60	60" wide
72	72" wide

Step 4. Surface Material

L	laminated
W	veneer A

Prices for Steps 1-4.

	L	W
FV693. 29 33	\$278	607
36	\$303	662
48	\$401	882
54	\$452	990
60	\$502	1102
66	\$552	1207
72	\$602	1322
84	\$701	1541
42 48	\$487	1164
54	\$547	1308
60	\$607	1457
72	\$728	1749

46 48	\$509	1218
54	\$575	1375
60	\$638	1525
72	\$765	1829

Step 5. Surface Finish

Solid-Color Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), 60" wide (60), 72" wide (72), 66" wide (66), or 84" wide (84) with laminate (L)

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Linen Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" wide (60) with laminate (L)

LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0

Mesh Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" wide (60) with laminate (L)

LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0

Twill Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" wide (60) with laminate (L)

LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Privacy Panel *continued*

Wood-Grain Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" wide (60) with laminate (L)

76	light brown walnut	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+\$85
40	dark brown walnut	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry	+\$85

Step 6. Support Finish

Bright Sand Texture Paint

91	white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Index by Product Name

Canvas Office Landscape® Dock-Based	
Bracket Hardware, Pari Freestanding Screen/Low Credenza	page(s) 110
Bracket Hardware, Screens to Renew Table	109
Bracket Hardware, Work Surface/Low Storage	107
Cable Clips	40
Cable Management Channel	81
Cable Management Trough	80
Cable Manager	79
Cable Manager - Dock to Surface	41
Ceiling Power Entry	39
Closed Support Leg	71
Column Kit	64
Connection Hardware, Screens	105
Controlled Power Module - Bottom of Dock	26
Controlled Receptacle Decal (12 per sheet)	37
Cord Cleat	82
Data Housing	18
Dock-to-Dock Connector	13
Dock Foot	12
Dock Foot, Structural (Support Foot)	11
Dock Power Harness	19
Dock Structure	5
Dock to Screen Bracket, Screens	108
Dock to Surface Tethers	62
Finished End, Architectural, Dock	17
Flat Edge Screen, Dock Mounted	92
Flat Edge Screen, Stanchion Infill	102
Gallery Panel, Dock Attached	6
Glass Screen, Stanchion Infill	103
Half Bridge	52
Individual Bridge	49
Laminate Screen, Dock Mounted	97
Logic G1000 Grommet Mounted Electrical Distributor	34
Low Storage to Dock Bracket	14
Low Storage to Dock Spacer	15
Lower Cladding	16
Marker Board - Screen Attached	111
Markerboard, Storage Cabinet, Frame Top Mounted	89
Open Support Leg, Architectural Foot	75
Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surface Attached	77
Pari Screen, Height Adjustable Tables	112
Pari Screen, Stanchion Infill Fabric	101
Peninsula Surface	60
Power Entry, Internal Direct Connect - Floor	36
Power Entry, New York - Floor Power Entry	38

Power Module - Bottom of Dock	21
Power Module - Bottom of Dock - 20 amp	30
Power Module-Top of Dock	25
Power, Block to Block Jumper	20
Power/Data Module Spacer	42
Privacy Panel	119
Rectangular Surface	43
Screen	117
Screens, Dock Mounted	90
Screens, Dock Mounted, Glass	94
Screens, Dock Mounted, Marker Board	96
Screens, Freestanding/Surface Attached	99
Secondary Surface	57
Signature Screen, Surface-Attached	115
Square Open Support Leg	73
Stanchion Infill	87
Stiffener	67
Storage Cabinet, Dock Mounted, Open	83
Support Leg, Post	70
Surface Support, Low Credenza, Adjustable Height	66
Surface Support, Low Credenza, Fixed Height	65
Tackboard, Storage Cabinet, Frame Top Mounted	88
Team Bridge	55
Under Surface Controlled Power Module	28
Under Surface Power Module	23
Under Surface Power Module - 20 amp	32
Universal Post Leg	68
Universal Post Leg, Shared	63
Upper Storage Stanchion - Center Mount	85
Upper Storage Stanchion - Offset Mount	86

Index by Product Number

FD110. Dock Structure	page(s) 5	FD437. Flat Edge Screen, Stanchion Infill	102
FD113. Gallery Panel, Dock Attached	6	FD600. Column Kit	64
FD114. Screens, Dock Mounted, Glass	94	FDE10. Secondary Surface	57
FD115. Screens, Dock Mounted	90	FDE15. Half Bridge	52
FD116. Flat Edge Screen, Dock Mounted	92	FDE16. Team Bridge	55
FD117. Dock Foot	12	FDE17. Individual Bridge	49
FD118. Screens, Dock Mounted, Marker Board	96	FDE60. Peninsula Surface	60
FD119. Dock Foot, Structural (Support Foot)	11	FDS10. Secondary Surface	57
FD120. Laminate Screen, Dock Mounted	97	FDS15. Half Bridge	52
FD125. Marker Board - Screen Attached	111	FDS16. Team Bridge	55
FD128. Dock-to-Dock Connector	13	FDS17. Individual Bridge	49
FD141. Power Entry, New York - Floor Power Entry	38	FDS60. Peninsula Surface	60
FD142. Ceiling Power Entry	39	FDT10. Secondary Surface	57
FD144. Power Entry, Internal Direct Connect - Floor	36	FDT15. Half Bridge	52
FD150. Power Module - Bottom of Dock	21	FDT16. Team Bridge	55
FD150M Controlled Power Module - Bottom of Dock	26	FDT17. Individual Bridge	49
FD151. Dock Power Harness	19	FDT60. Peninsula Surface	60
FD152. Under Surface Power Module	23	FT199. Cable Management Trough	80
FD152M Under Surface Controlled Power Module	28	FT19C. Cable Management Channel	81
FD154. Power, Block to Block Jumper	20	FT298. Surface Support, Low Credenza, Fixed Height	65
FD156. Power Module - Bottom of Dock - 20 amp	30	FT299. Surface Support, Low Credenza, Adjustable Height	66
FD157. Under Surface Power Module - 20 amp	32	FT2A2. Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surface Attached	77
FD158. Power Module-Top of Dock	25	FT2B2. Universal Post Leg	68
FD159. Data Housing	18	FT350. Signature Screen, Surface-Attached	115
FD16A. Finished End, Architectural, Dock	17	FT491. Tackboard, Storage Cabinet, Frame Top Mounted	88
FD170. Lower Cladding	16	FT492. Markerboard, Storage Cabinet, Frame Top Mounted	89
FD197. Power/Data Module Spacer	42	FTE10. Rectangular Surface	43
FD198. Cable Clips	40	FTS10.	
FD199. Cable Manager - Dock to Surface	41	FTT10.	
FD290. Dock to Surface Tethers	62	FV2A2. Open Support Leg, Architectural Foot	75
FD292. Low Storage to Dock Bracket	14	FV2D2. Square Open Support Leg	73
FD293. Low Storage to Dock Spacer	15	FV2E2. Closed Support Leg	71
FD2B2. Universal Post Leg, Shared	63	FV689. Support Leg, Post	70
FD300. Screens, Freestanding/Surface Attached	99	FV693. Privacy Panel	119
FD311. Connection Hardware, Screens	105	FV694. Screen	117
FD312. Bracket Hardware, Work Surface/Low Storage	107	FV695. Cable Manager	79
FD313. Dock to Screen Bracket, Screens	108	FV696. Stiffener	67
FD314. Bracket Hardware, Screens to Renew Table	109	G1331. Cord Cleat	82
FD315. Bracket Hardware, Pari Freestanding Screen/Low Credenza	110	G9999. Controlled Receptacle Decal (12 per sheet)	37
FD415. Storage Cabinet, Dock Mounted, Open	83	Y1116. Pari Screen, Height Adjustable Tables	112
FD417. Upper Storage Stanchion - Center Mount	85	Y1425. Logic G1000 Grommet Mounted Electrical Distributor	34
FD419. Upper Storage Stanchion - Offset Mount	86		
FD430. Stanchion Infill	87		
FD435. Pari Screen, Stanchion Infill Fabric	101		
FD436. Glass Screen, Stanchion Infill	103		



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon **A** will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an **A** are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

Stain-to-Match Program

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

Stain-to-Match Process

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to:
options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STB: Stain-to-Match on Beech
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STM: Stain-to-Match on Recut Mahogany
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

Customer's Own Material Order Information — Workspaces

Customer's Own Material

Program Overview

The Customer's Own Material (COM) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM textiles only. COM textiles are on assigned lead times.

Omni lists an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM is listed below. Questions about the COM program and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 EXT 6543400

Customer's Own Material Warranty

Herman Miller does not warrant COM textiles. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics.

Ordering and payment for COM textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

Application Note

Herman Miller does not guarantee that Customer's Own Material (COM) fabric patterns will align across panels/tiles or from one screen to the next. We also do not guarantee that COM fabric designs will be positioned consistently in the same location across several panels, tiles, or screens.

Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile is not listed in Omni, obtain a test number from a COM representative at (616) 654 3400. You can also submit your request within Omni. Please have the following information ready before calling: textile name, number, pattern, and the product you will apply it to.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with COM

1. Refer to the specific products to determine the yardage required for COM textiles.
2. If your textile is not listed in Omni, call a COM representative at (616) 654 3400 or (866) 854 3048 EXT 6543400. The representative will assign an identification number for your textile (ID#) and will verify yardage requirements for your order.

Note: Yardage requirements are based on nondirectional, 54"-wide textiles. 66"-wide textiles are needed for application on 60"-wide products. Additional yardage may be needed due to the unique characteristics of a textile.

3. Enter your order on Order Manager in Omni.
4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the Herman Miller products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 EXT 6543400.

Products will be scheduled for production when COM textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

Customer's Own Material Order Information — Workspaces

continued

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 EXT 6543400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at the supplier's prices published at the time of the order.

Textile Approval

1. Refer to Omni to identify the approval status of the textile. If your textile is not listed, contact the COM Department to request testing for application to Herman Miller products.
2. Herman Miller will notify you of approval or disapproval in approximately 4 days from receipt of the test yardage. If the textile is approved, it will be assigned a COM identification number.

Ordering Products with Supplier Connection COM

1. Identify and include the following information on your purchase order:
 - Product number and option
 - Herman Miller's COM identification number
2. Enter your order on Order Manager in Omni.
3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

Proprietary Textiles Application Chart – Workspaces

• Available

[A] Assigned lead-time textile.

See page 3 for exception notes.

	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Storage	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace Work Surface-Attached Screens	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles	Canvas B-/E-Style Storage	Canvas Standing Screen and Team Wall Infill	Canvas Signature Screen	Canvas Tackboards	Layout Studio® Framed Screen	Locale® Display Tackboard	Locale Freestanding Screen and Workbase Screen	Locale L-Desk/D-Desk Screens	Pari™ Screens	Prospect™ Exterior Acoustic Pad	Public Office Landscape® Screen/Desk Top Divider	Renew™ Link Screens	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave® Tackable Boards and Stowage Tackable Backdrop	Exclave Video-Friendly Tackable Boards and Stowage Tackable Backdrop	Intersect® Screens	Thrive® Personal Side Screen	Tu® Wood Storage Cubby Tackboard	5000 Series Storage and Tackboards	Seating	
Price Category 1																															
COM Customer's Own Material [A]	1	1	1	1	1		1	1	1	1		•	1	1	1		1		1	1	1						1	1		3	1
8A__ Bubbletack™																						•									
2V__ Chain	•	•	•	•	•		•	22	•			•	•	•	•		•		•	•									•	3	
8T__ Crossing (85__)	2	2	2	•	•		•	•	2			•	•	•	•	•	•		•	•				•	8		•	•	•	3	18
95__ Gem	2	2	2	•	•		•	•	2			•	•	•													•	•	•	3	•
2I__ Grasscloth	•	•	•	•	•		•	•	•	•		•		•	•	•	•		•	•							•	•	•	3	
1MN__ Monologue	2	2	2	•	•		•	•	2			•	•	•	•	•	•		•	•							•	•	•		•
8B__ Multiscrim™						•															•		•								
5T__ Resonance	•	•	•	•	•		•	•	•	•		•	•	•													•	•	•		
8C__ Scrim Trim																							•								
22W__ Shade											•																				
2M__ Silkworm	•	•	•	•	•		•	•	•	•		•	•	•													•	•	•	3	
22F__ Slant	6		•	•	•		•	•	•	•		•	•	•													•	•	•	3	
235__ Tailored [A]	•	•		•	•		•	•	•	•		•	•	•													•	•	•		•
1WS__ Whisper	2	2	2	•	•		•	•	2	•		•	•	•	•	•	•		•	•						•	•	•		•	
Price Category 2																															
1CD__ Code	•	•	•	•	•		•	•	•	•		•	•	•										•		•					
3P__ ColorGuard		2		•																											
51__ Cord	•	•	•	•	•		•	•	•	•		•	•	•													•	•	•	3	
92__ Crepe	2	•	•	•	•		•	•	•	•		•	•	•									•	8		•	•	•	3	•	
22Q__ Fish Net		2	2	•	•		•	•	2	•		•					•			•											•
57__ Frost	•	•	•	•	•		•	•	•	•		•	•	•			•		•	•							•	•	•	3	
84__ Grosgrain	4	•	•	•	•		•	•	•	•			•	19													•	19	•	3	
4N__ Horizon	2	2	2	•	•		•	•	•	•		•	•	•													•	•	•	3	
1LM__ Loom	2	2	2	•	•		•	•	•	•		•	•	•			•		•	•				•							•
1HA__ Medley	2	2	2	•	•		•	•	•	•		•	•	•			•		•	•				•	8	•	•	•		•	
3A__ Moiré		2	2	•	•		•	22	2	•		•	•	•															•	3	•
1RV__ Rivet	2	2	2	•	•		•	•	2	•		•		•	•	•	•		•	•							•	•	•		•
43__ Tape							•	•	•	•		•		•																	•
8R__ Twist (5S__)	5	2	2	•	•		•	•	2	•		•	•	•	•	•	•		•	•							•	•	•	3	18
22T__ Well Suited		2		•	•		•	2	•																						•
Price Category 3																															
70__ Bento	2	2	2	•			•	2	•		•	•	•	•			•		•	•						•	•	•	3	•	
1FB__ Connection	•	•	•	•	•		•	•	•	•		•	•	•						•							•	•	•	3	
1FC__ Current	•	•	•	•	•		•	•	•	•		•	•	•						•							•	•	•	3	
8Z__ Glaze	•	•	•	•	•		•	•	•	•		•	•	•													•	•	•	3	
47__ Ground Cloth®	•	•	•	•	•		•	•	•	•		•	•	•			•		•	•	14			•	8	•	•	•	3		
5D__ Kira 2	2	2	2	•	•		•	•	2	•		•	•	•			•		•	•	14					•	•	•	3		
22R__ Pins and Needles	2	2		•	•		•	•	2	•		•	•	•																	•
8L__ Savannah	•	20	•	•	•		•	•	•	•		•	•	•							14									•	
8U__ Stitches (5Z__)	2	2	2				•	2	•		•	•	•														•	•	•	3	18
8W__ Strands	•	•	•	•	•		•	•	•	•		•	•	•						•							•	•	•	3	
22V__ String Plaid	2	2	2	•	•		•	•	2	•		•	•	•						•	•						•	•	•		•

continued on next page

Proprietary Textile Colors – Workspaces

Price Category 1

Customer's Own Material
See Order Information in
Appendices.
Assigned lead-time textile. A

Bubbletack™
100% polyester

8A01 Seashell White
8A02 Pearl Grey
8A05 Dune Beige
8A07 Pebble Beige
8A09 Olive Green
8A13 Slate Purple
8A19 Spa Blue
8A24 Sable Grey
8A27 Summer White
8A28 Moth Grey
8A29 Tea Leaf Grey
8A30 Blue Grey
8A31 Dusty Bronze
8A32 Slate Blue
8A33 Caramel Beige
8A34 Kiwi Green

Chain
66" wide
100% recycled polyester

2V01 Pearl
2V02 Oyster
2V03 Wheat
2V04 Linen
2V05 Wicker
2V06 Bamboo
2V07 Sage
2V08 Spring Wood
2V09 Iceberg

Crossing
54" wide
86% antimony-free polyester
14% polyester

8T03 Wicker *
8T04 Porcelain *
8T05 Warm Grey *
8T06 Sepia
8T07 Pumpkin
8T08 Copper
8T09 Cranberry
8T10 Tomato
8T11 Mulberry
8T12 Plum
8T13 Green Apple
8T14 Loden
8T15 Spruce
8T16 Periwinkle
8T17 Cerulean
8T18 Indigo
8T19 Shale *
8T20 Brownstone
8T21 Bark
8T22 Tin *
8T23 Graphite
8T24 Black

Crossing
For workspaces products only.
54" wide
86% antimony-free polyester
14% polyester

8501 Ivory *
8502 Oyster *

* Colors available on Exclave®
Video-friendly Tackable Boards
and Stowage Tackable Backdrop

Gem
54" wide
100% antimony-free polyester

9501 Sesame
9502 Tangerine
9503 Red
9504 Red Violet
9505 Mulberry
9506 Java
9507 Twilight
9508 Bayou
9509 Iris
9510 Berry Blue
9511 Aqua Green
9512 Green Apple
9513 Spruce
9514 Black
9515 Slate Grey
9516 Fog

Grasscloth
66" wide
100% recycled polyester

2I01 Silver Birch
2I02 Pampas
2I03 Sedge
2I07 Lea
2I08 Taro
2I09 Steam Grey
2I10 Cayenne
2I11 Bottle Green
2I12 Surf
2I13 Gravel

Monologue
54" wide
56% recycled polyester
44% polyester

1MN01 Linen
1MN02 Alabaster
1MN03 Truffle
1MN04 Folkstone
1MN05 Silver Pine
1MN06 Slate
1MN07 Seed
1MN08 Yellow Oxide
1MN09 Persimmon
1MN10 Tundra
1MN11 Meadow
1MN12 Blue Sky
1MN13 Blue Spruce
1MN14 Deep Sea

Multiscrim™
60" wide
100% polyester

8B01 Seashell White
8B02 Pearl Grey
8B05 Dune Beige
8B07 Pebble Beige
8B09 Olive Green
8B15 Slate Purple
8B19 Spa Blue
8B24 Sable Grey
8B27 Summer White
8B28 Moth Grey
8B29 Tea Leaf Grey
8B30 Blue Grey
8B31 Dusty Bronze
8B32 Slate Blue
8B33 Caramel Beige
8B34 Kiwi Green

Proprietary Textile Colors – Workspaces

continued

Price Category 1

continued

Resonance

66" wide
100% polyester
5T04 Greige
5T05 Porcelain
5T06 Alabaster
5T15 Iris
5T28 Sugar
5T47 Tobacco
5T54 Saltbush
5T57 Seed
5T58 Sepia
5T59 Tundra
5T60 Iceberg
5T61 Black
5T62 Chamois
5T63 Citrus
5T64 Tangerine
5T65 Red
5T66 Wild Berry
5T67 Boysenberry
5T68 Pistachio
5T69 Green Apple
5T70 Forest
5T71 Jade
5T72 Blue Green
5T73 Bright Turquoise
5T74 Twilight

Scrim Trim

61" wide
82% polyester
18% spandex
8C01 Seashell White
8C02 Pearl Grey
8C22 Winter Grey
8C24 Sable Grey

Shade

91% polypropylene
9% polyester
22W02 Tin
22W03 Graphite

Silkworm

66" wide
58% recycled polyester
42% polyester
2M01 Cocoon
2M02 Pongee
2M03 Saffron
2M04 Tussah
2M05 Ceylon
2M06 Jasmine
2M07 Shale
2M08 Monsoon

Slant

66" wide
51% polyester
49% recycled polyester
22F01 Beech Nut
22F02 Chamois
22F03 Chartreuse
22F04 Pesto
22F05 Peacock
22F06 Neptune
22F07 Blueberry
22F08 Boysenberry
22F09 Magenta
22F10 Pumpkin
22F11 Cranberry
22F12 Silver Birch
22F13 Bluestone
22F14 Truffle
22F15 Shale

Tailored

Assigned lead-time textile. ^A
54" wide
56% polyester
44% recycled polyester
23501 Studio White
23502 Sugar
23503 Tomato
23504 Orchid
23505 Boysenberry
23506 Chive
23507 Bluegrass
23508 Cobalt
23509 Cadet
23510 Fog
23511 Graphite
23512 Black
23513 Coffee

Whisper

54" wide
73% recycled polyester
27% polyester
1WS01 Sand Dollar
1WS02 Pebble
1WS03 Silver Birch
1WS04 Iceberg
1WS05 Silver Pine
1WS06 Carbon
1WS07 Cumin
1WS08 Adobe
1WS09 Strawberry
1WS10 Blush
1WS11 Eggplant
1WS12 Willow
1WS13 Sea Grass
1WS14 Pool
1WS15 Blueberry

Price Category 2

Code

66" wide
100% Repreve recycled polyester
1CD01 Linen
1CD02 Khaki
1CD03 Iceberg
1CD04 Zinc
1CD05 Blue Black

ColorGuard

54" wide
100% vinyl
3P01 Grey
3P02 Navy
3P03 Spruce ^A
3P04 Jade ^A
3P05 Natural ^A
3P08 Blueberry ^A
3P09 Coal ^A
3P12 Black Plum ^A
3P14 Black
3P15 New Burgundy ^A
3P17 Burgundy ^A
3P19 Slate
3P31 Horizon Blue ^A
3P33 Pumice
3P54 Candy Apple ^A
3P58 Beige ^A
3P66 Deep Clay ^A
3P72 Allspice ^A
3P90 Green Tea ^A
3P93 Camelback ^A
3P96 Manzanita ^A
3P97 Fudge ^A
3PB2 Sea Grass ^A
3PB5 Vizcaya Palm ^A
3PB9 Neptune ^A
3PC7 Bucksuede ^A
3PD4 Otter ^A

^A Assigned lead-time color.

Proprietary Textile Colors – Workspaces

continued

Price Category 2

continued

Cord

66" wide
51% antimony-free polyester
49% polyester
5101 Ivory
5102 White Ash
5103 Linen
5104 Bamboo
5105 Sepia
5106 Wicker
5107 Sesame
5108 Kiwi Green
5109 Bayou
5110 Shade
5111 Spring Wood
5112 Summer White

Crepe

54" wide
100% recycled polyester
9201 Licorice
9203 Smoke
9207 Cherry
9209 Claret
9212 Raisin
9218 Aquamarine
9223 Cadet
9241 Beachglass
9243 Midnight
9244 Artichoke
9248 Warm White *
9249 Stone *
9250 Earth
9251 Fog *
9252 Slate Grey
9253 Yellow Dark
9254 Coral
9255 Blush Grey *
9256 Wild Berry
9257 Clover
9258 Caribbean
9259 Cerulean
9260 Brownstone

* Colors available on Exclave®
Video-friendly Tackable Boards
and Stowage Tackable Backdrop

Crepe continued

9261 Shale
9262 Graphite
9263 Tomato
9264 Green Apple

Fish Net

55" wide
100% recycled polyester
22Q01 Oyster
22Q02 Stone
22Q03 Citrus
22Q04 Curry
22Q05 Chipotle
22Q06 Cherry
22Q07 Fuschia
22Q08 Claret
22Q09 Purple
22Q10 Clover
22Q11 Pesto
22Q12 Peacock
22Q13 Lagoon
22Q14 Twilight
22Q15 Bluestone
22Q16 Storm
22Q17 Black
22Q18 Cocoa

Frost

66" wide
100% recycled polyester
5701 Bisque
5702 Abalone
5703 Porcelain
5704 Honey
5705 Iceberg
5706 Sage
5707 Reed
5708 Steam Grey
5709 Gunmetal
5710 Sable Grey

Grosgrain

66" wide
100% recycled polyester
8401 Pearl *
8402 White Ash
8403 Warm Grey
8404 Khaki
8405 Oyster *
8406 Celadon
8408 Spa Blue
8409 Bud
8410 Kiwi Green
8411 Bayou
8412 Tin
8413 Iceberg *

* Colors not available on Canvas
Dock Mounted Screens, Locale®
Workbase Screen, Public Office
Landscape® Screen/Desk Top
Divider, and Thrive® Personal
Side Screen.

Horizon

54" wide
65% antimony-free polyester
35% polyester
4N01 Rye Grass
4N02 Sugar Pine
4N03 Silver Pine
4N04 White Ash
4N05 Spring Wood
4N06 Tamarack
4N07 Mushroom
4N08 Haystack
4N09 Oat Grass
4N10 Forest Moss
4N11 Hickory
4N12 Beech Nut
4N13 Pine Cone
4N14 Poplar
4N15 Elderberry

Loom

54" wide
100% polyester
1LM01 Linen
1LM02 Brown Sugar and Spice
1LM03 Brick and Mortar
1LM04 Salt and Pepper
1LM05 Black
1LM06 Lemongrass
1LM07 Poppy
1LM08 Wild Berry
1LM09 Loden
1LM10 Jade
1LM11 Deep Sea

Medley

54" wide
100% polyester
1HA01 Stone *
1HA02 Trail
1HA03 Charcoal
1HA04 Cinder
1HA05 Citrus
1HA06 Papaya
1HA07 Chutney
1HA08 Tundra
1HA09 Feather Grey *
1HA10 Chartreuse
1HA11 Loden
1HA12 Peacock
1HA13 Bayou *
1HA14 Blue Grotto
1HA15 Blueberry
1HA22 Khaki
1HA23 Pewter
1HA24 Yellow Oxide
1HA25 Vintage Rose
1HA26 Raspberry
1HA27 Acai Berry

* Colors available on Exclave®
Video-friendly Tackable Boards
and Stowage Tackable Backdrop

Proprietary Textile Colors – Workspaces

continued

Price Category 2

continued

Moiré

54" wide
100% recycled polyester
3A01 Concrete
3A02 Biscotti
3A03 Rattan
3A04 Chambray
3A05 Fern
3A08 Violet
3A09 Zin
3A10 Curry
3A11 Spice
3A12 Cork

Rivet

54" wide
100% recycled polyester
1RV01 Twig
1RV02 Deep Clay
1RV03 Woodrose
1RV04 Otter
1RV05 Hemlock
1RV06 Olive
1RV07 Lagoon
1RV08 Deep Sea
1RV09 Charcoal
1RV10 Grey Brindle

Tape

66" wide
52% polypropylene
48% recycled polyester
4301 Pearl
4302 Oyster
4303 Wicker
4304 Reed
4305 Straw
4306 Celadon
4307 Alabaster
4308 Bamboo
4309 Feather Grey
4310 Iceberg

Twist

54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
8R05 Wicker
8R10 Poppy
8R14 Tin
8R15 Shale
8R16 Graphite
8R17 Birch
8R18 Sepia
8R22 Blueberry
8R23 Green Apple
8R26 Gunmetal
8R27 Cinder
8R28 Citrus
8R29 Pekoe
8R30 Tangerine
8R31 Red Plum
8R32 Wisteria
8R33 Forest
8R34 Jade Dark
8R35 Waterfall
8R36 Midnight Blue
8R37 Carbon Dark

Twist

For workspaces products only.
54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
5S01 Pearl
5S02 Ivory
5S03 Oyster

Well Suited

55" wide
79% polyester
21% recycled polyester
22T01 Oyster
22T02 Raffia
22T03 Peppermint
22T04 Wild Berry
22T05 Spring Green
22T06 Mint
22T07 Periwinkle
22T08 Cool Grey
22T09 Citrus
22T10 Pumpkin
22T11 Red
22T12 Fuschia
22T13 Orchid
22T14 Chartreuse
22T15 Green Apple
22T16 Jade
22T17 Peacock
22T18 Blueberry
22T19 Bluestone
22T20 Mink

Price Category 3

Bento

54" wide
100% antimony-free polyester
7001 Frost
7002 Linen
7003 Khaki
7004 Truffle
7005 Grey Black
7006 Pumpkin
7007 Cranberry
7008 Everglade
7009 Cobalt

Connection

66" wide
100% antimony-free polyester
1FB1 Oyster
1FB2 Linen
1FB3 Iceberg
1FB4 Silver Pine
1FB5 Apricot
1FB6 Cumin
1FB7 Green Apple
1FB8 Slate Blue
1FB9 Metal

Proprietary Textile Colors – Workspaces

continued

Price Category 3

continued

Current

66" wide	
100% antimony-free polyester	
1FC1	Oyster
1FC2	Linen
1FC3	Iceberg
1FC4	Silver Pine
1FC5	Apricot
1FC6	Cumin
1FC7	Green Apple
1FC8	Slate Blue
1FC9	Metal

Glaze

66" wide	
100% recycled polyester	
8Z01	Wicker
8Z02	Honey
8Z03	Porcelain
8Z04	Celadon
8Z06	Rye
8Z07	Frost
8Z08	Silver Birch

Ground Cloth®

66" wide	
100% polyester	
4701	Vapor Grey
4721	Warm White *
4722	Fog *
4723	Straw *
4724	Red Orange *
4725	Wild Berry *
4726	Green Apple *
4727	Caribbean *
4728	Midnight *
4729	Cappuccino *

* Colors available on Exclave®
Video-friendly Tackable Boards
and Stowage Tackable Backdrop

Kira 2

54" wide	
100% recycled polyester	
5D11	Flaxen
5D12	Papyrus
5D13	Oasis
5D14	Incense
5D15	Ash
5D16	Falcon

Pins and Needles

58" wide	
76% recycled polyester	
24% polyester	
22R01	Day and Night
22R02	Night and Day

Savannah

66" wide	
76% recycled polyester	
24% polypropylene	
8L01	Pearl
8L02	Oyster
8L03	Wheat
8L04	Jute
8L05	Bamboo
8L06	Metal
8L07	Linen
8L08	Celadon
8L09	Moss
8L10	Frost
8L11	Shale
8L12	Pewter

Stitches

54" wide	
54% polyester	
46% recycled polyester	
8U02	Rye
8U03	Khaki
8U04	Honey
8U05	Cattail
8U06	Pumpkin
8U07	Brick
8U08	Cool Grey
8U09	Slate Blue
8U10	Juniper
8U11	Evening Blue
8U12	Charcoal
8U13	Kiwi Green
8U14	Olive
8U15	Pesto
8U16	Cocoa
8U17	Seed

Stitches

For workspaces products only.	
54" wide	
54% polyester	
46% recycled polyester	
5Z01	White Ash

Strands

66" wide	
100% recycled polyester	
8W01	Pebble
8W02	Porcelain
8W03	Taupe
8W04	Honey
8W05	Khaki
8W06	Rye
8W07	Wicker
8W08	Tin
8W09	Cool Grey

String Plaid

54" wide	
100% recycled polyester	
22V01	Warm White on Khaki
22V02	Mint on Yellow Green
22V03	Mist on Blue Grey
22V04	Sky Blue on Red
22V05	Lime on Magenta
22V06	Bright Green on Green
22V07	Aqua Blue on Cerulean
22V08	Ivory on Black

Proprietary Textile Colors – Workspaces

continued

Price Category 4

Glisten
66" wide
84% polyester
16% recycled polyester

- 2X02 Rye
- 2X05 Iceberg
- 2X09 Pewter
- 2X10 Ash

Loft
Assigned lead-time textile. A
54" wide
100% wool

- 22L01 Heathered Light Green
- 22L02 Heathered Dark Green
- 22L03 Heathered Turquoise
- 22L04 Heathered Navy
- 22L05 Heathered Orange
- 22L06 Heathered Red
- 22L07 Heathered Tan *
- 22L08 Heathered Grey *
- 22L09 Heathered Blue *
- 22L10 Heathered Brown
- 22L11 Heathered Dark Grey
- 22L12 Heathered Denim

* Colors available on Exclave®
Video-friendly Tackable Boards
and Stowage Tackable Backdrop

Quilty
56" wide
100% antimony-free polyester
GreenShield

- 6S03 Khaki
- 6S04 Straw
- 6S07 Brick
- 6S10 Mink
- 6S11 Green Apple
- 6S13 Indigo
- 6S14 Zinc
- 6S15 Slate
- 6S16 Beachwood
- 6S17 Paprika
- 6S18 Plum
- 6S19 Juniper
- 6S20 Grey Black

Sironetta
66" wide
100% recycled polyester

- 6301 Acapella
- 6302 Sonata
- 6303 Interlude
- 6304 Legato
- 6308 Harmony
- 6309 Ensemble

Price Category 5

Hopsak
56" wide
100% recycled polyester

- 14A20 Black
- 14A22 Raw Umber Dark
- 14A26 Grey Blue Dark
- 14A30 Sepia Dark
- 14A38 Emerald Dark
- 14A39 Yellow Dark
- 14A40 Orange
- 14A41 Sienna
- 14A42 Olive Green Dark
- 14A43 Crimson
- 14A44 Crimson Dark Dark
- 14A45 Violet Dark
- 14A46 Pink Dark Dark
- 14A47 Ultramarine Dark
- 14A48 Cobalt Blue
- 14A49 Terra Cotta
- 14A50 Ochre Dark

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2017 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Locale, Logic Mini, Logic Power Access Solutions, Live OS, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Motia, Multiscrim, Nelson, Pari, Pixelated Support, Plex, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsur® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.