Color Blox/ Color Blox Mosaics


Porcelain Stone®



Color Palette

Colors **A1101** ► SANDBOX **A1102** ► Roasted Marshmallow I **A1103** ►Slinky **A1104** ▶It's a Boy! **A1109** ►SIDEWALK CHALK **A1110** ►Sea Monkey П **A1111** ► A Day at the Beach II **A1112** ►Mr. Green Jeans Ш A1117 ►I SEE THE MOON \parallel **A1118** ► Chocolate Candy **A1119** ► Night Night **A1120** ▶ Grape Jelly

Color Palette




Specifications

Sizes (Field tile available in all 20 colors)













Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment.

See website for more details and sizes.




Sizes & Finishes

Field Tile		Available in all cold	ors
Nominal (in)	Actual (in)	Thickness (in)	Finish
3 x3*	2-7/8 x 2-7/8	1/4	UPS
6 x 6	5-13/16 x 5-13/16	3/8	UPS
6 x 12 [†]	5-13/16 x 11-13/16	3/8	UPS
12 x 12	11-13/16 x 11-13/16	3/8	UPS
12 x 24	11-13/16 x 23-13/16	3/8	UPS
18 x 18	17-13/16 x 17-13/16	3/8	UPS

- * 3 x 3 Mosaic Tile in 11-7/8 x 11-7/8 Sheets with a 1/8 inch grout joint.
 † The cut/bevel tile is cut from larger format tile and the edges are beveled to provide a factory appearance. Please allow two to eight weeks for delivery depending on Crossville's production schedule. Crossville® recommends a grout joint of 3/16 to 1/4 inch.

 Actual measurements stated in inches indicate tile is calibrated (non-rectified).

4	Coordinating Trim	4	Available in all colors	
	Nominal (in)	Actual (in)	Thickness (in)	Finish
	3 x 3 Mounted Bullnose** 1 Linear Foot	2-7/8 x 2-7/8	1/4	UPS
	3 x 3 Bullnose Corner	2-7/8 x 2-7/8	1/4	UPS
	3 x 3 Mounted Cove Base** 1 Linear Foot	2-7/8 x 3-5/8	1/4	UPS
	4 x 12 Single Bullnose	3-3/4 x 11-3/4	3/8	UPS
	4 x 12 Bullnose Corner Left & Right	3-3/4 x 11-3/4	3/8	UPS
	6 x 12 Cove Base	5-7/8 x 11-3/4	3/8	UPS
	6 x 8 Cove Base Corner Left & Right	5-7/8 x 7-3/4	3/8	UPS



Product Performance


Breaking Strength	>450 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.10%	ASTM C373
Scratch Hardness	6	Mohs Scale

Wet Dynamic Coefficient of Friction

Field Tile UPS	.42 – .52	AcuTest sm
Mosaics UPS	.42 – .52	AcuTest sm

Shade & Texture Index

Color Blox has a shade variation of V3.



V3 Moderate Variation

This porcelain tile product is produced with a V3 variation. Expect that the amount of color and texture on each piece may vary significantly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation

Color Blox/ Color Blox Mosaics

Porcelain Stone®

Color Blox Porcelain Stone® tile series from Crossville® celebrates the enduring power and infinite possibilities of color. Based on the color-matching theories of Crossville's highly regarded Cross-Colors® tile, the Color Blox series combines a fresh yet sophisticated palette of 20 colors with subtle variations in shading and a smooth, minimalist texture. The result is an innovative and visually dynamic material that instantly sparks the imagination of architects, designers and homeowners alike. With its extensive selection of colors, each of which coordinates with at least two to three other colors, the Color Blox series offers the versatility to create uniquely colorful spaces. Complementary mosaics offer additional design possibilities. Whether the design calls for eye-popping impact or understated refinement, the Color Blox series can help fulfill even the most far-reaching visions.

- Each color coordinates with at least 2-3 other colors
- Subtle variations in texture and shading add visual interest
- Cross-Sheen® finish for easy cleaning
- Available only from Crossville®
- Made in U.S.A.
- Crossville recommends a grout joint of 3/16 to 1/4 inch





A1106 Limeade 3 x 3 **A1112** Mr. Green Jeans 3 x 3 **A1116** Caboose 3 x 3 **A1119** Night Night 3 x 3

Color Blox/ Color Blox Mosaics

Crossville, Inc.

PO Box 1168 Crossville, TN 38557 Phone 931.484.2110 Fax 931.456.2956

E-Mail Crossc@CrossvilleInc.com

Web CrossvilleInc.com

Environmentally Conscious

Color Blox is made using Crossville's EcoCycle Tile Process™, it contains a minimum 4 percent pre-consumer third-party recycled content and is Green Squared® Certified. Through these recycling processes Crossville recycles nearly 12 million pounds of previously discarded filtrate and fired tile waste. In addition to its own fired waste recycling, Crossville also accepts and recycles reclaimed, previously installed tile through its Tile Take-Back™ Program. For more information, visit CrossvilleInc.com/green.

Recommended Use

is recommended forinterior floors, walls, countertops, and exterior walls in both residential and commercial applications. Altered State is not recommended for exterior horizontal surfaces or exterior paving. If offset pattern is required for tiles 15 inches or longer, Crossville® recommends an offset of not greater than 33%. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.See
CrossvilleInc.com for detailed installation instructions.

Care and Maintenance

Regular cleaning is the best way to keep Color Blox tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.



Wet area use for Color Blox 3 x 3 mosaics

Crossville® produces the Color Blox Mosaics with the Cross-Sheen® (UPS) finish that has an AcuTests™ Wet Dynamic COF ≥ .42. Their small sizes ensure frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Crossville Mosaics to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Hydrotect

Our porcelain tiles are available with Hydrotect. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. For complete details check our website at CrossvilleInc.com.

WHYDROTECTby ◆ CROSSVILLE.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Front cover:

A1102 Roasted Marshmallow 3 x 3 A1111 A Day at the Beach 3 x 3 A1116 Caboose 3 x 3 and 12 x 12 A1119 Night Night 3 x 3



Trade Organizations



















