# **Excelsior FR-920**

# **Excelsior Finish Remover**



Version Revision Date: MSDS Number: Date of first issue: 1.0 12/8/2016 FR-920 03/04/2016

## **SECTION 1. IDENTIFICATION**

Product Name : Excelsior Finish Remover

Product Code : FR-920

Supplier : RHC

Address : 1602 N. Union St.

Fostoria, OH 44830

**Telephone** : (844) 393 - 4044

**Fax** : (419) 436 - 2482

Emergency Telephone : (CHEMTREC): (800) 424-9300

**Number** (CHEMTREC International): (703) 527-3887

Industrial Health/Spill Emergency: (706) 277-130

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification : H227 – Flam. Liq. 4

H302 – Acute Tox. 4 (Oral) H314 – Skin Corr. 1A H318 – Eye Dam. 1

See section 16 for full text of H-Phrases

### **GHS Label Elements**

Hazard Pictograms :



Signal Word : Danger

**Hazard Statements** : H227 - Combustible liquid.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

**Precautionary Statements** : **Prevention**:

P210 - Keep away from heat/sparks/open flames/hot surfaces.

P264 - Wash skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

# **Excelsior FR-920**

### **Excelsior Finish Remover**



Version Revision Date: MSDS Number: Date of first issue: 1.0 12/8/2016 FR-920 03/04/2016

P301 + P312 + P330 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P310 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P363 Wash contaminated clothing before reuse.

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 - Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 - Dispose of contents/ container to an approved waste

disposal plant.

Other Hazards : None

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Classification : Mixtures

**Description** : Cleaner

#### **Hazardous Components**

CAS#	Chemical Name	Percentage
111-76-2	2-butoxyethanol	20 - 30
141-43-5	2-aminoethanol	5 – 10

### **SECTION 4. FIRST AID MEASURES**

**Inhalation** : If inhaled, move to fresh air in case of accidental inhalation of

vapors. Provide oxygen or artificial respiration if needed. Call

a physician or poison control center immediately.

Skin Contact : In case of skin contact, wash off immediately with soap and

plenty of water while removing all contaminated clothes and

shoes. If symptoms persist, call a physician.

**Eye Contact**: In case of eye contact, remove contact lens and rinse

immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Seek

medical advice.

# **Excelsior FR-920**

### **Excelsior Finish Remover**



Version Revision Date: MSDS Number: Date of first issue: 1.0 12/8/2016 FR-920 03/04/2016

**Ingestion** : Do not induce vomiting without medical advice. If conscious,

drink plenty of water. Never give anything by mouth to an

unconscious person.

Most Important Symptoms and Effects, Both Acute

and Delayed

: None known.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable Extinguishing

Media

: Foam

Carbon dioxide (CO2)

ABC powder Water mist

**Specific Hazards During** 

**Firefighting** 

: Burning produces irritant fumes. Exposure to decomposition

products may be a hazard to health.

**Specific Extinguishing** 

Methods

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water

spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Special Protective

**Equipment for Firefighters** 

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment and Emergency Procedures : Use personal protective equipment. Ensure adequate ventilation. Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur.

**Environmental Precautions** 

: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Do not allow contact with soil, surface or ground water. Do not allow uncontrolled discharge of product

into the environment.

Methods and Materials for Containment and Cleaning

Up

Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel. Pick up and transfer to properly labelled

containers. Clean contaminated floors and objects thoroughly

while observing environmental regulations.

# **Excelsior FR-920**





Version Revision Date: MSDS Number: Date of first issue: 1.0 12/8/2016 FR-920 03/04/2016

### **SECTION 7. HANDLING AND STORAGE**

Advice on Protection
Against Fire and Explosion

: The product is flammable but not readily ignited.

Advice on Safe Handling : Wear personal protective equipment. Handle with care. Take

care to avoid waste and spillage when weighing, loading and

mixing the product.

**Conditions for Safe** 

**Storage** 

: No smoking. Keep in properly labelled containers. Observe label precautions. Keep containers tightly closed in a dry, cool

and well-ventilated place.

Materials to Avoid : Do not freeze. Keep away from oxidizing agents and strongly

acid or alkaline materials. Keep away from food and drink.

Keep away from tobacco products.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Components with Workplace Control Parameters**

Components	CAS-No.	Value Type (Form of Exposure)	Control Parameters / Permissible Concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
2-aminoethanol	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z-1
		STEL	6 ppm 15 mg/m3	OSHA P0
		TWA	3 ppm 8 mg/m3	OSHA P0

# **Excelsior FR-920**





Version Revision Date: MSDS Number: Date of first issue: 1.0 12/8/2016 FR-920 03/04/2016

#### **Biological Occupational Exposure Limits**

Components	CAS-No.	Control Parameters	Biological Specimen	Sampling Time	Permissible Concentrations	Basis
2-butoxy- ethanol	111-76-2	Butoxyacetic Acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	TWA	ACGIH

**Exposure Controls** 

**Engineering Controls** : Ensure adequate ventilation, especially in confined areas.

Maintain air concentrations below occupational exposure standards. Ensure all national/local regulations are observed.

**Environmental Exposure** 

**Controls** 

: Do not allow product to be released into the environment.

**Consumer Exposure** 

**Controls** 

: Do not eat, drink or smoke during use.

**Personal Protective Equipment** 

**Respiratory Protection**: Use a NIOSH-approved respirator or self-contained breathing

apparatus whenever exposure may exceed established Oc-

cupational Exposure Limits.

**Hand Protection** : Wear impervious gloves.

**Eye Protection** : Safety glasses with side-shields. Tightly fitting safety

goggles. Face-shield

**Skin & Body Protection** : Wear suitable protective, chemically resistant clothing and

footwear. Rinse skin after contact. Change contaminated

clothing before reuse.

Protective Measures : The usual precautionary measures for handling chemicals.

Avoid contact with skin. When using do not eat, drink or smoke. Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance.

at the specific workplace.

**Hygiene Measures** : Do not smoke. Keep away from food and drink. Avoid contact

with skin, eyes and clothing. Change working clothes after each workshift. Remove and wash contaminated clothing and

# **Excelsior FR-920**

# **Excelsior Finish Remover**



Version Revision Date: MSDS Number: Date of first issue: 1.0 12/8/2016 FR-920 03/04/2016

gloves, including the inside, before re-use.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Liquid

Color : Clear

Odor : Characteristic

**pH** : 11.5 – 12.5

Melting Point / Range : No data available

Freezing Point : No data available

Boiling Point / Range : 212 °F (100° C)

Flash Point : 163 °F (>72.7° C)

Flammability : No data available

Auto-Ignition Temperature : No data available

Decomposition Temperature

erature

: None

: No data available

Upper & Lower Flammability Limit

**Density** : 955 - 965 kg/m<sup>3</sup>

Water Solubility : Completely soluble

Solvent Solubility : No data available

VOC Content : < 1%

## **SECTION 10. STABILITY AND REACTIVITY**

**Reactivity** : Stable under normal conditions.

Chemical Stability : Stable under recommended handling and storage conditions

(see section 7).

Possibility of Hazardous

Reactions

: None known.

Conditions to Avoid : Protect from freezing.

**Incompatible Materials** : Strong acids, strong bases, strong oxidizers.

# **Excelsior FR-920**

# **Excelsior Finish Remover**



Version Revision Date: MSDS Number: Date of first issue: 1.0 12/8/2016 FR-920 03/04/2016

**Hazardous Decomposition** 

**Products** 

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of

nitrogen (NOx), dense black smoke.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Toxicological Effects (Product)**

Acute Oral Toxicity : LD50 Oral (Rat): 1,720 mg/kg

Target Organs: Lungs, Upper respiratory tract,

Gastrointestinal tract, Eyes, Skin Remarks: Harmful if swallowed.

Acute Inhalation Toxicity : Inhalation of mist or dried residue causes irritation of respira-

tory system.

**Skin Corrosion / Irritation** : Acute dermal irritation/corrosion

Serious Eye Damage /

Irritation

: Acute eye irritation/corrosion

Respiratory or Skin

Sensitization

: Not classified

Germ Cell Mutagenicity : Not classified

Teratogenicity : Not classified

Carcinogenicity : Not classified

Reproductive Toxicity : Not classified

Aspiration Hazard : Not classified

Specific Target Organ Toxicity (Single or Repeated Exposure) : Not classified

### **Carcinogenic Categories**

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

# **Excelsior FR-920**

## **Excelsior Finish Remover**



Version Revision Date: MSDS Number: Date of first issue: 1.0 12/8/2016 FR-920 03/04/2016

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by NTP.

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity (Product)**

**Toxicity to Fish** : LC50 (Pimephales promelas (fathead minnow)): 227 mg/l

Exposure time: 96 h

**Toxicity to Daphnia and** 

Other Aquatic Invertebrates

Not available

Toxicity to Algae : Not available

Persistence & Degradability

Not available

Bioaccumulative Potential : Not available

Mobility in Soil : Not available

Other Adverse Effects : None known

Other Information : Avoid release into the environment

### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal Methods**

Waste from Residues : Do not dispose of waste into sewer. Dispose of in accordance

with federal, state/province and local regulations.

**Contaminated Packaging** : Clean container with water. Empty containers should be taken

to an approved waste handling site for recycling or disposal.

## **SECTION 14. TRANSPORT INFORMATION**

### International Regulation

**IMDG-Code** 

UN number : UN 1760

Proper shipping name : CORROSIVE LIQUID, N.O.S.

Class : 8 Packing group : II

# **Excelsior FR-920**

# **Excelsior Finish Remover**



MSDS Number: Date of first issue: Version Revision Date:

03/04/2016 1.0 12/8/2016 FR-920

Labels : 8 F-A, S-B **EmS Code** 

Marine pollutant no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**IATA-DGR** 

UN/ID No. : UN 1760

Proper shipping name : CORROSIVE LIQUID, N.O.S. (ETHANOLAMINE)

Class : 8 Packing group : 11

: CORROSIVE Labels

Packing instruction (cargo

aircraft)

: 855

### **National Regulation**

**49 CFR** 

UN number : UN 1760

Proper shipping name CORROSIVE LIQUID, N.O.S. (ETHANOLAMINE)

Class Packing group Ш

Labels **CORROSIVE** 

**ERG Code** 154 Marine pollutant no

# **SECTION 15. REGULATORY INFORMATION**

**SARA 302** : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 : This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other

reproductive harm.

### **SECTION 16. OTHER INFORMATION**

**Revision Date** : 6.8.2016

Other Information : This document has been prepared in accordance with the

SDS requirements of OSHA Hazard Communication Standard

29 CFR 1910.1200.

# **Excelsior FR-920**






Version Revision Date: MSDS Number: Date of first issue: 1.0 12/8/2016 FR-920 03/04/2016

#### **GHS Full Text Phrases**

GHS Code	GHS Phrase
H227	Combustible Liquid
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H320	Causes serious eye damage

#### **Further Information**

#### NFPA:



Special hazard.

#### HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	В

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.