

kardia II public







PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC SEATING MODELS FEATURE SOLID HARDWOOD CONSTRUCTION. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-43011	SINGLE SEAT	875	935	935	985	1,018	1,040	1,062	1,095	1,128
	<ul style="list-style-type: none">SUPPORTS 350 LBS.ASSEMBLY REQUIRED									
EC-43012	TWO SEAT TANDEM	1,474	1,558	1,551	1,639	1,694	1,756	1,810	1,865	1,925
	<ul style="list-style-type: none">SUPPORTS 350 LBS. PER SEATASSEMBLY REQUIRED									
EC-43013	THREE SEAT TANDEM	2,052	2,167	2,167	2,305	2,387	2,475	2,558	2,646	2,728
	<ul style="list-style-type: none">SUPPORTS 350 LBS. PER SEATASSEMBLY REQUIRED									
EC-43014	LOVESEAT	1,595	1,705	1,705	1,848	1,936	2,024	2,112	2,200	2,288
	<ul style="list-style-type: none">SUPPORTS 750 LBS.ASSEMBLY REQUIRED									

ADDITIONAL PRODUCT ORDERING OPTIONS



**PC
BLACK POLY ARM CAPS**
ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$40 LIST PER SET)

+EKO CARE FEATURES

WALL SAVER LEGS
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS.
MORTISE AND TENON WOOD JOINERY
SOY BASED BIO® FOAM
DURABLE LAMINATE TOPS
OPTIONAL PROTECTIVE ARM CAPS
OPTIONAL MOISTURE BARRIER (ADD \$45 LIST)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
1,183	1,238	1,293	1,348

2,035	2,145	2,255	2,365
-------	-------	-------	-------

2,904	3,080	3,256	3,420
-------	-------	-------	-------

2,464	2,640	2,816	2,992
-------	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	24	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	27
H	33.25	WEIGHT (LBS.)	50
SW	21	CUBIC FEET	14
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

W	46.5	COM (YDS.)	2.75
D	27	COL (SQ. FT.)	50
H	33.25	WEIGHT (LBS.)	90
SW	21	CUBIC FEET	26
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

W	69	COM (YDS.)	3.5
D	27	COL (SQ. FT.)	63
H	33.25	WEIGHT (LBS.)	130
SW	21	CUBIC FEET	38
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

W	45	COM (YDS.)	4.5
D	27	COL (SQ. FT.)	81
H	33.25	WEIGHT (LBS.)	60
SW	42	CUBIC FEET	16
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

kardia II public



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC SEATING MODELS FEATURE SOLID HARDWOOD CONSTRUCTION. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	COL	1	2	3	4	5	6	7
EC-43010-S	SINGLE RIGHT STARTER	875	935	935	985	1,018	1,040	1,062	1,095	1,128



- HOLES IN LEFT SIDE FOR CONNECTING
- SUPPORTS 350 LBS.
- ASSEMBLY REQUIRED

EC-43010-C	SINGLE MIDDLE	704	743	743	787	814	847	875	902	935
-------------------	----------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----



- HOLES IN LEFT SIDE FOR CONNECTING
- SUPPORTS 350 LBS.
- ASSEMBLY REQUIRED

EC-43010-E	SINGLE LEFT END	704	743	743	787	814	847	875	902	935
-------------------	------------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----



- FINISHED SIDE, NO CONNECTING HOLES
- SUPPORTS 350 LBS.
- ASSEMBLY REQUIRED

ADDITIONAL PRODUCT ORDERING OPTIONS



**PC
BLACK POLY ARM CAPS**
ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$40 LIST PER SET)

+EKOCARE FEATURES

WALL SAVER LEGS
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS.
MORTISE AND TENON WOOD JOINERY
SOY BASED BIO® FOAM
DURABLE LAMINATE TOPS
OPTIONAL PROTECTIVE ARM CAPS
OPTIONAL MOISTURE BARRIER (ADD \$45 LIST)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

8	9	10	11
1,183	1,238	1,293	1,348

990	1,051	1,111	1,172
-----	-------	-------	-------

990	1,051	1,111	1,172
-----	-------	-------	-------

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	24	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	27
H	33.25	WEIGHT (LBS.)	50
SW	21	CUBIC FEET	14
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

W	22.5	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	27
H	33.25	WEIGHT (LBS.)	40
SW	21	CUBIC FEET	12
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		

W	22.5	COM (YDS.)	1.5
D	27	COL (SQ. FT.)	27
H	33.25	WEIGHT (LBS.)	40
SW	21	CUBIC FEET	12
SD	20		
SH	19.75		
BH	15.5		
AH	7.25		



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, REMOVABLE COVERS, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC AND PATIENT SEATING MODELS FEATURE A SEMI-FLEX BACK, FOR COMFORT AND EASE OF EGRESS, AND STEEL SEAT/BACK FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY COLD MOLDED SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.


[CLICK FOR SURFACES, TEXTILES, GRADED-IN TEXTILE DATA BASE](#)

MODEL	DESCRIPTION	LIST PRICE
-------	-------------	------------

EC-42015-C

INLINE TABLE

495



- MAPLE EDGE WITH LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE OPTIONS)
- SHOWN IN APPLICATION

EC-42015-ERR

RIGHT END TABLE

770




- MAPLE EDGE WITH LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE OPTIONS)
- SHOWN IN APPLICATION

EC-42015-ERL

LEFT END TABLE

770



- MAPLE EDGE WITH LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD LAMINATE OPTIONS)
- SHOWN IN APPLICATION

EC-42018

RECTILINEAR CORNER CONNECTOR TABLE (MAPLE VENEER)

809

RECTILINEAR CORNER CONNECTOR TABLE (LAMINATE)

656



EC-42019

CURVILINEAR CORNER CONNECTOR TABLE (MAPLE VENEER)

605

CURVILINEAR CORNER CONNECTOR TABLE (LAMINATE)

479



+EKO CARE FEATURES

WALL SAVER LEGS
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 REMOVABLE COVERS (STANDARD)
 FIELD REPLACEABLE COMPONENTS
 STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS.
 DURABLE METAL-TO-METAL CONNECTIONS
 MORTISE AND TENON WOOD JOINERY
 MOLDED SOY BASED BIO® FOAM
 SEMI-FLEX COMFORT BACK
 DURABLE LAMINATE TOPS
 OPTIONAL PROTECTIVE ARM CAPS
 COMBINATION UPHOLSTERY (STANDARD)
 MOISTURE BARRIER (STANDARD)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

DIMENSIONS**FIGURES**

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W 21
 D 21
 H 16

WEIGHT (LBS.) 8
 CUBIC FEET 2

W 21
 D 21
 H 16

WEIGHT (LBS.) 12
 CUBIC FEET 4

W 21
 D 21
 H 16

WEIGHT (LBS.) 12
 CUBIC FEET 4

W 30
 D 30
 H 16

WEIGHT (LBS.) 28
 CUBIC FEET 2.1

W 30
 D 30
 H 16

WEIGHT (LBS.) 26
 CUBIC FEET 2.1