



Aviera® Wood

High traffic. Low stress.

Aviera Wood

Our Story

Who We Are

Since 1996 we've built a reputation for making well-designed, comfortable and affordable seating for healthcare, education and corporate use. Our unique build-to-order manufacturing model allows us to create beautiful and reliable ergonomic chairs and ship them quickly.

Build-To-Order

We make over 3,000 chairs per day, built exactly the way you want, with absolute attention to quality. Executive, conference, task, multipurpose and lobby seating – we've got it all.

Fastest Shipping

Our nimble size and lean manufacturing operation mean speed in sourcing, warehousing, assembly and logistics that other manufacturers just can't match. This helps us cut lead time, sync orders to ship dates, avoid redundant and off-schedule shipments, making us the fastest in the industry.

Affordable & Easy

You'll get more for your dollar with a SitOnIt Seating or IDEON chair. All we do is make great seating and deliver it fast, backed by an outstanding customer service experience before, during, and after each sale.

World-Class Design

We exceed expectations with elegant product collections developed by renowned designers and engineers.



LEFT: Aviera guest chair, maple wood frame. TEXTILE: DesignTex – Stars and Planets, Alemany (back); DesignTex – Estuary, Steel (seat).
CENTER: Aviera guest chair, espresso wood frame. TEXTILE: Momentum – Beeline, Sprout.
RIGHT: Aviera patient chair, maple wood frame, polyurethane arm caps. TEXTILE: CF Stinson – Laredo, Ceylon.

Aviera® Wood

High traffic. Low stress.

Designed for high traffic areas, this sturdy collection of guest, hip, patient and bariatric chairs, plus multi-seating and tables is ideal for entry, reception and waiting areas.

*Aviera multi-seating, maple wood frame.
TEXTILE: CF Stinson – Natural World, Nightshade.
Mezzanine Occasional oval table in clear maple finish.
Linking tables in clear maple finish.*





GUEST CHAIR

Clean-Out Space

Wall Saver

Dual-Density
Foam

Waterfall Seat

Optional
Polyurethane
Arm Cap

Steel Frame
Construction

Helps in Healthcare

All Aviera wood surfaces feature a silver ion anti-microbial finish that inhibits the growth of mold, mildew and bacteria. Durable polyurethane arm cap option ensures longer arm life.

Aviera guest chair, clear maple wood frame, polyurethane arm caps. TEXTILE: CF Stinson – Wish, Dream.



Patient & Visitor Comfort

Combine long-term comfort with a wall-saver design that angles the rear legs back, creating an appealing visual aesthetic while preventing damage to both chairs and walls.

Public and patient areas need safe and comfortable seating for all body types, making bariatrics a key design spec in health care.

PATIENT CHAIR

Silver Ion Anti-Microbial Wood Finishes

Clean-Out Space

Steel Frame Construction

Bariatric Models

Easy Ingress and Egress

Occasional Tables

Aviera patient chair, clear maple wood stain, polyurethane arm caps. TEXTILE: CF Stinson - Laredo, Ceylon.

Mezzanine Occasional round table in clear maple finish.

Aviera bariatric 30" guest chair, amber mahogany stain, polyurethane arm caps. TEXTILE: SitOnIt - Metro, Westminster.



- MULTI-SEATING**
- Wall Saver
 - Dual-Density Foam
 - Waterfall Seat
 - Linking Tables
 - Multiple Bariatric Sizes
 - Easy Ingress and Egress

- HIP CHAIR**
- Steel Frame Construction
 - Silver Ion Anti-Microbial Wood Finishes
 - Easy Ingress and Egress
 - Optional Polyurethane Arm Cap
 - Non-Slip and Non-Scratchable Footrest

Comfort in the Lobby

Use Aviera multiseating to create an efficient and productive layout that maximizes visitor comfort, with affordable design perfectly suited to both your professional image and budget.

An elevated footrest with a non-slip textured surface makes it easy to get into and out of the hip chair.

*LEFT: Aviera Wood hip chair, Aviera Wood 21" guest chair, Aviera center linking table, Aviera Wood 30" guest chair, clear maple wood frame. TEXTILE: SitOnIt - Code, System
 RIGHT: Aviera multi-seating, Aviera end linking tables in clear maple wood frame. Textile: SitOnIt - Code, System*



MULTI-SEATING

Silver Ion
Anti-Microbial
Wood Finishes

Steel Frame
Construction

Occasional Tables

Upholstered Arm
Insert Option

Warmth for Hospitality

Aviera is a beautiful, durable and versatile seating solution designed for high-traffic areas where design flexibility, easy maintenance and limiting bacteria are important.

*Aviera multi-seating, clear maple wood stain. TEXTILE: DesignTex – Tombolo, Shell.
Mezzanine Occasional rectangular table in clear maple finish.*



Excels in Education

The success with which a student receives and retains information, or participates in classroom activities, is greatly affected by the type of seating available to them, and whether it provides comfort, room to work and the ability to collaborate or socialize.

*Aviera guest chair, amber mahogany wood stain. TEXTILE: Maharam – Shuttle, Pod.
Mezzanine Occasional oval table in amber mahogany finish.
Aviera guest chair, clear maple wood stain. TEXTILE: Maharam - Shuttle, Pod.*





Multipurpose Seating

The Aviera collection offers extraordinary flexibility for custom space planning. Chairs can be linked to tables, and preconfigured, start/center/end and freespan multiples offer virtually limitless configuration possibilities.



Aviera guest chair, amber mahogany wood stain. TEXTILE: SitOnIt – Metro, Paddington (back); SitOnIt – Sugar, Cherrybomb. Mezzanine Occasional square table in amber mahogany finish.



Steel frame construction with metal-to-metal connection.

Construction & Durability

Aviera uses steel frame construction for a structurally sound seating experience. All models meet or exceed ANSI/BIFMA standards.

Easy Down...And Up

With an 18.5" seat height, getting into and out of a chair is as pleasurable and safe as sitting on it.

Safe Arm Design

No sharp edges or tight corners to scratch hands or pinch fingers.

Metal Frame & Arm

Aviera can be specified with lightweight aluminum frame and arms.

Replaceable Parts

The seat, back, arm, upholstered arm inserts and polyurethane arm caps (wood frame only) are field replaceable to reduce maintenance time and keep chairs in service.



Chair Options

Thousands of textile choices—including CAL 133—ensure design flexibility to match and enhance any architecture, color scheme or safety concern. Additional options help extend the life and enjoyment of the chair.



Arm Caps

Durable polyurethane arms are easy to clean. Optional wood arm caps are available for Aviera metal chairs.

Protective Guard Clear Tape

Defend against floor-cleaning machinery and chemicals with this optional protection.

Arm Styles

Choose from open arms or arms with upholstered inserts.

Multi-Upholstery


Our accurate pattern matching ensures that mixing and matching back, seat and arm upholstery turns out the same—every time.

Ganging Brackets

Lock individual chairs together to keep them in line.

Moisture Barrier

Optional added protection against spills and accidents for back and/or seat.



Finishes & Laminates

Frames, arms and tables are available in four stain finishes and two metal finishes. Choose among 9 laminates and polymer edges for tables.

Laminate & Polymer Edge Colors





Table & Arm Cap Wood Finishes



Metal Finishes (Avera Metal only)



Mezzanine Tables



Cube Table Collection



Occasional Table Collection



Linking Tables

Linking tables can be specified in wood veneer or laminate tops with wood or metal legs.



Center

Width 22"
Depth 22"
Height 16"
Weight 17.5 lbs.

End

Width 21"
Depth 22"
Height 16"
Weight 17.5 lbs.

Corner Round 90°

Width 31"
Depth 31"
Height 16"
Weight 33 lbs.

Corner Square 90°

Width 28.4"
Depth 28.4"
Height 16"
Weight 33 lbs.

Features

Designed for use in high traffic entry, reception and waiting areas.

- Designed for high traffic areas
- Guest, hip, patient, and multi-seating configurations
- Lightweight and durable aluminum arms and frame
- Clean-out space
- Steel frame construction with metal-to-metal connection
- Aluminum arm and frame will not rust or corrode
- Wall-saver design
- Occasional and cube tables complement linking tables
- Field replaceable parts
- Bariatric seat sizes
- Standard and hip seat heights
- Arm design provides support for easy ingress and egress
- Multi-seating configurations
- 3 metal finishes
- Optional wood arm cap
- Optional upholstered arm inserts
- Easy maintenance with field-replaceable parts and arm caps
- 350 lb. weight capacity; bariatric model 750 lbs. weight capacity
- 10-Year Warranty
- All options and 1000's of textiles ship in 10 days



Models

Guest Chair



Hip Chair



Patient Chair

Multi-Seating




PRECONFIGURED

FREESPAN



START/CENTER/END


Specifications



Guest Chair

SPECIFICATIONS	21"	24"	30"	44"
Dimensions are in inches				
Overall Height	34.5	34.5	34.5	34.5
Overall Width	24.5	27.5	33.5	47.5
Overall Depth	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25
Width Between Arms	20.75	23.75	29.75	43.75
Seat Width	21.75	24.75	30.75	44.75
Seat Depth	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5
Back Height	18.5	18.5	18.5	18.5
Weight (wood)	33 lbs.	35 lbs.	45 lbs.	72 lbs.
Weight (metal)	38 lbs.	40 lbs.	50 lbs.	77 lbs.
Weight Capacity	350 lbs.	350 lbs.	750 lbs.	750 lbs.
COM* (back & seat) (with upholstered arm insert)	1.9 yds. 2.5 yds.	1.9 yds. 2.8 yds.	3.1 yds. 3.1 yds.	3.4 yds. 4.1 yds.
COL* (back & seat) (with upholstered arm insert)	29.4 sq. ft. 37.8 sq. ft.	43.4 sq. ft. 57.4 sq. ft.	47.6 sq. ft. 47.6 sq. ft.	50.4 sq. ft. 63 sq. ft.


* Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Support.



Hip Chair

SPECIFICATIONS	
Dimensions are in inches	
Overall Height	40.25
Overall Width	24.5
Overall Depth	28.25
Arm Height (height of arms from floor)	31.75
Arm Height (arm height from seat to top of arm)	7.25
Width Between Arms	20.75
Seat Width	21.75
Seat Depth	19
Seat Height	24.5
Back Height	18.5
Foot Rest Height (from floor)	7.0
Weight (wood)	33 lbs.
Weight (metal)	38 lbs.
Weight Capacity	350 lbs.
COM* (back & seat) (with upholstered arm insert)	1.9 yds. 2.5 yds.
COL* (back & seat) (with upholstered arm insert)	29.4 sq. ft. 37.8 sq. ft.


* Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Support.



Pre-Configured

SPECIFICATIONS	Dimensions are in inches			
GUEST	21" Two-Seat	24" Two-Seat	21" Three-Seat	24" Three-Seat
Overall Height	34.5	34.5	34.5	34.5
Overall Width	47.19	53.19	69.85	78.85
Overall Depth	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25
Width Between Arms	20.75	23.75	20.75	23.75
Seat Width	21.75	24.75	21.75	24.75
Seat Depth	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5
Back Height	18.5	18.5	18.5	18.5
Weight (wood)	61 lbs.	64 lbs.	89 lbs.	94 lbs.
Weight (metal)	68 lbs.	71 lbs.	99 lbs.	104 lbs.
Weight Capacity	350 lbs.	350 lbs.	350 lbs.	350 lbs.
COM* (back & seat) (with upholstered arm insert)	3.8 yds. 4.75 yds.	3.8 yds. 5.3 yds.	5.7 yds. 7 yds.	5.7 yds. 7.8 yds.
COL* (back & seat) (with upholstered arm insert)	58.8 sq. ft. 77.8 sq. ft.	86.8 sq. ft. 112.4 sq. ft.	88.2 sq. ft. 117.8 sq. ft.	130.2 sq. ft. 168.4 sq. ft.


* Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Support.



Patient Chair

SPECIFICATIONS	21"	24"	30"
Dimensions are in inches			
Overall Height	44	44	44
Overall Width	24.5	27.5	33.5
Overall Depth	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25
Width Between Arms	20.75	23.75	29.75
Seat Width	21.75	24.75	30.75
Seat Depth	19	19	19
Seat Height	18.5	18.5	18.5
Back Height	28.5	28.5	28.5
Weight (wood)	37 lbs.	39 lbs.	52 lbs.
Weight (metal)	42 lbs.	44 lbs.	57 lbs.
Weight Capacity	350 lbs.	350 lbs.	750 lbs.
COM* (back & seat) (with upholstered arm insert)	2.8 yds. 3.1 yds.	2.8 yds. 3.1 yds.	3.8 yds. 3.8 yds.
COL* (back & seat) (with upholstered arm insert)	35 sq. ft. 49 sq. ft.	43.4 sq. ft. 49 sq. ft.	50 sq. ft. 57 sq. ft.

* Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Support.




Freespan Armless

SPECIFICATIONS Dimensions are in inches

GUEST BACK	21" Two-Seat	24" Two-Seat	21" Three-Seat	24" Three-Seat
Overall Height	34.5	34.5	34.5	34.5
Overall Width	46.39	52.39	68.27	77.27
Overall Depth	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25
Width Between Arms	42.64	48.64	64.52	73.52
Seat Width	21.75	24.75	21.75	24.75
Seat Depth	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5
Back Height	18.5	18.5	18.5	18.5
Weight (wood)	76 lbs.	79 lbs.	99 lbs.	104 lbs.
Weight (metal)	81 lbs.	84 lbs.	104 lbs.	109 lbs.
Weight Capacity	525 lbs.	525 lbs.	750 lbs.	750 lbs.
COM* (back & seat) (with upholstered arm insert)	3.8 yds. 4.25 yds.	4.3 yds. 4.5 yds.	5.6 yds. 6 yds.	5.9 yds. 6.5 yds.
COL* (back & seat) (with upholstered arm insert)	58 sq. ft. 68 sq. ft.	73 sq. ft. 86 sq. ft.	88.2 sq. ft. 93 sq. ft.	93 sq. ft. 102 sq. ft.

* Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Support.




Freespan With Arms

SPECIFICATIONS Dimensions are in inches

GUEST BACK	21" Two-Seat	24" Two-Seat	21" Three-Seat	24" Three-Seat
Overall Height	34.5	34.5	34.5	34.5
Overall Width	47.28	53.28	70.03	79.03
Overall Depth	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25
Width Between Arms	20.75	23.75	20.75	23.75
Seat Width	21.75	24.75	21.75	24.75
Seat Depth	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5
Back Height	18.5	18.5	18.5	18.5
Weight (wood)	79 lbs.	82 lbs.	105 lbs.	110 lbs.
Weight (metal)	85 lbs.	88 lbs.	112 lbs.	117 lbs.
Weight Capacity	525 lbs.	525 lbs.	750 lbs.	750 lbs.
COM* (back & seat) (with upholstered arm insert)	3.8 yds. 5 yds.	4.3 yds. 5.25 yds.	5.6 yds. 7.5 yds.	5.9 yds. 8 yds.
COL* (back & seat) (with upholstered arm insert)	58 sq. ft. 83 sq. ft.	86 sq. ft. 88 sq. ft.	88.2 sq. ft. 122 sq. ft.	93 sq. ft. 130 sq. ft.

* Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Support.



Multi-Seating

SPECIFICATIONS Dimensions are in inches

START	21" Guest	21" Patient	24" Guest	24" Patient	30" Guest	30" Patient	44" Guest
Overall Height	34.5	44	34.5	44	34.5	44	34.5
Overall Width	24.5	24.5	27.5	27.5	33.5	33.5	47.5
Overall Depth	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25	7.25	7.25	7.25
Width Between Arms	20.75	20.75	23.75	23.75	29.75	29.75	43.75
Seat Width	21.75	21.75	24.75	24.75	30.75	30.75	44.75
Seat Depth	19	19	19	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5	18.5	18.5	18.5
Back Height	18.5	28.5	18.5	28.5	18.5	28.5	18.5
Weight (wood)	33 lbs.	37 lbs.	35 lbs.	39 lbs.	45 lbs.	52 lbs.	72 lbs.
Weight (metal)	38 lbs.	42 lbs.	40 lbs.	44 lbs.	50 lbs.	57 lbs.	77 lbs.
Weight Capacity (per seat)	350 lbs.	350 lbs.	350 lbs.	350 lbs.	750 lbs.	750 lbs.	750 lbs.
COM* (back & seat) (with upholstered arm insert)	1.9 yds. 2.5 yds.	2.8 yds. 3.1 yds.	1.9 yds. 2.8 yds.	2.8 yds. 3.1 yds.	3.1 yds. 3.1 yds.	3.8 yds. 3.8 yds.	3.4 yds. 4.1 yds.
COL* (back & seat) (with upholstered arm insert)	29.4 sq. ft. 37.8 sq. ft.	35 sq. ft. 49 sq. ft.	43.4 sq. ft. 57.4 sq. ft.	43.4 sq. ft. 49 sq. ft.	47.6 sq. ft. 47.6 sq. ft.	50 sq. ft. 57 sq. ft.	50.4 sq. ft. 63 sq. ft.

* Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Support.

CENTER

Overall Height	34.5	44	34.5	44	34.5	44	34.5
Overall Width	22.66	22.66	25.66	25.66	31.66	31.66	45.66
Overall Depth	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25	7.25	7.25	7.25
Width Between Arms	20.75	20.75	23.75	23.75	29.75	29.75	43.75
Seat Width	21.75	21.75	24.75	24.75	30.75	30.75	44.75
Seat Depth	19	19	19	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5	18.5	18.5	18.5
Back Height	18.5	28.5	18.5	28.5	18.5	28.5	18.5
Weight (wood)	33 lbs.	37 lbs.	35 lbs.	39 lbs.	45 lbs.	52 lbs.	72 lbs.
Weight (metal)	38 lbs.	42 lbs.	40 lbs.	44 lbs.	50 lbs.	57 lbs.	77 lbs.
Weight Capacity (per seat)	350 lbs.	350 lbs.	350 lbs.	350 lbs.	750 lbs.	750 lbs.	750 lbs.
COM* (back & seat) (with upholstered arm insert)	1.9 yds. 2.25 yds.	2.8 yds. 2.8 yds.	1.9 yds. 2.5 yds.	2.8 yds. 3.1 yds.	3.1 yds. 3.1 yds.	3.8 yds. 3.8 yds.	3.4 yds. 3.5 yds.
COL* (back & seat) (with upholstered arm insert)	29.4 sq. ft. 40 sq. ft.	35 sq. ft. 49 sq. ft.	43.4 sq. ft. 55 sq. ft.	43.4 sq. ft. 49 sq. ft.	47.6 sq. ft. 47.6 sq. ft.	50 sq. ft. 57 sq. ft.	50.4 sq. ft. 60 sq. ft.

* Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Support.

END

Overall Height	34.5	44	34.5	44	34.5	44	34.5
Overall Width	22.66	22.66	25.66	25.66	31.66	31.66	45.66
Overall Depth	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25	7.25	7.25	7.25
Width Between Arms	20.75	20.75	23.75	23.75	29.75	29.75	43.75
Seat Width	21.75	21.75	24.75	24.75	30.75	30.75	44.75
Seat Depth	19	19	19	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5	18.5	18.5	18.5
Back Height	18.5	28.5	18.5	28.5	18.5	28.5	18.5
Weight (wood)	33 lbs.	37 lbs.	35 lbs.	39 lbs.	45 lbs.	52 lbs.	72 lbs.
Weight (metal)	38 lbs.	42 lbs.	40 lbs.	44 lbs.	50 lbs.	57 lbs.	77 lbs.
Weight Capacity (per seat)	350 lbs.	350 lbs.	350 lbs.	350 lbs.	750 lbs.	750 lbs.	750 lbs.
COM* (back & seat) (with upholstered arm insert)	1.9 yds. 2.25 yds.	2.8 yds. 2.8 yds.	1.9 yds. 2.5 yds.	2.8 yds. 3.1 yds.	3.1 yds. 3.1 yds.	3.8 yds. 3.8 yds.	3.4 yds. 3.5 yds.
COL* (back & seat) (with upholstered arm insert)	29.4 sq. ft. 40 sq. ft.	35 sq. ft. 49 sq. ft.	43.4 sq. ft. 55 sq. ft.	43.4 sq. ft. 49 sq. ft.	47.6 sq. ft. 47.6 sq. ft.	50 sq. ft. 57 sq. ft.	50.4 sq. ft. 60 sq. ft.

* Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Support.

Why Choose IDEON?

Lasting durability.

All our high-quality IDEON products are developed and sustainably built, making them a cost-effective solution for any healthcare, education or corporate facility.



Aviera Construction

Steel frame construction provides for a structurally sound seating experience, while field-replaceable parts make maintenance easy.

10-Year Warranty

IDEON warrants to the original purchaser that our products will be free from defects in material and workmanship for 10-years. Visit our website for the complete IDEON warranty.

ANSI/BIFMA

We are members of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of seating. Although testing is not a warranty or guarantee, our products meet or exceed BIFMA and ANSI standards.

Aviera Weight Capacity

Aviera chairs are designed with rigid standards that test for arm and leg strength, load and impact. They have a 350 lb. weight capacity and bariatric models have a 750 lb. weight capacity.

Unsurpassed Quality

CAL 133

Fire safety is a top priority for many institutions. IDEON strongly supports CAL 133 standards and makes it easy for designers and buyers to specify CAL 133 chairs:

- Available in plastic, fabric and leather
- **No delay** – turnaround in 10 days
- CAL 133 models are available for every product collection
- COM fabric approval service
- **Low incremental cost** to specify CAL 133 compared to our competitors

Commitment to Sustainability

We make it easier to design and build green, or upgrade your facility to the latest environmental standards.

LEED Certification

Earn points toward LEED certification thanks to our manufacturing locations and our consciousness of recycled material.

Environmental Data Sheets

Our Environmental Data Sheets are detailed documents declaring the percentage of recycling content, manufacturing process and indoor air emissions.

Greenguard Certification

All IDEON products have been tested and certified by the GREENGUARD Environmental Institute and have met the rigorous criteria required by GREENGUARD Gold in accordance with the Collaborative for High Performance Schools (CHPS) and the Leadership in Energy and Environmental Design (LEED) Building Rating System.



 **Aviera® Wood**
High traffic. Low stress.

6415 Katella Avenue, Cypress, California 90630

For the name and number of your local representative call, email or visit the website.

(877) 994-3366 | sales@ideondesign.com | ideondesign.com

The images used within this website or document represent the logical use of the product(s) offered. The textiles, frame colors, accessories and options depicted are subject to change without notice. Refer to the current Price Guide or contact Customer Support for the most up-to-date product information and specifications.

IDEON and Aviera are registered trademarks of Exemplis. All other trademarks are property of their respective owners.

Form No. C987 Printed in the USA. © 2018 Exemplis

#180130

COVER TEXTILE: Aviera guest chair, amber mahogany wood stain. TEXTILE: SitOnIt – Metro, Paddington (back); SitOnIt – Sugar; Cherrybomb

