



Use this pre-engineered extruded aluminum system around the perimeter of your acoustical or drywall ceiling to integrate air distribution, draperies, blinds, and shades, or changes in ceiling elevations — without any visible fasteners.

Choose between a seamless or more defined perimeter depending on your style and functional requirements. Both approaches are compatible with acoustic and drywall ceilings, and eliminate the installation time and risks associated with field fabricated drywall solutions.

Easy to specify... seismic components available... a 30-year limited warranty... and complete technical and installation support ensure the results you've come to expect from Armstrong.



PERIMETER POCKETS



EXTENSIONS




SLOTTED FACE PLATES



SEISMIC POCKET SOLUTIONS








Also available for drywall installations

Popular Pocket Configurations




Two-sided perimeter pocket with acoustical integration



Armstrong
Color Coordinated

Suspension System


Made-to-order double shade pockets to meet your project requirements. Optional air return venting available.




Exposed Tee


Main Beam

AXP3552 three-sided pocket with acoustical-to-acoustical transition allows a continuous integrated ceiling pocket







Two-sided or three-sided pockets for connection to Extension Piece





Due to printing limitations, shade may vary from actual product.




Popular Face Plate Configurations












AXPWC Wall Clips allow face plates to be attached to drywall without using a pocket



Color Selection





custom colors

Due to printing limitations, shade may vary from actual product.

Custom Options

Axiom® customer service is available to help you create custom pockets, slot designs, perforations, and cutouts to meet your project needs.

For more information or help with your Axiom Custom order, call Axiom Customer Service. 1 800-840-8521


Custom slotting




Custom perforating




Double Shade Pockets




Pocketless Shade Options



Easy to Specify




PERIMETER OPTIONS:



The Perfect Solution for Your Ceiling Design

Axiom® Building Perimeter System



Item Number	Description	Dimensions	Length				
3-SIDED PERIMETER POCKETS AND CORNERS							
Acoustical Flange Po	ockets						
□ AXP355	Perimeter Pocket with Acoustical Flange	5 x 5 x 5"	120"				
□ AXP3550SC	Perimeter Pocket with Acoustical Flange — Outside Corner	12 x 5 x 12"	12"				
☐ AXP355ISC	Perimeter Pocket with Acoustical Flange — Inside Corner	12 x 5 x 12"	12"				
□ АХРЗ55МА	Perimeter Pocket with Acoustical Flange for Traditional Framing	5 x 5 x 5"	120"				
☐ AXP355MAOSC	Perimeter Pocket with Acoustical Flange for Traditional Framing — Outside Corner	12 x 5 x 12"	12"				
□ AXP355MAISC	Perimeter Pocket with Acoustical Flange for Traditional Framing — Inside Corner	12 x 5 x 12"	12"				


Item Number	Description	Dimensions	Length	
Drywall Flange Pocke	ts and Corners			
□ AXP355D	Perimeter Pocket with Drywall Flange	5 x 5 x 5"	120"	
☐ AXP355DISC	3-Sided Shade Pocket with Drywall Flange — Inside Corner	12 x 5 x 12"	12"	
□ AXP355DOSC	3-Sided Shade Pocket with Drywall Flange — Outside Corner	12 x 5 x 12"	12"	
□ AXP355MD	Perimeter Pocket with Drywall Flange for Traditional Framing	5 x 5 x 5"	102"	
☐ AXP355MDOSC	Perimeter Pocket with Drywall Flange for Traditional Framing — Outside Corner	12 x 5 x 12"	12"	
□ AXP355MDISC	Perimeter Pocket with Drywall Flange for Traditional Framing – Inside Corner	12 x 5 x 12"	12"	
Exposed Pockets (cus	tom colors available)			
☐ AXP35434E	Exposed Application Perimeter Pocket with Closure Clip Attachment	5 x 5 x 5"	120"	
□ AXP355ME	Exposed Application Perimeter Pocket for Traditional Framing	5 x 5 x 5"	120"	
□ AXP355MEOSC	Exposed Application Perimeter Pocket for Traditional Framing – Outside Corner	12 x 5 x 12"	12"	
☐ AXP355MEISC	Exposed Application Perimeter Pocket for Traditional Framing – Inside Corner	12 x 5 x 12"	12"	
Seismic Flange Pocke	ts			
□ AXP355S	Perimeter Pocket with Seismic (0.875") Flange	5 x 5 x 5"	120"	
□ AXP355SOSC	Perimeter Pocket with Seismic (0.875") Flange — Outside Corner	12 x 5 x 12"	12"	
□ AXP355SISC	Perimeter Pocket with Seismic (0.875") Flange - Inside Corner	12 x 5 x 12"	12"	
□ AXP355MS	Perimeter Pocket with Seismic (0.875") Flange for Traditional Framing	5 x 5 x 5"	120"	
□ AXP355MSOSC	Perimeter Pocket with Seismic (0.875") Flange for Traditional Framing — Outside Corner	12 x 5 x 12"	12"	₩
☐ AXP355MSISC	Perimeter Pocket with Seismic (0.875") Flange for Traditional Framing – Inside Corner	12 x 5 x 12"	12"	
2-Sided Acoustical FI	ange Pocket (used to organize ceiling cutouts or lighting)			
□ AXP3552	Perimeter Pocket with Acoustical Flange on two sides	5 x 5 x 5"	120"	

Item Number	Description	Dimensions	Length	
2-SIDED PERIMETER F	POCKETS AND CORNERS			
Acoustical Flange Poo	ckets			
☐ AXP255	Perimeter Pocket with Acoustical Flange	5 x 5 x 5"	120"	
□ AXP2550SC	Perimeter Pocket with Acoustical Flange – Outside Corner	12 x 5 x 12"	12"	
☐ AXP255ISC	Perimeter Pocket with Acoustical Flange — Inside Corner	12 x 5 x 12"	12"	
□ AXP236	3" x 6" Perimeter Pocket with Acoustical Flange	3 x 6"	120"	
NO POCKET DETAILS (for use with custom sized pockets)			· · ·
□ AXPNP34A	No Pocket 3/4" Acoustical Flange with Closure Clip Attachment	2-11/16 x 3/4"	120"	
□ AXPNP34NR	No Pocket 3/4" Acoustical flange, no reveal with Closure Clip Attachment	2 x 3/4"	120"	
☐ AXPNP125A	No Pocket 1-1/4" Acoustical Flange with Closure Clip Attachment	2-11/16 x 1-1/4"	120"	
☐ AXPNP38D	No Pocket Drywall Taping Flange with 3/8" reveal and Closure Clip Attachment	3-7/16 x 1-3/16"	120"	
☐ AXPNPD	No Pocket Drywall Taping Flange with Closure Clip Attachment	2-11/16 x 3/4"	120"	
CONNECTION PERIMET	TER POCKETS AND CONNECTION ACCESSORIES			
3-Sided Pocket and C	orners			
□ AXP355C	Perimeter Pocket with Connection to Extension/Face Plate Piece	5 x 5 x 5"	120"	
☐ AXP355COSC	Perimeter Pocket with Connection to Extension/Face Plate Piece – Outside Corner	12 x 5 x 12"	12"	
☐ AXP355CISC	Perimeter Pocket with Connection to Extension/Face Plate Piece – Inside Corner	12 x 5 x 12"	12"	
2-Sided Pocket and C	orners			
□ AXP255C	Perimeter Pocket with Connection to Extension/Face Plate Piece	5 x 5"	120"	
☐ AXP255COSC	Perimeter Pocket with Connection to Extension/Face Plate Piece – Outside Corner	12 x 5 x 12"	12"	
□ AXP255CISC	Perimeter Pocket with Connection to Extension/Face Plate Piece – Inside Corner	12 x 5 x 12"	12"	

Item Number	Description	Dimensions	Length	
CONNECTION PERIMET	ER POCKETS AND CONNECTION ACCESSORIES (cont'd)			
No Pocket Detail				
□ AXPNPFPA	No Pocket with Face Plate and Closure Clip Attachment	3-11/16 x 1/8"	120"	4 4
	otting, perforating and cutouts available) perimeter extensions integrate with perimeter pockets to create larger pockets	and higher ceiling elevations.		U
□ AXPEP4	4" Axiom Perimeter Extension	4"	120"	, ,
□ AXPEP6	6" Axiom Perimeter Extension	6"	120"	ĺ
☐ AXPEP8	8" Axiom Perimeter Extension	8"	120"	
□ AXPEP4H	4" Axiom Perimeter Extension – Hook on Both Sides	4"	120"	ا ا
☐ AXPEPS6	6" Seismic Perimeter Extension with 0.875" Flange	6"	120"	
•	otting, perforating and cutouts available) extruded aluminum face plates integrate with perimeter pockets and can be sl	otted to allow for air distribution	on along the perimeter	of a snace
□ AXPDFP4	4" Axiom Perimeter Face Plate with Acoustical Flange – Unslotted	4" Unslotted	120"	or a space.
□ AXPDFP4SLA	4" Axiom Perimeter Face Plate with acoustical Flange – 2 Slot Pattern	4" Slotted 3/4" x 23"	120"	
☐ AXPDFP4SLB	4" Axiom Perimeter Face Plate with Acoustical Flange – 1 Slot Pattern	4" Slotted 2-3/4" x 23"	120"	
□ AXPDFP7	7" Axiom Perimeter Face Plate with Acoustical Flange – Unslotted	7" Unslotted	120"	
□ AXPDFP7SLA	7" Axiom Perimeter Face Plate with Acoustical Flange – 2 Slot Pattern	7" Slotted 3/4" x 23"	120"	
□ AXPDFP7SLB	7" Axiom Perimeter Face Plate with Acoustical Flange — 1 Slot Pattern	7" Slotted 2-3/4" x 23"	120"	<u></u>
□ AXPDFPS7	7" Axiom Seismic Perimeter Face Plate with 0.875" Flange — Unslotted	7" Unslotted	120"	
□ AXPDFPS7LA	7" Axiom Seismic Perimeter Face Plate with 0.875" Flange — 2 Slot Pattern	7" Slotted 3/4" x 23"	120"	
□ AXPDFPS7LB	7" Axiom Seismic Perimeter Face Plate with 0.875"Flange – 1 Slot Pattern	7" Slotted 2-3/4" x 23"	120"	
□ AXPDFP4DT	4" Axiom Perimeter Face Plate with Drywall Flange - Unslotted	4" Unslotted	120"	
☐ AXPDFP4DTSLA	4" Axiom Perimeter Face Plate with Drywall Flange — 2 Slot Pattern	4" Slotted 3/4" x 23"	120"	Ĺ
☐ AXPDFP4DTSLB	4" Axiom Perimeter Face Plate with Drywall Flange — 1 Slot Pattern	4" Slotted 2-3/4" x 23"		
☐ AXPDFP7DT	7" Axiom Perimeter Face Plate with Drywall Flange — Unslotted	7" Unslotted	120"	
☐ AXPDFP7DTSLA	7" Axiom Perimeter Face Plate with Drywall Flange — 2 Slot Pattern	7" Slotted 3/4" x 23"	120"	Î
□ AXPDFP7DTSLB	7" Axiom Perimeter Face Plate with Drywall Flange – 1 Slot Pattern	7" Slotted 2-3/4" x 23"		

Item Number	Description	Dimensions	Length	
PERIMETER POCKET A	CCESSORIES			
Closure Clips Aluminum 10' (120") closu	re clip provides concealment of the perimeter pocket should a shade or blind be in	nstalled.		
□ AXPCC2	2" Axiom Building Perimeter Closure Clip	_	120"	
☐ AXPCC3	3" Axiom Building Perimeter Closure Clip	_	120"	
End Caps Provides a capping at the e	end of a perimeter pocket.			
□ AXCPCI	3-Sided Axiom Building Perimeter End Cap (Compatible with AXP355, AXP355C, AXP355S, AXP3552)	_	_	
☐ AXCPCIV	2-Sided Axiom Building Perimeter End Cap (Compatible with AXP255, AXP255C)	_	_	
☐ AXP35434EEC	3-Sided End Cap for Exposed Pocket (AXP35434E) — Custom colors available	_	_	
☐ AXP355MEC	3-Sided End Cap for Traditional Framing Pockets (AXP355MA, AXP355MD, AXP355ME, AXP355MS)	_	_	
□ AXP355DEC	3-Sided End Cap for Drywall Flange Pocket (AXP355D)	_	_	
Seismic Accessories				
□ BERCAXT	Axiom Beam End Retaining Clip for Seismic Applications	_	_	
☐ AXSA75	Axiom Adapter Clip with 0.75" Flange for Seismic Applications. Attaches to standard pocket, extension and face plate flanges to meet seismic certifications.	_	_	
Installation Accessorie	es			
□ AXBTSTR	Axiom Bottom Drywall Trim for 5/8" Drywall	120 x 1-1/8 x 27/32"	120"	
□ AXPWC	Axiom Wall Clip with Hook For Face Plate	_	120"	
□ AXPWCCP	Axiom Wall Clip with Hook For Closure Clip Attachment	_	120"	
☐ AXTBC	Axiom T-Bar Connector Clip	_	_	






VISUAL SELECTION


Item Number	Description	Dimensions	Length			
PERIMETER POCKET ACCESSORIES						
Installation Accessor	ies (cont'd)					
□ AX4SPLICE	Axiom Splice Plate. Provides positive lock between abutting pockets.	_	_			
□ AXPFG	Foam Gasketing. Used between perimeter pocket piece and exterior window or exterior wall.	_	25' Roll			
☐ AXPSPLINE	Axiom Building Perimeter Interlocking Spline for connection between perimeter pocket and extension or face plate piece	_	120"			

Axiom customer service is available to help you create custom pockets, slot designs, perforations, and cutouts to meet your project needs: 1 800-840-8521


Perimeter Pocket with Seismic Flange



Perimeter Pocket with Acoustical Flange for Traditional Framing



Custom Double Shade Pocket with No Pocket Detail



PHYSICAL DATA

Material

Extruded aluminum

Surface Finish

Factory-applied baked polyester paint finish. The areas of the 3-sided perimeter pocket that will be visible once the shade and closure clip are in place have full paint coverage. The exposed pockets have complete paint coverage.

TAKE THE NEXT **STEP**

1 877 276 7876

Customer Service Representatives 7:45 a.m. to 5:00 p.m. EST Monday through Friday

TechLine – Technical information, detail drawings, CAD design assistance, installation information, other technical services - 8:00 a.m. to 5:30 p.m. EST, Monday through Friday. FAX 1 800 572 8324 or email: techline@armstrongceilings.com

armstrongceilings.com/tectum

Latest product news

Standard and custom product information

Online catalog

CAD, Revit®, SketchUp® files

A Ceiling for Every Space® Visual Selection Tool

Product literature and samples - express service or regular delivery

Contacts - reps, where to buy, who will install

YOU INSPIRE™ SOLUTIONS CENTER

1 800 988 2585 email: solutionscenter@armstrongceilings.com armstrongceilings.com/youinspire

Design Assistance

Collaborative design

Detail drawings

Specifications

Planning and budgeting

Pre-construction Assistance

Layout drawings for standard and premium products

Project installation recommendations

Contractor installation assistance



helping to bring your one-of-a-kind ideas to life

Printed on recyclable paper with vegetable-based inks. Please Recycle.













Revit® is a registered trademark of Autodesk®, Inc. All other trademarks used herein are the property of AWI Licensing LLC and/or its affiliates © 2017 AWI Licensing LLC • Printed in the United States of America

TechLineSM / 1 877 ARMSTRONG 1 877 276 7876 armstrongceilings.com/axiom



