



GSA prices effective April 2, 2018
(based on February 6, 2017, commercial price list)
Published April 2018

Conference Room and Multipurpose Tables

Everywhere™ Tables

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture
FSC Group 71, Part 1
Contract Number: GS-03F-036DA
Contract Period: December 21, 2015—December 20, 2020

Herman Miller, Inc.
855 East Main Avenue
Zeeland, Michigan 49464
(616) 654 3000 Phone
(616) 654 8278 Fax
www.HermanMiller.com/government

Business Size: Large

Contract Information

1a. Special Item Numbers (SIN)

SIN 71-1

Packaged Offices

SIN 711-1

Furniture Systems

SIN 711-2

Computer Furniture

SIN 711-3

Filing and Storage Cabinets

SIN 711-11

Tables and Accessories

SIN 711-16

Upholstered Seating

SIN 711-18

Multi-Purpose Seating

SIN 711-91

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local Herman Miller representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour

Furniture Project Coordinator: \$49.00 per hour

Build-Out Project Manager: \$80.00 per hour

SIN 711-93

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour, which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis. This SIN may only be used with the purchase of new product under SIN 711-1.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 711-94

Design/Layout

Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$65 per hour.

SIN 711-95

Installation Services

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

SIN 711-96

Leasing

Contact Herman Miller participating government dealer for current leasing information.

SIN 711-99

New Product Introductions

Contract Information

continued

SIN 711-500

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local Herman Miller representative to discuss the appropriate use of this SIN.

1b. Lowest Priced Model

SIN 711-1:	G9999.B	\$7
SIN 711-2:	6-5-D	\$35
SIN 711-3:	9M10018	\$14
SIN 711-11:	DT9A.	\$36
SIN 711-16:	OA401	\$41
SIN 711-18:	AS90598	\$46
SIN 711-99:	R1366	\$27

1c. Not applicable

2. Maximum Order

SIN 711-1, SIN 711-2
\$500,000 net product value

SIN 711-3, SIN 711-11
\$300,000 net product value

SIN 711-16, SIN 711-18
\$200,000 net product value

SIN 711-93
\$150,000

SIN 711-94
\$150,000

SIN 711-95
\$150,000

SIN 711-96
\$500,000 net product value

SIN 711-99
\$50,000 net product value

SIN 711-500
\$100,000

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan

Spring Lake, Ottawa County, Michigan

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 711-1

Product: Selected Action Office 1, Action Office 2, C-Style Overhead Storage, Ethospace System, Quadrant Pedestals, Supplemental Products, Tu Pedestals and Pedastools, and approved Herman Miller Options Products.

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	73.8%
	\$250,001 - 500,000	76.8%

SIN 711-1

Product: Selected Nevi™ Tables, Renew™ Tables, Renew Link and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	73.8%

SIN 711-1

Product: Selected Motia™ Tables, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	73.8%

SIN 711-1

Product: Tu Wood Pedestals and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 300,000	74.3%

SIN 711-1

Product: Selected Canvas Office Landscape and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	74.8%

Contract Information

continued

SIN 711-1

Product: Selected Layout Studio® and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	60.7%

SIN 711-1

Product: Selected Meridian Pedestals, Meridian Pedastools, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	64.2%

SIN 711-1

Product: Selected Thrive Portfolio and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	62%
	\$250,001 - 500,000	66.4%

SIN 711-2

Product: Passage Desking System and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	56.7%

SIN 711-2

Product: 5000 Series Furniture and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	58.7%

SIN 711-3

Product: Meridian Laterals, Verticals, Towers, and Storage products and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List	Towers & Storage
	\$100 - 300,000	67.3%	66.3%
			62.7%

SIN 711-3

Product: Tu Lateral Files, Tu Storage, Tu Towers, Tu Wood Cases, Tu Wood Cubbies, Tu Wood Credenzas, Tu Wood Towers, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 300,000	74.3%

SIN 711-11

Product: Selected Tables and Accessories and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Avive® Tables	\$100 - 250,000	72.8%
	\$250,001 - 500,000	74.8%
Herman Miller Eames® Tables	\$100 - 250,000	73.6%
	\$250,001 - 300,000	77.6%
Everywhere™ Tables	\$100 - 300,000	72.8%

SIN 711-16

Product: Swoop upholstered seating products and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Plex Lounge Furniture	\$100 - 200,000	59.5%
Swoop™	\$100 - 200,000	60.7%

SIN 711-18

Product: Selected Seating and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Aeron® (Classic and New)	\$100 - 200,000	64.5%
Aside®	\$100 - 200,000	64.2%
Caper®	\$100 - 200,000	61.5%
Celle®	\$100 - 200,000	59.7%
Cosm™	\$100 - 200,000	61.7%
Embody®	\$100 - 200,000	59.7%
Equa 2®	\$100 - 200,000	65.8%
Ergon 3®	\$100 - 200,000	68.8%
Keyn	\$100 - 200,000	57.7%
Lino™	\$100 - 200,000	63.7%
Mirra® 2	\$100 - 200,000	61.7%
Sayl®	\$100 - 200,000	62.2%
Setu®	\$100 - 200,000	59.7%
Verus™	\$100 - 200,000	63.7%

SIN 711-99

Product: Selected Exclave™, Locale®, Public Office Landscape®, Resolve® System, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Exclave	\$100 - 50,000	61.7%
Locale	\$100 - 50,000	63.7%
Public Office Landscape	\$100 - 50,000	61.7%
Resolve System	\$100 - 50,000	69.8%
Intent Solution	\$100 - 50,000	58.7%

Contract Information

continued

7. Quantity Discounts

Reference item #6.

8. Payment Term

Net 30 days

9. Government Commercial Credit Card

- Government commercial credit cards are accepted below the micropurchase threshold.
- Government commercial credit cards are accepted above the micropurchase threshold.

10. Foreign Items

None

11. Time of Delivery

- 90 day ARO
- Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact Herman Miller or a participating dealer for availability and rates.
- Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

12. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

13. Ordering Address

- Herman Miller, Inc.,
Government Customer Care 0161
855 East Main Avenue
Zeeland MI 49464.
- For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (www.fss.gsa.gov/schedules).

14. Payment Address.

Herman Miller, Inc.
22764 Network Place
Chicago, IL 60673-1227

15. Warranty

Herman Miller, Inc., commercial warranty applies.

16. Export Packing Charge

Prices supplied on request.

17. Terms and Conditions of Government Purchase Card Acceptance

(any thresholds above the micropurchase level)

None.

18. Rental Maintenance and Repair Terms

Not applicable

19. Terms and Conditions of Installation

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

Contract Information

continued

20. Terms and Conditions of Repair Parts

Not applicable

21. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

22. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/government.

23. Preventive Maintenance

Not applicable

24a. Special Attributes.

2018

For the 11th consecutive year, Herman Miller received a perfect score on the Corporate Equality Index and we were designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly their LGBT-related policies and practices.

2017

Herman Miller was named the 2017 “Corporation of the Year” in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller has received a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award.

Herman Miller has earned the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller named one of the Best and Brightest in Wellness for the fifth year in a row.

Working Mother magazine has recognized Herman Miller as one of the 2017 Working Mother 100 Best Companies.

Herman Miller earned our tenth consecutive perfect score in Human Rights Campaign (HRC) Foundation’s 2017 Corporate Equality Index.

As one of the top-scoring companies in our industry for the thirteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM’s 2017 Sustainability Yearbook and received the Bronze Class distinction for our excellent economic, environmental, and social sustainability performance.

Herman Miller has once again earned the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience.

2016

Herman Miller was recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC). This award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (fifth consecutive year) recognized Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability.

Herman Miller has been recognized by the Michigan Minority Supplier Development Council (MMSDC), as a “Corporation of the Year”, and we also received a “2016 Excellence in Supplier Diversity Award” from the Great Lakes Women’s Business Council. Additionally, we are the only West Michigan company this year to receive an “Ambassadors Championing Excellence” Award from the MMSDC.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Spot Stools from Herman Miller Collection receive Interior Design HiP Award for Hospitality Seating at NeoCon 2016.

Herman Miller has been named a 2020 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for twelfth consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

2015

Herman Miller earns ninth consecutive perfect score in Human Rights Campaign (HRC) Foundation’s 2016 Corporate Equality Index and we were designated as Best Place to Work for LGBT equality.

This is the fourth consecutive year that Herman Miller was named one of Michigan’s Best and Brightest Sustainable Companies.

Herman Miller has received the Best and Brightest in Wellness Award for the third year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Contract Information

continued

Herman Miller received the Forest Stewardship Council (FSC) Leadership Award for longstanding commitment to manufacturing with wood sourced from responsibly managed forests, which reduces environmental impacts by protecting against deforestation and forest degradation.

Herman Miller accepted its second Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller has once again been recognized for its commitment to best-in-class economic, environmental, and societal sustainability, earning a spot on the prestigious Dow Jones Sustainability Index (DJSI) for the twelfth consecutive year. We are the only contract furniture company recognized globally for its corporate sustainability leadership.

Herman Miller selected for inclusion in the 2015 RobecoSAM Sustainability Yearbook; awarded Bronze Class distinction for excellent sustainability performance for the second consecutive year.

Herman Miller received a Michigan Business Pollution Prevention (MBP3) Certificate – a recognition given by the Michigan Department of Environmental Quality (MDEQ) to organizations committed to environmental stewardship, conservation, and sustainable operations. This basic partnership with the MDEQ, which we've maintained since 1998, makes us eligible for our Clean Corporate Citizen (CCC) status that began in 2004 and our Environmental Leader status, which we received for the first time this past year.

MedAssets named Herman Miller Healthcare as Platinum Suppliers. MedAssets, a large group purchasing organization, helps providers enhance operational and financial performance so they can sustainably serve the needs of their community.

Herman Miller honored with five of 20 spots for the Michigan Environmental Leaders Award by the Michigan Department of Environmental Quality for our outstanding, voluntary environmental stewardship.

Renew Sit-to-Stand tables recognized on Record Products 2014 list by Architectural Record.

Herman Miller was again awarded a perfect score in the 2015 Corporate Equality Index. This is the eighth consecutive year we received a perfect score.

2014

Herman Miller has received the Best and Brightest in Wellness Award for the second year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller's Locale wins International Design Excellence Awards (IDEA) Gold in the Office & Productivity category.

Herman Miller achieves eleventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

2013

Herman Miller achieves tenth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller has received the Best and Brightest in Wellness Award. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller Earns Perfect Score on the Corporate Equality Index. We are one of only 303 major U.S. businesses to receive a perfect score in 2013, an achievement we have now obtained seven years in a row.

Herman Miller is listed in Forbes Magazine inaugural "Platinum List" of America's 400 best managed, large companies.

For the second consecutive year, Herman Miller is honored as one of West Michigan's "101 Best and Brightest Sustainable Companies".

2012

Herman Miller accepted its first Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller is named "Corporation of the Year" in the commercial products sector by the Michigan Minority Supplier Development Council.

In July 2012 Herman Miller was inducted into the Made in the USA Hall of Fame. Herman Miller is one of only 20 companies across the nation to receive this distinction.

Herman Miller achieves ninth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller is honored as one of West Michigan's 101 Best and Brightest Sustainable Companies.

The Sustainable Asset Management (SAM) group selected Herman Miller for inclusion in "The Sustainability Yearbook 2012" and has awarded Herman Miller both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller was named one of 16 Section Leaders on Climate Counts 2011-2012 Scorecard Report, making us the industry leader for Home and office Furnishings.

SGS International Certification Services, Inc., recognizes Herman Miller's manufacturing sites, Midwest Distribution Center, and Design Yard for initial certification to the OHSAS 18001 standard as well as re-certification to ISO 14001.

Contract Information

continued

2011

Trust Across America, a company dedicated to unraveling the complexities of trustworthy business behavior, listed Herman Miller as one of their “Top Ten Most Trustworthy Companies in America 2011.”

The U.S. Environmental Protection Agency (EPA) selected Herman Miller, as a WasteWise Gold Achievement—Climate Change winner.

Herman Miller achieves eighth consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world’s largest 2500 companies using economic, environmental, and social criteria, known as the “triple bottom line” of sustainability.

The Michigan Minority Supplier Development Council (MMSDC) named Herman Miller as its “Corporation of the Year” in the commercial products sector. This was the fifth time Herman Miller has received this award since 2005.

Herman Miller accepted its third Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

Herman Miller receives the Reader’s Choice award from TreeHugger’s Best of Green: Design and Architecture category for the SAYL chair.

Herman Miller earns Citibank’s Global Environmental Vendor of the Year award.

The SAYL chair from Herman Miller was dubbed the “Product Design of the Year” from the 2010 International Design Awards (IDA) jury.

Herman Miller Healthcare’s Compass system was awarded a 2011 Medical Design Excellence Award (MDEA) for its research-based design and ability to be used in a variety of healing spaces, while simultaneously improving the overall delivery of healthcare.

The Sustainable Asset Management (SAM) Group selected Herman Miller for inclusion in the “Sustainability Yearbook 2011” and awarded us both the “SAM Sector Leader” and “SAM Sector Mover” distinctions.

Herman Miller has received the top rating for a fourth consecutive year in the Human Rights Campaign (HRC) Foundation’s eighth annual Corporate Equality Index. The “Best Places to Work for LGBT Equality” distinction is awarded to businesses that scored 100% on the HRC Foundation’s 2011 Corporate Equality Index.

Herman Miller again tops contract furniture industry in FORTUNE’s “Most Admired” Companies survey. For the 23rd time in 25 years.

2010

The NASDAQ OMX CRD Global Sustainability Index (QCRD) has included Herman Miller among their top 100 companies in the world.

Herman Miller achieves seventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world’s largest 2500 companies using economic, environmental, and social criteria, known as the “triple bottom line” of sustainability. Herman Miller is one of approximately 300 companies worldwide and the only contract office furniture manufacturer, selected for this index.

Herman Miller has been recognized by Fast Company magazine as one of its 2010 Most Innovative Companies and among the more select Innovation All-Stars.

The U.S. Environmental Protection Agency’s Office of Resource Conservation and Recovery has selected Herman Miller to receive the 2010 WasteWise Gold Achievement Award for Green Purchasing.

The Michigan Department of Natural Resources and Environment (MDNRE) has recognized Herman Miller’s West Michigan manufacturing sites and Midwest Distribution Center as continuing Clean Corporate Citizens.

Herman Miller makes the U.S. Environmental Protection Agency’s (EPA) list of the top fifty users of renewable electricity, of more than 1,200 organizations participating in the Green Power Partnership. This is the second consecutive time Herman Miller was recognized. Herman Miller was the only furniture manufacturer on the list.

Herman Miller accepted its second Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

For the 22nd time in 24 years, Herman Miller was awarded the No. 1 industry ranking in a survey among the executives and board members of peer companies and independent industry analysts, as published in FORTUNE magazine’s annual “Most Admired” companies feature.

The Michigan Department of Environmental Quality (MDEQ) recognizes Herman Miller’s GreenHouse as one of Michigan’s top environmental performers with a Clean Corporate Citizen (C3) longevity award. This recognizes that the GreenHouse has maintained its C3 designation for the past five years.

For the third year in a row, Herman Miller makes FORTUNE magazine’s “100 Best Companies to Work For” list. Herman Miller is one of only three Michigan-based companies to make the list.

24b. Section 508 Compliance

Not applicable

25. Data Universal Numbering System (DUNS): 00-601-2801

26. Registered in System for Award Management (www.SAM.gov) Database

27. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

28. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Herman Miller Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

Introduction	page 2
Everywhere™ Tables	3
Standard-Height Tables	5
Standard-Height Table Legs and Bases	58
Standing-Height Tables	61
Occasional Tables	67
Power and Data Support	73
Accessories	89
Indices	121
By Name	121
By Number	123
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Stain-to-Match Program	
Vary Easy Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective April 2, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.


Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.


Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Standard-Height Tables	
Standard-Height Table Legs and Bases	
Standing-Height Tables	
Occasional Tables	
Power and Data Support	
Accessories	



Rectangular Table

DT1AE.
DT1AS.
DT1AT.



Product Information

Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have $\frac{1}{2}$ " leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes

18" depth available with square edge only.

C-leg and D-leg cannot be used with either the 18" deep or 36" deep tops.

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.


Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.

For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.

Note: UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.

Dimensions



Everywhere™ Standard-Height Tables

Rectangular Table *continued*

Specification Information	
Step 1.	
DT1A	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Depth	
<i>For squared-edge (S.)</i>	
18	18" deep
24	24" deep
30	30" deep
36	36" deep
<i>For thin-edge (T.) or eased-edge (E.)</i>	
24	24" deep
30	30" deep
36	36" deep
Step 4. Width	
<i>For 18" deep (18)</i>	
48	48" wide
60	60" wide
72	72" wide
<i>For 24" deep (24) or 30" deep (30)</i>	
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
<i>For 36" deep (36)</i>	
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 5. Surface Material							
<i>For squared-edge (S.)</i>							
L	laminate top/thermoplastic edge						
W	veneer top/veneer edge A						
P	painted Formcoat® top/edge						
<i>For thin-edge (T.)</i>							
W	veneer top/veneer edge A						
P	painted Formcoat® top/edge						
<i>For eased-edge (E.)</i>							
P	painted Formcoat® top/edge						
Step 6. Leg Type							
<i>For 18" deep (18) or 36" deep (36)</i>							
P	post leg						
T	T-leg						
A	T-leg with height adjustment						
<i>For 24" deep (24) or 30" deep (30)</i>							
P	post leg						
T	T-leg						
A	T-leg with height adjustment						
C	C-leg						
D	C-leg with height adjustment						
Prices for Steps 1-6.							
		LP	LT	LA	LC	LD	WP
DT1AS. 18 48		\$711	923	1155	—	—	867
	60	\$782	1016	1269	—	—	958
	72	\$844	1096	1371	—	—	1041
24 36		\$711	923	1155	923	1155	867
	42	\$747	971	1212	971	1212	912
	48	\$783	1018	1273	1018	1273	961
	54	\$831	1080	1348	1080	1348	1021
	60	\$880	1144	1428	1144	1428	1087
	66	\$942	1225	1530	1225	1530	1166
	72	\$1009	1310	1636	1310	1636	1251
	30 36	\$739	959	1200	959	1200	904
42		\$776	1009	1261	1009	1261	950
	48	\$816	1059	1322	1059	1322	1003
	54	\$864	1122	1402	1122	1402	1064
	60	\$916	1190	1487	1190	1487	1132
	66	\$980	1273	1590	1273	1590	1215
	72	\$1049	1360	1702	1360	1702	1306

Rectangular Table *continued*

36 42	\$847	1090	1372	—	—	1215
48	\$858	1082	1384	—	—	1247
54	\$938	1165	1463	—	—	1348
60	\$955	1179	1476	—	—	1392
66	\$1008	1293	1627	—	—	1578
72	\$1074	1373	1728	—	—	1652
	WT	WA	WC	WD	PP	PT
DT1AS. 18 48	\$1144	1442	—	—	819	1062
60	\$1264	1592	—	—	901	1169
72	\$1369	1725	—	—	973	1262
24 36	\$1144	1442	1144	1442	819	1062
42	\$1203	1518	1203	1518	858	1116
48	\$1266	1596	1266	1596	902	1171
54	\$1346	1696	1346	1696	954	1241
60	\$1428	1801	1428	1801	1014	1316
66	\$1533	1931	1533	1931	1084	1409
72	\$1644	2069	1644	2069	1160	1505
30 36	\$1192	1502	1192	1502	849	1104
42	\$1252	1581	1252	1581	894	1160
48	\$1319	1662	1319	1662	939	1218
54	\$1401	1765	1401	1765	992	1290
60	\$1489	1875	1489	1875	1054	1369
66	\$1596	2010	1596	2010	1127	1464
72	\$1711	2154	1711	2154	1206	1566
36 42	\$1462	1720	—	—	976	1253
48	\$1486	1750	—	—	988	1244
54	\$1591	1851	—	—	1079	1341
60	\$1637	1921	—	—	1100	1356
66	\$1961	2241	—	—	1116	1460
72	\$2176	2514	—	—	1130	1578
			PA	PC	PD	
DT1AS. 18 48			\$1328	—	—	
60			\$1460	—	—	
72			\$1575	—	—	
24 36			\$1328	1062	1328	
42			\$1393	1116	1393	
48			\$1464	1171	1464	
54			\$1551	1241	1551	
60			\$1643	1316	1643	
66			\$1759	1409	1759	
72			\$1881	1505	1881	

30 36				\$1382	1104	1382
42				\$1451	1160	1451
48				\$1521	1218	1521
54				\$1612	1290	1612
60				\$1710	1369	1710
66				\$1828	1464	1828
72				\$1956	1566	1956
36 42				\$1576	—	—
48				\$1592	—	—
54				\$1681	—	—
60				\$1698	—	—
66				\$1852	—	—
72				\$1986	—	—
	LP	LT	LA	LC	LD	WP
DT1AT. 24 36	—	—	—	—	—	\$1041
42	—	—	—	—	—	\$1094
48	—	—	—	—	—	\$1155
54	—	—	—	—	—	\$1227
60	—	—	—	—	—	\$1304
66	—	—	—	—	—	\$1400
72	—	—	—	—	—	\$1501
30 36	—	—	—	—	—	\$1084
42	—	—	—	—	—	\$1141
48	—	—	—	—	—	\$1203
54	—	—	—	—	—	\$1277
60	—	—	—	—	—	\$1358
66	—	—	—	—	—	\$1459
72	—	—	—	—	—	\$1566
36 42	—	—	—	—	—	\$1459
48	—	—	—	—	—	\$1496
54	—	—	—	—	—	\$1619
60	—	—	—	—	—	\$1671
66	—	—	—	—	—	\$1894
72	—	—	—	—	—	\$1981
	WT	WA	WC	WD	PP	PT
DT1AT. 24 36	\$1375	1731	1375	1731	872	1132
42	\$1444	1821	1444	1821	915	1188
48	\$1520	1914	1520	1914	958	1247
54	\$1616	2035	1616	2035	1017	1321
60	\$1714	2160	1714	2160	1080	1402
66	\$1839	2316	1839	2316	1155	1499
72	\$1974	2483	1974	2483	1235	1603

Everywhere™ Standard-Height Tables

Rectangular Table *continued*

Everywhere™ Standard-Height Tables

30 36	\$1429	1804	1429	1804	906	1176
42	\$1502	1897	1502	1897	951	1235
48	\$1583	1994	1583	1994	1000	1298
54	\$1680	2119	1680	2119	1058	1376
60	\$1787	2250	1787	2250	1122	1458
66	\$1914	2412	1914	2412	1199	1560
72	\$2053	2585	2053	2585	1283	1668
36 42	\$1754	2064	—	—	1038	1336
48	\$1782	2101	—	—	1053	1324
54	\$1908	2220	—	—	1150	1427
60	\$1965	2306	—	—	1171	1447
66	\$2352	2690	—	—	1214	1509
72	\$2611	3015	—	—	1306	1692

30 36	—	—	—	—	\$906	1176
42	—	—	—	—	\$951	1235
48	—	—	—	—	\$1000	1298
54	—	—	—	—	\$1058	1376
60	—	—	—	—	\$1122	1458
66	—	—	—	—	\$1199	1560
72	—	—	—	—	\$1283	1668
36 42	—	—	—	—	\$1038	1336
48	—	—	—	—	\$1053	1324
54	—	—	—	—	\$1150	1427
60	—	—	—	—	\$1171	1447
66	—	—	—	—	\$1223	1591
72	—	—	—	—	\$1311	1701

				PA	PC	PD
DT1AT. 24 36				\$1415	1132	1415
42				\$1485	1188	1485
48				\$1560	1247	1560
54				\$1652	1321	1652
60				\$1750	1402	1750
66				\$1874	1499	1874
72				\$2004	1603	2004
30 36				\$1471	1176	1471
42				\$1544	1235	1544
48				\$1621	1298	1621
54				\$1718	1376	1718
60				\$1821	1458	1821
66				\$1947	1560	1947
72				\$2084	1668	2084
36 42				\$1679	—	—
48				\$1695	—	—
54				\$1792	—	—
60				\$1808	—	—
66				\$2016	—	—
72				\$2117	—	—

				PA	PC	PD
DT1AE. 24 36				\$1415	1132	1415
42				\$1485	1188	1485
48				\$1560	1247	1560
54				\$1652	1321	1652
60				\$1750	1402	1750
66				\$1874	1499	1874
72				\$2004	1603	2004
30 36				\$1471	1176	1471
42				\$1544	1235	1544
48				\$1621	1298	1621
54				\$1718	1376	1718
60				\$1821	1458	1821
66				\$1947	1560	1947
72				\$2084	1668	2084
36 42				\$1679	—	—
48				\$1695	—	—
54				\$1792	—	—
60				\$1808	—	—
66				\$2034	—	—
72				\$2117	—	—

		WT	WA	WC	WD	PP	PT
DT1AE. 24 36		—	—	—	—	\$872	1132
42		—	—	—	—	\$915	1188
48		—	—	—	—	\$958	1247
54		—	—	—	—	\$1017	1321
60		—	—	—	—	\$1080	1402
66		—	—	—	—	\$1155	1499
72		—	—	—	—	\$1235	1603

Rectangular Table *continued*

Step 7.










Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$50
40	dark brown walnut 	+\$50
ED	aged cherry 	+\$50
EK	medium red walnut 	+\$50
ET	clear on ash 	+\$50
EU	oak on ash 	+\$50
EV	walnut on ash 	+\$50
UL	natural maple 	+\$50
UX	walnut on cherry 	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
9V	tapestry beige	+\$0

Rectangular Table *continued*

Step 9. Leg Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white <input type="checkbox"/> A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110


Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Step 11. Grommets		
<i>For squared-edge (S.) with 18" deep (18)</i>		
NTG	no grommet	+\$0

<i>For 24" deep (24), 30" deep (30) AND 36" deep (36)</i>		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Square Table

DT1BE.
DT1BS.
DT1BT.



Product Information

Description

This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have $\frac{1}{2}$ " leveling range. Shipped knocked down.

Notes

48" tops available only with post leg option for optimum stability.

42" top (4242) with 4-column base (X) available only with glides.





Casters are not compatible with this top/base combination.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

Dimensions



Square Table *continued*

Specification Information	
Step 1.	
DT1B	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Depth/Width	
3030	30" deep x 30" wide
3636	36" deep x 36" wide
4242	42" deep x 42" wide
4848	48" deep x 48" wide
Step 4. Surface Material	
<i>For squared-edge (S.)</i>	
L	lamine top/thermoplastic edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge
Step 5. Leg/Base Type	
<i>For 30" deep x 30" wide (3030)</i>	
P	post leg
X	4-column base
S	single-column base A
<i>For 36" deep x 36" wide (3636)</i>	
P	post leg
X	4-column base
S	single-column base A
<i>For 42" deep x 42" wide (4242)</i>	
P	post leg
X	4-column base
<i>For 48" deep x 48" wide (4848)</i>	
P	post leg

Prices for Steps 1-5.			
	P	X	S
DT1BS. 3030 L	\$676	878	747
W	\$854	1127	949
P	\$778	1011	858
3636 L	\$811	1053	896
W	\$1037	1363	1152
P	\$934	1211	1029
4242 L	\$932	1210	—
W	\$1199	1575	—
P	\$1071	1391	—
4848 L	\$1044	—	—
W	\$1407	—	—
P	\$1200	—	—
	P	X	S
DT1BT. 3030 W	\$1024	1352	1140
P	\$830	1078	915
3636 W	\$1244	1636	1382
P	\$993	1289	1096
4242 W	\$1439	1892	—
P	\$1141	1483	—
4848 W	\$1689	—	—
P	\$1278	—	—
	P	X	S
DT1BE. 3030 P	\$830	1078	915
3636 P	\$993	1289	1096
4242 P	\$1141	1483	—
4848 P	\$1278	—	—

Step 6.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
ED	aged cherry A	+\$50
EK	medium red walnut A	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
UL	natural maple A	+\$50
UX	walnut on cherry A	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 7. Edge Finish


For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Step 8. Leg Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step 9. Casters/Glides		
20	casters	+\$0
57	glides	+\$0
For 4-column base (X)		
57	glides	+\$0

Round Table

DT1CE.
DT1CS.
DT1CT.



Product Information

Description

This round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes


48" and 60" tops available only with post leg option for optimum stability.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

Dimensions



Round Table *continued*

Specification Information	
Step 1.	
DT1C	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Diameter	
30	30" diameter
36	36" diameter
42	42" diameter
48	48" diameter
60	60" diameter
Step 4. Surface Material	
<i>For squared-edge (S.)</i>	
L	lamine top/thermoplastic edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge
Step 5. Leg/Base Type	
<i>For 30" diameter (30) or 36" diameter (36)</i>	
P	post leg
X	4-column base
S	single-column base A
<i>For 42" diameter (42)</i>	
P	post leg
X	4-column base
<i>For 48" diameter (48) or 60" diameter (60)</i>	
P	post leg

Prices for Steps 1-5.			
	P	X	S
DT1CS. 30 L	\$776	1011	858
W	\$983	1296	1091
P	\$894	1162	988
36 L	\$934	1210	985
W	\$983	1568	1323
P	\$1074	1391	1133
42 L	\$1071	1330	—
W	\$1380	1812	—
P	\$1232	1530	—
48 L	\$1199	—	—
W	\$1618	—	—
P	\$1381	—	—
60 L	\$1308	—	—
W	\$1772	—	—
P	\$1502	—	—
	P	X	S
DT1CT. 30 W	\$1179	1555	1310
P	\$951	1238	1053
36 W	\$1179	1881	1588
P	\$1143	1483	1207
42 W	\$1655	2174	—
P	\$1313	1630	—
48 W	\$1941	—	—
P	\$1469	—	—
60 W	\$2126	—	—
P	\$1601	—	—
	P	X	S
DT1CE. 30 P	\$951	1238	1053
36 P	\$1143	1483	1207
42 P	\$1313	1630	—
48 P	\$1469	—	—
60 P	\$1601	—	—

Step 6.

Top Finish

For laminate top/thermoplastic edge (L)

38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone A	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
ED	aged cherry A	+\$50
EK	medium red walnut A	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
UL	natural maple A	+\$50
UX	walnut on cherry A	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone A	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110

Step 9. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Oval Table

DT1DE.
DT1DS.
DT1DT.



Product Information

Description

This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes


When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Oval Table *continued*

Specification Information	
Step 1.	
DT1D	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Depth	
30	30" deep
36	36" deep
42	42" deep
Step 4. Width	
<i>For 30" deep (30)</i>	
48	48" wide
60	60" wide
<i>For 36" deep (36)</i>	
60	60" wide
72	72" wide
<i>For 42" deep (42)</i>	
72	72" wide
84	84" wide
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge
Step 6. Leg/Base Type	
<i>For 48" wide (48) or 60" wide (60)</i>	
P	post leg
G	double 3-column base, spanner

For 72" wide (72) or 84" wide (84)						
P	post leg					
E	double 3-column base					
G	double 3-column base, spanner					
Prices for Steps 1-6.						
	LP	LE	LG	WP	WE	WG
DT1DS. 30 48	\$910	—	1500	1350	—	2268
60	\$983	—	1621	1463	—	2453
36 60	\$1091	—	1800	1633	—	2732
72	\$1254	2132	2070	1886	3247	3151
42 72	\$1344	2280	2214	2023	3480	3377
84	\$1382	2345	2276	2081	3578	3474
				PP	PE	PG
DT1DS. 30 48				\$1047	—	1727
60				\$1130	—	1864
36 60				\$1254	—	2070
72				\$1444	2452	2381
42 72				\$1545	2623	2547
84				\$1588	2697	2618
	LP	LE	LG	WP	WE	WG
DT1DT. 30 48	—	—	—	\$1621	—	2720
60	—	—	—	\$1755	—	2943
36 60	—	—	—	\$1960	—	3278
72	—	—	—	\$2264	3897	3782
42 72	—	—	—	\$2428	4176	4051
84	—	—	—	\$2497	4295	4168
				PP	PE	PG
DT1DT. 30 48				\$1115	—	1838
60				\$1204	—	1984
36 60				\$1337	—	2205
72				\$1537	2611	2535
42 72				\$1645	2793	2712
84				\$1693	2872	2788
				PP	PE	PG
DT1DE. 30 48				\$1115	—	1838
60				\$1204	—	1984
36 60				\$1337	—	2205
72				\$1537	2611	2535
42 72				\$1645	2793	2712
84				\$1693	2872	2788

Step 7.

Top Finish

For laminate top/thermoplastic edge (L)

1X	vanilla	+\$0
28	canyon	+\$0
29	misted	+\$0
2X	wheat	+\$0
38	twilight	+\$0
39	desert	+\$0
3X	celery	+\$0
4X	coriander	+\$0
5X	chamomile	+\$0
6X	cinnamon	+\$0
76	light brown walnut	+\$0
7X	cardamom	+\$0
8Q	folkstone grey	+\$0
8X	kale	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone A	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut	+\$0

LG	light grey (discontinuing) A	+\$0
LM	mahogany	+\$0
LT	light tone A	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple A	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
ED	aged cherry A	+\$50
EK	medium red walnut A	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
UL	natural maple A	+\$50
UX	walnut on cherry A	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
8Z	neutral grey	+\$0
91	white	+\$0
98	studio white	+\$0
9V	tapestry beige	+\$0
BU	black umber A	+\$0
CL	cool grey neutral	+\$0
CM	cinnamon	+\$0
CO	chamomile	+\$0

G2	graphite satin	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone A	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
JB	millwork cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut	+\$0
LG	light grey (discontinuing) A	+\$0
LM	mahogany	+\$0
LT	light tone A	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
N3	cool grey	+\$0
OG	honey maple A	+\$0
SG	slate grey	+\$0
WA	wheat	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white A	+\$0


Step 9. Leg/Base Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110

Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Step 11. Grommets		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

D-Shaped Table

DT1EE.
DT1ES.
DT1ET.



Product Information

Description

This D-shaped table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have $\frac{1}{2}$ " leveling range. Shipped knocked down. Height-adjustable legs have a 5" range in 1" increments.

Notes

Thin edge and eased edge tops available only with 30" deep surfaces. T-leg and T-leg with height adjustment cannot be used with 18" deep tops.

Cable grommet options available through Vary Easy Program for round pass through grommet with $2\frac{1}{4}$ " hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.


Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.

Dimensions



Everywhere™ Standard-Height Tables

D-Shaped Table *continued*

Specification Information	
Step 1.	
DT1E	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Depth/Width	
<i>For thin-edge (T.) or eased-edge (E.)</i>	
3060	30" deep x 60" wide
<i>For squared-edge (S.)</i>	
1836	18" deep x 36" wide
2448	24" deep x 48" wide
3060	30" deep x 60" wide
Step 4. Surface Material	
<i>For squared-edge (S.)</i>	
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge
Step 5. Leg Type	
<i>For 18" deep x 36" wide (1836)</i>	
P	post leg
<i>For 30" deep x 60" wide (3060) or 24" deep x 48" wide (2448)</i>	
P	post leg
T	T-leg
A	T-leg with height adjustment










Prices for Steps 1-5.			
	P	T	A
DT1ES. 1836 L	\$710	—	—
W	\$827	—	—
P	\$817	—	—
2448 L	\$851	1337	1619
W	\$1004	1505	1912
P	\$980	1537	1861
3060 L	\$979	1536	1860
W	\$1162	1749	2221
P	\$1126	1766	2138
	P	T	A
DT1ET. 3060 W	\$1394	2100	2666
P	\$1198	1881	2278
	P	T	A
DT1EE. 3060 P	\$1198	1881	2278
Step 6.			
Top Finish			
<i>For laminate top/thermoplastic edge (L)</i>			
28	canyon		+\$0
29	misted		+\$0
38	twilight		+\$0
39	desert		+\$0
76	light brown walnut		+\$0
91	white		+\$0
98	studio white		+\$0
1X	vanilla		+\$0
2X	wheat		+\$0
3X	celery		+\$0
4X	coriander		+\$0
5X	chamomile		+\$0
6X	cinnamon		+\$0
7X	cardamom		+\$0
8X	kale		+\$0
8Q	folkstone grey		+\$0
CL	cool grey neutral		+\$0
HF	inner tone light		+\$0
HM	natural maple		+\$0
HP	light anigre		+\$0
HT	inner tone		+\$0
HX	aged cherry		+\$0
HY	walnut on cherry		+\$0
J4	frosted light grey		+\$0

D-Shaped Table *continued*

J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$50
40	dark brown walnut 	+\$50
ED	aged cherry 	+\$50
EK	medium red walnut 	+\$50
ET	clear on ash 	+\$50
EU	oak on ash 	+\$50
EV	walnut on ash 	+\$50
UL	natural maple 	+\$50
UX	walnut on cherry 	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 7. Edge Finish

For laminate top/thermoplastic edge (L)


76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

D-Shaped Table *continued*


Step 8. Leg Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white <input type="checkbox"/> A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step 9. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Soft Rectangle - Meeting Table

DT1FE.
DT1FS.
DT1FT.



Product Information
Description
This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.
Notes
When specifying grommets (253, 254, 255), cutouts will be located in the center of table.
Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.
For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.
Dimensions



Specification Information
Step 1.
DT1F
Step 2. Edge
S. squared-edge
T. thin-edge
E. eased-edge
Step 3. Depth
30 30" deep
36 36" deep
42 42" deep
Step 4. Width
For 30" deep (30)
48 48" wide
60 60" wide
For 36" deep (36)
60 60" wide
72 72" wide
For 42" deep (42)
72 72" wide
84 84" wide
Step 5. Surface Material
For squared-edge (S.)
L laminate top/thermoplastic edge
W veneer top/veneer edge [A]
P painted Formcoat® top/edge
For thin-edge (T.)
W veneer top/veneer edge [A]
P painted Formcoat® top/edge
For eased-edge (E.)
P painted Formcoat® top/edge

Soft Rectangle - Meeting Table

continued

Everywhere™ Standard-Height Tables

Step 6. Leg/Base Type

For 48" wide (48) or 60" wide (60)

P	post leg
G	double 3-column base, spanner
T	T-leg
A	T-leg with height adjustment

For 72" wide (72) or 84" wide (84)

P	post leg
E	double 3-column base
G	double 3-column base, spanner

Prices for Steps 1-6.

	LP	LE	LG	LT	LA	WP
DT1FS. 30 48	\$1047	—	1726	1476	1842	1554
60	\$1130	—	1863	1613	2123	1681
36 60	\$1254	—	2070	1821	1860	1877
72	\$1444	2452	2380	—	—	2169
42 84	\$1588	2695	2616	—	—	2392
72	\$1545	2623	2547	—	—	2325

	WE	WG	WT	WA	PP	PE
DT1FS. 30 48	—	\$2606	2357	2349	1201	—
60	—	\$2821	2571	2710	1300	—
36 60	—	\$3142	2893	2431	1442	—
72	\$3735	3625	—	—	1659	2819
42 84	\$4115	3994	—	—	1826	3099
72	\$4000	3883	—	—	1777	3015

	PG	PT	PA
DT1FS. 30 48	\$1984	1698	2120
60	\$2141	1857	2442
36 60	\$2380	2093	2138
72	\$2737	—	—
42 84	\$3008	—	—
72	\$2929	—	—

	LP	LE	LG	LT	LA	WP
DT1FT. 30 48	—	—	—	—	—	\$1863
60	—	—	—	—	—	\$2019
36 60	—	—	—	—	—	\$2252
72	—	—	—	—	—	\$2602
42 84	—	—	—	—	—	\$2871
72	—	—	—	—	—	\$2791

	WE	WG	WT	WA	PP	PE
DT1FT. 30 48	—	\$3127	2828	2819	1280	—
60	—	\$3384	3085	3253	1384	—
36 60	—	\$3769	3470	2918	1536	—
72	\$4481	4348	—	—	1768	3002
42 84	\$4937	4792	—	—	1945	3303
72	\$4800	4658	—	—	1892	3210

	PG	PT	PA
DT1FT. 30 48	\$2113	2711	3385
60	\$2282	2964	3898
36 60	\$2534	3343	3416
72	\$2915	—	—
42 84	\$3205	—	—
72	\$3119	—	—

	WE	WG	WT	WA	PP	PE
DT1FE. 30 48	—	—	—	—	\$1280	—
60	—	—	—	—	\$1384	—
36 60	—	—	—	—	\$1536	—
72	—	—	—	—	\$1768	3002
42 84	—	—	—	—	\$1945	3303
72	—	—	—	—	\$1892	3210

	PG	PT	PA
DT1FE. 30 48	\$2113	1808	2258
60	\$2282	1977	2599
36 60	\$2534	2229	2278
72	\$2915	—	—
42 84	\$3205	—	—
72	\$3119	—	—

Step 7.

Top Finish










For laminate top/thermoplastic edge (L)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
1X	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$0
4X	coriander	+\$0

Soft Rectangle - Meeting Table

continued

5X	chamomile	+\$0
6X	cinnamon	+\$0
7X	cardamom	+\$0
8X	kale	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut 	+\$85
40	dark brown walnut 	+\$85
ED	aged cherry 	+\$85
EK	medium red walnut 	+\$85
ET	clear on ash 	+\$85
EU	oak on ash 	+\$85
EV	walnut on ash 	+\$85
UL	natural maple 	+\$85
UX	walnut on cherry 	+\$85

Top/Edge Finish: Opaque Formcoat®		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Everywhere™ Standard-Height Tables

Soft Rectangle - Meeting Table

continued

Everywhere™ Standard-Height Tables

Step 8. Edge Finish		
For laminate top/thermoplastic edge (L)		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
X1	chalk white	+\$0


Step 9. Leg/Base Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110

Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Step 11. Grommets		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Video Oval - Meeting Table

DT1GE.
DT1GS.
DT1GT.



Product Information

Description

This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.


Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.

For optimum viewing, video camera should be placed 42" from large end of table.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1G

Step 2. Edge

S. squared-edge
T. thin-edge
E. eased-edge

Step 3. Depth

42 42" deep

Step 4. Width

72 72" wide
84 84" wide

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge
W veneer top/veneer edge **A**
P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge **A**
P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 6. Leg/Base Type

E double 3-column base
G double 3-column base, spanner

Prices for Steps 1-6.

	LE	LG	WE	WG	PE	PG
DT1GS. 42 72	\$2623	2547	4000	3883	3015	2929
84	\$2695	2616	4115	3994	3099	3008
DT1GT. 42 72	—	—	\$4800	4658	3694	3588
84	—	—	\$4937	4792	3796	3685
DT1GE. 42 72	—	—	—	—	\$3210	3119
84	—	—	—	—	\$3303	3205

Step 7.

Top Finish

For laminate top/thermoplastic edge (L)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
1X	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$0
4X	coriander	+\$0
5X	chamomile	+\$0
6X	cinnamon	+\$0
7X	cardamom	+\$0
8X	kale	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0

LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/> A	+\$85
40	dark brown walnut <input type="checkbox"/> A	+\$85
ED	aged cherry <input type="checkbox"/> A	+\$85
EK	medium red walnut <input type="checkbox"/> A	+\$85
ET	clear on ash <input type="checkbox"/> A	+\$85
EU	oak on ash <input type="checkbox"/> A	+\$85
EV	walnut on ash <input type="checkbox"/> A	+\$85
UL	natural maple <input type="checkbox"/> A	+\$85
UX	walnut on cherry <input type="checkbox"/> A	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Video Oval - Meeting Table *continued*

Step 8. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0


Step 9. Leg/Base Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110

Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Step 11. Grommets		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Concave Rectangle

DT1HE.
DT1HS.
DT1HT.



Product Information


Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down. Height-adjustable legs have a 5" range in 1" increments.

Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.
Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.
Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.
For additional details on available edge options see Appendices.
For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.
UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.

Dimensions



Specification Information

Step 1.

DT1H

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth

- 30 30" deep
- 36 36" deep

Step 4. Width

- 60 60" wide
- 66 66" wide
- 72 72" wide

Step 5. Surface Material

For squared-edge (S.)

- L laminate top/thermoplastic edge
- W veneer top/veneer edge A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W veneer top/veneer edge A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Step 6. Leg Type

For 30" deep (30)

- P post leg
- T T-leg
- A T-leg with height adjustment
- C C-leg
- D D-leg

For 36" deep (36)

- P post leg
- T T-leg
- A T-leg with height adjustment

Concave Rectangle *continued*

Prices for Steps 1-6.

	LP	LT	LA	LC	LD	WP
DT1HS. 30 60	\$1191	1547	1932	1547	1932	1471
66	\$1276	1658	2071	1658	2071	1584
72	\$1361	1769	2211	1769	2211	1696
36 60	\$1262	1602	1948	—	—	1527
66	\$1329	1690	2131	—	—	1639
72	\$1396	1777	2313	—	—	1750

	WT	WA	WC	WD	PP	PT
DT1HS. 30 60	\$1935	2436	1935	2436	1370	1778
66	\$2080	2618	2080	2618	1467	1906
72	\$2224	2799	2224	2799	1566	2035
36 60	\$1989	2493	—	—	1452	1842
66	\$2135	2673	—	—	1529	1943
72	\$2279	2855	—	—	1605	2042

	PA	PC	PD
DT1HS. 30 60	\$2221	1778	2221
66	\$2382	1906	2382
72	\$2542	2035	2542
36 60	\$2240	—	—
66	\$2450	—	—
72	\$2661	—	—

	LP	LT	LA	LC	LD	WP
DT1HT. 30 60	—	—	—	—	—	\$1765
66	—	—	—	—	—	\$1899
72	—	—	—	—	—	\$2035
36 60	—	—	—	—	—	\$1832
66	—	—	—	—	—	\$1966
72	—	—	—	—	—	\$2101

	WT	WA	WC	WD	PP	PT
DT1HT. 30 60	\$2320	2925	2320	2925	1458	1894
66	\$2495	3142	2495	3142	1563	2030
72	\$2669	3358	2669	3358	1668	2167
36 60	\$2387	2991	—	—	1545	1963
66	\$2561	3207	—	—	1629	2069
72	\$2736	3425	—	—	1710	2175

	PA	PC	PD
DT1HT. 30 60	\$2367	1894	2367
66	\$2536	2030	2536
72	\$2707	2167	2707

36 60	\$2386	—	—
66	\$2608	—	—
72	\$2833	—	—

	WT	WA	WC	WD	PP	PT
DT1HE. 30 60	—	—	—	—	\$1458	1894
66	—	—	—	—	\$1563	2030
72	—	—	—	—	\$1668	2167
36 60	—	—	—	—	\$1545	1963
66	—	—	—	—	\$1629	2069
72	—	—	—	—	\$1710	2175

	PA	PC	PD
DT1HE. 30 60	\$2367	1894	2367
66	\$2536	2030	2536
72	\$2707	2167	2707
36 60	\$2386	—	—
66	\$2608	—	—
72	\$2833	—	—

Step 7.

Top Finish

For laminate top/thermoplastic edge (L)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
1X	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$0
4X	coriander	+\$0
5X	chamomile	+\$0
6X	cinnamon	+\$0
7X	cardamom	+\$0
8X	kale	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0

J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish


For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0


Step 9. Leg Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0
Step 11. Grommets		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Soft Square Table

DT1JE.
DT1JS.
DT1JT.



Product Information
Description This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.
Notes 48" tops available only with post leg option for optimum stability. For additional details on available edge options see Appendices. For additional size, edge, and finish options, see Vary Easy Program in Appendices. UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.
Dimensions



Specification Information		
Step 1.		
DT1J		
Step 2. Edge		
S.	squared-edge	
T.	thin-edge	
E.	eased-edge	
Step 3. Depth/Width		
3030	30" deep x 30" wide	
3636	36" deep x 36" wide	
4242	42" deep x 42" wide	
4848	48" deep x 48" wide	
Step 4. Surface Material		
For squared-edge (S.)		
L	laminate top/thermoplastic edge	
W	veneer top/veneer edge A	
P	painted Formcoat® top/edge	
For thin-edge (T.)		
W	veneer top/veneer edge A	
P	painted Formcoat® top/edge	
For eased-edge (E.)		
P	painted Formcoat® top/edge	
Step 5. Leg/Base Type		
For 30" deep x 30" wide (3030) or 36" deep x 36" wide (3636)		
P	post leg	
S	single-column base A	
For 42" deep x 42" wide (4242)		
P	post leg	
For 48" deep x 48" wide (4848)		
P	post leg	
Prices for Steps 1-5.		
	P	S
DT1JS. 3030 L	\$798	880
W	\$1009	1120
P	\$916	1013

3636 L	\$956	1056
W	\$1224	1357
P	\$1100	1214
4242 L	\$1098	—
W	\$1416	—
P	\$1264	—
4848 L	\$1231	—
W	\$1659	—
P	\$1416	—
	P	S
DT1JT. 3030 W	\$1209	1344
P	\$977	1080
3636 W	\$1467	1630
P	\$1172	1295
4242 W	\$1698	—
P	\$1346	—
4848 W	\$1990	—
P	\$1507	—
	P	S
DT1JE. 3030 P	\$977	1080
3636 P	\$1172	1295
4242 P	\$1346	—
4848 P	\$1507	—

Step 6.

Top Finish

For laminate top/thermoplastic edge (L)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
1X	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$0
4X	coriander	+\$0
5X	chamomile	+\$0
6X	cinnamon	+\$0
7X	cardamom	+\$0
8X	kale	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0

HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
ED	aged cherry	+\$85
EK	medium red walnut	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
UL	natural maple	+\$85
UX	walnut on cherry	+\$85

Top/Edge Finish: Opaque Formcoat®		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Step 8. Leg Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110

Step 9. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Tear Drop Table

DT1KE.
DT1KS.
DT1KT.



Product Information

Description


This tear drop table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1K A

Step 2. Edge

S. squared-edge
T. thin-edge
E. eased-edge

Step 3. Diameter

30 30" diameter
36 36" diameter

Step 4. Surface Material

For eased-edge (E.)

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge
P painted Formcoat® top/edge

For squared-edge (S.)

L laminate top/thermoplastic edge
W veneer top/veneer edge
P painted Formcoat® top/edge

Step 5. Leg/Base Type

S single-column base A

Prices for Steps 1-5.

	S
DT1KS. 30 L	\$903
W	\$1145
P	\$1037
36 L	\$1033
W	\$1390
P	\$1189
	S
DT1KT. 30 W	\$1376
P	\$1104
36 W	\$1667
P	\$1266
	S
DT1KE. 30 P	\$1104

Tear Drop Table *continued*

36 P		\$1266
Step 6.		
Top Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
1X	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$0
4X	coriander	+\$0
5X	chamomile	+\$0
6X	cinnamon	+\$0
7X	cardamom	+\$0
8X	kale	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0

LBP	casual linen	+\$0
LBQ	white twill	+\$0
LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EY	light anigre A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Tear Drop Table *continued*


Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110


Step 9. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Classroom Curve Table

DT1LE.
DT1LS.
DT1LT.



Product Information
Description This classroom table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down. Height-adjustable legs have a 5" range in 1" increments.
Notes Cable grommet options available through Vary Easy Program for round pass through grommet with 2 1/4" hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option. Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces. For additional details on available edge options see Appendices. For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices. UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.
Dimensions



Specification Information
Step 1. DT1L
Step 2. Edge S. squared-edge T. thin-edge E. eased-edge
Step 3. Depth <i>For squared-edge (S.)</i> 18 18" deep 24 24" deep <i>For thin-edge (T.)</i> 24 24" deep <i>For eased-edge (E.)</i> 24 24" deep
Step 4. Width <i>For 18" deep (18)</i> 60 60" wide <i>For 24" deep (24)</i> 48 48" wide 60 60" wide
Step 5. Surface Material <i>For squared-edge (S.)</i> L laminate top/thermoplastic edge W veneer top/veneer edge A P painted Formcoat® top/edge <i>For thin-edge (T.)</i> W veneer top/veneer edge A P painted Formcoat® top/edge <i>For eased-edge (E.)</i> P painted Formcoat® top/edge

Classroom Curve Table *continued*

Step 6. Leg Type

For 18" deep (18)

P post leg

For 24" deep (24)

P post leg

T T-leg

A T-leg with height adjustment

Prices for Steps 1-6.

	LP	LT	LA	WP	WT	WA
DT1LS. 18 60	\$1017	—	—	1247	—	—
24 48	\$1018	1322	1654	1249	1645	2074
60	\$1144	1488	1858	1413	1858	2342

	PP	PT	PA
DT1LS. 18 60	\$1169	—	—
24 48	\$1170	1521	1902
60	\$1316	1710	2135

	LP	LT	LA	WP	WT	WA
DT1LT. 24 48	—	—	—	\$1499	1975	2488
60	—	—	—	\$1695	2228	2808

	PP	PT	PA
DT1LT. 24 48	\$1246	1621	2025
60	\$1401	1821	2275

	PP	PT	PA
DT1LE. 24 48	\$1246	1621	2025
60	\$1401	1821	2275

Step 7.

Top Finish

For laminate top/thermoplastic edge (L)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
1X	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$0

4X	coriander	+\$0
5X	chamomile	+\$0
6X	cinnamon	+\$0
7X	cardamom	+\$0
8X	kale	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top/Edge Finish: Wood Veneer		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Top/Edge Finish: Opaque Formcoat®		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Step 8. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Classroom Curve Table *continued*


Step 9. Leg Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Conference Corner Table

DT1ME.
DT1MS.
DT1MT.



Product Information
Description This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.
Notes Tables have an additional (5th) leg for stability. Additional ganging bracket kits (Y1338.) can be used with adjacent tables. For additional details on available edge options see Appendices.
Dimensions



Specification Information		
Step 1.		
DT1M		
Step 2. Edge		
S.	squared-edge	
T.	thin-edge	
E.	eased-edge	
Step 3. Depth		
24	24" deep	
30	30" deep	
Step 4. Surface Material		
For squared-edge (S.)		
L	laminate top/thermoplastic edge	
W	veneer top/veneer edge A	
P	painted Formcoat® top/edge	
For thin-edge (T.)		
W	veneer top/veneer edge A	
P	painted Formcoat® top/edge	
For eased-edge (E.)		
P	painted Formcoat® top/edge	
Step 5. Leg/Base Type		
P	post leg	
Prices for Steps 1-5.		
		P
DT1MS.24	L	\$1141
	W	\$1442
	P	\$1313
30	L	\$1370
	W	\$1750
	P	\$1574
		P
DT1MT.24	W	\$1731
	P	\$1397
30	W	\$2101
	P	\$1676
		P
DT1ME.24	P	\$1397

30 P \$1676

Step 6.

Top Finish

For laminate top/thermoplastic edge (L)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
1X	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$0
4X	coriander	+\$0
5X	chamomile	+\$0
6X	cinnamon	+\$0
7X	cardamom	+\$0
8X	kale	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0

LBP	casual linen	+\$0
LBQ	white twill	+\$0
LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110


Step 9. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Round Corner Table

DT1NE.
DT1NS.
DT1NT.



Product Information
Description
This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.
Notes
Tables have an additional (5th) leg for stability.
3 36" deep tables ganged together make an 84" diameter table.
Additional ganging bracket kits (Y1338.), sold separately, can be used to ensure proper alignment with adjacent tables.
For additional details on available edge options see Appendices.
UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.
Dimensions



Specification Information	
Step 1.	
DT1N	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Depth	
24	24" deep
30	30" deep
36	36" deep
Step 4. Surface Material	
For squared-edge (S.)	
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For thin-edge (T.)	
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For eased-edge (E.)	
P	painted Formcoat® top/edge
Step 5. Leg/Base Type	
P	post leg
Prices for Steps 1-5.	
P	
DT1NS. 24 L	\$1141
W	\$1442
P	\$1313
30 L	\$1370
W	\$1750
P	\$1574
36 L	\$1598
W	\$2059
P	\$1837
P	
DT1NT. 24 W	\$1731
P	\$1397

Round Corner Table *continued*

Everywhere™ Standard-Height Tables

30 W	\$2101
P	\$1676
36 W	\$2470
P	\$1956
	P
DT1NE. 24 P	\$1397
30 P	\$1676
36 P	\$1956

Step 6.

Top Finish

For laminate top/thermoplastic edge (L)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
1X	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$0
4X	coriander	+\$0
5X	chamomile	+\$0
6X	cinnamon	+\$0
7X	cardamom	+\$0
8X	kale	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0

LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish		
98	studio white	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110

Step 9. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Flip-Top Rectangular Table

DT5AE.
DT5AS.
DT5AT.



Product Information



Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has 2 paddles under the front edge that allow the surface to flip up, minimizing space for storage when not in use. The table has T-legs and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

Thin edge and eased edge tops not available with 18"-deep surfaces.
Cable grommet options available through Vary Easy Program for round pass through grommet with 2 1/4" hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.
Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.
Multiple tables can be nested for storage when surface is flipped up. First table in nest requires 23" of floor space. All additional tables require only 9" of additional space.
Table top overhangs the base by 2 3/4" on each end.
For additional details on available edge options see Appendices.
Only fabric modesty panel (Y1114.) will enable flip top table to fold as intended. It is the recommended modesty panel for use with flip top tables. It is full length and folds out of the way for table storage.
For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.
UL listed when used with Connect single circuit electrical product (Y137x.) with T-leg (T) option.

Dimensions



Flip-Top Rectangular Table *continued*

Specification Information	
Step 1.	
DT5A	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Depth	
<i>For squared-edge (S.)</i>	
18	18" deep
24	24" deep
30	30" deep
<i>For eased-edge (E.)</i>	
24	24" deep
30	30" deep
<i>For thin-edge (T.)</i>	
24	24" deep
30	30" deep
Step 4. Width	
48	48" wide
60	60" wide
72	72" wide
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	laminate top/thermoplastic edge
W	veneer top/veneer edge <input type="checkbox"/>
P	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
W	veneer top/veneer edge <input type="checkbox"/>
P	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge
Step 6. Leg Type	
T	T-leg

Prices for Steps 1-6.			
	LT	WT	PT
DT5AS. 18 48	\$1435	1740	1651
60	\$1505	1833	1732
72	\$1582	1926	1818
24 48	\$1464	1776	1684
60	\$1537	1871	1769
72	\$1613	1965	1857
30 48	\$1552	1886	1784
60	\$1692	2060	1945
72	\$1776	2165	2042
DT5AT. 24 48	—	\$2131	1795
60	—	\$2244	1883
72	—	\$2357	1977
30 48	—	\$2264	1901
60	—	\$2471	2072
72	—	\$2598	2175
DT5AE. 24 48	—	—	\$1795
60	—	—	\$1883
72	—	—	\$1977
30 48	—	—	\$1901
60	—	—	\$2072
72	—	—	\$2175

Everywhere™ Standard-Height Tables

Flip-Top Rectangular Table *continued*

Step 7.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
ED	aged cherry A	+\$50
EK	medium red walnut A	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
UL	natural maple A	+\$50
UX	walnut on cherry A	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)


76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Flip-Top Rectangular Table *continued*

Step 9. Leg Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Standard-Height Table Leg

DT2A.



Product Information
<p>Description</p> <p>This product is a kit of a full set of table legs with attachment hardware. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.</p>
<p>Notes</p> <p>Height adjustable table legs have a 5" range in 1" increments.</p> <p>Tabletop must be no more than 30" deep and no less than 24" deep for C and D options. Tabletop must be no more than 36" deep and no less than 18" deep for P, A, and T options.</p> <p>Tabletops 54" and wider are recommended to have a steel support channel.</p> <p>Not recommended for tables wider than 84".</p> <p>Table leg must be located such that the floor glides are not more than 3" from the front and rear sides for table stability.</p> <p>Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.</p> <p>1" long screws provided with base are recommended to attach to tabletop. Ensure mounting surface is no less than 1" thick.</p>

Dimensions
<div> <p>P</p> </div>
<div> <p>T</p> </div>
<div> <p>C</p> </div>
<div> <p>A</p> </div>
<div> <p>D</p> </div>

Standard-Height Table Leg *continued*


Specification Information			
Step 1.			
DT2A.			
Step 2. Depth			
18	18" deep		
24	24" deep		
30	30" deep		
36	36" deep		
Step 3. Leg Type			
<i>For 18" deep (18) or 36" deep (36)</i>			
P	post leg		
T	T-leg		
A	T-leg with height adjustment		
<i>For 24" deep (24) or 30" deep (30)</i>			
P	post leg		
T	T-leg		
A	T-leg with height adjustment		
C	C-leg		
D	C-leg with height adjustment		
Step 4. Table Top Surface Material			
<i>For post leg (P)</i>			
P	painted table top		
Z	laminate or veneer table top		
<i>For T-leg (T), T-leg with height adjustment (A), C-leg (C), or C-leg with height adjustment (D)</i>			
N	laminate, painted or veneer table top		
Prices for Steps 1-4.			
		N	P
DT2A. 18 P		—	\$536
T		\$679	—
A		\$1034	—
24 P		—	\$536
T		\$702	—
A		\$1069	—
C		\$702	—
D		\$1083	—

30 P	—	\$536	536
T	\$702	—	—
A	\$1069	—	—
C	\$702	—	—
D	\$1083	—	—
36 P	—	\$536	536
T	\$741	—	—
A	\$1107	—	—
Step 5. Leg Finish			
8Q	folkstone grey		+\$0
91	white		+\$0
98	studio white		+\$0
BU	black umber		+\$0
CL	cool grey neutral		+\$0
G2	graphite satin		+\$0
HF	inner tone light		+\$0
LU	soft white		+\$0
MT	medium tone		+\$0
SG	slate grey		+\$0
WL	sandstone		+\$0
WN	warm grey neutral		+\$0
CN	metallic champagne		+\$20
EH	metallic bronze		+\$20
MS	metallic silver		+\$20
CD	polished aluminum		+\$110
Step 6. Casters/Glides			
20	casters		+\$0
57	glides		+\$0


Everywhere™ Standard-Height Table Legs and Bases

Standard-Height Table Base

DT2B.




Product Information
<p>Description</p> <p>This product is a kit of a full set of center column table legs with attachment hardware. It has either single column S or 4 column X leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.</p>
<p>Notes</p> <p>Tabletop must be no more than 42" deep and no less than 30" deep for X base.</p> <p>Tabletop must be no more than 36" deep and no less than 24" deep for S base.</p> <p>Table base to be centered side-to-side and left-to-right under tabletop.</p> <p>Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.</p> <p>1" long screws provided with base are recommended to attach to tabletop. Ensure mounting surface is no less than 1" thick.</p>
<p>Dimensions</p>



Specification Information
<p>Step 1.</p> <p>DT2B.</p>
<p>Step 2. Leg/Base Type</p> <p>X 4-column base</p> <p>S single-column base</p>
<p>Prices for Steps 1-2.</p> <p>DT2B. X \$749</p> <p>S \$521</p>
<p>Step 3. Leg/Base Finish</p> <p>8Q folkstone grey +\$0</p> <p>91 white +\$0</p> <p>98 studio white A +\$0</p> <p>BU black umber +\$0</p> <p>CL cool grey neutral +\$0</p> <p>G2 graphite satin +\$0</p> <p>HF inner tone light +\$0</p> <p>LU soft white +\$0</p> <p>MT medium tone +\$0</p> <p>SG slate grey +\$0</p> <p>WL sandstone +\$0</p> <p>WN warm grey neutral +\$0</p> <p>CN metallic champagne +\$20</p> <p>EH metallic bronze +\$20</p> <p>MS metallic silver +\$20</p> <p>CD polished aluminum +\$110</p>
<p>Step 4. Casters/Glides</p> <p>20 casters +\$0</p> <p>57 glides +\$0</p>

Standing-Height Square Table

DT3BE.
DT3BS.
DT3BT.



Product Information

Description


This 42"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT3B

Step 2. Edge

- S.** squared-edge
- T.** thin-edge
- E.** eased-edge

Step 3. Depth/Width

- 3030** 30" deep x 30" wide
- 3636** 36" deep x 36" wide

Step 4. Surface Material

For squared-edge (S.)

- L** laminate top/thermoplastic edge
- W** veneer top/veneer edge **A**
- P** painted Formcoat® top/edge

For thin-edge (T.)

- W** veneer top/veneer edge **A**
- P** painted Formcoat® top/edge

For eased-edge (E.)

- P** painted Formcoat® top/edge

Step 5. Base Type

- X** 4-column base

Prices for Steps 1-5.

		X
DT3BS. 3030	L	\$914
	W	\$1086
	P	\$1052
3636	L	\$1096
	W	\$1314
	P	\$1262
		X
DT3BT. 3030	W	\$1303
	P	\$1120
3636	W	\$1575
	P	\$1344
		X
DT3BE. 3030	P	\$1120

Standing-Height Square Table

continued

Everywhere™ Standing-Height Tables

3636 P \$1344

Step 6.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
ED	aged cherry A	+\$50
EK	medium red walnut A	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
UL	natural maple A	+\$50
UX	walnut on cherry A	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Standing-Height Square Table

continued


Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Step 8. Base Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CD	polished aluminum	+\$110
CL	cool grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$20
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Everywhere™ Standing-Height Tables

Standing-Height Round Table

DT3CE.
DT3CS.
DT3CT.



Product Information
<p>Description</p> <p>This 42"-high, round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.</p>
<p>Notes</p> <p>For additional details on available edge options see Appendices. For additional size, edge, and finish options, see Vary Easy Program in Appendices.</p>
<p>Dimensions</p>



Specification Information	
Step 1.	
DT3C	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Diameter	
30	30" diameter
36	36" diameter
Step 4. Surface Material	
For squared-edge (S.)	
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For thin-edge (T.)	
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For eased-edge (E.)	
P	painted Formcoat® top/edge
Step 5. Base Type	
X	4-column base
Prices for Steps 1-5.	
DT3CS. 30 L X \$1052	
W \$1248	
P \$1210	
36 L \$1261	
W \$1510	
P \$1451	
DT3CT. 30 W X \$1498	
P \$1288	
36 W \$1813	
P \$1544	
DT3CE. 30 P X \$1288	

Standing-Height Round Table

continued

36 P \$1544

Step 6.










Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$50
40	dark brown walnut 	+\$50
ED	aged cherry 	+\$50
EK	medium red walnut 	+\$50
ET	clear on ash 	+\$50
EU	oak on ash 	+\$50
EV	walnut on ash 	+\$50
UL	natural maple 	+\$50
UX	walnut on cherry 	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Everywhere™ Standing-Height Tables

Standing-Height Round Table

continued


Everywhere™ Standing-Height Tables

Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Step 8. Base Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110

Occasional Table, Square

DT4BS.
DT4BT.



Product Information

Description


This 16"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT4B

Step 2. Edge

S. squared-edge

T. thin-edge

Step 3. Depth/Width

2424 24" deep x 24" wide

3030 30" deep x 30" wide

3636 36" deep x 36" wide

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge **A**

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge **A**

P painted Formcoat® top/edge

Step 5. Base Type

S single-column base

Prices for Steps 1-5.

		S
DT4BS. 2424	L	\$698
	W	\$815
	P	\$803
3030	L	\$837
	W	\$988
	P	\$963
3636	L	\$963
	W	\$1145
	P	\$1107
		S
DT4BT. 2424	W	\$978
	P	\$855
	3030	\$1187
3030	W	\$1024
	P	\$1376
	3636	\$1179

Occasional Table, Square *continued*

Step 6.

Top Finish

For laminate top/thermoplastic edge (L)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
1X	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$0
4X	coriander	+\$0
5X	chamomile	+\$0
6X	cinnamon	+\$0
7X	cardamom	+\$0
8X	kale	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0

LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
ED	aged cherry A	+\$50
EK	medium red walnut A	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
UL	natural maple A	+\$50
UX	walnut on cherry A	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Occasional Table, Square *continued*

Step 7. Edge Finish

For laminate top/thermoplastic edge (L)


76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 8. Base Finish


8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CD	polished aluminum	+\$110
CL	cool grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$20
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Everywhere™ Occasional Tables

Occasional Table, RoundDT4CS.
DT4CT.












Product Information
Description
This 16"-high, round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.
Notes
For additional details on available edge options see Appendices. For additional size, edge, and finish options, see Vary Easy Program in Appendices.
Dimensions



Specification Information
Step 1.
DT4C
Step 2. Edge
S. squared-edge
T. thin-edge
Step 3. Diameter
30 30" diameter
36 36" diameter
Step 4. Surface Material
For squared-edge (S.)
L laminate top/thermoplastic edge
W veneer top/veneer edge A
P painted Formcoat® top/edge
For thin-edge (T.)
W veneer top/veneer edge A
P painted Formcoat® top/edge
Step 5. Base Type
S single-column base
Prices for Steps 1-5.
S
DT4CS. 30 L
W
P
36 L
W
P
S
DT4CT. 30 W
P
36 W
P
Step 6.
Top Finish
For laminate top/thermoplastic edge (L)
28 canyon +\$0
29 misted +\$0

Occasional Table, Round *continued*

38	twilight	+\$0	WL	sandstone	+\$0
39	desert	+\$0	WN	warm grey neutral	+\$0
76	light brown walnut	+\$0	X1	chalk white	+\$0
91	white	+\$0			
98	studio white	+\$0			
1X	vanilla	+\$0			
2X	wheat	+\$0			
3X	celery	+\$0			
4X	coriander	+\$0			
5X	chamomile	+\$0			
6X	cinnamon	+\$0			
7X	cardamom	+\$0			
8X	kale	+\$0			
8Q	folkstone grey	+\$0			
CL	cool grey neutral	+\$0			
HF	inner tone light	+\$0			
HM	natural maple	+\$0			
HP	light anigre	+\$0			
HT	inner tone	+\$0			
HX	aged cherry	+\$0			
HY	walnut on cherry	+\$0			
J4	frosted light grey	+\$0			
J5	frosted inner tone light	+\$0			
J7	frosted medium tone	+\$0			
LA	light ash	+\$0			
LBA	clear on ash	+\$0			
LBU	medium matte walnut	+\$0			
LBB	oak on ash	+\$0			
LBC	walnut on ash	+\$0			
LBD	dark brown walnut	+\$0			
LBE	medium red walnut	+\$0			
LBF	neutral twill	+\$0			
LBG	sarum twill	+\$0			
LBH	earthen twill	+\$0			
LBJ	graphite twill	+\$0			
LBK	pewter mesh	+\$0			
LBL	steel mesh	+\$0			
LBM	crisp linen	+\$0			
LBN	classic linen	+\$0			
LBP	casual linen	+\$0			
LBQ	white twill	+\$0			
LG	light grey (discontinuing)	+\$0			
LM	mahogany	+\$0			
LT	light tone	+\$0			
LU	soft white	+\$0			
MT	medium tone	+\$0			
OG	honey maple	+\$0			

Top/Edge Finish: Wood Veneer		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut 	+\$50
40	dark brown walnut 	+\$50
ED	aged cherry 	+\$50
EK	medium red walnut 	+\$50
ET	clear on ash 	+\$50
EU	oak on ash 	+\$50
EV	walnut on ash 	+\$50
UL	natural maple 	+\$50
UX	walnut on cherry 	+\$50

Top/Edge Finish: Opaque Formcoat®		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Step 7. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 8. Base Finish

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110



Product Information

Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is UL listed.

Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.


A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

USB ports provide 10-watt power to charge most devices and tablets at full speed.


Cord color is predetermined. For white (G1) finish cords will be white. For graphite (G1) finish cords will be black.

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions




Surface Clamp



Grommet Mount

Specification Information				
Step 1.				
Y1414. <input type="checkbox"/>				
Step 2. Configuration				
J	1 simplex receptacles, 2 powered USB <input type="checkbox"/>			
K	2 simplex receptacles <input type="checkbox"/>			
Step 3. Cord/Conduit Length				
03	3' cord/conduit <input type="checkbox"/>			
06	6' cord/conduit <input type="checkbox"/>			
10	10' cord/conduit <input type="checkbox"/>			
Step 4. Attachment				
G	grommet mount <input type="checkbox"/>			
S	surface clamp <input type="checkbox"/>			
Prices for Steps 1-4.				
			G	S
Y1414. J	03		\$332	332
	06		\$332	332
	10		\$342	342
K	03		\$185	185
	06		\$185	185
	10		\$195	195
Step 5. Finish				
91	white <input type="checkbox"/>			+\$0
98	studio white <input type="checkbox"/>			+\$0
G1	graphite <input type="checkbox"/>			+\$0



Product Information

Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.

Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.

Jumper length denotes distance between center points of each split point.

Cord length denotes distance from plug end to first split point.

All branch lengths from main power cord to module are 12".



A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

USB ports provide 10-watt power to charge most devices and tablets at full speed.


The cord head contains a circuit breaker when there are more than 3 simplex receptacles.

Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.


Dimensions



Two Power Modules



Three Power Modules



Four Power Modules

Specification Information

Step 1.

Y1415.

Step 2. Number of Modules

2 two power modules
3 three power modules
4 four power modules

Step 3. Power Type

J 1 simplex receptacles, 2 powered USB, all modules
K 2 simplex receptacles, all modules
L first module has 1 AC plus 2 powered USB all other modules have all AC simplexes

Step 4. Jumper Length

36 36" between split points
48 48" between split points
60 60" between split points

Step 5. Attachment

G grommet mount
S surface clamp

Step 6. Cord/Conduit Length

06 6' cord/conduit
10 10' cord/conduit

Prices for Steps 1-6.

		36G06	36G10	36S06	36S10	48G06	48G10
Y1415. 2	J	\$736	746	736	746	744	754
	K	\$441	451	441	451	449	459
	L	\$588	599	588	599	597	607
3	J	\$1096	1106	1096	1106	1112	1122
	K	\$669	680	669	680	686	696
	L	\$817	827	817	827	833	844
4	J	\$1488	1499	1488	1499	1513	1523
	K	\$898	908	898	908	923	933
	L	\$1046	1056	1046	1056	1070	1080
		48S06	48S10	60G06	60G10	60S06	60S10
Y1415. 2	J	\$744	754	752	763	752	763
	K	\$449	459	457	467	457	467
	L	\$597	607	605	615	605	615
3	J	\$1112	1122	1129	1139	1129	1139
	K	\$686	696	702	712	702	712
	L	\$833	844	850	860	850	860


4	J	\$1513	1523	1548	1558	1548	1558
	K	\$923	933	947	957	947	957
	L	\$1070	1080	1095	1105	1095	1105

Step 7. Finish

91 white +\$0
98 studio white +\$0
G1 graphite +\$0

Logic C1000 Universal Clamp Mount Distributor

Y1423.



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes



Clamp mounts on worksurfaces 1"-1 1/4" thick.

Faceplate color matches unit color.



Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.



Dimensions





2 simplex receptacles, 2 powered USB





4 simplex receptacles, 2 powered USB





5 simplex receptacles, 2 powered USB



3 simplex receptacles



5 simplex receptacles



6 simplex receptacles

Logic C1000 Universal Clamp Mount Distributor *continued*

Specification Information

Step 1.

Y1423. ☐

Step 2. Configuration

- A** 2 simplex receptacles, 2 powered USB ☐
- C** 4 simplex receptacles, 2 powered USB ☐
- D** 5 simplex receptacles, 2 powered USB ☐
- E** 3 simplex receptacles ☐
- F** 5 simplex receptacles ☐
- G** 6 simplex receptacles ☐

Step 3. Power Type

- A** power cord with plug end ☐
- B** conduit with open end, for hard-wiring ☐

Step 4. Cord/Conduit Length

- 03** 3' cord/conduit ☐
- 06** 6' cord/conduit ☐
- 10** 10' cord/conduit ☐

Prices for Steps 1-4.


		03	06	10
Y1423. A	A	\$449	449	459
	B	\$498	498	508
C	A	\$539	539	549
	B	\$588	588	599
D	A	\$577	577	587
	B	\$626	626	637
E	A	\$301	301	312
	B	\$351	351	361
F	A	\$392	392	402
	B	\$441	441	451
G	A	\$429	429	440
	B	\$479	479	489

Step 5. Finish

- 91** white ☐ +\$0
- 98** studio white ☐ +\$0
- G1** graphite ☐ +\$0
- MS** metallic silver ☐ +\$0

Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.







Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



Logic G1000 Grommet Mounted
Electrical Distributor *continued*

Everywhere™ Power and Data Support

Specification Information

Step 1.

Y1425. ☐

Step 2. Configuration

A	2 simplex receptacles, 2 powered USB <input type="checkbox"/>
C	4 simplex receptacles, 2 powered USB <input type="checkbox"/>
D	5 simplex receptacles, 2 powered USB <input type="checkbox"/>
E	3 simplex receptacles <input type="checkbox"/>
F	5 simplex receptacles <input type="checkbox"/>
G	6 simplex receptacles <input type="checkbox"/>

Step 3. Power Type

A	power cord with plug end <input type="checkbox"/>
B	conduit with open end, for hard-wiring <input type="checkbox"/>
C	IEC connector for Renew Tables <input type="checkbox"/>

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3' cord/conduit <input type="checkbox"/>
06	6' cord/conduit <input type="checkbox"/>
10	10' cord/conduit <input type="checkbox"/>

For conduit with open end, for hard-wiring (B)

03	3' cord/conduit <input type="checkbox"/>
06	6' cord/conduit <input type="checkbox"/>
10	10' cord/conduit <input type="checkbox"/>

For IEC connector for Renew Tables (C)

03	3' cord/conduit <input type="checkbox"/>
----	--


Prices for Steps 1-4.

		03	06	10
Y1425. A	A	\$639	639	649
	B	\$688	688	698
	C	\$649	—	—
C	A	\$741	741	751
	B	\$790	790	801
	C	\$751	—	—
D	A	\$807	807	817
	B	\$856	856	866
	C	\$817	—	—
E	A	\$491	491	501
	B	\$540	540	550
	C	\$501	—	—



F	A	\$593	593	604
	B	\$643	643	653
	C	\$604	—	—
G	A	\$659	659	669
	B	\$708	708	719
	C	\$669	—	—

Step 5. Finish



91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
G1	graphite <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$0



Product Information
Description
This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.
Notes
This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.
Dimensions



Grommet - Rectangle




Grommet - Square

Specification Information		
Step 1.		
Y1412.		
Step 2. Configuration		
1	mini rectangle grommet	
2	mini square grommet	
Prices for Steps 1-2.		
Y1412. 1		\$26
2		\$30
Step 3. Finish		
91	white	+\$0
98	studio white	+\$0
G1	graphite	+\$0


Logic G1200 Grommet Pass Thru

Y1420.



Product Information
Description
This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.
Notes
Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.
Dimensions


Everywhere™ Power and Data Support




Specification Information
Step 1.
Y1420. A
Step 2. Configuration
T three outlet opening A
V five outlet opening A
X six outlet opening A
Prices for Steps 1-2.
Y1420. T \$214
V \$235
X \$255
Step 3. Finish
91 white A +\$0
98 studio white A +\$0
G1 graphite A +\$0
MS metallic silver A +\$0

Logic HD Cable Manager


Y1424.




Product Information
Description
This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.
Dimensions




Specification Information
Step 1.
Y1424. A
Step 2. Size
17 17" wide tray A
Prices for Steps 1-2.
Y1424. 17 \$235
Step 3. Finish
91 white A +\$0
98 studio white A +\$0
G1 graphite A +\$0
MS metallic silver A +\$0




Product Information
Description
This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/ data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.
Notes
Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.
Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.
Dimensions



Specification Information				
Step 1.				
Y1321.				
Step 2. Power Type				
A	power cord with plug end			
B	conduit with open end, for hard-wiring			
Step 3. Cord/Conduit Length				
03	3' cord/conduit			
06	6' cord/conduit			
10	10' cord/conduit			
20	20' cord/conduit			
Prices for Steps 1-3.				
	03	06	10	20
Y1321. A	\$199	199	208	255
B	\$251	251	260	308
Step 4. Wiring Type				
4Z	standard			+\$0
LZ	PVC-free			+\$39
Step 5. Finish				
0H	black			+\$0




Product Information
Description
This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.
Notes
Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.
Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.
Distributor with silver finish option (OI) or white finish option (OJ) and standard wiring (4Z) has painted metal trim with white plastic simplex/data interior. Distributor with black finish option (OH) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.
Dimensions



Specification Information
Step 1.
Y1322.
Step 2. Configuration
1 1 simplex receptacle, 1 data opening
2 2 simplex receptacles
Step 3. Power Type
A power cord with plug end
B conduit with open end, for hard-wiring
Step 4. Cord/Conduit Length
03 3' cord/conduit
06 6' cord/conduit
10 10' cord/conduit
20 20' cord/conduit
Prices for Steps 1-4.
Y1322. 1 A \$237 237 246 293
B \$288 288 297 343
2 A \$251 251 260 308
B \$302 302 313 360
Step 5. Wiring Type
4Z standard +\$0
LZ PVC-free +\$39
Step 6. Finish
OH black +\$0
OI silver +\$0
OJ white +\$0

Everywhere™ Power and Data Support




Product Information

Description
This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.
Silver option (OI) and white option (OJ) have painted metal trim with white plastic simplex/data interiors. Black option (OH) has black painted trim with black plastic simplex/data interior.
Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8" wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11" wide.

Dimensions



Specification Information

Step 1.
Y1323.

Step 2. Configuration

- 3** 2 simplex receptacles, 2 data openings
- 4** 3 simplex receptacles, 3 data openings

Step 3. Power Type

- A** power cord with plug end
- B** conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03** 3' cord/conduit
- 06** 6' cord/conduit
- 10** 10' cord/conduit
- 20** 20' cord/conduit

Step 5. Attachment

- G** grommet mount
- S** surface clamp


Prices for Steps 1-5.

		03G	03S	06G	06S	10G	10S
Y1323. 3	A	\$271	271	271	271	280	280
	B	\$322	322	322	322	331	331
4	A	\$337	337	337	337	346	346
	B	\$390	390	390	390	400	400

		20G	20S
Y1323. 3	A	\$327	327
	B	\$377	377
4	A	\$395	395
	B	\$446	446

Step 6. Finish

- OH** black +\$0
- OI** silver +\$0
- OJ** white +\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 4 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver anodized finish option (oK) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior. Distributor with silver anodized finish option (oK) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8¹/₄" wide. Overall width for distributor with 3 simplex receptacles, 4 data openings option (5) is 12³/₄" wide.

Dimensions



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
5	3 simplex receptacles, 4 data openings

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1324. 3	A	\$377	377	386	434
	B	\$429	429	440	486
	5 A	\$485	485	495	541
	B	\$537	537	543	589

Step 5. Wiring Type

4Z	standard	+\$0
LZ	PVC-free	+\$39

Step 6. Finish

OK	silver anodized	+\$0
-----------	-----------------	------



Product Information

Description

This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver anodized option (OK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8³/₈" wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11³/₈" wide.

Dimensions




Specification Information

Step 1.					
Y1325.					
Step 2. Configuration					
3	2 simplex receptacles, 2 data openings				
7	3 simplex receptacles, 3 data openings				
Step 3. Power Type					
A	power cord with plug end				
B	conduit with open end, for hard-wiring				
Step 4. Cord/Conduit Length					
03	3' cord/conduit				
06	6' cord/conduit				
10	10' cord/conduit				
20	20' cord/conduit				
Prices for Steps 1-4.					
		03	06	10	20
Y1325.	3 A	\$445	445	454	501
	B	\$497	497	506	552
	7 A	\$511	511	522	569
	B	\$563	563	574	620
Step 5. Finish					
OK	silver anodized				+\$0


Cable Management Clip

DT9A.




Product Information
Description
This plastic clip snaps onto an Everywhere™ table leg to route cables or cords. Finish is clear. Package of 10.
Dimensions

Specification Information
Step 1.
DT9A. \$36



Vertical Cord Covers

DT9B.




Product Information

Description
These cord covers attach to Everywhere table T-leg and Y-leg sections that have either casters or glides. The covers are field installed, and are easily removed and reinstalled for ease of cable management.


Notes
The T cover works with both the (T) and (C) base options.
The Y cover works with both the (E) and (G) base options.
To ensure proper height of the covers, select (C) if your table has casters or select (G) if your table has glides.

Dimensions


Everywhere™ Accessories




T-leg with casters



T-leg with glides



Y-leg with casters



Y-leg with glides

Specification Information

Step 1.
DT9B.

Step 2. Leg Type
T T-leg
E Y-leg


Prices for Steps 1-2.
DT9B. T \$258
E \$258

Step 3. Caster or Glide Table
C for table with caster base +\$0
G for table with glide base +\$0

Step 4. Leg/Base Finish
8Q folkstone grey +\$0
91 white +\$0
98 studio white +\$0
BU black umber +\$0
CL cool grey neutral +\$0
G2 graphite satin +\$0
HF inner tone light +\$0
LU soft white +\$0
MT medium tone +\$0
SG slate grey +\$0
WL sandstone +\$0
WN warm grey neutral +\$0
CN metallic champagne +\$20
EH metallic bronze +\$20
MS metallic silver +\$20

Modesty Panel

Y1113.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

Step 4. Surface Material

L	laminate top/thermoplastic edge
W	veneer top/veneer edge

Prices for Steps 1-4.


		L	W
Y1113. 24	N	\$188	334
	Y	\$335	498
30	N	\$205	375
	Y	\$380	568
36	N	\$224	417
	Y	\$414	626
42	N	\$242	459
	Y	\$456	692
48	N	\$260	500
	Y	\$499	759
54	N	\$280	542
	Y	\$541	826
60	N	\$298	583
	Y	\$583	892
66	N	\$298	624
	Y	\$625	958
72	N	\$322	665
	Y	\$666	1024

Step 5. Finish

<i>For laminate top/thermoplastic edge (L)</i>		
8Q	folkstone grey	+\$0
91	white	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0

Fabric Modesty Panel

Y1114.



Product Information

Description


This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.

Dimensions



Specification Information

Step 1.

Y1114. A

Step 2. Width

24	24" wide	A
30	30" wide	A
36	36" wide	A
42	42" wide	A
48	48" wide	A
54	54" wide	A
60	60" wide	A
66	66" wide	A
72	72" wide	A

Prices for Steps 1-2.

Y1114. 24	\$172
30	\$187
36	\$203
42	\$215
48	\$230
54	\$258
60	\$271
66	\$286
72	\$297


Step 3. Fabric

Price Category 1	+\$0
------------------	------

Everywhere™ Accessories

Cable Trough

Y1200.



Product Information


Description

This trough attaches to a table, desk, peninsula, or work surface to hold and conceal cords and cables. It pivots down to allow easy access when laying cords inside, and can be specified with an optional modesty panel. The modesty panel has a fabric surface with aluminum top rail. Attachment hardware is included.

Notes

Specify trough to be equal to or less than the surface width.

Dimensions



Specification Information

Step 1.

Y1200.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Modesty Panel Option

N	no modesty panel
M	modesty panel

Prices for Steps 1-3.

	N	M
Y1200. 24	\$269	344
30	\$293	386
36	\$323	421
42	\$353	461
48	\$381	501

Step 4. Cable Trough Finish

AN	clear anodized aluminum	+\$0
----	-------------------------	------


Step 5. Modesty Panel Fabric

For modesty panel (M)


Price Category 1	+\$0
------------------	------

Cable Management Trough, Work Surface Suspended

AO382.




Product Information
Description
This trough attaches under an Action Office® suspended work surface to manage cables. Attachment hardware is included.
Dimensions



Specification Information
Step 1.
AO382.
Step 2. Width
30 30" wide
40 40" wide
Prices for Steps 1-2.
AO382. 30 \$74
40 \$90
Step 3. Surface Finish
BU black umber +\$0
MT medium tone +\$0

Cord Manager


FV984.



Product Information

Description
This cord manager routes a cord from the underside of a hutch to the surface when a task light is attached. Color is black. Package of 6.

Dimensions



Specification Information


Step 1.
FV984.

Step 2. Height

12	12" high
24	24" high
30	29 1/2" high

Prices for Steps 1-2.

FV984. 12	\$77
24	\$117
30	\$142



Product Information

Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is UL listed.

Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.


A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

USB ports provide 10-watt power to charge most devices and tablets at full speed.


Cord color is predetermined. For white (G1) finish cords will be white. For graphite (G1) finish cords will be black.

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions



Surface Clamp



Grommet Mount

Specification Information

Step 1.

Y1414. ☐ A

Step 2. Configuration

J 1 simplex receptacles, 2 powered USB ☐ A

K 2 simplex receptacles ☐ A

Step 3. Cord/Conduit Length

03 3' cord/conduit ☐ A

06 6' cord/conduit ☐ A

10 10' cord/conduit ☐ A

Step 4. Attachment

G grommet mount ☐ A

S surface clamp ☐ A

Prices for Steps 1-4.


		G	S
Y1414. J	03	\$332	332
	06	\$332	332
	10	\$342	342
K	03	\$185	185
	06	\$185	185
	10	\$195	195

Step 5. Finish

91 white ☐ A +\$0

98 studio white ☐ A +\$0

G1 graphite ☐ A +\$0



Product Information

Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.

Notes

Cable clips for cord management are intended for a 1-time installation. Clamp versions can be reoriented in the field by a technician. Jumper length denotes distance between center points of each split point.

Cord length denotes distance from plug end to first split point.

All branch lengths from main power cord to module are 12".



A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

USB ports provide 10-watt power to charge most devices and tablets at full speed.


The cord head contains a circuit breaker when there are more than 3 simplex receptacles.

Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.


Dimensions



Two Power Modules



Three Power Modules



Four Power Modules

Specification Information

Step 1.

Y1415.

Step 2. Number of Modules

2 two power modules

3 three power modules

4 four power modules

Step 3. Power Type

J 1 simplex receptacles, 2 powered USB, all modules

K 2 simplex receptacles, all modules

L first module has 1 AC plus 2 powered USB all other modules have all AC simplexes

Step 4. Jumper Length

36 36" between split points

48 48" between split points

60 60" between split points

Step 5. Attachment

G grommet mount

S surface clamp

Step 6. Cord/Conduit Length

06 6' cord/conduit

10 10' cord/conduit

Prices for Steps 1-6.

		36G06	36G10	36S06	36S10	48G06	48G10
Y1415. 2	J	\$736	746	736	746	744	754
	K	\$441	451	441	451	449	459
	L	\$588	599	588	599	597	607
3	J	\$1096	1106	1096	1106	1112	1122
	K	\$669	680	669	680	686	696
	L	\$817	827	817	827	833	844
4	J	\$1488	1499	1488	1499	1513	1523
	K	\$898	908	898	908	923	933
	L	\$1046	1056	1046	1056	1070	1080
		48S06	48S10	60G06	60G10	60S06	60S10
Y1415. 2	J	\$744	754	752	763	752	763
	K	\$449	459	457	467	457	467
	L	\$597	607	605	615	605	615
3	J	\$1112	1122	1129	1139	1129	1139
	K	\$686	696	702	712	702	712
	L	\$833	844	850	860	850	860

4	J	\$1513	1523	1548	1558	1548	1558
	K	\$923	933	947	957	947	957
	L	\$1070	1080	1095	1105	1095	1105

Step 7. Finish


91 white +\$0

98 studio white +\$0

G1 graphite +\$0

Logic C1000 Universal Clamp Mount Distributor

Y1423.



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes



Clamp mounts on worksurfaces 1"-1 1/4" thick.

Faceplate color matches unit color.



Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.



Dimensions





2 simplex receptacles, 2 powered USB





4 simplex receptacles, 2 powered USB





5 simplex receptacles, 2 powered USB



3 simplex receptacles



5 simplex receptacles



6 simplex receptacles

Logic C1000 Universal Clamp
Mount Distributor *continued*

Everywhere™ Accessories

Specification Information

Step 1.

Y1423. ☐ A

Step 2. Configuration

- A 2 simplex receptacles, 2 powered USB ☐ A
- C 4 simplex receptacles, 2 powered USB ☐ A
- D 5 simplex receptacles, 2 powered USB ☐ A
- E 3 simplex receptacles ☐ A
- F 5 simplex receptacles ☐ A
- G 6 simplex receptacles ☐ A

Step 3. Power Type

- A power cord with plug end ☐ A
- B conduit with open end, for hard-wiring ☐ A

Step 4. Cord/Conduit Length

- 03 3' cord/conduit ☐ A
- 06 6' cord/conduit ☐ A
- 10 10' cord/conduit ☐ A

Prices for Steps 1-4.


		03	06	10
Y1423. A	A	\$449	449	459
	B	\$498	498	508
C	A	\$539	539	549
	B	\$588	588	599
D	A	\$577	577	587
	B	\$626	626	637
E	A	\$301	301	312
	B	\$351	351	361
F	A	\$392	392	402
	B	\$441	441	451
G	A	\$429	429	440
	B	\$479	479	489

Step 5. Finish

- 91 white ☐ A +\$0
- 98 studio white ☐ A +\$0
- G1 graphite ☐ A +\$0
- MS metallic silver ☐ A +\$0

Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.







Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425. ☐

Step 2. Configuration

A	2 simplex receptacles, 2 powered USB <input type="checkbox"/>
C	4 simplex receptacles, 2 powered USB <input type="checkbox"/>
D	5 simplex receptacles, 2 powered USB <input type="checkbox"/>
E	3 simplex receptacles <input type="checkbox"/>
F	5 simplex receptacles <input type="checkbox"/>
G	6 simplex receptacles <input type="checkbox"/>

Step 3. Power Type

A	power cord with plug end <input type="checkbox"/>
B	conduit with open end, for hard-wiring <input type="checkbox"/>
C	IEC connector for Renew Tables <input type="checkbox"/>

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3' cord/conduit <input type="checkbox"/>
06	6' cord/conduit <input type="checkbox"/>
10	10' cord/conduit <input type="checkbox"/>

For conduit with open end, for hard-wiring (B)

03	3' cord/conduit <input type="checkbox"/>
06	6' cord/conduit <input type="checkbox"/>
10	10' cord/conduit <input type="checkbox"/>

For IEC connector for Renew Tables (C)

03	3' cord/conduit <input type="checkbox"/>
-----------	--


Prices for Steps 1-4.

		03	06	10
Y1425. A	A	\$639	639	649
	B	\$688	688	698
	C	\$649	—	—
	C A	\$741	741	751
	B	\$790	790	801
	C	\$751	—	—
	D A	\$807	807	817
	B	\$856	856	866
	C	\$817	—	—
	E A	\$491	491	501
	B	\$540	540	550
	C	\$501	—	—



F A	\$593	593	604
B	\$643	643	653
C	\$604	—	—
G A	\$659	659	669
B	\$708	708	719
C	\$669	—	—

Step 5. Finish



91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
G1	graphite <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$0



Product Information
Description
This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.
Notes
This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.
Dimensions



Grommet - Rectangle




Grommet - Square

Specification Information
Step 1.
Y1412.
Step 2. Configuration
1 mini rectangle grommet
2 mini square grommet
Prices for Steps 1-2.
Y1412. 1 \$26
2 \$30
Step 3. Finish
91 white +\$0
98 studio white +\$0
G1 graphite +\$0

Connect™-Ganging Bracket Kit

Y1338.



Product Information

Description

This kit has 2 clips that attach to the underside of 2 adjacent surfaces, ganging them together to provide stability and allowing electrical components to be routed from 1 surface to another. Finish is black.

Notes

Ganging bracket kit should not be used on 18"-deep Everywhere™ tables.


Dimensions

Specification Information


Step 1.

Y1338.


\$75




Everywhere™ Accessories



Product Information
Description
This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.
Notes
Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.
Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.
Dimensions



Specification Information				
Step 1.				
Y1321.				
Step 2. Power Type				
A	power cord with plug end			
B	conduit with open end, for hard-wiring			
Step 3. Cord/Conduit Length				
03	3' cord/conduit			
06	6' cord/conduit			
10	10' cord/conduit			
20	20' cord/conduit			
Prices for Steps 1-3.				
	03	06	10	20
Y1321. A	\$199	199	208	255
B	\$251	251	260	308
Step 4. Wiring Type				
4Z	standard			+\$0
LZ	PVC-free			+\$39
Step 5. Finish				
0H	black			+\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver finish option (oI) or white finish option (oJ) and standard wiring (4Z) has painted metal trim with white plastic simplex/data interior. Distributor with black finish option (oH) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.

Dimensions



Specification Information

Step 1.

Y1322.

Step 2. Configuration	
1	1 simplex receptacle, 1 data opening
2	2 simplex receptacles


Step 3. Power Type	
A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length	
03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit


Prices for Steps 1-4.		03	06	10	20
Y1322. 1	A	\$237	237	246	293
	B	\$288	288	297	343
2	A	\$251	251	260	308
	B	\$302	302	313	360

Step 5. Wiring Type		
4Z	standard	+\$0
LZ	PVC-free	+\$39


Step 6. Finish		
oH	black	+\$0
oI	silver	+\$0
oJ	white	+\$0



Product Information
Description
This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.
Notes
Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.
Silver option (OI) and white option (OJ) have painted metal trim with white plastic simplex/data interiors. Black option (OH) has black painted trim with black plastic simplex/data interior.
Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8" wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11" wide.
Dimensions



Specification Information								
Step 1.								
Y1323.								
Step 2. Configuration								
3	2 simplex receptacles, 2 data openings							
4	3 simplex receptacles, 3 data openings							
Step 3. Power Type								
A	power cord with plug end							
B	conduit with open end, for hard-wiring							
Step 4. Cord/Conduit Length								
03	3' cord/conduit							
06	6' cord/conduit							
10	10' cord/conduit							
20	20' cord/conduit							
Step 5. Attachment								
G	grommet mount							
S	surface clamp							
Prices for Steps 1-5.								
			03G	03S	06G	06S	10G	10S
Y1323.	3	A	\$271	271	271	271	280	280
		B	\$322	322	322	322	331	331
	4	A	\$337	337	337	337	346	346
		B	\$390	390	390	390	400	400
							20G	20S
Y1323.	3	A					\$327	327
		B					\$377	377
	4	A					\$395	395
		B					\$446	446
Step 6. Finish								
0H	black							+\$0
0I	silver							+\$0
0J	white							+\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 4 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver anodized finish option (oK) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior. Distributor with silver anodized finish option (oK) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8³/₄" wide. Overall width for distributor with 3 simplex receptacles, 4 data openings option (5) is 12³/₄" wide.

Dimensions



Specification Information

Step 1.

Y1324.

Step 2. Configuration

- 3 2 simplex receptacles, 2 data openings
- 5 3 simplex receptacles, 4 data openings

Step 3. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1324.	3 A	\$377	377	386	434
	B	\$429	429	440	486
	5 A	\$485	485	495	541
	B	\$537	537	543	589

Step 5. Wiring Type

- 4Z standard +\$0
- LZ PVC-free +\$39

Step 6. Finish

- OK silver anodized +\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8³/₈" wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11³/₈" wide.

Dimensions



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

7 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03 3' cord/conduit

06 6' cord/conduit

10 10' cord/conduit

20 20' cord/conduit


Prices for Steps 1-4.		03	06	10	20
Y1325.	3 A	\$445	445	454	501
	B	\$497	497	506	552
	7 A	\$511	511	522	569
	B	\$563	563	574	620

Step 5. Finish

oK silver anodized +\$0


Connect™ - S710 - Connect Single
Circuit Power Unit

Y1371.




Product Information
Description
This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.
Notes
Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.
UL listed when used in conjunction with most Everywhere™ fixed height tables.
To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.
Order single circuit power entry (Y1377.) separately.
Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.
Dimensions

Specification Information
Step 1.
Y1371.
Step 2. Configuration
32 simplex receptacles, 2 data openings
Step 3. Cord Length
6060" long
Prices for Steps 1-3.
60
Y1371. 3\$310
Step 4. Finish
0Hblack+\$0




Connect™ - S720 - Connect Single
Circuit Power Unit

Y1372.



Product Information
Description
This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. Cord length is 60". A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.
Notes
Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.
UL listed when used in conjunction with most Everywhere™ fixed height tables.
To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.
Order single circuit power entry (Y1377.) separately.
Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.
Silver option (OI) and white option (OJ) have painted metal trim with white plastic simplex/data interiors. Black option (OH) has black painted trim with black plastic simplex/data interior.
Dimensions




Specification Information
Step 1.
Y1372.
Step 2. Configuration
11 simplex receptacle, 1 data opening
22 simplex receptacles
Step 3. Cord Length
6060" long
Prices for Steps 1-3.
Y1372. 1
2
Step 4. Finish
OHblack
OIsilver
OJwhite

Everywhere™ Accessories

Connect™ - S730 - Connect Single
Circuit Power Unit

Y1373.



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface or with an edge clamp mount. It has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.

Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver option (OI) and white option (OJ) have painted metal trim with white plastic simplex/data interiors. Black option (OH) has black painted trim with black plastic simplex/data interior.

Dimensions

Specification Information

Step 1.

Y1373.

Step 2. Configuration

32 simplex receptacles, 2 data openings

Step 3. Cord Length

6060" long

Step 4. Attachment

Ggrommet mount

Ssurface clamp


Prices for Steps 1-4.

	G	S
Y1373. 3 60	\$390	379


Step 5. Finish

OH	black	+\$0
OI	silver	+\$0
OJ	white	+\$0

Everywhere™ Accessories



Connect™ - S740 - Connect Single Circuit Power Unit Y1374.



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.


Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings is 8 1/4" wide.

Dimensions




Connect™ - S740 - Connect Single Circuit Power Unit *continued*

Specification Information		
Step 1.		
Y1374.		
Step 2. Configuration		
3	2 simplex receptacles, 2 data openings	
Step 3. Cord Length		
60	60" long	
Prices for Steps 1-3.		
		60
Y1374. 3		\$484
Step 4. Finish		
OK	silver anodized	+\$0

Everywhere™ Accessories

Connect™ - S750 - Connect Single Circuit Power Unit Y1375.



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The lid can be closed once devices are connected for a clean visual appearance. The distributor has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.


Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings is 8³/₈" wide.

Dimensions




Connect™ - S750 - Connect Single Circuit Power Unit *continued*

Specification Information		
Step 1.		
Y1375.		
Step 2. Configuration		
3	2 simplex receptacles, 2 data openings	
Step 3. Cord Length		
60	60" long	
Prices for Steps 1-3.		
		60
Y1375. 3		\$549
Step 4. Finish		
OK	silver anodized	+\$0


Everywhere™ Accessories

Connect™ Single Circuit Electrical Power Entry

Y1377.




Product Information
<p>Description</p> <p>This standard receptacle 15-amp power entry provides power for single circuit electrical distributors. Up to 8 single circuit modular electrical distributors can be daisy chained and connected in any order. If more than 8 units are connected to this power entry, the system automatically shuts down and a red LED illuminates. A green LED indicates that more units can be connected and the system is ready. Standard attachment hardware is included.</p>
<p>Notes</p> <p>UL listed when used in conjunction with most Everywhere™ fixed height tables.</p> <p>Order electrical distributors (Y1371., Y1372., Y1373., Y1374., Y1375.) and single circuit jumpers (Y1378.) separately.</p>
<p>Dimensions</p>



Specification Information
<p>Step 1.</p> <p>Y1377.</p>
<p>Step 2. Cord Length</p> <p>06 6' long</p> <p>10 10' long</p>
<p>Prices for Steps 1-2.</p> <p>Y1377. 06 \$443</p> <p>10 \$464</p>

Connect™ Single Circuit Electrical By-Pass Jumper Y1378.



Product Information

Description

This electrical jumper provides additional length for the Connect™ single circuit modular electrical system. Jumpers are available in a variety of lengths and count as one of the 8 electrical distributors allowed per power entry.

Notes

UL listed when used in conjunction with most Everywhere™ fixed height tables.

Order electrical distributors (Y1371., Y1372., Y1373., Y1374., Y1375.) and single circuit power entry (Y1377.) separately.

Dimensions

Specification Information

Step 1.

Y1378.


Step 2. Cord Length

12	12" long
24	24" long
36	36" long
48	48" long
60	60" long

Prices for Steps 1-2.

Y1378. 12	\$91
24	\$99
36	\$109
48	\$117
60	\$125

Everywhere™ Accessories



Index by Product Name

Everywhere™ Tables	
Cable Management Clip	page(s) 89
Cable Management Trough, Work Surface Suspended	95
Cable Trough	94
Classroom Curve Table	44
Concave Rectangle	34
Conference Corner Table	48
Connect™ - Ganging Bracket Kit	106
Connect™ - S100	107, 84
Connect™ - S200	108, 85
Connect™ - S300	109, 86
Connect™ - S400	110, 87
Connect™ - S500	111, 88
Connect™ - S710 - Connect Single Circuit Power Unit	112
Connect™ - S720 - Connect Single Circuit Power Unit	113
Connect™ - S730 - Connect Single Circuit Power Unit	114
Connect™ - S740 - Connect Single Circuit Power Unit	115
Connect™ - S750 - Connect Single Circuit Power Unit	117
Connect™ Single Circuit Electrical By-Pass Jumper	120
Connect™ Single Circuit Electrical Power Entry	119
Cord Manager	96
D-Shaped Table	23
Fabric Modesty Panel	93
Flip-Top Rectangular Table	54
Logic C1000 Universal Clamp Mount Distributor	101, 77
Logic G1000 Grommet Mounted Electrical Distributor	103, 79
Logic G1200 Grommet Pass Thru	82
Logic HD Cable Manager	83
Logic Mini	97, 73
Logic Mini Grommet	105, 81
Logic Mini - Vine	99, 75
Modesty Panel	91
Occasional Table, Round	70
Occasional Table, Square	67
Oval Table	19
Rectangular Table	5
Round Corner Table	51
Round Table	15
Soft Rectangle - Meeting Table	27
Soft Square Table	38
Square Table	11
Standard-Height Table Base	60
Standard-Height Table Leg	58
Standing-Height Round Table	64
Standing-Height Square Table	61
Tear Drop Table	41
Vertical Cord Covers	90

Video Oval - Meeting Table

31

Index: Product Name

Index by Product Number

AO382. Cable Management Trough, Work Surface	
Suspended	page(s) 95
DT1AE. Rectangular Table	5
DT1AS.	
DT1AT.	
DT1BE. Square Table	11
DT1BS.	
DT1BT.	
DT1CE. Round Table	15
DT1CS.	
DT1CT.	
DT1DE. Oval Table	19
DT1DS.	
DT1DT.	
DT1EE. D-Shaped Table	23
DT1ES.	
DT1ET.	
DT1FE. Soft Rectangle - Meeting Table	27
DT1FS.	
DT1FT.	
DT1GE. Video Oval - Meeting Table	31
DT1GS.	
DT1GT.	
DT1HE. Concave Rectangle	34
DT1HS.	
DT1HT.	
DT1JE. Soft Square Table	38
DT1JS.	
DT1JT.	
DT1KE. Tear Drop Table	41
DT1KS.	
DT1KT.	
DT1LE. Classroom Curve Table	44
DT1LS.	
DT1LT.	
DT1ME. Conference Corner Table	48
DT1MS.	
DT1MT.	
DT1NE. Round Corner Table	51
DT1NS.	
DT1NT.	
DT2A. Standard-Height Table Leg	58
DT2B. Standard-Height Table Base	60
DT3BE. Standing-Height Square Table	61
DT3BS.	
DT3BT.	
DT3CE. Standing-Height Round Table	64



DT3CS.	
DT3CT.	
DT4BS. Occasional Table, Square	67
DT4BT.	
DT4CS. Occasional Table, Round	70
DT4CT.	
DT5AE. Flip-Top Rectangular Table	54
DT5AS.	
DT5AT.	
DT9A. Cable Management Clip	89
DT9B. Vertical Cord Covers	90
FV984. Cord Manager	96
Y1113. Modesty Panel	91
Y1114. Fabric Modesty Panel	93
Y1200. Cable Trough	94
Y1321. Connect™-S100	107, 84
Y1322. Connect™-S200	108, 85
Y1323. Connect™-S300	109, 86
Y1324. Connect™-S400	110, 87
Y1325. Connect™-S500	111, 88
Y1338. Connect™-Ganging Bracket Kit	106
Y1371. Connect™ - S710 - Connect Single Circuit Power Unit	112
Y1372. Connect™ - S720 - Connect Single Circuit Power Unit	113
Y1373. Connect™ - S730 - Connect Single Circuit Power Unit	114
Y1374. Connect™ - S740 - Connect Single Circuit Power Unit	115
Y1375. Connect™ - S750 - Connect Single Circuit Power Unit	117
Y1377. Connect™ Single Circuit Electrical Power Entry	119
Y1378. Connect™ Single Circuit Electrical By-Pass Jumper	120
Y1412. Logic Mini Grommet	105, 81
Y1414. Logic Mini	97, 73
Y1415. Logic Mini - Vine	99, 75
Y1420. Logic G1200 Grommet Pass Thru	82
Y1423. Logic C1000 Universal Clamp Mount Distributor	101, 77
Y1424. Logic HD Cable Manager	83
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	103, 79



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Stain-to-Match Program

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

Ordering Products with Stain-to-Match Veneers

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to:
options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STB: Stain-to-Match on Beech
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STM: Stain-to-Match on Recut Mahogany
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.



Vary Easy Program

Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, ●, Action Office, Aeron, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ AireWeave, Bubbletack, Cellular Suspension, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lyris 2, Motia, Multiscrim, Nelson, Renew, Stackable, Swoop, TriFlex, Twist, and Verus are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

®Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.