

March 12, 2007

Updated October 3, 2018

800-424-2432





Contents

Refer to KI Terms & Conditions document or visit ki.com.

Quick Ship Purchase Order Cover Sheet

General Information	2
---------------------	---

3 Day Seating - Task/Conference

Altus™ - General Information	4
Altus®	6
Strive® - General Information	8
Strive®	10

3 Day Seating - Stack

Strive® - General Information	12
Strive® - Four Leg	14
Strive® - Sled Base	16
Strive® High Density - General Information	18
Strive® - High Density	20

10 Days or Less Seating - Guest

Doni® General Information	22
Doni®	24

10 Days or Less Seating - Task

Doni® General Information	26
Doni®	28
FourC™ General Information	32
FourC™	34
Grazie® - General Information	36
Grazie®	38
Impress® - General Information	40
Impress®	42
Impress® Ultra - General Information	44
Impress® Ultra	46
Oath™ - General Information	48
Oath™	52

10 Days or Less Seating - Stack

Doni® General Information	54
Doni®	56
Grazie® General Information	64
Grazie®	66
Maestro® High Density - General Information	70
Maestro® High Density	72

10 Days or Less Seating - Lobby and Lounge

MyPlace™ - General Information	74
MyPlace™	80
Sela® - General Information	96
Sela®	98

10 Days or Less Tables - Folding

DuraLite® Lightweight Folding Tables - General Information	100
DuraLite® Lightweight Folding Tables	102
ValueLite® Folding Tables - General Information	104
ValueLite® Folding Tables	106

10 Days or Less Tables - Contract

Pillar™ Tables - General Information	108
Pillar™ Tables - Rectangular - 29" High, 24",30" and 36" Deep	112
Pillar™ Tables - Large Rectangular - 29" High, 42" and 48" Deep	114
Pillar™ Tables - Reduction 29" High, 24-30 and 30-24	116
Pillar™ Tables - Square - 29" High	118
Pillar™ Tables - Round - 29" High	120
Pillar™ Tables - Sprocket and Diamond Shape - 29" High	122
Pirouette® Tables - General Information	124
Pirouette® Tables - Fixed-Rectangular-29" High (Training)	128
Pirouette® Tables - Fixed-Rectangular-29" High (Conference)	130
Pirouette® Tables - Fixed-Chevron-29" High (Standard Height)	132
Pirouette® Tables - Fixed-Double Chevron-29" High (Standard Height)	134
Pirouette® Tables - Fixed-Guitar Pick-29" High (Standard Height)	136
Pirouette® Tables - Fixed-Square-29" High (Standard Height)	138
Pirouette® Tables - Fixed-Round-29" High (Standard Height)	140
Pirouette® Tables - Fixed-Scale Up-29" High (Standard Height)	142
Pirouette® Tables - Nesting-Rectangular-29" High (Training)	144
Pirouette® Tables - Nesting-Chevron-29" High (Standard Height)	146
Pirouette® Tables - Nesting-Double Chevron-29" High (Standard	

Height)	148
Pirouette® Tables - Nesting-Round-29" High (Standard Height)	150
Pirouette® Tables - Nesting-Half Round-29" High (Standard Height)	152

10 Days or Less - Files and Storage

700 Series® Lateral Files and Storage - General Information	154
700 Series® OF Lateral Files/Storage Cabinets - General Information	156
700 Series® Preconfigured Lateral Files Drawer Units	158
700 Series® Preconfigured Multimedia Storage Cupboard/Lateral	162
700 Series® Bookcases 15" Deep	164
700 Series® Vertical Files Letter/Legal Size Documents	166
Vertical File Accessories	168
700 Series® Pedestals - Mobile and Freestanding	170
700 Series® Pedestals - Hanging	172

10 Days or Less - Desking

WorkZone® Basic Worksurfaces - General Information	174
WorkZone® Basic Worksurfaces	176
WorkZone® Transitional Worksurfaces	182
WorkZone® Components Privacy Screens	184
WorkZone® Components Universal Overhead Storage	186
WorkZone® Components Universal Tasklight	188
700 Series® Desk - Product Offering	174
700 Series® Desk - Specifications	174
700 Series® Desk - Desk>Returns/Corner	194
700 Series® Desk - Bridges	196
700 Series® Desk - Overhead Storage	198
700 Series® Desk - Tackboards/Screens	200

Index	202
-------	-----

Quick Ship Purchase Order Cover Sheet

General Information

QUICK SHIP PURCHASE ORDER COVER SHEET

Order Entry Fax 1-800-405-2264/Email order.entry@ki.com



NOTE: COMPLETE DATA FIELDS ONLY IF DETAILS ARE NOT INCLUDED ON PURCHASE ORDER

FROM DATE
OF PAGES PURCHASE ORDER

QUICK SHIP PROGRAM REQUIREMENTS

- A completed Quick Ship Purchase Order Cover Sheet must accompany all Quick Ship purchase orders.
- All products on purchase order must be identified Quick Ship model number and options.
- All Quick Ship products will ship directly from the KI manufacturing facility in 10 working days or less.
- All Quick Ship purchase orders received after 2PM CST will be acknowledged as received the next working day.
- All Quick Ship purchase orders must be received with complete and correct information. If a purchase order is received with missing, incomplete, or incorrect information, the quick ship leadtime will not begin until all questions are confirmed in writing.
- All Quick Ship purchase orders received are non-cancellable and non-returnable.

Sold To Name
Account #
Address
City/State/Zip

*Bill To Name
Address
City/State/Zip

*When INVOICE address is different than sold to.

Ship To Name
Address
City/State/Zip
Mark For

End User Name
Address
City/State/Zip
Fed. ID #

Delivery Contact Name Receiving Hrs of Operation
Delivery Contact Phone Truck Size Limitation
Call Before Delivery ☐ Yes ☐ No

ORDER NOTIFICATION CONTACT

For an Advance Shipment Notifications and/or
An additional Acknowledgement via Email.
(must complete all fields)

Notification Contact Name
Notification Contact Email
Document ☐ ASN ☐ Ack ☐ Both

ADDITIONAL COMMENTS:

KI INTERNAL USE ONLY

Rep Name/# SPA #
DR Name/# Contract #
ISS Name/# New End User Account ☐ Yes ☐ No
Opportunity # ISS Source Shift/Lift/Incremental ☐ S ☐ L ☐ I

SIF File Name

KI Quote #

A/C ☐ Yes ☐ No Vendor #1 Vendor #2
Vendor Name
AC% and Amount
Contact Name
Phone/Email

O/B ☐ Yes ☐ No Vendor #1 Vendor #2
Vendor Name
OB% and Amount
Contact Name
Phone/Email

Market Code (check)

- ☐ 1 = University & College
☐ 2 = K-12
☐ 3 = Health Care
☐ 4 = Federal Government
☐ 5 = Mail Order
☐ 6 = Med/Large Business
☐ 8 = Small Business
☐ 9 = State/Local Gov't
☐ 10 = Religion
☐ 11 = Special Event
☐ 12 = Industrial
☐ 13 = Hospitality
☐ 14 = Rental
☐ 15 = Superstore (retail)
☐ 16 = Transportation
☐ 17 = Wholesaler
☐ 18 = Mall/Shopping Center

QSP QSP QSP QSP QSP QSP QSP

Version 8 - August 20, 2012
© KI 2012 Code KI-51315/KI/PDF/0812

A full-sized reprint of this document may be copied from the inside back cover of this pricelist or downloaded from ki.com/qsp.



Quick Ship Purchase Order Cover Sheet

General Information

Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

3 Day Seating - Task/Conference

Altus™ - General Information



Conference Loop Armchair (ALTCLA)



Mesh Task Adjustable Armchair (ALTMAA)

Features		
Back flex		•
Swivel and tilt	•	
Glides option	•	
General Dimensions		
Seat width	18-1/2"	18"
Seat depth	17-1/4"	17-1/4 - 19-3/4"
Seat height	16-1/4 - 19-1/2"	17 - 21-3/4"
Arm height	8-3/4"	7-1/4 - 9-1/4"
Inside distance between arms	19-3/4"	20"
Overall Dimensions		
Width	24"	27"
Depth	24"	26"
Height	35-1/4 - 38-1/2"	38-3/4 - 43-1/2"
Base diameter	24"	26"

SPECIFICATIONS

Mechanism (Task Chair)

Reinforced plastic base on cast aluminum housing with three control levers. One lever activates the pneumatic cylinder for a range in seat height. The second lever controls the back tilt angle, which has four settings. The third lever adjusts the tilt force and is located at the side of the chair for ease of use.

Mechanism (Conference Chair)

Swivel tilt mechanism is a stamped steel dual housing which includes swivel and tilt tension. Steel handle with molded urethane paddle controls seat height adjustments along with single lock-out or free-float action. Standard seat height range adjusts from 16-1/4" to 19-1/2".

Backrest

A black reinforced plastic frame with black mesh insert.

Seat (Task Chair)

Plastic seat liner and polyurethane foam covered with a replaceable fabric slip cover. The fabric slip cover is attached to the seat with velcro.

Seat (Conference Chair)

Seat foam, upholstery, and underseat plastic liner are one unit which is field-replaceable.

Seat Slide (Task Chair)

Seat depth is adjustable to one of five settings.

Adjustable Arm (Task Chair)

Black molded polyurethane arm cap is mounted to a reinforced black plastic arm post. It has 2" of depth adjustment and 2" of height adjustment. The arm caps pivot to provide a 5-3/4" range between the arm caps from 16-3/4 - 22-1/2".

Base

A black nylon 26" five-blade base option is

available.

Casters

Double wheel black carpet casters are molded of reinforced plastic.

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

24/7

Altus Mesh Task chairs can be used in 24/7 applications.



3 Day Seating - Task/Conference

Altus™ - General Information



INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

3 Day Seating - Task/Conference Seating

Altus®

			MODEL NUMBER										
			Basic Model	Base Finish	Cylinder Type	Base	Head-rest	Lumbar	Fire Code	Upholstery Color	Mesh Color		
MODEL	Features												
	Altus® Conference Chair <ul style="list-style-type: none">• Upholstered seat• Black mesh back rest• Seat height adjustment• Swivel and tilt• 400 pound rating	Loop Arm	ALTCLA	P	STD	C			NFR	A1MN	MBL		
ALTC													
	Altus® Mesh Task Chair <ul style="list-style-type: none">• Upholstered seat• Black mesh back rest• Synchro tilt• Mesh pocket for lumbar support• 400 pound rating	Adjustable Arm	ALTMAA	P		C	NHR	NLS	NFR	A1MN	MBL		
ALTM													
			A	B	C	D	E	F	G	H	I		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base finish.

P - Black plastic base

C Select cylinder type.

STD - Standard cylinder

D Select base option.

C - Carpet casters

E Select headrest.

NHR - No headrest

F Select lumbar support.

NLS - No lumbar support

G Select fire code.

NFR - Compliance to TB 117-2013

H Select upholstery.

A1MN - Midnight

I Select mesh color.

MBL - Black (standard)

INFORMATION

Order Quantity

Maximum Altus® Order Quantity - 25 chairs



3 Day Seating - Task/Conference Seating

Altus®

Approx. Packaged Weight	Delivered Pricing Fabric Grade A1
42.0#	\$ 602

54.0#	\$ 1036
-------	---------

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Tupelo, MS 38804, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

3 Day Seating - Task/Conference

Strive® - General Information



Task Armless Chair (SPDNAU)



Armless Task Stool (SPSNAU)

Features		
Poly or upholstered seat	•	•
Flex back	•	•
General Dimensions		
Seat width	18"	18"
Seat depth	18"	18"
Seat height (upholstered - add 1")	17-1/4" - 22-1/4"	22-1/4" - 32-1/2"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"
Height	32-3/4" - 37-3/4"	37-3/4" - 48"

SPECIFICATIONS

Seat

Injection molded polypropylene attached directly to the structure.

Underseat Structure

Support structure is die-formed, 13-gauge steel welded to a 1" o.d. x 14-gauge tubular steel crossmember.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Base

26" black injection-molded glass-reinforced nylon 5-blade base. A single control paddle under the seat operates the height-adjusting pneumatic cylinder.

Black base color selection includes; black base, black cylinder and black carpet or hard floor casters.

Casters

Double wheels of high-impact thermoplastic. High-impact plastic frame. Casters are monochromatic with base. Carpet or hard floor casters offered. Hard floor casters are black only.

Frame Finishes

Baked-on, electrostatically-applied 45° gloss epoxy powder coating.

Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Task chairs ship knockdown. Minimal assembly is required.

Task Stools

In addition to the standard height unit described above, a stool-height version is available. Stools are equipped with a pneumatic cylinder allowing adjustment of seat height. The 18" diameter adjustable-height foot ring is made of die-cast aluminum with a chrome-plated tubular steel ring and black "spokes."

INFORMATION

Fabric Disclaimer





INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

3 Day Seating - Task/Conference Seating

Strive®

	MODEL	Features	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Frame Color	Poly Seat & Back Color	Casters	Upholstery Color	
	Task Armless Chair	Polypropylene	SPDNAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		32.0#
	• Swivel	Upholstered Seat	SPDNAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35.0#
	• Seat height adjustable							
	• Upholstered seat							
	• Poly back							
	• Flex back							
	Task Armless Stool	Polypropylene	SPSNAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		37.0#
	• Flex back	Upholstered Seat	SPSNAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		39.0#
	• 300 pound rating							
			A	B	C	D	E	

SPDP
SPDUSPSP
SPSU

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select frame color.

BL - Black

Includes base, cylinder, and carpet casters. Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

C Select poly seat and back color.

PBL - Black

PGR - Blue Grey

PCG - Cool Grey

PND - Nordic

PSP - Surf's Up

D Select caster option.

C - Carpet casters
Carpet casters are black.

E Select quick ship fabric options.

Grade 1 - Crosswalk

1LBZ - Blaze
1LBL - Blue Lagoon
1LCM - Crimson
1LFG - Fatigue
1LIV - Ivy
1LLM - Lithium
1LOX - Onyx
1LSB - Sable
1LTP - Taupe
1LTQ - Turquoise

Grade 1 - Metropolis

1MAZ - Azure
1MDB - Dark Blue
1MHE - Hearthstone
1MIC - Icicle
1MJD - Jade
1MRT - Root
1MSH - Shadow
1MSG - Slate Grey
1MSP - Spice
1MSW - Steel Wool
1MSM - Stream

Grade 1 - Skyline

1KBA - Bermuda
1KBN - Black
1KCA - Cocoa
1KGE - Grape
1KIN - Iron
1KLE - Lime
1KMN - Melon
1KMT - Midnight
1KRR - Red Pepper
1KSG - Sterling
1KTY - Taffy

Grade 1 - Streetscape

1SBE - Blue on Blue
1SBN - Black & Tan
1SCD - Cactus Sand
1SHA - Hot Lava
1SHB - Honeycomb
1SRT - Rainforest
1STO - Tuxedo

Grade 1 - Zone

1ZBR - Brown Sugar
1ZCE - Coffee
1ZCN - Cordovan



3 Day Seating - Task/Conference Seating

Strive®

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1
\$ 335	
N/A	401

\$ 430	
N/A	496

1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Strive® Order Quantity - 25 chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

3 Day Seating - Stack

Strive® - General Information



Features			
Stackable	•	•	•
Poly or upholstered seat	•	•	•
Flex back	•	•	•
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered add 1")	17-1/2"	17-3/4"	17-3/4"
Overall Dimensions			
Width	20-3/4"	21-1/4"	20-3/4"
Depth	21-3/4"	22-1/2"	21-3/4"
Height	33"	33-1/4"	33-1/4"
Arms to floor			
Stacking on Dolly			
Overall width	24"		24"
Overall depth - poly	40"		48"
Quantity/height - poly	15 Chairs/61" High		15 Chairs/64" High
Overall depth - upholstered	45"		48"
Quantity/height - upholstered	8 Chairs/50" High		8 Chairs/50" High
Stacking on Floor			
Width	20-3/4"	20-3/4"	20-3/4"
Depth	27-1/2"	27-1/2"	27-1/2"
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High

SPECIFICATIONS

Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. Cross members are 1" o.d. x 14-gauge tubular steel and 7/16" diameter solid steel. All joints are welded. Frames are available in 4-leg or sled base configurations.

Frame Finishes

Baked-on electrostatically-applied 45° gloss epoxy powder coating or bright nickel-chrome plating. Available in black, chrome and starlight silver metallic.

Carpet Casters

Casters are double-wheel, high-impact thermoplastic and are available in black only.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter

chrome silicon valve spring wire.

Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Seat and Shroud

Injection molded polypropylene.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular and plate steel welded together.

5"casters: two fixed, two swivel. Powder-coated finish.

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A



**Transport Dolly
(SCDA.BL)**

Overall Dimensions	
Width	24"
Depth	29"
Height	16-1/2"




INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

3 Day Seating - Stack

Strive® - Four Leg

	MODEL	Features	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Upholstery Color	
 SLP SLU	Four-Leg Armless Chair <ul style="list-style-type: none">Upholstered seatPoly backFlex backStacks 15 high on dolly (8 with upholstery), 4 high on floor400 pound rating	Polypropylene	SLNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>		20.0#
		Upholstered Seat	SLNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	23.0#
 SLP SLU	Four-Leg Armless Chair with Casters <ul style="list-style-type: none">Upholstered seatPoly backFlex backStacks 4 high on floor. Caution should be exercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chairStacking on dollies is NOT recommendedCarpet caster in black400 pound rating	Polypropylene, Casters	SLNAPC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>			26.0#
		Uph. Seat, Casters	SLNAUC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	29.0#
 HRDPT	Transport Dolly for 4-Leg and Sled Base Chairs <ul style="list-style-type: none">Easy maneuverability with 5" casters: two fixed, two swivelRugged weld tubular steel frameBlack powder-coated finish		SCDA.BL						31.0#

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select frame color.

- BL** - Black
CH - Chrome
SX - Starlight Silver Metallic

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

C Select poly seat and back color.

- PBL** - Black
PGR - Blue Grey
PCG - Cool Grey
PND - Nordic
PSP - Surf's Up

D Select casters.

- C** - Carpet casters (black only)

E Select glide option.

- P** - Plastic glides
S - Steel glides

F Select quick ship fabric options.

Grade 1 - Crosswalk

- 1LBZ - Blaze
1LBL - Blue Lagoon
1LCM - Crimson
1LFG - Fatigue
1LIV - Ivy
1LLM - Lithium
1LOX - Onyx
1LSB - Sable
1LTP - Taupe
1LTQ - Turquoise

Grade 1 - Metropolis

- 1MAZ - Azure
1MDB - Dark Blue
1MHE - Hearthstone
1MIC - Icicle
1MJD - Jade
1MRT - Root
1MSH - Shadow
1MSG - Slate Grey
1MSP - Spice

- 1MSW - Steel Wool
1MSM - Stream

Grade 1 - Skyline

- 1KBA - Bermuda
1KBN - Black
1KCA - Cocoa
1KGE - Grape
1KIN - Iron
1KLE - Lime
1KMN - Melon
1KMT - Midnight
1KRR - Red Pepper
1KSG - Sterling
1KTY - Taffy

Grade 1 - Streetscape

- 1SBE - Blue on Blue
1SBN - Black & Tan
1SCD - Cactus Sand
1SHA - Hot Lava
1SHB - Honeycomb
1SRT - Rainforest
1STO - Tuxedo



3 Day Seating - Stack

Strive® - Four Leg

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1
------------------------------------	---

\$ 198	
--------	--

N/A	
-----	--

	261
--	-----

\$ 236	
--------	--

N/A	
-----	--

	299
--	-----

\$ 435	
--------	--

Grade 1 - Zone

1ZBR	- Brown Sugar
1ZCE	- Coffee
1ZCN	- Cordovan
1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Strive® Order Quantity - 25 chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

3 Day Seating - Stack/Nesting

Strive®

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Frame Color	Seat & Back Color	Glide Option	Upholstery Color	
MODEL	Features							
 SSP SSU	Sled Base Armless Chair	Polypropylene	SSNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		22.0#
	<ul style="list-style-type: none">Upholstered seat	Upholstered Seat	SSNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	25.0#
	<ul style="list-style-type: none">Poly back							
	<ul style="list-style-type: none">Flex back							
	<ul style="list-style-type: none">Stacks 15 high on dolly (8 with upholstery), 4 high on floor							
	<ul style="list-style-type: none">400 pound rating							
 HRDPT	Transport Dolly for 4-Leg and Sled Base Chairs		SCDA.BL					31.0#
	<ul style="list-style-type: none">Easy maneuverability with 5" casters: two fixed, two swivel							
	<ul style="list-style-type: none">Rugged weld tubular steel frame							
	<ul style="list-style-type: none">Black powder-coated finish							
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select frame color.

- BL** - Black
- CH** - Chrome
- SX** - Starlight Silver Metallic

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

C Select poly seat and back color.

- PBL** - Black
- PGR** - Blue Grey
- PCG** - Cool Grey
- PND** - Nordic
- PSP** - Surf's Up

D Select glide option.

- NG** - No glides
- GBL** - Black plastic glides; add \$35
- NS** - Non-skid glides; add \$29
- GSS** - Stainless steel glide; add \$30

E Select quick ship fabric options.

Grade 1 - Crosswalk

- 1LBZ - Blaze
- 1LBL - Blue Lagoon
- 1LCM - Crimson
- 1LFG - Fatigue
- 1LIV - Ivy
- 1LLM - Lithium
- 1LOX - Onyx
- 1LSB - Sable
- 1LTP - Taupe
- 1LTQ - Turquoise

Grade 1 - Metropolis

- 1MAZ - Azure
- 1MDB - Dark Blue
- 1MHE - Hearthstone
- 1MIC - Icicle
- 1MJD - Jade
- 1MRT - Root
- 1MSH - Shadow
- 1MSG - Slate Grey
- 1MSP - Spice
- 1MSW - Steel Wool

1MSM - Stream

Grade 1 - Skyline

- 1KBA - Bermuda
- 1KBN - Black
- 1KCA - Cocoa
- 1KGE - Grape
- 1KIN - Iron
- 1KLE - Lime
- 1KMN - Melon
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Grade 1 - Streetscape

- 1SBE - Blue on Blue
- 1SBN - Black & Tan
- 1SCD - Cactus Sand
- 1SHA - Hot Lava
- 1SHB - Honeycomb
- 1SRT - Rainforest
- 1STO - Tuxedo

Grade 1 - Zone



3 Day Seating - Stack/Nesting

Strive®

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1
\$ 225	
N/A	288

\$ 435

1ZBR	- Brown Sugar
1ZCE	- Coffee
1ZCN	- Cordovan
1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Strive® Order Quantity - 25 chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

3 Day Seating - Stack

Strive® High Density - General Information



Wire Rod High Density
Stacking Chair
(SWNA)



Wire Rod High Density
Stacking Chair with
Uph. Seat Pad
(SWNAU)



Transport Dolly
(CSD.BL)

Features			
Stackable	•	•	
Poly or upholstered seat	•	•	
Flex back	•	•	
General Dimensions			
Seat width	17-3/4"	17-3/4"	
Seat depth	18-1/2"	18-1/2"	
Seat height	17-1/2"	17-1/2"	
Tablet to chair back clearance			
Overall Dimensions			
Width	19-1/2"	19-1/2"	22-3/8"
Depth	22-1/4"	22-1/4"	25-5/8"
Height	32-1/2"	32-1/2"	
Stacking on Dolly			
Overall width	22-1/2"	23"	
Overall depth	45"	39"	
Quantity/height	30 Chairs/77" High	15 Chairs/65" High	
Stacking on Floor			
Width	19-1/2"	19-1/2"	
Depth	29-1/2"	30"	
Quantity/height	6 Chairs/37-1/2" High	5 Chairs/41" High	

SPECIFICATIONS

Seat
Injection molded polypropylene.

Backrest
Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Top of back has an integral handle for ease of lifting and stacking.

Chair Frame
7/16" solid steel rod in bright nickel-chrome or with electrostatically-applied epoxy.

Bright Chrome Finish
Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Powder-Coated Finish
Electrostatically-applied epoxy baked onto

surface. Available in balck, chrome or starlight silver metallic.

Optional Upholstered Seat
Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs
It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly
Tubular and plate steel welded together. 5"casters: two fixed, two swivel. Powder-coated finish.

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design
Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A





INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

3 Day Seating - Stack/Nesting

Strive® High Density

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Frame Color	Seat & Back Color	Glide Option	Upholstery Color	
MODEL	Features							
 SWSCP SWSCU	Armless Chair <ul style="list-style-type: none">• Poly back• Upholstered seat• Flex back• Stacks 30 high on dolly (15 with upholstery), 6 high on floor	Polypropylene	SWNA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		17.0#
		Upholstered Seat	SWNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17.0#
 HRDPT	Transport Dolly <ul style="list-style-type: none">• Easy maneuverability with 5" casters: two fixed, two swivel• Rugged weld tubular steel frame• Black powder-coated finish		CSD.BL					30.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select frame color.

- BL** - Black
- CH** - Chrome
- SX** - Starlight Silver Metallic

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

C Select poly seat and back color.

- PBL** - Black
- PGR** - Blue Grey
- PCG** - Cool Grey
- PND** - Nordic
- PSP** - Surf's Up

D Select glide option.

- H** - Polycarbonate glides; add \$5

E Select quick ship fabric options.

Grade 1 - Crosswalk

- 1LBZ - Blaze
- 1LBL - Blue Lagoon
- 1LCM - Crimson
- 1LFG - Fatigue
- 1LIV - Ivy
- 1LLM - Lithium
- 1LOX - Onyx
- 1LSB - Sable
- 1LTP - Taupe
- 1LTQ - Turquoise

Grade 1 - Metropolis

- 1MAZ - Azure
- 1MDB - Dark Blue
- 1MHE - Hearthstone
- 1MIC - Icicle
- 1MJD - Jade
- 1MRT - Root
- 1MSH - Shadow
- 1MSG - Slate Grey
- 1MSP - Spice
- 1MSW - Steel Wool
- 1MSM - Stream

Grade 1 - Skyline

- 1KBA - Bermuda
- 1KBN - Black
- 1KCA - Cocoa
- 1KGE - Grape
- 1KIN - Iron
- 1KLE - Lime
- 1KMN - Melon
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Grade 1 - Streetscape

- 1SBE - Blue on Blue
- 1SBN - Black & Tan
- 1SCD - Cactus Sand
- 1SHA - Hot Lava
- 1SHB - Honeycomb
- 1SRT - Rainforest
- 1STO - Tuxedo

Grade 1 - Zone

- 1ZBR - Brown Sugar
- 1ZCE - Coffee
- 1ZCN - Cordovan



3 Day Seating - Stack/Nesting

Strive® High Density

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1
\$ 194	
N/A	259

\$ 431

1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Strive® Order Quantity - 25 chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Guest

Doni® General Information



Armless Wire Tower Base Chair

Features	
Poly or upholstered seat	•
General Dimensions	
Seat width	19-1/4"
Seat depth	18-3/4"
Seat height (upholstered add 1")	18"
Overall Dimensions	
Width	19-3/8"
Depth	21"
Height	33-3/4"

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness.

Wire Tower Base

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are 7/16" diameter steel wire, fully gusseted with 5/16" diameter wire.

All joints are welded and frames are finished in bright nickel-chrome plating.

Glides

The wire tower base is equipped with black nylon glides.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A



INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

- | | |
|------|---------------|
| 1ZBR | - Brown Sugar |
|------|---------------|



10 Days or Less Seating - Guest

Doni®

Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1
17.5#	\$ 321	
20.0#	N/A	431
17.5#	373	
20.0#	N/A	482

1ZCE	- Coffee
1ZCN	- Cordovan
1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity
Maximum Doni® Wire Tower Order Quantity
- 25 chairs

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Task

Doni® General Information



Armless Task Chair



Armless Task Stool

Features		
Poly or upholstered seat	•	•
General Dimensions		
Seat width	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"
Seat height (upholstered - add 1")	17-1/2" - 22-1/2"	22-1/2" - 32-3/4"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"
Height	33-1/4" - 38-1/4"	38-1/4" - 48-1/2"
Arms to floor		

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness.

Underseat Structure

Support structure is die-drawn, 12-gauge steel plate. Structure is finished with baked-on, electrostatically-applied, 30-degree gloss epoxy powder-coat paint coordinated with

base selection.

Casters

Casters are 60mm o.d. double-wheel, high-impact thermoplastic and are available with hard (warm grey or black) or soft (black only) wheel surface.

Base

The base is a 26" injection-molded, glass-reinforced nylon 5-blade base. A single paddle under the seat operates the height-adjusting pneumatic cylinder. Standard chair and stool base available in black, warm grey or polished aluminum (upcharge for polished aluminum).

Base color selection for black includes; black base, black cylinder and black carpet or hard floor casters.

Base color selection for warm grey includes; warm grey base, warm grey cylinder and warm grey carpet casters (hard floor casters not available in warm grey). Stool cylinder is

always black.

Base color selection for polished aluminum includes; polished aluminum base, black cylinder and black carpet or hard floor casters.

Foot Ring

Task stools are equipped with an adjustable-height foot ring made with black die-cast aluminum hub and spokes with an 18" diameter chrome-plated tubular steel ring.


Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A




10 Days or Less Seating - Task

Doni® General Information



Doni Task Chair



Doni Task Stool

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

[illegible]

DN51
DN52
DN5A
DN5B

Task Armless Chair

- Solid or two-tone colored shell
- Unlimited custom color matching
- 17 degrees of hip articulation
- Stack and guest chair models available
- 400 pound rating

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|------------|-----------------------------|
| FR | - Compliance to TB 133 |
| NFR | - Compliance to TB 117-2013 |
- C** Select solid poly color.
- | | |
|------------|-------------|
| PGR | - Blue Grey |
| PCG | - Cool Grey |
| PFN | - Flannel |
| PND | - Nordic |
- D** Select outside/inside poly color.
- | | |
|----------------|---------------------------------------|
| OGR/ICG | - Outside Blue Grey/Inside Cool Grey |
| OGR/ICO | - Outside Blue Grey/Inside Cottonwood |
| OND/ICG | - Outside Nordic/Inside Cool Grey |
- E** Select base color.
- | | |
|-----------|---------|
| BL | - Black |
|-----------|---------|

- F** Select caster option.
- | | |
|------------|----------------------|
| CHC | - Hard floor casters |
| CCC | - Carpet casters |

- G** Select upholstery grade/color.

Grade 1 - Crosswalk

- | | |
|------|---------------|
| 1LBZ | - Blaze |
| 1LBL | - Blue Lagoon |
| 1LCM | - Crimson |
| 1LFG | - Fatigue |
| 1LIV | - Ivy |
| 1LLM | - Lithium |
| 1LOX | - Onyx |
| 1LSB | - Sable |
| 1LTP | - Taupe |
| 1LTQ | - Turquoise |

Grade 1 - Metropolis

- | | |
|------|---------------|
| 1MAZ | - Azure |
| 1MDB | - Dark Blue |
| 1MHE | - Hearthstone |
| 1MIC | - Icicle |
| 1MJD | - Jade |
| 1MRT | - Root |

- | | |
|------|--------------|
| 1MSH | - Shadow |
| 1MSG | - Slate Grey |
| 1MSP | - Spice |
| 1MSW | - Steel Wool |
| 1MSM | - Stream |

Grade 1 - Skyline

- | | |
|------|--------------|
| 1KBA | - Bermuda |
| 1KBN | - Black |
| 1KCA | - Cocoa |
| 1KGE | - Grape |
| 1KIN | - Iron |
| 1KLE | - Lime |
| 1KMN | - Melon |
| 1KMT | - Midnight |
| 1KRR | - Red Pepper |
| 1KSG | - Sterling |
| 1KTY | - Taffy |

Grade 1 - Streetscape

- | Grade 1 | Shrubscape |
|---------|----------------|
| 1SBE | - Blue on Blue |
| 1SBN | - Black & Tan |
| 1SCD | - Cactus Sand |
| 1SHA | - Hot Lava |
| 1SHB | - Honeycomb |

Delivered Pricing	Delivered Pricing Fabric Grade 1
\$ 414	
N/A	524
466	
N/A	575

1SRT	- Rainforest
1STO	- Tuxedo

Grade 1 - Zone

1ZBR	- Brown Sugar
1ZCE	- Coffee
1ZCN	- Cordovan
1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Doni Task® Order Quantity - 25 chairs

SPECIAL SERVICES


Special Carton Marking


With specially marked information	N/C
-----------------------------------	-----

Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



	Features	MODEL NUMBER							Approx. Packaged Weight
		Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	
	Solid Color, Polypropylene	DN6100	NFR	□□□		□□	□□□		27.0#
	Solid Color, Upholstered Seat	DN6200	□□□	□□□		□□	□□□	□□□□□	29.5#
	Two-Tone, Polypropylene	DN6A00	NFR		□□□□□□	□□	□□□		27.0#
	Two-Tone, Upholstered Seat	DN6B00	NFR		□□□□□□	□□	□□□	□□□□□	29.5#
DN61									
DN62									
DN6A									
DN6B									
Task Armless Stool									
• Solid or two-tone colored shell									
• Unlimited custom color matching									
• 17 degrees of hip articulation									
• Stack and guest chair models available									
• 400 pound rating									
		A	B	C	D	E	F	G	

1SBE	- Blue on Blue
1SBN	- Black & Tan
1SCD	- Cactus Sand
1SHA	- Hot Lava
1SHB	- Honeycomb

Delivered Pricing	Delivered Pricing Fabric Grade 1
\$ 502	
N/A	612
554	
N/A	663

Grade 1 - Zone

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

Order Quantity

SPECIAL SERVICES

Special Carton Marking

Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Task

FourC™ General Information



Armless Task Chair (4C84S0)



Task Armchair (4C84SB)



Task Arm Stool (4C94SB/4C94SC)

Features			
Synchronous Tilt	•	•	•
Mesh Backrest	•	•	•
300-pound weight rating	•	•	•
Optional Lumbar	•	•	•
General Dimensions			
Seat Width	19"	19"	19"
Seat depth	15-1/4 - 18-1/4"	15-1/4 - 18-1/4"	15-1/4 - 18-1/4"
Seat Height	15-1/2 - 20-1/2"	15-1/2 - 20-1/2"	23-1/4 - 33-1/2"
Backrest Height (above seat)	23-3/4 - 26-1/2"	23-3/4 - 26-1/2"	23-3/4 - 26-1/2"
Arm Height (above seat)		7 - 11"	7 - 11"
Clearance Inside Arms		17-1/2 - 20-1/2"	17-1/2 - 20-1/2"
Overall Dimensions			
Width	27-1/2"	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"	27-1/2"
Height	38-3/4 - 46-1/2"	38-3/4 - 46-1/2"	46-1/2 - 59-1/2"
Base diameter	26"	26"	26"

SPECIFICATIONS

Mechanism

A synchronous tilt mechanism using an adjustable steel compression spring inside a glass-reinforced nylon housing. Mechanism spring tension may be adjusted by turning a T-handle located at the front of the mechanism. The mechanism is controlled remotely by three sliding controls conveniently located under the sides of the seat pan. These control seat height, 7-position seat depth, and 4-position backrest tilt lock, respectively.

Backrest

A glass-reinforced polypropylene backrest outer shell with a mesh front surface provides even support and contoured comfort. Twin locking paddles on the rear of the backrest allow the backrest (and lumbar contour) height to be adjusted to suit the user.

Optioanal Lumbar Adjustment

A polyurethane foam pad hidden behind the mesh provides additional lumbar support. Its depth is adjusted via a 4-position sliding control on the back of the backrest.

Seat

The plastic seat pan, foam, and upholstery are an assembly that is field-replaceable.

Base

The 26" diameter five-blade base is available in color-matched glass-reinforced nylon or polished aluminum.

Casters

Double wheel carpet casters or hard surface casters are available. Casters are Black with the exception of the carpet casters on the Cool Grey base, which are matching Cool Grey.

Foot Ring

Task stools are equipped with an adjustable-height foot ring with black, die-cast aluminum hub and spokes, and an 18" diameter chrome-plated tubular steel ring.

Optional 4D Adjustable Armrests

Black molded polyurethane arm cap is mounted to a glass-reinforced nylon arm post. The arms have 3" total of lateral adjustment, and 4" of vertical adjustment. In addition, the arm caps each have 2-1/2" of depth adjustment and pivot laterally with a range of +/-30°.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



10 Days or Less Seating - Task

FourC™ General Information



INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

10 Days or Less Seating - Task

FourC™

			MODEL NUMBER								
			Basic Model	Fire Code	Lumbar	Base Finish	Caster Type	Poly Color	Mesh Color	Upholstery Color	
MODEL		Features									
 4C84	FourC Task Chair <ul style="list-style-type: none">• Black mesh backrest• Seat available in KI grade 1 fabrics• Black frame, base and caster• Synchrotilt comfort• Standard seat depth adjustment• Three-position back lock• Height-adjustable backrest• Armless or 4D arm option• 300 pound rating	No Arm	4C84S0	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		4D Arm	4C84SC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
 4C94	FourC Task Stool <ul style="list-style-type: none">• Black mesh backrest• Seat available in KI grade 1 fabrics• Black frame, base and caster• Synchrotilt comfort• Standard seat depth adjustment• Three-position back lock• Height-adjustable backrest• Armless or 4D arm option• 300 pound rating	No Arm	4C94S0	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		4D Arm	4C94SC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select fire code.
NFR - Compliance to TB 117-2013
- C** Select lumbar support.
NLS - No lumbar support
- D** Select base finish.
P - Plastic Base
- E** Select caster option.
CHC - Hard floor casters (black only)
CCC - Carpet casters
- F** Select poly color.
PBL - Black
- G** Select mesh color.
DYCN - Carbon
- H** Select upholstery color.

Grade 1 - Crosswalk

- 1LBZ - Blaze
- 1LBL - Blue Lagoon
- 1LCM - Crimson
- 1LFG - Fatigue
- 1LIV - Ivy
- 1LLM - Lithium
- 1LOX - Onyx
- 1LSB - Sable
- 1LTP - Taupe
- 1LTQ - Turquoise

Grade 1 - Metropolis

- 1MAZ - Azure
- 1MDB - Dark Blue
- 1MHE - Hearthstone
- 1MIC - Icicle
- 1MJD - Jade
- 1MRT - Root
- 1MSH - Shadow
- 1MSG - Slate Grey
- 1MSP - Spice
- 1MSW - Steel Wool
- 1MSM - Stream

Grade 1 - Skyline

- 1KBA - Bermuda
- 1KBN - Black
- 1KCA - Cocoa
- 1KGE - Grape
- 1KIN - Iron
- 1KLE - Lime
- 1KMN - Melon
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Grade 1 - Streetscape

- 1SBE - Blue on Blue
- 1SBN - Black & Tan
- 1SCD - Cactus Sand
- 1SHA - Hot Lava
- 1SHB - Honeycomb
- 1SRT - Rainforest
- 1STO - Tuxedo

Grade 1 - Zone

- 1ZBR - Brown Sugar



10 Days or Less Seating - Task

FourC™

Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1
25.0#	N/A	\$ 745
31.0#	N/A	

28.0#	N/A	\$ 873
34.0#	N/A	1023

1ZCE	- Coffee
1ZCN	- Cordovan
1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum FourC Order Quantity - 25 chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Tupelo, MS 38804, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Task

Grazie® - General Information



Armless Task Chair (GPDNAP)



Armless Task Stool

Features		
Poly or upholstered seat	•	•
Ergonomic articulation (Perfect Pivot)	•	•
General Dimensions		
Seat width	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"
Seat height (upholstered - add 1") (stools with polished aluminum base - subtract 1-3/4")	17-1/2" - 22-1/2"	22-1/2" - 32-3/4"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"
Height	32-1/2" - 37-1/2"	37-1/2" - 47-3/4"
Arms to floor		

SPECIFICATIONS

Underseat Structure

Support structure is die-drawn, 12-gauge steel plate. Fixed backrest mechanism structures are made from 1/2" diameter steel wire and attached by welding. Structure is finished with baked-on, electrostatically-applied, 30-degree gloss epoxy powder coating.

Backrest, Seat and Shroud

Injection molded polypropylene.

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1" diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Optional Upholstered Seat

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness.

Base

26" injection-molded, glass-reinforced, nylon 5-blade base. A single paddle under the seat operates the height-adjusting pneumatic cylinder. Standard chair base and cylinder available in black. Standard stool base available in black. Standard stool cylinder available in black only.

Base color selection for black includes; black base, black cylinder and black carpet or hard floor casters.

Casters

Casters are double-wheel, high-impact thermoplastic available with hard or soft wheel surface. Cster is always black.

Foot Ring

Task stools are equipped with an adjustable-height foot ring made with black die-cast aluminum hub and spokes with an 18" diameter chrome-plated tubluar steel ring.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.


Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A



10 Days or Less Seating - Task

Grazie® - General Information





INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

10 Days or Less Seating - Task

Grazie®

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Base Color	Poly Seat & Back Color	Casters	Fire Code	Upholstery Color	
 GPDP GPDU	Task Armless Chair <ul style="list-style-type: none">Ergonomic articulation (Perfect Pivot)Height-adjusting pneumatic cylinder400 pound rating	Polypropylene	GPDNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	NFR		33.0#
		Upholstered Seat	GPDNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	36.0#
 GPSP GPSU	Task Armless Stool <ul style="list-style-type: none">Ergonomic articulation (Perfect Pivot)Height-adjusting pneumatic cylinder400 pound rating	Polypropylene	GPSNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	NFR		38.0#
		Upholstered Seat	GPSNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	41.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base color.
- BL** - Black
- C** Select poly seat and back color.
- PBL** - Black
- PGR** - Blue Grey
- PCG** - Cool Grey
- PND** - Nordic
- PSP** - Surf's Up
- D** Select caster option.
- C** - Carpet casters (black only)
- S** - Hard floor casters (black only)
- E** Select fire code.
- NFR** - Compliance to TB 117-2013
- F** Select quick ship fabric options.

Grade 1 - Crosswalk

- 1LBZ - Blaze
- 1LBL - Blue Lagoon
- 1LCM - Crimson
- 1LFG - Fatigue
- 1LIV - Ivy
- 1LLM - Lithium
- 1LOX - Onyx
- 1LSB - Sable
- 1LTP - Taupe
- 1LTQ - Turquoise

Grade 1 - Metropolis

- 1MAZ - Azure
- 1MDB - Dark Blue
- 1MHE - Hearthstone
- 1MIC - Icicle
- 1MJD - Jade
- 1MRT - Root
- 1MSH - Shadow
- 1MSG - Slate Grey
- 1MSP - Spice
- 1MSW - Steel Wool
- 1MSM - Stream

Grade 1 - Skyline

- 1KBA - Bermuda
- 1KBN - Black
- 1KCA - Cocoa
- 1KGE - Grape
- 1KIN - Iron
- 1KLE - Lime
- 1KMN - Melon
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Grade 1 - Streetscape

- 1SBE - Blue on Blue
- 1SBN - Black & Tan
- 1SCD - Cactus Sand
- 1SHA - Hot Lava
- 1SHB - Honeycomb
- 1SRT - Rainforest
- 1STO - Tuxedo

Grade 1 - Zone

- 1ZBR - Brown Sugar
- 1ZCE - Coffee
- 1ZCN - Cordovan



10 Days or Less Seating - Task

Grazie®

Delivered Pricing	Delivered Pricing	Fabric Grade
\$ 483		1
N/A		595

\$ 558		
N/A		670

1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Grazie® Order Quantity - 25 chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Task

Impress® - General Information



Task Chair (KI62/JR69)

Features	
Free-floating back	•
Seat slide	•
Back height adjustable	•
3 position back lock	•
2-1/2" thick foam cushioned seat	•
General Dimensions	
Seat width	20-1/2"
Seat depth	18"
Seat height	17-3/4" - 22-1/4"
Back width	20"
Back height (above seat)	19-1/2" - 22-1/2"
Overall Dimensions	
Width	26"
Height	37" - 45"



4D T-Arm (JR69)

SPECIFICATIONS

Mechanism

A stamped steel dual housing forms a sturdy cradle for the seat. There are two control levers. One lever actuates the pneumatic cylinder, which adjusts the seat height with infinite selection within the range (KI62). One lever locks the chair in several positions or actuates the free-floating mode. The synchronized 2:1 free floating mode has adjustments of 8° on seat and 16° on back.

Backrest

The injection molded plastic board has embedded inserts for mounting. The board is covered with contoured molded high-resilient foam and upholstered with fabric. A textured black shroud covers the rear side. An easy-to-operate mechanism is installed on the back board for adjusting the back height (3").

Seat

Constructed of a 1/2" thick, saddle shape plywood with 2-1/2" molded high-resilient foam and upholstered with fabric. The entire seat assembly is mounted to the mechanism by four screws.

Seat Slide

Double spring-loaded: side-mounted, easy-to-use control. Adjustment range of 3.1" (18" - 21.1")

Pedestal Base

The black 26" diameter, five-blade base is made of reinforced nylon.

Carpet Casters

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are housed in a high impact frame. Hard floor casters are available.

4D T-Arm (JR69)

Two-way adjustable width/height. Forward-slanting T-arms with ergonomic, maximum-

mobility arm top (button-activated arm pad; 1" lateral, 2" forward and back, and diagonal adjustability.) Adjustable height range of 4.25". Adjustable width range of 1.75" each side.

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.




INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

10 Days or Less Seating - Task

Impress®

		MODEL NUMBER						Approx. Packaged Weight	
		Basic Model	Memory Foam	Seat Slide	Back Panel	Base	Uph. Color		
MODEL	Features								
	Impress® Task Chair <ul style="list-style-type: none">• Upholstered seat and back• 2-1/2" thick foam cushioned seat• Synchrotilt• 275 pound rating	No Arm	KI62/NA	NF	SLD	POLY	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	42.0#
		4D T-Arm	KI62/JR69	NF	SLD	POLY	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	42.0#
		A	B	C	D	E	F		

IMPR

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select memory foam.
NF - No memory foam
- C** Select seat option.
SLD - Sliding seat
- D** Select back panel.
POLY - Poly back (standard)
- E** Select base option.
C - Carpet casters
S - Hard floor casters
- F** Select quick ship fabric options.

- Grade 1 - Skyline**
- 1KBN - Black
 - 1KMT - Midnight
 - 1KRR - Red Pepper
 - 1KSG - Sterling
 - 1KTY - Taffy

- Soft Knit™**
- BALTIC - Soft Knit Baltic
 - CAPPUCCINO - Soft Knit Cappuccino
 - FLINT - Soft Knit Flint
 - MONARCH - Soft Knit Monarch
 - SMOKE - Soft Knit Smoke
 - WINE - Soft Knit Wine
 - XANADU - Soft Knit Xanadu

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity
Maximum Impress® Order Quantity - 25 chairs



10 Days or Less Seating - Task

Impress®

Delivered
Pricing
Fabric Grade
Soft Knit™

\$ 792
1014

Delivered
Pricing
Fabric Grade
1

\$ 654
877

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Task

Impress® Ultra - General Information



4D T-Arm Task Chair (KI78/JR69)

Features	
Free-floating back	•
Seat slide	•
Back height adjustable	
3 position back lock	•
2-1/2" thick foam cushioned seat	•
General Dimensions	
Seat width	20-1/2"
Seat depth	18" - 19-1/2"
Seat height	17-3/4" - 23"
Back width	20"
Back height (above seat)	19"
Overall Dimensions	
Width	26"
Height	35" - 43"



4D T-Arm (JR69)

SPECIFICATIONS

Mechanism

Stamped steel dual housing forms a sturdy cradle for the seat. There are two control levers. One lever actuates the pneumatic cylinder. One lever locks the chair at several positions or actuates the free-floating mode. The synchronized 2:1 free-floating mode has adjustments of 8° on seat and 16° on back.

Backrest

Nylon with fiberglass reinforced frame. Back mesh material is polyethylene elastomeric with polyester.

Back Height

An easy-to-operate mechanism is installed on the back board for adjusting back height 3" (Mid-back model only).

Seat Slide

Double spring-loaded: side-mounted, easy-to-use control. Adjustment range of 3.1" (18" - 21.1").

Seat

Constructed of a 1/2" thick, saddle-shaped plywood with 2-1/2" thick, molded, high-resilient foam and upholstered. The entire seat assembly is mounted to the mechanism by 4 screws.

Base

26" black diameter, five-blade reinforced nylon base.

Carpet Casters

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are housed in a high-impact frame. Hard floor casters are available.

4D T-Arm (JR69)

Two-way adjustable width/height. Forward-slanting T-arms with ergonomic, maximum-mobility arm top (button-activated arm pad; 1" lateral, 2" forward and back, and diagonal adjustability.) Adjustable height range of 4.25". Adjustable width range of 1.75" each side.

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



10 Days or Less Seating - Task

Impress® Ultra - General Information



INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

10 Days or Less Seating - Task

Impress® Ultra

	Features	MODEL NUMBER								Approx. Packaged Weight
		Basic Model	Memory Foam	Seat Slide	Headrest	Back Panel	Base	Seat Height	Upholstery Color	
 <p>IMPR</p> <p>Impress® Ultra Task Chair - Mid Back</p> <ul style="list-style-type: none"> • Synchrotilt • Black mesh backrest • Upholstered seat • 2-1/2" thick foam cushioned seat • Back height adjustment • 275 pound rating 	No Arm	KI74/NA	NF	SLD		BL	<input type="checkbox"/>	NS	□□□□□□□□	46.0#
	Adjustable T-Arm	KI74/JR39	NF	SLD		BL	<input type="checkbox"/>	NS	□□□□□□□□	54.0#
	4D T-Arm	KI74/JR69	NF	SLD		BL	<input type="checkbox"/>	NS	□□□□□□□□	54.0#
 <p>IMPR</p> <p>Impress® Ultra Task Chair - High Back</p> <ul style="list-style-type: none"> • Black mesh backrest • Upholstered seat • 2-1/2" thick foam cushioned seat • Synchrotilt • No back height adjustment • 275 pound rating 	No Arm	KI78/NA	NF	SLD	NH	BL	<input type="checkbox"/>	NS	□□□□□□□□	54.0#
	Adjustable T-Arm	KI78/JR39	NF	SLD	NH	BL	<input type="checkbox"/>	NS	□□□□□□□□	62.0#
	4D T-Arm	KI78/JR69	NF	SLD	NH	BL	<input type="checkbox"/>	NS	□□□□□□□□	62.0#
		A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select memory foam.
NF - No memory foam
 Memory foam for seat only.
- C** Select seat option.
SLD - Sliding seat
- D** Select headrest.
NH - No headrest (standard)
- E** Select back panel.
BL - Black
- F** Select base option.
C - Carpet casters
S - Hard floor casters
- G** Select seat height.
NS - Standard height (17 3/4"-22 1/4")

H Select upholstery grade/color.

Grade 1 - Skyline

- 1KBN - Black
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Soft Knit™

- BALTIC - Soft Knit Baltic
- CAPPUCCINO - Soft Knit Cappuccino
- FLINT - Soft Knit Flint
- MONARCH - Soft Knit Monarch
- SMOKE - Soft Knit Smoke
- WINE - Soft Knit Wine
- XANADU - Soft Knit Xanadu

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Impress® Order Quantity - 25 chairs



10 Days or Less Seating - Task

Impress® Ultra

Delivered
Pricing
Fabric Grade
Soft Knit™

Delivered
Pricing
Fabric Grade
1

\$ 786

\$ 786

946

946

1013

1013

\$ 786

\$ 786

946

946

1013

1013

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Task

Oath™ - General Information



Armless Task Chair
(OH84Q0)



Arm Task Chair
(OH84QB)

Features		
Self-weighting (weight-activated) mechanism	•	•
Height adjustable arms		•
Black nylon base	•	•
300 lb weight rating	•	•
Black or Cool Grey Mesh Back	•	•
General Dimensions		
Seat width	20"	20"
Seat depth	19"	19"
Seat height	16-1/2" - 21"	16-1/2" - 21"
Back width	18"	18"
Back height (above seat)	23"	23"
Inside arm distance		19 1/2"
Arm height (from floor)		23-1/2" - 30-1/2"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	26"	26"
Height	39-1/2" - 44"	39-1/2" - 44"
Base	26" DIA	26" DIA

SPECIFICATIONS

Seat

Dual molded urethane foams and plywood seat board are upholstered using a drawstring method and finished with a black plastic under-shroud.

Mechanism

A self-weighting mechanism passively adjusts backrest tilt tension based on occupant weight. The mechanism is made of stamped steel with a black plastic trim cover. One lever operates the height-adjust cylinder. A second lever allows the backrest tilt mechanism to move freely or locks it in one of four positions.

Backrest

A reinforced black nylon frame with mesh insert.

Armrests

Optional height-adjustable arms (2 -1/2" range) are molded in black reinforced plastic with molded black polyurethane arm caps.

Armrests mount directly to the seat board.

Base

26" Diameter, 5-blade base made from reinforced black nylon.

Casters

Dual-wheel carpet casters are molded in reinforced plastic.


Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



10 Days or Less Seating - Task

Oath™ - General Information



INFORMATION

Warranty


Refer to KI Terms & Conditions document or visit ki.com

10 Days or Less Seating - Task

Oath™ - General Information

Oath Task Chair


Easy adjustments optimize ergonomic comfort







10 Days or Less Seating - Task

Oath™ - General Information



10 Days or Less Seating - Task

Oath™

MODEL	MODEL NUMBER				Approx. Packaged Weight
	Basic Model	Fire Code	Mesh Color	Upholstery Color	
 Armless Task Chair <ul style="list-style-type: none">Self-weighing (weight-activated) mechanismBlack or Cool Grey mesh backrestUpholstered seat300 pound rating	OH84Q0	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31.0#
OH84					
 Arm Task Chair <ul style="list-style-type: none">Self-weighing (weight-activated) mechanismBlack or Cool Grey mesh backrestUpholstered seatHeight adjustable arms300 pound rating	OH84QB	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	32.5#
OH84					
	A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
NFR - Compliance to TB 117-2013
- B** Select fire code.
NFR - Compliance to TB 117-2013
- C** Select backrest mesh color.
OMBL - Black
- D** Select upholstery grade/color.

Grade 1 - Crosswalk

1LBZ	- Blaze
1LBL	- Blue Lagoon
1LCM	- Crimson
1LFG	- Fatigue
1LIV	- Ivy
1LLM	- Lithium
1LOX	- Onyx
1LSB	- Sable
1LTP	- Taupe
1LTQ	- Turquoise

Grade 1 - Metropolis

1MAZ	- Azure
1MDB	- Dark Blue
1MHE	- Hearthstone
1MIC	- Icicle
1MJD	- Jade
1MRT	- Root
1MSH	- Shadow
1MSG	- Slate Grey
1MSP	- Spice
1MSW	- Steel Wool
1MSM	- Stream

Grade 1 - Skyline

1KBA	- Bermuda
1KBN	- Black
1KCA	- Cocoa
1KGE	- Grape
1KIN	- Iron
1KLE	- Lime
1KMN	- Melon
1KMT	- Midnight
1KRR	- Red Pepper
1KSG	- Sterling
1KTY	- Taffy

Grade 1 - Streetscape

1SBE	- Blue on Blue
1SBN	- Black & Tan
1SCD	- Cactus Sand
1SHA	- Hot Lava
1SHB	- Honeycomb
1SRT	- Rainforest
1STO	- Tuxedo

Grade 1 - Zone

1ZBR	- Brown Sugar
1ZCE	- Coffee
1ZCN	- Cordovan
1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

\$ 478

\$ 578

Maximum Oath™ Order Quantity - 25 chairs

With specially marked information	N/C
-----------------------------------	-----

**Ships knocked down, FOB Tupelo, MS
38804, freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Stack

Doni® General Information



Armless Four-Leg Chair



Armless Four-Leg Chair with Casters



Armless Sled Base Chair



Transport Dolly

Features				
Stackable	•	•	•	
Poly or upholstered seat	•	•	•	
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	
Seat depth	18-3/4"	18-3/4"	18-3/4"	
Seat height (upholstered add 1")	18"	18"	18"	
Overall Dimensions				
Width	22-1/4"	23-1/4"	22-1/4"	23-3/4"
Depth	21-1/2"	22-1/8"	22-1/8"	35-1/2"
Height	33-3/4"	33-3/4"	33-3/4"	62-1/4"
Arms to floor				
Stacking on Dolly				
Overall width	25"	25"	25"	
Overall depth	42"	42"	42"	
Quantity/height - poly	12 Chairs / 69" High	12 Chairs / 69" High	12 Chairs / 69" High	
Quantity/height - upholstered	6 Chairs / 50" High	6 Chairs / 50" High	6 Chairs / 50" High	
Stacking on Floor				
Width	22-1/4"	23-1/4"	22"	
Depth	34"	34"	34"	
Quantity/height	6 Chairs / 49" High	6 Chairs / 49" High	6 Chairs / 49" High	

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness.

4-Leg and Caster Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. A single ring of 1/2" diameter steel wire forms the crossmember. All joints are welded. An optional wallsaver configuration

is available. The wallsaver configuration maintains 1/2" gap between backrest and wall by locking the backrest mechanisms in the upright position.

Sled Frame

Sled side frames are made from 3/4" o.d. x 13-gauge tubular steel. A single ring of 1/2" diameter steel wire forms the crossmember. All joints are welded.

Frame Finish

Frames are finished in either baked-on, electrostatically-applied 30 degree gloss epoxy powder-coat paint or bright nickel-chrome plating.

Glides

The bottom ends of the 4-leg chair tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polypropylene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps).

Optional glides for the leg chairs have a bright steel surface or plastic glides. Optional glides for the sled base are co-extruded to provide a softer, non-skid surface to protect the floor, but do not glide.

Sled base chairs are also available with black nylon (plastic), stainless steel, or non-marring (clear nylon) glides.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are 50mm o.d. double-wheel, high-impact thermoplastic available with hard or soft wheel surface, in black only.

Gangers


Optional gangers are available on armless 4-leg and sled base chairs only. Gangers are made of chrome-plated 3/16" diameter steel wire mounted to the chair with an injection-molded nylon hub.

Transport Dolly

Frame construction is welded tubular steel with a black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg and sled base chairs and has a capacity of 12 poly chairs or 6 upholstered.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A



Doni Stack Chair


INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



- Solid or two-tone colored shell
- 17 degrees of hip articulation
- Stacks 12 high on dolly (6 with upholstery). 6 high on floor.
- 400 pound approved

		MODEL NUMBER							Approx. Packaged Weight
		Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	
 <p>DN11 DN12 DN1A DN1B</p> <p>Four-Leg Armless Chair</p> <ul style="list-style-type: none"> • Solid or two-tone colored shell • 17 degrees of hip articulation • Stacks 12 high on dolly (6 with upholstery). 6 high on floor. • 400 pound approved 	Solid Color, Polypropylene	DN1100	NFR	□□		□□	□□□		19.0#
	Solid Color, Upholstered Seat	DN1200	NFR	□□		□□	□□□	□□□□□	21.5#
	Two-Tone, Polypropylene	DN1A00	NFR		□□□□□□	□□	□□□		19.0#
	Two-Tone, Upholstered Seat	DN1B00	NFR		□□□□□□	□□	□□□	□□□□□	21.5#
		A	B	C	D	E	F	G	

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

BL	- Black
CH	- Chrome
SX	- Starlight Silver Metallic

1MAZ	- Azure
1MDB	- Dark Blue
1MHE	- Hearthstone
1MIC	- Icicle
1MJD	- Jade

1SBE	- Blue on Blue
1SBN	- Black & Tan
1SCD	- Cactus Sand
1SHA	- Hot Lava



10 Days or Less Seating - Stack

Doni®

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1
\$ 269	
N/A	379
321	
N/A	431

1SHB	- Honeycomb
1SRT	- Rainforest
1STO	- Tuxedo

Grade 1 - Zone

1ZBR	- Brown Sugar
1ZCE	- Coffee
1ZCN	- Cordovan
1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Doni Stack® Order Quantity - 25 chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fire code.
- NFR** - Compliance to TB 117-2013
- C** Select solid poly color.
- PGR** - Blue Grey
- PCG** - Cool Grey
- PFN** - Flannel
- PND** - Nordic
- D** Select outside/inside poly color.
- OGR/ICG** - Outside Blue Grey/Inside Cool Grey
- OGR/ICO** - Outside Blue Grey/Inside Cottonwood
- OND/ICG** - Outside Nordic/Inside Cool Grey
- E** Select frame color.
- BL** - Black
- CH** - Chrome
- SX** - Starlight Silver Metallic

- F** Select casters.
- | | |
|------------|----------------------|
| CHC | - Hard floor casters |
| CCC | - Carpet casters |

- G** Select upholstery grade/color.

Grade 1 - Crosswalk

- | Grade | Crosswalk |
|-------|---------------|
| 1LBZ | - Blaze |
| 1LBL | - Blue Lagoon |
| 1LCM | - Crimson |
| 1LFG | - Fatigue |
| 1LIV | - Ivy |
| 1LLM | - Lithium |
| 1LOX | - Onyx |
| 1LSB | - Sable |
| 1LTP | - Taupe |
| 1LTQ | - Turquoise |

Grade 1 - Metropolis

- | | |
|------|---------------|
| 1MAZ | - Azure |
| 1MDB | - Dark Blue |
| 1MHE | - Hearthstone |
| 1MIC | - Icicle |
| 1MJD | - Jade |

- | | |
|------|--------------|
| 1MRT | - Root |
| 1MSH | - Shadow |
| 1MSG | - Slate Grey |
| 1MSP | - Spice |
| 1MSW | - Steel Wool |
| 1MSM | - Stream |

Grade 1 - Skyline

- | Grade 1 - Skyline | |
|-------------------|--------------|
| 1KBM | - Bermuda |
| 1KBN | - Black |
| 1KCA | - Cocoa |
| 1KGE | - Grape |
| 1KIN | - Iron |
| 1KLE | - Lime |
| 1KMN | - Melon |
| 1KMT | - Midnight |
| 1KRR | - Red Pepper |
| 1KSG | - Sterling |
| 1KTY | - Taffy |

Grade 1 - Streetscape

- | Grade 1 - Streetscape | |
|-----------------------|----------------|
| 1SBE | - Blue on Blue |
| 1SBN | - Black & Tan |
| 1SCD | - Cactus Sand |
| 1SHA | - Hot Lava |



10 Days or Less Seating - Stack

Doni®

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1
\$ 305	
N/A	415
357	
N/A	467

1SHB	- Honeycomb
1SRT	- Rainforest
1STO	- Tuxedo

Grade 1 - Zone

1ZBR	- Brown Sugar
1ZCE	- Coffee
1ZCN	- Cordovan
1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Doni Stack® Order Quantity - 25 chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



10 Days or Less Seating - Stack

Doni®

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1
\$ 279	
N/A	389
331	
N/A	441

1SHA	- Hot Lava
1SHB	- Honeycomb
1SRT	- Rainforest
1STO	- Tuxedo

Grade 1 - Zone

1ZBR	- Brown Sugar
1ZCE	- Coffee
1ZCN	- Cordovan
1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Doni Stack® Order Quantity - 25 chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Stack

Doni®

MODEL	MODEL NUMBER	Approx. Packaged Weight
	Basic Model	
 Transport Dolly <ul style="list-style-type: none">• Black powder-coat finish	DNCD.BL	43.0#

A

HRDPT

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



10 Days or Less Seating - Stack Doni®

Delivered
Pricing
\$ 439

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Stack

Grazie® General Information



Armless Four-Leg Chair
(GLNAU)



Armless Sled Base Chair
(GSNAP)



Armless Four-Leg Chair
with Casters
(GLNAUC)



Transport Dolly
(GCD.BL)

Features				
Stackable	•	•	•	
Poly or upholstered seat	•	•	•	
Ergonomic articulation (Perfect Pivot)	•	•	•	
General Dimensions				
Seat width	18-1/2"	18-1/2"	18-1/2"	
Seat depth	18-5/16"	18-5/16"	18-5/16"	
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	
Tablet to chair back clearance				
Overall Dimensions				
Width	22-3/16"	22"	23"	25"
Depth	21-5/16"	21-1/4"	21-5/16"	29"
Height	32-5/8"	32-5/8"	32-5/8"	15-3/4"
Top of arm to floor				
Stacking on Dolly				
Overall width	25"	25"	23"	
Overall depth	36"	36"	28"	
Quantity/height	12 Poly Chairs/60" High (6 Uph Chairs)	12 Poly Chairs/60" High (6 Uph Chairs)	5 Chairs/43" High	
Stacking on Floor				
Width	22-3/16"	22-3/16"		
Depth	28"	28"		
Quantity/height	5 Chairs/43" High	5 Chairs/43" High		

SPECIFICATIONS

4-Leg Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Sled Frame

Frames are 3/4" o.d. x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Frame Finishes

Baked-on electrostatically-applied 30° gloss epoxy powder coating or bright nickel-chrome plating.

Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The

leg tubes are capped with polypropylene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps). Optional glides for the sled base are co-extuded to provide a softer, non-skid surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic), stainless steel, or non-marring (clear nylon) glides.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are double-wheel, high-impact thermoplastic available with hard or soft wheel surface, in black only.

Seat and Shroud

Injection molded polypropylene.

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1" diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic

slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Optional Upholstered Seat


Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A



Grazie Armless Four Leg Chair



INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

10 Days or Less Seating - Stack

Grazie®

			MODEL NUMBER							
			Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color	
 GLP GLU	Four-Leg Armless Chair <ul style="list-style-type: none">Ergonomic articulation (Perfect Pivot)Stacks 12 high on dolly (6 eith upholstery). 5 high on floor.400 pound rating	Polypropylene	GLNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	NFR		
	Upholstered Seat	GLNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
 GLP GLU	Four-Leg Armless Chair with Casters <ul style="list-style-type: none">Ergonomic articulation (Perfect Pivot)Stacks 5 high on floor. Caution should be exercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chairStacking on dollies is NOT recommended400 pound rating.	Polypropylene, Casters	GLNAPC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>		NFR		
	Uph. Seat, Casters	GLNAUC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>		NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select frame color.

- BL** - Black
- CH** - Chrome
- SX** - Starlight Silver Metallic

C Select poly seat and back color.

- PBL** - Black
- PGR** - Blue Grey
- PCG** - Cool Grey
- PND** - Nordic
- PSP** - Surf's Up

D Select casters.

- C** - Carpet casters (black only)
- S** - Hard floor casters (black only)

E Select glide option.

- P** - Plastic glides
- S** - Steel glides

F Select fire code.

- NFR** - Compliance to TB 117-2013

G Select upholstery grade/color.

Grade 1 - Crosswalk

- 1LBZ - Blaze
- 1LBL - Blue Lagoon
- 1LCM - Crimson
- 1LFG - Fatigue
- 1LIV - Ivy
- 1LLM - Lithium
- 1LOX - Onyx
- 1LSB - Sable
- 1LTP - Taupe
- 1LTQ - Turquoise

Grade 1 - Metropolis

- 1MAZ - Azure
- 1MDB - Dark Blue
- 1MHE - Hearthstone
- 1MIC - Icicle
- 1MJD - Jade
- 1MRT - Root
- 1MSH - Shadow

- 1MSG - Slate Grey
- 1MSP - Spice
- 1MSW - Steel Wool
- 1MSM - Stream

Grade 1 - Skyline

- 1KBA - Bermuda
- 1KBN - Black
- 1KCA - Cocoa
- 1KGE - Grape
- 1KIN - Iron
- 1KLE - Lime
- 1KMN - Melon
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Grade 1 - Streetscape

- 1SBE - Blue on Blue
- 1SBN - Black & Tan
- 1SCD - Cactus Sand
- 1SHA - Hot Lava
- 1SHB - Honeycomb
- 1SRT - Rainforest



10 Days or Less Seating - Stack

Grazie®

Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1
23.0#	\$ 328	
26.0#	N/A	445

24.0#	\$ 350	
27.0#	N/A	466

1STO - Tuxedo

Grade 1 - Zone

1ZBR	- Brown Sugar
1ZCE	- Coffee
1ZCN	- Cordovan
1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Grazie® Order Quantity - 25 chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Stack

Grazie®

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color	
 GSP GSU	Sled Base Armless Chair <ul style="list-style-type: none">Ergonomic articulation (Perfect Pivot)Stacks 12 high on dolly (6 eith upholstery). 5 high on floor.400 pound rating	Polypropylene	GSNAP	□□	□□□	□□□	NFR		25.0#
		Upholstered Seat	GSNAU	□□	□□□	□□□	NFR	□□□□□	28.0#
 HRDPT	Transport Dolly <ul style="list-style-type: none">Easy maneuverability with 5" casters: two fixed, two swivelRugged weld tubular steel frameBlack powder-coat finish		GCD.BL						32.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
- BL** - Black
 - CH** - Chrome
 - SX** - Starlight Silver Metallic
- C** Select poly seat and back color.
- PBL** - Black
 - PGR** - Blue Grey
 - PCG** - Cool Grey
 - PND** - Nordic
 - PSP** - Surf's Up
- D** Select glide option.
- NGL** - No glides
 - GNM** - Non-marring glides
 - GNS** - Non-skid glides
 - GBL** - Black plastic glides
 - GSS** - Stainless steel glide
- E** Select fire code.
- NFR** - Compliance to TB 117-2013

F Select upholstery grade/color.

- Grade 1 - Crosswalk**
- 1LBZ - Blaze
 - 1LBL - Blue Lagoon
 - 1LCM - Crimson
 - 1LFG - Fatigue
 - 1LIV - Ivy
 - 1LLM - Lithium
 - 1LOX - Onyx
 - 1LSB - Sable
 - 1LTP - Taupe
 - 1LTQ - Turquoise
- Grade 1 - Metropolis**
- 1MAZ - Azure
 - 1MDB - Dark Blue
 - 1MHE - Hearthstone
 - 1MIC - Icicle
 - 1MJD - Jade
 - 1MRT - Root
 - 1MSH - Shadow
 - 1MSG - Slate Grey
 - 1MSP - Spice
 - 1MSW - Steel Wool

- 1MSM - Stream
- Grade 1 - Skyline**
- 1KBA - Bermuda
 - 1KBN - Black
 - 1KCA - Cocoa
 - 1KGE - Grape
 - 1KIN - Iron
 - 1KLE - Lime
 - 1KMN - Melon
 - 1KMT - Midnight
 - 1KRR - Red Pepper
 - 1KSG - Sterling
 - 1KTY - Taffy
- Grade 1 - Streetscape**
- 1SBE - Blue on Blue
 - 1SBN - Black & Tan
 - 1SCD - Cactus Sand
 - 1SHA - Hot Lava
 - 1SHB - Honeycomb
 - 1SRT - Rainforest
 - 1STO - Tuxedo
- Grade 1 - Zone**



10 Days or Less Seating - Stack

Grazie®

Delivered Pricing	Delivered Pricing Fabric Grade 1
\$ 339	
N/A	455
\$ 416	

1ZBR	- Brown Sugar
1ZCE	- Coffee
1ZCN	- Cordovan
1ZEN	- Evergreen
1ZHE	- Haze
1ZJE	- Jade
1ZPK	- Peacock
1ZSL	- Steel

Other KI frame colors and fabric options are available outside the QSP Program with standard leadtimes.

INFORMATION

Order Quantity

Maximum Grazie® Order Quantity - 25 chairs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Stack

Maestro® High Density - General Information



Stacking Chair (MSP)



Transport Dolly

Features		
Stackable	•	
Ganging	•	
Polypropylene seat and back	•	
Upholstered seat and back fixed cushion		
General Dimensions		
Seat width	18"	
Seat depth	17-1/2"	
Seat height	17-1/2"	
Floor to back height	31-1/2"	
Overall Dimensions		
Width	19-1/4"	22-3/8"
Depth	21-1/4"	25-5/8"
Ganging on center	20"	
Stacking on Dolly		
Width	23"	
Depth	42"	
Quantity/height	38 Chairs/80" High	
Stacking on Floor		
Width	19-1/4"	
Depth	31"	
Quantity/height	10 Chairs/38-3/4" High	

SPECIFICATIONS

Seat and Backrest

Injection-molded polypropylene seat and back. Back features a contoured handle for easy lifting and stacking.

Seat

Fixed seat pad consists of a 3/16" thick plywood board with threaded inserts for attachment. The boards are covered in 1/2" foam padding and wrapped with fabric. The pads are attached to the seat with screws into the threaded fasteners.

Chair Frame

7/16" solid steel rod in bright nickel-chrome or with electrostatically-applied epoxy.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Powder-Coated Finish

Electrostatically-applied epoxy, baked onto surface. Stacking powder-coated frames is not recommended.

Transport Dolly

Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powder-coated finish.



10 Days or Less Seating - Stack

Maestro® High Density - General Information



INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

10 Days or Less Seating - Stack

Maestro® High Density

			MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Glide Option	Frame Color	Seat & Back Color	
 MSP	Stack Chair <ul style="list-style-type: none">• Poly seat and back• Static back• Stacks 38 high on the dolly• 275 pound rating	Polypropylene	MSP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16.0#
 HRDPT	Transport Dolly for Poly Chairs <ul style="list-style-type: none">• Easy maneuverability with 5" casters; two fixed, two swivel• Black powder-coated finish		CSD.BL				30.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select glide option.
- G** _____ - Ganging polycarbonate glides; add \$5
- GS** _____ - Ganging steel glides; add \$5
- NG** _____ - No glides
- H** _____ - Polycarbonate glides; add \$5
- NS** _____ - PVC non-skid glides; add \$5
- S** _____ - Stainless steel glides; add \$5
- C** Select frame color.
- BL** _____ - Black
- CH** _____ - Chrome
- SX** _____ - Starlight Silver Metallic
- Other KI glide options, frame colors, seat & back poly colors and fabric options are available outside the QSP Program with standard lead times.
- D** Select seat and back color.
- PBL** _____ - Black
- PGR** _____ - Blue Grey

- PCG** _____ - Cool Grey
- PND** _____ - Nordic
- PSP** _____ - Surf's Up
- Other KI glide options, frame colors, seat & back poly colors and fabric options are available outside the QSP Program with standard lead times.

INFORMATION

Order Quantity
Maximum Maestro® Order Quantity - 100 chairs



10 Days or Less Seating - Stack

Maestro® High Density

Delivered Pricing Unupholstered
\$ 156
\$ 431

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Lobby and Lounge


MyPlace™ - General Information



18" Round 26" Round Crescent Rectangle with Back

General Dimensions				
Seat width				48"
Seat depth				19"
Seat height				18"
Overall Dimensions				
Width	18" Diameter	26" Diameter	26" Diameter	48"
Depth				26"
Height	18"	18"	18"	32"

Base Options



Concealed Glides

SPECIFICATIONS

Frame
All seat and back frames are constructed of 3/4" CNC-cut laminated hardwood plywood. All main frame joints are nailed and glued in addition to interlocking joinery across all stress points.

FOAM
The following models use a high density foam for firm support: MP18R, MP26R, and MPCRE. All foam is 2.6 density, 80 lb. compression with 2" thick seat. 3/4" foam covers all exposed sides.

The following models use a soft sit high density foam providing enhanced user comfort: MP5S, MPICB, MPRB, and MPCRN. All foam is 2.5 density, 45 lb. compression with 2.5" thick seat, topped with .5" of 2.6 density 80 lb. compression foam. The backs are 1.5" total thickness consisting of 1" thick 2.5-45 lb and a .50" topper of 2.6 – 80 lb. compression foam.

3/4" of 2.6 80 lb. compression foam covers all exposed sides.

BASE STYLES
Concealed Glides
Glides are .38" high, nail-in molded white nylon. 4-5 glides used per lounge depending upon model.

GANGING
Gangers are made from 7 gauge steel (.179" thick), powder-coated black and mounted to the underside of any lounge using 1/4 x 1" wood screws. Concealed glide base options are available to use gangers.



10 Days or Less Seating - Lobby and Lounge


MyPlace™ - General Information



Corner with Back



Five S



Inside Curve with Back

General Dimensions

Seat width	19"	19"	
Seat depth	19"	17"	19"
Seat height	18"	18"	18"

Overall Dimensions

Width	26"	31-1/4"	76-1/2"
Depth	26"	28"	26"
Height	32"	32"	32"



INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

10 Days or Less Seating - Lobby and Lounge



MyPlace™ - General Information



ITEM	QTY	MODEL
A	4	MPCRE
B	1	MP26R

Typical A Configuration

* All configurations consist of multiple individual units. Gangers must be specified on each individual unit in order to connect units.



ITEM	QTY	MODEL
A	3	MPICB


Typical C Configuration

* All configurations consist of multiple individual units. Gangers must be specified on each individual unit in order to connect units.



10 Days or Less Seating - Lobby and Lounge


MyPlace™ - General Information




ITEM	QTY	MODEL
A	5	MP5S
B	2	MP18R

Typical D Configuration

* All configurations consist of multiple individual units. Gangers must be specified on each individual unit in order to connect units.



ITEM	QTY	MODEL
A	3	MPRB
B	1	MPCRN/RF
C	1	MPCRN/LF




Typical H Configuration


* All configurations consist of multiple individual units. Gangers must be specified on each individual unit in order to connect units.

10 Days or Less Seating - Lobby and Lounge

MyPlace™ - General Information



ITEM	QTY	MODEL
A	3	MPICB
B	2	MPRB
C	3	MP18R




Typical I Configuration

* All configurations consist of multiple individual units. Gangers must be specified on each individual unit in order to connect units.





10 Days or Less Seating - Lobby and Lounge

MyPlace™ - General Information



10 Days or Less Seating - Lobby and Lounge

MyPlace™

				MODEL NUMBER				
				Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Moisture Barrier	
MODEL	Features	COM						
	18" Round - Non-contrast <ul style="list-style-type: none">Dia=18" H=18"	Concealed Glide, Non-contrast	1.25 yd	MP18R/CGL/NC	□□□□		□□□	
M18R								
	18" Round - Contrast <ul style="list-style-type: none">1 = Base (Fabric Contrast 1) C.O.M. = 1.25 yd2 = Seat (Fabric Contrast 2) C.O.M. = .75 ydDia=18" H=18"	Concealed Glide, Contrast		MP18R/CGL/FC	□□□□	□□□□	□□□	
M18R								
				A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select quick ship non-contrast or fabric contrast 1.
See 'Information' for fabric color codes and colors.
- C** Select quick ship fabric contrast 2.
See 'Information' for fabric color codes and colors.
- D** Select moisture barrier.
MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier upcharge.

INFORMATION

Quick Ship Fabrics

- Grade C - Skyline**
- 1KBA - Bermuda
 - 1KBN - Black
 - 1KCA - Cocoa
 - 1KGE - Grape
 - 1KIN - Iron
 - 1KLE - Lime
 - 1KMN - Melon
 - 1KMT - Midnight
 - 1KRR - Red Pepper
 - 1KSG - Sterling
 - 1KTY - Taffy

- Grade E - Umbel Vinyl**
- VUAN - Antelope
 - VUBC - Black
 - VUBX - Bordeaux
 - VUCM - Camel
 - VUCR - Carotene
 - VUCH - Charcoal
 - VUEL - Elephant

- VUMT - Molten
- VUNY - Navy
- VUPD - Paradise
- VUPT - Patina
- VUSS - Sassafras

- Grade G - Yerba Vinyl**
- VYAQ - Aquamarine
 - VYBQ - Briquette
 - VYCD - Cloud
 - VYGG - Green Grass
 - VYGY - Grey
 - VYLN - Light Navy
 - VYMH - Mocha
 - VYSF - Seafoam



10 Days or Less Seating - Lobby and Lounge

MyPlace™

Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade E & C.O.L.	Grade G	Moisture Barrier add to list price
30.0#	\$ 494	\$ 540	\$ 567	\$ 595	\$ 80

30.0#	\$ 519	\$ 565	\$ 602	\$ 670	\$ 80
-------	--------	--------	--------	--------	-------

INFORMATION

Order Quantity

Maximum MyPlace™ Order Quantity - 10 chairs

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

Quick Ship with COM/COL

The 10 working day quick ship lead-time for orders with COM/COL begins the day the COM/COL is received and the order is released into production

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Lobby and Lounge

MyPlace™

				MODEL NUMBER				
MODEL	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Moisture Barrier		
 M26R	26" Round - Non-contrast <ul style="list-style-type: none">Ganging (specify kit separately)Dia=26" H=18"	Concealed Glide, Non-contrast 2.25 yd	MP26R/CGL/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
 M26R	26" Round - Contrast <ul style="list-style-type: none">1 = Base (Fabric Contrast 1) C.O.M. = 1.75 yd2 = Seat (Fabric Contrast 2) C.O.M. = 1 ydGanging (specify kit separately)Dia=26" H=18"	Concealed Glide, Contrast	MP26R/CGL/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
				A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select quick ship non-contrast or fabric contrast 1.
See 'Information' for fabric color codes and colors.
- C** Select quick ship fabric contrast 2.
See 'Information' for fabric color codes and colors.
- D** Select moisture barrier.
MB ☐ - Moisture barrier
NMB ☐ - No moisture barrier
See pricing column for moisture barrier upcharge.

INFORMATION

Quick Ship Fabrics

- Grade C - Skyline**
- 1KBA - Bermuda
 - 1KBN - Black
 - 1KCA - Cocoa
 - 1KGE - Grape
 - 1KIN - Iron
 - 1KLE - Lime
 - 1KMN - Melon
 - 1KMT - Midnight
 - 1KRR - Red Pepper
 - 1KSG - Sterling
 - 1KTY - Taffy

- Grade E - Umbel Vinyl**
- VUAN - Antelope
 - VUBC - Black
 - VUBX - Bordeaux
 - VUCM - Camel
 - VUCR - Carotene
 - VUCH - Charcoal
 - VUEL - Elephant

- VUMT - Molten
 - VUNY - Navy
 - VUPD - Paradise
 - VUPT - Patina
 - VUSS - Sassafras
- Grade G - Yerba Vinyl**
- VYAQ - Aquamarine
 - VYBQ - Briquette
 - VYCD - Cloud
 - VYGG - Green Grass
 - VYGY - Grey
 - VYLN - Light Navy
 - VYMH - Mocha
 - VYSF - Seafoam



10 Days or Less Seating - Lobby and Lounge

MyPlace™

Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade E & C.O.L.	Grade G	Moisture Barrier add to list price
35.0#	\$ 614	\$ 697	\$ 745	\$ 797	\$ 115

35.0#	\$ 639	\$ 727	\$ 775	\$ 857	\$ 115
-------	--------	--------	--------	--------	--------

INFORMATION

Order Quantity

Maximum MyPlace™ Order Quantity - 10 chairs

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

Quick Ship with COM/COL

The 10 working day quick ship lead-time for orders with COM/COL begins the day the COM/COL is received and the order is released into production

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Lobby and Lounge

MyPlace™

				MODEL NUMBER				
				Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Moisture Barrier	
MODEL	Features	COM						
	Crescent - Non-contrast <ul style="list-style-type: none">Ganging (specify kit separately)Dia=26" H=18"	Concealed Glide, Non-contrast	2 yd	MPCRE/CGL/NC	□□□□		□□□	
MCRE								
	Crescent - Contrast <ul style="list-style-type: none">1 = Base (Fabric Contrast 1) C.O.M. = 1.75 yd2 = Seat (Fabric Contrast 2) C.O.M. = .75 ydGanging (specify kit separately)Dia=26" H=18"	Concealed Glide, Contrast		MPCRE/CGL/FC	□□□□	□□□□	□□□	
MCRE								
				A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select quick ship non-contrast or fabric contrast 1.
See 'Information' for fabric color codes and colors.
- C** Select quick ship fabric contrast 2.
See 'Information' for fabric color codes and colors.
- D** Select moisture barrier.
MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier upcharge.

INFORMATION

Quick Ship Fabrics

Grade C - Skyline

- 1KBA - Bermuda
- 1KBN - Black
- 1KCA - Cocoa
- 1KGE - Grape
- 1KIN - Iron
- 1KLE - Lime
- 1KMN - Melon
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Grade E - Umbel Vinyl

- VUAN - Antelope
- VUBC - Black
- VUBX - Bordeaux
- VUCM - Camel
- VUCR - Carotene
- VUCH - Charcoal
- VUEL - Elephant

- VUMT - Molten
- VUNY - Navy
- VUPD - Paradise
- VUPT - Patina
- VUSS - Sassafras

Grade G - Yerba Vinyl

- VYAQ - Aquamarine
- VYBQ - Briquette
- VYCD - Cloud
- VYGG - Green Grass
- VYGY - Grey
- VYLN - Light Navy
- VYMH - Mocha
- VYSF - Seafoam



10 Days or Less Seating - Lobby and Lounge

MyPlace™

Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade E & C.O.L.	Grade G	Moisture Barrier add to list price
68.0#	\$ 623	\$ 696	\$ 738	\$ 785	\$ 152

68.0#	\$ 648	\$ 731	\$ 773	\$ 860	\$ 152
-------	--------	--------	--------	--------	--------

INFORMATION

Order Quantity

Maximum MyPlace™ Order Quantity - 10 chairs

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

Quick Ship with COM/COL

The 10 working day quick ship lead-time for orders with COM/COL begins the day the COM/COL is received and the order is released into production

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Lobby and Lounge

MyPlace™

	Features	COM	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Moisture Barrier	
 MRB Rectangle with Back- Non-contrast <ul style="list-style-type: none">Ganging (specify kit separately) Overall Dimensions: <ul style="list-style-type: none">W=48" D=26" H=32" Seat Dimensions: <ul style="list-style-type: none">W=48" D=19" H=18"	Concealed Glide, Non-contrast	4.75 yd	MPRB/CGL/NC	□□□□			□□□	91.0#
 MRB Rectangle with Back- Contrast <ul style="list-style-type: none">1 = Base (Fabric Contrast 1) C.O.M. = 2 yd2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd3 = Back (Fabric Contrast 3) C.O.M. = 2.75 yd Ganging (specify kit separately) Overall Dimensions: <ul style="list-style-type: none">W=48" D=26" H=32" Seat Dimensions: <ul style="list-style-type: none">W=48" D=19" H=18"	Concealed Glide, Contrast		MPRB/CGL/FC	□□□□	□□□□	□□□□	□□□	91.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select quick ship non-contrast or fabric contrast 1.
See 'Information' for fabric color codes and colors.
- C** Select quick ship fabric contrast 2.
See 'Information' for fabric color codes and colors.
- D** Select quick ship fabric contrast 3.
See 'Information' for fabric color codes and colors.
- E** Select moisture barrier.
MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier upcharge.

INFORMATION

Quick Ship Fabrics

Grade C - Skyline

- 1KBA - Bermuda
- 1KBN - Black
- 1KCA - Cocoa
- 1KGE - Grape
- 1KIN - Iron
- 1KLE - Lime
- 1KMN - Melon
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Grade E - Umbel Vinyl

- VUAN - Antelope
- VUBC - Black
- VUBX - Bordeaux
- VUCM - Camel
- VUCR - Carotene
- VUCH - Charcoal
- VUEL - Elephant

- VUMT - Molten
- VUNY - Navy
- VUPD - Paradise
- VUPT - Patina
- VUSS - Sassafras

Grade G - Yerba Vinyl

- VYAQ - Aquamarine
- VYBQ - Briquette
- VYCD - Cloud
- VYGG - Green Grass
- VYGY - Grey
- VYLN - Light Navy
- VYMH - Mocha
- VYSF - Seafoam

				Moisture Barrier add to list price
Grade C.O.M.	Grade C	Grade E & C.O.L.	Grade G	
\$ 1222	\$ 1396	\$ 1497	\$ 1607	\$ 223
\$ 1272	\$ 1446	\$ 1547	\$ 1682	\$ 223

Order Quantity

Maximum MyPlace™ Order Quantity - 10 chairs

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft.).

Contrasting Upholsterv

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Quick Ship with COM/COL

The 10 working day quick ship lead-time for orders with COM/COL begins the day the COM/COL is received and the order is released into production

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----



Shipping

Ships assembled, FOB High Point, NC
27263, freight prepaid. Freight class 250.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Lobby and Lounge

MyPlace™

	Features	COM	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Moisture Barrier	
 MICB Inside Curve with Back - Non-contrast <ul style="list-style-type: none">Ganging (specify kit separately) Overall Dimensions: <ul style="list-style-type: none">W=76-1/2" D=26" H=32" Seat Dimensions: <ul style="list-style-type: none">D=19" H=18"	Concealed Glide, Non-contrast	8 yd	MPICB/CGL/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	120.0#
 MICB Inside Curve with Back- Contrast <ul style="list-style-type: none">1 = Base (Fabric Contrast 1) C.O.M. = 2.75 yd2 = Seat (Fabric Contrast 2) C.O.M. = 1.75 yd3 = Back (Fabric Contrast 3) C.O.M. = 4 yd Ganging (specify kit separately) Overall Dimensions: <ul style="list-style-type: none">W=76-1/2" D=26" H=32" Seat Dimensions: <ul style="list-style-type: none">D=19" H=18"	Concealed Glide, Contrast		MPICB/CGL/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	120.0#

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select quick ship non-contrast or fabric contrast 1.
See 'Information' for fabric color codes and colors.
- C** Select quick ship fabric contrast 2.
See 'Information' for fabric color codes and colors.
- D** Select quick ship fabric contrast 3.
See 'Information' for fabric color codes and colors.
- E** Select moisture barrier.
MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier upcharge.

INFORMATION

Quick Ship Fabrics

Grade C - Skyline

- 1KBA - Bermuda
- 1KBN - Black
- 1KCA - Cocoa
- 1KGE - Grape
- 1KIN - Iron
- 1KLE - Lime
- 1KMN - Melon
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Grade E - Umbel Vinyl

- VUAN - Antelope
- VUBC - Black
- VUBX - Bordeaux
- VUCM - Camel
- VUCR - Carotene
- VUCH - Charcoal
- VUEL - Elephant

- VUMT - Molten
- VUNY - Navy
- VUPD - Paradise
- VUPT - Patina
- VUSS - Sassafras

Grade G - Yerba Vinyl

- VYAQ - Aquamarine
- VYBQ - Briquette
- VYCD - Cloud
- VYGG - Green Grass
- VYGY - Grey
- VYLN - Light Navy
- VYMH - Mocha
- VYSF - Seafoam

INFORMATION

Maximum MyPlace™ Order Quantity - 10 chairs

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft.).

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity
Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

Quick Ship with COM/COL
The 10 working day quick ship lead-time for orders with COM/COL begins the day the COM/COL is received and the order is released into production

Special Carton Marking



With specially marked information	N/C
-----------------------------------	-----

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Lobby and Lounge

MyPlace™

	Features	COM	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Moisture Barrier	
	Concealed Glide, Non-contrast	3.75 yd	MP5S/CGL/NC	□□□□			□□□	67.0#
<div>M5S</div> <div>Five S with Back - Non-contrast</div> <div><ul style="list-style-type: none">Ganging (specify kit separately). Five S models can only gang to other Five S models</div> <div>Overall Dimensions:</div> <div><ul style="list-style-type: none">W=31-1/4" D=28" H=32"</div> <div>Seat Dimensions:</div> <div><ul style="list-style-type: none">W=19" D=17" H=18"</div>								
	Concealed Glide, Contrast		MP5S/CGL/FC	□□□□	□□□□	□□□□	□□□	67.0#
<div>M5S</div> <div>Five S with Back- Contrast</div> <div><ul style="list-style-type: none">1 = Base (Fabric Contrast 1) C.O.M. = 1.5 yd2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd3 = Back (Fabric Contrast 3) C.O.M. = 2 yd</div> <div>Ganging (specify kit separately). Five S models can only gang to other Five S models</div> <div>Overall Dimensions:</div> <div><ul style="list-style-type: none">W=31-1/4" D=28" H=32"</div> <div>Seat Dimensions:</div> <div><ul style="list-style-type: none">W=19" D=17" H=18"</div>								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select quick ship non-contrast or fabric contrast 1.
See 'Information' for fabric color codes and colors.
- C** Select quick ship fabric contrast 2.
See 'Information' for fabric color codes and colors.
- D** Select quick ship fabric contrast 3.
See 'Information' for fabric color codes and colors.
- E** Select moisture barrier.
MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier upcharge.

INFORMATION

Quick Ship Fabrics

Grade C - Skyline

- 1KBA - Bermuda
- 1KBN - Black
- 1KCA - Cocoa
- 1KGE - Grape
- 1KIN - Iron
- 1KLE - Lime
- 1KMN - Melon
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Grade E - Umbel Vinyl

- VUAN - Antelope
- VUBC - Black
- VUBX - Bordeaux
- VUCM - Camel
- VUCR - Carotene
- VUCH - Charcoal
- VUEL - Elephant

- VUMT - Molten
- VUNY - Navy
- VUPD - Paradise
- VUPT - Patina
- VUSS - Sassafras

Grade G - Yerba Vinyl

- VYAQ - Aquamarine
- VYBQ - Briquette
- VYCD - Cloud
- VYGG - Green Grass
- VYGY - Grey
- VYLN - Light Navy
- VYMH - Mocha
- VYSF - Seafoam

MyPlace™

INFORMATION

Maximum MyPlace™ Order Quantity - 10 chairs

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft.).

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity
Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

Quick Ship with COM/COL
The 10 working day quick ship lead-time for orders with COM/COL begins the day the COM/COL is received and the order is released into production

Special Carton Marking



With specially marked information	N/C
-----------------------------------	-----

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Lobby and Lounge

MyPlace™

	Features	COM	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Moisture Barrier	
 MCRN Corner with Back - Non-contrast, Left-Facing Seat Uph. Direction <ul style="list-style-type: none">Ganging (specify kit separately) Overall Dimensions: <ul style="list-style-type: none">W=26" D=26" H=32" Seat Dimensions: <ul style="list-style-type: none">W=19" D=19" H=18"	Concealed Glide, Non-contrast	4.25 yd	MPCRN/LF/CGL/NC	□□□□			□□□	50.0#
 MCRN Corner with Back - Contrast, Left-Facing Seat Uph. Direction <ul style="list-style-type: none">1 = Base (Fabric Contrast 1) C.O.M. = 1.5 yd2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd3 = Back (Fabric Contrast 3) C.O.M. = 2.5 yd Ganging (specify kit separately)Overall Dimensions: <ul style="list-style-type: none">W=26" D=26" H=32" Seat Dimensions: <ul style="list-style-type: none">W=19" D=19" H=18"	Concealed Glide, Contrast		MPCRN/LF/CGL/FC	□□□□	□□□□	□□□□	□□□	50.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select quick ship non-contrast or fabric contrast 1.
See 'Information' for fabric color codes and colors.
- C** Select quick ship fabric contrast 2.
See 'Information' for fabric color codes and colors.
- D** Select quick ship fabric contrast 3.
See 'Information' for fabric color codes and colors.
- E** Select moisture barrier.
MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier upcharge.

INFORMATION

Quick Ship Fabrics

Grade C - Skyline

- 1KBA - Bermuda
- 1KBN - Black
- 1KCA - Cocoa
- 1KGE - Grape
- 1KIN - Iron
- 1KLE - Lime
- 1KMN - Melon
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Grade E - Umbel Vinyl

- VUAN - Antelope
- VUBC - Black
- VUBX - Bordeaux
- VUCM - Camel
- VUCR - Carotene
- VUCH - Charcoal
- VUEL - Elephant

- VUMT - Molten
- VUNY - Navy
- VUPD - Paradise
- VUPT - Patina
- VUSS - Sassafras

Grade G - Yerba Vinyl

- VYAQ - Aquamarine
- VYBQ - Briquette
- VYCD - Cloud
- VYGG - Green Grass
- VYGY - Grey
- VYLN - Light Navy
- VYMH - Mocha
- VYSF - Seafoam

Grade C.O.M.	Grade C	Grade E & C.O.L.	Grade G	Moisture Barrier add to list price
\$ 1185	\$ 1341	\$ 1431	\$ 1530	\$ 194
\$ 1235	\$ 1391	\$ 1481	\$ 1605	\$ 194

Order Quantity

Maximum MyPlace™ Order Quantity - 10 chairs

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft).

When contrasting fabric is chosen, price at highest in-grade.

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

The 10 working day quick ship lead-time for orders with COM/COL begins the day the COM/COL is received and the order is released into production

Special Carton Marking



With specially marked information	N/C
-----------------------------------	-----

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Lobby and Lounge

MyPlace™

	Features	COM	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Fabric Contrast 3	Moisture Barrier	
 <p>MCRN</p> <p>Corner with Back - Non-contrast, Right-Facing Seat Uph Direction</p> <ul style="list-style-type: none"> Ganging (specify kit separately) <p>Overall Dimensions:</p> <ul style="list-style-type: none"> W=26" D=26" H=32" <p>Seat Dimensions:</p> <ul style="list-style-type: none"> W=19" D=19" H=18" 	Concealed Glide, Non-contrast	4.25 yd	MPCRN/RF/CGL/NC	□□□□			□□□	50.0#
 <p>MCRN</p> <p>Corner with Back - Contrast, Right-Facing Seat Uph Direction</p> <ul style="list-style-type: none"> 1 = Base (Fabric Contrast 1) C.O.M. = 1.5 yd 2 = Seat (Fabric Contrast 2) C.O.M. = .75 yd 3 = Back (Fabric Contrast 3) C.O.M. = 2.5 yd Ganging (specify kit separately) <p>Overall Dimensions:</p> <ul style="list-style-type: none"> W=26" D=26" H=32" <p>Seat Dimensions:</p> <ul style="list-style-type: none"> W=19" D=19" H=18" 	Concealed Glide, Contrast		MPCRN/RF/CGL/FC	□□□□	□□□□	□□□□	□□□	50.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select quick ship non-contrast or fabric contrast 1.

See 'Information' for fabric color codes and colors.

C Select quick ship fabric contrast 2.

See 'Information' for fabric color codes and colors.

D Select quick ship fabric contrast 3.

See 'Information' for fabric color codes and colors.

E Select moisture barrier.

MB - Moisture barrier

NMB - No moisture barrier

See pricing column for moisture barrier upcharge.

INFORMATION

Quick Ship Fabrics

Grade C - Skyline

1KBA - Bermuda
 1KBN - Black
 1KCA - Cocoa
 1KGE - Grape
 1KIN - Iron
 1KLE - Lime
 1KMN - Melon
 1KMT - Midnight
 1KRR - Red Pepper
 1KSG - Sterling
 1KTY - Taffy

Grade E - Umbel Vinyl

VUAN - Antelope
 VUBC - Black
 VUBX - Bordeaux
 VUCM - Camel
 VUCR - Carotene
 VUCH - Charcoal
 VUEL - Elephant

VUMT - Molten
 VUNY - Navy
 VUPD - Paradise
 VUPT - Patina
 VUSS - Sassafras

Grade G - Yerba Vinyl

VYAQ - Aquamarine
 VYBQ - Briquette
 VYCD - Cloud
 VYGG - Green Grass
 VYGY - Grey
 VYLN - Light Navy
 VYMH - Mocha
 VYSF - Seafoam

[illegible]

Order Quantity

Maximum MyPlace™ Order Quantity - 10 chairs

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft.).

When contrasting fabric is chosen, price at highest in-grade.

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Ships assembled, FOB High Point, NC
27263, freight prepaid. Freight class 250.

Specifications and prices are subject to change without prior notice.

10 Days or Less Seating - Lobby and Lounge

Sela® - General Information



Lounge Chair - Metal Base
Base
(1323)

Loveseat - Metal Base
(1333)

Sofa - Metal Base
(1343)

General Dimensions			
Seat width	22-3/4"	46-1/2"	69-1/2"
Seat depth	20-1/2"	20-1/2"	20-1/2"
Seat height	17-3/4"	17-3/4"	17-3/4"
Arm width	3-1/2 - 7"	3-1/2 - 7"	3-1/2 - 7"
Arm height	23"	23"	23"
Overall Dimensions			
Width	32"	55"	78"
Depth	33-1/2"	33-1/2"	33-1/2"
Height	28-1/4"	28-1/4"	28"

Frame

Seat frames are constructed of 3/4" laminated hardwood plywood that is CNC cut with 5/4 maple cross rails. Ottomans are constructed of 3/4" laminated hardwood plywood. All mainframe joints are doubled doweled and glued. Stress points are further reinforced with the use of glue blocks that are stapled or screwed in place. The arms are constructed of 1/2", 3/4", and 1" laminated hardwood plywood.

Sled Base

Legs are constructed of 1' O.D. x 16-gauge round steel tubing welded to a 14-gauge steel mounting plate and secured to the frame with 16 #10 x 1.5" steel pan head wood screws.

Wood Frame

Wood base is 12/4 kiln dried beech hardwood with a moisture content of 6% - 8%. Wood base joints are mortise and tenon and dowel construction. Oversized corner blocks are glued and attached with screws and staples to secure.

Seat and Back Suspension

The seat is constructed with stretch strap webbing, inner woven and stapled into position. Both seats and backs are covered with a layer of FLW (reinforced non-woven fiber) on top.

Foam

The back foam is 3" thick and contour cut for consistency. The seat foam is 6" thick. A .5" super soft wrap covers the front and top of the seat. The arm foam varies from from 1.25" thick to .5" thick.



10 Days or Less Seating - Lobby and Lounge

Sela® - General Information




INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

10 Days or Less Seating - Lobby and Lounge Seating

Sela®

				MODEL NUMBER								
				Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Moisture Barrier	Arm Cap	Glide Option		
MODEL	Features	COM										
 SELA	Lounge Chair <ul style="list-style-type: none">1 = Back, arms, front border (Fabric Contrast 1) C.O.M. = 4 yd2 = Seat (Fabric Contrast 2) C.O.M. = 1.25 yd	Non-contrast	5 yd	1323/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		
		Contrast		1323/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		
 SELA	Loveseat <ul style="list-style-type: none">1 = Back, arms, front border (Fabric Contrast 1) C.O.M. = 5.5 yd2 = Seat (Fabric Contrast 2) C.O.M. = 1.75 yd	Non-contrast	7.25 yd	1333/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		
		Contrast		1333/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		
 SELA	Sofa <ul style="list-style-type: none">1 = Back, arms, front border (Fabric Contrast 1) C.O.M. = 6.75 yd2 = Seat (Fabric Contrast 2) C.O.M. = 2.75 yd	Non-contrast	9.5 yd	1343/NC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		
		Contrast		1343/FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select quick ship non-contrast or fabric contrast 1.
See 'Information' for fabric color codes and colors.
- C** Select quick ship fabric contrast 2.
See 'Information' for fabric color codes and colors.
- D** Select base finish color.
CH - Chrome
- E** Select moisture barrier.
MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier upcharge.
- F** Select armcaps.
NAC - No armcap

- G** Select glide option.
- NGL** - No glides
- GNV** - Nylon glides (black); add \$5

INFORMATION

Quick Ship Fabrics

Grade C - Skyline

- 1KBA - Bermuda
- 1KBN - Black
- 1KCA - Cocoa
- 1KGE - Grape
- 1KIN - Iron
- 1KLE - Lime
- 1KMN - Melon
- 1KMT - Midnight
- 1KRR - Red Pepper
- 1KSG - Sterling
- 1KTY - Taffy

Grade E - Umbel Vinyl

- VUAN - Antelope
- VUBC - Black
- VUBX - Bordeaux
- VUCM - Camel
- VUCR - Carotene
- VUCH - Charcoal
- VUEL - Elephant



10 Days or Less Seating - Lobby and Lounge Seating

Sela®

Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade E & C.O.L.	Grade G	Moisture Barrier add to list price
80.0#	\$ 1531	\$ 1733	\$ 1847	\$ 1975	\$ 214
80.0#	1590	1791	1908	2033	214
110.0#	\$ 2070	\$ 2361	\$ 2529	\$ 2712	\$ 237
110.0#	2158	2448	2616	2799	237
144.0#	\$ 2575	\$ 2956	\$ 3174	\$ 3413	\$ 268
144.0#	2688	3067	3286	3524	268

VUMT - Molten
VUNY - Navy
VUPD - Paradise
VUPT - Patina
VUSS - Sassafras

Grade G - Yerba Vinyl

VYAQ - Aquamarine
VYBQ - Briquette
VYCD - Cloud
VYGG - Green Grass
VYGY - Grey
VYLN - Light Navy
VYMH - Mocha
VYSF - Seafoam

INFORMATION

Order Quantity

Maximum Sela™ Order Quantity - 12 chairs

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

Quick Ship with COM/COL

The 10 working day quick ship lead-time for orders with COM/COL begins the day the COM/COL is received and the order is released into production

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB High Point, NC 27263, freight prepaid.** Freight class 175

Specifications and prices are subject to change without prior notice.

10 Days or Less Tables - Folding

DuraLite® Lightweight Folding Tables - General Information



Rectangular Top


Round Top

Features

Honeycomb cellular core	•	•
High-impact ABS surface	•	•
Corner protection covers	•	•
Aluminum framework	•	•
Adjustable legs		

General Dimensions

Height range	29"	29"
Width range	30"	60 - 72"
Length range	60 - 96"	60 - 72"



Honeycomb Core

- A. Honeycomb core
- B. Sonically welded edges
- C. Molded corner covers
- D. Aluminum beam structure
- E. Aluminum leg plate attached to aluminum beam
- F. .080" thick co-extruded ABS top shell
- G. .095" thick co-extruded ABS bottom shell
- H. Edge extrusion

SPECIFICATIONS

Table Top

The top is composed of a .080" thick, high impact Lustran 752 ABS top shell, internal core, internal framework and .095" thick high impact Lustran 752 ABS bottom shell, chemically bonded together. Edges of top and bottom shell are ultrasonically welded together to form a fully enclosed unit that cannot separate and is impervious to moisture seepage. Top thickness is 2-3/8". The 3/4" thick table edge accepts standard industry skirt clips and is protected by a polypropylene edge bumper which allows for rigorous use and ensures a smooth, snag-free edge.

ABS top and bottom shells are supplied in a "flatline haircell" texture which provides the optimal combination of concealment to scratches.

The undersurface is clean and smooth for better appearance and discourages collec-

tion of gum or other undesirable materials.

Four black rubber stacking bumpers are attached to the underside of each table top to protect table surfaces when stacked, and to keep loads from shifting on table caddies.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Internal Framework

Extruded aluminum channels create a framework around the entire perimeter of the top and are joined at the corners with a molded, high-impact polycarbonate corner reinforcing bracket. Unique aluminum leg attachment brackets attach directly to the aluminum side channels, creating superior strength.

Internal Core

3/4" thick honeycomb cellular core is chemically bonded under pressure to the top and bottom shells creating excellent rigidity and

strength with minimum added weight.

Corner Protection Covers

Rectangular table corners are protected by an exclusive high-impact polycarbonate corner cover. These are field-replaceable to allow table corners to be "freshened up" in case of damage from misuse or abuse.

Table Legs

Fixed height legs are constructed of 18-gauge, 1-1/8" o.d., seam-welded tubular steel with a non-marring polyethylene glide. Folding linkage, hinges, locks and fastening hardware are of heavy-duty die-formed steel. The leg lock is a gravity operated C-shape designed to prevent binding in the leg mechanism during the folding process. Leg uprights are attached to the inverse-U shaped lower section by "fish-mouthing" the uprights to match the curvature of the lower section tubing and are securely welded together. Metal-to-metal leg attachment to table top ensures durability and allows for sure and easy leg replacement, if necessary.

Legs and mechanisms are furnished in a

high quality black electrostatically applied and baked on enamel finish.



10 Days or Less Tables - Folding

DuraLite® Lightweight Folding Tables - General Information



INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

10 Days or Less Tables - Folding

DuraLite® Lightweight Folding Tables

		MODEL NUMBER			Approx. Packaged Weight	
		Basic Model	Top Color	Frame Color		
 DLT	Rectangular Tables, Fixed Height	30 x 60"	DL3060	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	BL	41.0#
		30 x 72"	DL3072	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	BL	43.0#
		30 x 96"	DL3096	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	BL	52.0#
 DLT	Round Tables, Fixed Height	60" Diameter	DLR60	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	BL	58.0#
		72" Diameter	DLR72	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	BL	71.0#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top color.
Includes top and bottom shell and edge band.
- | | |
|------------|-------------|
| TGR | - Blue Grey |
| TSA | - Sand |
| TWA | - Walnut |
- TWA = Walnut ONLY available on Rectangular Tables.
- C** Select frame color.
- | | |
|-----------|---------|
| BL | - Black |
|-----------|---------|

INFORMATION

Order Quantity
Maximum DuraLite® Tables Order Quantity
- 25 tables



10 Days or Less Tables - Folding

DuraLite® Lightweight Folding Tables

Delivered Pricing	
\$	420
	495
	528
\$	625
	807

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Tupelo, MS 38804, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

10 Days or Less Tables - Folding

ValueLite® Folding Tables - General Information



ValueLite® Rectangle Top



ValueLite® Round Top

Features

Blow molded top	•	•
Folding frames	•	•
Steel framework	•	•
Round legs	•	•

General Dimensions

Height	29"	29"
Width range	30"	48, 60, 71"
Length range	60 - 96"	48, 60, 71"
Stack height	2-1/8" - 2-1/4"	3-5/8"

SPECIFICATIONS

Table Top

The top is composed of high density polyethylene. The blow molded top is seamless, eliminating the possibility of separation. Added UV inhibitors prevent fading and maintain appearance. The polyethylene tops are resistant to stains and easy to clean.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Rectangle Table Legs

Fixed height legs are constructed of 19 ga. 1-1/8" tubing O.D., seam-welded tubular steel with non-marring feet. Folding linkage, hinges, locks and fastening hardware are of heavy-duty die-formed steel. The gravity operated chain link leg lock puts 200% more material at the point of stress. Leg brace below the bend is stronger than common u-shaped legs.

Round Table Legs

Fixed height legs are constructed of 19 ga. 1-1/4" tubing O.D., seam-welded tubular steel with non-marring feet with snap lock legs.

Legs and mechanisms are furnished in a high quality, black hammertone powder coat finish.



10 Days or Less Tables - Folding

ValueLite® Folding Tables - General Information



INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

10 Days or Less Tables - Folding

ValueLite® Folding Tables

			MODEL NUMBER	Approx. Packaged Weight
			Basic Model	
 HRDPT	Rectangle Tables	30 x 60"	VL.3060.BL.WH	30.0#
	<ul style="list-style-type: none">• For indoor and outdoor use• Top constructed of lightweight blow molded high density polyethylene plastic with added UV inhibitors• Seam-welded tubular steel legs fold within the frame• Safety lock• Frame and legs have a black hammer-tone powder coat finish• Polypropylene feet• Top thickness is 1-7/8"	30 x 72"	VL.3072.BL.WH	35.0#
		30 x 96"	VL.3096.BL.WH	48.0#
 HRDPT	Round Tables	48" Diameter	VL.48R.BL.WH	34.0#
	<ul style="list-style-type: none">• For indoor and outdoor use• Top constructed of lightweight blow molded high density polyethylene plastic with added UV inhibitors• Seam-welded tubular steel legs fold within the frame• Snap lock legs• Frame and legs have a black hammer-tone powder coat finish• Polypropylene feet• KTR9 holds - 12 ea• Top thickness is 1-7/8"	60" Diameter	VL.60R.BL.WH	53.0#
		71" Diameter	VL.71R.BL.WH	73.0#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

Order Quantity
Maximum ValueLite® Tables Order Quantity - 50 rectangular tables
Maximum ValueLite® Tables Order Quantity - 50 round tables
Maximum ValueLite® Tables Order Quantity - 50 square tables



10 Days or Less Tables - Folding

ValueLite® Folding Tables

Delivered Pricing	
\$	269
	297
	345
\$	345
	420
	518

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **assembled, FOB Tupelo, MS 38804, freight excluded.** Freight class 70.

Specifications and prices are subject to change without prior notice.


10 Days or Less Tables - Contract

Pillar™ Tables - General Information



Rectangular Round Square Reduction

General Dimensions				
Height	29"	29"	29"	29"
Top	24"D, 30"D x 36"W - 72"W 36"D x 48"W - 72"W (Large Rect) 42"D, 48"D x 72"W-96"W	36"Dia,42"Dia,48"Dia,60"Dia	36", 42",48" Sq	24-30", 30-24", 30-36", 36-30" *Long end is 6" longer than short end



Laminate; 1-1/4" rigid Poly edge; square corner (74P)

SPECIFICATIONS

Worksurfaces

Standard worksurface tops are nominal 1-1/4" overall thickness with .030" thick high-pressure laminate top surface and .028 phenolic backer, (bottom surface). Density of the core in standard tops is 45 lb/cu ft. particleboard, M3 grade. Available with 2mm (74P) edge only.

Leg Assembly

Leg assemblies come in two variations to accommodate two overall table heights: 29" standard and 42" standing height depending on the table shape. The leg construction consists of a 2-1/4" O.D., 14-gauge steel tubing welded to a 1/4" thick 8" x 8" steel plate. There is a 1/4" thick steel insert welded in the bottom of each leg tube with a 1/2-13 UNC threaded hole where the casters or glides attach. The legs are attached to the worksurface using #12 x 1" screws. Casters and glides are shipped in separate cartons and need to be installed upon assembly of

the table.

PowerUp Power/Data Module

Several tables are available with one or two PowerUp modules per table. All 24" and 30" deep rectangular tops, all reduction tops, and all D tops get one module centered and spaced 3" from the back edge. All boat tops and all 36" deep rectangular tops up to 72" in length get one module in the very center of the top. 36" x 84" and 36" x 96" rectangular tops and all 42" and 48" deep rectangular tops get two modules centered along the top depth.

The PowerUp is a UL listed Relocatable Power Tap which mounts flush into the table top. The module is 3-1/4" wide by 7" long and 2-1/4" tall when opened. It is provided with either a 9 ft. or 15 ft., three conductor power cord, rated 120VAC, 15A. When open, one duplex power receptacle and two RJ45 data connectors are exposed. The module can be adapted to accept various brand jacks.

Villa Power/Data/USB Module

Several tables are available with one or two Villa modules per table. All 24" and 30" deep rectangular tops, all reduction tops, and all D tops get one module centered and spaced 3" from the back edge. All boat tops and all 36" deep rectangular tops up to 72" in length get one module in the very center of the top. 36" x 84" and 36" x 96" rectangular tops and all 42" and 48" deep rectangular tops get two modules centered along the top depth.


The Villa module is a UL listed Relocatable Power Tap which mounts flush into the table top. The module is 3-1/2" wide x 6-3/4" long and 2" tall when opened. It is provided with either a 9 ft. or 15 ft., 3 conductor cord, rated 120VAC, 15A. When open, two power receptacles, two USB charging ports and one two USB and one RJ45 data connector connector are exposed. The module can be modified to fit various brand jacks. Data connectors are not supplied with the module and are purchased separately. Metal grommet cover is included.

Casters and Glides

Each table includes either casters or glides. Each caster table includes a set of wheel locking and non-locking casters. Casters are made of molded nylon and come in two colors. Glides are black nylon over molded on a steel insert for strength. Glides and casters are not interchangeable without changing the table height. Caster wheels are a minimum of 2-7/16" (63mm) diameter. Caster wheel treads are a medium hard (75 max Shore A) for easy mobility on carpet or hard floors. Glides have a smooth bottom surface for mobility. Glides have a height adjustment range of 1" to allow for uneven surfaces.

Ganging Mechanism

Built of black, high-strength nylon, the hook and peg combination draws tables together. No tools are required when joining tables. Gangers are self-storing under the table when not in use. Tops are pre-drilled for placement of ganging pegs. Two gangers,



Diamond

Sprocket

General Dimensions

Height	29"	29"
Top	30", 36"	24"D, 30"D *24" - Three Leg only *30" - Three Leg and Six Leg

six pegs and all mounting screws are included in the kit. One kit per table joint is required. Field installed.

Vertical Leg Wire Management

A color matched extrusion made of aluminum “snaps” to the Pillar™ leg managing cables and wires exiting PowerUp® or standard grommets installed on the worksurface top. The extrusion is 12" long. One vertical wire manager per table is included when power options are ordered.

Under Table Wire Management

The under table wire manager is constructed of 2" x 4-1/2" Velcro hook and loop material with a looped pull tab. The wire manager is provided with adhesive backing and screws for attachment to the underside of the top. Tops are pre-drilled for locating wire manager, but the manager may be applied in any convenient location. One or two wire managers are included when power options are ordered. Field installed.

Worksurface Grommet

Several tables are available with one or two rectangular plastic grommets per table. All 24" and 30" deep rectangular tops, all reduction tops, and all D tops get one grommet centered and spaced 3" from the back edge. All boat tops and all 36" deep rectangular tops up to 72" in length get one grommet in the very center of the top. 36" x 84" and 36" x 96" rectangular tops and all 42" and 48" deep rectangular tops get two grommets centered along the top depth. Grommets have a flip-up receding door and are identical in size to the PowerUp module to allow for retrofitting of PowerUp at a later date. The available opening for power or data cords, when the flip-up door is closed, is 1/2" wide x 5-3/4" long. Open door available space is 2-1/4" x 5-3/4". Grommets are available in a variety of colors. Field-installed.

INFORMATION

Warranty


Refer to KI Terms & Conditions document or visit ki.com

10 Days or Less Tables - Contract

Pillar™ Tables - General Information


Pillar Post Leg Tables

Pillar is defined by clean lines and simple leg styling



Glide legs are longer than caster legs, therefore they are not interchangeable without changing the height of the table.

Vertical and horizontal wire management are included automatically when power options or cutouts are specified.









Available in 29" height as standard.



Pillar Post Leg Tables

Array of configurable top shapes






INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

10 Days or Less Tables - Contract

Pillar™ Tables - Rectangular - 29" High, 24", 30" and 36" Deep

			MODEL NUMBER										
MODEL		A x B	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Grommet/ Module Color	Cord (feet)		
 PLRT	Rectangular Tables - 24"D <ul style="list-style-type: none">• Post Leg at 29" high• Tables are designed for maximum leg spacing• Glides and casters are not interchangeable without changing the height of the table• Vertical and horizontal wire management are included automatically when power options are specified	24 x 36"	PLRT2436	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
		24 x 48"	PLRT2448	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		24 x 60"	PLRT2460	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		24 x 72"	PLRT2472	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
 PLRT	Rectangular Tables - 30"D <ul style="list-style-type: none">• Post Leg at 29" high• Tables are designed for maximum leg spacing• Glides and casters are not interchangeable without changing the height of the table• Vertical and horizontal wire management are included automatically when power options are specified	30 x 48"	PLRT3048	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
		30 x 60"	PLRT3060	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		30 x 72"	PLRT3072	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
 PLRT	Rectangular Tables - 36"D <ul style="list-style-type: none">• Post Leg at 29" high• Tables are designed for maximum leg spacing• Glides and casters are not interchangeable without changing the height of the table• Vertical and horizontal wire management are included automatically when power options are specified	36 x 48"	PLRT3648	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
		36 x 60"	PLRT3660	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		36 x 72"	PLRT3672	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
			A	B	C	D	E	F	G	H	I		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

74P - 74P edge

C Select grommet or module type.

NNN - No Grommets, PowerUp or Wire Management/No Cutouts

10C - One Cutout Only-w/Wire Management; add \$143

WMO - Wire Management Only-No Cutouts; add \$143

1PG - One Plastic Grommet w/Wire Management; add \$160

1PU - One PowerUp w/Wire Management; add \$256

1VG - One Villa Grommet w/Wire Management; add \$207

1VM - One Villa Module with USB w/Wire Management; add \$452

D Select edge color.

EBL - Black

E Select surface finish.

LCX - Cherry Storm

LGE - Grey

LKM - Kensington Maple

LMR - Misted Zephyr

LSR - Shadow Zephyr

LSV - Silicon evol

F Select leg finish.

BL - Black

LG - Light Tone

WG - Warm Grey

G Select base.

CST - Casters

GLD - Glides

Casters=2 locking/2 non-locking, black wheel, silver hub

H Select grommet/module color.

GBL - Black grommet

PUBL - PowerUp Black

I Select Cord Length (feet).

15 - 15' cord length

9 - 9' cord length


*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

*Includes vertical and horizontal wire management.



10 Days or Less Tables - Contract

Pillar™ Tables - Rectangular - 29" High, 24",30" and 36" Deep



Approx. Packaged Weight	74P Edge (74P)
68.5#	\$ 589
79.0#	615
89.5#	662
103.8#	705

89.5#	\$ 668
102.6#	714
119.5#	752

100.0#	\$ 736
115.8#	846
139.0#	880

INFORMATION

Order Quantity
Maximum Pillar™ Order Quantity - 25 tables

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C


Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



10 Days or Less Tables - Contract

Pillar™ Tables - Large Rectangular - 29" High, 42" and 48" Deep



74P Edge
(74P)

\$	1106
	1106
	1348
	1411

INFORMATION

Order Quantity
Maximum Pillar™ Order Quantity - 25 tables

SPECIAL SERVICES



Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Tables - Contract


Pillar™ Tables - Reduction 29" High, 24-30 and 30-24

		MODEL NUMBER									Approx. Packaged Weight
A x B x C		Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Grommet/ Module Color	Cord (feet)	
	24 x 48 x 30"	PLRN244830	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	89.5#
	24 x 60 x 30"	PLRN246030	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	102.3#
PLRN											
Reduction Tables - 24-30											
<ul style="list-style-type: none">• Post Leg at 29" high• There is a 6" difference between the short and long end• Table dimensions are specified 'left-side depth (A)', 'table-width (B)', 'right-side depth (C)'• Tables are designed for maximum leg spacing• Glides and casters are not interchangeable without changing the height of the table• Vertical and horizontal wire management are included automatically when power options are specified											
	30 x 36 x 24"	PLRN306024	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	102.3#
	30 x 72 x 24"	PLRN307224	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	119.5#
PLRN											
Reduction Tables - 30-24											
<ul style="list-style-type: none">• (Same bullets as above)											
		A	B	C	D	E	F	G	H	I	



10 Days or Less Tables - Contract

Pillar™ Tables - Reduction 29" High, 24-30 and 30-24



74P Edge
(74P)

\$ 736
782

\$ 782
821

INFORMATION

Order Quantity
Maximum Pillar™ Order Quantity - 25 tables

SPECIAL SERVICES


Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Tables - Contract

Pillar™ Tables - Square - 29" High

MODEL	A x B	MODEL NUMBER							Approx. Packaged Weight
		Basic Model	Edge Style	Grommet/Module Type	Edge Color	Surface Finish	Leg Finish	Base	
 PLSR	Square Tables - 29"H <ul style="list-style-type: none">• Post Leg at 29" high• Tables are designed for maximum leg spacing• Glides and casters are not interchangeable without changing the height of the table	36 x 36"	PLSR36	74P	NNN	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	84.0#
		42 x 42"	PLSR42	74P	NNN	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	101.0#
		48 x 48"	PLSR48	74P	NNN	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	121.0#
			A	B	C	D	E	F	G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
74P - 74P edge
- B** Select edge style.
NNN - No Grommets, PowerUp or Wire Management/No Cutouts
- C** Select grommet or module type.
NNN - No Grommets, PowerUp or Wire Management/No Cutouts
- D** Select edge color.
EBL - Black
- E** Select surface finish.
LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple
LMR - Misted Zephyr
LSR - Shadow Zephyr
LSV - Silicon evolv
- F** Select leg finish.
BL - Black
LG - Light Tone

- WG** - Warm Grey
- G** Select base.
CST - Casters
GLD - Glides
Casters=2 locking/2 non-locking, black wheel, silver hub


INFORMATION

Order Quantity
Maximum Pillar™ Order Quantity - 25 tables



10 Days or Less Tables - Contract

Pillar™ Tables - Square - 29" High



74P Edge
(74P)

\$	693
	820
	851

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



10 Days or Less Tables - Contract

Pillar™ Tables - Round - 29" High



74P Edge
(74P)

\$	746
	887
	950
	1070

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



10 Days or Less Tables - Contract

Pillar™ Tables - Sprocket and Diamond Shape - 29" High



Approx. Packaged Weight	74P Edge (74P)
108.0#	\$ 1049
148.0#	1081

175.0#	\$ 1301
--------	---------

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

10 Days or Less Tables - Contract


Pirouette® Tables - General Information




Features			
Fixed	•		•
Nesting	•	•	•
General Dimensions			
Height	29"	29"	29"
Top	18"D, 24"D, 30"D, 36"D x 48"W - 72"W	24"D, 30"D x 48"W - 60"W	30"D x 72"W



Laminate; 1-1/4" self edge; square corner (64E)



Laminate; 1-1/4" rigid Poly edge; square corner (74P)



Laminate; 2-1/4" elliptical molded urethane front and rear (long) edges; 1-1/4" rigid Poly edge on side (short) edges (ME2)

SPECIFICATIONS

Worksurfaces

Standard worksurface tops are nominal 1-1/4" overall thickness with .030" thick high-pressure laminate top surface and .028 phenolic backer (bottom surface). Density of the core in standard tops is 45 lb/cu ft. particleboard, M3 grade. Available with 2mm (74P), Self Edge (64E), or Molded Urethane (ME2) edges.

Flipping/Nesting Table Frame

The framework for table support and flipping/nesting operation consists of 30mm X 50mm X 3mm thick wall, steel tubing with 4mm thick formed steel support hubs welded to the tubes for mounting the legs. A 3mm formed steel table support bracket is attached to the beam and hub structure using a 10mm diameter steel pivot pin. #12 X 1-3/4" Phillips wood screws attach the framework brackets to the worksurface. A 9.9mm steel hex rod connects the latch mechanism and is connected to a nylon

release paddle on either end of the table base. The table latch release handle is actuated by squeezing the paddle on either end to the underside of the worksurface. Pulling upward, raises the worksurface for nesting storage.

To lower the table for use from the upright storage position, grasp the top center of the worksurface edge and lower the surface to and allow the latches to engage once the surface is down. All hinge pins for the flipping mechanism are zinc-plated steel. Hinge pin spaces are molded nylon. The framework is shipped separately, ready to be assembled to the worksurface and legs.

Leg Assembly-Flipping/Nesting Table

The leg assembly consists of one right-hand leg and one left-hand leg. There are three leg widths. One width fits 18" wide tables. One width fits 24" and 30" wide tables. One width fits 36" wide tables. Standard leg height is 29" high. ADA table height of 32" is accomplished using 3" leg extensions

threaded into the bottom of the leg. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 4mm thick steel pivot plate welded to it. The feet consist of two 4mm thick blades welded to the leg tube, and the blade covers are zinc die cast attached with self-tapping metal screws. The leg assemblies are bolted to the table frame structure using two M12 X 25mm flat head bolts. Leg assemblies ship with blade covers installed but casters or glides need to be installed upon assembly. A hardware kit is shipped with the base that consists of two covers that must be installed after the leg assembly to prevent access to the pivot mechanism.

Leg Assembly-Fixed T-Base

There are three leg widths. One width fits 18" wide tables. One width fits 24" and 30" wide tables. One width fits 36" wide tables. Standard leg height is 29" high. ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Leg construction consists of 2.2"

diameter, .10" thick wall steel tubing with a 5mm thick steel plate welded to it. The feet consist of two 4mm thick blades welded to the leg tube, and the blade covers are cast aluminum attached with self-tapping metal screws. The leg assemblies are attached to the worksurface using #12 X 1" screws. Leg assemblies ship with blade covers installed but casters or glides need to be installed upon assembly.

Leg Assembly-Fixed Double T Leg

Some larger fixed leg tables use a Double T or TT style leg. Available standard in one width of 38" to fit 42" and 48" wide tables. Leg height is fixed to provide only 29" high table-top height. ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 5mm thick steel plate welded to it. The feet consist of two 4mm thick blades welded to two leg tubes separated by a 1" X 2" welded steel cross tube, and the blade covers are zinc



10 Days or Less Tables - Contract

Pirouette® Tables - General Information



Chevron

Double Chevron

Rectangular &
Conference

Square

Round

Guitar Pick

Features

Fixed	•	•	•	•	•	•
Nesting	•	•			•	

General Dimensions

Height	29"	29"	29"	29"	29"	29"
Top	18"D, 24"D, 30"D x 60"W, 72"W midpoint is 3" wider than ends	30", 36" x 60", 72" midpoint is 6" wider than ends 84" & 96" have third leg	42"D x 96", 120"D TT-Base 96" & 120" have third leg	30", 36" X-Base 42", 48", 60" C-Base	42", 48" T-Base 30", 36", 42" X-Base 48", 60" C-Base	60" Each uses three C-Base legs

die cast attached with self-tapping metal screws. The leg assemblies are attached to the worksurface using #12 X 1" screws. Leg assemblies ship with blade covers installed but casters or glides need to be installed upon assembly.

Leg Assembly-Fixed C-Leg

Some shaped tables use three or four C-leg style legs. Available standard in one length of 14". Leg height is fixed to provide only 29" high table-top height. ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 5mm thick steel plate welded to it. The foot consists of one 4mm thick blade welded to the leg tube, and the blade covers are cast aluminum attached with self-tapping metal screws. The leg assemblies are attached to the worksurface using #12 X 1" screws. Leg assemblies ship with blade covers installed but casters or glides need to be installed upon assembly.

Leg Assembly-Fixed X-Base

Some round and square shaped tables use X-base style legs. Available in a standard 28" X 28" style foot configuration. Leg construction consists of 3" diameter, .10" thick wall steel tubing with a 5mm thick steel plate welded to it. The feet consist of four 4mm thick blades welded to the leg tube, and the blade covers are cast aluminum attached with self-tapping metal screws. The leg assemblies are attached to the worksurface using #12 X 1" screws. Leg assemblies ship with blade covers installed but casters or glides need to be installed upon assembly.

PowerUp® Power/Data Module

Tables are available with one or two PowerUp modules per table. On tables with one module, it is located centered within the top length. Modules are spaced 3" from the back edge on 18", 24", and 30" deep tops. They are also spaced 3" from the back edge on 36" deep tops up to 72" in width. For tops that are 36" in depth and 84" or more in length and for all 42" and 48" deep tops, the

modules are located along the center line of the top (front to back) and approximately 23" to 35" from the edge of the top depending on the top width. Tables with widths of 72" or less always get one module while tables with widths of 84" or more always get two modules.

The PowerUp module is a UL listed relocatable power tap, which is a surface-mounted power module with a plastic cover. The module is 3-1/4" wide x 7" long and 2-1/4" tall when opened. It is provided with either a 9 ft. or 15 ft., 3 conductor cord, rated 120VAC, 15A. The module has a dampened spring-loaded mechanism to allow the unit to open for use and close when not in use. When open, one duplex power receptacle and two RJ45 data connectors are exposed. The module can be modified to fit various brand jacks. Data connectors are not supplied with the module and are purchased separately.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

10 Days or Less Tables - Contract

Pirouette® Tables - General Information

Villa Power/Data/USB Module

Tables are available with one or two Villa modules per table. On tables with one module, it is located centered within the top length. Modules are spaced 3" from the back edge on 18", 24", and 30" deep tops. They are also spaced 3" from the back edge on 36" deep tops up to 72" in width. For tops that are 36" in depth and 84" or more in length and for all 42" and 48" deep tops, the modules are located along the center line of the top (front to back) and approximately 23" to 35" from the edge of the top depending on the top width. Tables with widths of 72" or less always get one module while tables with widths of 84" or more always get two modules.

The Villa module is an Interek ETL Listed Furniture Power Distribution Unit surface module that mounts below a 6-1/4" x 3" grommet cutout in the tabletop. The module is 3-1/2" wide x 6-3/4" long and 2" tall when opened. It is provided with either a 9 ft. or 15 ft., 3 conductor cord, rated 120VAC, 15A. When open, two power receptacles, two USB charging ports and one RJ45 data connector are exposed. The module can be modified to fit various brand jacks. Data connectors are not supplied with the module and are purchased separately. Metal grommet cover is included.

Activ8 Electrical

The Activ8 electrical system is a UL 962 recognized component that allows up to eight duplex power modules to be connected to one standard 15-amp power cord. Activ8 electrical system does not require modules to be connected in a certain order. The number of power modules connected is automatically limited to the maximum allowed under UL 962. If too many modules are connected, the Activ8 control box disconnects all power to the system and illuminates a red LED. Power is resumed automatically to the system once the extra power module or modules are disconnected, which is indicated by a green LED. The fuse on the power entry box can be reset as it is used to limit the number of devices on the chain. If the system receives a voltage spike, it would likely destroy the infeed box and would need to be replaced.

Activ8 Power Infeed

Series includes a standard NEMA 5-15P 15-amp plug on one end of the 108" cord and a non-sequentially keyed connector at the opposite end of the cord. Control box is located 12" from the table connection.

Built-in diagnostics LED shows system status:

- Green=power is on and system is working properly
- Red=power has been stopped because too many modules are connected
- LED off=input power is not available; check that power cord is plugged into an outlet and that power is available to that outlet

Activ8 PowerUp Power/Data Module

Tables are available with one or two Activ8 PowerUp power/data modules per table. On tables with one module, it is located centered within the top length. Modules are spaced 3" from the back edge on 18", 24", and 30" deep tops. They are also spaced 3" from the back edge on 36" deep tops up to 72" in width. For tops that are 36" in depth and 84" or more in length and for all 42" and 48" deep tops, the modules are located along the center line of the top (front to back) and approximately 23" to 35" from the edge of the top depending on the top width. Tables with widths of 72" or less always get one module while tables with widths of 84" or more always get two modules.

The Activ8 PowerUp module is a surface-mounted power module with a plastic cover. The module is 3-1/4" wide by 7" long and 2-1/4" tall when opened. When open, one duplex power receptacle and two RJ45 data connectors are exposed. A connector with three ports is located at the opposite end of the 12" cord. The module can be modified to fit various brand jacks. Data connectors are not supplied with the module and are purchased separately. Up to eight modules may be connected per infeed.

Activ8 Villa Power/Data/USB Module

Tables are available with one or two Activ8 Villa power/data/USB modules per table. On tables with one module, it is located centered within the top length. Modules are spaced 3" from the back edge on 18", 24", and 30" deep tops. They are also spaced 3" from the back edge on 36" deep tops up to 72" in width. For tops that are 36" in depth and 84" or more in length and for all 42" and 48" deep tops, the modules are located along the center line of the top (front to back) and approximately 23" to 35" from the edge of the top depending on the top width. Tables with widths of 72" or less always get one module while tables with widths of 84" or more always get two modules.

The Activ8 Villa module mounts below a 6-1/4" x 3" grommet cutout in the tabletop. The module is 3-1/2" wide by 6-3/4" long and 2" tall when opened. When open, two power receptacles, two USB charging ports and one RJ45 data connector are exposed. A connector with three ports is located at the opposite end of the 12" cord. The module can be modified to fit various brand jacks. Data connectors are not supplied with the module and are purchased separately. Metal grommet cover is included. Up to eight modules may be connected per infeed.

Casters and Glides

Each table includes either glides or casters. Each table with casters will include two wheel locking casters. Glides and casters are made of molded nylon and come in two colors. Glides and casters are interchangeable without changing table height. Caster wheels are a minimum of 2.44" (62mm) diameter. Caster wheel treads are medium hard (75 max Shore A) for easy mobility on

carpet or hard floors. Glides have a smooth convex bottom surface for mobility. 2 3/4" diameter black nylon glides are optional. Glides have 1" of telescoping height adjustment that adjusts table height from 28 1/2" to 29 1/2". Steel 1/2" threaded stems attach the glides to legs. Casters and glides ship unassembled.

Ganging Mechanism

Built of black, high-strength nylon, the hook and peg combination draws tables together. No tools are required when joining tables. Gangers are self-storing under the table when not in use. Tops are pre-drilled for placement of ganging pegs. Two gangers, six pegs are included in the kit. All ganging accessories are included for tables with Activ8. Ganging kits are ordered separately for all other table models. One kit per table joint is required. Field installed.

Vertical Leg Wire Management

A color matched extrusion made of aluminum "snaps" to the Pirouette leg managing cables and wires exiting PowerUp® or standard grommets installed on the worksurface top. The extrusion is 12" long. Vertical wire managers are included when power options are ordered.

Under Table Wire Management

The under table wire manager is constructed of 2" x 4-1/2" Velcro hook and loop material. Wire manager is provided with adhesive backing and screws for attachment to the underside of the top. Tops are pre-drilled for locating wire manager, but the manager may be applied in any convenient location. Two or five wire managers are included when power options are ordered. Field installed.

Worksurface Grommet

The grommet is constructed of ABS plastic which mounts flush into the top of the worksurface. Grommets are spaced 3" from the back edge on 18", 24", and 30" deep tops. They are also spaced 3" from the back edge on 36" deep tops up to 72" in width. For tops that are 36" in depth and 84" or more in length and for all 42" and 48" deep tops, the grommets are located along the center line of the top (front to back) and approximately 23" to 35" from the edge of the top depending on the top width. Tables with widths of 72" or less always get one grommet while tables with widths of 84" or more always get two grommets. Grommets have a flip-up receding door and are identical in size to the PowerUp module to allow for retrofitting of PowerUp at a later date. The available opening for power or data cords, when the flip-up door is closed, is 1/2" wide x 5-3/4" long. Open door available space is 2-1/4" x 5-3/4". Field-installed.

Fabric Wrapped Modesty Panel/Wire Management

The modesty panel is constructed of a heat-set, non-woven PET material, pressed into a flexible, durable and dent-resistant panel. The panel is fabric wrapped, black only. The panel is hung by plastic clips that mount

to the underside of the worksurface using wood screws. The modesty panel hangs freely when in use or when the table top is in its nested, upright position. The panel has a Velcro-fastened pouch on the user side to route and hide cables or wires from electronic equipment to the optional vertical leg wire manager. The modesty panel measures 8-1/2" wide (measured from underside of the worksurface) by the length of the table x 3/4" thick.

UL NOTE:

Some models are UL listed. Contact KI Customer Service for model specific information.




10 Days or Less Tables - Contract

Pirouette® Tables - General Information



Pirouette® Tables - Fixed-Rectangular-29" High (Training)



65.0#	\$ 738	\$ 738
74.0#	818	818
88.0#	893	N/A
74.0#	\$ 775	\$ 775
86.0#	866	866
102.0#	947	947

Maximum Pirouette® Order Quantity - 25 tables

With specially marked information	N/C
-----------------------------------	-----


Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



10 Days or Less Tables - Contract

Pirouette® Tables - Fixed-Rectangular-29" High (Conference)



Approx. Packaged Weight	74P Edge (74P)
179.0#	\$ 1846
211.0#	1989

INFORMATION

Order Quantity
Maximum Pirouette® Order Quantity - 25
tables

SPECIAL SERVICES


Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to
change without prior notice.

10 Days or Less Tables - Contract

Pirouette® Tables - Fixed-Chevron-29" High (Standard Height)

			MODEL NUMBER										
			Basic Model	Edge Style	Grommet/Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Cord (feet)	Base	
	T Base	24 x 60"	PIFCV2460	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	T Base	24 x 72"	PIFCV2472	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
<p>PIFT</p> <p>Chevron Tables - 24"D</p> <ul style="list-style-type: none">• Tables are designed for maximum leg spacing for the length of the table• Gangers ordered separately• Fixed base at 29" high													
<p>PIFT</p> <p>Chevron Tables - 30"D</p> <ul style="list-style-type: none">• Fixed base at 29" high	T Base	30 x 60"	PIFCV3060	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	T Base	30 x 72"	PIFCV3072	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
			A	B	C	D	E	F	G	H	I	J	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.
74P - 74P edge

C Select grommet or module type.
NNN - No Grommets/No PowerUp/No Wire Management
WMO - Wire Management Only-No Cutouts; add \$143
10C - One Cutout Only w/Wire Management; add \$143
1PG - One Plastic Grommet w/Wire Management; add \$160
1PU - One PowerUp w/Wire Management; add \$256
1VG - One Villa Grommet w/Wire Management; add \$207
1VM - One Villa Module with USB w/Wire Management; add \$452

D Select modesty panel.
FMP - Fabric modesty panel; add

\$288
NMP - No fabric modesty panel

E Select edge color.
EBL - Black

F Select surface finish.
LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple
LMR - Misted Zephyr
LSR - Shadow Zephyr
LSV - Silicon evol

G Select leg finish.
BL - Black
LG - Light Tone
WG - Warm Grey

H Select grommet/module color.
PUBL - PowerUp Black
PUWG - PowerUp Warm Grey
PUBL - Villa Module Black
PUWG - Villa Module Warm Grey
GBL - Black grommet

GWG - Warm Grey grommet

I Select Cord Length (feet).
15 - 15' cord length
9 - 9' cord length
*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.


*Includes vertical and horizontal wire management.

J Select base.
4EC - 4 casters
4GB - 4 black glides
Casters=2 locking/2 non-locking, black wheel, silver hub



10 Days or Less Tables - Contract

Pirouette® Tables - Fixed-Chevron-29" High (Standard Height)



Approx. Packaged Weight	74P Edge (74P)
77.0#	\$ 771
92.0#	826

89.0#	\$ 917
106.0#	1005

INFORMATION

Order Quantity
Maximum Pirouette® Order Quantity - 25
tables

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to
change without prior notice.

PIFT

Double Chevron Tables - 30"D

- Tables are designed for maximum leg spacing for the length of the table
- Gangers ordered separately
- NNN and WMO selections available on all models
- 10C, 1PG, 1PU, 1VG, and 1VM selections available for table lengths of 36" thru 72"
- 20C, 2PG, 2PU, 2VG, and 2VM selections available for table lengths of 84" thru 120"
- Fixed base at 29" high

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select edge style.
74P	- 74P edge
C	Select grommet or module type.
NNN	- No Grommets/No PowerUp/ No Wire Management
WMO	- Wire Management Only-No Cutouts; add \$143
10C	- One Cutout Only w/Wire Management; add \$143
1PG	- One Plastic Grommet w/Wire Management; add \$160
1PU	- One PowerUp w/Wire Man- agement; add \$256
1VG	- One Villa Grommet w/Wire Management; add \$207
1VM	- One Villa Module with USB w/ Wire Management; add \$452
D	Select modesty panel.
NMP	- No fabric modesty panel


PUBL	- Villa Module Black
PUWG	- Villa Module Warm Grey
PUBL	- PowerUp Black
PUWG	- PowerUp Warm Grey
GBL	- Black grommet
GWG	- Warm Grey grommet

4EC - 4 casters
4GB - 4 black glides
 Casters=2 locking/2 non-locking,
 black wheel, silver hub



10 Days or Less Tables - Contract

Pirouette® Tables - Fixed-Double Chevron-29" High (Standard Height)



Approx. Packaged Weight	74P Edge (74P)
92.0#	\$ 1114
110.0#	1260

INFORMATION

Order Quantity
Maximum Pirouette® Order Quantity - 25
tables

SPECIAL SERVICES


Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to
change without prior notice.

10 Days or Less Tables - Contract

Pirouette® Tables - Fixed-Guitar Pick-29" High (Standard Height)

	MODEL	Features	A x B	MODEL NUMBER								
				Basic Model	Edge Style	Grommet/Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	
 PIFT	Guitar Pick Tables - 60" • Fixed base at 29" high	C Base	60 x 60"	PIFG60	74P	NNN	NMP	EBL	□□□	□□	□□□	
				A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


- A** Select basic model.
74P - 74P edge
- B** Select edge style.
- C** Select grommet or module type.
NNN - No Grommets/No PowerUp/No Wire Management
- D** Select modesty panel.
NMP - No fabric modesty panel
- E** Select edge color.
EBL - Black
- F** Select surface finish.
LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple
LMR - Misted Zephyr
LSR - Shadow Zephyr
LSV - Silicon evolv

- G** Select leg finish.
BL - Black
LG - Light Tone
WG - Warm Grey
- H** Select base.
4EC - 4 casters
4GB - 4 black glides
Casters=2 locking/2 non-locking, black wheel, silver hub



10 Days or Less Tables - Contract

Pirouette® Tables - Fixed-Guitar Pick-29" High (Standard Height)



Approx. Packaged Weight	74P Edge (74P)
133.0#	\$ 1251

INFORMATION

Order Quantity
Maximum Pirouette® Order Quantity - 25
tables

SPECIAL SERVICES



Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to
change without prior notice.

10 Days or Less Tables - Contract

Pirouette® Tables - Fixed-Square-29" High (Standard Height)

				MODEL NUMBER										
MODEL				Features	A x B	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	
 PIFT	Square Tables - Fixed, 29" High • Fixed base at 29" high	X Base	30 x 30"	PIFXSQ30	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			
		X Base	36 x 36"	PIFXSQ36	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			
 PIFT	Square Tables - Fixed, 29" High • Fixed base at 29" high	C Base	42 x 42"	PIFCSQ42	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			
		C Base	48 x 48"	PIFCSQ48	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			
		C Base	60 x 60"	PIFCSQ60	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


- A** Select basic model.
74P - 74P edge
- B** Select edge style.
74P - 74P edge
- C** Select grommet or module type.
NNN - No Grommets/No PowerUp/No Wire Management
- D** Select modesty panel.
NMP - No fabric modesty panel
- E** Select edge color.
EBL - Black
- F** Select surface finish.
LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple
LMR - Misted Zephyr
LSR - Shadow Zephyr
LSV - Silicon evol

- G** Select leg finish.
BL - Black
LG - Light Tone
WG - Warm Grey
- H** Select base.
4EC - 4 casters
4GB - 4 black glides
Casters=2 locking/2 non-locking, black wheel, silver hub



10 Days or Less Tables - Contract

Pirouette® Tables - Fixed-Square-29" High (Standard Height)



Approx.
Packaged
Weight

74P Edge
(74P)

61.0#	\$ 686
75.0#	769

91.0#	\$ 1122
110.0#	1145
155.0#	1260

INFORMATION

Order Quantity
Maximum Pirouette® Order Quantity - 25
tables

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C


Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to
change without prior notice.



10 Days or Less Tables - Contract

Pirouette® Tables - Fixed-Round-29" High (Standard Height)



Approx. Packaged Weight	74P Edge (74P)
55.0#	\$ 731
65.0#	811
78.0#	929

93.0#	\$ 1180
128.0#	1293

INFORMATION

Order Quantity
Maximum Pirouette® Order Quantity - 25
tables

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to
change without prior notice.

- I** Select Cord Length (feet).
- | | |
|-----------|-------------------|
| 15 | - 15' cord length |
| 9 | - 9' cord length |
- *CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.
- *Includes vertical and horizontal wire management.
- J** Select base finish.
- | | |
|------------|------------------|
| 4EC | - 4 casters |
| 4GB | - 4 black glides |
- Casters=2 locking/2 non-locking,
black wheel, silver hub



10 Days or Less Tables - Contract

Pirouette® Tables - Fixed-Scale Up-29" High (Standard Height)



Approx. Packaged Weight	74P Edge (74P)
64.0#	\$ 984

INFORMATION

Order Quantity
Maximum Pirouette® Order Quantity - 25
tables

SPECIAL SERVICES


Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI
54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to
change without prior notice.

10 Days or Less Tables - Contract

Pirouette® Tables - Nesting-Rectangular-29" High (Training)

			MODEL NUMBER										
			Basic Model	Edge Style	Grommet/Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Cord (feet)		Base
 <p>PINT</p> <p>Rectangular Tables - 18"D</p> <ul style="list-style-type: none">• Tables are designed for maximum leg spacing for length of table• Gangers ordered separately• Nesting base at 29" high	Features	A x B											
	T Base	18 x 48"	PINR1848T	74P	□□□	□□□	EBL	□□□	□□	□□□□	□□	□□□	
	T Base	18 x 60"	PINR1860T	74P	□□□	□□□	EBL	□□□	□□	□□□□	□□	□□□	
	T Base	18 x 72"	PINR1872T	74P	□□□	□□□	EBL	□□□	□□	□□□□	□□	□□□	
<p>PINT</p> <p>Rectangular Tables - 24"D</p>	T Base	24 x 48"	PINR2448T	74P	□□□	□□□	EBL	□□□	□□	□□□□	□□	□□□	
	T Base	24 x 60"	PINR2460T	74P	□□□	□□□	EBL	□□□	□□	□□□□	□□	□□□	
	T Base	24 x 72"	PINR2472T	74P	□□□	□□□	EBL	□□□	□□	□□□□	□□	□□□	
<p>PINT</p> <p>Rectangular Tables - 30"D</p>	T Base	30 x 48"	PINR3048T	74P	□□□	□□□	EBL	□□□	□□	□□□□	□□	□□□	
	T Base	30 x 60"	PINR3060T	74P	□□□	□□□	EBL	□□□	□□	□□□□	□□	□□□	
	T Base	30 x 72"	PINR3072T	74P	□□□	□□□	EBL	□□□	□□	□□□□	□□	□□□	
			A	B	C	D	E	F	G	H	I	J	

Pirouette® Tables - Nesting-Rectangular-29" High (Training)



87.0#	\$ 1043
100.0#	1136
113.0#	1205
97.0#	\$ 1081
112.0#	1162
127.0#	1206

Maximum Pirouette® Order Quantity - 25 tables


With specially marked information	N/C
-----------------------------------	-----

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

10 Days or Less Tables - Contract

Pirouette® Tables - Nesting-Chevron-29" High (Standard Height)

			MODEL NUMBER										
	Features	A x B	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Cord (feet)	Base	
 <p>PINT</p> <p>Chevron Tables - 18"D</p> <ul style="list-style-type: none">• Tables are designed for maximum leg spacing for the length of the table• Gangers ordered separately• Nesting base at 29" high	T Base	18 x 60"	PINCV1860	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	T Base	18 x 72"	PINCV1872	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
<p>PINT</p> <p>Chevron Tables - 24"D</p> <ul style="list-style-type: none">• Nesting base at 29" high	T Base	24 x 60"	PINCV2460	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	T Base	24 x 72"	PINCV2472	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
<p>PINT</p> <p>Chevron Tables - 30"D</p> <ul style="list-style-type: none">• Nesting base at 29" high	T Base	30 x 60"	PINCV3060	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	T Base	30 x 72"	PINCV3072	74P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
			A	B	C	D	E	F	G	H	I	J	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select edge style.
74P - 74P edge
C Select grommet or module type.
NNN - No Grommets/No PowerUp/No Wire Management
WMO - Wire Management Only-No Cutouts; add \$143
10C - One Cutout Only w/Wire Management; add \$143
1PG - One Plastic Grommet w/Wire Management; add \$160
1PU - One PowerUp w/Wire Management; add \$256
1VG - One Villa Grommet w/Wire Management; add \$207
1VM - One Villa Module with USB w/Wire Management; add \$452
D Select modesty panel.
FMP - Fabric modesty panel; add


- \$288
NMP - No fabric modesty panel
E Select edge color.
EBL - Black
F Select surface finish.
LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple
LMR - Misted Zephyr
LSR - Shadow Zephyr
LSV - Silicon evol
G Select leg finish.
BL - Black
LG - Light Tone
WG - Warm Grey
H Select grommet/module color.
GBL - Black grommet
GWG - Warm Grey grommet
PUBL - PowerUp Black
PUWG - PowerUp Warm Grey
PUBL - Villa Module Black

- PUWG - Villa Module Warm Grey
I Select Cord Length (feet).
15 - 15' cord length
9 - 9' cord length
*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.
*Includes vertical and horizontal wire management.
J Select base.
4EC - 4 casters
4GB - 4 black glides
Casters=2 locking/2 non-locking, black wheel, silver hub



10 Days or Less Tables - Contract

Pirouette® Tables - Nesting-Chevron-29" High (Standard Height)



Approx. Packaged Weight	74P Edge (74P)
89.0#	\$ 1036
100.0#	1127

103.0#	\$ 1114
117.0#	1182

115.0#	\$ 1235
131.0#	1336

INFORMATION

Order Quantity
Maximum Pirouette® Order Quantity - 25
tables

SPECIAL SERVICES


Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to
change without prior notice.

10 Days or Less Tables - Contract

Pirouette® Tables - Nesting-Double Chevron-29" High (Standard Height)

			MODEL NUMBER								Approx. Packaged Weight
			Basic Model	Edge Style	Grommet/Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	
	Features	A x B x C									
	T Base	24 x 30 x 60"	PINDC2460	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	106.0#
	T Base	24 x 30 x 72"	PINDC2472	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	121.0#
PINT											
Double Chevron Tables - 24"D											
<ul style="list-style-type: none">• Tables are designed for maximum leg spacing for the length of the table• Gangers ordered separately• Nesting base at 29" high											
PINT	T Base	30 x 36 x 60"	PINDC3060	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	118.0#
	T Base	30 x 36 x 72"	PINDC3072	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	135.0#
			A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


- A** Select basic model.
74P - 74P edge
- B** Select edge style.
74P - 74P edge
- C** Select grommet or module type.
NNN - No Grommets/No PowerUp/No Wire Management
- D** Select modesty panel.
NMP - No fabric modesty panel
- E** Select edge color.
EBL - Black
- F** Select surface finish.
LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple
LMR - Misted Zephyr
LSR - Shadow Zephyr
LSV - Silicon evolv

- G** Select leg finish.
BL - Black
LG - Light Tone
WG - Warm Grey
- H** Select base.
4EC - 4 casters
4GB - 4 black glides
Casters=2 locking/2 non-locking, black wheel, silver hub



10 Days or Less Tables - Contract

Pirouette® Tables - Nesting-Double Chevron-29" High (Standard Height)



74P Edge
(74P)

\$ 1250
1352

\$ 1410
1543

INFORMATION

Order Quantity
Maximum Pirouette® Order Quantity - 25
tables

SPECIAL SERVICES


Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to
change without prior notice.

10 Days or Less Tables - Contract

Pirouette® Tables - Nesting-Round-29" High (Standard Height)

		MODEL NUMBER								
		Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	
MODEL	A									
	Round Tables - 42"D • Nesting base at 29" high	42" Dia	PINRD42	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
PINT										
	Round Tables - 48"D	48" Dia	PINRD48	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
PINT										
		A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


- A** Select basic model.
74P - 74P edge
- B** Select edge style.
- C** Select grommet or module type.
NNN - No Grommets, PowerUp or Wire Management/No Cutouts
- D** Select modesty panel.
NMP - No fabric modesty panel
- E** Select edge color.
EBL - Black
- F** Select surface finish.
LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple
LMR - Misted Zephyr
LSR - Shadow Zephyr
LSV - Silicon evolv

- G** Select leg finish.
BL - Black
LG - Light Tone
WG - Warm Grey
- H** Select base.
4EC - 4 casters
4GB - 4 black glides
Casters=2 locking/2 non-locking, black wheel, silver hub



10 Days or Less Tables - Contract

Pirouette® Tables - Nesting-Round-29" High (Standard Height)



Approx. Packaged Weight	74P Edge (74P)
97.0#	\$ 1131

112.0#	\$ 1194
--------	---------

INFORMATION

Order Quantity
Maximum Pirouette® Order Quantity - 25
tables

SPECIAL SERVICES


Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to
change without prior notice.

10 Days or Less Tables - Contract

Pirouette® Tables - Nesting-Half Round-29" High (Standard Height)

				MODEL NUMBER								
				Basic Model	Edge Style	Grommet/Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	
	MODEL	Features	A x B	PINH48	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Half Round Tables - 24"D	T Base	24 x 48"									
	• Gangers ordered separately											
	• Nesting base at 29" high											
PINT												
	Half Round Tables - 30"D	T Base	30 x 60"	PINH60	74P	NNN	NMP	EBL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
PINT												
				A	B	C	D	E	F	G	H	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


- A** Select basic model.
74P - 74P edge
- B** Select edge style.
NNN - No Grommets, PowerUp or Wire Management/No Cutouts
- C** Select grommet or module type.
NMP - No fabric modesty panel
- D** Select modesty panel.
EBL - Black
- E** Select edge color.
LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple
LMR - Misted Zephyr
LSR - Shadow Zephyr
LSV - Silicon evolv

- G** Select leg finish.
BL - Black
LG - Light Tone
WG - Warm Grey
- H** Select base.
4EC - 4 casters
4GB - 4 black glides
Casters=2 locking/2 non-locking, black wheel, silver hub



10 Days or Less Tables - Contract

Pirouette® Tables - Nesting-Half Round-29" High (Standard Height)



Approx. Packaged Weight	74P Edge (74P)
71.0#	\$ 970

90.0#	\$ 1108
-------	---------

INFORMATION

Order Quantity
Maximum Pirouette® Order Quantity - 25
tables

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to
change without prior notice.

S7L	36	480	4D	BL	CBW50	334FBK
S7L	Product name	700 Series Lateral File				
36	Width	36" wide				
480	Interior height (nominal)	48" high				
4D	Type of unit	4 high, 4 drawer				
BL	Color code	Black				
CBW50	Optional	50# Counterbalance weight				
334FBK	Optional	Front-to-back filing bars				

Each internal component has a corresponding character:

D	Drawer with side-to-side folder bars
R	Receding door, rollout shelf with side-to-side folder bars
E	End tab shelf with plate dividers
HD	Hinged door cabinet with blank shelves
HX	Hinged door cupboard without shelves
OVHD	Overfile storage cabinet

The 334 model number for accessories indicates the item may be used in all cabinet widths.



10 Days or Less - Files and Storage

700 Series® Lateral Files and Storage - General Information

Inside Drawer and Shelf Dimensions*	30W x 18D Cabinet		36W x 18D Cabinet		42W x 18D Cabinet	
	W	D	W	D	W	D
10½" Drawer	26¾"	15⅞"	32¾"	15⅞"	38¾"	15⅞"
12" Single Rollout Shelf	26¾"	15⅞"	32¾"	15⅞"	38¾"	15⅞"
Blank Shelf	26¾"	16⅜"	32¾"	16⅜"	38¾"	16⅜"
Slotted Shelf	26¾"	15½"	32¾"	15½"	38¾"	15½"
12" Drawer	26¾"	15⅞"	32¾"	15⅞"	38¾"	15⅞"
13½" Rollout Shelf	26¾"	15⅞"	32¾"	15⅞"	38¾"	15⅞"
13½" Drawer	26¾"	15⅞"	32¾"	15⅞"	38¾"	15⅞"
End Tab Filing Shelf	26¾"	15¾"	32¾"	15¾"	38¾"	15¾"
Cupboard	28½"	17"	34½"	17"	40½"	17"

* Dimensions have been taken from the front raised edge of rollout shelf. The inside clear dimension wide approximately ½" greater.

Hanging File Configurations			30W Cabinet	36W Cabinet	42W Cabinet
Letter	side-to-side	30FBA		36FBA	42FBA
			26.7"	32.7"	38.5"
Filing Capacity LFI	front-to-back	30FBA w(2)334FBK		36FBA w(2)334FBK	42FBA w(3)334FBK
			30.5"	30.5"	45.75"
Legal	side-to-side	30FBA		36FBA	42FBA
			26.7"	32.7"	38.6"
Filing Capacity LFI	front-to-back	w(1)334FBK		36FBA w(2)334FBK	42FBA w(2)334FBK
			26.5"	30.5"	37.87"

Inside Clear Dimensions of Shelf and Drawer Options

	12" Rollout Shelf Behind Receding Door	Blank/Slotted Shelf Behind Receding Door	End Tab Shelf Behind Receding Door	Tie Bar Shelf Below Receding Door	Drawer
3"					2⅞"
6"					5⅝"
7½"					7¼"
9"					8⅝"
10½"					10¼"
12"					11½"
13½"					13⅝"
15"					14⅝"

All KI products are iron phosphate treated prior to painting. This process enhances top coat bonding. Powder coat application is a highbred epoxy. The paint is baked on to provide a scratch and stain resistant surface. All inside and outside shell and front surfaces are painted with the same specified paint color. Interior components and accessories are painted a black finish. Mechanical components are black plated.

Model Numbering System

Each character in the basic model number corresponds to a specific unit feature.
How to Build a Model Number

Example: 700 Series Optional Front Lateral File – Extended Top

Optional Picks

S7LE	30	240	2D	L1	BL	LGE	CBW50	334FBK
S7LE	Product name				700 Series Lateral File, Extended Top			
30	Width				30" wide			
240	Interior height (nominal)				24" high			
2D	Type of unit				2 high, 2 drawer			
L1	Drawer front style				Laminate, center pull			
BL	Color code				Black			
LGE	Laminate finish				Grey laminate			
CBW50	Optional				50# Counterbalance weight			
334FBK	Optional				Front-to-back filing bars			

Each internal component has a corresponding character:

S7LE	Lateral extended top
L1	Laminate, center pull
D	Drawer with side-to-side folder bars

The 334 model number for accessories indicates the item may be used in all cabinet widths.



10 Days or Less - Files and Storage

700 Series® OF Lateral Files/Storage Cabinets - General Information

Nonstock Plastic Laminate Surfaces

Additional laminates are available but may be subject to additional lead time. Other special laminates require an up-charge and additional lead time. Contact KI.

INSTALLATION

Drawer Fronts

Installed front units designed for the customer come fully assembled and ready to accept drawer fronts. Drawer fronts are mounted with six screws, two per side and two at the bottom. Complete custom drawer front dimensioning can be found on page 66.

Caution Labels

Caution - and safety - related information is contained on a peel-off label affixed to the front of the cabinet. This label is to be removed by the customer.

Caution information is also permanently affixed to the left side of the top drawer. Both labels contain important installation and loading information.

Installation Information

Complete instructions on the proper installation and use of KI files are provided in each file shipped.

The instructions refer to correct methods of leveling, ganging and loading.

Counterbalance weights should be installed in all single freestanding files.

Field Reconfiguration

As needs change, KI lateral files and storage cabinets can readily be field-changed; however, this process should be undertaken by a qualified service technician.





Inside Drawer and Shelf Dimensions*	30W x 18D Cabinet			36W x 18D Cabinet			42W x 18D Cabinet		
	W	D	H	W	D	H	W	D	H
10 1/2" Drawer	26 3/4"	15 7/8"	10 1/4"	32 3/4"	15 7/8"	10 1/4"	38 3/4"	15 7/8"	10 1/4"
12" Drawer	26 3/4"	15 7/8"	11 1/2"	32 3/4"	15 7/8"	11 1/2"	38 3/4"	15 7/8"	11 1/2"
Storage Cabinet	28 1/2"	17"		34 1/2"	17"		40 1/2"	17"	

Hanging File Configurations

		30W Cabinet		36W Cabinet		42W Cabinet	
Letter	side-to-side	30FBA		36FBA		42FBA	
	front-to-back	30FBA w(2)334FBK		36FBA w(2)334FBK		42FBA w(3)334FBK	
Legal	side-to-side	30FBA		36FBA		42FBA	
	front-to-back	w(1)334FBK		36FBA w(2)334FBK		42FBA w(2)334FBK	

10 Days or Less - Files and Storage

700 Series® Preconfigured Lateral Files Drawer Units

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Pull Option	Unit Color	Optional Counterbalance Weight	Key Option	
 S7LTU	27" File, 2 High <ul style="list-style-type: none">Two 12" drawers with FBA folder barsCounterbalance weights are recommended for freestanding units	30 x 18 x 27"	S7L/302402D	CLSC	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	110.0#
		36 x 18 x 27"	S7L/362402D	CLSC	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	120.0#
		42 x 18 x 27"	S7L/422402D	CLSC	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	130.0#
 S7LTU	39-1/4" File, 3 High <ul style="list-style-type: none">Three 12" drawers with FBA folder barsCounterbalance weights are recommended for freestanding units	36 x 18 x 39-1/4"	S7L/363603D	CLSC	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	150.0#
 S7LTU	51-1/2" File, 4 High <ul style="list-style-type: none">Four 12" drawers with FBA folder barsCounterbalance weights are recommended for freestanding units	36 x 18 x 51-1/2"	S7L/364804D	CLSC	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	200.0#
 S7LTU	56-3/32" File, 5 High <ul style="list-style-type: none">Five 10-1/2" drawers with FBA folder barsCounterbalance weights are recommended for freestanding units	30 x 18 x 56-3/32"	S7L/305255D	CLSC	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	235.0#
		36 x 18 x 56-3/32"	S7L/365255D	CLSC	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	255.0#
		42 x 18 x 56-3/32"	S7L/425255D	CLSC	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	275.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select pull option.
CLSC - Classic (inset pull)
- C** Select unit and drawer color.
BL - Black
LG - Light Tone
WG - Warm Grey
- D** Select counterbalance weight.
CBW - With Counterbalance
NOCBW - No Counterbalance
See pricing column for counterbalance weight upcharge.
- E** Select key option.
KS - Key standard
NLC - No lock core
KA - Key alike

INFORMATION

Folder Bars
Files are configured for side-to-side media storage.

Height
All dimensions shown include 1/8" allowance for glides in recessed position.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

INFORMATION

Order Quantity
Maximum 700 Series® Files Order Quantity
- 10 files



10 Days or Less - Files and Storage

700 Series® Preconfigured Lateral Files Drawer Units

Delivered Pricing	Counter-balance Weight add to list price
\$ 848	\$ 167
953	167
1039	167
\$ 1285	\$ 167
\$ 1661	\$ 129
\$ 1841	\$ 129
1995	129
2153	129

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Files and Storage

700 Series® Preconfigured Lateral Files Drawer Units

	MODEL	W x D x H	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Pull Option	Unit Color	Optional Counterbalance Weight	Key Option	
	65-9/32" File, 5 High	36 x 18 x 65-9/32"	S7L/366155D	CLSC	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	250.0#
	• One 12" receding door/rollout shelf with 3 plate dividers	42 x 18 x 65-9/32"	S7L/426155D	CLSC	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	270.0#
	• One 1-1/2" tie bar or posting shelf							
	• DP model replaces 1-1/2" tie bar with a 1-1/2" posting shelf							
	• Four 12" drawers with FBA folder bars							
S7LTU	• Counterbalance weights are recommended for freestanding units							
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
 - CLSC** - Classic (inset pull)
- B** Select pull option.
 - CLSC** - Classic (inset pull)
- C** Select unit and drawer color.
 - BL** - Black
 - LG** - Light Tone
 - WG** - Warm Grey
- D** Select counterbalance weight.
 - CBW** - With Counterbalance
 - NOCBW** - No CounterbalanceSee pricing column for counterbalance weight upcharge.
- E** Select key option.
 - KS** - Key standard
 - NLC** - No lock core
 - KA** - Key alike

INFORMATION

Folder Bars
Files are configured for side-to-side media storage.

Height
All dimensions shown include 1/8" allowance for glides in recessed position.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

INFORMATION

Order Quantity
Maximum 700 Series® Files Order Quantity - 10 files



10 Days or Less - Files and Storage

700 Series® Preconfigured Lateral Files Drawer Units

Delivered Pricing	Counter-balance Weight add to list price
\$ 1943	\$ 129
2198	129

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Files and Storage

700 Series® Preconfigured Multimedia Storage Cupboard/Lateral

	MODEL	W x D x H	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Pull Option	Unit Color	Optional Counterbalance Weight	Key Option	
 S7LTU	71-13/32" File <ul style="list-style-type: none">• One 30" hinged door insert with one blank shelf• One 1-1/2" locking tie bar shelf• Three 12" drawers with FBA folder bars for side-to-side filing• Cabinet supplied with two locks; one lock controls hinged doors, other lock controls drawers• Counterbalance weights are recommended for freestanding units	36 x 18 x 71-13/32"	S7L/366755M	CLSC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	280.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select pull option.
CLSC - Classic (inset pull)
- C** Select unit and drawer color.
BL - Black
LG - Light Tone
WG - Warm Grey
- D** Select counterbalance weight.
CBW - With Counterbalance
NOCBW - No Counterbalance
See pricing column for counterbalance weight upcharge.
- E** Select key option.
KS - Key standard
NLC - No lock core
KA - Key alike

INFORMATION

Folder Bars
Files are configured for side-to-side media storage.

Height
All dimensions shown include 1/8" allowance for glides in recessed position.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

INFORMATION

Order Quantity
Maximum 700 Series® Files Order Quantity - 10 files



10 Days or Less - Files and Storage

700 Series® Preconfigured Multimedia Storage Cupboard/Lateral

		Counter- balance Weight add to list price
Delivered Pricing		
\$ 2153		\$ 129

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Files and Storage

700 Series® Bookcases 15" Deep

			MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Unit Color	
 CIBKU	28-17/32" High • One adjustable shelf	36 x 15"	S7B/3625515	<input type="checkbox"/> <input type="checkbox"/>	55.0#
 CIBKU	54-9/16" High • Three adjustable shelves	36 x 15"	S7B/3651015	<input type="checkbox"/> <input type="checkbox"/>	90.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select unit color.
 - BL** - Black
 - LG** - Light Tone
 - WG** - Warm Grey

INFORMATION

Height
All dimensions shown include 1/4" allowance for glides in recessed position.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

INFORMATION

Order Quantity
Maximum 700 Series® Files Order Quantity
- 10 files



10 Days or Less - Files and Storage

700 Series® Bookcases 15" Deep

Delivered Pricing	
\$	571
\$	833

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Files and Storage

700 Series® Vertical Files Letter/Legal Size Documents

				MODEL NUMBER			Approx. Packaged Weight
				Basic Model	Unit Color	Key Option	
 S7VTU	25-3/4" File, 2 High-Letter Size • Two 11" drawers with either folder bars or compressor follower in each drawer	Folder bars	15 x 27-5/8"	S7V/15302DFB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	110.0#
 S7VTU	48" File, 4 High-Letter Size • Four 11" drawers with either folder bars or compressor follower in each drawer	Folder bars	15 x 27-5/8"	S7V/15304DFB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	190.0#
 S7VTU	25-3/4" File, 2 High-Legal Size • Two 11" drawers with either folder bars or compressor follower in each drawer	Folder bars	18 x 27-5/8"	S7V/18302DFB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	115.0#
 S7VTU	48" File, 4 High-Legal Size • Four 11" drawers with either folder bars or compressor follower in each drawer	Folder bars	18 x 27-5/8"	S7V/18304DFB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	210.0#

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select unit and drawer color.
- | | |
|-----------|--------------|
| BL | - Black |
| LG | - Light Tone |
| WG | - Warm Grey |
- C** Select key option.
- | | |
|------------|----------------|
| NLC | - No lock core |
| KS | - Key standard |
| KA | - Key alike |

INFORMATION

Height
All dimensions shown include 1/4" allowance for glides in recessed position.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

INFORMATION

Order Quantity
Maximum 700 Series® Files Order Quantity
- 10 files



10 Days or Less - Files and Storage

700 Series® Vertical Files Letter/Legal Size Documents

Delivered Pricing	
\$	785
\$	1293
\$	785
\$	1293

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Files and Storage

Vertical File Accessories

				MODEL NUMBER	Approx. Packaged Weight
				Basic Model	
MODEL	Features	W x D			
 VTACU	Compressor <ul style="list-style-type: none">Includes parts required for one 18" wide drawerBlack finish only	Fits any letter size drawer	15 x 1 x 7"	S7V/15CF	5.0#
		Fits any legal size drawer	18 x 1 x 7"	S7V/18CF	5.0#

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

Order Quantity
Maximum 700 Series® Files Order Quantity
- 10 files



10 Days or Less - Files and Storage

Vertical File Accessories

Delivered Pricing	
\$	30
	30

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Files and Storage

700 Series® Pedestals - Mobile and Freestanding

				MODEL NUMBER					
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Optional Counterbalance Weight	Key Option	
 S7PDU	Pedestal - BPF <ul style="list-style-type: none">One 6" box drawer, one 12" file drawer with hanging folder partition5th wheel in lieu of counterbalance weightOnly use 21-5/8" D peds with 30" D desks	Mobile	15 x 17-5/8 x 21-3/4"	S7P/1520MBF	CLSC	□□		□□□	
 S7PDU	Pedestal - PBF <ul style="list-style-type: none">One 3" pencil drawer; one 6" box drawer; one 12" file drawer with hanging folder partitionMobile units include 5th wheel in lieu of counterbalance weightCounterbalance is recommended in freestanding pedestalsOnly use 21-5/8" D peds with 30" D desks	Freestanding	15 x 17-5/8 x 22-3/8"	S7P/1520FPBF	CLSC	□□	□□□□□	□□□	
		Freestanding	15 x 21-5/8 x 22-3/8"	S7P/1524FPBF	CLSC	□□	□□□□□	□□□	
		Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBF	CLSC	□□		□□□	
 S7PDU	Pedestal - FFF <ul style="list-style-type: none">Two 12" file drawers with hanging folder partitionsCounterbalance weight: included in mobile unit; recommended in freestanding pedestalsOnly use 21-5/8" D peds with 30" D desks	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FFF	CLSC	□□	□□□□□	□□□	
		Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MFF	CLSC	□□		□□□	
		Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FFF	CLSC	□□	□□□□□	□□□	
		Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MFF	CLSC	□□		□□□	
 S7PDU	Pedestal - BBF <ul style="list-style-type: none">Two 6" box drawers; one 12" file drawer with hanging folder partitionCounterbalance weight: included in mobile unit; recommended in freestanding pedestalsOnly use 21-5/8" D peds with 30" D desks	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FBBF	CLSC	□□	□□□□□	□□□	
		Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBF	CLSC	□□		□□□	
		Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FBBF	CLSC	□□	□□□□□	□□□	
		Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBF	CLSC	□□		□□□	
				A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select pull option.
CLSC - Classic (inset pull)

C Select unit and drawer color.

BL - Black
LG - Light Tone
WG - Warm Grey

D Select counterbalance weight.

CBW - With Counterbalance
NOCBW - No Counterbalance

See pricing column for counterbalance weight upcharge.

E Select key option.

KS - Key standard
NLC - No lock core
KA - Key alike

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

INFORMATION

Order Quantity

Maximum 700 Series® Files Order Quantity - 10 files



10 Days or Less - Files and Storage

700 Series® Pedestals - Mobile and Freestanding

Approx. Packaged Weight	Delivered Pricing	Counter- balance Weight add to list price
79.0#	\$ 719	N/A
53.0#	\$ 755	\$ 172
55.0#	796	147
90.0#	858	N/A
55.0#	\$ 689	\$ 172
93.0#	765	N/A
55.0#	725	147
90.0#	794	N/A
57.0#	\$ 725	\$ 172
93.0#	833	N/A
60.0#	765	147
95.0#	878	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Files and Storage

700 Series® Pedestals - Hanging

				MODEL NUMBER				Approx. Packaged Weight
				Basic Model	Pull Option	Unit Color	Key Option	
	MODEL	Features	W x D x H	S7P/1524HPBF	CLSC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	80.0#
	Pedestal - PBF	Hanging	15 x 21-5/8 x 22-1/8"					
	• One 3" pencil drawer							
	• One 6" box drawer							
	• One 12" file drawer with hanging folder partition							
				A	B	C	D	

S7PDU

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select pull option.
- CLSC** - Classic (inset pull)
- C** Select unit and drawer color.
- BL** - Black
- LG** - Light Tone
- WG** - Warm Grey
- D** Select key option.
- KS** - Key standard
- NLC** - No lock core
- KA** - Key alike

INFORMATION

Height
All dimensions shown include 1/4" allowance for glides in recessed position.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

INFORMATION

Order Quantity
Maximum 700 Series® Files Order Quantity - 10 files



10 Days or Less - Files and Storage

700 Series® Pedestals - Hanging

Delivered
Pricing

\$ 780

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


10 Days or Less - Desking

WorkZone® Basic Worksurfaces - General Information




Basic Worksurfaces (WBW)


Features	
Solid core top	•
Plastic laminate surface	•
Flat vinyl T-edge	•
74P edge	•
Powder-coated legs	•
Seam-welded tubular steel frame	•
Chrome plated glides	•




Transitional Leg
Transitional leg bases are 6 inches shorter than standard leg bases for greater leg room and chair clearance when two surfaces are joined. When seated at the worksurface, “right” or “left” refers to the individual worksurface, not the assembled workstation. Cannot be ordered for an individual, free-standing worksurface.




Streamline Leg



Beam Frame



Modesty Panel Frame



Full Modesty Panel Frame

SPECIFICATIONS

Worksurface Frames
Heavy-gauge seam-welded tubular steel. Horizontal tabletop support tube, 16-ga., 1"x 1" steel. Floor support member, 16-ga., 1-1/8"x 1-3/4" belly rectangular steel tube. Top and floor support tubes are welded with 2 steel tube vertical leg members. The rear vertical support is 16-ga., 1"x2" steel tube. The front vertical support is 16-ga., 1"x2-1/8" bullet oval steel tube. Leg inserts enclose the space between the (2) vertical leg members and provide concealed management of wire from floor to worksurface. Leg inserts are extruded Polypropylene with sprayed clear acrylic scuff-resistant coating. Adjustable chrome-plated glides. Powder-coat finish on legs. There are three frame style options. The receptacle clearance beam option (WB) is a 16-ga., 1/2"x 1-1/2" steel tube cross brace, welded to two 14-ga., L-brackets for support. The modesty panel (WM) is 19-ga. steel. It is located 1-1/2" from the rear of the

worksurface. The modesty panel is 15.31" on the 29" tables and 13.31" on 27" tables. The full height modesty panel (WF) is 19-ga. steel. It is located 1-1/2" from the rear of the worksurface. The full modesty panel spans the space between the underside of the worksurface and the floor. It is only available on 29" height desks.

Worksurface Top
1-1/4" thick top, .030" high-pressure laminate top surface with .028" phenolic backing sheet. Available with flat-vinyl T-edge, 74P edge or 180° postformed and elliptical post-formed front edge with .030" high pressure laminate and .028 phenolic backing sheet. Side and rear edges of postformed tops are finished with either .024" Polypropylene or .030" high-pressure laminate.

Surface Splice Plates
Die-formed steel splice plates attach to underside of units with screws. Two splice plates are provided with all surfaces. Standard connector plate provided when surfaces are of common height. Worksur-

face height change connector provided for connecting 29" to 27" high surfaces. Specify worksurface height change connector for connecting non-transitional worksurfaces of two different heights except when using T6 option..

Weight Capacity
All WorkZone tables meet or exceed BIFMA 5.5 Standards. Please contact KI Customer Service for additional information.

Horizontal Wire Management Trough
Horizontal wire management trough (WW) connects below the worksurface top and is constructed of rigid Polypropylene with 1" deep by 1-1/2" high openings for cables.

Guest Modesty Panel
The Guest Modesty Panel for P Shaped, Piano, and Square Shoe, peninsula work-surfaces is constructed of 19-ga. steel. It is located 4.5" from the guest side of the peninsula worksurface and is attached using 6, #10-1" screws. It is 9" high and comes in lengths to fit 60" through 84" peninsula tops.

Not for use with peninsula end and side mount worksurfaces.

Fabric
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



10 Days or Less - Desking

WorkZone® Basic Worksurfaces - General Information



INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

10 Days or Less - Desking

WorkZone® Basic Worksurfaces

	D x W-LEFT x W-RIGHT x D	MODEL NUMBER													
		Basic Model	Edge Style	Ht	WWay	Frame Style	Trans. Legs	Grom	Paint Clr	Insrt Clr	Base	Lam Clr	Edge Clr	Grm Clr	
 <p>WBW Basic Worksurface</p> <ul style="list-style-type: none"> Adjustable glides or casters 	24 x 30"	WBW2430	<input type="checkbox"/>	9	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	24 x 36"	WBW2436	<input type="checkbox"/>	9	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	24 x 48"	WBW2448	<input type="checkbox"/>	9	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	24 x 60"	WBW2460	<input type="checkbox"/>	9	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	30 x 48"	WBW3048	<input type="checkbox"/>	9	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	30 x 60"	WBW3060	<input type="checkbox"/>	9	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
 <p>WCS Stand Alone Corner Curvilinear Worksurface</p> <ul style="list-style-type: none"> Front edge is curved Adjustable glides Corner support leg is 7/8" sq. tubular steel Not available with both (TB) transitional legs 	24 x 42 x 42 x 24"	WCC244224	<input type="checkbox"/>	9	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
			A	B	C	D	E	F	G	H	I	J	K	L	M

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

BN - Flat vinyl T-edge
74P - 74P edge

C Select height.

9 - 29" High

D Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

E Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel

F Select location and type of leg.

TS - Standard legs
TB - Transition leg (both)

TL - Transition leg (left)

TR - Transition leg (right)

Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

G Select grommet option.

Grommets are required for overhead cabinet

OGN - No worksurface grommet
OGY - Yes worksurface grommet

H Select paint color.

BL - Black
LG - Light Tone
WG - Warm Grey

I Select insert color.

IBL - Black insert
ILG - Light Tone insert
IWG - Warm Grey insert

Insert color also includes horizontal wireway (WW) if selected.

J Select base option.

NC - With glides (standard)
WC - With casters; add \$52

K Select laminate surface.

LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple
LMR - Misty Zephyr
LSR - Shadow Zephyr
LSV - Silicon evol


L Select edge color.

EBL - Black
ELG - Light Tone
EWG - Warm Grey

M Select grommet color.

GBL - Black grommet
GLG - Light Tone grommet
GWG - Warm Grey grommet

WorkZone® Basic Worksurfaces





96.0#	\$ 1041	\$ 1091	\$ 90	\$ 138
-------	---------	---------	-------	--------

Specifications and prices are subject to change without prior notice.

10 Days or Less - Desking

WorkZone® Basic Worksurfaces

	D x W x L	MODEL NUMBER													
		Basic Model	Edge Style	Dir.	Hgt.	WWay	Frame Style	Trans. Legs	Wrksrf. Grom.	Paint Color	Insert Color	Lam. Color	Edge Color	Grom. Color	
 <p>WZW</p> <p>"P" Shaped Peninsula Worksurface (Right Shown)</p> <ul style="list-style-type: none"> Long surface is supported by 3" diameter metal support leg with adjustable glide Connects to either 24" or 30" work-surface Adjustable glides Available with 29" height only 	24 x 48 x 72"	WZPT244872	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	9	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
 <p>WZW</p> <p>Piano Peninsula Worksurface (Right Shown)</p> <ul style="list-style-type: none"> Long surface is supported by 3" diameter metal support leg with adjustable glide Connects to either 24" or 30" work-surface Adjustable glides Available with 29" height only 	24 x 48 x 72"	WZPP244872	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	9	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
			A	B	C	D	E	F	G	H	I	J	K	L	M

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

BN - Flat vinyl T-edge
74P - 74P edge

C Select surface direction.

L - Left
R - Right

Direction is determined by the side of the worksurface that has the 3" diameter leg. Calculate side based on user's normal seated position.

D Select height.

9 - 29" high

E Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

F Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel

G Select location and type of leg.

TS - Standard legs
TB - Transition leg (both)
TL - Transition leg (left)
TR - Transition leg (right)

Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional worksurface, the "TB" option for both transitional legs is not available.

H Select grommet option.

Grommets are required for overhead cabinet

OGN - No worksurface grommet
OGY - Yes worksurface grommet

I Select paint color.

BL - Black
LG - Light Tone

WG - Warm Grey

J Select insert color.

IBL - Black insert
ILG - Light Tone insert
IWG - Warm Grey insert

Insert color also includes horizontal wireway (WW) if selected.

K Select laminate surface.

LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple
LMR - Misted Zephyr
LSR - Shadow Zephyr
LSV - Silicon evol



L Select edge color.

EBL - Black
ELG - Light Tone
EWG - Warm Grey

M Select grommet color.

GBL - Black grommet
GLG - Light Tone grommet

WorkZone® Basic Worksurfaces



Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Wireway add to list price	Panel add to list price
146.0#	\$ 1474	\$ 1549	\$ 51	\$ 80

144.0#	\$ 1394	\$ 1461	\$ 51	\$ 80
--------	---------	---------	-------	-------

INFORMATION

Maximum WorkZone® Order Quantity - 5
worksurfaces

Special Carton Marking


With specially marked information	N/C
-----------------------------------	-----

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Desking

WorkZone® Basic Worksurfaces

	D x W x L	MODEL NUMBER													
		Basic Model	Edge Style	Dir.	Hgt.	WWay	Frame Style	Trans. Legs	Wrksrf. Grom.	Paint Color	Insert Color	Lam. Color	Edge Color	Grom. Color	
 <p>WZW</p> <p>Square Shoe Worksurface (Right Shown)</p> <ul style="list-style-type: none"> Long surface is supported by 3" diameter metal support leg with adjustable glide Connects to either 24" or 30" work surface Adjustable glides Available with 29" height only 	24 x 48 x 72"	WZSS244872	□□□	□	9	□□	□□	□□	□□□	□□	□□□	□□□	□□□	□□□	
		A	B	C	D	E	F	G	H	I	J	K	L	M	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

BN - Flat vinyl T-edge
74P - 74P edge

C Select surface direction.

L - Left
R - Right

Direction is determined by the side of the work surface that has the 3" diameter leg. Calculate side based on user's normal seated position.

D Select height.

9 - 29" high

E Select horizontal wireway.

Add upcharge to unit price for WW option.

NW - No horizontal wireway
WW - Wireway

F Select frame style.

Add upcharge to unit price for WF option.

WB - w/ Beam
WM - w/ Modesty panel
WF - w/ Full modesty panel

G Select location and type of leg.

TS - Standard legs
TL - Transition leg (left)
TR - Transition leg (right)
TB - Transition leg (both)

Note: If ordering Basic Worksurface as a freestanding unit, or if only one side connects to a transitional work surface, the "TB" option for both transitional legs is not available.

H Select grommet option.

Grommets are required for overhead cabinet

OGN - No work surface grommet
OGY - Yes work surface grommet

I Select paint color.

BL - Black
LG - Light Tone

WG - Warm Grey

J Select insert color.

IBL - Black insert
ILG - Light Tone insert
IWG - Warm Grey insert

Insert color also includes horizontal wireway (WW) if selected.

K Select laminate surface.

LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple
LMR - Misty Zephyr
LSR - Shadow Zephyr
LSV - Silicon evolv

L Select edge color.

EBL - Black
ELG - Light Tone
EWG - Warm Grey



M Select grommet color.

GBL - Black grommet
GLG - Light Tone grommet



10 Days or Less - Desking

WorkZone® Basic Worksurfaces

							
Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)		Wireway add to list price	Full Modesty Panel add to list price		
145.0#	\$ 1394	\$ 1461		\$ 51	\$ 80		

GWG - Warm Grey grommet

INFORMATION

Order Quantity
Maximum WorkZone® Order Quantity - 5
worksurfaces

SPECIAL SERVICES


Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Desking

WorkZone® Transitional Worksurfaces

		MODEL NUMBER								Approx. Packaged Weight		
		Basic Model	Edge Style	Height	Frame Style	Paint Color	Laminate Color	Edge Color				
 WPW	MODEL	D x W	Peninsula Side Mount Worksurface	30 x 60"	WPW3060S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	9	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	71.0#
			<ul style="list-style-type: none">• 3" diameter metal support leg• When specifying peninsula side mount worksurface a transitional leg must be ordered on the basic surface to which it will connect• Wireway option not available• Available with 29" height only									

Peninsula Side Mount Worksurface

- 3" diameter metal support leg
- When specifying peninsula side mount worksurface a transitional leg must be ordered on the basic surface to which it will connect
- Wireway option not available
- Available with 29" height only

WPW

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- BN** - Flat vinyl T-edge
- 74P** - 74P edge
- C** Select height.
- 9** - 29" high
- D** Select frame style.
- Add upcharge to unit price for WF option.
- WB** - w/ Beam
- WM** - w/ Modesty panel
- WF** - w/ Full modesty panel
- E** Select paint color.
- BL** - Black
- LG** - Light Tone
- WG** - Warm Grey
- F** Select laminate surface.
- LCX** - Cherry Storm
- LGE** - Grey

- LKM** - Kensington Maple
- LMR** - Misted Zephyr
- LSR** - Shadow Zephyr
- LSV** - Silicon evolv

- G** Select edge color.
- EBL** - Black
- ELG** - Light Tone
- EWG** - Warm Grey

INFORMATION



Order Quantity

Maximum WorkZone® Order Quantity - 5 worksurfaces



10 Days or Less - Desking

WorkZone® Transitional Worksurfaces

		Full Modesty Panel add to list price
Flat Vinyl T-Edge (BN)	74P Edge (74P)	
\$ 697	\$ 733	\$ 49

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI **54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



10 Days or Less - Desking

WorkZone® Components Privacy Screens

Delivered Pricing Fabric Grade 1	
\$	389
	400
	414
	464
	721

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Desking

WorkZone® Components Universal Overhead Storage

			MODEL NUMBER							
			Basic Model	Assembly	Overhead Type	Paint Color	Insert Color	Fabric Color	Key Option	
 WZUF	MODEL	W x H x D	Universal Overhead Cabinet with Fabric Door							
			• The KI Universal Overhead allows users the option to interchange from a WorkZone® desk mount solution to a KI office panel system							
			• Steel end panels, bottom and top shelf with powder-coated finish							
			• Fabric-covered door							
			• Double bit lock is included with key alike option							
			• End panel bracket design prevents accidental dislodging of components							
			• Shelf depth is 13-1/4"							
			• Door stores recessed with handle exposed							
			• 66" overhead has one 30" door and one 36" door with a support offset 6" from the center of the worksurface							
			• 72" overhead has 36" doors and middle support upright							
			• For use with fixed height worksurfaces							
			• Concealed vertical wire management							
			• Secured to steel legs by concealed mounting brackets							
			• Accepts shelf divider							
			• Cannot be mounted on tables with casters							
			• 66" and 72" wide overhead are not available on WorkZone® frames with beams							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select assembly option.

U - Unassembled

C Select overhead type.

OS - Overhead standard

OCL - Corner overhead left

OCR - Corner overhead right

D Select paint color.

BL - Black

LG - Light Tone

WG - Warm Grey

E Select insert color.

IBL - Black insert

ILG - Light Tone insert

IWG - Warm Grey insert

F Select fabric.

S2AA - Angora

S2AD - Asteroid

S2BH - Birch

S2FL - Fossil

S2GE - Graphite

G Select key option.

KS - Key standard

NLC - No lock core

KA - Key alike

INFORMATION

Order Quantity

Maximum WorkZone® Order Quantity - 5 overheads

WorkZone® Components Universal Overhead Storage

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1
73.0#	\$ 920
81.0#	950
99.0#	995
116.0#	1163

Special Carton Marking


With specially marked information	N/C
-----------------------------------	-----

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Desking

WorkZone® Components Universal Tasklight

	MODEL	W	MODEL NUMBER	Approx. Packaged Weight
			Basic Model	
 HRDPT	Universal Overhead Task Light	24"	TLT5.24	3.9#
	• Attaches to the bottom of overhead storage cabinet or shelf	36"	TLT5.36	5.3#
	• Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" at bottom of price list page for sizing chart.	48"	TLT5.48	6.7#
	• Attachment hardware included			
	• Electronic NPF ballast			
	• T5 Florescent bulb			
	• Center located, 9' cord with 90 degree, 3 prong plug			
	• Center located, two position rocker switch			
	• Cord and power switch on 24" wide located left of center			
	• Standard color of casing is black			

A

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

TASK LIGHT CABINET WIDTH	
Cabinet Width	Light Width
24"	18"
30"	24"
36"	24"
42"	36"
48"	36"
54"	48"
60"	48"
66"	(2)24"
72"	(2)24"

INFORMATION

Order Quantity
Maximum WorkZone® Order Quantity - 5 tasklights


WorkZone® Components Universal Tasklight

\$	79
	86
	94

Specifications and prices are subject to change without prior notice.

10 Days or Less - Desking

700 Series® Desk - Product Offering



Desks

Full or Partial Modesty Panel


D W H

24 x 60 x 29

24 x 72 x 29

30 x 60 x 29

30 x 72 x 29



Returns

Full or Partial Modesty Panel

D W H

24 x 36 x 29

24 x 42 x 29




Corners

Full or Partial Modesty Panel

D W H

24 x 42 x 29




Bridges

Full or Partial Modesty Panel

D W H

20 x 48 x 29

24 x 48 x 29




Storage

Overheads

(Closed Storage)

W D H

60 x 14 x 36




Tackboard/Screens

Rectangular

W H

60 x 19


72 x 19



Overheads

(Closed Storage)

72 x 14 x 36



Corner


W H

42 x 36




Pedestal Options Depth

When no grommets are specified:




When worksurface or end panel grommets are specified:



Dimensions are nominal. Contact customer service for exact dimensions.

Pedestal Height Option

29" High Worksurfaces



Pencil/Box/File Hanging

When ordering a desk shell or return with a partial modesty, Box/File hanging pedestals are recommended. Otherwise pedestals will hang below the partial modesty.

10 Days or Less - Desking

700 Series® Desk - Specifications

700 Series® Desk Specifications

The 700 Series® Desk line is a free standing, modular system of desks, returns, bridges, credenzas, corner units and overhead storage components. Designed for flexibility, it can be set up to suit differing customer requirements. It is shipped knock-down and accepts 700 Series® or U-Series® Pedestals.

Worksurfaces

Worksurfaces shall be 1-1/4" thick laminate top with a particle board core. Edge treatments shall be 74P polypropylene. All tops shall be pre-drilled for mounting of end panels, modesty panels, wire management channels, return or bridge connectors and hanging or worksurface supporting pedestals. Worksurfaces shall be available with left and right grommet options.

Desk Shells

Desk shells shall consist of a worksurface top, two end panels, full or partial modesty panel and wire management channel. Desks are available in depths of 24" and 30" and widths of 60" and 72" and shall be 29" high. The desk shall accept a variety of hanging or worksurface supporting pedestals.

End Panels

Desk, return, corner, and credenza end panels shall be floor height and feature double-wall construction. The outer panel shall be 20-gauge with double flanges formed on both vertical edges and single flanges formed on the top and bottom. The inner panel shall be 20-gauge with flanges formed on all edges. Two keyhole pads of 16-gauge shall be welded into the top of the end panel to interface with shoulder screws for mounting to the top. The outer and inner panels shall be spot welded together, as well as fastened together at the bottom with the nut inserts that accept the leveling glides. All end panels shall feature prepunched holes through two metal thickness for connecting modesty panels.

Desks and corners shall be 29" high. Returns and bridges shall be available in 29" high. Both interface with the desk or corner unit with 16-gauge connectors that are screwed to the tops.

Modesty Panels

Desk, return, corner, bridge and credenza modesty panels shall span the full width of the unit connecting to the end panels. The modesty panels shall be spaced down from the top by 1-5/8" to allow for the routing of cables. They shall be available in full floor length, for privacy, or partial, which is spaced up off the floor by 8-3/8" for outlet access and increased air circulation. All modesty panels shall be 20-gauge with double flanges formed along the top and bottom. Desk shall have single flanges formed on both vertical edges. Return panels shall have offset flanges formed on one end and a single flange on the other. Bridge panels shall have offset flanges formed on both ends. The vertical flanges of all modesty panels have prepunched holes

for connecting to the end panels.

Wire Management

Desks, returns, corners and bridges shall be equipped with a wire management channel. This 20-gauge channel shall have the bottom edge hemmed for safety and strength. The wire management channel shall fasten to the underside of the top and run between end panels.

Returns

Returns shall be the same construction as the desk and credenza worksurfaces. Returns consist of a top, end panel, full or partial modesty panel and wire management channel. They are available in depths of 24". A 24" deep return is available in widths of 36" and 42" and shall be 29" high. One level connector will be included with each return.

Bridges

Bridge worksurfaces shall be the same construction as the desk and credenza worksurfaces. Bridges consist of a top, full or partial modesty panel and wire management channel. They are available in depths of 20" and 24" and width of 48" and shall be 29" high. Two level connectors shall be included with 29" high units.

Corner Units

Corner units shall accept 29" high returns and bridges. The corner units shall be 24" deep and 42" wide. The modesty panels shall be 20-gauge and consist of two end panels with one leveling glide each and two side panels with two leveling glides each. The end panel and side panels shall have double flanges formed along the bottom and both vertical edges. A single flange with prepunched holes shall have double flanges formed on the top and bottom and single flanges on the vertical edges. It shall be spaced down from the top by 1-5/8" to allow for the routing of cables.

Overhead Storage

Units shall be standard with an open back allowing for interaction in a group situation. Overhead storage shall be available in an open or closed style. The closed style overhead storage shall have one door on 60" and two doors on 72". The door shall have a lock as standard. The closed overhead doors are available in steel.

Tackboard/Screen

The tackboard/screen shall close the back of an overhead storage unit and offer a tackable surface. The screen shall be constructed of 1-1/8" thick fabric wrapped particleboard. The screen shall be available in rectangular widths of 60" and 72" and 19" height. The tackboard/screen shall attach to the worksurface with 12-gauge steel metal brackets screwed into the worksurface. There shall be a 1-5/8" space between the worksurface and the tackboard/screen for cord access. Corner screen available in 42" width and 36" height.

Key Options

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The No lock core (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

Fabric

Fabric will be applied as swatched by the fabric manufacturer.






10 Days or Less - Desking

700 Series® Desk - Specifications



10 Days or Less - Desking

700 Series® Desk - Desk/Returns/Corner

	MODEL	D x W x H	MODEL NUMBER							
			Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Trim/Edge Color	
 <p>7DWSU</p>	Desk <ul style="list-style-type: none"> Consists of top, two end modesty panels, wire management channel and required hardware Wire management access between top and modesty panel Full modesty panels extend to the floor, partial modesty panels are raised off floor 8-3/8" Modesty panels on 36" deep desks are set in 6" Pedestals to be specified separately Available 29" high only 	24 x 60 x 29"	7D/D2460	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		24 x 72 x 29"	7D/D2472	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		30 x 60 x 29"	7D/D3060	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		30 x 72 x 29"	7D/D3072	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
 <p>7DWSU</p>	Returns <ul style="list-style-type: none"> Consists of top, end panel, modesty panel, wire management channel and required hardware Field changeable Right or Left Includes level connector Partial modesty panels are raised off floor 8-3/8" Wire management access between top and modesty panel Available in 29" height only 	24 x 36 x 29"	7D/R2436	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		24 x 42 x 29"	7D/R2442	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
 <p>7DWSU</p>	Corner <ul style="list-style-type: none"> Consists of top, two end panels, two modesty panels and required hardware Full modesty panels extend to floor, partial modesty panels are raised off floor 8-3/8" Wire management access between top and modesty panel Includes end panel grommets for wire pass-through Includes a center grommet Available in 29" high only 	24 x 42 x 29"	7D/CU2442	74P	<input type="checkbox"/>	G	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

74P - 74P edge

C Select modesty panel style.

P - Partial

F - Full

D Select grommet option.

NG - No grommets

G - Grommets - left and right; add \$63

E Select desk color.

BL - Black

LG - Light Tone

WG - Warm Grey

F Select laminate color.

LCX - Cherry Storm

LGE - Grey

LKM - Kensington Maple

LMR - Misted Zephyr

LSR - Shadow Zephyr

LSV - Silicon evolv

G Select trim/edge color.

TBL - Black edge/grommet

TLG - Light Tone edge/grommet

TWG - Warm Grey edge/grommet

Color selection will also apply to the accessory color and grommet color.

INFORMATION


Order Quantity

Maximum 700 Series® Desk Order Quantity
- 5 desks



10 Days or Less - Desking

700 Series® Desk - Desk/Returns/Corner



Approx. Packaged Weight	74P Edge (74P)
104.0#	\$ 938
118.0#	1051
127.0#	1123
144.0#	1213
67.0#	\$ 820
73.0#	864
103.0#	\$ 1181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Desking

700 Series® Desk - Bridges

	MODEL	D x W x H	MODEL NUMBER							
			Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Trim/Edge Color	
 7DWSU	Bridges	20 x 48 x 29"	7D/B2048	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	• Consists of top, modesty panel, wire management channel and required hardware	24 x 48 x 29"	7D/B2448	74P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	• Includes two level connectors									
	• Full modesty panels extend to the floor, partial modesty panels are raised off floor 8-3/8"									
	• Wire management access between top and modesty panel									
	• Available in 29" height only									
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
74P - 74P edge
- B** Select edge style.
74P - 74P edge
- C** Select modesty panel style.
P - Partial
F - Full
- D** Select grommet option.
NG - No grommets
G - Grommets - left and right; add \$63
- E** Select desk color.
BL - Black
LG - Light Tone
WG - Warm Grey
- F** Select laminate color.
LCX - Cherry Storm
LGE - Grey
LKM - Kensington Maple

- LMR** - Misted Zephyr
 - LSR** - Shadow Zephyr
 - LSV** - Silicon evolv
 - G** Select trim/edge color.
TBL - Black edge/grommet
TLG - Light Tone edge/grommet
TWG - Warm Grey edge/grommet
- Color selection will also apply to the accessory color and grommet color.


INFORMATION

Order Quantity
Maximum 700 Series® Desk Order Quantity
- 5 desks



10 Days or Less - Desking

700 Series® Desk - Bridges



Approx. Packaged Weight	74P Edge (74P)
63.0#	\$ 826
70.0#	826

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Desking

700 Series® Desk - Overhead Storage

			MODEL NUMBER				Approx. Packaged Weight
MODEL	W x D x H	Basic Model	Enamel Color	Assembly	Key Option		
 7D0SU	Closed Overhead (one door) - Steel <ul style="list-style-type: none">• For use on rectangular worksurface• Clearance between overhead and work-surfaces is 19" to underside of self• Formed steel wire management in end panels for cord access• Doors recede inside overhead on rack and pinion system• Overhead will accommodate task lights• Tackboard/Screen, if any, must be ordered separately	60 x 14 x 36"	7D/OSD60/S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	105.0#
 7D0SU	Closed Overhead (two doors) - Steel <ul style="list-style-type: none">• For use on rectangular worksurfaces• Clearance between overhead and work-surfaces is 19" to underside of shelf• Formed steel wire management in end panels for cord access• Two doors recede inside overhead on rack and pinion system• Overhead will accomodate task lights• Tackboard/Screen, if any, must be ordered separately	72 x 14 x 36"	7D/OSD72/S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	123.0#
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select enamel color.
- | | |
|-----------|--------------|
| BL | - Black |
| LG | - Light Tone |
| WG | - Warm Grey |
- C** Select assembly option.
- | | |
|------------|------------------------|
| UAS | - Unassembled |
| WAS | - Assembled; add \$132 |
- D** Select key option.
- | | |
|------------|----------------|
| KS | - Key standard |
| NLC | - No lock core |
| KA | - Key alike |

INFORMATION

Order Quantity
Maximum 700 Series® Desk Order Quantity
- 5 overheads



10 Days or Less - Desking

700 Series® Desk - Overhead Storage

Delivered Pricing	
\$	984
\$	1213

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Ships **knocked down, FOB Pembroke, ON K8A OE1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

10 Days or Less - Desking

700 Series® Desk - Tackboards/Screens

		MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Fabric Color	Enamel Color	
 7DTBU	MODEL	W x H			
	Tackboards/Screens <ul style="list-style-type: none">• Fits under overstorage unit• Metal brackets secure tackboard to back of desk top• Brackets are painted color of the desk• Allows wire pass-through• Dimensions are nominal	60 x 19"	7D/TB6019	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	24.0#
		72 x 19"	7D/TB7219	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	29.0#
 7DTBU	Corner-Tackboards/Screens <ul style="list-style-type: none">• Fits 36", 42" or 48" corner• Available in 19" or 36" high• Brackets are painted the color of the desk• Allows wire pass-through• Dimensions are nominal	42 x 36"	7D/CTB4236	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	69.0#
			A	B	C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fabric.
- | | |
|-------------|------------|
| S2AA | - Angora |
| S2AD | - Asteroid |
| S2BH | - Birch |
| S2FL | - Fossil |
| S2GE | - Graphite |
- C** Select enamel color.
- | | |
|-----------|--------------|
| BL | - Black |
| LG | - Light Tone |
| WG | - Warm Grey |

INFORMATION

Order Quantity
Maximum 700 Series® Desk Order Quantity - 5 tackboards/screens



10 Days or Less - Desking

700 Series® Desk - Tackboards/Screens

Delivered Pricing
Fabric Grade
1
\$ 491
561
\$ 1219

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Index

Model No.	Description	Page	Model No.	Description	Page
1323/NC	Sela®: Lounge Chair	98		Chevron Tables - 30"D	132
1333/NC	Sela®: Loveseat	98	PIFDC3060T	Pirouette® Tables - Fixed-Double Chevron-29" High (Standard Height): Double Chevron Tables - 30"D	134
1343/NC	Sela®: Sofa	98		Pirouette® Tables - Fixed-Guitar Pick-29" High (Standard Height): Guitar Pick Tables - 60"	136
4C84S0	FourC™: FourC Task Chair	34	PIFG60	Pirouette® Tables - Fixed-Rectangular-29" High (Training): Rectangular Tables - 18"D	128
4C94S0	FourC™: FourC Task Stool	34	PIFR1848T	Pirouette® Tables - Fixed-Rectangular-29" High (Training): Rectangular Tables - 24"D	128
7D/B2048	700 Series® Desk - Bridges: Bridges	196	PIFR2448T	Pirouette® Tables - Fixed-Rectangular-29" High (Training): Rectangular Tables - 30"D	128
7D/CTB4236	700 Series® Desk - Tackboards/Screens: Corner-Tackboards/Screens	200	PIFR3048T	Pirouette® Tables - Fixed-Rectangular-29" High (Conference): Rectangular Conference Tables - 42"D	130
7D/CU2442	700 Series® Desk - Desk>Returns/Corner: Corner	194		Pirouette® Tables - Fixed-Scale Up-29" High (Standard Height): Scale Up Tables - 30"D	142
7D/D2460	700 Series® Desk - Desk>Returns/Corner: Desk	194	PIFR4296	Pirouette® Tables - Fixed-Round-29" High (Standard Height): Round Tables - Fixed, 29" High	140
7D/OSD60/S	700 Series® Desk - Overhead Storage: Closed Overhead (one door) - Steel	198	PIFS3072	Pirouette® Tables - Fixed-Square-29" High (Standard Height): Square Tables - Fixed, 29" High	138
7D/OSD72/S	700 Series® Desk - Overhead Storage: Closed Overhead (two doors) - Steel	198	PIFXRD30	Pirouette® Tables - Nesting-Chevron-29" High (Standard Height): Chevron Tables - 18"D	146
7D/R2436	700 Series® Desk - Desk>Returns/Corner: Returns	194	PIFXSQ30	Pirouette® Tables - Nesting-Chevron-29" High (Standard Height): Chevron Tables - 24"D	146
7D/TB6019	700 Series® Desk - Tackboards/Screens: Tackboards/Screens	200	PINCV1860	Pirouette® Tables - Nesting-Chevron-29" High (Standard Height): Chevron Tables - 30"D	146
ALTCLA	Altus®: Altus® Conference Chair	6	PINCV2460	Pirouette® Tables - Nesting-Double Chevron-29" High (Standard Height): Double Chevron Tables - 24"D	148
ALTMAA	Altus®: Altus® Mesh Task Chair	6	PINCV3060	Pirouette® Tables - Nesting-Double Chevron-29" High (Standard Height): Double Chevron Tables - 30"D	148
CSD.BL	Strive® - High Density: Transport Dolly	20	PINDC2460	Pirouette® Tables - Nesting-Half Round-29" High (Standard Height): Half Round Tables - 24"D	152
DL3060	DuraLite® Lightweight Folding Tables: Rectangular Tables, Fixed Height	102	PINDC3060	Pirouette® Tables - Nesting-Half Round-29" High (Standard Height): Half Round Tables - 30"D	152
DLR60	DuraLite® Lightweight Folding Tables: Round Tables, Fixed Height	102		Pirouette® Tables - Nesting-Rectangular-29" High (Training): Rectangular Tables - 18"D	144
DN1100	Doni®: Four-Leg Armless Chair	56	PINH48	Pirouette® Tables - Nesting-Rectangular-29" High (Training): Rectangular Tables - 24"D	144
DN2100	Doni®: Four-Leg Armless Chair with Casters	58	PINH60	Pirouette® Tables - Nesting-Rectangular-29" High (Training): Rectangular Tables - 30"D	144
DN3100	Doni®: Sled Base Armless Chair	60	PINR1848T	Pirouette® Tables - Nesting-Round-29" High (Standard Height): Round Tables - 42"D	150
DN5100	Doni®: Task Armless Chair	28	PINR2448T	Pirouette® Tables - Nesting-Round-29" High (Standard Height): Round Tables - 48"D	150
DN6100	Doni®: Task Armless Stool	30	PINRD42	Pillar™ Tables - Large Rectangular - 29" High, 42" and 48" Deep: Rectangular Tables - 42"D and 48"D	114
DNCD.BL	Doni®: Transport Dolly	62	PINRD48	Pillar™ Tables - Round - 29" High: Round Tables - 29"H	120
DNZ100	Doni®: Wire Tower Base Armless Chair	24	PLLT4272	Pillar™ Tables - Reduction 29" High, 24-30 and 30-24: Reduction Tables - 24-30	116
GCD.BL	Grazie®: Transport Dolly	68		Pillar™ Tables - Reduction 29" High, 24-30 and 30-24: Reduction Tables - 30-24	116
GLNAP	Grazie®: Four-Leg Armless Chair	66	PLRD36	Pillar™ Tables - Rectangular - 29" High, 24", 30" and 36" Deep: Rectangular Tables - 24"D	112
GLNAPC	Grazie®: Four-Leg Armless Chair with Casters	66	PLRN244830	Pillar™ Tables - Rectangular - 29" High, 24", 30" and 36" Deep: Rectangular Tables - 30"D	112
GPDNAP	Grazie®: Task Armless Chair	38		Pillar™ Tables - Rectangular - 29" High, 24", 30" and 36" Deep: Rectangular Tables - 36"D	112
GPSNAP	Grazie®: Task Armless Stool	38	PINR3048T	Pillar™ Tables - Sprocket and Diamond Shape - 29" High: Sprocket Shape Tables	122
GSNAP	Grazie®: Sled Base Armless Chair	68	PINRD42	Pillar™ Tables - Sprocket and Diamond Shape - 29" High: Sprocket Shape Tables	122
KI62/NA	Impress®: Impress® Task Chair	42	PINRD48	Pillar™ Tables - Square - 29" High: Square Tables - 29"H	118
KI74/NA	Impress® Ultra: Impress® Ultra Task Chair - Mid Back	46		700 Series® Bookcases 15" Deep: 28-17/32" High	164
KI78/NA	Impress® Ultra: Impress® Ultra Task Chair - High Back	46	PINR2448T	700 Series® Bookcases 15" Deep: 54-9/16" High	164
MP18R/CGL/FC	MyPlace™: 18" Round - Contrast	80	PINR3048T	700 Series® Preconfigured Lateral Files Drawer Units: 27" File, 2 High File, 5 High	158
MP18R/CGL/NC	MyPlace™: 18" Round - Non-contrast	80	PINRD42	700 Series® Preconfigured Lateral Files Drawer Units: 39-1/4"	
MP26R/CGL/FC	MyPlace™: 26" Round - Contrast	82	PINRD48		
MP26R/CGL/NC	MyPlace™: 26" Round - Non-contrast	82	PLLT4272		
MP5S/CGL/FC	MyPlace™: Five S with Back- Contrast	90	PLRD36		
MP5S/CGL/NC	MyPlace™: Five S with Back - Non-contrast	90	PLRN244830		
MPCRE/CGL/FC	MyPlace™: Crescent - Contrast	84	PLRN306024		
MPCRE/CGL/NC	MyPlace™: Crescent - Non-contrast	84	PLRT2436		
MPCRN/LF/CGL/FC	MyPlace™: Corner with Back - Contrast, Left-Facing Seat Uph. Direction	92	PLRT3048		
MPCRN/LF/CGL/NC	MyPlace™: Corner with Back - Non-contrast, Left-Facing Seat Uph. Direction	92	PLRT3648		
MPCRN/RF/CGL/FC	MyPlace™: Corner with Back - Contrast, Right-Facing Seat Uph Direction	94	PLSP24L3		
MPCRN/RF/CGL/NC	MyPlace™: Corner with Back - Non-contrast, Right-Facing Seat Uph Direction	94	PLSP30L6		
MPICB/CGL/FC	MyPlace™: Inside Curve with Back- Contrast	88	PLSR36		
MPICB/CGL/NC	MyPlace™: Inside Curve with Back - Non-contrast	88	S7B/3625515		
MPRB/CGL/FC	MyPlace™: Rectangle with Back- Contrast	86	S7B/3651015		
MPRB/CGL/NC	MyPlace™: Rectangle with Back- Non-contrast	86	S7L/302402D		
MSP	Maestro® High Density: Stack Chair	72	S7L/305255D		
OH84Q0	Oath™: Armless Task Chair	52			
OH84QB	Oath™: Arm Task Chair	52			
PIFCRD48	Pirouette® Tables - Fixed-Round-29" High (Standard Height): Round Tables - Fixed, 29" High	140			
PIFCSQ42	Pirouette® Tables - Fixed-Square-29" High (Standard Height): Square Tables - Fixed, 29" High	138			
PIFCV2460	Pirouette® Tables - Fixed-Chevron-29" High (Standard Height): Chevron Tables - 24"D	132			
PIFCV3060	Pirouette® Tables - Fixed-Chevron-29" High (Standard Height): Chevron Tables - 30"D				



Model No.	Description	Page
	File, 3 High	158
S7L/364804D	700 Series® Preconfigured Lateral Files Drawer Units: 51-1/2"	
	File, 4 High	158
S7L/366155D	700 Series® Preconfigured Lateral Files Drawer Units: 65-9/32"	
	File, 5 High	160
S7L/366755M	700 Series® Preconfigured Multimedia Storage Cupboard/ Lateral: 71-13/32" File	162
S7P/1520FBBF	700 Series® Pedestals - Mobile and Freestanding: Pedestal - BBF	170
S7P/1520FFF	700 Series® Pedestals - Mobile and Freestanding: Pedestal - FF	170
S7P/1520FPBF	700 Series® Pedestals - Mobile and Freestanding: Pedestal - PBF	170
S7P/1520MBF	700 Series® Pedestals - Mobile and Freestanding: Pedestal - BF	170
S7P/1524HPBF	700 Series® Pedestals - Hanging: Pedestal - PBF	172
S7V/15302DFB	700 Series® Vertical Files Letter/Legal Size Documents: 25-3/4" File, 2 High-Letter Size	166
S7V/15304DFB	700 Series® Vertical Files Letter/Legal Size Documents: 48" File, 4 High-Letter Size	166
S7V/15CF	Vertical File Accessories: Compressor	168
S7V/18302DFB	700 Series® Vertical Files Letter/Legal Size Documents: 25-3/4" File, 2 High-Legal Size	166
S7V/18304DFB	700 Series® Vertical Files Letter/Legal Size Documents: 48" File, 4 High-Legal Size	166
SCDA.BL	Strive® - Four Leg: Transport Dolly for 4-Leg and Sled Base Chairs	14
SLNAP	Strive® - Four Leg: Four-Leg Armless Chair	14
SLNAPC	Strive® - Four Leg: Four-Leg Armless Chair with Casters	14
SPDNAP	Strive®: Task Armless Chair	10
SPSNAP	Strive®: Task Armless Stool	10
SSNAP	Strive® - Sled Base: Sled Base Armless Chair	16
SWNA	Strive® - High Density: Armless Chair	20
TLT5.24	WorkZone® Components Universal Tasklight: Universal Overhead Task Light	188
VL.3060.BL.WH	ValueLite® Folding Tables: Rectangle Tables	106
VL.48R.BL.WH	ValueLite® Folding Tables: Round Tables	106
WBW2430	WorkZone® Basic Worksurfaces: Basic Worksurface	176
WCC244224	WorkZone® Basic Worksurfaces: Stand Alone Corner Curvilinear Worksurface	176
WPW3060S	WorkZone® Transitional Worksurfaces: Peninsula Side Mount Worksurface	182
WZP24	WorkZone® Components Privacy Screens: Basic Privacy Screen	184
WZPP244872	WorkZone® Basic Worksurfaces: Piano Peninsula Worksurface (Right Shown)	178
WZPT244872	WorkZone® Basic Worksurfaces: "P" Shaped Peninsula Worksurface (Right Shown)	178
WZSS244872	WorkZone® Basic Worksurfaces: Square Shoe Worksurface (Right Shown)	180
WZUF30	WorkZone® Components Universal Overhead Storage: Universal Overhead Cabinet with Fabric Door	186

QUICK SHIP PURCHASE ORDER COVER SHEET

Order Entry Fax 1-800-405-2264/Email order.entry@ki.com



NOTE: COMPLETE DATA FIELDS ONLY IF DETAILS ARE NOT INCLUDED ON PURCHASE ORDER

FROM

OF PAGES

DATE

PO #

QUICK SHIP PROGRAM REQUIREMENTS

- A completed Quick Ship Purchase Order Cover Sheet must accompany all Quick Ship purchase orders.
- All products on purchase order must be identified Quick Ship model number and options.
- All Quick Ship products will ship directly from the KI manufacturing facility.
- All Quick Ship purchase orders received after 2PM CST will be acknowledged as received the next working day.
- All Quick Ship purchase orders must be received with complete and correct information. If a purchase order is received with missing, incomplete, or incorrect information, the quick ship leadtime will not begin until all questions are confirmed in writing.
- All Quick Ship purchase orders received are non-cancellable and non-returnable.

Sold To Name

Account #

Address

City/State/Zip

*Bill To Name

Address

City/State/Zip

*When INVOICE address is different than sold to.

Ship To Name

Address

City/State/Zip

Mark For

End User Name

Address

City/State/Zip

Fed. ID #

Delivery Contact Name

Delivery Contact Phone

Call Before Delivery Yes No

Receiving Hrs of Operation

Truck Size Limitation

End User Site Contact Name

End User Site Contact Phone

ORDER NOTIFICATION CONTACT

For an Advance Shipment Notifications and/or
An additional Acknowledgement via Email.
(must complete all fields)

Notification Contact Name

Notification Contact Email

Document

ASN

Ack

Both

ADDITIONAL COMMENTS:

KI INTERNAL USE ONLY

Rep Name/#

DR Name/#

ISS Name/#

Opportunity #

SPA #

Contract #

New End User Account

Yes

No

ISS Source Shift/Lift/incremental

S

L

I

SIF File Name

KI Quote #

A/C

Yes

No

Vendor #1

Vendor #2

Vendor Name

AC% and Amount

Contact Name

Phone/Email

O/B

Yes

No

Vendor #1

Vendor #2

Vendor Name

OB% and Amount

Contact Name

Phone/Email

Market Code (check)

1 = University & College

2 = K-12

3 = Health Care

4 = Federal Government

5 = Mail Order

6 = Med/Large Business

8 = Small Business

9 = State/Local Gov't

10 = Religion

11 = Special Event

12 = Industrial

13 = Hospitality

14 = Rental

15 = Superstore (retail)

16 = Transportation

17 = Wholesaler

18 = Mall/Shopping Center

QSP

QSP

QSP

QSP

QSP

QSP

QSP

Version 10 - April 2018

© KI 2018 Code KI-51315/KI/PDF/0418

A series of horizontal lines of varying lengths, creating a striped effect on the left side of the page.

KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Furnishing Knowledge
are registered trademarks
of Krueger International, Inc.

© 2015 Krueger International, Inc.
All Rights Reserved.
Code KI-11612/KI/PDF/0415