October 6, 2010 Updated August 8, 2018 800-424-2432



Contents
Refer to KI Terms & Conditions document or visit ki.com.



			Preconfigured Segm	ented Fabric Panel w/Slat Wall on Two Sides				
Unite® System	General Information	4		Standard Base Raceway	148			
				Elevated Base	152			
Preconfigured Moi	nolithic Fabric Panel							
ŭ	Standard Base Raceway	6	Stacking Panel	Fabric	156			
	Elevated Base	10	•	Solid Steel	158			
	Tile-to-Floor One Side; Standard Base Raceway One Side	12		Glass	160			
				Perforated Steel	162			
Preconfigured Mo	nolithic Fabric Panel (Beltway Power)			Markerboard on One Side	164			
	Standard Base Raceway	18		Markerboard on Both Sides	166			
	Elevated Base	22		Slat Wall on One Side	168			
	Tile-to-Floor One Side; Standard Base Raceway One Side	26		Slat Wall on Two Sides	170			
Preconfigured Moi	nolithic Steel Panels		Preconfigured Inters					
	Standard Base Raceway	30		2-Way 90° "L" Corner	172			
	Elevated Base	32		2-Way 180°	174			
	Tile-to-Floor One Side; Standard Base Raceway One Side	34		3-Way 90°	176			
				4-Way 90°	182			
Preconfigured Moi	nolithic Steel Panels (Beltway Power)			2-Way 120°	190			
	Standard Base Raceway	36		3-Way 120°	192			
	Elevated Base	38						
	Tile-to-Floor One Side; Standard Base Raceway One Side	40	End-of-Run Trim		196			
Preconfigured Mou	nolithic Open Panels		Preconfigured Inters	eactions				
r reconnigured Moi	Standard Base Raceway	42	rieconnyureu miers		198			
	Elevated Base	44		Adjustable Wall Mount Start				
	Elevateu dase	44		Perpendicular Start for Genius® Wall	200			
Droconfigured Con	umanted Echvic Danal			Universal Start for Genius® Wall	202			
Preconngurea Seg	pmented Fabric Panel	40		Wall Track	204			
	Standard Base Raceway	46						
	Elevated Base	50	Preconfigured Stack					
	Tile-to-Floor One Side; Standard Base Raceway One Side	54		90° 1-Way, 2-Way, 3-Way and 4-Way	206 208			
				2-Way 180° In-Line Spacer				
Preconfigured Seg	mented Fabric Panel w/Beltway Power			120° 1-Way, 2-Way, 3-Way and 4-Way	210			
	Standard Base Raceway	58						
	Elevated Base	62	Stacking End-of-Run	ı Trim				
	Tile-to-Floor One Side; Standard Base Raceway One Side	66			212			
Droconfigured Con	umented Steel Banala w/Fahria Tan Tilaa							
rreconnyureu sey	mented Steel Panels w/Fabric Top Tiles	70	Unite® Rolling Door	General Information	214			
	Standard Base Raceway	70		Thresholds	224			
	Elevated Base	74						
	Tile-to-Floor One Side; Standard Base Raceway One Side	78	Electrical	10-Wire System 6 Circuit "810"	228			
				10-Wire System 6 Circuit "810"/with Bezel for Raceway Use	234			
Preconfigured Seg	mented Steel Panels w/Fabric Top Tiles Beltway/Power			10-Wire System 6 Circuit "810"/for Beltway Use	236			
	Standard Base Raceway	82		10-Wire System 6 Circuit "810"	238			
	Elevated Base	86		10-Wire System 4 Circuit "810"	242			
	Tile-to-Floor One Side; Standard Base Raceway One Side	90		10-Wire System 4 Circuit "810"/with Bezel for Raceway Use	246			
				10-Wire System 4 Circuit "810"/for Beltway Use	248			
Preconfigured Seg	mented Open Panels w/Fabric Top Tiles			10-Wire System 4 Circuit "810"	250			
	Standard Base Raceway	94		New York Power - 10-Wire System 6 or 4 Circuit "810"	254			
	Elevated Base	98		<u> </u>				
			Worksurfaces	Rectangular	256			
Preconfigured Seg	mented Fabric Panel w/Glass Top			Diagonal 90° Corner	260			
	Standard Base Raceway	102		Extended Corner	262			
	Elevated Base	106		Extended Corner Reductions	266			
	Tile-to-Floor One Side; Standard Base Raceway One Side	110		Conference End	270			
				Tapered	272			
Preconfigured Seg	mented Fabric Panel w/Markerboard on One Side			Peninsula	274			
	Standard Base Raceway	114		120° End Corner	278			
	Elevated Base	116		120° End Corner/60° End Corner	280			
	Tile-to-Floor One Side; Standard Base Raceway One Side	118		U-Series® Underhead	282			
				Transaction Countertops	284			
Preconfigured Seg	mented Fabric Panel w/Markerboard on Both Sides			Freestanding Tables	288			
	Standard Base Raceway	120		Treestanding Tables	200			
	Elevated Base	122	Warkaurfaaa Cunnar	4				
			Worksurface Suppor	Post Leg	294			
Preconfigured Seg	mented Fabric Panel w/Perforated Steel Top	_		i usi Lug	254			
_	Standard Base Raceway	124	Cunnort I on	Non Panal Mounted Open	200			
	Elevated Base	128	Support Leg	Non-Panel Mounted, Open	296			
	Tile-to-Floor One Side; Standard Base Raceway One Side	132		Non-Panel Mounted, Insert	298			
				Panel Mounted, Open	300			
Preconfigured Sen	mented Fabric Panel w/Slat Wall on One Side			Panel Mounted, Insert	302			
ga.ou oog	Standard Base Raceway	136		Panel Mounted, Center	304			
	Elevated Base	140						
	Tile-to-Floor One Side; Standard Base Raceway One Side	144	Universal Storage a					
				Overhead Storage	306			
				Overhead Accessories	316			

Contents

Refer to KI Terms & Conditions document or visit ki.com.

	Shelf/Cabinet Task Light	320
	LED Task Lights	322
Balance® Storag	e and Accessories	
	Overhead Storage	326
	Overhead Accessories	332
	Overhead Task Light	336
U-Series™ Pedes	stals Mobile	338
	Freestanding	340
	Worksurface Supporting	342
U-Series™ Doubl	le Pedestals	344
U-Series™ Crede	enzas Freestanding Credenzas	346
	Laminate Tops	348
U-Series™ Wardı	robe Towers	
	48" High Cabinet	350
	64" High Cabinet	352
	48" High Side Access Bookcase	354
	64" High Side Access Bookcase	356
U-Series™ Overh	neads	358
U-Series™ Under	rhead Storage	360
U-Series™ Stora(ge and Accessories	
	Overhead Accessories	362
	Overhead Task Light	366
U-Series™ Acces	esories	
	Pedestal Accessories	368
Accessories	Acoustic Septum Kits	376
	Glass Divider Screen	378
	Frameless Modesty Panel with Acrylic Insert	380
	Continuous Top Cap/Carpet Gripper/Alum Grommet	382
	Power Modules	384
	Bracket Assembly Kit/Receptacle Kit	386
	Markerboards	388
	Tackboard	390
	Brackets	392
	Paper Management	394
	Desktop Accessories	396
Unite® C.O.M. Ya	ardage Requirements	398
Index		400



Refer to KI Terms & Conditions document or visit ki.com.



Unite System

General Information

GENERAL INFORMATION

Overview

Unite is the unifying element that brings together architecture and furniture to create highly effective work environments that are both engaging and productive. As a comprehensive Systems offering, Unite features preconfigured panels, worksurfaces, storage elements and accessories, which together allow for dynamic solutions to current and future needs. Yet. Unite also brings a degree of simplicity to Systems furniture that other systems lack. Uncomplicated, but by no means boring, Unite simplifies the entire Systems furniture process—from planning and specifying, to ordering and installingso more time is spent appreciating the end result and less time is spent worrying about the details.

Panels

Preconfigured monolithic and segmented Unite panels are available. All panels ship knockdown with panel frame, tiles, base components, top caps, adjustable glides, and panel-to-panel connection hardware. Panels may be specified without top caps to allow for attachment of spanning top caps or divider screens. All Unite panels meet the flame spread and smoke generation criteria defined in the UL 1286 safety standard for office furnishings.

Preconfigured panels are 3.5" thick to facilitate integration with KI Genius walls, and are available in the following dimensions:

- Widths: 24", 30", 36", 42", 48", 54", 60" 72" (split tile on 72")
- Heights: 32", 40", 48", 56", 64"

Three base styles allow for functional and aesthetic planning flexibility:

- Standard base
- Elevated base
- Tile-to-floor base

Insert tiles are interchangeable among standard, elevated, and the standard base side of tile-to-floor panels. The tile height of the tile-to-floor tile is unique and not interchangeable. All tiles are hand-placed, requiring no tools for attachment to Unite frames. Standard and elevated base styles support future reconfiguration that substitutes either base style for the other.

Standard bases allow for distribution of power and data at the base of the panel. Elevated bases improve air circulation and lighten overall scale of the panel. Tile-to-floor panels feature a base raceway on the user side and no base raceway on the opposite side. Above worksurface beltline power is available regardless of preferred base style.

Preconfigured monolithic panels feature either fabric or steel tile inserts. Fabric tiles feature a wide variety of vertical fabrics adhered to acoustical fiberglass boards. Fabric wraps around the board on all sides to minimize end fraying. Laminate and veneer

tiles are also available as special finishes.

Preconfigured segmented panels are available in a variety of substrate and finish options. Segmented panels universally feature a 32" segmentation height, with specified upper and lower, and front and back tiles. Preconfigured substrates vary by configuration and may include:

- · Fabric—upper and lower
- Powdercoated solid steel -lower
- · Powdercoated perforated steel-upper
- Single pane glass—upper
- Steel laminated markerboard—upper
- Slat wall—upper

Slat wall tiles feature extruded slat wall on the lowest 8" of the tile, with fabric covering any area above the extrusion.

Preconfigured stacking sections add 16" to any Unite panel, and are retrofittable to existing installations. All parts and hardware are included. Preconfigured models are available with inserts of the following tiles:

- Fabric
- · Powdercoated solid steel
- · Powdercoated perforated steel
- · Single pane glass
- · Steel laminated markerboard
- Slat wall/fabric

Fabric Disclaimer:

"Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request."

Connectors and Trim

All Unite panels include necessary panel connector blocks and light blocks. Connectors are universal and allow panel-to-panel connections of same or varied heights, as well as all panel-to-post and top cap connections.

Unite panels also include trim wherever possible. Trim included with panels consists of top cap, bottom trim channel or tile-to floor trim, base raceway cover and foot shroud. Side/end trim and spanning top caps, along with their respective hardware, are specified separately. All Unite trim is powdercoated metal.

Electrical

Unite's electrical planning is simple and easy to specify. All Unite panels of 30" and greater widths feature two knockouts per side which accept duplex receptacles (24" panels feature a single knockout) for base or beltway power distribution. Elevated bases may be specified with power distribution at beltway height only. Tile-to-floor tiles do not feature cutouts, but may run pass-through cabling. Ten-wire electrical is available in standard format, as well as Chicago- and New York-specific kits. Specifiable grommet locations ensure convenient access to power sources. All electrical components

are specified separately and field installed.

Worksurfaces

Unite offers a variety of worksurface shapes designed to complement flexible workstation planning. All are available in a wide range of sizes. Edges and grommet locations may be specified. General worksurface styles include:

- Rectangle
- Corner
- · Extended corner
- Extended corner reduction
- · Conference end
- Tapered
- Peninsula
- · Credenza and underhead tops
- 120 degree

Worksurface Support

Unite showcases a dynamic approach to planning through the use of multiple support options in a given workstation. All supports feature powdercoated steel. Powdercoated perforated steel inserts add design flair and added privacy.

Worksurface supporting legs are offered in two styles:

- Panel Supporting includes both open and insert styles. The frame ties the worksurface to an adjacent panel in place of a traditional return panel.
- Non-Panel Supporting legs are not tied to a panel, but offer a consistent aesthetic with the panel supporting frames.

Post legs may be used in place of frames for less foot restriction, or may be used in conjunction with panels or frames to support peninsula worksurfaces.

Cantilever brackets are also offered for more traditional planning. Standard and upscale versions are both offered.

Storage

Unite is designed to support all KI storage lines, but in particular complements U-Series storage. Integrated and freestanding storage is offered, including pedestals, laterals, over/under heads, credenzas, and towers. All work together to make efficient use of a user's valuable time and space.

Locks

Locks are standard on all storage units except for certain binder tower units (see binder tower general information). Locks are a high-security double-bit design. One KI break-away key and one standard key are included with each lock. Units are standard with random keys in a range of 200 different numbers (994 key numbers are available to order). Note that units with multiple locks are keyed alike as standard. Specific key combinations are available at no additional charge. This information must be included with the order.

Locks can be master keyed. Please see the

accessories sections of this price book for ordering keys. Available keys are:

- Lock Core/Keys Lock core and 2 keys are used in P-Series lock housings. Indicate in order notes if a specific core number is required.
- Master Key Single key which opens any P-Series lock.
- Extractor Key Single key which extracts any P-Series lock core.
- Blank Key Single uncut P-Series key to be cut as required by locksmith.
- Cut Key 2 keys for a specific P-Series lock core number as indicated in the order notes

All locks have removable and interchangeable plugs. This feature provides for on-site custom keying. Units can be supplied with the lock plugs installed or shipped separately. To install or remove lock plugs, a unique key is required. This key is the extractor (core-removal) key and can be found in the storage accessories portions of this price book. Contact customer service to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key numbered locks.



Unite System General Information

Preconfigured Monolithic Fabric Panel Standard Base Raceway

			MODEL NU	MBER					
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Monolithic Fabric Panel - 32" H	24 x 32	UMFR2432						34.6#
	 Standard base raceway on both sides accepts power and data cable distribution 	30 x 32	UMFR3032						39.4#
	Includes monolithic fabric tiles for both	36 x 32	UMFR3632						44.3#
	sides	42 x 32	UMFR4232						49.2#
	 Panel assembly includes frame, trim, 	48 x 32	UMFR4832						54.1#
	 and panel-to-panel connectors Trim is metal and includes top cap, bot- 	54 x 32	UMFR5432						58.9#
	tom trim channel, and base raceway	60 x 32	UMFR6032						63.8#
2	Side 1 and side 2 finishes are specified	72 x 32	UMFR7232						77.4#
Side	separately								
de 1	 30-72" wide panels feature two power knockouts per side 								
SIU	24" wide panels feature one power								
UMFR	knockout per side								
	72" wide panels feature split tiles								
	Electrical components are specified separately								
	Separatery								
	Monolithic Fabric Panel - 40" H	24 x 40	UMFR2440						39.4#
UMFR		30 x 40	UMFR3040						44.7#
		36 x 40	UMFR3640						50.1#
		42 x 40	UMFR4240						55.6#
		48 x 40	UMFR4840						61.0#
		54 x 40	UMFR5440						66.4#
		60 x 40	UMFR6040						71.8#
		72 x 40	UMFR7240						87.6#
	Monolithic Fabric Panel - 48" H	24 x 48	UMFR2448						44.3#
UMFR		30 x 48	UMFR3048						50.2#
		36 x 48	UMFR3648						56.1#
		42 x 48	UMFR4248						62.1#
		48 x 48	UMFR4848						68.0#
		54 x 48	UMFR5448						73.9#
		60 x 48	UMFR6048						79.8#
		72 x 48	UMFR7248						90.0#
			A	3	•	0	3	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select top cap style.

 F Flat trim (std) - No topcap
- Select electrical code.

CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	- Chicago, 1 side w/cutouts
D1	 Domestic, 1 side w/cutouts

• Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

- Select fabric side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select fabric side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Preconfigured Monolithic Fabric Panel

Standard Base Raceway

Prio Fab	ivered cing vric Grade • C.O.M.	Prici	rered ng ic Grade	Fabr 3 &	ric Grade F Pallas Vertical F ric Grade F	Prici Palla	vered ing as Vertical ic Grade	Prici Palla	as Vertical ric Grade
\$	323	\$	339	\$	351 \$)	359	\$	384
	367		385		398		408		436
	400		418		433		443		473
	428		447		463		475		505
	450		471		487		499		532
	491		513		531		543		580
	560		585		607		620		662
	713		746		772		792		845

\$ 349	\$ 365	\$ 378	\$ 387	\$ 413	
394	413	427	438	467	
446	466	484	495	528	
489	509	529	541	578	
505	530	548	562	599	
538	563	583	597	638	
602	630	651	669	713	
795	832	861	883	940	
\$ 382	\$ 398	\$ 413	\$ 424	\$ 451	
433	453	469	481	512	
				312	
495	520	537	549	587	
495 572	520 597	537 617			
			549	587	
572	597	617	549 634	587 675	
572 589	597 616	617 638	549 634 654	587 675 699	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel Standard Base Raceway

			MODEL NU	MBER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Monolithic Fabric Panel - 56" H	24 x 56	UMFR2456						49.2#	
	 Standard base raceway on both sides accepts power and data cable distribution 	30 x 56	UMFR3056						55.6#	
	Includes monolithic fabric tiles for both	36 x 56	UMFR3656						62.1#	
	sides	42 x 56	UMFR4256						68.6#	
	 Panel assembly includes frame, trim, and panel-to-panel connectors 	48 x 56	UMFR4856						75.0#	
	Trim is metal and includes top cap, bot-	54 x 56	UMFR5456						81.4#	
	tom trim channel, and base raceway	60 x 56	UMFR6056						87.9#	
de 2	 Side 1 and side 2 finishes are specified separately 	72 x 56	UMFR7256						108.4#	
Side 1 Siv	30-72" wide panels feature two power knockouts per side 24" wide panels feature one power knockout per side 72" wide panels feature split tiles Electrical components are specified separately									
	Monolithic Fabric Panel - 64" H	24 x 64	UMFR2464						53.6#	
UMFR		30 x 64	UMFR3064						60.5#	
		36 x 64 42 x 64	UMFR3664 UMFR4264						67.5# 74.5#	
		42 x 64 48 x 64	UMFR4264 UMFR4864						74.5# 81.5#	
		40 x 64 54 x 64	UMFR5464						88.4#	
		60 x 64	UMFR6064						95.4#	
		72 x 64	UMFR7264						118.2#	
			A	3	•	O	(3	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect top cap style. - Flat trim (std) - No topcap Select electrical code. - Chicago - with cutouts DN - Domestic - no cutouts - Domestic - with cutouts C1 - Chicago, 1 side w/cutouts - Domestic, 1 side w/cutouts • Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder. Select fabric side 2.

Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Preconfigured Monolithic Fabric Panel

Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 417	\$ 436	\$ 451	\$ 463	\$ 494	
496	520	537	550	587	
540	564	584	599	639	
592	619	641	658	702	
639	668	691	709	756	
692	723	749	769	820	
787	822	852	875	932	
978	1023	1059	1085	1157	

\$ 436	\$ 455	\$ 472	\$ 484	\$ 518	
509	534	553	567	604	
556	582	603	617	659	
611	639	661	677	721	
656	686	711	728	776	
710	742	769	788	839	
805	841	873	893	953	
1016	1063	1099	1127	1201	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel

			MODEL NU	MBER					
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Monolithic Fabric Panel - 32" H	24 x 32	UMFL2432	Style				32.4#	
	Elevated base does not accept cable	30 x 32	UMFL3032					36.5#	
	distribution	36 x 32	UMFL3632					40.5#	
	 Includes monolithic fabric tiles for both sides 	42 x 32	UMFL4232					44.6#	
	Panel assembly includes frame, trim,	48 x 32	UMFL4832					48.7#	
	and panel-to-panel connectors	54 x 32	UMFL5432					52.7#	
	 Trim is metal and includes top cap, bottom trim channel, and foot shroud 	60 x 32	UMFL6032					56.8#	
12 2	Side 1 and side 2 finishes are specified	72 x 32	UMFL7232					68.8#	
side 2	separately								
side 1	 72" wide panels feature split tiles 								
SIU									
UMFL									
	Monolithic Fabric Panel - 40" H	24 x 40	UMFL2440					37.2#	
UMFL		30 x 40	UMFL3040					41.8#	
		36 x 40	UMFL3640					46.4#	
		42 x 40	UMFL4240					51.0#	
		48 x 40	UMFL4840					55.6#	
		54 x 40	UMFL5440					60.2#	
		60 x 40	UMFL6040					64.8#	
		72 x 40	UMFL7240					79.0#	
	Monolithic Fabric Panel - 48" H	24 x 48	UMFL2448					42.1#	
UMFL		30 x 48	UMFL3048					47.2#	
		36 x 48	UMFL3648					52.3#	
		42 x 48	UMFL4248					57.5#	
		48 x 48	UMFL4848					62.6#	
		54 x 48	UMFL5448					67.7#	
		60 x 48	UMFL6048					72.9#	
		72 x 48	UMFL7248					89.4#	
			A	3	Θ	0	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- OSelect fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

14

Preconfigured Monolithic Fabric Panel

Flavated Rase

					Deliv			vered
	Delivered	Delivered		oric Grade	Prici	ng	Prici	ng
	Pricing Fabric Grade	Pricing Fabric G		& Pallas Vertical		s Vertical ic Grade		s Vertical
	1 & C.O.M.	2	rade Fab PV		PV1		PV2	ic Grade
	\$ 323	\$ 339						384
	367	385		398		408		436
	400	418		433		443		473
	428	447		463		475		505
	450	471		487		499		532
	491	513		531		543		580
	560	585		607		620		662
	713	746		772		792		845
;	\$ 349	\$ 365					\$	413
	394	413		427		438		467
	446	466		484		495		528
	489	509		529		541		578
	505	530		548		562		599
	538	563		583		597		638
	602	630		651		669		713
	795	832		861		883		940
;	\$ 382	\$ 398						451
	433	453		469		481		512
	495	520		537		549		587
	572	597		617		634		675
	589	616		638		654		699
	623	652		675		692		738
	696	726		752		771		821
	892	934		967		990	1	1057

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Preconfigured Monolithic Fabric Panel

			MODEL NU	MDED					
			MODEL NO	INIDEN					
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Monolithic Fabric Panel - 56" H	24 x 56	UMFL2456					47.0#	
	 Elevated base does not accept cable distribution 	30 x 56	UMFL3056					52.7#	
	Includes monolithic fabric tiles for both	36 x 56	UMFL3656					58.3#	
	sides	42 x 56	UMFL4256					64.0#	
	Panel assembly includes frame, trim,	48 x 56	UMFL4856					69.7#	
	and panel-to-panel connectorsTrim is metal and includes top cap, bot-	54 x 56	UMFL5456					75.3#	
	tom trim channel, and foot shroud	60 x 56	UMFL6056					81.0#	
Je 2	Side 1 and side 2 finishes are specified	72 x 56	UMFL7256					99.8#	
side 2	separately • 72" wide panels feature split tiles								
Lide '	• 72 wide pariers reacure spiritiles								
510									
IMFL									
	Monolithic Fabric Panel - 64" H	24 x 64	UMFL2464					51.4#	
JMFL		30 x 64	UMFL3064					57.5#	
		36 x 64	UMFL3664					63.7#	
		42 x 64	UMFL4264					69.9#	
		48 x 64	UMFL4864					76.1#	
		54 x 64	UMFL5464					82.3#	
		60 x 64	UMFL6064					88.5#	
		72 x 64	UMFL7264					109.6#	
			A	B	Θ	0	9		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- OSelect fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Preconfigured Monolithic Fabric Panel

Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 417	\$ 436	\$ 451	\$ 463	\$ 494	
496	520	537	550	587	
540	564	584	599	639	
592	619	641	658	702	
639	668	691	709	756	
692	723	749	769	820	
787	822	852	875	932	
978	1023	1059	1085	1157	

\$	436	\$ 455	\$ 472	\$ 484	4 \$ 518
	509	534	553	567	7 604
	556	582	603	617	7 659
	611	639	661	677	7 721
	656	686	711	728	8 776
	710	742	769	788	8 839
	805	841	873	893	953
	1016	1063	1099	1127	7 1201

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

			MODEL NU	MDED					
			MODEL NO	INIDEU					
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Monolithic Fabric Panel - 32" H	24 x 32	UMFT2432						33.6#
	Side 1: tile-to-floor base does not accept	30 x 32	UMFT3032						38.1#
	cable distributionSide 2: standard base raceway accepts	36 x 32	UMFT3632						42.7#
	power and data cable distribution	42 x 32	UMFT4232						47.3#
	Includes monolithic fabric tiles for both	48 x 32	UMFT4832						51.9#
	sidesPanel assembly includes frame, trim,	54 x 32	UMFT5432						56.4#
	and panel-to-panel connectors	60 x 32	UMFT6032						61.0#
Side 2	Trim is metal and includes top cap, bottom trim channel, and base raceway Side 1 and side 2 finishes are specified	72 x 32	UMFT7232						74.0#
Laide '	separately								
"פ	30-72" wide tiles feature two power								
UMFT	knockouts on side 2 • 24" wide tiles feature one power knock-								
	out on side 2								
	 72" wide panels feature split tiles 								
	 Electrical components are specified separately 								
	Monolithic Fabric Panel - 40" H	24 x 40	UMFT2440						38.4#
UMFT		30 x 40	UMFT3040						43.4#
		36 x 40	UMFT3640						48.5#
		42 x 40	UMFT4240						53.7#
		48 x 40	UMFT4840						58.8#
		54 x 40	UMFT5440						63.9#
		60 x 40	UMFT6040						69.0#
		72 x 40	UMFT7240						84.2#
	Monolithic Fabric Panel - 48" H	24 x 48	UMFT2448						43.3#
UMFT		30 x 48	UMFT3048						48.9#
		36 x 48	UMFT3648						54.5#
		42 x 48	UMFT4248						60.2#
		48 x 48	UMFT4848						65.8#
		54 x 48							71.4#
		60 x 48	UMFT6048						77.1#
		72 x 48	UMFT7248						94.6#
			Ø	3	•	0	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

CP - Chicago - with cutouts - Domestic - no cutouts - Domestic - with cutouts

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 323	\$ 339	\$ 351	\$ 359	\$ 384	
367	385	398	408	436	
400	418	433	443	473	
428	447	463	475	505	
450	471	487	499	532	
491	513	531	543	580	
560	585	607	620	662	
713	746	772	792	845	

\$ 3	49 \$	365	\$ 378	\$ 387	\$ 41	13
3	94	413	427	438	46	67
4	46	466	484	495	52	28
4	89	509	529	541	57	78
5	05	530	548	562	59	99
5	38	563	583	597	63	38
6	02	630	651	669	71	13
7	95	832	861	883	94	40
\$ 3	82 \$	398	\$ 413	\$ 424	\$ 45	51
	82 \$ 33	398 453	\$ 413 469	\$ 424 481	*	51 12
4			\$	\$	51	
4	33	453	\$ 469	\$ 481	5 ¹ 58	12
4 4 5	33 95	453 520	\$ 469 537	\$ 481 549	55 58 67	12 87
4 4 5 5	33 95 72	453 520 597	\$ 469 537 617	\$ 481 549 634	51 58 61 68	12 87 75
4 4 5 5 6	33 95 72 89	453 520 597 616	\$ 469 537 617 638	\$ 481 549 634 654	51 58 61 68	12 87 75 99 43
4 4 5 5 6	33 95 72 89 23	453 520 597 616 652	\$ 469 537 617 638 675	\$ 481 549 634 654 692	51 58 61 64 74	12 87 75 99 43 21

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

			MODEL NU	MBER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Monolithic Fabric Panel - 56" H	24 x 56	UMFT2456						48.2#	
	Side 1: tile-to-floor base does not accept	30 x 56	UMFT3056						54.3#	
	cable distributionSide 2: standard base raceway accepts	36 x 56	UMFT3656						60.5#	
	power and data cable distribution	42 x 56	UMFT4256						66.7#	
	Includes monolithic fabric tiles for both	48 x 56	UMFT4856						72.8#	
	sides	54 x 56	UMFT5456						79.0#	
	 Panel assembly includes frame, trim, and panel-to-panel connectors 	60 x 56	UMFT6056						85.2#	
10.2	Trim is metal and includes top cap, bot-	72 x 56	UMFT7256						105.0#	
Side 2	tom trim channel, and base raceway									
aide 1	Side 1 and side 2 finishes are specified separately									
Sic	• 30-72" wide tiles feature two power									
UMFT	knockouts on side 2									
	 24" wide tiles feature one power knock- out on side 2 									
	 72" wide panels feature split tiles 									
	Electrical components are specified									
	separately									
	Monolithic Fabric Panel - 64" H	24 x 64	UMFT2464						52.5#	
UMFT		30 x 64	UMFT3064						59.2#	
		36 x 64	UMFT3664						65.9#	
		42 x 64	UMFT4264						72.6#	
		48 x 64	UMFT4864						79.3#	
		54 x 64	UMFT5464						86.0#	
		60 x 64	UMFT6064						92.7#	
		72 x 64	UMFT7264						114.8#	
			A	B	Θ	0	3	(a)		
			w	U	9	•	G	J		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select top cap style.

 F Flat trim (std)

- No topcap

Select electrical code.

CP - Chicago - with cutouts
DN - Domestic - no cutouts DP - Domestic - with cutouts

• Select trim color.

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

Select fabric side 1.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 417	\$ 436	\$ 451	\$ 463	\$ 494	
496	520	537	550	587	
540	564	584	599	639	
592	619	641	658	702	
639	668	691	709	756	
692	723	749	769	820	
787	822	852	875	932	
978	1023	1059	1085	1157	

\$ 43	\$6 \$	455	\$ 472	\$ 484	\$	518	
50	9	534	553	567		604	
55	6	582	603	617		659	
61	1	639	661	677		721	
65	66	686	711	728		776	
71	0	742	769	788		839	
80	05	841	873	893		953	
101	6	1063	1099	1127	1	201	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

			MODEL NUMB	BER						
				Тор						Approx.
			Basic	Cap	Electrical	Bezel	Trim	Fabric	Fabric	Packaged
	MODEL	WxH	Model	Style	Code	Color	Color	Side 1	Side 2	Weight
	Monolithic Fabric Panel - 40" H	24 x 40	UMFRBW2440							39.4#
	 Standard base raceway on both sides accepts power and data cable distribution 	30 x 40	UMFRBW3040							44.7#
	Above worksurface beltway accepts	36 x 40	UMFRBW3640							50.1#
	power and data cable distribution	42 x 40	UMFRBW4240							55.6#
	 Includes monolithic fabric tiles for both sides 	48 x 40	UMFRBW4840							61.0#
	 Panel assembly includes frame, trim, 	54 x 40	UMFRBW5440							66.4#
	and panel-to-panel connectors	60 x 40	UMFRBW6040							71.8#
de 2	Trim is metal and includes top cap, bot-	72 x 40	UMFRBW7240							87.6#
1 Slu	 tom trim channel, and base raceway Side 1 and side 2 finishes are specified 									
cide '	separately									
9'	30-72" wide panels feature two power									
UMFR	knockouts at base and two knockouts with bezels at beltway per side									
	 24" wide panels each feature one power 									
	knockout and one at beltway per side									
	72" wide panels feature split tiles									
	 Electrical components are specified separately 									
	Sopuratory									
	Monolithic Fabric Panel - 48" H	24 x 48	UMFRBW2448							
UMFR		30 x 48	UMFRBW3048							50.2#
		36 x 48	UMFRBW3648							56.1#
		42 x 48	UMFRBW4248							62.1#
		48 x 48	UMFRBW4848							68.0#
		54 x 48	UMFRBW5448							73.9#
		60 x 48	UMFRBW6048							79.8#
		72 x 48	UMFRBW7248							98.0#
	Monolithic Fabric Panel - 56" H	24 x 56	UMFRBW2456							
UMFR		30 x 56	UMFRBW3056							55.6#
		36 x 56	UMFRBW3656							62.1#
		42 x 56	UMFRBW4256							68.6#
		48 x 56	UMFRBW4856							75.0#
		54 x 56	UMFRBW5456							81.4#
		60 x 56	UMFRBW6056							
		72 x 56	UMFRBW7256							108.4#
			A	3	•	0	•	Ð	G	
			•		•	_		•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

DP - Domestic - with cutouts - Domestic, 1 side w/cutouts

• Select bezel color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Select fabric side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

GSelect fabric side 2.

Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 389	\$ 408	\$ 422	\$ 433	\$ 461	
452	473	490	501	534	
497	522	539	552	589	
543	569	589	604	643	
562	588	609	624	666	
600	628	650	667	711	
674	706	730	749	800	
894	936	969	993	1061	

\$ 419	\$ 438	\$ 454	\$ 466	\$ 496	
487	509	528	541	576	
552	576	597	612	653	
628	656	677	677	743	
642	671	697	713	760	
678	709	735	753	802	
755	790	817	838	892	
1001	1047	1083	1111	1185	
\$ 464	\$ 485	\$ 501	\$ 514	\$ 548	
\$ 464 548	\$ 485 574	\$ 501 593	\$ 514 609	\$ 548 649	
·	,		·	,	
548	574	593	609	649	
548 602	574 630	593 651	609 668	649 712	
548 602 671	574 630 702	593 651 726	609 668 745	649 712 794	
548 602 671 711	574 630 702 745	593 651 726 770	609 668 745 790	649 712 794 841	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

			MODEL NUMB	ER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Monolithic Fabric Panel - 64" H	24 x 64	UMFRBW2464							53.6#
	 Standard base raceway on both sides accepts power and data cable distribution 	30 x 64	UMFRBW3064							60.5#
	Above worksurface beltway accepts	36 x 64	UMFRBW3664							67.5#
	power and data cable distribution	42 x 64	UMFRBW4264							74.5#
	 Includes monolithic fabric tiles for both 	48 x 64	UMFRBW4864							81.5#
	sidesPanel assembly includes frame, trim,	54 x 64	UMFRBW5464							88.4#
	and panel-to-panel connectors	60 x 64	UMFRBW6064							95.4#
10.2	 Trim is metal and includes top cap, bot- 	72 x 64	UMFRBW7264							118.2#
Sign	 tom trim channel, and base raceway Side 1 and side 2 finishes are specified separately 									
aide										
510	30-72" wide panels feature two power									
UMFR	knockouts at base and two knockouts									
	with bezels at beltway per side									
	 24" wide panels each feature one power knockout and one at beltway per side 									
	72" wide panels feature split tiles									
	Electrical components are specified									
	separately									
			A	B	Θ	O	Э	а	Э	1

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

DP - Domestic - with cutouts
D1 - Domestic, 1 side w/cutouts

• Select bezel color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Select fabric side 1.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

GSelect fabric side 2.

Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder.



Pric Fab	ivered sing ric Grade C.O.M.	Prici	rered ng ic Grade	Fabr 3 &	ric Grade F Pallas Vertical F ric Grade F	Prici Palla	ng is Vertical ic Grade	Prici Palla	as Vertical ric Grade
\$	493	\$	518	\$	533)	546	\$	583
	582		609		630		645		688
	635		664		687		705		751
	693		722		749		769		818
	742		775		803		822		878
	782		834		864		885		944
	901		943		976	1	000		1067
	1157	1	210		1251	1	1284		1369

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Flevated Rase

			MODEL NUME	RFR						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Monolithic Fabric Panel - 40" H	24 x 40	UMFLBW2440							
	• 30-72" wide tiles each feature two power	30 x 40	UMFLBW3040							41.8#
	knockouts with bezels at above-worksur- face beltway	36 x 40	UMFLBW3640							46.4#
	24" wide tiles each feature one power	42 x 40	UMFLBW4240							51.0#
	knockout with bezel at above-worksur-	48 x 40	UMFLBW4840							55.6#
	face beltway	54 x 40	UMFLBW5440							
side 2	Raised base does not accept cable distribution	60 x 40	UMFLBW6040							64.8#
	Includes monolithic fabric tiles for both sides	72 x 40	UMFLBW7240							79.0#
1 3"	 Panel assembly includes frame, trim, 									
Side	 and panel-to-panel connectors Trim is metal and includes top cap, bot- 									
UMFL	tom trim channel, and foot shroud									
OIVII L	Side 1 and side 2 finishes are specified									
	separately									
	72" wide panels feature split tiles Electrical components are specified separately									
	Monolithic Fabric Panel - 48" H	24 x 48	UMFLBW2448							42.1#
UMFL	MUNUNUNC FAUTIC FAMEL - 40 H	30 x 48	UMFLBW3048							47.2#
UIVIFL		36 x 48	UMFLBW3648							52.3#
		42 x 48	UMFLBW4248							57.5#
		48 x 48	UMFLBW4848							62.6#
		54 x 48	UMFLBW5448							67.7#
		60 x 48	UMFLBW6048							72.9#
		72 x 48	UMFLBW7248	П						89.4#
	Monolithic Fabric Panel - 56" H	24 x 56	UMFLBW2456							
UMFL		30 x 56	UMFLBW3056							52.7#
		36 x 56	UMFLBW3656							58.3#
		42 x 56	UMFLBW4256							64.0#
		48 x 56	UMFLBW4856							69.7#
		54 x 56	UMFLBW5456							75.3#
		60 x 56	UMFLBW6056					0000		81.0#
		72 x 56	UMFLBW7256							99.8#
			Ø	3	Θ	0	3	•	Ф	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

DP - Domestic - with cutouts

- Oselect bezel color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select trim color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- Select fabric side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- © Select fabric side 2. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Pri Fal	icing bric Grade	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$	389	\$ 408	\$ 422	\$ 433	\$ 461
	452	473	490	501	534
	497	522	539	552	589
	543	569	589	604	643
	562	588	609	624	666
	600	628	650	667	711
	674	706	730	749	800
	894	936	969	993	1061

<u> </u>	\$ 419	\$ 438	\$ 454	\$ 466	\$ 496	
	487	509	528	541	576	
	552	576	597	612	653	
	628	656	677	697	743	
	642	671	697	713	760	
	678	709	735	753	802	
	755	790	817	838	892	
	1001	1047	1083	1111	1185	
	\$ 464	\$ 485	\$ 501	\$ 514	\$ 548	
	\$ 464 548	\$ 485 574	\$ 501 593	\$ 514 609	\$ 548 649	
	·		·	* ***	*	
	548	574	593	609	649	
	548 602	574 630	593 651	609 668	649 712	
	548 602 671	574 630 702	593 651 726	609 668 745	649 712 794	
	548 602 671 711	574 630 702 745	593 651 726 770	609 668 745 790	649 712 794 841	
	548 602 671 711 761	574 630 702 745 780	593 651 726 770 824	609 668 745 790 845	649 712 794 841 900	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Flevated Rase

			MODEL NUME	BER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Monolithic Fabric Panel - 64" H	24 x 64	UMFLBW2464							51.4#
	 30-72" wide tiles each feature two power knockouts with bezels at above-worksur- 	30 x 64	UMFLBW3064							57.5#
	face beltway	36 x 64	UMFLBW3664							63.7#
	24" wide tiles each feature one power	42 x 64	UMFLBW4264							69.9#
	knockout with bezel at above-worksur-	48 x 64	UMFLBW4864							76.1#
	face beltwayRaised base does not accept cable	54 x 64	UMFLBW5464							82.3#
	distribution	60 x 64	UMFLBW6064							88.5#
side 2	 Includes monolithic fabric tiles for both sides Panel assembly includes frame, trim, 	72 x 64	UMFLBW7264							109.6#
1 Sive										
r _{ide} '	and panel-to-panel connectors									
512	 Trim is metal and includes top cap, bot- 									
UMFL	tom trim channel, and foot shroud									
	 Side 1 and side 2 finishes are specified separately 									
	• 72" wide panels feature split tiles									
	Electrical components are specified									
	separately									
			Ø	3	•	0	(3	•	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

A Select basic model. BSelect top cap style. - Flat trim (std) - No topcap Select electrical code. **DP** - Domestic - with cutouts • Select bezel color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder. Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder. **G**Select fabric side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

HOW TO BUILD A MODEL NUMBER



Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 493	\$ 518	\$ 533	\$ 546	\$ 583	
582	609	630	645	688	
635	664	687	705	751	
693	722	749	769	818	
742	775	803	822	878	
782	834	864	885	944	
901	943	976	1000	1067	
1157	1210	1251	1284	1369	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking
With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

			MODEL NUME	ER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Monolithic Fabric Panel - 40" H	24 x 40	UMFTBW2440							38.4#
	Side 1: tile-to-floor base does not accept	30 x 40	UMFTBW3040							43.4#
	cable distribution at base or beltwaySide 2: standard base raceway and	36 x 40	UMFTBW3640							48.5#
	above-worksurface beltway accept cable	42 x 40	UMFTBW4240							53.7#
	distribution	48 x 40	UMFTBW4840							58.8#
	Includes monolithic fabric tiles for both	54 x 40	UMFTBW5440							63.9#
	sidesPanel assembly includes frame, trim,	60 x 40	UMFTBW6040							69.0#
2	and panel-to-panel connectors	72 x 40	UMFTBW7240							84.2#
Side 1	 Trim is metal and includes top cap, bottom trim channel, and base raceway Side 1 and side 2 finishes are specified 									
512	separately									
UMFT	Side 2: 30-72" wide tiles feature two									
	 base and two beltway power knockouts Side 2: 24" wide tiles feature one base 									
	and one beltway power knockout									
	 72" wide panels feature split tiles 									
	 Electrical components are specified separately 									
	Monolithic Fabric Panel - 48" H	24 x 48	UMFTBW2448							43.3#
UMFT	MUNUNUM FABRIC FAMEL - 40 H	30 x 48	UMFTBW3048							48.9#
OIVII I		36 x 48	UMFTBW3648							54.5#
		42 x 48	UMFTBW4248							60.2#
		48 x 48	UMFTBW4848							65.8#
		54 x 48	UMFTBW5448							71.4#
		60 x 48	UMFTBW6048							77.1#
		72 x 48	UMFTBW7248							94.6#
	Monolithic Fabric Panel - 56" H	24 x 56	UMFTBW2456							48.2#
UMFT		30 x 56	UMFTBW3056							54.3#
		36 x 56	UMFTBW3656							60.5#
		42 x 56	UMFTBW4256							66.7#
		48 x 56	UMFTBW4856							72.8#
		54 x 56	UMFTBW5456							79.0#
		60 x 56	UMFTBW6056							85.2#
		72 x 56	UMFTBW7256							105.0#
			A	3	•	0	3	•	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

DP - Domestic - with cutouts

- Select bezel color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- **G**Select fabric side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Deliver Pricing Fabric 1 & C.(Pric Grade Fabr	vered Fa ing 3	bric Grade & Pallas Vertical bric Grade	Pricing P Pallas Vertical P Fabric Grade F	Delivered Pricing allas Vertical abric Grade V2
\$ 38	89 \$	408 \$	422	\$ 433 \$	461
45	52	473	490	501	534
49	97	522	539	552	589
54	43	569	589	604	643
56	62	588	609	624	666
60	00	628	650	667	711
67	74	706	730	749	800
89	94	936	969	993	1061

\$	419	\$ 438	\$ 454	\$ 466	\$ 496	•
	487	509	528	541	576	
	552	576	597	612	653	
	628	656	677	697	743	
	642	671	697	713	760	
	678	709	735	753	802	
	755	790	817	838	892	
	1001	1047	1083	1111	1185	
\$	404	A 105	Φ Ε04	A 544	Φ 540	
Ψ	464	\$ 485	\$ 501	\$ 514	\$ 548	
Ψ	548	\$ 485 574	\$ 501 593	\$ 514 609	\$ 548 649	
Ψ					*	
Ψ	548	574	593	609	649	
Ψ	548 602	574 630	593 651	609 668	649 712	
Ų	548 602 671	574 630 702	593 651 726	609 668 745	649 712 794	
Ų	548 602 671 711	574 630 702 745	593 651 726 770	609 668 745 790	649 712 794 841	
Ų	548 602 671 711 761	574 630 702 745 780	593 651 726 770 824	609 668 745 790 845	649 712 794 841 900	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

			MODEL NUME	BER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Monolithic Fabric Panel - 64" H	24 x 64	UMFTBW2464							52.5#
	Side 1: tile-to-floor base does not accept	30 x 64	UMFTBW3064							59.2#
	 cable distribution at base or beltway Side 2: standard base raceway and 	36 x 64	UMFTBW3664							65.9#
	above-worksurface beltway accept cable	42 x 64	UMFTBW4264							72.6#
	distribution	48 x 64	UMFTBW4864							79.3#
	 Includes monolithic fabric tiles for both sides Panel assembly includes frame, trim, and panel-to-panel connectors 	54 x 64	UMFTBW5464							86.0#
		60 x 64	UMFTBW6064							92.7#
Side 2		72 x 64	UMFTBW7264							114.8#
1 Silve	Trim is metal and includes top cap, bot-									
cide '	 tom trim channel, and base raceway Side 1 and side 2 finishes are specified 									
5,-	separately .									
UMFT	Side 2: 30-72" wide tiles feature two									
	 base and two beltway power knockouts Side 2: 24" wide tiles feature one base 									
	and one beltway power knockout									
	• 72" wide panels feature split tiles									
	Electrical components are specified separately									
	Schaigigi									
			A	3	•	0	3	•	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model.

BSelect top cap style. - Flat trim (std) - No topcap

Select electrical code. **DP** - Domestic - with cutouts

• Select bezel color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select trim color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

Select fabric side 1.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

GSelect fabric side 2. Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 493	\$ 518	\$ 533	\$ 546	\$ 583	
582	609	630	645	688	
635	664	687	705	751	
693	722	749	769	818	
742	775	803	822	878	
782	834	864	885	944	
901	943	976	1000	1067	
1157	1210	1251	1284	1369	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Steel Panels Standard Base Raceway

	MODEL NUMBER									
			MODEL NO	WIDER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color Side 1	Paint Color Side 2	Approx. Packaged Weight	
	Monolithic Steel Panel - 32"H	24 x 32	UMSR2432						39.7#	
	Standard base raceway on both sides ac-	30 x 32	UMSR3032						45.7#	
	 cepts power and data cable distribution Includes monolithic steel tiles with 	36 x 32	UMSR3632						51.8#	
	mounting bars for both sides	42 x 32	UMSR4232						57.9#	
	 Panel assembly includes frame, trim, 	48 x 32	UMSR4832						64.0#	
	and panel-to-panel connectors	54 x 32	UMSR5432	П					70.1#	
	Trim is metal and includes top cap, bot- tom trim channel, and base raceway	60 x 32	UMSR6032						76.2#	
2	Side 1 and side 2 finishes are specified	72 x 32	UMSR7232						94.5#	
Side	separately	LAGE	CANOTH LOL						01.0#	
de 1	30-72" wide panels feature two power									
Sice	knockouts per side24" wide panels feature one power									
UMSR	knockout per side									
OWIGH	 72" wide panels feature split tiles 									
	Electrical components are specified									
	separately									
	Monolithic Steel Panel - 40"H	24 x 40	UMSR2440						44.8#	
UMSR	Monontine oteer i aner - 40 ii	30 x 40	UMSR3040						51.6#	
UNION		36 x 40	UMSR3640						58.5#	
		42 x 40	UMSR4240						65.4#	
		48 x 40	UMSR4840						72.3#	
		54 x 40	UMSR5440						72.3# 79.2#	
		60 x 40	UMSR6040						86.1#	
	Monolithic Steel Panel - 48"H	72 x 40 24 x 48	UMSR7240 UMSR2448						107.5# 49.9#	
LIMCD	MUNUMUNU SLEEF FAMEL - 40 FI								49.9# 57.5#	
UMSR		30 x 48	UMSR3048							
	M 1311 O. 1.D 1 50111	36 x 48	UMSR3648						65.2#	
LIMOD	Monolithic Steel Panel - 56"H	24 x 56	UMSR2456						55.1#	
UMSR		30 x 56	UMSR3056						63.5#	
	M 1991 OL 1 D 1 C 2991	36 x 56	UMSR3656						72.0#	
	Monolithic Steel Panel - 64"H	24 x 64	UMSR2464						60.2#	
UMSR		30 x 64	UMSR3064						69.5#	
		36 x 64	UMSR3664						78.8#	
			A	3	•	0	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.
 - Flat trim (std) - No topcap
- Select electrical code.

CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	- Chicago, 1 side w/cutouts
D1	 Domestic, 1 side w/cutouts

• Select trim color.

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

- Select paint color side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select paint color side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Preconfigured Monolithic Steel Panels Standard Base Raceway

,	Daliva	uarad
	Delive Pricinç	na na
	\$ 4	438
	4	471
		499
		512
		572
		649
		765
		919
	·	
Ç	\$ 4	447
		490
	5	529
		549
		608
		684
		802
		966
(500
		529
		573
-	\$ 5	
		574
		615
(624
		671
	7	718
	-	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Steel Panels Elevated Base

			MODEL NU	MBER					
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Paint Color Side 1	Paint Color Side 2	Approx. Packaged Weight	
	Monolithic Steel Panel - 32"H	24 x 32	UMSL2432					37.1#	
	Raised base does not accept cable	30 x 32	UMSL3032					42.4#	
	 distribution Includes monolithic steel tiles with 	36 x 32	UMSL3632					47.6#	
	mounting bars for both sides	42 x 32	UMSL4232					53.0#	
	 Panel assembly includes frame, trim, 	48 x 32	UMSL4832					58.2#	
	and panel-to-panel connectorsTrim is metal and includes top cap, bot-	54 x 32	UMSL5432					63.5#	
	tom trim channel, and foot shroud	60 x 32	UMSL6032					68.8#	
10 2	Side 1 and side 2 finishes are specified	72 x 32	UMSL7232					85.5#	
side 2	separately • 72" wide panels feature split tiles								
side '	• 72 wide patiers reacure split tiles								
510									
UMSL									
	Monolithic Steel Panel - 40"H	24 x 40	UMSL2440					42.1#	
UMSL		30 x 40	UMSL3040					48.2#	
		36 x 40	UMSL3640					54.3#	
		42 x 40	UMSL4240					60.5#	
		48 x 40	UMSL4840					66.6#	
		54 x 40	UMSL5440					72.6#	
		60 x 40	UMSL6040					78.7#	
		72 x 40	UMSL7240					98.5#	
	Monolithic Steel Panel - 48"H	24 x 48	UMSL2448					47.3#	
UMSL		30 x 48	UMSL3048					54.2#	
		36 x 48	UMSL3648					61.1#	
UMSL	Monolithic Steel Panel - 56"H	24 x 56	UMSL2456					52.4#	
		30 x 56	UMSL3056					60.2#	
		36 x 56	UMSL3656					67.9#	
	Monolithic Steel Panel - 64"H	24 x 64	UMSL2464					57.6#	
UMSL		30 x 64	UMSL3064					66.1#	
		36 x 64	UMSL3664					74.6#	
			Φ	3	Θ	0	ⅎ		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select paint color side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select paint color side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Preconfigured Monolithic Steel Panels Elevated Base

[Deliv	livered	
		icing	
	\$		
		471	
		499	
		512	
		572	
		649	
		765	
		919	
		490	
		529	
		549	
		608	
		684	
		802	
		966	
		529	
		573	
5		524	
		574	
		615	
		624	
		671	
		718	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

			MODEL NU	MBER					
				Тор			Paint	Paint	Approx.
			Basic	Cap	Electrical	Trim	Color	Color	Packaged
	MODEL	WxH	Model	Style	Code	Color	Side 1	Side 2	Weight
	Monolithic Steel Panel - 32"H	24 x 32	UMST2432						38.9#
	Side 1: tile-to-floor base does not accept cable distribution	30 x 32	UMST3032						44.7#
	Side 2: standard base raceway accepts	36 x 32	UMST3632						50.5#
	power and data cable distribution	42 x 32	UMST4232						56.4#
	 Includes monolithic steel tiles with 	48 x 32	UMST4832						62.2#
	mounting bars for both sides • Panel assembly includes frame, trim,	54 x 32	UMST5432						68.0#
	Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 32	UMST6032						73.9#
2	Trim is metal and includes top cap, bot-	72 x 32	UMST7232						91.8#
Side	tom trim channel, and base raceway				_			_	
1 - 1 -	Side 1 and side 2 finishes are specified								
Sign	separatelySide 2: 30-72" wide panels feature two								
UMST	power knockouts								
UNIOT	Side 2: 24" wide panels feature one								
	power knockout								
	Electrical components are specified								
	separately72" wide panels feature split tiles								
	Monolithic Steel Panel - 40"H	24 x 40	UMST2440						44.0#
UMST		30 x 40	UMST3040						50.6#
		36 x 40	UMST3640						57.2#
		42 x 40	UMST4240						63.9#
		48 x 40	UMST4840						70.6#
		54 x 40	UMST5440						77.2#
		60 x 40	UMST6040						83.9#
		72 x 40	UMST7240						104.8#
	Monolithic Steel Panel - 48"H	24 x 48	UMST2448						49.1#
UMST		30 x 48	UMST3048						56.5#
		36 x 48	UMST3648						64.0#
	Monolithic Steel Panel - 56"H	24 x 56							54.3#
UMST		30 x 56	UMST3056						62.5#
		36 x 56	UMST3656						70.8#
	Monolithic Steel Panel - 64"H	24 x 64	UMST2464						59.4#
UMST		30 x 64	UMST3064						68.5#
OWOT		36 x 64							77.6#
		JU A U-1		l					11.0m
			A	Θ	Θ	O	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

•	- Flat trim (std)
ı	- No topcap

Select electrical code.

CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
ΠP	- Domestic - with cutouts

- Select trim color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder
- Select paint color side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select paint color side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Preconfigured Monolithic Steel Panels Tile-to-Floor One Side; Standard Base Raceway One Side

Delive	vered	
Pricir	ing	
	438	
	471	
	499	
	512	
	572	
	649	
	765	
!	919	
	447	
	490	
	529	
	549	
	608	
	684	
	802	
	966	
	500	
	529	
	573	
\$		
	574	
	615	
	624	
	671	
	718	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Monolithic Steel Panels (Beltway Power) Standard Base Raceway

			MODEL NUMB	MODEL NUMBER						
	MODEL	WxH	Basic Model	Top Cap	Electrical	Bezel	Trim	Paint Color	Paint Color	Approx. Packaged
	Monolithic Steel Panel - 40"H	24 x 40	UMSRBW2440	Style	Code	Color	Color	Side 1	Side 2	Weight 44.8#
	Standard base raceway on both sides ac-	30 x 40	UMSRBW3040							44.8# 51.6#
	cepts power and data cable distribution	36 x 40	UMSRBW3640							58.5#
	Above worksurface beltway accepts power and data cable distribution	42 x 40	UMSRBW4240							65.4#
	Includes monolithic steel tiles with	48 x 40	UMSRBW4240							72.3#
	mounting bars for both sides	54 x 40	UMSRBW5440							79.2#
	Panel assembly includes frame, trim,	60 x 40	UMSRBW6040							86.1#
2	and panel-to-panel connectorsTrim is metal and includes top cap, bot-	72 x 40	UMSRBW7240							107.5#
Side	tom trim channel, and base raceway	7 L X 40	OWOTEW/240							107.0#
de 1	Side 1 and side 2 finishes are specified									
Side	separately30-72" wide panels each feature two									
UMSR	power knockouts at base and two knock-									
	outs with bezels at beltway per side									
	 24" wide panels each feature one power knockout and one at beltway per side 									
	 72" wide panels feature split tiles 									
	Electrical components are specified									
	separately									
	Monolithic Steel Panel - 48"H	24 x 48	UMSRBW2448							49.9#
UMSR		30 x 48	UMSRBW3048							57.5#
		36 x 48	UMSRBW3648				_			65.2#
	Monolithic Steel Panel - 56"H	24 x 56	UMSRBW2456							55.1#
UMSR		30 x 56	UMSRBW3056							63.5#
	M 1311 O 1 D 1 O 1	36 x 56	UMSRBW3656							72.0#
LIMOD	Monolithic Steel Panel - 64"H	24 x 64	UMSRBW2464							60.2#
UMSR		30 x 64	UMSRBW3064							69.5#
		36 x 64	UMSRBW3664							78.8#
			A	3	Θ	0	•	•	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

DP - Domestic - with cutouts - Domestic, 1 side w/cutouts

• Select bezel color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Select paint color side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

GSelect paint color side 2.

Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Preconfigured Monolithic Steel Panels (Beltway Power) Standard Base Raceway

5.1	
Del Pric	livered cing
	460
Ψ	510
	550
	573
	630
	706
	823
	1010
\$	513
	550
	595
\$	535
	596
	639
\$	635
	696
	742

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI **54220, freight prepaid.** Freight class 70.

Preconfigured Monolithic Steel Panels (Beltway Power)

	MODEL NUME	BER								
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Paint Color Side 1	Paint Color Side 2	Approx. Packaged Weight
	Monolithic Steel Panel - 40"H	24 x 40	UMSLBW2440							42.1#
	Includes monolithic steel tiles with	30 x 40	UMSLBW3040							48.2#
	mounting bars for both sides • 30-72" wide tiles each feature two power	36 x 40	UMSLBW3640							54.3#
	knockouts with bezels at above-worksur-	42 x 40	UMSLBW4240							60.5#
	face beltway	48 x 40	UMSLBW4840							66.6#
	24" wide tiles each feature one power knockout with bezel at above-worksur-	54 x 40	UMSLBW5440							72.6#
	face beltway	60 x 40	UMSLBW6040							78.7#
10 2	Raised base does not accept cable	72 x 40	UMSLBW7240							98.5#
side 2	distribution • Panel assembly includes frame, trim,									
side '	and panel-to-panel connectors									
510	 Trim is metal and includes top cap, bot- 									
UMSL	tom trim channel, and foot shroud									
	 Side 1 and side 2 finishes are specified separately 									
	• 72" wide panels feature split tiles									
	Monolithic Steel Panel - 48"H	24 x 48	UMSLBW2448							47.3#
UMSL		30 x 48	UMSLBW3048							54.2#
		36 x 48	UMSLBW3648							61.1#
	Monolithic Steel Panel - 56"H	24 x 56	UMSLBW2456							52.4#
UMSL		30 x 56	UMSLBW3056							60.2#
		36 x 56	UMSLBW3656							67.9#
	Monolithic Steel Panel - 64"H	24 x 64	UMSLBW2464							57.6#
UMSL		30 x 64	UMSLBW3064							66.1#
		36 x 64	UMSLBW3664							74.6#
			A	0	Θ	O	(3	G	O	
			•	_	_	_	_	•	_	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

DP - Domestic - with cutouts

- Select bezel color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select paint color side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- **G**Select paint color side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Preconfigured Monolithic Steel Panels (Beltway Power)

De	ered			
Pr	ng			
\$	460			
	510			
	550			
	573			
	630			
	706			
	823			
	010			
.	513			
Φ	550			
	595			
\$	535			
Ψ	596			
	639			
\$	635			
Ψ	696			
	742			

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI **54220, freight prepaid.** Freight class 70.

Preconfigured Monolithic Steel Panels (Beltway Power) Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMB	ER						
	MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Paint Color Side 1	Paint Color Side 2	Approx. Packaged Weight
	Monolithic Steel Panel - 40"H	24 x 40	UMSTBW2440							44.0#
	 Side 1: tile-to-floor base does not accept cable distribution at base or beltway 	30 x 40	UMSTBW3040							50.6#
	Side 2: standard base raceway and	36 x 40	UMSTBW3640							57.2#
	above-worksurface beltway power ac-	42 x 40	UMSTBW4240							63.9#
	cept cable distribution	48 x 40	UMSTBW4840							70.6#
	 Includes monolithic steel tiles with mounting bars for both sides 	54 x 40	UMSTBW5440							77.2#
	Panel assembly includes frame, trim,	60 x 40	UMSTBW6040							83.9#
de 2	and panel-to-panel connectors	72 x 40	UMSTBW7240							104.8#
1 Silve	 Trim is metal and includes top cap, bottom trim channel, and base raceway 									
cide '	Side 1 and side 2 finishes are specified									
912	separately									
UMST	 Side 2: 30-72" wide tiles feature two base knockouts and two beltway power 									
	knockouts with bezels									
	Side 2: 24" wide tiles feature one base									
	power knockout and one beltway knock-									
	out with bezel72" wide panels feature split tiles									
	Electrical components are specified									
	separately									
	Monolithic Steel Panel - 48"H	24 x 48	UMSTBW2448							49.1#
UMST		30 x 48	UMSTBW3048							56.5#
	_	36 x 48	UMSTBW3648							64.0#
	Monolithic Steel Panel - 56"H	24 x 56	UMSTBW2456							54.3#
UMST		30 x 56	UMSTBW3056							62.5#
	_	36 x 56	UMSTBW3656							70.8#
	Monolithic Steel Panel - 64"H	24 x 64	UMSTBW2464							59.4#
UMST		30 x 64	UMSTBW3064							68.5#
		36 x 64	UMSTBW3664							77.6#
			A	0	Θ	0	ⅎ	•	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

DP - Domestic - with cutouts

• Select bezel color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$

- Fabrics & Finishes binder. Select trim color.
- Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select paint color side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- **G**Select paint color side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Preconfigured Monolithic Steel Panels (Beltway Power) Tile-to-Floor One Side; Standard Base Raceway One Side

Deliv	ivered
Prici	ing
\$	460
	510
	550
	573
	630
	706
	823
	1010
	513
	550
	595
\$	535
	596
	639
	635
	696
	742

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI **54220, freight prepaid.** Freight class 70.

Preconfigured Monolithic Open Panels Standard Base Raceway

			MODEL NU	MBER				
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Approx. Packaged Weight	
	Monolithic Open Panel - 32"H	24 x 32	UM0R2432				39.0#	
	 Standard base raceway on both sides accepts power and data cable distribution 	30 x 32	UM0R3032				45.0#	
	Aluminum powder coated open frame allows pass-through accessibility range	36 x 32	UMOR3632				51.0#	
		42 x 32	UM0R4232				57.0#	
Side 2	of 8" to 29" from floor	48 x 32	UM0R4832				64.0#	
1 SIU	 Panel assembly includes frame, trim, and panel-to-panel connecting hardware Trim is metal and includes top cap, bot- 	54 x 32	UM0R5432				68.0#	
cide '		60 x 32	UMOR6032				76.0#	
יל	tom trim channel, and base raceway and							
/IOR	open frame • 30-60" wide panels feature two power							
	knockouts per side							
	24" wide panels feature one power							
	knockout per sideElectrical components are specified							
	separately							
			A	0	Θ	0		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model.

BSelect top cap style.

- Flat trim (std)
- No topcap

Select electrical code.

- Chicago - with cutouts DN - Domestic - no cutouts - Domestic - with cutouts <u>C1</u> - Chicago, 1 side w/cutouts - Domestic, 1 side w/cutouts

OSelect trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder



Preconfigured Monolithic Open Panels Standard Base Raceway

Delivered Pricing	
\$ 563	
610	
633	
701	
723	
782	
887	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI **54220, freight prepaid.** Freight class 70.

Preconfigured Monolithic Open Panels Elevated Base

			MODEL NU	MBER				
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Approx. Packaged Weight		
	Monolithic Open Panel - 32"H	24 x 32	UM0L2432			37.0#		
	 Elevated base is non-powered and does not accept cable distribution Features powder coated aluminum frame Open frame allows pass-through accessibility range of 8" to 29" from floor 	30 x 32	UM0L3032			42.0#		
		36 x 32	UMOL3632			47.0#		
		42 x 32	UM0L4232			53.0#		
de 2		48 x 32	UMOL4832			58.0#		
1 510	 Panel assembly includes frame, trim, and panel-to-panel connecting hardware 	54 x 32	UM0L5432			70.0#		
side 1	Trim is metal and includes top cap, bot-	60 x 32	UM0L6032			68.0#		
510	tom trim channel, and base raceway and							
UMOL	open frame							
			•	3	0			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

BSelect top cap style.

F - Flat trim (std) - No topcap

Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder



Preconfigured Monolithic Open Panels Elevated Base

Delivered Pricing \$ 543 588 608 670 689 737 828		
588 608 670 689 737	Del Prio	livered cing
608 670 689 737	\$	543
670 689 737		588
689 737		608
737		670
		689
828		737
		828

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel Standard Base Raceway

			MODEL N	JMBER					
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Segmented Fabric Panel - 40"H	24 x 40	USFR2440						39.0#
	fahric tiles for hoth sides	30 x 40	USFR3040						44.4#
		36 x 40	USFR3640						50.0#
	identically specified	42 x 40	USFR4240						55.6#
	 Standard base raceway on both sides ac- 	48 x 40	USFR4840						61.2#
	cepts power and data cable distribution	54 x 40	USFR5440						66.7#
	 Panel assembly includes frame, trim, and panel-to-panel connectors 	60 x 40	USFR6040						72.3#
2	 Trim is metal and includes top cap, 	72 x 40	USFR7240						88.5#
Side 1 Side 2	bottom trim channel, base raceway, and								
de 1	segment channelSide 1 and side 2 finishes are specified								
SIU	separately								
USFR	 30-72" wide panels feature two power 								
	knockouts per side								
	 24" wide panels feature one power knockout per side 								
	 72" wide panels feature split tiles 								
	 Electrical components are specified 								
	separately								
	Segmented Fabric Panel - 48"H	24 x 48	USFR2448						44.3#
USFR		30 x 48	USFR3048						50.3#
		36 x 48	USFR3648	П					56.4#
		42 x 48	USFR4248						62.5#
		48 x 48	USFR4848						68.6#
		54 x 48							74.7#
		60 x 48	USFR6048						80.8#
		72 x 48	USFR7248						99.3#
	Segmented Fabric Panel - 56"H	24 x 56	USFR2456						
USFR	•	30 x 56							55.2#
		36 x 56	USFR3656						61.8#
		42 x 56	USFR4256						68.5#
		48 x 56	USFR4856						75.1#
		54 x 56							81.7#
		60 x 56							88.3#
		72 x 56							109.1#
			Δ	3	Θ	O	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.
 - Flat trim (std)
 No topcap
- Select electrical code.

CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	- Chicago, 1 side w/cutouts
D1	 Domestic, 1 side w/cutouts

OSelect trim color.

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

- Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Preconfigured Segmented Fabric Panel

Standard Base Raceway

Prio Fab	cing	Prici	vered	Fabi	ric Grade F Pallas Vertical F ric Grade F	Prici Palla	rered ng s Vertical ic Grade	Prici Palla	as Vertical ic Grade
\$	417	\$	436	\$	451 \$)	463	\$	494
	473		495		512		526		560
	513		537		555		569		608
	561		588		608		624		664
	579		605		628		642		685
	620		648		672		687		735
	699		730		756		774		827
	935		979		1014	1	038		1106

\$ 452	\$ 473	\$ 490	\$ 501	\$ 534	
508	532	550	564	602	
555	581	600	615	658	
619	648	671	687	733	
635	664	687	705	752	
676	707	731	749	800	
756	791	818	839	894	
1015	1062	1098	1126	1201	
\$ 474	\$ 496	\$ 513	\$ 527	\$ 561	
\$ 474 542	\$ 496 568	\$ 513 588		\$ 561 642	
			\$ 527	·	
542	568	588	\$ 527 603	642	
542 597	568 624	588 645	\$ 527 603 662	642 706	
542 597 669	568 624 700	588 645 722	\$ 527 603 662 743	642 706 792	
542 597 669 685	568 624 700 716	588 645 722 743	\$ 527 603 662 743 760	642 706 792 810	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel Standard Base Raceway

			MODEL N	JMBER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Segmented Fabric Panel - 64"H	24 x 64	USFR2464						53.0#	
	Includes upper and lower segmented	30 x 64	USFR3064						60.0#	
	fabric tiles for both sides • Upper and lower segments must be	36 x 64	USFR3664						67.2#	
	identically specified	42x 64	USFR4264						74.4#	
	 Standard base raceway on both sides ac- 	48 x 64	USFR4864						81.5#	
	 cepts power and data cable distribution Panel assembly includes frame, trim, 	54 x 64	USFR5464						88.6#	
	and panel-to-panel connectors	60 x 64	USFR6064						95.8#	
Side 2	and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel • Side 1 and side 2 finishes are specified separately	72 x 64	USFR7264						118.9#	
USFR	30-72" wide panels feature two power									
OSITI	knockouts per side									
	 24" wide panels feature one power knockout per side 									
	 72" wide panels feature split tiles 									
	Electrical components are specified									
	separately									
			•	3	Θ	0	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

A Select basic model. BSelect top cap style. - Flat trim (std) - No topcap Select electrical code. - Chicago - with cutouts DN - Domestic - no cutouts - Domestic - with cutouts C1 - Chicago, 1 side w/cutouts - Domestic, 1 side w/cutouts • Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder. Select fabric side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$

Fabrics & Finishes binder.

HOW TO BUILD A MODEL NUMBER



Preconfigured Segmented Fabric Panel

Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 510	\$ 535	\$ 554	\$ 568	\$ 605	
604	632	654	670	715	
673	704	727	747	796	
716	749	775	795	848	
741	773	802	820	876	
779	814	842	864	921	
863	903	934	959	1022	
1247	1305	1351	1385	1477	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking
With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel Elevated Base

			MODEL N	IMPER	,				
			MODEL N	UNIBER	1				
				Top				Approx.	
			Basic	Cap	Trim	Fabric	Fabric	Packaged	
	MODEL	WxH	Model	Style	Color	Side 1	Side 2	Weight	
	Segmented Fabric Panel - 40"H	24 x 40	USFL2440					36.7#	
	 Includes segmented fabric tiles for both sides 	30 x 40	USFL3040					41.5#	
	Upper and lower segments must be	36 x 40	USFL3640					63.4#	
	identically specified	42 x 40	USFL4240					51.1#	
	Elevated base does not accept cable	48 x 40	USFL4840					63.3#	
	distributionPanel assembly includes frame, trim,	54 x 40	USFL5440					64.3#	
	and panel-to-panel connectors	60 x 40	USFL6040					65.3#	
side 2	· Trim is metal and includes top cap, bot-	72 x 40	USFL7240					79.7#	
Side	tom trim channel, and foot shroud								
side 1	 Side 1 and side 2 finishes are specified separately 								
Sici	72" wide panels feature split tiles								
USFL									
	Segmented Fabric Panel - 48"H	24 x 48	USFL2448					42.1#	
USFL	-	30 x 48	USFL3048					47.3#	
		36 x 48	USFL3648					69.8#	
		42 x 48	USFL4248					58.0#	
		48 x 48	USFL4848					63.3#	
		54 x 48	USFL5448					68.5#	
		60 x 48	USFL6048					73.8#	
		72 x 48	USFL7248					90.7#	
	Segmented Fabric Panel - 56"H	24 x 56	USFL2456					46.4#	
USFL	•	30 x 56	USFL3056					52.2#	
		36 x 56	USFL3656					58.0#	
		42 x 56	USFL4256					63.9#	
		48 x 56	USFL4856					69.7#	
		54 x 56	USFL5456	_				75.5#	
		60 x 56	USFL6056					81.3#	
		72 x 56	USFL7256					100.5#	
		. L X 00						100.0#	
			A	•	Θ	O	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- OSelect fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

14

Preconfigured Segmented Fabric Panel

Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 417	\$ 436	\$ 451	\$ 463	\$ 494	
473	495	512	526	560	
513	537	555	569	608	
561	588	608	624	664	
579	605	628	642	685	
620	648	672	687	735	
699	730	756	774	827	
935	979	1014	1038	1106	
\$ 452	\$ 473	\$ 490	\$ 501	\$ 534	

\$ 452	\$ 473	\$ 490	\$ 501	\$ 534	
508	532	550	564	602	
555	581	600	615	658	
619	648	671	687	733	
635	664	687	705	752	
676	707	731	749	800	
756	791	818	839	894	
1015	1062	1098	1126	1201	
\$ 474	\$ 496	\$ 513	\$ 527	\$ 561	
542	568	588	603	642	
597	624	645	662	706	
669	700	722	743	792	
685	716	743	760	810	
709	742	768	788	839	
775	811	839	861	919	
1090	1140	1180	1210	1291	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel Elevated Base

			MODEL N	JMBER	1				
	MODEL	W x H	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Segmented Fabric Panel - 64"H	24 x 64	USFL2464					50.7#	
	 Includes segmented fabric tiles for both sides 	30 x 64	USFL3064					57.1#	
	Upper and lower segments must be	36 x 64	USFL3664					63.4#	
	identically specified	42x 64	USFL4264					69.8#	
	Elevated base does not accept cable	48 x 64	USFL4864					76.2#	
	distributionPanel assembly includes frame, trim,	54 x 64	USFL5464					82.5#	
	and panel-to-panel connectors	60 x 64	USFL6064					88.8#	
2	 Trim is metal and includes top cap, bot- 	72 x 64	USFL7264					110.3#	
side 1 side 2	tom trim channel, and foot shroud								
ide 1	 Side 1 and side 2 finishes are specified separately 								
SIU	• 72" wide panels feature split tiles								
USFL									
			A	3	Θ	0	3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- OSelect fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Preconfigured Segmented Fabric Panel

Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 510	\$ 535	\$ 554	\$ 568	\$ 605	
604	632	654	670	715	
673	704	727	747	796	
716	749	775	795	848	
741	773	802	820	876	
779	814	842	864	921	
863	903	934	959	1022	
1247	1305	1351	1385	1477	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

			MODEL N	UMBER						
				Тор					Approx.	
			Basic	Cap	Electrical	Trim	Fabric	Fabric	Packaged	
	MODEL	WxH	Model	Style	Code	Color	Side 1	Side 2	Weight	
	Segmented Fabric Panel - 40"H • Side 1: tile-to-floor base does not accept	24 x 40	USFT2440						37.9#	
	cable distribution	30 x 40	USFT3040						43.1#	
	Side 2: standard base raceway accepts	36 x 40	USFT3640						48.4#	
	power and data cable distribution • Includes segmented fabric tiles for both	42 x 40	USFT4240						53.7#	
	sides	48 x 40	USFT4840						59.0#	
	 Upper and lower segments must be 	54 x 40	USFT5440						64.2#	
190	identically specified	60 x 40	USFT6040						69.5#	
Side 2	 Panel assembly includes frame, trim, and panel-to-panel connectors 	72 x 40	USFT7240						85.1#	
1 51	Trim is metal and includes top cap,									
Side	bottom trim channel, base raceway, and									
	segment channelSide 1 and side 2 finishes are specified									
USFT	separately									
	Side 2: 30-72" wide tiles feature two									
	base power knockouts									
	 Side 2: 24" wide tiles feature one power knockout 									
	72" wide panels feature split tiles									
	 Electrical components are specified 									
	separately									
				_					10.0 "	
	Segmented Fabric Panel - 48"H	24 x 48	USFT2448						43.2#	
USFT		30 x 48	USFT3048						49.0#	
		36 x 48	USFT3648						54.8#	
		42 x 48	USFT4248						60.6#	
		48 x 48	USFT4848						66.4#	
		54 x 48	USFT5448						72.2#	
		60 x 48	USFT6048						78.0#	
	0 1151: 0 1 5000	72 x 48	USFT7248						95.9#	
LIGHT	Segmented Fabric Panel - 56"H	24 x 56	USFT2456						47.6#	
USFT		30 x 56	USFT3056						53.9#	
		36 x 56	USFT3656						60.2#	
		42 x 56	USFT4256						66.6#	
		48 x 56	USFT4856						72.9#	
		54 x 56	USFT5456						79.2#	
		60 x 56	USFT6056						85.5#	
		72 x 56	USFT7256						105.7#	
			A	3	Θ	0	ⅎ	•		
			_	_	_	_	_	_		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

F	- Flat trim (std)
N	- No topcap

Select electrical code.

CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
ΠP	- Domestic - with cutouts

- Select trim color. Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder
- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



P F	lelivered ricing abric Grade & C.O.M.	Deliv Prici Fabri 2	ered	Fabi 3 &	ric Grade Pallas Vertical ric Grade	Pric Palla	as Vertical ric Grade	Prici Palla	as Vertical ic Grade
\$	417	\$	436	\$	451	\$	463	\$	494
	473		495		512		526		560
	513		537		555		569		608
	561		588		608		624		664
	579		605		628		642		685
	620		648		672		687		735
	699		730		756		774		827
	935		979		1014		1038	1	1106

\$ 452	\$ 473	\$ 490	\$ 501	\$ 534	
508	532	550	564	602	
555	581	600	615	658	
619	648	671	687	733	
635	664	687	705	752	
676	707	731	749	800	
756	791	818	839	894	
1015	1062	1098	1126	1201	
\$ 474	\$ 496	\$ 513	\$ 527	\$ 561	
542	568	588	603	642	
597	624	645	662	706	
669	700	722	743	792	
685	716	743	760	810	
709	742	768	788	839	
775	811	839	861	919	
1090	1140	1180	1210	1291	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL N	UMBER					
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
		24 x 64	USFT2464						51.9#
	Side 1: tile-to-floor base does not accept cable distribution	30 x 64	USFT3064						58.7#
	Side 2: standard base raceway accepts	36 x 64	USFT3664						65.6#
	power and data cable distribution	42x 64	USFT4264						72.5#
	Includes segmented fabric tiles for both sides Upper and lower segments must be	48 x 64	USFT4864						79.3#
		54 x 64	USFT5464						86.1#
		60 x 64	USFT6064						93.0#
Side 2	 Panel assembly includes frame, trim, 	72 x 64	USFT7264						115.5#
Siou	and panel-to-panel connectors								
cide	 Trim is metal and includes top cap, bottom trim channel, base raceway, and 								
510	segment channel								
SFT	Side 1 and side 2 finishes are specified								
	separatelySide 2: 30-72" wide tiles feature two								
	base power knockouts								
	 Side 2: 24" wide tiles feature one power 								
	knockout								
	 72" wide panels feature split tiles Electrical components are specified 								
	separately								
			A	3	0	0	3	G	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

CP - Chicago - with cutouts - Domestic - no cutouts - Domestic - with cutouts

- Select trim color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder
- Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 510	\$ 535	\$ 554	\$ 568	\$ 605	
604	632	654	670	715	
673	704	727	747	796	
716	749	775	795	848	
741	773	802	820	876	
779	814	842	864	921	
863	903	934	959	1022	
1247	1305	1351	1385	1477	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUM	BER	1					
				Тор						Approx.
	MODEL	WxH	Basic Model	Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Packaged Weight
	Segmented Fabric Panel - 40"H	24 x 40	USFRBW2440	Style						39.0#
	 Includes fabric tiles for both sides 	30 x 40	USFRBW3040							44.4#
	Upper and lower segments must be	36 x 40	USFRBW3640							50.0#
	identically specifiedStandard base raceway on both sides ac-		USFRBW4240							55.6#
	cepts power and data cable distribution	48 x 40	USFRBW4840							61.2#
	Above worksurface beltway accepts	54 x 40	USFRBW5440							66.7#
2	power and data cable distributionPanel assembly includes frame, trim,	60 x 40	USFRBW6040							72.3#
Side	and panel-to-panel connectors	72 x 40	USFRBW7240							88.5#
de 1	 Trim is metal and includes top cap, 	12 / 10	001112111210	_						00.0%
USFR	bottom trim channel, base raceway, and									
	segment channelSide 1/side 2 finishes specified sepa-									
	rately									
	30-72" wide panels each feature two									
	power knockouts at base and two knock- outs with bezels at beltway per side									
	• 24" wide panels each feature one power									
	knockout and one knockout with bezel at									
	beltway per side72" wide panels feature split tiles									
	Electrical components are specified									
	separately									
	Segmented Fabric Panel - 48"H	24 x 48	USFRBW2448							44.3#
USFR		30 x 48	USFRBW3048							50.3#
		36 x 48	USFRBW3648							56.4#
		42 x 48	USFRBW4248							62.5#
		48 x 48	USFRBW4848							68.6#
		54 x 48	USFRBW5448							74.7#
		60 x 48	USFRBW6048							80.8#
		72 x 48	USFRBW7248							99.3#
	Segmented Fabric Panel - 56"H	24 x 56	USFRBW2456							48.6#
USFR		30 x 56	USFRBW3056							55.2#
		36 x 56	USFRBW3656							61.8#
		42 x 56	USFRBW4256							68.5#
		48 x 56	USFRBW4856							75.1#
		54 x 56	USFRBW5456							81.7#
		60 x 56	USFRBW6056							88.3#
		72 x 56	USFRBW7256							109.1#
			A	0	Θ	O	Ð	(3	Θ	
			_		-	_	•	_	_	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

- Domestic - with cutouts - Domestic, 1 side w/cutouts

• Select bezel color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Select fabric side 1.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fabric side 2.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Pric Fab	ivered sing ric Grade C.O.M.	Prici	rered ng ic Grade	Fabr 3 &	ic Grade F Pallas Vertical F ic Grade F	Prici Palla	ng is Vertical ic Grade	Prici Palla	as Vertical ric Grade
\$	434	\$	453	\$	470 \$)	482	\$	513
	503		528		545		560		597
	544		569		589		604		644
	592		619		642		659		702
	610		638		661		676		721
	650		680		705		721		769
	728		762		790		809		862
	996	1	042		1078	1	1106		1180

\$ 465	\$ 487	\$ 502	\$ 518	\$ 550	
539	564	584	599	639	
587	613	634	650	694	
650	680	705	721	770	
667	698	721	741	790	
707	739	765	785	836	
790	825	854	876	933	
1075	1126	1164	1194	1273	
\$ 492	\$ 514	\$ 532	\$ 545	\$ 582	
574	600	620	638	678	
628	656	678	698	744	
701	731	757	776	828	
716	749	775	795	848	
740	774	801	822	876	
808	846	876	897	956	
1151	1205	1246	1279	1363	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUM	BER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
•	Segmented Fabric Panel - 64"H	24 x 64	USFRBW2464							53.0#
	 Includes segmented fabric tiles for both sides 	30 x 64	USFRBW3064							60.0#
	Upper and lower segments must be	36 x 64	USFRBW3664							67.2#
	identically specified	42x 64	USFRBW4264							74.4#
	 Standard base raceway on both sides accepts power and data cable distribution 	48 x 64	USFRBW4864							81.5#
	Above worksurface beltway accepts	54 x 64	USFRBW5464							88.6#
	power and data cable distribution	60 x 64	USFRBW6064							95.8#
1 de 2	Panel assembly includes frame, trim,	72 x 64	USFRBW7264							118.9#
Side	 and panel-to-panel connectors Trim is metal and includes top cap, 									
cide '	bottom trim channel, base raceway, and									
510	segment channelSide 1 and side 2 finishes are specified									
USFR										
	 separately 30-72" wide panels each feature two 									
	power knockouts at base and two knock-									
	outs with bezels at beltway per side									
	 24" wide panels each feature one power knockout and one knockout with bezel at 									
	beltway per side									
	72" wide panels feature split tiles									
	Electrical components are specified									
	separately									
			Ø	3	•	0	(3	•	Ф	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

DP - Domestic - with cutouts - Domestic, 1 side w/cutouts

• Select bezel color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Select fabric side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

GSelect fabric side 2.

Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder.



Pric Fab	vered ing ric Grade C.O.M.	Prici	rered ng ic Grade	Fab	ric Grade Pallas Vertical ric Grade	Pric Palla	vered ing as Vertical ic Grade	Prici Palla	as Vertical ic Grade
\$	530	\$	554	\$	574	\$	588	\$	628
	635		664		687		705		751
	704		737		762		781		833
	748		781		809		830		885
	772		808		836		857		915
	810		848		878		899		960
	897		938		972		995		1063
	1308	1	369		1417		1454		1548

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Flevated Rase

			MODEL NUM	DLII						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Segmented Fabric Panel - 40"H	24 x 40	USFLBW2440							36.7#
	 Includes segmented fabric tiles for both sides 	30 x 40	USFLBW3040							41.5#
	 Upper and lower segments must be 	36 x 40	USFLBW3640							46.3#
	identically specified	42 x 40	USFLBW4240							51.1#
	30-72" wide tiles each feature two power	48 x 40	USFLBW4840							55.8#
	knockouts with bezels at above-worksur- face beltway	54 x 40	USFLBW5440							60.5#
	24" wide tiles each feature one power	60 x 40	USFLBW6040							65.3#
de 2	knockout with bezel at above-worksur-	72 x 40	USFLBW7240							79.7#
side 2	face beltwayElevated base does not accept cable									
side 1	distribution									
512	· Panel assembly includes frame, trim,									
USFL	and panel-to-panel connectors									
	 Trim is metal and includes top cap, bottom trim channel, segment channel, and 									
	foot shroud									
	 Side 1 and side 2 finishes are specified 									
	separately • 72" wide panels feature split tiles									
	• 72 wide pariers readure spirt tiles									
	Segmented Fabric Panel - 48"H	24 x 48	USFLBW2448							42.1#
USFL		30 x 48	USFLBW3048							47.3#
		36 x 48	USFLBW3648							52.6#
		42 x 48	USFLBW4248							58.0#
		48 x 48	USFLBW4848							63.3#
		54 x 48	USFLBW5448							68.5#
		60 x 48	USFLBW6048							73.8#
		72 x 48	USFLBW7248							90.7#
	Segmented Fabric Panel - 56"H	24 x 56	USFLBW2456							46.4#
USFL		30 x 56	USFLBW3056							52.2#
		36 x 56	USFLBW3656							58.0#
		42 x 56	USFLBW4256							63.9#
		48 x 56	USFLBW4856							69.7#
		54 x 56	USFLBW5456							75.5#
		60 x 56	USFLBW6056							81.3#
		72 x 56	USFLBW7256							100.5#
			A	3	Θ	0	•	•	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std)
- No topcap

Select electrical code.

DP - Domestic - with cutouts

- Select bezel color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select trim color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>

 Fabrics & Finishes binder
- Select fabric side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- **©** Select fabric side 2. Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 434	\$ 453	\$ 470	\$ 482	\$ 513	
503	528	545	560	597	
544	569	589	604	644	
592	619	642	659	702	
610	638	661	676	721	
650	680	705	721	769	
728	762	790	809	862	
996	1042	1078	1106	1180	

\$ 465	\$ 487	\$ 502	\$ 518	\$ 550	
539	564	584	599	639	
587	613	634	650	694	
650	680	705	721	770	
667	698	721	741	790	
707	739	765	785	836	
790	825	854	876	933	
1075	1126	1164	1194	1273	
	* * * * * * * * * * * * * * * * * * * *	1.0.		· · · · · · · · · · · · · · · · · · ·	
\$ 492	\$ 514	\$ 532	\$ 545	\$ 582	
\$ 492	\$ 514	\$ 532	\$ 545	\$ 582	
\$ 492 574	\$ 514 600	\$ 532 620	\$ 545 638	\$ 582 678	
\$ 492 574 628	\$ 514 600 656	\$ 532 620 678	\$ 545 638 698	\$ 582 678 744	
\$ 492 574 628 701	\$ 514 600 656 731	\$ 532 620 678 757	\$ 545 638 698 776	\$ 582 678 744 828	
\$ 492 574 628 701 716	\$ 514 600 656 731 749	\$ 532 620 678 757 775	\$ 545 638 698 776 795	\$ 582 678 744 828 848	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Flevated Rase

			MODEL NUM	BER						
				Тор						Approx.
	MODEL	WxH	Basic Model	Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Packaged Weight
	Segmented Fabric Panel - 64"H	24 x 64	USFLBW2464							50.7#
	Includes segmented fabric tiles for both	30 x 64	USFLBW3064							57.1#
	sidesUpper and lower segments must be	36 x 64	USFLBW3664							63.4#
	identically specified	42x 64	USFLBW4264							69.8#
	30-72" wide tiles each feature two power knockouts with bezels at above-worksur- face beltway	48 x 64	USFLBW4864							76.2#
		54 x 64	USFLBW5464							82.5#
	24" wide tiles each feature one power	60 x 64	USFLBW6064							88.8#
side 2		72 x 64	USFLBW7264							110.3#
1 Sive	face beltway									
aide '	 Elevated base does not accept cable distribution 									
י ^י	 Panel assembly includes frame, trim, 									
-	and panel-to-panel connectors									
	 Trim is metal and includes top cap, bottom trim channel, segment channel, and 									
	foot shroud									
	Side 1 and side 2 finishes are specified									
	separately									
	 72" wide panels feature split tiles 									
			Δ	B	Θ	0	(a)	(3	Ө	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect top cap style. - Flat trim (std) - No topcap Select electrical code. **DP** - Domestic - with cutouts • Select bezel color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder. Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder. **G**Select fabric side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$

Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 530	\$ 554	\$ 574	\$ 588	\$ 628	
635	664	687	705	751	
704	737	762	781	833	
748	781	809	830	885	
772	808	836	857	915	
810	848	878	899	960	
897	938	972	995	1063	
1308	1369	1417	1454	1548	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			ı							
			MODEL NUM	BER						
				Тор						Approx.
	MODEL	WxH	Basic	Cap	Electrical	Bezel	Trim	Fabric	Fabric	Packaged
			Model USFTBW2440	Style	Code	Color	Color	Side 1	Side 2	Weight 37.9#
	Segmented Fabric Panel - 40"H • Side 1: tile-to-floor base does not accept	24 x 40 30 x 40								43.1#
1 1 1 2 2	cable distribution at base or beltway		USFTBW3040							
	Side 2: standard base raceway and	36 x 40	USFTBW3640							48.4#
	above-worksurface beltway accept cable distribution	42 x 40	USFTBW4240							53.7#
	 Includes fabric tiles for both sides 	48 x 40	USFTBW4840							59.0#
	 Upper and lower segments must be 	54 x 40	USFTBW5440							64.2#
	identically specified	60 x 40	USFTBW6040							69.5#
side 2	 Panel assembly includes frame, trim, and panel-to-panel connectors 	72 x 40	USFTBW7240							85.1#
aide 1	 Trim is metal and includes top cap, 									
USFT	bottom trim channel, base raceway, and segment channel									
	 Side 1 and side 2 finishes are specified 									
	separatelySide 2: 30-72" wide tiles feature two									
	base power knockouts and two beltway									
	power knockouts with bezels									
	Side 2: 24" wide tiles feature one base									
	and one beltway power knockout with bezel									
	 72" wide panels feature split tiles 									
	 Electrical components are specified 									
	separately									
	Segmented Fabric Panel - 48"H	24 x 48	USFTBW2448							43.2#
USFT		30 x 48	USFTBW3048							49.0#
		36 x 48	USFTBW3648							54.8#
		42 x 48	USFTBW4248							60.6#
		48 x 48	USFTBW4848							66.4#
		54 x 48	USFTBW5448							72.2#
		60 x 48	USFTBW6048							78.0#
		72 x 48	USFTBW7248							95.9#
	Segmented Fabric Panel - 56"H	24 x 56	USFTBW2456							47.6#
USFT		30 x 56	USFTBW3056							53.9#
		36 x 56	USFTBW3656							60.2#
		42 x 56	USFTBW4256							66.6#
		48 x 56	USFTBW4856							72.9#
		54 x 56	USFTBW5456							79.2#
		60 x 56	USFTBW6056							85.5#
		72 x 56	USFTBW7256							105.7#
							Э	a		1
			(Ü	Θ	0	U	U	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

- Domestic - with cutouts

• Select bezel color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- **G**Select fabric side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 434	\$ 453	\$ 470	\$ 482	\$ 513	
503	528	545	560	597	
544	569	589	604	644	
592	619	642	659	702	
610	638	661	676	721	
650	680	705	721	769	
728	762	790	809	862	
996	1042	1078	1106	1180	

\$ 46	5 \$ 487	\$ 502	\$ 518	\$ 550	
53	9 564	584	599	639	
58	7 613	634	650	694	
65	0 680	705	721	770	
66	7 698	721	741	790	
70	7 739	765	785	836	
79	0 825	854	876	933	
107	5 1126	1164	1194	1273	
107	3 1120	1104	1194	1273	
\$ 49			\$ 545	\$ 582	
	2 \$ 514	\$ 532			
\$ 49	2 \$ 514 4 600	\$ 532 620	\$ 545	\$ 582	
\$ 49 57	2 \$ 514 4 600 8 656	\$ 532 620	\$ 545 638	\$ 582 678	
\$ 49 57 62	2 \$ 514 4 600 8 656 1 731	\$ 532 620 678 757	\$ 545 638 698	\$ 582 678 744	
\$ 49 57 62 70	2 \$ 514 4 600 8 656 1 731 6 749	\$ 532 620 678 757 775	\$ 545 638 698 776	\$ 582 678 744 828	
\$ 49 57 62 70 71	2 \$ 514 4 600 8 656 1 731 6 749 0 774	\$ 532 620 678 757 775 801	\$ 545 638 698 776 795	\$ 582 678 744 828 848	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUM	BER							
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Segmented Fabric Panel - 64"H	24 x 64	USFTBW2464							51.9#	
	Side 1: tile-to-floor base does not accept	30 x 64	USFTBW3064							58.7#	
	cable distribution at base or beltwaySide 2: standard base raceway and	36 x 64	USFTBW3664							65.6#	
	above-worksurface beltway accept cable	42x 64	USFTBW4264							72.5#	
	distribution	48 x 64	USFTBW4864							79.3#	
	 Includes segmented fabric tiles for both sides 	54 x 64	USFTBW5464							86.2#	
2	Upper and lower segments must be identically specified	60 x 64	USFTBW6064							93.0#	
		72 x 64	USFTBW7264							115.5#	
side 2	 Panel assembly includes frame, trim, 										
aide 1	and panel-to-panel connectorsTrim is metal and includes top cap.										
510	bottom trim channel, base raceway, and										
USFT	segment channel										
	 Side 1 and side 2 finishes are specified separately 										
	Side 2: 30-72" wide tiles feature two										
	base power knockouts and two beltway										
	power knockouts with bezels										
	 Side 2: 24" wide tiles feature one base and one beltway power knockout with 										
	bezel										
	 72" wide panels feature split tiles 										
	Electrical components are specified										
	separately										
			Ø	3	Θ	0	3	•	Ф		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect top cap style. - Flat trim (std) - No topcap

Select electrical code. - Domestic - with cutouts

Fabrics & Finishes binder.

- Select bezel color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$
- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- **G**Select fabric side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 530	\$ 554	\$ 574	\$ 588	\$ 628	
635	664	687	705	751	
704	737	762	781	833	
748	781	809	830	885	
772	808	836	857	915	
810	848	878	899	960	
897	938	972	995	1063	
1308	1369	1417	1454	1548	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Standard Base Raceway

			MODEL NUMBER							
				Top			Steel		Steel	
			Basic	Cap	Electrical	Trim	Color	Fabric	Color	Fabric
	MODEL	WxH	Model	Style	Code	Color	Side 1	Side 1	Side 2	Side 2
	Segmented Steel Panel - 40"H	24 x 40	USSFR2440							
	 Includes segmented tiles with steel lower and fabric upper segments for both 	30 x 40	USSFR3040							
	sides	36 x 40	USSFR3640							
	 Standard base raceway on both sides ac- 	42 x 40	USSFR4240							
	cepts power and data cable distribution	48 x 40	USSFR4840							
	 Panel assembly includes frame, trim, and panel-to-panel connectors 	54 x 40	USSFR5440							
	 Trim is metal and includes top cap, 	60 x 40	USSFR6040							
de 2	bottom trim channel, base raceway, and	72 x 40	USSFR7240							
1 Side	segment channelSide 1 and side 2 finishes are specified									
cide '	separately									
יט	• 30-72" wide panels feature two power									
JSFR	knockouts per side24" wide panels feature one power									
	knockout per side									
	72" wide panels feature split tiles									
	Electrical components are specified									
	separately									
	Segmented Steel Panel - 48"H	24 x 48	USSFR2448							
ISFR		30 x 48	USSFR3048							
		36 x 48	USSFR3648							
		42 x 48	USSFR4248							
		48 x 48	USSFR4848							
		54 x 48	USSFR5448							
		60 x 48	USSFR6048							
		72 x 48	USSFR7248							
	Segmented Steel Panel - 56"H	24 x 56	USSFR2456							
USFR		30 x 56	USSFR3056							
		36 x 56	USSFR3656							
		42 x 56	USSFR4256							
		48 x 56	USSFR4856							
		54 x 56	USSFR5456							
		60 x 56	USSFR6056							
		72 x 56	USSFR7256							
			(A)	③	Θ	0	(3	•	G	0
			-	_	-	-	-	-	-	-

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style. - Flat trim (std) - No topcap

seiect e	lectrical code.
CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	- Chicago, 1 side w/cutouts
D1	- Domestic, 1 side w/cutouts

• Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

- Select steel bottom color side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 1. Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder.

- GSelect steel bottom color side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Standard Base Raceway

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
43.7#	\$ 522	\$ 535	\$ 544	\$ 564	\$ 585	
50.4#	563	580	590	612	633	
57.1#	603	618	631	654	676	
64.0#	631	649	661	685	709	
70.7#	686	706	718	746	772	
77.5#	759	780	795	824	853	
84.3#	877	900	919	952	984	
105.3#	1110	1142	1162	1206	1247	

49.0#	\$ 55	6	;	\$ 573	\$ 583	\$ 605	\$ 627	
56.2#	60	0		617	630	651	674	
63.5#	64	2		661	673	699	721	
70.8#	68	7		706	719	746	772	
78.1#	74	2		762	776	805	832	
85.4#	81	6		839	854	886	916	
92.8#	93	7		965	983	1019	1054	
110 1#	440	0		4004	10.40	4000	1007	
116.1#	118	9		1221	1246	1292	1337	
53.3#	\$ 58		;	\$ 596	\$ 608			
		0	;			\$ 630		
53.3#	\$ 58	3	:	\$ 596	\$ 608	\$ 630 663	\$ 651 712	
53.3# 61.1#	\$ 58 63	0 3 3	:	\$ 596 651	\$ 608 663	\$ 630 663 742	\$ 651 712	
53.3# 61.1# 68.9#	\$ 58 63 68	60 3 3 1		\$ 596 651 703	\$ 608 663 715	\$ 630 663 742 804	\$ 651 712 767 831	
53.3# 61.1# 68.9# 76.8#	\$ 58 63 68 74	0 3 3 1 1		\$ 596 651 703 760	\$ 608 663 715 775	\$ 630 663 742 804 859	\$ 651 712 767 831	
53.3# 61.1# 68.9# 76.8# 84.6#	\$ 58 63 68 74 79	0 3 3 1 2 9		\$ 596 651 703 760 814	\$ 608 663 715 775 829	\$ 630 663 742 804 859 921	\$ 651 712 767 831 889 953	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Standard Base Raceway

			MODEL NU	MBER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2
	Segmented Steel Panel - 64"H	24 x 64	USSFR2464							
	 Includes segmented tiles with steel lower and fabric upper segments for both 	30 x 64	USSFR3064							
	sides	36 x 64	USSFR3664							
	 Standard base raceway on both sides ac- 	42 x 64	USSFR4264							
	cepts power and data cable distributionPanel assembly includes frame, trim,	48 x 64	USSFR4864							
	and panel-to-panel connectors	54 x 64	USSFR5464							
	 Trim is metal and includes top cap, 	60 x 64	USSFR6064							
aide 2	bottom trim channel, base raceway, and segment channel	72 x 64	USSFR7264							
Side 1 Side 2	Side 1 and side 2 finishes are specified									
Sive	separately30-72" wide panels feature two power									
JSFR	knockouts per side									
	24" wide panels feature one power									
	knockout per side72" wide panels feature split tiles									
	Electrical components are specified									
	separately									
			Ø	B	Θ	0	(3	(3)	Θ	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style. - Flat trim (std) - No topcap

ectrical code.	
- Chicago - with cutouts	
- Domestic - no cutouts	
- Domestic - with cutouts	
- Chicago, 1 side w/cutouts	
- Domestic, 1 side w/cutouts	
	- Domestic - no cutouts - Domestic - with cutouts - Chicago, 1 side w/cutouts

• Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

- Select steel bottom color side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select fabric side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

- GSelect steel bottom color side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Standard Base Raceway

57.7# \$ 617 \$ 637 \$ 648 \$ 671 \$ 697 66.0# 699 718 731 758 785 74.3# 761 783 800 828 857 82.7# 789 811 827 857 887 91.1# 848 873 888 920 952 99.4# 935 954 960 996 1030	Approx Packag Weight	. Pric ed Fabi	livered cing oric Grade & C.O.M.	P	elivered ricing abric Grade	Fa 3	elivered Pricir bric Grade & Pallas Vert bric Grade /	Pric tical Palla	as Vertical ric Grade	Pr Pa	elivered icing Ilas Vertica bric Grade /2	I
74.3# 761 783 800 828 857 82.7# 789 811 827 857 887 91.1# 848 873 888 920 952	57.7	<i>‡</i> \$	617	\$	637	\$	648	\$	671		697	
82.7# 789 811 827 857 887 91.1# 848 873 888 920 952	66.0	ļ	699		718		731		758		785	
91.1# 848 873 888 920 952	74.3	¥	761		783		800		828		857	
	82.7	‡	789		811		827		857		887	
99.4# 935 954 960 996 1030	91.1	#	848		873		888		920		952	
	99.4	#	935		954		960		996		1030	
107.8# 935 1093 1091 1130 1170	107.8	¥	935		1093		1091		1130		1170	
135.8# 1425 1467 1494 1547 1601	135.8	ļ	1425		1467		1494		1547		1601	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

			MODEL NU	MDED						
			MODEL NO	MDEN						
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	Approx. Packaged Weight
	Segmented Steel Panel - 40"H	24 x 40	USSFL2440							41.4#
	 Includes segmented tiles with steel lower and fabric upper segments for both 	30 x 40	USSFL3040							47.4#
	sides	36 x 40	USSFL3640							53.4#
	Elevated base does not accept cable	42 x 40	USSFL4240							59.4#
	distribution	48 x 40	USSFL4840							65.3#
	 Panel assembly includes frame, trim, and panel-to-panel connectors 	54 x 40	USSFL5440							71.3#
	· Trim is metal and includes top cap, bot-	60 x 40	USSFL6040							77.3#
side 2	tom trim channel, segment channel, and	72 x 40	USSFL7240							96.7#
1 Sive	foot shroudSide 1 and side 2 finishes are specified									
side 1	separately									
510	 72" wide panels feature split tiles 									
USFL										
	Segmented Steel Panel - 48"H	24 x 48	USSFL2448							46.7#
USFL		30 x 48	USSFL3048							53.2#
		36 x 48	USSFL3648							59.7#
		42 x 48	USSFL4248							66.3#
		48 x 48	USSFL4848							72.8#
		54 x 48	USSFL5448							79.3#
		60 x 48	USSFL6048							85.8#
		72 x 48	USSFL7248							107.6#
	Segmented Steel Panel - 56"H	24 x 56	USSFL2456							51.1#
USFL		30 x 56	USSFL3056							58.1#
		36 x 56	USSFL3656							65.1#
		42 x 56	USSFL4256							72.2#
		48 x 56	USSFL4856							79.2#
		54 x 56	USSFL5456							86.2#
		60 x 56	USSFL6056							93.3#
		72 x 56	USSFL7256							117.4#
			•	B	Θ	0	•	•	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select top cap style.

 F Flat trim (std)

- No topcap

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select steel bottom color side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select fabric side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select steel bottom color side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

GSelect fabric side 2. Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder.



Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 522	\$ 535	\$ 544	\$ 564	\$ 585
563	580	590	612	633
603	618	631	654	676
631	649	661	685	709
686	706	718	746	772
759	780	795	824	853
877	900	919	952	984
1110	1142	1162	1206	1247
\$ 556	\$ 573	\$ 583	\$ 605	\$ 627
600	617	630	651	674
642	661	673	699	721
687	706	719	746	772
742	762	776	805	832
816	839	854	886	916
937	965	983	1019	1054
1189	1221	1246	1292	1337
\$ 580	\$ 596	\$ 608	\$ 630	\$ 651
633	651	663	687	712
683	703	715	742	767
741	760	775	815	831
792	814	829	859	889

921

1038

1376

UPHOLSTERY INFORMATION

Fabric Mixing

849

956

1268

873

984

1304

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

889

1001

1328

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

953

1074

1424

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

			MODEL NU	MBER						
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	Approx. Packaged Weight
_	Segmented Steel Panel - 64"H • Includes segmented tiles with steel lower	24 x 64	USSFL2464							55.4#
	and fabric upper segments for both	30 x 64	USSFL3064							63.0#
	sides	36 x 64	USSFL3664							70.5#
	Elevated base does not accept cable	42 x 64	USSFL4264							78.1#
	distribution	48 x 64	USSFL4864							85.7#
	 Panel assembly includes frame, trim, and panel-to-panel connectors 	54 x 64	USSFL5464							93.2#
	Trim is metal and includes top cap, bot-	60 x 64	USSFL6064							100.8#
side 2	tom trim channel, segment channel, and	72 x 64	USSFL7264							127.2#
Sioc	foot shroud									
side 1 Slo	 Side 1 and side 2 finishes are specified separately 									
Sic	• 72" wide panels feature split tiles									
USFL										
			A	3	Θ	O	3	(3	Ф	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select top cap style.

F - Flat trim (std) - No topcap

Select trim color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

- Select steel bottom color side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select steel bottom color side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

GSelect fabric side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 617	\$ 637	\$ 648	\$ 671	\$ 697	
699	718	731	758	785	
761	783	800	828	857	
789	811	827	857	887	
848	873	888	920	952	
935	954	960	996	1030	
935	1071	1091	1130	1170	
1425	1467	1494	1547	1601	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NU	MBER							
				Тор			Steel		Steel		
			Basic	Cap	Electrical	Trim	Color	Fabric	Color	Fabric	
	MODEL	WxH	Model	Style	Code	Color	Side 1	Side 1	Side 2	Side 2	
^	Segmented Steel Panel - 40"H • Side 1: tile-to-floor base does not accept	24 x 40	USSFT2440								
	cable distribution	30 x 40	USSFT3040								
	Side 2: standard base raceway accepts	36 x 40	USSFT3640								
	power and data cable distribution	42 x 40	USSFT4240								
	 Includes segmented tiles with steel lower and fabric upper segments for both 	48 x 40	USSFT4840								
	sides	54 x 40	USSFT5440								
	 Panel assembly includes frame, trim, 	60 x 40	USSFT6040								
Side 2	 and panel-to-panel connectors Trim is metal and includes top cap, 	72 x 40	USSFT7240								
1 510	bottom trim channel, base raceway, and										
Gide	segment channel										
	Side 1 and side 2 finishes are specified										
USFT	separatelySide 2: 30-72" wide tiles feature two										
	base and two beltway power knockouts										
	Side 2: 24" wide tiles feature one base										
	and one beltway power knockout72" wide panels feature split tiles										
	Electrical components are specified										
	separately										
	Commented Steel Bonel 4000	04 × 40	USSFT2448								
USFT	Segmented Steel Panel - 48"H	24 x 48	USSF12448 USSFT3048								
0511		30 x 48 36 x 48									
			USSFT3648	_							
		42 x 48	USSFT4248								
		48 x 48	USSFT4848	_							
		54 x 48 60 x 48	USSFT5448 USSFT6048								
		72 x 48	USSFT7248								
	Seamented Steel Panel - 56"H	24 x 56	USSFT2456								
USFT	Seymenteu Steel Fallet - 30 fi	30 x 56	USSFT2456 USSFT3056								
0011		36 x 56	USSFT3656								
		42 x 56	USSFT4256	П							
		48 x 56	USSFT4856								
		54 x 56	USSFT5456	П							
		60 x 56	USSFT6056								
		72 x 56	USSFT7256								
		12 X 30									
			A	3	Θ	0	(3	•	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style. - Flat trim (std) - No topcap
- Select electrical code.

CP - Chicago - with cutouts - Domestic - no cutouts - Domestic - with cutouts

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select steel bottom color side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

- Select steel bottom color side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



F	Approx.	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	42.9#	\$ 522	\$ 535	\$ 544	\$ 564	\$ 585	
	49.4#	563	580	590	612	633	
	55.9#	603	618	631	654	676	
	62.5#	631	649	661	685	709	
	69.0#	686	706	718	746	772	
	75.5#	759	780	795	824	853	
	82.1#	877	900	919	952	984	
	102.7#	1110	1142	1162	1206	1247	

48.2#	\$ 556	\$ 573	\$ 58	3 \$ 605	\$ 627	
55.2#	600	61	7 63	0 651	674	
62.3#	642	66	67	3 699	721	
69.4#	687	70	5 71	9 746	772	
76.4#	742	76	2 77	6 805	832	
83.5#	816	83	85	4 886	916	
90.6#	937	96	5 98	3 1019	1054	
113.5#	1189	122	124	6 1292	1337	
52.5#	\$ 580	\$ 59	\$ 60	8 \$ 630	\$ 651	
52.5# 60.1#	\$ 580 633	\$ 599 65				
	\$		66	3 687	712	
60.1#	\$ 633	65	66 3 71	3 687 5 742	712 767	
60.1# 67.7#	\$ 633 683	65 70	66 3 71 0 77	3 687 5 742 5 804	712 767 831	
60.1# 67.7# 75.3#	\$ 633 683 741	65 70: 76	66 3 71 0 77 4 82	3 687 5 742 5 804 9 859	712 2 767 4 831 889	
60.1# 67.7# 75.3# 82.9#	\$ 633 683 741 792	65 70: 76: 81:	668 71 0 77 4 82 8 88	3 687 5 742 5 804 9 859 9 921	712 2 767 3 831 889 953	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NU	MBER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2
	Segmented Steel Panel - 64"H	24 x 64	USSFT2464							
	Side 1: tile-to-floor base does not accept	30 x 64	USSFT3064							
	cable distributionSide 2: standard base raceway accepts	36 x 64	USSFT3664							
	power and data cable distribution	42 x 64	USSFT4264							
		48 x 64	USSFT4864							
	and fabric upper segments for both sides	54 x 64	USSFT5464							
	Panel assembly includes frame, trim,	60 x 64	USSFT6064							
10.2	and panel-to-panel connectors	72 x 64	USSFT7264							
Side 2	Trim is metal and includes top cap, hatten trim about library and library trims about and library and library trims about and library trims about and library trims are also as a second library trims.									
eide '	bottom trim channel, base raceway, and segment channel									
510	Side 1 and side 2 finishes are specified									
SFT	separately									
	Side 2: 30-72" wide tiles feature two base and two beltway power knockouts									
	Side 2: 24" wide tiles feature one base									
	and one beltway power knockout									
	• 72" wide panels feature split tiles									
	Electrical components are specified separately									
	oopa. atory									
			A	B	0	0	(3	(a)	A	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style. - Flat trim (std) - No topcap
- Select electrical code.

CP - Chicago - with cutouts - Domestic - no cutouts - Domestic - with cutouts

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select steel bottom color side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

- Select steel bottom color side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
56.9#	\$ 617	\$ 637	\$ 648	\$ 671	\$ 697	
65.0#	699	718	731	758	785	
73.1#	761	783	800	828	857	
81.2#	789	811	827	857	887	
89.3#	848	873	888	920	952	
97.4#	935	954	960	996	1030	
105.6#	935	1071	1091	1130	1170	
133.2#	1425	1467	1494	1547	1601	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Standard Base Raceway

user ·	Segmented Steel Panel - 40"H Includes segmented tiles with steel lower and fabric upper segments for both sides Standard base raceway on both sides ac-	W x H 24 x 40 30 x 40 36 x 40	Basic Model USSFRBW2440	Top Cap Style	Electrical Code	Bezel Color	Trim	Steel Color	Fabric	Steel Color	Fabria	
user ·	Segmented Steel Panel - 40"H Includes segmented tiles with steel lower and fabric upper segments for both sides Standard base raceway on both sides ac-	24 x 40 30 x 40	Model USSFRBW2440	Cap Style					Fabric		Fabria	
user ·	Segmented Steel Panel - 40"H Includes segmented tiles with steel lower and fabric upper segments for both sides Standard base raceway on both sides ac-	24 x 40 30 x 40	Model USSFRBW2440	Cap Style					Fahric		Fahuia	
USFR .	Includes segmented tiles with steel lower and fabric upper segments for both sides Standard base raceway on both sides ac-	30 x 40				COIOI	Color	Side 1	Side 1	Side 2	Fabric Side 2	
user ·	and fabric upper segments for both sides Standard base raceway on both sides ac-											
user .	sides Standard base raceway on both sides ac-	36 x 40	USSFRBW3040									
user .	Standard base raceway on both sides ac-		USSFRBW3640									
user ·	cepts power and data cable distribution	42 x 40	USSFRBW4240									
user ·		48 x 40	USSFRBW4840									
USFR •	Above worksurface beltway on both	54 x 40	USSFRBW5440									
USFR •	sides accepts power and data cable distribution	60 x 40	USSFRBW6040									
USFR •		72 x 40	USSFRBW7240									
USFR •	and panel-to-panel connectors											
USFR •	Trim is metal and includes top cap, bottom trim channel, base raceway, and											
USFR •	segment channel											
	Side 1 and side 2 finishes are specified											
•	separately											
	30-72" wide panels each feature two power knockouts at base and two knock-											
	outs with bezels at beltway per side											
•	24" wide panels each feature one power											
	knockout and one knockout with bezel at											
•	beltway per side 72" wide panels feature split tiles											
	Electrical components are specified											
	separately											
			A		•	•	(3)	a	О	Ð	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select top cap style.
 - F Flat trim (std)
 N No topcap
- Select electrical code.

DP - Domestic - with cutouts
D1 - Domestic, 1 side w/cutouts

- OSelect bezel color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select trim color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- Select steel bottom color side 1.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.

- **(G**) Select fabric side 1. Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select steel bottom color side 2.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fabric side 2. Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
43.7#	\$ 542	\$ 558	\$ 568	\$ 589	\$ 610	
50.4#	608	626	637	660	683	
57.1#	643	662	673	699	721	
64.0#	671	691	704	728	755	
70.7#	723	746	759	787	814	
77.5#	799	822	836	866	897	
84.3#	921	946	964	998	1034	
105.3#	1195	1230	1251	1298	1342	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Standard Base Raceway

			MODEL NUMB	FR							
			WODEL NOWID	Ln							
			Basic	Top Cap	Electrical	Bezel	Trim	Steel Color	Fabric	Steel Color	Fabric
	MODEL	W x H	Model	Style	Code	Color	Color	Side 1	Side 1	Side 2	Side 2
	Segmented Steel Panel - 48"H	24 x 48	USSFRBW2448								
		30 x 48	USSFRBW3048								
		36 x 48	USSFRBW3648								
		42 x 48	USSFRBW4248								
		48 x 48	USSFRBW4848								
		54 x 48	USSFRBW5448								
		60 x 48	USSFRBW6048								
de 2		72 x 48	USSFRBW7248								
Side 1 Side 2											
ide '											
R				_							
	Segmented Steel Panel - 56"H	24 x 56	USSFRBW2456								
		30 x 56	USSFRBW3056								
		36 x 56	USSFRBW3656								
		42 x 56	USSFRBW4256								
		48 x 56	USSFRBW4856								
		54 x 56	USSFRBW5456 USSFRBW6056								
		60 x 56 72 x 56	USSFRBW7256								
	Segmented Steel Panel - 64"H	24 x 64	USSFRBW2464								
R	Segmented Steel Fallet - 04 II	30 x 64	USSFRBW3064								
11		36 x 64	USSFRBW3664								
		42 x 64	USSFRBW4264								
		48 x 64	USSFRBW4864								
		54 x 64	USSFRBW5464								
		60 x 64	USSFRBW6064								
		72 x 64	USSFRBW7264								
			A								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select top cap style.

 F Flat trim (std)

 N No topcap
- Select electrical code.

DP - Domestic - with cutouts
D1 - Domestic, 1 side w/cutouts

Select bezel color.

Refer to the KI Color Addendum or KI

Fabrics & Finishes binder.

- Select trim color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- Select steel bottom color side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

- **(G**) Select fabric side 1. Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select steel bottom color side 2.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fabric side 2.
 Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
49.0#	\$ 573	\$ 589	\$ 600	\$ 620	\$ 643	
56.2#	641	660	671	698	720	
63.5#	683	703	715	743	767	
70.8#	730	751	765	793	820	
78.1#	781	805	819	849	879	
85.4#	856	881	896	929	962	
92.8#	981	1009	1027	1065	1101	
116.1#	1271	1307	1330	1380	1427	

53.3#	\$ 60	\$	618	\$ 631	\$ 653	\$ 675	
61.1#	67	1	694	706	732	758	
68.9#	72	5	747	760	789	816	
76.8#	78)	804	817	848	878	
84.6#	83	3	859	876	907	938	
92.4#	89)	916	933	966	1001	
100.3#	99	3 1	1027	1045	1083	1123	
126.0#	135) 1	1388	1414	1466	1516	
57.7#	\$ 64	1 \$	659	\$ 671	\$ 697	\$ 719	
57.7# 66.0#	\$ 64 74	·	659 760	\$ 671 774	\$ 697 803	\$ 719 830	
	7	1		· ·	·	•	
66.0#	74	1 1	760	774	803	830	
66.0# 74.3#	74 80	1	760 825	774 840	803 873	830 901	
66.0# 74.3# 82.7#	74 80 83	1 4 0	760 825 853	774 840 869	803 873 900	830 901 932	
66.0# 74.3# 82.7# 91.1#	74 80 83 88	1 4 0 0	760 825 853 916	774 840 869 932	803 873 900 966	830 901 932 998	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Flevated Base

			MODEL NUMB	ER							
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2
_	Segmented Steel Panel - 40"H	24 x 40	USSFLBW2440								
	Includes segmented tiles with steel lower Includes segmented tiles with steel lower	30 x 40	USSFLBW3040								
	and fabric upper segments for both sides	36 x 40	USSFLBW3640								
	30-72" wide tiles each feature two power	42 x 40	USSFLBW4240								
	knockouts with bezels at above-worksur-	48 x 40	USSFLBW4840								
	face beltway • 24" wide tiles each feature one power	54 x 40	USSFLBW5440								
	knockout with bezel at above-worksur-	60 x 40	USSFLBW6040								
1002	face beltway	72 x 40	USSFLBW7240								
Side 2	Elevated base does not accept cable distribution										
side I	Panel assembly includes frame, trim,										
10	and panel-to-panel connectors										
FL	Trim is metal and includes top cap, bot- tom trim channel, segment channel and										
	foot shroud										
	Side 1 and side 2 finishes are specified										
	separately										
	72" wide panels feature split tiles										
			Δ	(3)	Θ	0	a	a	Ø	Ð	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

 F Flat trim (std)

N - No topcap

- Select electrical code.

 DP Domestic with cutouts
- Select bezel color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
- Refer to the **KI Color Addendum** or **KI**Fabrics & Finishes binder.
- Select trim color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>
- Select steel bottom color side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fabric side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 Fabrics & Finishes binder.

- Select steel bottom color side 2.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fabric side 2.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
41.4#	\$ 542	\$ 558	\$ 568	\$ 589	\$ 610	
47.4#	608	626	637	660	683	
53.4#	643	662	673	699	721	
59.4#	671	691	704	728	755	
65.4#	723	746	759	787	814	
71.3#	799	822	836	866	897	
77.3#	921	946	964	998	1034	
96.7#	1195	1230	1251	1298	1342	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Flevated Rase

			MODEL NUMB	ED							
			MODEL MOME	LN							
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2
	Segmented Steel Panel - 48"H	24 x 48	USSFLBW2448								
		30 x 48	USSFLBW3048								
		36 x 48	USSFLBW3648								
		42 x 48	USSFLBW4248								
		48 x 48	USSFLBW4848								
		54 x 48	USSFLBW5448								
		60 x 48	USSFLBW6048								
de 2		72 x 48	USSFLBW7248								
side 2											
	Segmented Steel Panel - 56"H	24 x 56	USSFLBW2456								
		30 x 56	USSFLBW3056								
		36 x 56	USSFLBW3656								
		42 x 56	USSFLBW4256								
		48 x 56	USSFLBW4856								
		54 x 56	USSFLBW5456								
		60 x 56	USSFLBW6056								
		72 x 56	USSFLBW7256								
	Segmented Steel Panel - 64"H	24 x 64	USSFLBW2464								
		30 x 64	USSFLBW3064								
		36 x 64	USSFLBW3664								
		42 x 64	USSFLBW4264								
		48 x 64	USSFLBW4864								
		54 x 64	USSFLBW5464								
		60 x 64	USSFLBW6064								
		72 x 64	USSFLBW7264								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select top cap style.

 F Flat trim (std)

 N No topcap
- Select electrical code.

DP - Domestic - with cutouts

- Oselect bezel color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select trim color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- Select steel bottom color side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- © Select fabric side 1. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

- Select steel bottom color side 2.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select fabric side 2.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
46.7#	\$ 573	\$ 589	\$ 600	\$ 620	\$ 643	
53.3#	641	660	671	698	720	
59.7#	683	703	715	743	767	
66.3#	730	751	765	793	820	
72.8#	781	805	819	849	879	
79.3#	856	881	896	929	962	
85.8#	981	1009	1027	1065	1101	
107.6#	1271	1307	1330	1380	1427	

51.1#	\$ 602	\$ 618	\$ 631	\$ 653	\$ 675	
58.1#	674	694	706	732	758	
65.1#	725	747	760	789	816	
72.2#	780	804	817	848	878	
79.2#	836	859	876	907	938	
86.2#	890	916	933	966	1001	
93.3#	998	1027	1045	1083	1123	
117.4#	1350	1388	1414	1466	1516	
117.7#	1000	1000	דודו	1400	1310	
55.4#	\$ 641	\$ 659	\$ 671	\$ 697	\$ 719	
55.4#	\$ 641	\$ 659	\$ 671	\$ 697	\$ 719	
55.4# 63.0#	\$ 641 741	\$ 659 760	\$ 671 774	\$ 697 803	\$ 719 830	
55.4# 63.0# 70.5#	\$ 641 741 804	\$ 659 760 825	\$ 671 774 840	\$ 697 803 873	\$ 719 830 901	
55.4# 63.0# 70.5# 78.1#	\$ 641 741 804 830	\$ 659 760 825 853	\$ 671 774 840 869	\$ 697 803 873 900	\$ 719 830 901 932	
55.4# 63.0# 70.5# 78.1# 85.7#	\$ 641 741 804 830 889	\$ 659 760 825 853 916	\$ 671 774 840 869 932	\$ 697 803 873 900 966	\$ 719 830 901 932 998	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

			MODEL NUMB	ER								
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	
	Segmented Steel Panel - 40"H	24 x 40	USSFTBW2440									
	Side 1: tile-to-floor base does not accept	30 x 40	USSFTBW3040									
	 cable distribution at base or beltway Side 2: standard base raceway and 	36 x 40	USSFTBW3640									
	above-worksurface beltway power ac-	42 x 40	USSFTBW4240									
	cept cable distribution	48 x 40	USSFTBW4840									
	 Includes segmented tiles with steel lower and fabric upper segments for both 	54 x 40	USSFTBW5440									
	sides	60 x 40	USSFTBW6040									
10.2	 Panel assembly includes frame, trim, 	72 x 40	USSFTBW7240									
Side 2	and panel-to-panel connectors											
cide '	Trim is metal and includes top cap, bottom trim channel, base raceway, and											
510	segment channel											
USFT	Side 1 and side 2 finishes are specified											
	 separately Side 2: 30-72" wide tiles feature two 											
	base and two beltway power knockouts											
	Side 2: 24" wide tiles feature one base											
	and one beltway power knockout											
	 72" wide panels feature split tiles Electrical components are specified 											
	separately											
			A	3	Θ	0	(3	(3	Ө	Ф	0	
			•	•	•	•	•	•	•	_	_	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.
 - Flat trim (std) - No topcap
- Select electrical code.

- Domestic - with cutouts

- Select bezel color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select steel bottom color side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

- Select steel bottom color side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
42.9#	\$ 542	\$ 558	\$ 568	\$ 589	\$ 610	
49.4#	608	626	637	660	683	
55.9#	643	662	673	699	721	
62.5#	671	691	704	728	755	
69.0#	723	746	759	787	814	
75.5#	799	822	836	866	897	
82.1#	921	946	964	998	1034	
102.7#	1195	1230	1251	1298	1342	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

		MODEL NUMBER									
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2
_	Segmented Steel Panel - 48"H	24 x 48	USSFTBW2448								
		30 x 48	USSFTBW3048								
		36 x 48	USSFTBW3648								
		42 x 48	USSFTBW4248								
		48 x 48	USSFTBW4848								
		54 x 48	USSFTBW5448								
		60 x 48	USSFTBW6048								
Side 2		72 x 48	USSFTBW7248								
side 1 Side											
SFT											
	Segmented Steel Panel - 56"H	24 x 56	USSFTBW2456								
SFT		30 x 56	USSFTBW3056								
		36 x 56	USSFTBW3656								
		42 x 56	USSFTBW4256								
		48 x 56	USSFTBW4856								
		54 x 56	USSFTBW5456								
		60 x 56	USSFTBW6056								
		72 x 56	USSFTBW7256								
	Segmented Steel Panel - 64"H	24 x 64	USSFTBW2464								
SFT		30 x 64	USSFTBW3064								
		36 x 64	USSFTBW3664								
		42 x 64	USSFTBW4264								
		48 x 64	USSFTBW4864								
		54 x 64	USSFTBW5464								
		60 x 64	USSFTBW6064								
		72 x 64	USSFTBW7264								

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style. - Flat trim (std)
- No topcap
- Select electrical code. - Domestic - with cutouts
- Select bezel color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select steel bottom color side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

- Select steel bottom color side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
48.2#	\$ 573	\$ 589	\$ 600	\$ 620	\$ 643	
55.2#	641	660	671	698	720	
62.3#	683	703	715	743	767	
69.4#	730	751	765	793	820	
76.4#	781	805	819	849	879	
83.5#	856	881	896	929	962	
90.6#	981	1009	1027	1065	1101	
113.5#	1271	1307	1330	1380	1427	

52.5#	\$ 602	\$ 618	\$ 631	\$ 653	\$ 675	
60.1#	674	694	706	732	758	
67.7#	725	747	760	789	816	
75.3#	780	804	817	848	878	
82.9#	836	859	876	907	938	
90.5#	890	916	933	966	1001	
98.1#	998	1027	1045	1083	1123	
123.4#	1350	1200	4.44.4	4.400	1510	
123.4#	1330	1388	1414	1466	1516	
56.9#	\$ 641	\$ 659	\$ 671	\$ 697	\$ 719	
56.9#	\$ 641	\$ 659	\$ 671	\$ 697	\$ 719	
56.9# 65.0#	\$ 641 741	\$ 659 760	\$ 671 774	\$ 697 803	\$ 719 830	
56.9# 65.0# 73.1#	\$ 641 741 804	\$ 659 760 825	\$ 671 774 840	\$ 697 803 873	\$ 719 830 901	
56.9# 65.0# 73.1# 81.2#	\$ 641 741 804 830	\$ 659 760 825 853	\$ 671 774 840 869	\$ 697 803 873 900	\$ 719 830 901 932	
56.9# 65.0# 73.1# 81.2# 89.3#	\$ 641 741 804 830 889	\$ 659 760 825 853 916	\$ 671 774 840 869 932	\$ 697 803 873 900 966	\$ 719 830 901 932 998	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Segmented Open Panels w/Fabric Top Tiles Standard Base Raceway

			MODEL NU	IMRFR						
			MODEL NO	IVIDEN						
	MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Segmented Open Panel - 40"H	24 x 40	US0R2440						43.0#	
	 Segmented panel features open powder coated aluminum frame lower segment 	30 x 40	US0R3040						50.0#	
	and fabric upper segment	36 x 40	USOR3640						57.0#	
	 Standard base raceway on both sides ac- 	42 x 40	US0R4240						64.0#	
	cepts power and data cable distribution	48 x 40	USOR4840						70.0#	
	 Open frame allows pass-through accessibility range of 8" to 29" from floor 	54 x 40	US0R5440						77.0#	
	Panel assembly includes frame, trim,	60 x 40	US0R6040						84.0#	
Side 2	and panel-to-panel connecting hardware									
Side	 Trim is metal and includes top cap, bottom trim channel, base raceway, and 									
de 1	open frame									
Sici	Side 1 and side 2 fabric finishes are									
USFR	specified separately									
	 30-60" wide panels feature two power knockouts per side 									
	24" wide panels feature one power									
	knockout per side									
	Electrical components are specified separately									
	Separately									
	Segmented Open Panel - 48"H	24 x 48	US0R2448						49.0#	
USFR		30 x 48	US0R3048						56.0#	
		36 x 48	USOR3648						63.0#	
		42 x 48	US0R4248						70.0#	
		48 x 48	USOR4848						78.0#	
		54 x 48	USOR5448						85.0#	
		60 x 48	USOR6048						92.0#	
	Segmented Open Panel - 56"H	24 x 56	USOR2456						53.0#	
USFR		30 x 56	US0R3056						61.0#	
		36 x 56	USOR3656						68.0#	
		42 x 56	USOR4256						76.0#	
		48 x 56	USOR4856						84.0#	
		54 x 56	USOR5456						92.0#	
		60 x 56	US0R6056						100.0#	
			Δ	3	•	0	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.
 - Flat trim (std) - No topcap
- Select electrical code.

CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	- Chicago, 1 side w/cutouts
D1	 Domestic, 1 side w/cutouts

• Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

- Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Preconfigured Segmented Open Panels w/Fabric Top Tiles Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 626	\$ 640	\$ 650	\$ 669	\$ 689	
681	699	708	708	751	
715	731	744	767	790	
796	814	826	851	875	
815	833	848	875	900	
864	885	901	929	958	
966	989	1008	1040	1073	

\$ 661	\$ 677	\$ 687	\$ 710	\$ 731	
718	737	748	769	793	
755	773	786	810	834	
853	871	885	911	937	
869	890	905	933	962	
921	944	960	990	1022	
1027	1054	1072	1107	1143	
1021	1001	1012	1107	1110	
\$ 684	\$ 702	\$ 712	\$ 735	\$ 756	
\$ 684	\$ 702	\$ 712	\$ 735	\$ 756	
\$ 684 751	\$ 702 769	\$ 712 781	\$ 735 781	\$ 756 830	
\$ 684 751 796	\$ 702 769 815	\$ 712 781 828	\$ 735 781 854	\$ 756 830 880	
\$ 684 751 796 905	\$ 702 769 815 925	\$ 712 781 828 940	\$ 735 781 854 969	\$ 756 830 880 996	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES Special Carton Marking

With specially marked information

N/C

Shipping

Preconfigured Segmented Open Panels w/Fabric Top Tiles Standard Base Raceway

			MODEL NU	IMBER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Segmented Open Panel - 64"H	24 x 64	US0R2464						57.0#	
	 Segmented panel features open powder coated aluminum frame lower segment 	30 x 64	US0R3064						66.0#	
	and fabric upper segment	36 x 64	US0R3664						74.0#	
	Standard base raceway on both sides ac-	42 x 64	USOR4264						82.0#	
	cepts power and data cable distribution	48 x 64	USOR4864						91.0#	
	 Open frame allows pass-through accessibility range of 8" to 29" from floor 	54 x 64	USOR5464						99.0#	
	Panel assembly includes frame, trim, and panel-to-panel connecting hardware Trim is metal and includes top cap, bottom trim channel, base raceway, and	60 x 64	USOR6064						107.0#	
Side 2										
Side	open frameSide 1 and side 2 fabric finishes are									
USFR	specified separately									
	 30-60" wide panels feature two power knockouts per side 									
	 24" wide panels feature one power 									
	knockout per side									
	Electrical components are specified									
	separately									
			•	3	•	0	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect top cap style. - Flat trim (std) - No topcap Select electrical code. - Chicago - with cutouts DN - Domestic - no cutouts - Domestic - with cutouts C1 - Chicago, 1 side w/cutouts - Domestic, 1 side w/cutouts • Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. Select fabric side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Standard Base Baceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 721	\$ 742	\$ 752	\$ 775	\$ 801	
816	837	850	877	903	
875	895	912	940	970	
953	976	992	1023	1053	
985	999	1017	1047	1080	
1027	1059	1068	1100	1135	
1130	1182	1182	1218	1258	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

			MODEL NU	JMBER		I			
				Тор				Approx.	
	MODEL	W = II	Basic	Cap	Trim	Fabric	Fabric	Packaged	
	MODEL	WxH	Model	Style	Color	Side 1	Side 2	Weight	
	Segmented Open Panel - 40"H • Segmented panel features open powder	24 x 40	US0L2440						
	coated aluminum frame lower segment	30 x 40	US0L3040						
	and fabric upper segment	36 x 40	US0L3640						
	Elevated base is non-powered and does	42 x 40	US0L4240						
	not accept cable distribution • Open frame allows pass-through acces-	48 x 40	US0L4840					65.0#	
	sibility range of 8" to 29" from floor	54 x 40	US0L5440					71.0#	
		60 x 40	US0L6040					77.0#	
side 2	and panel-to-panel connecting hardware								
Sice	Trim is metal and includes top cap, bot-								
ide 1	tom trim channel, foot shroud, and open frame								
* SIU	Side 1 and side 2 fabric finishes are								
USFL	specified separately								
0012									
	Segmented Open Panel - 48"H	24 x 48	US0L2448					46.0#	
USFL		30 x 48	US0L3048					53.0#	
		36 x 48	US0L3648						
		42 x 48	US0L4248					66.0#	
		48 x 48	US0L4848						
		54 x 48	US0L5448					78.5#	
		60 x 48	US0L6048	П				85.0#	
	Segmented Open Panel - 56"H	24 x 56	US0L2456					51.0#	
USFL		30 x 56	US0L3056					58.0#	
		36 x 56	US0L3656					65.0#	
		42 x 56	US0L4256					72.0#	
		48 x 56	US0L4856					79.0#	
		54 x 56	US0L5456					86.0#	
		60 x 56	US0L6056					93.0#	
			A	3	Θ	O	•	•	
			40	U	G	U	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- OSelect fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grac 1 & C.O.M.		Delivered Fabric Gra 3 & Pallas de Fabric Gra PV	ide Pricing s Vertical Pallas Vert		
\$ 626	\$ 640	\$ 650	\$ 669	\$ 689	
681	699	708	708	751	
715	731	744	767	790	
796	814	826	851	875	
815	833	848	875	900	
864	885	901	929	958	
966	989	1008	1040	1073	

\$	661	\$	677	\$ 687	\$ 710	\$	731
	718		737	748	769		793
	755		773	786	810		834
	853		871	885	911		937
	869		890	905	933		962
	921		944	960	990	1	1022
	1027	1	1054	1072	1107	1	1143
Φ.							
\$	684	\$	702	\$ 712	\$ 735	\$	756
\$	684 751		702 769	\$ 712 781	\$ 735 781		756 830
\$				\$	\$		
\$	751		769	\$ 781	\$ 781		830
\$	751 796		769 815	\$ 781 828	\$ 781 854		830 880
\$	751 796 905		769 815 925	\$ 781 828 940	\$ 781 854 969	1	830 880 996

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NU	IMBER					
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
^	Segmented Open Panel - 64"H	24 x 64	US0L2464					55.0#	
	Segmented panel features open powder coated aluminum frame lower segment	30 x 64	US0L3064					63.0#	
	 and fabric upper segment Elevated base is non-powered and does not accept cable distribution 	36 x 64	USOL3664					70.0#	
		42 x 64	US0L4264					78.0#	
		48 x 64	US0L4864					85.0#	
	 Open frame allows pass-through accessibility range of 8" to 29" from floor 	54 x 64	US0L5464					92.5#	
	Panel assembly includes frame, trim,	60 x 64	US0L6064					100.0#	
de 2	and panel-to-panel connecting hardware								
1 510	 Trim is metal and includes top cap, bottom trim channel, foot shroud, and open 								
side 1 side 2	frame								
514	Side 1 and side 2 fabric finishes are								
USFL	specified separately								
			A	B	Θ	O	3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select top cap style.

 F Flat trim (std)

- No topcap

- Select trim color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder
- OSelect fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 721	\$ 742	\$ 752	\$ 775	\$ 801	
816	837	850	877	903	
875	895	912	940	970	
953	976	992	1023	1053	
985	999	1017	1047	1080	
1027	1059	1068	1100	1135	
1130	1182	1182	1218	1258	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Glass Top Standard Base Raceway

			MODEL NI	IMRFR						
			MODEL NO							
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Segmented Fabric Panel - 40"H	24 x 40	USGR2440							46.5#
	Lower segment includes fabric tiles for both sides appaided apparents.	30 x 40	USGR3040							53.2#
	both sides, specified separatelyUpper segment features single piece of	36 x 40	USGR3640							60.0#
	glass captured in frame	42 x 40	USGR4240							66.8#
	Upper frame finish matches trim	48 x 40	USGR4840							73.6#
	 Standard base raceway on both sides accepts power and data cable distribution 	54 x 40	USGR5440							80.4#
	 Panel assembly includes frame, trim, 	60 x 40	USGR6040							87.2#
1 de 2	and panel-to-panel connectors	72 x 40	USGR7240							105.8#
1 Silve	 Trim is metal and includes top cap, bottom trim channel, base raceway, and 									
Gide '	segment channel									
9'	30-72" wide panels feature two power									
USFR	knockouts per side24" wide panels feature one power									
	knockout per side									
	72" wide panels feature split tiles									
	Electrical components are specified separately									
	Separatery									
	O-marked Febrie Benedi 4000	04 40	110000440							F 4 7 #
USFR	Segmented Fabric Panel - 48"H	24 x 48	USGR2448							54.7# 62.6#
USFR		30 x 48	USGR3048 USGR3648							62.6# 70.5#
		36 x 48 42 x 48	USGR4248							70.5# 78.5#
		42 x 48	USGR4848							86.4#
		54 x 48	USGR5448							94.3#
		60 x 48	USGR6048							102.2#
		72 x 48	USGR7248							124.3#
	Segmented Fabric Panel - 56"H	24 x 56	USGR2456							62.9#
USFR		30 x 56	USGR3056							71.9#
		36 x 56	USGR3656							81.0#
		42 x 56	USGR4256							90.1#
		48 x 56	USGR4856							99.1#
		54 x 56	USGR5456							108.1#
		60 x 56	USGR6056							117.2#
		72 x 56	USGR7256							142.9#
			A	B	0	0	(3	•	Ф	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

F	- Flat trim (std)
N	- No topcap

GIGCI	electrical code.
CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	- Chicago, 1 side w/cutouts
D1	- Domestic, 1 side w/cutouts

• Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Select glass color.

ocioci gia	33 60101.	
GLA	- Clear (std)	
GLC	- White laminate	
GLV	- Satin etch one side	_
See pricin	g column for glass upcharge.	

- Select fabric side 1.
 - Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder
- **G**Select fabric side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Baceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
\$ 635	\$ 675	\$ 716	\$ 757	\$ 786	\$ 47	\$ 94
696	741	783	829	860	47	94
749	798	846	893	928	47	94
803	853	905	956	993	47	94
853	908	963	1018	1056	59	118
890	946	1004	1061	1101	59	118
980	1041	1104	1166	1212	59	118
1283	1365	1448	1530	1590	59	118

\$ 661	\$ 704	\$ 747	\$ 789	\$ 818	\$ 47	\$ 94
720	767	814	860	892	47	94
776	827	877	926	963	47	94
836	889	943	996	1035	56	112
888	945	1001	1061	1100	65	140
927	987	1046	1106	1149	72	150
1023	1089	1153	1218	1266	83	170
1334	1419	1505	1591	1651	97	200
\$ 691	\$ 735	\$ 778	\$ 823	\$ 856	\$ 65	\$ 140
				\$ 856 933	\$ 65 65	
\$ 691	\$ 735	\$ 778	\$ 823		,	\$ 140
\$ 691 753	\$ 735 802	\$ 778 850	\$ 823 898	933	65	\$ 140 140
\$ 691 753 815	\$ 735 802 866	\$ 778 850 920	\$ 823 898 972	933 1009	65 65	\$ 140 140 140
\$ 691 753 815 881	\$ 735 802 866 936	\$ 778 850 920 993	\$ 823 898 972 1051	933 1009 1091	65 65 65	\$ 140 140 140 140
\$ 691 753 815 881 934	\$ 735 802 866 936 994	\$ 778 850 920 993 1055	\$ 823 898 972 1051 1113	933 1009 1091 1157	65 65 65 97	\$ 140 140 140 140 200

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Glass Top Standard Base Raceway

			MODEL NU	JMBER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Segmented Fabric Panel - 64"H	24 x 64	USGR2464							71.1#
	Lower segment includes fabric tiles for	30 x 64	USGR3064							81.2#
	both sides, specified separatelyUpper segment features single piece of	36 x 64	USGR3664							91.4#
	glass captured in frame	42 x 64	USGR4264							101.7#
	Upper frame finish matches trim Standard base raceway on both sides accepts power and data cable distribution Panel assembly includes frame, trim,	48 x 64	USGR4864							111.9#
7' //		54 x 64	USGR5464							122.1#
		60 x 64	USGR6064							132.3#
10.2	and panel-to-panel connectors	72 x 64	USGR7264							161.5#
Sioc	Trim is metal and includes top cap,									
de	bottom trim channel, base raceway, and segment channel									
510	30-72" wide panels feature two power									
USFR	knockouts per side									
	 24" wide panels feature one power knockout per side 									
	72" wide panels feature split tiles									
	 Electrical components are specified 									
	separately									
			•	3	Θ	0	(3	•	Ф	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style. - Flat trim (std)
 - No topcap
- Select electrical code

OCICCI C	iculical couc.
CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	- Chicago, 1 side w/cutouts
D1	- Domestic, 1 side w/cutouts

• Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Select glass color.

otitul giass cului.							
GLA	- Clear (std)						
GLC	- White laminate						
GLV	- Satin etch one side						
See pricing column for glass upcharge.							

- Select fabric side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- **G**Select fabric side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge		
\$ 728	\$ 775	\$ 821	\$ 869	\$ 903	\$ 65	\$ 140	
807	859	911	963	998	65	140	
859	915	969	1024	1064	97	200	
928	988	1047	1106	1150	129	264	
984	1045	1110	1173	1217	157	320	
1022	1086	1152	1217	1264	171	336	
1120	1191	1263	1335	1385	176	372	
1446	1538	1631	1724	1791	209	436	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking
With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Glass Top

Flevated Rase

			MODEL NUMBER							
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Segmented Fabric Panel - 40"H	24 x 40	USGL2440						44.3#	
	Lower segment includes fabric tiles for both sides, specified separately Upper segment features single piece of glass captured in frame	30 x 40	USGL3040						50.3#	
		36 x 40	USGL3640						56.3#	
		42 x 40	USGL4240						62.3#	
	Upper frame finish matches trim	48 x 40	USGL4840						68.3#	
	 Elevated base does not accept cable distribution 	54 x 40	USGL5440						74.2#	
	Panel assembly includes frame, trim,	60 x 40	USGL6040						80.2#	
Side 2	and panel-to-panel connectors	72 x 40	USGL7240						97.2#	
Sioc	Trim is metal and includes top cap, bot- tom trim channel aggment channel and									
side 1	tom trim channel, segment channel, and foot shroud									
Sic	 72" wide panels feature split tiles 									
USFL										
	Segmented Fabric Panel - 48"H	24 x 48	USGL2448						52.5#	
USFL		30 x 48	USGL3048						59.6#	
		36 x 48	USGL3648						66.7#	
		42 x 48	USGL4248						73.9#	
		48 x 48	USGL4848						81.0#	
		54 x 48	USGL5448						88.1#	
		60 x 48	USGL6048						95.2#	
		72 x 48	USGL7248						115.7#	
	Segmented Fabric Panel - 56"H	24 x 56	USGL2456						60.7#	
USFL		30 x 56	USGL3056						68.9#	
		36 x 56	USGL3656						77.2#	
		42 x 56	USGL4256						85.5#	
		48 x 56	USGL4856						93.8#	
		54 x 56	USGL5456						102.0#	
		60 x 56	USGL6056						110.3#	
		72 x 56	USGL7256						134.3#	
			A	3	Θ	0	(3	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select top cap style.

- Flat trim (std) - No topcap

- Select trim color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- OSelect glass color.

GLA - Clear (std)

GLC - White laminate
GLV - Satin etch one side

See pricing column for glass upcharge.

Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Select fabric side 2.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Preconfigured Segmented Fabric Panel w/Glass Top

Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
\$ 635	\$ 675	\$ 716	\$ 757	\$ 786	\$ 47	\$ 94
696	741	783	829	860	47	94
749	798	846	893	928	47	94
803	853	905	956	993	47	94
853	908	963	1018	1056	59	118
890	946	1004	1061	1101	59	118
980	1041	1104	1166	1212	59	118
1283	1365	1448	1530	1590	59	118

\$ 661	\$ 704	\$ 747	\$ 789	\$ 818	\$ 47 \$	94
720	767	814	860	892	47	94
776	827	877	926	963	47	94
836	889	943	996	1035	56	112
888	945	1001	1061	1100	65	140
927	987	1046	1106	1149	72	150
1023	1089	1153	1218	1266	83	170
1334	1419	1505	1591	1651	97	200
\$ 691	\$ 735	\$ 778	\$ 823	\$ 856	\$ 65 \$	140
753	802	850	898	933	65	140
815	866	920	972	1009	65	140
881	936	993	1051	1091	65	140
934	994	1055	1113	1157	97	200
969	1033	1096	1158	1203	110	228
1066	1134	1204	1272	1321	129	264
1385	1473	1563	1651	1715	157	320

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Glass Top

Flevated Rase

			MODEL NU	JMBER						
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
_	Segmented Fabric Panel - 64"H	24 x 64	USGL2464						68.9#	
	 Lower segment includes fabric tiles for both sides, specified separately 	30 x 64	USGL3064						78.3#	
Upper segment features single piece glass captured in frame		36 x 64	USGL3664						87.7#	
		42 x 64	USGL4264						97.1#	
	Upper frame finish matches trim	48 x 64	USGL4864						106.5#	
	 Elevated base does not accept cable distribution 	54 x 64	USGL5464						115.9#	
	Panel assembly includes frame, trim,	60 x 64	USGL6064						125.3#	
1e 2	and panel-to-panel connectors	72 x 64	USGL7264						152.9#	
Sign	Trim is metal and includes top cap, bot-									
side 1	tom trim channel, segment channel, and foot shroud									
SIC	• 72" wide panels feature split tiles									
USFL										
			Ø	3	Θ	0	3	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

F - Flat trim (std)
N - No topcap

- Select trim color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- Select glass color.

GLA - Clear (std)
GLC - White laminate

GLV - Satin etch one side

See pricing column for glass upcharge.

Select fabric side 1.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Select fabric side 2.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Preconfigured Segmented Fabric Panel w/Glass Top

Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
\$ 728	\$ 775	\$ 821	\$ 869	\$ 903	\$ 65	\$ 140
807	859	911	963	998	65	140
859	915	969	1024	1064	97	200
928	988	1047	1106	1150	129	264
984	1045	1110	1173	1217	157	320
1022	1086	1152	1217	1264	171	336
1120	1191	1263	1335	1385	176	372
1446	1538	1631	1724	1791	209	436

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

			MODEL NU	IMBER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Segmented Fabric Panel - 40"H	24 x 40	USGT2440							45.5#
	Side 1: tile to floor base does not accept cable distribution	30 x 40	USGT3040							51.9#
	Side 2: standard base raceway accepts	36 x 40	USGT3640							58.4#
	power and data cable distribution	42 x 40	USGT4240							64.9#
	Lower segment includes fabric tiles for	48 x 40	USGT4840							71.4#
	both sides, specified separatelyUpper segment features single piece of	54 x 40	USGT5440							77.9#
	glass captured in frame	60 x 40	USGT6040							84.4#
2	 Upper frame finish matches trim 	72 x 40	USGT7240							102.4#
Sige	includes segmented fabric tiles for both									
de 1	sidesPanel assembly includes frame, trim,									
510	and panel-to-panel connectors									
USFT	 Trim is metal and includes top cap, 									
	bottom trim channel, base raceway, and									
	segment channelSide 2: 30-72" wide panels feature two									
	power knockouts									
	Side 2: 24" wide tiles feature one base									
	power knockout									
	72" wide panels feature split tilesElectrical components are specified									
	separately									
	Segmented Fabric Panel - 48"H	24 x 48	USGT2448							53.7#
USFT	-	30 x 48	USGT3048							61.3#
		36 x 48	USGT3648							68.9#
		42 x 48	USGT4248							76.6#
		48 x 48	USGT4848							84.2#
		54 x 48	USGT5448							91.8#
		60 x 48	USGT6048							99.4#
		72 x 48	USGT7248							121.0#
	Segmented Fabric Panel - 56"H	24 x 56	USGT2456							61.9#
USFT		30 x 56	USGT3056							70.6#
		36 x 56	USGT3656							79.4#
		42 x 56	USGT4256							88.2#
		48 x 56	USGT4856							96.9#
		54 x 56	USGT5456							105.7#
		60 x 56	USGT6056							114.5#
		72 x 56	USGT7256							139.5#
			A	(3	Θ	0	(3	()	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

- Chicago - with cutouts - Domestic - no cutouts - Domestic - with cutouts

• Select trim color.

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

Select glass color.

GLA - Clear (std) - White laminate - Satin etch one side See pricing column for glass upcharge.

Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
\$ 635	\$ 675	\$ 716	\$ 757	\$ 786	\$ 47	\$ 94
696	741	783	829	860	47	94
749	798	846	893	928	47	94
803	853	905	956	993	47	94
853	908	963	1018	1056	59	118
890	946	1004	1061	1101	59	118
980	1041	1104	1166	1212	59	118
1283	1365	1448	1530	1590	59	118

\$ 661	\$ 704	\$ 747	\$ 789	\$ 818	\$ 47	\$ 94
720	767	814	860	892	47	94
776	827	877	926	963	47	94
836	889	943	996	1035	56	112
888	945	1001	1061	1100	65	140
927	987	1046	1106	1149	72	150
1023	1089	1153	1218	1266	83	170
1334	1419	1505	1591	1651	97	200

\$ 691	\$ 735	\$ 778	\$ 823	\$ 856	\$ 65	\$ 140
\$ 691 753	\$ 735 802			\$ 856 933	\$ 65 65	
T		\$ 778	\$ 823			\$ 140
753	802	\$ 778 850	\$ 823 898	933	65	\$ 140 140
753 815	802 866	\$ 778 850 920	\$ 823 898 972	933 1009	65 65	\$ 140 140 140
753 815 881	802 866 936	\$ 778 850 920 993	\$ 823 898 972 1051	933 1009 1091	65 65 65	\$ 140 140 140 140
753 815 881 934	802 866 936 994	\$ 778 850 920 993 1055	\$ 823 898 972 1051 1113	933 1009 1091 1157	65 65 65 97	\$ 140 140 140 140 200

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NI	IMRFR						
			WODEL NO	INIDEN						
	MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Segmented Fabric Panel - 64"H	24 x 64	USGT2464							70.1#
	Side 1: tile to floor base does not accept cable distribution	30 x 64	USGT3064							79.9#
	Side 2: standard base raceway accepts	36 x 64	USGT3664							89.8#
	power and data cable distribution	42 x 64	USGT4264							99.8#
	Lower segment includes fabric tiles for	48 x 64	USGT4864							109.7#
	both sides, specified separatelyUpper segment features single piece of	54 x 64	USGT5464							117.9#
	glass captured in frame	60 x 64	USGT6064							129.5#
1e 2	Upper frame finish matches trim	72 x 64	USGT7264							158.1#
Sioc	includes segmented fabric tiles for both sides									
cide '	Panel assembly includes frame, trim,									
510	and panel-to-panel connectors									
USFT	Trim is metal and includes top cap,									
	bottom trim channel, base raceway, and segment channel									
	Side 2: 30-72" wide panels feature two									
	power knockouts									
	Side 2: 24" wide tiles feature one base power knockout									
	72" wide panels feature split tiles									
	Electrical components are specified									
	separately									
			Ø	3	Θ	0	3	•	Ѳ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

CP - Chicago - with cutouts - Domestic - no cutouts - Domestic - with cutouts

• Select trim color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

Select glass color.

GLA - Clear (std) - White laminate - Satin etch one side See pricing column for glass upcharge.

Select fabric side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
\$ 728	\$ 775	\$ 821	\$ 869	\$ 903	\$ 65	\$ 140
807	859	911	963	998	65	140
859	915	969	1024	1064	97	200
928	988	1047	1106	1150	129	264
984	1045	1110	1173	1217	157	320
1022	1086	1152	1217	1264	171	336
1120	1191	1263	1335	1385	176	372
1446	1538	1631	1724	1791	209	436

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Markerboard on One Side Standard Base Raceway

			MODEL NUM	DED					
			WODEL NOW	DLN					
	MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Segmented Fabric Panel - 48"H	24 x 48	USMB1R2448						46.2#
	Side 1: includes segmented tiles with identically specified fabric lower and	30 x 48	USMB1R3048						52.7#
	upper segments	36 x 48	USMB1R3648						59.1#
	Side 2: includes segmented tiles with	42 x 48	USMB1R4248						68.7#
	fabric lower and steel markerboard up-	48 x 48	USMB1R4848						72.2#
	per segment • Standard base raceway on both sides ac-	54 x 48	USMB1R5448						80.0#
	cepts power and data cable distribution	60 x 48	USMB1R6048						85.2#
Side 2	Panel assembly includes frame, trim, and panel-to-panel connectors Trim is matched and includes to a serior. Trim is matched and includes the serior.	72 x 48	USMB1R7248						106.3#
side '	Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel								
USFR	 Side 1 and side 2 finishes are specified separately 								
	Upper and lower fabric finishes on side 1								
	must be identically specified30-72" wide panels feature two power								
	knockouts per side								
	 24" wide panels feature one power 								
	knockout per side72" wide panels feature split tiles								
	Electrical components are specified								
	separately								
1	Segmented Fabric Panel - 56"H	24 x 56	USMB1R2456						51.0#
USFR		30 x 56	USMB1R3056						58.1#
		36 x 56	USMB1R3656						65.2#
		42 x 56	USMB1R4256						73.4#
		48 x 56	USMB1R4856						79.6#
		54 x 56	USMB1R5456						86.8#
		60 x 56	USMB1R6056						94.0#
		72 x 56	USMB1R7256						118.1#
	Segmented Fabric Panel - 64"H	24 x 64	USMB1R2464						55.7#
USFR		30 x 64	USMB1R3064						63.5#
		36 x 64	USMB1R3664						71.4#
		42 x 64	USMB1R4264				0000		80.1#
		48 x 64	USMB1R4864						87.1#
		54 x 64	USMB1R5464						94.9#
		60 x 64	USMB1R6064 USMB1R7264						102.7# 129.1#
		72 x 64	A	B	<u> </u>	D	3	3	123.1#
			W	U	9	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

F	- Flat trim (std)
N	- No toncan

Select electrical code

, , , , , , ,	100111041 00401
CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	 Chicago, 1 side w/cutouts
D1	 Domestic, 1 side w/cutouts

• Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

- Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 530	\$ 563	\$ 597	\$ 632	\$ 656	
600	640	677	716	745	
644	685	726	769	798	
713	759	805	851	883	
749	798	846	893	927	
838	892	946	999	1037	
976	1039	1102	1164	1209	
1189	1266	1342	1419	1473	

\$ 593	\$ 631	\$ 669	\$ 707	\$ 735	
654	697	738	780	810	
703	748	793	838	871	
762	812	861	910	946	
874	928	984	1040	1080	
997	1112	1123	1188	1233	
1179	1253	1329	1408	1459	
1299	1382	1466	1548	1607	
		1 100	1010		
\$	\$ 659	\$ 699	\$ 738	\$ 766	
\$					
\$ 617	\$ 659	\$ 699	\$ 738	\$ 766	
\$ 617 720	\$ 659 767	\$ 699 814	\$ 738 860	\$ 766 893	
\$ 6 617 720 776	\$ 659 767 827	\$ 699 814 877	\$ 738 860 926	\$ 766 893 963	
\$ 720 776 819	\$ 659 767 827 874	\$ 699 814 877 925	\$ 738 860 926 979	\$ 766 893 963 1016	
\$ 720 776 819 904	\$ 659 767 827 874 963	\$ 699 814 877 925 1021	\$ 738 860 926 979 1078	\$ 766 893 963 1016 1121	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Flevated Rase

			MODEL NUM	BER					
				Ton				Annrov	
			Basic	Top Cap	Trim	Fabric	Fabric	Approx. Packaged	
	MODEL	WxH	Model	Style	Color	Side 1	Side 2	Weight	
	Segmented Fabric Panel - 48"H	24 x 48	USMB1L2448					44.0#	
	Side 1: includes segmented tiles with identically specified fabric lower and	30 x 48	USMB1L3048					49.7#	
	upper segments	36 x 48	USMB1L3648					55.4#	
	Side 2: includes segmented tiles with	42 x 48	USMB1L4248					64.1#	
	fabric lower segments and steel marker-	48 x 48	USMB1L4848					66.8#	
	 board upper segments Elevated base does not accept cable 	54 x 48	USMB1L5448					72.5#	
	distribution .	60 x 48	USMB1L6048					78.2#	
side 2	Panel assembly includes frame, trim,	72 x 48	USMB1L7248					97.8#	
1 510	and panel-to-panel connectors Trim is metal and includes top cap, bot-								
side 1	tom trim channel, segment channel, and								
	foot shroud								
USFL	 Side 1 and side 2 finishes are specified separately 								
	 72" wide panels feature split tiles 								
	Segmented Fabric Panel - 56"H	24 x 56	USMB1L2456					48.8#	
USFL		30 x 56						55.1#	
		36 x 56						61.5#	
		42 x 56						68.8#	
		48 x 56	USMB1L4856					74.3#	
		54 x 56	USMB1L5456					80.6#	
		60 x 56	USMB1L6056					87.0#	
		72 x 56	USMB1L7256					109.5#	
	Segmented Fabric Panel - 64"H	24 x 64	USMB1L2464					53.5#	
USFL		30 x 64	USMB1L3064					60.5#	
		36 x 64	USMB1L3664					67.6#	
		42 x 64	USMB1L4264					75.6#	
		48 x 64	USMB1L4864					81.7#	
		54 x 64	USMB1L5464					88.7#	
		60 x 64	USMB1L6064					95.8#	
		72 x 64	USMB1L7264					121.3#	
			Δ	3	Θ	O	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select top cap style.

- Flat trim (std)
- No topcap

- Select trim color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- ② Select fabric side 1.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select fabric side 2.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.



Flevated Rase

Pric Fabi	ing	Deliver Pricing Fabric	ed I Grade	Fabr 3 &	ric Grade F Pallas Vertical F ric Grade F	Prici Palla	vered ing as Vertical ic Grade	Pric Palla	as Vertical ric Grade
\$	530	\$ 56	63	\$	597	3	632	\$	656
	600	64	40		677		716		745
	644	68	85		726		769		798
	713	75	59		805		851		883
	749	79	98		846		893		927
	838	89	92		946		999		1037
	976	103	39		1102	•	1164		1209
	1189	126	66		1342	•	1419		1473

\$ 593	\$ 631	\$ 669	\$ 707	\$ 735	
654	697	738	780	810	
703	748	793	838	871	
762	812	861	910	946	
874	928	984	1040	1080	
997	1112	1123	1188	1233	
1179	1253	1329	1408	1459	
1299	1382	1466	1548	1607	
\$ 617	\$ 659	\$ 699	\$ 738	\$ 766	
720	767	814	860	893	
120	101	017	000	030	
776	827	877	926	963	
776	827	877	926	963	
776 819	827 874	877 925	926 979	963 1016	
776 819 904	827 874 963	877 925 1021	926 979 1078	963 1016 1121	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Markerboard on One Side Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUM	BER						
				Ton					A	
			Basic	Top Cap	Electrical	Trim	Fabric	Fabric	Approx. Packaged	
	MODEL	WxH	Model	Style	Code	Color	Side 1	Side 2	Weight	
	Segmented Fabric Panel - 48"H	24 x 48	USMB1T2448						45.2#	
	 Side 1: includes tile-to-floor segmented tile with identically specified fabric upper 	30 x 48	USMB1T3048						51.3#	
	and lower segments	36 x 48	USMB1T3648						57.6#	
	Side 2: includes segmented tiles with	42 x 48	USMB1T4248						66.8#	
	fabric lower and steel markerboard	48 x 48	USMB1T4848						70.0#	
	upper segment; standard base raceway accepts power and data cable distribu-	54 x 48	USMB1T5448						76.2#	
	tion	60 x 48	USMB1T6048						82.4#	
10 2	 Panel assembly includes frame, trim, 	72 x 48	USMB1T7248						103.0#	
side 2	 and panel-to-panel connectors Trim is metal and includes top cap, 									
cide	bottom trim channel, base raceway, and									
⁻ ال	segment channel									
USFT	 Side 1 and side 2 finishes are specified separately 									
	Upper and lower fabric finishes on side 1									
	must be identically specified									
	Side 2: 30-72" wide tiles feature two									
	power knockoutsSide 2: 24" wide tiles feature one power									
	knockout									
	All 72" wide panels feature split tiles									
	Electrical components are specified separately									
			-							
	Segmented Fabric Panel - 56"H	24 x 56	USMB1T2456						49.9#	
USFT		30 x 56	USMB1T3056						56.8#	
		36 x 56	USMB1T3656						63.6#	
		42 x 56	USMB1T4256						71.5#	
		48 x 56	USMB1T4856						77.4#	
		54 x 56	USMB1T5456						85.3#	
		60 x 56	USMB1T6056				0000		91.2#	
	On any anti-d Salaria Daniel CAIII'	72 x 56	USMB1T7256				0000		114.7#	
LIGET	Segmented Fabric Panel - 64"H	24 x 64	USMB1T2464						54.7#	
USFT		30 x 64	USMB1T3064				0000		62.2#	
		36 x 64	USMB1T3664						69.7#	
		42 x 64	USMB1T4264				0000		78.2#	
		48 x 64	USMB1T4864						84.9#	
		54 x 64	USMB1T5464						92.4#	
		60 x 64	USMB1T6064						100.0#	
		72 x 64	USMB1T7264						126.5#	
			A	3	Θ	0	3	(3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

F	- Flat trim (std)
N	- No topcap

Select electrical code.

CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
ΠP	- Domestic - with cutouts

• Select trim color.

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Tile-to-Floor One Side; Standard Base Raceway One Side

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 530	\$ 563	\$ 597	\$ 632	\$ 656	
600	640	677	716	745	
644	685	726	769	798	
713	759	805	851	883	
749	798	846	893	927	
838	892	946	999	1037	
976	1039	1102	1164	1209	
1189	1266	1342	1419	1473	

\$ 593	\$ 631	\$ 669	\$ 707	\$ 735
654	697	738	780	810
703	748	793	838	871
762	812	861	910	946
874	928	984	1040	1080
997	1112	1123	1188	1233
1179	1253	1329	1408	1459
1299	1382	1466	1548	1607
1200	1002	1100	1010	1007
\$	\$ 659	\$ 699	\$ 738	\$ 766
617	\$ 659	\$ 699	\$ 738	\$ 766
617 720	\$ 659 767	\$ 699 814	\$ 738 860	\$ 766 893
617 720 776	\$ 659 767 827	\$ 699 814 877	\$ 738 860 926	\$ 766 893 963
\$ 617 720 776 819	\$ 659 767 827 874	\$ 699 814 877 925	\$ 738 860 926 979	\$ 766 893 963 1016
\$ 617 720 776 819 904	\$ 659 767 827 874 963	\$ 699 814 877 925 1021	\$ 738 860 926 979 1078	\$ 766 893 963 1016 1121

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides Standard Base Raceway

			MODEL NUM	BER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Segmented Fabric Panel - 48"H	24 x 48	USMB2R2448						48.2#	
	 Lower segment includes fabric tiles for both sides, specified separately 	30 x 48	USMB2R3048						55.0#	
	Upper segments both feature steel	36 x 48	USMB2R3648						61.9#	
	markerboard	42 x 48	USMB2R4248						68.9#	
	Standard base raceway on both sides ac-	48 x 48	USMB2R4848						75.8#	
	 cepts power and data cable distribution Panel assembly includes frame, trim, 	54 x 48	USMB2R5448						82.7#	
	and panel-to-panel connectors	60 x 48	USMB2R6048						89.6#	
102	Trim is metal and includes top cap,	72 x 48	USMB2R7248						111.9#	
Side	bottom trim channel, base raceway, and									
de 1	segment channel30-72" wide panels feature two power									
SIU	knockouts per side									
USFR	 24" wide panels feature one power 									
	knockout per side									
	 72" wide panels feature split tiles Electrical components are specified 									
	separately									
	Segmented Fabric Panel - 56"H	24 x 56	USMB2R2456						53.4#	
USFR	oogoncourable railor oo n	30 x 56	USMB2R3056						61.0#	
00111		36 x 56	USMB2R3656						68.7#	
		42 x 56	USMB2R4256						76.5#	
		48 x 56	USMB2R4856						84.2#	
		54 x 56	USMB2R5456						91.9#	
		60 x 56	USMB2R6056						99.6#	
		72 x 56	USMB2R7256						125.0#	
	Segmented Fabric Panel - 64"H	24 x 64	USMB2R2464						58.5#	
USFR	ouginomea rubilo runor 04 ii	30 x 64	USMB2R3064						66.9#	
00111		36 x 64	USMB2R3664						75.5#	
		42x 64	USMB2R4264						84.0#	
		48 x 64	USMB2R4864						92.6#	
		54 x 64	USMB2R5464						101.1#	
		60 x 64	USMB2R6064						109.6#	
		72 x 64	USMB2R7264						138.1#	
			A	B	Θ	O	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.
 - Flat trim (std) - No topcap
- Select electrical code.

CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	 Chicago, 1 side w/cutouts
D1	 Domestic, 1 side w/cutouts

• Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

- Select fabric side 1. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fabric side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 589	\$ 628	\$ 666	\$ 703	\$ 730	
671	714	758	802	831	
712	757	804	849	881	
778	829	879	928	965	
834	888	940	995	1034	
969	1033	1093	1156	1201	
1162	1239	1311	1387	1440	
1318	1401	1486	1571	1632	

\$ 694	\$ 738	\$ 782	\$ 827	\$ 859	
741	787	834	882	918	
783	834	885	934	970	
827	880	933	986	1025	
1033	1099	1164	1232	1279	
1206	1282	1359	1437	1494	
1450	1541	1634	1728	1797	
1460	1556	1648	1742	1809	
\$ 698	\$ 743	\$ 786	\$ 831	\$ 863	
808	860	911	964	1000	
850	904	959	1014	1053	
892	950	1008	1065	1105	
1038	1104	1172	1239	1287	
1260				4550	
1200	1339	1420	1502	1559	
1556	1339 1654	1420 1753	1502 1854	1924	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Flevated Rase

			MODEL NUM	BER					
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Segmented Fabric Panel - 48"H	24 x 48	USMB2L2448					46.0#	
	 Lower segment includes fabric tiles for both sides, specified separately 	30 x 48	USMB2L3048					52.1#	
	Upper segments both feature steel	36 x 48	USMB2L3648					58.2#	
	markerboard	42 x 48	USMB2L4248					64.3#	
	 Elevated base does not accept cable distribution 	48 x 48	USMB2L4848					70.4#	
	Panel assembly includes frame, trim,	54 x 48	USMB2L5448					76.5#	
	and panel-to-panel connectors	60 x 48	USMB2L6048					82.6#	
Side 2	 Trim is metal and includes top cap, bottom trim channel, segment channel, and 	72 x 48	USMB2L7248					103.3#	
de 1 3'	foot shroud • 72" wide panels feature split tiles								
Side	• 72 wide pariers readure spirit tiles								
USFL									
	Segmented Fabric Panel - 56"H	24 x 56	USMB2L2456					51.1#	
USFL		30 x 56	USMB2L3056					58.0#	
		36 x 56	USMB2L3656					64.9#	
		42 x 56	USMB2L4256					71.9#	
		48 x 56	USMB2L4856					78.8#	
		54 x 56	USMB2L5456					85.7#	
		60 x 56	USMB2L6056					92.6#	
		72 x 56	USMB2L7256					116.4#	
	Segmented Fabric Panel - 64"H	24 x 64	USMB2L2464					56.3#	
USFL		30 x 64	USMB2L3064					64.0#	
		36 x 64	USMB2L3664					71.7#	
		42x 64	USMB2L4264					79.5#	
		48 x 64	USMB2L4864					87.2#	
		54 x 64	USMB2L5464					94.9#	
		60 x 64	USMB2L6064					102.7#	
		72 x 64	USMB2L7264					129.6#	
			Ø	3	Θ	0	€		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

- Select trim color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- ② Select fabric side 1.
 Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 2.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



1854

1896

Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 589	\$ 628	\$ 666	\$ 703	\$ 730	
671	714	758	802	831	
712	757	804	849	881	
778	829	879	928	965	
834	888	940	995	1034	
969	1033	1093	1156	1201	
1162	1239	1311	1387	1440	
1318	1401	1486	1571	1632	
	·				
\$ 694	\$ 738	\$ 782	\$ 827	\$ 859	
741	787	834	882	918	
783	834	885	934	970	
827	880	933	986	1025	
1033	1099	1164	1232	1279	
1206	1282	1359	1437	1494	
1450	1541	1634	1728	1797	
1460	1556	1648	1742	1809	
\$ 698	\$ 743	\$ 786	\$ 831	\$ 863	
808	860	911	964	1000	
850	904	959	1014	1053	
892	950	1008	1065	1105	
1038	1104	1172	1239	1287	
1260	1339	1420	1502	1559	

UPHOLSTERY INFORMATION

Fabric Mixing

1556

1591

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

1654

1692

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

1753

1794

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

1924

1969

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top Standard Base Raceway

			MODEL N	MDED						
			MODEL NU	MREK						
			Basic	Top Cap	Electrical	Trim	Paint	Fabric	Fabric	Approx. Packaged
	MODEL	WxH	Model	Style	Code	Color	Color	Side 1	Side 2	Weight
	Segmented Fabric Panel - 40"H	24 x 40	USFPR2440							46.5#
	 Lower segment includes fabric tiles for both sides, specified separately 	30 x 40	USFPR3040							53.2#
	 Upper segment features single piece of 	36 x 40	USFPR3640							60.0#
	perforated steel captured in frame	42 x 40	USFPR4240							66.8#
	Perforated steel insert paint color is	48 x 40	USFPR4840							73.6#
	specified separately from trim, side 1 and side 2 are identical	54 x 40	USFPR5440							80.4#
	Upper frame finish matches trim	60 x 40	USFPR6040							87.2#
2	 Standard base raceway on both sides ac- 	72 x 40	USFPR7240							105.8#
Side 2	cepts power and data cable distribution									
de 1	 Panel assembly includes frame, trim, and panel-to-panel connectors 									
SIU	Trim is metal and includes top cap,									
USFR	bottom trim channel, base raceway, and									
	segment channel									
	 30-72" wide panels feature two power knockouts per side 									
	 24" wide panels feature one power 									
	knockout per side									
	 72" wide panels feature split tiles Electrical components are specified 									
	separately									
	Segmented Fabric Panel - 48"H	24 x 48	USFPR2448							54.7#
USFR		30 x 48	USFPR3048							62.6#
		36 x 48	USFPR3648							70.5#
		42 x 48	USFPR4248							78.5#
		48 x 48	USFPR4848							86.4#
		54 x 48	USFPR5448							94.3#
		60 x 48	USFPR6048							102.2#
		72 x 48	USFPR7248							124.3#
	Segmented Fabric Panel - 56"H	24 x 56	USFPR2456							62.9#
USFR		30 x 56	USFPR3056							71.9#
		36 x 56	USFPR3656							81.0#
		42 x 56	USFPR4256							90.1#
		48 x 56	USFPR4856							99.1#
		54 x 56	USFPR5456							108.1#
		60 x 56	USFPR6056							117.2#
		72 x 56								142.9#
			Ø	3	Θ	0	9	(3	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

F	- Flat trim (std)
N	- No topcap

Select electrical code

01001 0	iooti ioui oouo.
CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	- Chicago, 1 side w/cutouts
D1	- Domestic, 1 side w/cutouts

- Select trim and frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select perforated steel paint color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Standard Base Baceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 664	\$ 707	\$ 750	\$ 793	\$ 822	
728	776	822	869	903	
820	874	926	979	1017	
875	930	986	1041	1082	
932	990	1052	1111	1154	
976	1039	1101	1164	1210	
1078	1149	1217	1288	1337	
1414	1505	1595	1685	1749	

\$ 715	\$ 761	\$ 807	\$ 853	\$ 886	
786	836	887	936	973	
874	928	985	1040	1081	
928	987	1045	1106	1149	
1021	1086	1151	1216	1264	
1070	1139	1208	1276	1326	
1184	1259	1337	1413	1467	
1515	1613	1709	1807	1877	
\$ 769	\$ 817	\$ 866	\$ 917	\$ 952	
\$ 769 844	\$ 817 897	\$ 866 952	\$ 917 1006	\$ 952 1043	
844	897	952	1006	1043	
844 943	897 1003	952 1064	1006 1124	1043 1166	
844 943 1007	897 1003 1071	952 1064 1134	1006 1124 1200	1043 1166 1246	
844 943 1007 1064	897 1003 1071 1131	952 1064 1134 1200	1006 1124 1200 1268	1043 1166 1246 1317	
844 943 1007 1064 1142	897 1003 1071 1131 1214	952 1064 1134 1200 1288	1006 1124 1200 1268 1360	1043 1166 1246 1317 1413	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top Standard Base Raceway

			MODEL NUI	MBER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Lower segment includes fabric tiles for both sides, specified separately.	24 x 64	USFPR2464							71.1#
		30 x 64	USFPR3064							81.2#
	 Upper segment features single piece of 	36 x 64	USFPR3664							91.4#
		42 x 64	USFPR4264							101.7#
	Perforated steel insert paint color is	48 x 64	USFPR4864							111.9#
	specified separately from trim, side 1 and side 2 are identical	54 x 64	USFPR5464							122.1#
	Upper frame finish matches trim Standard base raceway on both sides accepts power and data cable distribution Panel assembly includes frame, trim, and panel-to-panel connectors Trim is metal and includes top cap, bottom trim channel, base raceway, and	60 x 64	USFPR6064							132.3#
Side 2		72 x 64	USFPR7264							161.5#
USFR										
OOM	segment channel									
	 30-72" wide panels feature two power knockouts per side 									
	 24" wide panels feature one power knockout per side 									
	 72" wide panels feature split tiles Electrical components are specified 									
	separately									
			Φ	3	Θ	0	3	•	œ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

- Chicago - with cutouts DN - Domestic - no cutouts - Domestic - with cutouts <u>C1</u> - Chicago, 1 side w/cutouts - Domestic, 1 side w/cutouts

- Select trim and frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select perforated steel paint color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select fabric side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 853	\$ 909	\$ 964	\$ 1018	\$ 1057	
965	1026	1088	1150	1194	
1077	1148	1216	1287	1336	
1143	1215	1289	1363	1416	
1207	1283	1361	1438	1496	
1329	1415	1501	1585	1647	
1531	1630	1729	1826	1896	
1866	1988	2106	2227	2312	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Flevated Rase

			MODEL NU	***PED						
			MODEL NU	MRFK						
				Тор					Approx.	
	MODEL	W = II	Basic	Cap	Trim	Paint	Fabric	Fabric	Packaged	
		W x H	Model	Style	Color	Color	Side 1	Side 2	Weight	
	Segmented Fabric Panel - 40"H • Lower segment includes fabric tiles for	24 x 40	USFPL2440						44.3#	
	both sides, specified separately	30 x 40	USFPL3040						50.3#	
	 Upper segment features single piece of 	36 x 40	USFPL3640						56.3#	
	perforated steel captured in frame • Perforated steel insert paint color is specified separately from trim, side 1	42 x 40	USFPL4240						62.3#	
		48 x 40	USFPL4840						68.3#	
	and side 2 are identical	54 x 40							74.2#	
	Upper frame finish matches trim	60 x 40	USFPL6040						80.2#	
Side 2	 Elevated base does not accept cable distribution 	72 x 40	USFPL7240						97.2#	
1 51	Panel assembly includes frame, trim,									
side '	and panel-to-panel connectors									
	Trim is metal and includes top cap, bot- tom trim channel segment channel and									
USFL	tom trim channel, segment channel, and foot shroud									
	• 72" wide panels feature split tiles									
	Segmented Fabric Panel - 48"H	24 x 48	USFPL2448						52.5#	
USFL		30 x 48	USFPL3048						59.6#	
		36 x 48							66.7#	
		42 x 48	USFPL4248						73.9#	
		48 x 48							81.0#	
		54 x 48							88.1#	
		60 x 48							95.2#	
		72 x 48							115.7#	
	Segmented Fabric Panel - 56"H	24 x 56							60.7#	
USFL		30 x 56							68.9#	
		36 x 56		_					77.2#	
		42 x 56							85.5#	
		48 x 56							93.8#	
		54 x 56							102.0#	
		60 x 56	USFPL6056						110.3#	
		72 x 56	USFPL7256						134.3#	
			(A)	3	Θ	0	(3	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

F - Flat trim (std)
N - No topcap

- Select trim and frame color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- Select perforated steel paint color. Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fabric side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fabric side 2.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 664	\$ 707	\$ 750	\$ 793	\$ 822	
728	776	822	869	903	
820	874	926	979	1017	
875	930	986	1041	1082	
932	990	1052	1111	1154	
976	1039	1101	1164	1210	
1078	1149	1217	1288	1337	
1414	1505	1595	1685	1749	

\$ 715	\$ 761	\$ 807	\$ 853	\$ 886	
786	836	887	936	973	
874	928	985	1040	1081	
928	987	1045	1106	1149	
1021	1086	1151	1216	1264	
1070	1139	1208	1276	1326	
1184	1259	1337	1413	1467	
1515	1613	1709	1807	1877	
\$ 769	\$ 817	\$ 866	\$ 917	\$ 952	
	Ψ 017	Ψ 000	Ψ 317	Ψ 00L	
844	φ 817 897	φ 000 952	1006	1043	
	• -	7	T		
844	897	952	1006	1043	
844 943	897 1003	952 1064	1006 1124	1043 1166	
844 943 1007	897 1003 1071	952 1064 1134	1006 1124 1200	1043 1166 1246	
844 943 1007 1064	897 1003 1071 1131	952 1064 1134 1200	1006 1124 1200 1268	1043 1166 1246 1317	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Flevated Rase

	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
^	Segmented Fabric Panel - 64"H	24 x 64	USFPL2464						68.9#	
	 Lower segment includes fabric tiles for both sides, specified separately 	30 x 64	USFPL3064						78.3#	
	 Upper segment features single piece of 	36 x 64	USFPL3664						87.7#	
	perforated steel captured in frame	42 x 64	USFPL4264						97.1#	
	Perforated steel insert paint color is	48 x 64	USFPL4864						106.5#	
	specified separately from trim, side 1 and side 2 are identical • Upper frame finish matches trim	54 x 64	USFPL5464						169.1#	
		60 x 64	USFPL6064						125.3#	
1e 2	Elevated base does not accept cable	72 x 64	USFPL7264						152.9#	
side 2	distribution									
P _{ide}	 Panel assembly includes frame, trim, and panel-to-panel connectors 									
510	Trim is metal and includes top cap, bot-									
USFL	tom trim channel, segment channel, and									
	foot shroud									
	72" wide panels feature split tiles									
			A	ß	Θ	0	9	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select top cap style.

 F Flat trim (std)
 - N No topcap
- © Select trim and frame color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>
- OSelect perforated steel paint color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- Select fabric side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fabric side 2.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 853	\$ 909	\$ 964	\$ 1018	\$ 1057	
965	1026	1088	1150	1194	
1077	1148	1216	1287	1336	
1143	1215	1289	1363	1416	
1207	1283	1361	1438	1496	
1329	1415	1501	1585	1647	
1531	1630	1729	1826	1896	
1866	1988	2106	2227	2312	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

			MODEL NU	MBER						
	MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Segmented Fabric Panel - 40"H	24 x 40	USFPT2440							45.5#
	Side 1: tile-to-floor base does not accept cable distribution	30 x 40	USFPT3040							51.9#
	Side 2: standard base raceway accepts	36 x 40	USFPT3640							58.4#
	power and cable distribution	42 x 40	USFPT4240							64.9#
	 Lower segment includes fabric tiles for 	48 x 40	USFPT4840							71.4#
	 both sides, specified separately Upper segment features single piece of 	54 x 40	USFPT5440							77.9#
	perforated steel captured in frame	60 x 40	USFPT6040							84.4#
2	Perforated steel insert paint color is	72 x 40	USFPT7240							102.4#
Side	specified separately from trim, side 1									
de 1	 and side 2 are identical Upper frame finish matches trim 									
Siu	Panel assembly includes frame, trim,									
USFT	and panel-to-panel connectors									
	Trim is metal and includes top cap,									
	bottom trim channel, base raceway, and segment channel									
	Side 2: 30-72" wide tiles feature two									
	power knockouts									
	Side 2: 24" wide tiles feature one base									
	power knockout72" wide panels feature split tiles									
	Electrical components are specified									
	separately									
	Segmented Fabric Panel - 48"H	24 x 48	USFPT2448							53.7#
USFT		30 x 48	USFPT3048							61.3#
		36 x 48	USFPT3648							68.9#
		42 x 48	USFPT4248							76.6#
		48 x 48	USFPT4848							84.2#
		54 x 48	USFPT5448							91.8#
		60 x 48	USFPT6048							99.4#
		72 x 48	USFPT7248							121.0#
	Segmented Fabric Panel - 56"H	24 x 56	USFPT2456							61.9#
USFT		30 x 56	USFPT3056							70.6#
		36 x 56	USFPT3656							79.4#
		42 x 56	USFPT4256							88.2#
		48 x 56	USFPT4856							96.9#
		54 x 56	USFPT5456							105.7#
		60 x 56	USFPT6056							114.5#
		72 x 56	USFPT7256							139.5#
			•	B	Θ	0	•	G	Ө	
			Ψ	•	•	•	•	•	<u> </u>	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

CP - Chicago - with cutouts - Domestic - no cutouts - Domestic - with cutouts

- Select trim and frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select perforated steel paint color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Tile-to-Floor One Side; Standard Base Raceway One Side

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 664	\$ 707	\$ 750	\$ 793	\$ 822	
728	776	822	869	903	
820	874	926	979	1017	
875	930	986	1041	1082	
932	990	1052	1111	1154	
976	1039	1101	1164	1210	
1078	1149	1217	1288	1337	
1414	1505	1595	1685	1749	

\$ 715	\$ 761	\$ 807	\$ 853	\$ 886
786	836	887	936	973
874	928	985	1040	1081
928	987	1045	1106	1149
1021	1086	1151	1216	1264
1070	1139	1208	1276	1326
1184	1259	1337	1413	1467
1515	1613	1709	1807	1877
\$ 769	\$ 817	\$ 866	\$ 917	\$ 952
844	897	952	1006	1043
943	1003	1064	1124	1166
1007	1071	1134	1200	1246
1064	1131	1200	1268	1317
1142	1214	1288	1360	1413
1287	1370	1453	1534	1594
1625	1731	1834	1939	2012

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
•	Segmented Fabric Panel - 64"H	24 x 64	USFPT2464							70.1#
	Side 1: tile-to-floor base does not accept cable distribution	30 x 64	USFPT3064							79.9#
	Side 2: standard base raceway accepts	36 x 64	USFPT3664							89.8#
	power and cable distribution	42 x 64	USFPT4264							99.8#
	Lower segment includes fabric tiles for	48 x 64	USFPT4864							109.7#
	both sides, specified separatelyUpper segment features single piece of	54 x 64	USFPT5464							119.6#
	perforated steel captured in frame	60 x 64	USFPT6064							129.5#
10.2	Perforated steel insert paint color is	72 x 64	USFPT7264							158.1#
Sign	specified separately from trim, side 1									
Side 1	and side 2 are identicalUpper frame finish matches trim									
510	Panel assembly includes frame, trim,									
USFT	and panel-to-panel connectors									
	Trim is metal and includes top cap, hatten trim about a house received and									
	bottom trim channel, base raceway, and segment channel									
	Side 2: 30-72" wide tiles feature two									
	power knockouts									
	 Side 2: 24" wide tiles feature one base power knockout 									
	72" wide panels feature split tiles									
	Electrical components are specified									
	separately									
			Ø	3	•	0	3	•	Ф	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

F	- Flat trim (st	:d)
N	- No topcap	

Select electrical code.

- Chicago - with cutouts - Domestic - no cutouts - Domestic - with cutouts

- Select trim and frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select perforated steel paint color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fabric side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 853	\$ 909	\$ 964	\$ 1018	\$ 1057	
965	1026	1088	1150	1194	
1077	1148	1216	1287	1336	
1143	1215	1289	1363	1416	
1207	1283	1361	1438	1496	
1329	1415	1501	1585	1647	
1531	1630	1729	1826	1896	
1866	1988	2106	2227	2312	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side Standard Base Raceway

			MODEL NUM	BER						
				Тор			Slat			Approx.
	MODEL	WxH	Basic Model	Cap Style	Electrical Code	Trim Color	Wall Finish	Fabric Side 1	Fabric Side 2	Packaged Weight
	Segmented Fabric Panel - 40"H	24 x 40	USSW1R2440	□ □						42.8#
	Lower segment includes fabric tiles for	30 x 40	USSW1R3040							49.0#
	both sides, specified separately	36 x 40	USSW1R3640							55.3#
	Upper segment features slatwall on									61.7#
	lowest 8" of tile, and fabric on remaining segment height	42 x 40	USSW1R4240							· ·
	Upper and lower fabric segments on	48 x 40	USSW1R4840							68.0#
	each side must be identically specified	54 x 40	USSW1R5440							74.3#
	 Slatwall paint finish is specified 	60 x 40	USSW1R6040							80.6#
Side 2	Standard base raceway on both sides ac-	72 x 40	USSW1R7240							99.1#
1 510	cepts power and data cable distributionPanel assembly includes frame, trim,									
eide '	and panel-to-panel connectors									
510	Trim is metal and includes top cap,									
USFR	bottom trim channel, base raceway, and									
	segment channel									
	30-72" wide panels feature two power									
	knockouts per side24" wide panels feature one power									
	knockout per side									
	 72" wide panels feature split tiles 									
	 Electrical components are specified 									
	separately									
	Segmented Fabric Panel - 48"H	24 x 48	USSW1R2448							47.4#
USFR		30 x 48	USSW1R3048							54.1#
		36 x 48	USSW1R3648							60.9#
		42 x 48	USSW1R4248							67.8#
		48 x 48	USSW1R4848							74.7#
		54 x 48	USSW1R5448							81.5#
		60 x 48	USSW1R6048							88.4#
		72 x 48	USSW1R7248							109.9#
	Segmented Fabric Panel - 56"H	24 x 56	USSW1R2456							52.2#
USFR	<u> </u>	30 x 56	USSW1R3056							59.5#
		36 x 56	USSW1R3656							66.8#
		42 x 56	USSW1R4256							74.2#
		42 x 56	USSW1R4250							81.6#
		54 x 56	USSW1R5456							89.0#
		60 x 56	USSW1R6056							96.4#
		72 x 56	USSW1R7256							121.3#
			A	3	Θ	0	(3	•	Θ	
			_				_	_	_	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

- Chicago - with cutouts DN - Domestic - no cutouts - Domestic - with cutouts - Chicago, 1 side w/cutouts - Domestic, 1 side w/cutouts

• Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

- Select paint finish for slat wall section. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select fabric side 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select fabric side 2. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 528	\$ 561	\$ 595	\$ 630	\$ 653	
591	630	668	705	732	
642	683	723	766	796	
708	753	800	845	877	
738	785	832	880	915	
779	830	880	930	967	
867	924	980	1036	1075	
1184	1259	1336	1413	1467	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side Standard Base Raceway

			MODEL NUMI	BER							
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
	Segmented Fabric Panel - 64"H	24 x 64	USSW1R2464							56.5#	
	 Lower segment includes fabric tiles for both sides, specified separately 	30 x 64	USSW1R3064							64.3#	
	Upper segment features slatwall on	36 x 64	USSW1R3664							72.2#	
	lowest 8" of tile, and fabric on remaining	42 x 64	USSW1R4264							80.2#	
	segment heightUpper and lower fabric segments on	48 x 64	USSW1R4864							88.1#	
	each side must be identically specified	54 x 64	USSW1R5464							96.0#	
	 Slatwall paint finish is specified 	60 x 64	USSW1R6064							103.9#	
Side 1 Side 2	Standard base raceway on both sides ac-	72 x 64	USSW1R7264							131.7#	
1 510	 cepts power and data cable distribution Panel assembly includes frame, trim, 										
Gide	and panel-to-panel connectors										
	Trim is metal and includes top cap,										
USFR	bottom trim channel, base raceway, and seament channel										
	• 30-72" wide panels feature two power										
	knockouts per side										
	24" wide panels feature one power knockout per side										
	72" wide panels feature split tiles										
	Electrical components are specified										
	separately										
			_		_	_					
			Ø	B	Θ	0	ⅎ	•	G		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER Select fabric side 2. Refer to the KI Color Addendum or KI A Select basic model. Fabrics & Finishes binder. BSelect top cap style. - Flat trim (std) - No topcap Select electrical code. - Chicago - with cutouts - Domestic - no cutouts $\overline{\mathsf{DN}}$ - Domestic - with cutouts - Chicago, 1 side w/cutouts - Domestic, 1 side w/cutouts • Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Select paint finish for slat wall section. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. Select fabric side 1. Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder.



Standard Base Raceway

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 662	\$ 704	\$ 747	\$ 791	\$ 819	
759	807	857	905	939	
837	891	945	997	1037	
923	983	1041	1101	1144	
956	1018	1077	1140	1184	
986	1049	1113	1177	1222	
1075	1144	1213	1283	1333	
1563	1662	1764	1863	1935	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

NI/(

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Flevated Rase

			MODEL NUM	BER						
				т		01-4			A	
			Basic	Top Cap	Trim	Slat Wall	Fabric	Fabric	Approx. Packaged	
	MODEL	WxH	Model	Style	Color	Finish	Side 1	Side 2	Weight	
	Segmented Fabric Panel - 40"H	24 x 40	USSW1L2440						40.6#	
	Lower segment includes fabric tiles for both sides, specified separately Upper segment features slatwall on	30 x 40	USSW1L3040						46.1#	
		36 x 40	USSW1L3640						51.6#	
	lowest 8" of tile, and fabric on remaining	42 x 40	USSW1L4240						57.1#	
	segment height	48 x 40	USSW1L4840						62.7#	
	 Upper and lower fabric segments on each side must be identically specified 	54 x 40	USSW1L5440						68.2#	
	Slatwall paint finish is specified	60 x 40	USSW1L6040						73.7#	
side 2	Elevated base does not accept cable	72 x 40	USSW1L7240						90.5#	
1 5100	distributionPanel assembly includes frame, trim,									
side 1	and panel-to-panel connectors									
510	· Trim is metal and includes top cap, bot-									
USFL	tom trim channel, segment channel, and									
	foot shroud • 72" wide panels feature split tiles									
	72 wide pariors reature spire thes									
	Segmented Fabric Panel - 48"H	24 x 48	USSW1L2448						45.1#	
USFL		30 x 48	USSW1L3048						51.2#	
		36 x 48	USSW1L3648						57.2#	
		42 x 48	USSW1L4248						63.3#	
		48 x 48	USSW1L4848						69.3#	
		54 x 48	USSW1L5448						75.3#	
		60 x 48	USSW1L6048						81.4#	
		72 x 48	USSW1L7248						101.4#	
	Segmented Fabric Panel - 56"H	24 x 56	USSW1L2456						50.0#	
USFL		30 x 56	USSW1L3056						56.5#	
		36 x 56	USSW1L3656						63.1#	
		42 x 56	USSW1L4256						69.7#	
		48 x 56	USSW1L4856						76.3#	
		54 x 56	USSW1L5456						82.8#	
		60 x 56	USSW1L6056						89.4#	
		72 x 56	USSW1L7256						112.7#	
			A	3	Θ	O	3	•		
			•	_	_	_	_	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

- Select trim color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>
- ② Select paint finish for slat wall section.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select fabric side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fabric side 2.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 528	\$ 561	\$ 595	\$ 630	\$ 653	
591	630	668	705	732	
642	683	723	766	796	
708	753	800	845	877	
738	785	832	880	915	
779	830	880	930	967	
867	924	980	1036	1075	
1184	1259	1336	1413	1467	

\$ 596	\$ 634	\$ 672	\$ 711	\$ 739	
669	712	755	798	827	
727	774	820	866	900	
811	862	917	967	1004	
838	891	945	998	1037	
880	936	993	1047	1089	
974	1036	1099	1160	1206	
1346	1430	1518	1604	1665	
\$ 633	\$ 673	\$ 714	\$ 755	\$ 783	
		Ψ	Ψ 100	Ψ 100	
709	755	801	φ 733 847	φ 765 879	
709 773	755 821				
		801	847	879	
773	821	801 873	847 922	879 957	
773 869	821 925	801 873 982	847 922 1037	879 957 1077	
773 869 899	821 925 957	801 873 982 1016	847 922 1037 1072	879 957 1077 1113	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Flevated Rase

			MODEL NUM	BER						
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
^	Segmented Fabric Panel - 64"H	24 x 64	USSW1L2464						54.3#	
	 Lower segment includes fabric tiles for both sides, specified separately 	30 x 64	USSW1L3064						61.4#	
	Upper segment features slatwall on	36 x 64	USSW1L3664						68.5#	
		42 x 64	USSW1L4264						75.6#	
	segment height	48 x 64	USSW1L4864						82.7#	
	 Upper and lower fabric segments on each side must be identically specified 	54 x 64	USSW1L5464						89.9#	
	Slatwall paint finish is specified	60 x 64	USSW1L6064						96.9#	
2		72 x 64	USSW1L7264						123.1#	
side 2	distribution									
ide 1	 Panel assembly includes frame, trim, and panel-to-panel connectors 									
Siv	Trim is metal and includes top cap, bot-									
FL	tom trim channel, segment channel, and									
	foot shroud									
	72" wide panels feature split tiles									
			· ·	•	Θ	0	•	Ð		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

- Select trim color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- Select paint finish for slat wall section. Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fabric side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fabric side 2.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Flevated Rase

\$ 662 \$ 704 \$ 747 \$ 791 \$ 819 759 807 857 905 939 837 891 945 997 1037 923 983 1041 1101 1144 956 1018 1077 1140 1184 986 1049 1113 1177 1222 1075 1144 1213 1283 1333	Delivered Pricing Fabric Grac 1 & C.O.M.		Delivered F Fabric Grav 3 & Pallas de Fabric Grav PV	de Pricing Vertical Pallas Verti		
837 891 945 997 1037 923 983 1041 1101 1144 956 1018 1077 1140 1184 986 1049 1113 1177 1222 1075 1144 1213 1283 1333	\$ 662	\$ 704	\$ 747	\$ 791	\$ 819	
923 983 1041 1101 1144 956 1018 1077 1140 1184 986 1049 1113 1177 1222 1075 1144 1213 1283 1333	759	807	857	905	939	
956 1018 1077 1140 1184 986 1049 1113 1177 1222 1075 1144 1213 1283 1333	837	891	945	997	1037	
986 1049 1113 1177 1222 1075 1144 1213 1283 1333	923	983	1041	1101	1144	
1075 1144 1213 1283 1333	956	1018	1077	1140	1184	
	986	1049	1113	1177	1222	
100	1075	1144	1213	1283	1333	
1563 1662 1/64 1863 1935	1563	1662	1764	1863	1935	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUM	BER						
				Top			Slat			Approx.
			Basic	Cap	Electrical	Trim	Wall	Fabric	Fabric	Packaged Packaged
	MODEL	WxH	Model	Style	Code	Color	Finish	Side 1	Side 2	Weight
	Segmented Fabric Panel - 40"H • Side 1: tile to floor base does not accept	24 x 40	USSW1T2440							41.8#
cable distribution • Side 2: standard base raceway acc	•	30 x 40	USSW1T3040							47.7#
	Side 2: standard base raceway accepts	36 x 40	USSW1T3640							53.7#
	power and data cable distribution	42 x 40	USSW1T4240							59.8#
	 Upper segment features slatwall on lowest 8" of tile, and fabric on remaining 	48 x 40	USSW1T4840							65.8#
	segment height	54 x 40	USSW1T5440							71.8#
	 Upper and lower fabric segments on 	60 x 40	USSW1T6040							77.9#
de 2	each side must be identically specified	72 x 40	USSW1T7240							95.7#
1 510	Slatwall paint finish is specifiedPanel assembly includes frame, trim,									
Gide '	and panel-to-panel connectors									
9'	Trim is metal and includes top cap,									
USFT	bottom trim channel, base raceway, and segment channel									
	• Side 2: 30-72" wide panels feature two									
	power knockouts									
	Side 2: 24" wide tiles feature one power									
	knockout72" wide panels feature split tiles									
	Electrical components are specified									
	separately									
	Segmented Fabric Panel - 48"H	24 x 48	USSW1T2448							46.3#
USFT		30 x 48	USSW1T3048							52.8#
		36 x 48	USSW1T3648							59.3#
		42 x 48	USSW1T4248							65.9#
		48 x 48	USSW1T4848							72.5#
		54 x 48	USSW1T5448							79.0#
		60 x 48	USSW1T6048							85.6#
		72 x 48	USSW1T7248							106.6#
	Segmented Fabric Panel - 56"H	24 x 56	USSW1T2456							51.1#
USFT		30 x 56	USSW1T3056							58.2#
		36 x 56	USSW1T3656							65.2#
		42 x 56	USSW1T4256							72.3#
		48 x 56	USSW1T4856							79.4#
		54 x 56	USSW1T5456							86.5#
		60 x 56	USSW1T6056							93.6#
		72 x 56	USSW1T7256							117.9#
			A	•	Θ	0	•	a	Θ	•
			4	U	G	U	G	J	U	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

CP - Chicago - with cutouts - Domestic - no cutouts - Domestic - with cutouts

• Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder

- Select paint finish for slat wall section. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Tile-to-Floor One Side; Standard Base Raceway One Side

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 528	\$ 561	\$ 595	\$ 630	\$ 653	
591	630	668	705	732	
642	683	723	766	796	
708	753	800	845	877	
738	785	832	880	915	
779	830	880	930	967	
867	924	980	1036	1075	
1184	1259	1336	1413	1467	

\$ 596	\$ 634	\$ 672	\$ 711	\$ 739	
669	712	755	798	827	
727	774	820	866	900	
811	862	917	967	1004	
838	891	945	998	1037	
880	936	993	1047	1089	
974	1036	1099	1160	1206	
1346	1430	1518	1604	1665	
\$ 633	\$ 673	\$ 714	\$ 755	\$ 783	
\$ 633 709	\$ 673 755	\$ 714 801	\$ 755 847	\$ 783 879	
* :::	·		• • • • • • • • • • • • • • • • • • • •	·	
709	755	801	847	879	
709 773	755 821	801 873	847 922	879 957	
709 773 869	755 821 925	801 873 982	847 922 1037	879 957 1077	
709 773 869 899	755 821 925 957	801 873 982 1016	847 922 1037 1072	879 957 1077 1113	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUM	BER							
				_							
			Basic	Top Cap	Electrical	Trim	Slat Wall	Fabric	Fabric	Approx. Packaged	
	MODEL	W x H	Model	Style	Code	Color	Finish	Side 1	Side 2	Weight	
	Segmented Fabric Panel - 64"H	24 x 64	USSW1T2464							55.5#	
	Side 1: tile to floor base does not accept	30 x 64	USSW1T3064							63.0#	
	cable distributionSide 2: standard base raceway accepts	36 x 64	USSW1T3664							70.6#	
	power and data cable distribution	42 x 64	USSW1T4264							78.3#	
	 Upper segment features slatwall on 	48 x 64	USSW1T4864							85.9#	
	lowest 8" of tile, and fabric on remaining	54 x 64	USSW1T5464							93.5#	
	segment heightUpper and lower fabric segments on	60 x 64	USSW1T6064							101.1#	
2	each side must be identically specified	72 x 64	USSW1T7264							128.3#	
side 2	Slatwall paint finish is specified	12	0001120.							120.0#	
10 1	 Panel assembly includes frame, trim, 										
Sioc	and panel-to-panel connectorsTrim is metal and includes top cap,										
USFT	bottom trim channel, base raceway, and										
USFI	segment channel										
	Side 2: 30-72" wide panels feature two										
	power knockouts										
	 Side 2: 24" wide tiles feature one power knockout 										
	72" wide panels feature split tiles										
	 Electrical components are specified 										
	separately										
			A	3	Θ	0	ⅎ	•	Θ		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select electrical code.

CP - Chicago - with cutouts - Domestic - no cutouts - Domestic - with cutouts

- Select trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select paint finish for slat wall section. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Tile-to-Floor One Side; Standard Base Raceway One Side

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 662	\$ 704	\$ 747	\$ 791	\$ 819	
759	807	857	905	939	
837	891	945	997	1037	
923	983	1041	1101	1144	
956	1018	1077	1140	1184	
986	1049	1113	1177	1222	
1075	1144	1213	1283	1333	
1563	1662	1764	1863	1935	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides Standard Base Raceway

			MODEL NUM	DED							
			MODEL NUM	BEK						<u> </u>	
	MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2	
	Segmented Fabric Panel - 40"H	24 x 40	USSW2R2440								
	Lower segment includes fabric tiles for both sides apparently.	30 x 40	USSW2R3040								
	both sides, specified separatelyUpper segment features slat wall on low-	36 x 40	USSW2R3640								
	est 8" of upper tile segment, and fabric	42 x 40	USSW2R4240								
	on remaining segment height	48 x 40	USSW2R4840								
	 Upper and lower fabric segments on 	54 x 40	USSW2R5440								
	each side must be identically specified	60 x 40	USSW2R6040								
	Slatwall paint finish is specified Standard base receives an both sides as										
cide 2	 Standard base raceway on both sides accepts power and data cable distribution 	72 X 40	USSW2R7240								
1 510	Panel assembly includes frame, trim,										
Gide	and panel-to-panel connectors										
<i>9</i>	 Trim is metal and includes top cap, 										
USFR	bottom trim channel, base raceway, and										
	segment channel30-72" wide panels feature two power										
	knockouts per side										
	24" wide panels feature one power										
	knockout per side										
	72" wide panels feature split tiles										
	Electrical components are specified separately										
	Separately										
	Segmented Fabric Panel - 48"H	24 x 48	USSW2R2448								
USFR	oogmontou rusiio runoi -10 ii	30 x 48	USSW2R3048								
00111		36 x 48	USSW2R3648								
		42 x 48	USSW2R4248								
		48 x 48	USSW2R4848								
		54 x 48	USSW2R5448								
		60 x 48	USSW2R6048								
		72 x 48	USSW2R7248								
	Segmented Fabric Panel - 56"H	24 x 56	USSW2R2456								
USFR		30 x 56	USSW2R3056								
		36 x 56	USSW2R3656								
		42 x 56	USSW2R4256								
		48 x 56	USSW2R4856								
		54 x 56	USSW2R5456								
		60 x 56	USSW2R6056								
		72 x 56	USSW2R7256								
		00									
			(0	Θ	0	ⅎ	Ð	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.
 - Flat trim (std) - No topcap
- Select electrical code

	iooti ioui oouo.
CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	 Chicago, 1 side w/cutouts
D1	 Domestic, 1 side w/cutouts

• Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Select paint finish for slat wall section

Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select fabric side 1.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

GSelect paint finish for slat wall section side 2.

Refer to the KI Color Addendum or KI

Fabrics & Finishes binder. Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Standard Base Raceway

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
44.4#	\$ 620	\$ 662	\$ 702	\$ 742	\$ 770	
50.7#	689	733	778	821	854	
56.9#	750	800	847	895	930	
63.2#	838	891	945	997	1037	
69.5#	876	930	986	1042	1083	
75.7#	938	999	1059	1119	1161	
82.0#	1057	1126	1194	1263	1309	
101.2#	1393	1482	1571	1661	1727	

48.2#	\$ 726	\$ 773	\$ 819	\$ 865	\$ 899	
55.0#	808	859	911	963	998	
61.8#	882	938	995	1053	1093	
68.5#	980	1041	1104	1167	1213	
75.4#	1018	1083	1149	1214	1261	
82.1#	1060	1128	1195	1264	1312	
88.9#	1164	1240	1312	1389	1442	
110.5#	1648	1753	1859	1964	2040	
53.5#	\$ 772	\$ 820	\$ 871	\$ 921	\$ 956	
53.5# 60.8#	\$ 772 852	\$ 820 908	\$ 871 964	\$ 921 1017	\$ 956 1055	
		*			* ***	
60.8#	852	908	964	1017	1055	
60.8# 68.1#	852 932	908 990	964 1052	1017 1110	1055 1154	
60.8# 68.1# 75.4#	852 932 1049	908 990 1115	964 1052 1184	1017 1110 1250	1055 1154 1299	
60.8# 68.1# 75.4# 82.8#	852 932 1049 1090	908 990 1115 1159	964 1052 1184 1231	1017 1110 1250 1300	1055 1154 1299 1350	
60.8# 68.1# 75.4# 82.8# 90.1#	852 932 1049 1090 1128	908 990 1115 1159 1200	964 1052 1184 1231 1273	1017 1110 1250 1300 1346	1055 1154 1299 1350 1397	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides Standard Base Raceway

			MODEL NUM	BER						
	MODEL	WxH	Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2
	Segmented Fabric Panel - 64"H	24 x 64	USSW2R2464							
	Lower segment includes fabric tiles for both sides assertion.	30 x 64	USSW2R3064							
	both sides, specified separatelyUpper segment features slat wall on low-	36 x 64	USSW2R3664							
	est 8" of upper tile segment, and fabric	42 x 64	USSW2R4264							
	on remaining segment height	48 x 64	USSW2R4864							
	 Upper and lower fabric segments on each side must be identically specified 	54 x 64	USSW2R5464							
	Slatwall paint finish is specified	60 x 64	USSW2R6064							
10.2	Standard base raceway on both sides ac-	72 x 64	USSW2R7264							
Side 2	cepts power and data cable distribution Panel assembly includes frame, trim, and panel-to-panel connectors Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel 30-72" wide panels feature two power knockouts per side 24" wide panels feature one power knockout per side 72" wide panels feature split tiles Electrical components are specified separately									
			Ø	3	•	0	•	•	Ф	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

F	- Flat trim (std)
N	- No topcap

Select electrical code

	iooti ioui oouo.
CP	- Chicago - with cutouts
DN	- Domestic - no cutouts
DP	- Domestic - with cutouts
C1	 Chicago, 1 side w/cutouts
D1	 Domestic, 1 side w/cutouts

• Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Select paint finish for slat wall section

Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select fabric side 1.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

GSelect paint finish for slat wall section

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Standard Base Raceway

Approx. Packagec Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
57.9#	\$ 794	\$ 846	\$ 897	\$ 947	\$ 984	
65.7#	888	946	1003	1061	1100	
73.5#	972	1034	1097	1159	1204	
81.4#	1103	1175	1245	1317	1367	
89.3#	1147	1218	1294	1366	1419	
97.1#	1165	1239	1315	1390	1443	
105.0#	1252	1334	1415	1496	1554	
133.2#	1829	1947	2065	2182	2267	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Flevated Rase

			MODEL NUM	DED						
			MODEL NOW	DEN						
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2	Approx. Packaged Weight
	Segmented Fabric Panel - 40"H	24 x 40	USSW2L2440							44.4#
	 Lower segment includes fabric tiles for both sides, specified separately 	30 x 40	USSW2L3040							50.7#
	 Upper segment features slat wall on low- 	36 x 40	USSW2L3640							56.9#
	est 8" of upper tile segment, and fabric	42 x 40	USSW2L4240							63.2#
	on remaining segment height	48 x 40	USSW2L4840							69.5#
	Upper and lower fabric segments on each side must be identically specified	54 x 40	USSW2L5440							73.7#
	Slatwall paint finish is specified	60 x 40	USSW2L6040							82.0#
side 2	Elevated base does not accept cable	72 x 40	USSW2L7240							101.2#
1 Side	distributionPanel assembly includes frame, trim,									
r _{ide} '	and panel-to-panel connectors									
512	· Trim is metal and includes top cap, bot-									
USFL	tom trim channel, segment channel, and									
	foot shroud • 72" wide panels feature split tiles									
	- 12 wide pariets reature split tiles									
	Segmented Fabric Panel - 48"H	24 x 48	USSW2L2448							48.2#
USFL		30 x 48	USSW2L3048							55.0#
		36 x 48	USSW2L3648							61.8#
		42 x 48	USSW2L4248							68.5#
		48 x 48	USSW2L4848							75.4#
		54 x 48	USSW2L5448							80.1#
		60 x 48	USSW2L6048							88.9#
		72 x 48	USSW2L7248							110.5#
	Segmented Fabric Panel - 56"H	24 x 56	USSW2L2456							53.5#
USFL		30 x 56	USSW2L3056							60.8#
		36 x 56	USSW2L3656							68.1#
		42 x 56	USSW2L4256							75.4#
		48 x 56	USSW2L4856							82.8#
		54 x 56	USSW2L5456							88.1#
		60 x 56	USSW2L6056							97.4#
		72 x 56	USSW2L7256							122.8#
			Ø	•	Θ	0	•	•	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std) - No topcap

Select trim color.
Refer to the KI Color Addendum or KI
Fabrics & Finishes binder

• Select paint finish for slat wall section side 1.

Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

- Select fabric side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select paint finish for slat wall section side 2.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Select fabric side 2.

Refer to the <u>KI Color Addendum</u> or <u>KI</u>
<u>Fabrics & Finishes binder</u>.



Flevated Rase

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 620	\$ 662	\$ 702	\$ 742	\$ 770	
689	733	778	821	854	
750	800	847	895	930	
838	891	945	997	1037	
876	930	986	1042	1083	
938	999	1059	1119	1161	
1057	1126	1194	1263	1309	
1393	1482	1571	1661	1727	

\$ 726	\$ 773	\$ 819	\$ 865	\$ 899	
808	859	911	963	998	
882	938	995	1053	1093	
980	1041	1104	1167	1213	
1018	1083	1149	1214	1261	
1060	1128	1195	1264	1312	
1164	1240	1312	1389	1442	
1648	1753	1859	1964	2040	
ф 770					
\$ 772	\$ 820	\$ 871	\$ 921	\$ 956	
\$ 772 852	\$ 820 908	\$ 871 962	\$ 921 1017	\$ 956 1055	
852	908	962	1017	1055	
852 932	908 990	962 1052	1017 1110	1055 1154	
852 932 1049	908 990 1115	962 1052 1184	1017 1110 1250	1055 1154 1299	
852 932 1049 1090	908 990 1115 1159	962 1052 1184 1231	1017 1110 1250 1300	1055 1154 1299 1350	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Flevated Rase

			MODEL NUM	BER						
	MODEL	WxH	Basic Model	Top Cap Style	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2	Approx. Packaged Weight
	Segmented Fabric Panel - 64"H	24 x 64	USSW2L2464							57.9#
	 Lower segment includes fabric tiles for both sides, specified separately 	30 x 64	USSW2L3064							65.7#
	 Upper segment features slat wall on low- est 8" of upper tile segment, and fabric 	36 x 64	USSW2L3664							73.5#
		42 x 64	USSW2L4264							81.4#
	on remaining segment height	48 x 64	USSW2L4864							89.3#
	Slatwall paint finish is specified	54 x 64	USSW2L5464							95.1#
		60 x 64	USSW2L6064							105.0#
side 1 Side 2		72 x 64	USSW2L7264							133.2#
Sign	distribution									
ride 1	 Panel assembly includes frame, trim, and panel-to-panel connectors 									
510	Trim is metal and includes top cap, bot-									
USFL	tom trim channel, segment channel, and									
	foot shroud									
	 72" wide panels feature split tiles 									
			Ø	3	Θ	O	•	G	Ф	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std)
- No topcap

- Select trim color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- Select paint finish for slat wall section side 1.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

- Select fabric side 1.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select paint finish for slat wall section side 2.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>. Select fabric side 2.

Refer to the KI Color Add

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Flevated Rase

Pricing Pricing 3 & Pallas Vertical Fabric Grade Fabric Grade Fabric Grade 1 & C.O.M. 2 PV	Pallas Vertical Fabric Grade PV1	Pallas Vertical Fabric Grade PV2	
\$ 794	\$ 947	\$ 984	
888 946 1003	1061	1100	
972 1034 1097	1159	1204	
1103 1175 1245	1317	1367	
1147 1218 1294	1366	1419	
1165 1239 1315	1390	1443	
1252 1334 1415	1496	1554	
1829 1947 2065	2182	2267	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Stacking Panel

	MODEL	WxH	Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Fabric Stacking Panel - 16" H	24 x 16"	USTF2416				13.2#
	Side 1 and side 2 fabrics are specified	30 x 16"	USTF3016				14.8#
	widths • 48"-72" sizes may span multiple panels • Only one stacking section may be added to a frame	36 x 16"	USTF3616				16.9#
		42 x 16"	USTF4216				18.5#
Side 2		48 x 16"	USTF4816				20.1#
1 518		54 x 16	USTF5416				21.9#
r _{side}		60 x 16"	USTF6016				23.7#
	tions	72 x 16"	USTF7216				29.5#
USTF	 No storage or accessories may be hung from stacking sections 						
	 Panel Assembly includes stacking frame, 						
	segment channel, tiles and panel-to- panel connectors						
	Trim is metal and includes segment						
	channel						
			Φ	(3)	Θ	O	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>
- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- OSelect fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Stacking Panel

Fahrio

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 314	\$ 326	\$ 339	\$ 347	\$ 369	
336	351	364	374	397	
365	383	395	405	433	
402	421	436	446	476	
410	428	442	454	485	
438	460	474	486	520	
459	481	497	509	543	
611	640	662	678	722	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

n l

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Stacking Panel Solid Steel

			MODEL NU	JMBER				
	MODEL	WxH	Basic Model	Trim Color	Insert Color	Approx. Packaged Weight		
	Solid Steel Stacking Panel - 16" H	24 x 16"	USTS2416			15.5#		
	Single steel section captured within aluminum frame All sizes stack above panels of equal widths 48"-72" sizes may span multiple panels Only one stacking section may be added to a frame No power is available on stacking sec-	30 x 16"	USTS3016			17.7#		
		36 x 16"	USTS3616			20.5#		
		42 x 16"	USTS4216			22.7#		
aide 2		48 x 16"	USTS4816			25.0#		
Side 1 Side 2		54 x 16	USTS5416			27.4#		
gide		60 x 16"	USTS6016			29.8#		
	tions	72 x 16"	USTS7216			34.3#		
USTS	 No storage or accessories may be hung from stacking sections 							
	Steel insert paint color is specified							
	separate from trim, side 1 and side 2 are							
	identical							
	Frame matches trim finish							
			A	3	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>
- ©Select insert color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Stacking Panel Solid Steel

D P	elivered ricing	od
\$	396	6
	416	6
	450	0
	472	2
	526	6
	538	8
	539	9
	743	3

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Ν

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Stacking Panel

	MODEL	WxH	Basic Model	Trim Color	Glass Color	Approx. Packaged Weight		
	Glass Stacking Panel - 16" H Single glass pane captured within aluminum frame	24 x 16"	USTG2416			18.4#	_	
		30 x 16"	USTG3016			21.5#		
		36 x 16"	USTG3616			25.0#		
2		42 x 16"	USTG4216			28.1#		
Side		48 x 16"	USTG4816			31.1#		
de 1	 Only one stacking section may be added to a frame 	54 x 16	USTG5416			34.4#		
side 1 side 2	No power is available on stacking sec-	60 x 16"	USTG6016			37.7#		
USTS	tions	72 x 16"	USTG7216			43.8#		
	 No storage or accessories may be hung from stacking sections 							
	Frame matches trim finish							
			A	3	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>

Select glass color.

GLA	- Clear (std)	
GLC	- White laminate	
GLV	- Satin etch one side	



Stacking Panel Glass

Clear (GLA)	White Laminate (GLC)	Satin Etch One Side (GLV)
\$ 361	\$ 408	\$ 455
375	421	469
397	443	492
421	476	532
460	527	599
474	549	629
477	560	647
634	731	833

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Stacking Panel Perforated Steel

			MODEL NU	JMBER				
	MODEL	W x H	Basic Model	Trim Color	Insert Color	Approx. Packaged Weight		
	Perforated Steel Stacking Panel - 16" H	24 x 16"	USTP2416			13.5#		
_	Single perforated steel section captured within aluminum frame	30 x 16"	USTP3016			15.1#		
	All sizes stack above panels of equal widths 48"-72" sizes may span multiple panels Only one stacking section may be added to a frame	36 x 16"	USTP3616			17.2#		
		42 x 16"	USTP4216			19.0#		
cide 2		48 x 16"	USTP4816			20.6#		
side 1 side 2		54 x 16	USTP5416			22.5#		
Siae	No power is available on stacking sec-	60 x 16"	USTP6016			24.4#		
USTS	tions	72 x 16"	USTP7216			27.7#		
	No storage or accessories may be hung							
	from stacking sections • Steel insert paint color is specified							
	separate from trim, side 1 and side 2 are							
	identical							
	Frame matches trim finish							
			A	3	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>
- ©Select insert color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Stacking Panel Perforated Steel

Delivered Pricing	i
\$ 421	
450	
501	
525	
603	
633	
651	
830	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Stacking Panel Markerboard on One Side

				/IBER				
	MODEL	WxH	Basic Model	Trim Color	Fabric Side 2	Approx. Packaged Weight		
	Side 1 is marker board; side 2 is fabric All sizes stack above panels of equal	24 x 16"	USTM12416			16.4#		
		30 x 16"	USTM13016			18.7#		
		36 x 16"	USTM13616			21.5#		
		42 x 16"	USTM14216			23.8#		
side 2		48 x 16"	USTM14816			26.1#		
1 3 h	Only one stacking section may be added	54 x 16	USTM15416			28.7#		
Side	to a frameNo power is available on stacking sec-	60 x 16"	USTM16016			31.2#		
USTF	tions	72 x 16"	USTM17216			38.7#		
	 No storage or accessories may be hung 							
	from stacking sections							
			A	3	Θ			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- Select fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder



Stacking Panel Markerboard on One Side

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 377	\$ 394	\$ 408	\$ 418	\$ 446	
412	432	446	456	489	
437	456	473	485	519	
475	497	514	528	562	
503	528	545	560	597	
588	617	653	637	698	
662	693	716	735	783	
755	789	816	837	892	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Stacking Panel Markerboard on Both Sides

			MODEL NUN	/IBER			
	MODEL	WxH	Basic Model	Trim Color	Approx. Packaged Weight		
	Markerboard on Both-Sides Stacking	24 x 16"	USTM22416		18.1#		
	Panel - 16" H • Steel marker board on both sides • All sizes stack above panels of equal widths • 48"-72" sizes may span multiple panels • Only one stacking section may be added	30 x 16"	USTM23016		21.1#		
		36 x 16"	USTM23616		24.2#		
\sim 2		42 x 16"	USTM24216		27.2#		
side 2		48 x 16"	USTM24816		30.2#		
de 1		54 x 16	USTM25416		33.2#		
side 1	to a frame No power is available on stacking sec-	60 x 16"	USTM26016		36.2#		
USTS	tions	72 x 16"	USTM27216		45.4#		
	 No storage or accessories may be hung 						
	from stacking sections						
			A	3			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select trim color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u>
<u>Fabrics & Finishes binder</u>



Stacking Panel Markerboard on Both Sides

Delivered Pricing	
\$ 425	
470	
490	
528	
576	
712	
833	
863	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Stacking Panel Slat Wall on One Side

	MODEL	WxH	Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Tile Color Side 1	Approx. Packaged Weight	
	Slat Wall on One-Side Stacking Panel - 16" H Side 1 features lower 8" section of slat wall and fabric on upper 8"; side 2 is fabric only All sizes stack above panels of equal widths 48"-72" sizes may span multiple panels Only one stacking section may be added	24 x 16"	USTSW12416					15.1#	
		30 x 16"	USTSW13016					17.5#	
		36 x 16"	USTSW13616					19.9#	
2		42 x 16"	USTSW14216					22.3#	
Side		48 x 16"	USTSW14816					24.7#	
1		54 x 16	USTSW15416					27.1#	
side 1 side 2		60 x 16"	USTSW16016					29.5#	
USTF	to a frame	72 x 16"	USTSW17216					36.9#	
	 No power is available on stacking sec- 								
	tions								
	 No storage or accessories may be hung from stacking sections 								
	Tom stasting sostions								
			•	3	Θ	0	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**
- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- OSelect fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select tile color side 1. Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.



Stacking Panel Slat Wall on One Side

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 476	\$ 498	\$ 519	\$ 530	\$ 563	
510	535	553	569	607	
558	583	603	618	660	
613	641	664	680	725	
633	662	685	703	750	
644	673	698	714	762	
693	723	750	769	818	
976	1021	1056	1082	1154	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Stacking Panel Slat Wall on Two Sides

			MODEL NUM	BER					
	MODEL	WxH	Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Tile Color Side 1	Tile Color Side 2	Approx. Packaged Weight
_	Slat Wall on Two-Sides Stacking Panel	24 x 16"	USTSW22416						20.6#
	- 16" H	30 x 16"	USTSW23016						24.0#
	 Both sides feature lower 8" section of slat wall and fabric on upper 8" 	36 x 16"	USTSW23616						28.0#
2	Fabric on sides 1 and 2 is specified	42 x 16"	USTSW24216						31.3#
Gide	separately • All sizes stack above panels of equal	48 x 16"	USTSW24816						34.7#
de 1		54 x 16	USTSW25416						38.4#
side 1 Side 2	widths48"-72" sizes may span multiple panels	60 x 16"	USTSW26016						42.0#
USTF	Only one stacking section may be added	72 x 16"	USTSW27216						51.5#
	to a frame								
	No power is available on stacking sec-								
	tionsNo storage or accessories may be hung								
	from stacking sections								
			0	3	Θ	0	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>
- Select fabric side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- OSelect fabric side 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select tile color side 1. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select tile color side 2. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.



Stacking Panel Slat Wall on Two Sides

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 631	\$ 660	\$ 683	\$ 701	\$ 747	
676	708	732	751	801	
735	769	796	816	871	
811	849	879	900	960	
846	883	916	936	998	
886	925	958	982	1046	
909	950	984	1009	1075	
1324	1385	1432	1470	1566	

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

SPECIAL SERVICES Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Intersections 2-Way 90° "L" Corner

			MODEL NUMBE	R		
	MODEL	A B B-A	Basic Model	Trim Color	Approx. Packaged Weight	
		32"	U2W9032		7.3#	
\ \ \ \	2-Way 90°, "L" Corner, No Height ChangeSelect for 90° corner intersections of	40"	U2W9040		9.2#	
P P		48"	U2W9048		10.3#	
	two same-height panels • Includes full height corner trim, 90° top	56"	U2W9056		11.3#	
k	cap, connecting blocks, light block and	64"	U2W9064		12.4#	
	connecting hardware	72"	U2W9072		14.3#	
		80"	U2W9080		15.4#	
Land of the second						
N						
^	2-Way 90°, "L" Corner, with Height Change	32" 40" 8"	U2W901W3240		9.0#	
S do A		32" 48" 16"	U2W901W3248		10.4#	
₽ P	 Select for 90° corner intersections of one taller and one lower panel 	32" 56" 24"	U2W901W3256		11.6#	
	Includes corner and change of height	32" 64" 32"	U2W901W3264		12.7#	
	trim, top cap, connecting blocks, light blocks and connecting hardware	32" 72" 40"	U2W901W3272		14.1#	
!		32" 80" 48"	U2W901W3280		15.3#	
P		40" 48" 8"	U2W901W4048		10.8#	
		40" 56" 16"	U2W901W4056		12.2#	
546		40" 64" 24"	U2W901W4064		13.4#	
V		40" 72" 32"	U2W901W4072		14.6#	
		40" 80" 40"	U2W901W4080		16.0#	
		48" 56" 8"	U2W901W4856		11.9#	
		48" 64" 24"	U2W901W4864		13.3#	
		48" 72" 24"	U2W901W4872		14.3#	
		48" 80" 32"	U2W901W4880		15.5#	
		56" 64" 8"	U2W901W5664		13.0#	
		56" 72" 16"	U2W901W5672		14.2#	
		56" 80" 24"	U2W901W5680		15.4#	
		64" 72" 8"	U2W901W6472		14.1#	
		64" 80" 16"	U2W901W6480		15.3#	
		72" 80" 8"	U2W901W7280		15.9#	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>

Preconfigured Intersections 2-Way 90° "L" Corner

Doli	vered					
Pric	ing					
\$	117					
	138					
	142					
	148					
	167					
	185					
	197					
\$	200					
	207					
	212					
	220					
	230					
	234					
	221					
	229					
	235					
	241					
	255					
	226					
	234					
	236					
	243					
	230					
	238					
	242					
	252					
	259					
	269					

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Intersections 2-Way 180°

			MODEL NUMBER	}		
					Annrov	
			Basic	Trim	Approx. Packaged	
	MODEL	A B B-A	Model	Color	Weight	
	2-Way 180°, In-Line Spacer Trim, No	32"	U2W180IL32		8.4#	
4	Height Change	40"	U2W180IL40		9.4#	
9 1	 Select for inline intersections of two same-height panels, with panel-width 	48"	U2W180IL48		10.4#	
	same-neight panels, with panel-width spacing between	56"	U2W180IL56		11.3#	
	 Includes two full height flat trim pieces, 	64"	U2W180IL64		12.3#	
	90° top cap, connecting blocks, and con-	72"	U2W180IL72		14.3#	
	necting hardware	80"	U2W180IL80		15.2#	
UTN						
A.	2-Way 180°, Trim One Side, with Height Change Select for inline intersections of one taller and one lower panel, with panel-	32" 40" 8"	U2W1801W3240		9.0#	
•		32" 48" 16"	U2W1801W3248		10.4#	
ПŢ		32" 56" 24"	U2W1801W3256		11.6#	
	width spacing between	32" 64" 32"	U2W1801W3264		12.7#	
	 Includes two flat trim pieces, change of 	32" 72" 40"	U2W1801W3272		14.1#	
	height 3-sided trim, top cap, connecting blocks, and connecting hardware	32" 80" 48"	U2W1801W3280		15.3#	
		40" 48" 8"	U2W1801W4048		10.9#	
		40" 56" 16"	U2W1801W4056		12.3#	
		40" 64" 24"	U2W1801W4064		13.5#	
UTN		40" 72" 32"	U2W1801W4072		14.7#	
		40" 80" 40"	U2W1801W4080		16.1#	
		48" 56" 8"	U2W1801W4856		11.9#	
		48" 64" 16"	U2W1801W4864		13.3#	
		48" 72" 24"	U2W1801W4872		14.5#	
		48" 80" 32"	U2W1801W4880		15.7#	
		56" 64" 8"	U2W1801W5664		12.9#	
		56" 72" 16"	U2W1801W5672		14.3#	
		56" 80" 24"	U2W1801W5680		15.5#	
		64" 72" 8"	U2W1801W6472		13.9#	
		64" 80" 16"	U2W1801W6480		15.3#	
		72" 80" 8"	U2W1801W7280		15.8#	
			A	3		
			-	_		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>

Preconfigured Intersections 2-Way 180°

Delivered Pricing \$ 144 149 150 167 185 230 236 \$ 221 229 234 241 255 258 253 260 265	
Pricing \$ 144 149 150 167 185 230 236 \$ 221 229 234 241 255 258 253 260	
Pricing \$ 144 149 150 167 185 230 236 \$ 221 229 234 241 255 258 253 260	
\$ 144 149 150 167 185 230 236 \$ 221 229 234 241 255 258 253 260	
150 167 185 230 236 \$ 221 229 234 241 255 258 253 260	
167 185 230 236 \$ 221 229 234 241 255 258 258 253 260	
185 230 236 \$ 221 229 234 241 255 258 258 253 260	
230 236 \$ 221 \$ 229 234 241 255 258 258 253 260	
236 \$ 221 229 234 241 255 258 258 260	
\$ 221 229 234 241 255 258 253	
229 234 241 255 258 253 260	
229 234 241 255 258 253 260	
229 234 241 255 258 253 260	
229 234 241 255 258 253 260	
234 241 255 258 253 260	
241 255 258 253 260	
255 258 253 260	
258 253 260	
253 260	
260	
265	
273	
284	
255	
262	
267	
274	
265	
270	
276	
284	
292	
330	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Intersections 3-Way 90°

			MODEL NUMBE	:R		
					Approx.	
			Basic	Trim	Packaged	
	MODEL	A B B-A	Model	Color	Weight	
	 3-Way 90°, "T" Corner, No Height Change Select for 90° intersections of three same-height panels 	32"	U3W9032		6.5#	
		40"	U3W9040		8.3#	
1 1		48"	U3W9048		9.2#	
	 Includes one full height trim piece, 90° 	56"	U3W9056		10.0#	
	top cap, connecting blocks, light blocks and connecting hardware	64"	U3W9064		11.0#	
	and connecting nardware	72"	U3W9072		12.9#	
		80"	U3W9080		13.8#	
!!1						
UTN						
UTN	O Wass 000 Takes One Olda IITII Oassass	32" 40" 8"	U3W901W3240		7.9#	
	3-Way 90°, Trim One Side "T" Corner, with Height Change	32" 48" 16"	U3W901W3240		9.4#	
	Select for 90° three-way intersections of	32" 56" 24"	U3W901W3256		10.5#	
W ₁	one taller and two lower panels	32" 64" 32"	U3W901W3264		11.7#	
	 Includes one flat trim piece, three-sided change of height trim, top cap, connect- 	32" 72" 40"	U3W901W3272		13.0#	
	ing blocks, light blocks, and connecting hardware	32" 80" 48"	U3W901W3280		14.3#	
		40" 48" 8"	U3W901W4048		9.8#	
		40" 56" 16"	U3W901W4056		11.2#	
		40" 64" 24"	U3W901W4064		12.3#	
UTN		40" 72" 32"	U3W901W4072		13.5#	
		40" 80" 40"	U3W901W4080		14.9#	
		48" 56" 8"	U3W901W4856		10.7#	
		48" 64" 16"	U3W901W4864		12.1#	
		48" 72" 24"	U3W901W4872		13.2#	
		48" 80" 32"	U3W901W4880		14.6#	
		56" 64" 8"	U3W901W5664		11.6#	
		56" 72" 16"	U3W901W5672		13.0#	
		56" 80" 24"	U3W901W5680		14.2#	
		64" 72" 8"	U3W901W6472		12.5#	
		64" 80" 16"	U3W901W6480		13.9#	
		72" 80" 8"	U3W901W7280		14.7#	
			A	3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>

Preconfigured Intersections

лшgurcu	111161366110113
· ·	3-Way 90°

Deliv	/ered
Prici	ing
\$	118
	142
	147
	153
	167
	198
	204
\$	205
	212
	218
	225
	236
	237
	227
	235
	237
	246
	260
	229
	237
	241
	252
	237
	243
	252
	253
	260
	283

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Intersections 3-Way 90°

			MODEL NUMB	DED		
			MODEL MOINE	EK		
					Approx.	
	MODEL	A B B-A	Basic Model	Trim Color	Packaged Weight	
		32" 40" 8"	U3W90IL3240		8.9#	
~ 4	•, •• , =• . • •	32" 48" 16"	U3W90IL3248		10.8#	
	Select for 90° three-way intersections	32" 56" 24"	U3W90IL3256		11.8#	
	of two taller inline panels and one lower	32" 64" 32"	U3W90IL3264		12.8#	
	perpendicular panel	32" 72" 40"	U3W90IL3272		14.7#	
	one change-of-height flat trim piece, 90°	32" 80" 48"	U3W90IL3280		15.7#	
	top cap, connecting blocks, light blocks, and connecting hardware	40" 48" 8"	U3W90IL4048		10.7#	
	and connecting naruware	40" 56" 16"	U3W90IL4056		11.7#	
		40" 64" 24"	U3W90IL4064		13.6#	
UTN		40" 72" 32"	U3W90IL4072		14.6#	
		40" 80" 40"	U3W90IL4080		16.5#	
		48" 56" 8"	U3W90IL4856		11.6#	
		48" 64" 16"	U3W90IL4864		13.5#	
		48" 72" 24"	U3W90IL4872		15.5#	
		48" 80" 32"	U3W90IL4880		15.5#	
		56" 64" 8"	U3W90IL5664		12.5#	
		56" 72" 16"	U3W90IL5672		15.3#	
		56" 80" 24"	U3W90IL5680		16.4#	
		64" 72" 8"	U3W90IL6472		13.4#	
		64" 80" 16"	U3W90IL6480		15.4#	
		72" 80" 8"	U3W90IL7280		15.2#	
			•	3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>



Delivered	
Pricing	
\$ 154	
180	
185	
200	
237	
242	
173	
205	
213	
230	
260	
180	
214	
229	
236	
195	
229	
235	
210	
236	
229	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

n I

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUMBE	R		
			MODEL NOMBL			
			Basic	Trim	Approx. Packaged	
	MODEL	A B B-A	Model	Color	Weight	
	3-Way 90°, Trim Two Sides "T" Corner,	32" 40" 8"	U3W902W3240		8.7#	
	with Height Change	32" 48" 16"	U3W902W3248		10.6#	
M	Select for 90° three-way intersections of one taller and one lower inline panels	32" 56" 24"	U3W902W3256		11.6#	
I	and one perpendicular taller panel	32" 64" 32"	U3W902W3264		12.7#	
	 Includes one flat trim piece, two-sided 	32" 72" 40"	U3W902W3272		14.6#	
		32" 80" 48"	U3W902W3280		15.6#	
	ing blocks, light blocks, and connecting hardware	40" 48" 8"	U3W902W4048		10.5#	
	Haiuwaie	40" 56" 16"	U3W902W4056		12.4#	
		40" 64" 24"	U3W902W4064		13.4#	
UTN		40" 72" 32"	U3W902W4072		14.5#	
		40" 80" 40"	U3W902W4080		16.4#	
		48" 56" 8"	U3W902W4856		11.4#	
		48" 64" 16"	U3W902W4864		13.3#	
		48" 72" 24"	U3W902W4872		14.3#	
		48" 80" 32"	U3W902W4880		15.4#	
		56" 64" 8"	U3W902W5664		12.3#	
		56" 72" 16"	U3W902W5672		14.2#	
		56" 80" 24"	U3W902W5680		15.3#	
		64" 72" 8"	U3W902W6472		13.2#	
		64" 80" 16"	U3W902W6480		16.0#	
		72" 80" 8"	U3W902W7280		15.0#	
			Ø	3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>



Delivered	
Pricing	
\$ 167	
182	
188	
198	
216	
221	
188	
207	
212	
219	
227	
191	
209	
214	
223	
200	
216	
223	
213	
230	
257	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUMBE	R		
	MODEL	A B B-A	Basic Model	Trim Color	Approx. Packaged Weight	
	4-Way 90°, "X", No Height Change	32"	U4W9032		6.3#	
8.4.2	 Select for 90° intersections of four 	40"	U4W9040		8.1#	
	same-height panels • Includes 90° top cap, connecting blocks,	48"	U4W9048		9.0#	
	light blocks, and connecting hardware	56"	U4W9056		9.9#	
	g 2.22.25, a 2	64"	U4W9064		10.7#	
		72"	U4W9072		12.6#	
		80"	U4W9080		13.4#	
Ŋ						
JTN						
	4-Way 90°, "X" Trim One Side, with	32" 40" 8"	U4W901W3240		7.8#	
\	Height Change	32" 48" 16"	U4W901W3248		9.2#	
	 Select for 90° four-way intersections of one taller and three lower panels 	32" 56" 24"	U4W901W3256		10.4#	
	 Includes three-sided change of height 	32" 64" 32"	U4W901W3264		11.6#	
	trim, top cap, connecting blocks, light	32" 72" 40"	U4W901W3272		12.9#	
	blocks, and connecting hardware	32" 80" 48"	U4W901W3280		14.1#	
		40" 48" 8"	U4W901W4048		8.7#	
- - - - - - - -		40" 56" 16"	U4W901W4056		10.1#	
V V		40" 64" 24"	U4W901W4064		11.2#	
TN		40" 72" 32"	U4W901W4072		13.6#	
		40" 80" 40"	U4W901W4080		13.6#	
		48" 56" 8"	U4W901W4856		10.5#	
		48" 64" 16"	U4W901W4864		11.9#	
		48" 72" 24"	U4W901W4872		13.1#	
		48" 80" 32"	U4W901W4880		14.2#	
		56" 64" 8"	U4W901W5664		11.4#	
		56" 72" 16"	U4W901W5672		12.8#	
		56" 80" 24"	U4W901W5680		13.9#	
		64" 72" 8"	U4W901W6472		12.2#	
		64" 80" 16"	U4W901W6480		14.8#	
		72" 80" 8"	U4W901W7280		14.0#	
			Δ	3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color.
Refer to the KI Color Addendum or KI Fabrics & Finishes binder



Dal	livered
Pri	cing
\$	116
	137
	143
	148
	154
	175
	181
\$	202
	211
	213
	221
	235
	236
	226
	234
	236
	242
	259
	228
	236
	241
	248
	235
	242
	246
	241
	249
	260

SPECIAL SERVICES

Special Carton Marking

With specially marked information

oolany markou miormation

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUME	BER		
					Annroy	
			Basic	Trim	Approx. Packaged	
	MODEL	A B B-A	Model	Color	Weight	
	4-Way 90°, "X" In-Line Intersection, with	32" 40" 8"	U4W90IL3240		8.7#	
\ \	Height Change	32" 48" 16"	U4W90IL3248		10.7#	
₹	Select for 90° four-way intersections of	32" 56" 24"	U4W90IL3256		11.6#	
	two taller inline panels and two lower perpendicular panels	32" 64" 32"	U4W90IL3264		12.6#	
	Includes two change-of-height flat trim	32" 72" 40"	U4W90IL3272		14.6#	
	pieces, 90° top cap, connecting blocks,	32" 80" 48"	U4W90IL3280		15.5#	
	light blocks and connecting hardware	40" 48" 8"	U4W90IL4048		10.6#	
		40" 56" 16"	U4W90IL4056		12.5#	
		40" 64" 24"	U4W90IL4064		13.5#	
UTN		40" 72" 32"	U4W90IL4072		14.5#	
		40" 80" 40"	U4W90IL4080		16.4#	
		48" 56" 8"	U4W90IL4856		11.4#	
		48" 64" 16"	U4W90IL4864		13.4#	
		48" 72" 24"	U4W90IL4872		14.3#	
		48" 80" 32"	U4W90IL4880		16.3#	
		56" 64" 8"	U4W90IL5664		12.3#	
		56" 72" 16"	U4W90IL5672		15.2#	
		56" 80" 24"	U4W90IL5680		15.2#	
		64" 72" 8"	U4W90IL6472		13.1#	
		64" 80" 16"	U4W90IL6480		15.1#	
		72" 80" 8"	U4W90IL7280		15.0#	
			a	3	•	
			•	_		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>



Delivered Pricing \$ 177 208 215 232 265 293 198 229 240 258 274 204 236		
Pricing \$ 177 208 215 232 265 293 198 229 240 258 274 204 236		
Pricing \$ 177 208 215 232 265 293 198 229 240 258 274 204 236	Delivered	red
\$ 177 208 215 232 265 293 198 229 240 258 274 204 236	Pricing	
215 232 265 293 198 229 240 258 274 204 236	\$ 177	
232 265 293 198 229 240 258 274 204	208	08
265 293 198 229 240 258 274 204 236	215	15
293 198 229 240 258 274 204 204 236	232	32
198 229 240 258 274 204 204		
229 240 258 274 204 204 204		
240 258 274 204 236		
258 274 204 236		
274 204 236		
204 236		
236		
2/12		
	243	
261		
208		
239		
253		
216		
248		
236	236	36

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUMBE	R		
	MODEL	A B B-A	Basic Model	Trim Color	Approx. Packaged Weight	
	4-Way 90°, "X" Trim Two Sides, with	32" 40" 8"	U4W902W3240		8.2#	
\	Height Change	32" 48" 16"	U4W902W3248		10.0#	
	Select for 90° three-way intersections of	32" 56" 24"	U4W902W3256		11.2#	
	two perpendicular taller panels and two perpendicular lower panels	32" 64" 32"	U4W902W3264		12.2#	
	Includes two-sided change of height	32" 72" 40"	U4W902W3272		14.0#	
	trim, top cap, connecting blocks, light	32" 80" 48"	U4W902W3280		15.2#	
	blocks, and connecting hardware	40" 48" 8"	U4W902W4048		10.1#	
		40" 56" 16"	U4W902W4056		11.9#	
		40" 64" 24"	U4W902W4064		13.0#	
UTN		40" 72" 32"	U4W902W4072		14.1#	
		40" 80" 40"	U4W902W4080		15.9#	
		48" 56" 8"	U4W902W4856		10.9#	
		48" 64" 16"	U4W902W4864		12.8#	
		48" 72" 24"	U4W902W4872		13.9#	
		48" 80" 32"	U4W902W4880		14.9#	
		56" 64" 8"	U4W902W5664		11.8#	
		56" 72" 16"	U4W902W5672		13.6#	
		56" 80" 24"	U4W902W5680		14.7#	
		64" 72" 8"	U4W902W6472		13.4#	
		64" 80" 24"	U4W902W6480		14.5#	
		72" 80" 8"	U4W902W7280		14.5#	
			Ø	3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>



Delivered	
Pricing	
\$ 166	
181	
183	
193	
215	
220	
183	
206	
208	
215	
237	
190	
209	
213	
221	
198	
215	
220	
205	
221	
227	

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Intersections

4-Way 90°



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

- A Select basic model.
- ③ Select trim color.

 Refer to the KI Color Addendum or KI Fabrics & Finishes binder



Delivered	
Pricing	
\$ 157	
193	
199	
206	
212	
214	
179	
197	
205	
212	
235	
182	
206	
208	
215	
190	
212	
218	
198	
215	
216	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUMBER	3		
	MODEL	A B B-A	Basic Model	Trim Color	Approx. Packaged Weight	
	2-Way 120°, "V" Corner, No Height	32"	U2W12032		4.7#	
⊳ ⁄]	Change	40"	U2W12040		5.9#	
1	 Select for 120° angled intersections of 	48"	U2W12048		6.6#	
	two same-height panels • Includes 2-sided angle trim, 120° top	56"	U2W12056		7.4#	
	cap, connecting blocks, light block and	64"	U2W12064		8.0#	
	connecting hardware	72"	U2W12072		9.3#	
W. W. & . W		80"	U2W12080		10.0#	
· N						
•						
UTN						
	2-Way 120°, "V" Corner, with Height	32" 40" 8"	U2W1201W3240		4.5#	
•/	Change	32" 48" 16"	U2W1201W3248		4.5#	
, J	 Select for 120° angled intersections of one taller and one lower panel 	32" 56" 24"	U2W1201W3256		4.5#	
	Includes corner and change of height	32" 64" 32"	U2W1201W3264		4.5#	
	trim, 120° top cap, connecting blocks,	32" 72" 40"	U2W1201W3272		4.5#	
8 W	light block, and connecting hardware	32" 80" 48"	U2W1201W3280		4.5#	
a		40" 48" 8"	U2W1201W4048		5.7#	
T (40" 56" 16"	U2W1201W4056		5.7#	
A)		40" 64" 24"	U2W1201W4064		5.7#	
		40" 72" 32"	U2W1201W4072		5.7#	
UTN		40" 80" 40"	U2W1201W4080		6.1#	
		48" 56" 8"	U2W1201W4856		6.4#	
		48" 64" 16"	U2W1201W4864		6.4#	
		48" 72" 24"	U2W1201W4872		6.4#	
		48" 80" 32"	U2W1201W4880		6.4#	
		56" 64" 8"	U2W1201W5664		7.1# 7.1#	
		56" 72" 16"	U2W1201W5672			
		56" 80" 24" 64" 72" 8"	U2W1201W5680		7.1# 7.9#	
		64" 72" 8"	U2W1201W6472 U2W1201W6480		7.9# 7.9#	
		72" 80" 8"	U2W1201W6480		7.9# 9.0#	
		12 00 0			J.U#	
			A	$oldsymbol{\Theta}$		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>

Delivered Pricing \$ 308 382 386 395 411 482 490 \$ 323 329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434 499		
Pricing \$ 308 382 386 395 411 482 490 \$ 323 329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
Pricing \$ 308 382 386 395 411 482 490 \$ 323 329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
\$ 308 382 386 395 411 482 490 \$ 323 329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434	Deliv	/ered
382 386 395 411 482 490 \$ 323 329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
386 395 411 482 490 \$ 323 329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 499 424 431 434		
\$ 323 \$ 329 \$ 330 \$ 339 \$ 347 \$ 348 \$ 401 \$ 406 \$ 410 \$ 415 \$ 495 \$ 403 \$ 410 \$ 411 \$ 417 \$ 415 \$ 419 \$ 424 \$ 431 \$ 434		
411 482 490 \$ 323 329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
\$ 323 329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
\$ 323 329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
\$ 323 329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		490
329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
329 330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434	\$	323
330 339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
339 347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
347 348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
348 401 406 410 415 495 403 410 411 417 415 419 424 431 434		
401 406 410 415 495 403 410 411 417 415 419 424 431 434		
406 410 415 495 403 410 411 417 415 419 424 431 434		
410 415 495 403 410 411 417 415 419 424 431 434		
415 495 403 410 411 417 415 419 424 431 434		
495 403 410 411 417 415 419 424 431		
403 410 411 417 415 419 424 431		
410 411 417 415 419 424 431		
411 417 415 419 424 431 434		
417 415 419 424 431 434		
415 419 424 431 434		
419 424 431 434		
424 431 434		
431 434		
434		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUMBER	1			
	MODEL	A B B-A	Basic Model	Trim Color	Approx. Packaged Weight		
	3-Way 120° Corner, No Height Change	32"	U3W12032		4.6#		
	 Select for 120° intersections of three same-height panels 	40"	U3W12040		5.8#		
A CONTRACTOR OF THE CONTRACTOR	Includes 120° top cap, connecting	48"	U3W12048		6.4#		
// !	blocks, light blocks and connecting	56"	U3W12056		7.0#		
	hardware	64"	U3W12064		7.7#		
		72"	U3W12072		8.9#		
		80"	U3W12080		9.5#		
T T							
4.37							
UTN							
. Car	3-Way 120° Corner, Trim One Side, with Height Change • Select for 120° three-way intersections of one taller and two lower panels	32" 40" 8"	U3W1201W3240		4.4#		
9/		32" 48" 16"	U3W1201W3248		4.4#		
		32" 56" 24" 32" 64" 32"	U3W1201W3256 U3W1201W3264		4.4# 4.4#		
	Includes one flat trim piece, angled	32 64 32 32" 72" 40"	U3W1201W3264		4.4#		
	change of height trim, top cap, connecting blocks, light blocks, and connecting	32" 80" 48"	U3W1201W3272		4.4#		
*	hardware	40" 48" 8"	U3W1201W3280		4.4# 5.6#		
4		40" 56" 16"	U3W1201W4046		5.6#		
		40" 64" 24"	U3W1201W4064		5.6#		
W.		40" 72" 32"	U3W1201W4072		5.6#		
UTN		40" 80" 40"	U3W1201W4080		5.6#		
· · · ·		48" 56" 8"	U3W1201W4856		6.2#		
		48" 64" 16"	U3W1201W4864		6.2#		
		48" 72" 24"	U3W1201W4872		6.2#		
		48" 80" 32"	U3W1201W4880		6.2#		
		56" 64" 8"	U3W1201W5664		6.9#		
		56" 72" 16"	U3W1201W5672		6.9#		
		56" 80" 24"	U3W1201W5680		6.9#		
		64" 72" 8"	U3W1201W6472		7.5#		
		64" 80" 16"	U3W1201W6480		7.5#		
		72" 80" 8"	U3W1201W7280		8.7#		
			A	3			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>



Deliv	ered
Prici	ng
\$	
	376
	378
	380
	386
	460
	466
\$	311
	317
	320
	324
	331
	336
	387
	393 394
	401
	474
	389
	395
	400
	405
	394
	400
	402
	401
	404
	411
	411

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUMBER	1		
					•	
			Basic	Trim	Approx. Packaged	
	MODEL	A B B-A	Model	Color	Weight	
	3-Way 120° Corner, Trim Two Sides, with	32" 40" 8"	U3W1202W3240		5.5#	
N .	Height Change	32" 48" 16"	U3W1202W3248		6.6#	
\₫	Select for 120° three-way intersections	32" 56" 24"	U3W1202W3256		7.3#	
ſ~ i it	of two taller panels and one lower panel Includes one flat trim piece, top cap, 	32" 64" 32"	U3W1202W3264		8.0#	
/	connecting blocks, light blocks, and	32" 72" 40"	U3W1202W3272		9.1#	
	connecting hardware	32" 80" 48"	U3W1202W3280		9.9#	
		40" 48" 8"	U3W1202W4048		6.7#	
l l		40" 56" 16"	U3W1202W4056		7.8#	
		40" 64" 24"	U3W1202W4064		8.5#	
-		40" 72" 32"	U3W1202W4072		9.2#	
UTN		40" 80" 40"	U3W1202W4080		10.3#	
		48" 56" 8"	U3W1202W4856		7.3#	
		48" 64" 16"	U3W1202W4864		8.4#	
		48" 72" 24"	U3W1202W4872		9.1#	
		48" 80" 32"	U3W1202W4880		9.8#	
		56" 64" 8"	U3W1202W5664		8.0#	
		56" 72" 16"	U3W1202W5672		9.1#	
		56" 80" 24"	U3W1202W5680		9.8#	
		64" 72" 8"	U3W1202W6472		8.6#	
		64" 80" 16"	U3W1202W6480		9.7#	
		72" 80" 8"	U3W1202W7280		10.2#	
		•	A	3		
			$oldsymbol{\omega}$	U		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>



De Pri	livered icing
\$	
	469
	475
	482
	555
	561
	472
	545
	552
	559
	633
	544
	550
	558
	561
	489
	553
	560
	484
	560
	626

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

End-of-Run Trim

			MODEL NUM	/IBER				
	MODEL	Н	Basic Model	Trim Color	Approx. Packaged Weight			
		32"	UEOR32		3.6#			
	Onland has beingle for all and a small	40"	UEOR40		4.2#			
N N		48"	UEOR48		4.7#			
	sections are used, specify by combined	56"	UEOR56		5.5#			
	height of panel and stacker	64"	UEOR64		6.0#			
	Includes trim endcap and hardware	72"	UEOR72		7.0#			
7		80"	UEOR80		7.4#			
UTN								
	End-of-Run Trim for Change of Height	8"	UEORV08		1.8#			
UTN		16"	UEORV16		2.5#			
UST	- Casaifu tha diatanaa hatuusaa tha umaa	24"	UEORV24		3.0#			
	 Specify the distance between the upper panel height and the lower panel height 	32"	UEORV32		3.5#			
		40"	UEORV40		4.2#			
		48"	UEORV48		4.7#			
			A	B				

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- Select trim color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder Metallic finish not available.



End-of-Run Trim

Deliv Prici	red
\$	50
	56
	57
	61
	71
	88
	91
\$	35
	39
	40
	46
	51
	52

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Intersections Adjustable Wall Mount Start

	/	MODEL NUI	MDED	
		MODEL NUM	IBER	
	MODEL	Basic Model	Trim Color	
<u> </u>	Adjustable Wall Mount Start	UNWM16		6.0#
		UNWM32		11.0#
	run • Includes mounting plate	UNWM40		14.0#
-* ∤ 1		UNWM48		17.0#
		UNWM56		20.0#
	tion • Appropriate wall anchor to drywall must	UNWM64		22.0#
	be provided by contractor	UNWM72	'	25.0#
UNS		UNWM80		28.0#
		A	3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Preconfigured Intersections Adjustable Wall Mount Start

Delivered Pricing	
\$ 116	
139	
146	
153	
162	
179	
229	
263	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Intersections Perpendicular Start for Genius® Wall

			MODEL NUMBER		
			5 .	Approx.	
	MODEL	н	Basic Model	Packaged Weight	
		32"	UNGPS32	1.4#	_
∠ 1∎	Attaches Unite® perpendicularly between	J2	UNGI GGZ	1.477	
	two Genius® Wall sections				
*	Includes aluminum mounting track Hardware for attachment is included				
-	Specify UNGPS32 for all heights of				
*	segmented panels with glass, steel or				
- I	perforated steel (with Aluminum frame)				
and the second	upper segments • Specify all other panel models by fin-				
	ished height (without Aluminum frame)				
UNS	 Stacking sections are allowed and do not 				
UNS	require wall attachment				
	Perpendicular Start - 40",48",56", 64" H	40"	UNGPS40	1.6#	_
⊘ n		40	UNGPS48	1.7#	
	two Genius® Wall sections	56"	UNGPS56	1.7#	
•	• Includes aluminum mounting track	64"	UNGPS64	2.1#	
	 Hardware for attachment is included Specify by finished monolithic or 	04	UNGP304	Z.1#	
*	segmented panel height for all fabric,				
	markerboard or slat wall (unframed)				
	upper segmentsStacking sections are allowed and do not				
	require wall attachment				
UNS	. oquita				
UNS					
			A		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Preconfigured Intersections Perpendicular Start for Genius® Wall

Deliv	vered
Prici	
\$	68
\$	73
	83
	83
	83

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Intersections Universal Start for Genius® Wall

		MODEL NUMBER	
	MODEL	Basic Model	Approx. Packaged Weight
	Universal Start	UNGUS	1.0#
	 Attaches Unite® at a corner, inline, or 3-Way condition of a Geniusl® Wall sec- 		
, •	tion		
	Includes all hardware necessary for		
~ *	attachmentUniversal Start is drilled directly into,		
	and permanently alters, Genius® trim		
and the second second	Wall start does not impact or require any additional Conjug® appointment		
LIDDDT	additional Genius® specification • Retrofittable to most standard Genius®		
HRDPT	trim sections		
	For use with unloaded panels only		
	L		7
		A	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Preconfigured Intersections Universal Start for Genius® Wall

Delivered Pricing

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Intersections Wall Track

			MODEL NUI	MBER			
	MODEL	WxHxD	Basic Model	Trim Color	Approx. Packaged Weight		
	Wall Track	1-1/4 x 30 x 1"	UNWT30		3.0#		
	Double slotted track accommodates wall	1-1/4 x 64 x 1"	UNWT64		5.0#		
	mounting of overhead components and worksurfaces						
	Steel construction with painted finish						
	 Appropriate wall anchor to drywall must 						
	be provided by contractor						
Y							
HRDPT							
			A	B			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>



Preconfigured Intersections Wall Track

Delivered Pricing

3 29

40

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N.

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Stackable Intersections 90° 1-Way, 2-Way, 3-Way and 4-Way

			MODEL NUMBER				
	MODEL	Н	Basic Model	Top Cap Style	Trim Color	Approx. Packaged Weight	
→	90° 1-Way End	16	U1W90S16	F		4.6#	
	 Includes top cap and connecting hard- ware and light block 						
	Only used in 90° intersections when stacking one panel						
	Stacking one paner						
UST							
<u> </u>	90° 2-Way Corner Includes top cap and connecting hard-	16	U2W90S16	F		5.0#	
2.	ware and light block						
, , ,							
54 <i>4</i> 7							
UST							
	90° 3-Way Intersection Includes top cap and connecting hardware and light blocks	16	U3W90S16	F		4.8#	
UST							
051	90° 4-Way Intersection	16	U4W90S16	F		4.9#	
	 Includes top cap and connecting hard- 						
	ware and light blocks						
•							
UST							
			Ø	3	Θ		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std)

Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder



Preconfigured Stackable Intersections 90° 1-Way, 2-Way, 3-Way and 4-Way

Delivered
Delivered Pricing
\$ 119
\$ 102
\$ 104
A 100
\$ 100

SPECIAL SERVICES


Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Stackable Intersections 2-Way 180° In-Line Spacer



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std)

Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder



Preconfigured Stackable Intersections 2-Way 180° In-Line Spacer

Delivered Pricing

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 70.

Preconfigured Stackable Intersections 120° 1-Way, 2-Way, 3-Way and 4-Way

			MODEL NUMBER				
	MODEL	Н	Basic Model	Top Cap Style	Trim Color	Approx. Packaged Weight	
D	120° 1-Way End	16	U1W120S16			3.3#	
	 Includes top cap and connecting hard- 						
	wareOnly used in 120° intersections when						
	stacking one panel						
UST							
/7	120° 2-Way CornerIncludes top cap and connecting hard-	16	U2W120S16			3.4#	
5 /	ware and light block						
UST							
	120° 3-Way Intersection	16	U3W120S16			3.5#	
4/	 Includes top cap and connecting hard- ware and light blocks 						
	ware and light blocks						
LICT							
UST							
			A	Θ	Θ		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect top cap style.

- Flat trim (std)

Select trim color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder



Preconfigured Stackable Intersections 120° 1-Way, 2-Way, 3-Way and 4-Way

Delivered Pricing
\$ 131
\$ 292
\$ 29Z
\$ 284

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Stacking End-of-Run Trim

MODEL H Basic Trim Approx. Packaged Weight									
MODEL End-of-Run Trim - Stacking Section - Additive vertical trim portion at Variable Height Condition - Includes end cap End-of-Run Trim - Stacking Section at Variable Height Condition - Additive stacking vertical trim for placement at and of run stacking section placed at a change of height location - Tim is 1/2' shorter than end of run trim for stacking section (above), and rests on top of horizontal trim					MBER				
End-of-Run Trim - Stacking Section at Variable Height Condition Additive stacking vertical trim for placement at end of run trim for stacking section placed at a change of height location Trim is 1/2" shorter than end of run trim for stacking section placed at a change of height location Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim				Model	Color	Packaged Weight			
end of run trim Includes end cap End-of-Run Trim - Stacking Section at Variable Height Condition A ddiffus stacking vertical trim for placement at end of run stacking section placed at a change of height location Tim is 1/2' shorter than end of run trim for stacking section (above), and rests on top of horizontal trim		 Additive vertical trim portion for place- 							
UST End-of-Run Trim - Stacking Section at Variable Height Condition • Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location • Trim is 1/2 shorter than end of run trim for stacking section (above), and rests on top of horizontal trim		end of run trim							
End-of-Run Trim - Stacking Section at Variable Height Condition • Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location • Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim		 Includes end cap 							
End-of-Run Trim - Stacking Section at Variable Height Condition • Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location • Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim									
End-of-Run Trim - Stacking Section at Variable Height Condition • Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location • Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim									
End-of-Run Trim - Stacking Section at Variable Height Condition • Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location • Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim									
End-of-Run Trim - Stacking Section at Variable Height Condition • Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location • Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim									
End-of-Run Trim - Stacking Section at Variable Height Condition • Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location • Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim	HOT								
Variable Height Condition • Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location • Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim UST	USI								
Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim UST		End-of-Run Trim - Stacking Section at Variable Height Condition	16"	UEORV16		2.5#			
placed at a change of height location • Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim	N	 Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location Trim is 1/2" shorter than end of run trim for stacking section (above), and rests 							
Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim UST									
on top of horizontal trim UST									
UST									
$oldsymbol{a}$	UST								
				Δ	3				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

- A Select basic model.
- ③Select trim color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>

 Metallic finish not available.



Stacking End-of-Run Trim

Delivered Pricing
\$ 39

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N,


Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Unite® Rolling Door

General Information

Plan View of Rolling Door Applications



90° Intersection Condition (URD90)

GENERAL INFORMATION

Unite Rolling Doors allow for simple privacy in workstation, and are offered with or without a jamb closure. Doors without a closing jamb simply over-lap the external corner of the closing panel intersection condition. Doors with jambs are shipped with a jamb post and a jamb rail (a receiver where the door can nest there by providing additional privacy).

Sizes

Rolling Doors are offered in the following sizes:

36"w X 64"h (monolithic door core)
36"w X 80"h (segmented door core)
42"w X 64"h (monolithic door core)
42"w X 80"h (segmented door core)
42"w with dimension provided indicates the nominal opening width that the door will span, and the actual door is oversized to allow for panel overlap.

64" high doors are constructed with a single aluminum frame. 80" high doors have a 16" high segmented top section to correspond to a 16" high Unite® stacking section.

Panel Attachment and Specification

The panel to which a Rolling Door is attached must be specified the same width or wider than the nominal Rolling Door model (i.e. 36"w door with 36" or wider attach panel). The "No Jamb" model (URDNJ) must be specified with a 6" or wider attaching panel (i.e. 36"w model with 42"w or wider attaching panel). This prevents the door from extending open into an adjacent walkway. This rule is not required if the attaching panel is a member of a panel run.

Door Height Options

80" high Rolling Doors feature a 16" segmented top frame. The top segment of the door is consistent with a 16" panel stacking section on the Unite® panel. 64" Rolling Door models are monolithic and do not feature any segmentation.

Cores

Rolling doors are available with two optional

core inserts that are designated as "clear" and "opal". The insert material is the same and complements KI All Terrain® screens. The insert material is a horizontally fluted Polycarbonate sheet. Both cores are semitransparent and provide basic privacy while allowing light to penetrate into the office space. The opal core is less transparent than the clear.

Handedness of Models


All Rolling Door models are "non-handed". Wheel assemblies are packaged separately from the door for unilateral application. Jamb post assemblies are reversible for right or left side assembly.

Planning Options

Rolling doors can be ordered after a job site has been installed (reconfiguration) or space planned in advance of job site installation. If planned in advance, standard Unite® intersections will be replaced with jamb post intersections. If a job site is reconfigured after installation, standard intersections must

be removed and replaced with the appropriate jamb post assembly. The exception is with the "no-jamb" condition which does not require a closing jamb intersection.

Plan View of Rolling Door Applications



INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

			MODEL NUI	MBER		
	MODEL	WxH	Basic Model	Core Insert	Trim Color	Approx. Packaged Weight
	Rolling Door-No Jamb Condition	44-3/8 x 63-15/16"	URDNJ3664			20.0#
	 Includes door and attachment post Door extends beyond opening and 	44-3/8 x 79-15/16"	URDNJ3680			26.0#
	overlaps Unite® panel edge without jamb	50-3/8 x 63-15/16"	URDNJ4264			22.0#
	closure	50-3/8 x 79-15/16"	URDNJ4280			27.0#
	 Door is non-handed and may be used in either right or left position 64" models are monolithic; 80" models 					
- I	(shown at left) feature segmentation					
URD	with trim at 64"					
	Polycarbonate core inserts feature horizontal fluting pattern					
	horizontal fluting pattern Non-locking Actual door dimension extends 8" beyond its nominal door opening width					
	Panel to which door attaches must be at least 6" wider than nominal width					
	of door; see Planning Guide for more					
	details					
	See General Information preceding these					
	pages for all conditions in plan view					
			A	3	Θ	_

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select core type (plastic fluted core insert).

 CP Fluted Clear Plastic Core
 OP Fluted Opal Plastic Core; add
 \$164

Select trim color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>



Delivered	
Pricing	
\$ 1398	
1657	
1450	
1735	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

ion

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUM	BER		
	MODEL	W x H	Basic Model	Core Insert	Trim Color	Approx. Packaged Weight
	Rolling Door-180° Inline Condition	44-3/8 x 63-15/16"	URD1803664			34.0#
ì	 Includes door, attachment post, and inline door jamb 	44-3/8 x 79-15/16"	URD1803680			44.0#
	Door is non-handed and may be used in	50-3/8 x 63-15/16"	URD1804264			36.0#
	either right or left position	50-3/8 x 79-15/16"	URD1804280			45.0#
	64" models are monolithic; 80" models (shown at left) feature segmentation with this at 64".					
	with trim at 64" • Polycarbonate core inserts feature					
-	horizontal fluting pattern					
URD	Non-locking					
	 Actual door dimension extends 10-3/4" beyond its nominal door opening width 					
	Panel to which door attaches must be					
	the same width or wider than the nomi-					
	nal width of door, see Planning Guide for more details					
	See General Information preceding these					
	pages for all conditions in plan view					
a lin	Rolling Door-90° Intersection Condition Includes door, attachment post, and 90° intersection trim with jamb Door is non-handed and may be used in either right or left position	44-3/8 x 63-15/16"	URD903664			42.0#
		44-3/8 x 79-15/16"	URD903680			54.0#
		50-3/8 x 63-15/16"	URD904264			44.0#
		50-3/8 x 79-15/16"	URD904280			55.0#
	 64" models are monolithic; 80" models (shown at left) feature segmentation 					
	with trim at 64"					
	 Polycarbonate core inserts feature 					
LIDD	horizontal fluting pattern • Non-locking					
URD	Actual door dimension extends 10-3/4"					
	beyond its nominal door opening width					
	 Panel to which door attaches must be the same width or wider than the nomi- 					
	nal width of door, see Planning Guide for					
	more details					
	See General Information preceding these pages for all conditions in plan view.					
	pages for all conditions in plan view					
			A	B	Θ	I

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select core type (plastic fluted core insert).

 CP Fluted Clear Plastic Core
 OP Fluted Opal Plastic Core; add
 \$164
- Select trim color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>



D-III-	Provide the second seco	
Delivi Pricir	elivered	
\$ 1	1812	
	2149	
	1863	
	2227	
2	2221	
. .	1943	
	2278	
	1993 2356	
2	2300	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUM	BER		
	MODEL	WxH	Basic Model	Core Insert	Trim Color	Approx. Packaged Weight
<u> </u>	Rolling Door-Dead End Condition	44-3/8 x 63-15/16"	URDDE3664			43.0#
	 Includes door, attachment post and 90° 	44-3/8 x 79-15/16"	URDDE3680			53.0#
	dead end jambDoor is non-handed and may be used in	50-3/8 x 63-15/16"	URDDE4264			45.0#
	either right or left position	50-3/8 x 79-15/16"	URDDE4280			54.0#
	64" models are monolithic; 80" models					
	(shown at left) feature segmentation with trim at 64"					
<u> </u>	Polycarbonate core inserts feature					
	horizontal fluting pattern					
URD	 Non-locking Actual door dimension extends 10-3/4" 					
	beyond its nominal door opening width					
	 Panel to which door attaches must be 					
	the same width or wider than the nomi- nal width of door, see Planning Guide for					
	more details					
	See General Information preceding these					
	pages for all conditions in plan view					
1	Rolling Door-Double Dead End Condition Includes two doors, two attachment	44-3/8 x 63-15/16"	URDDDE3664			65.0#
	posts and double-sided center jamb post	44-3/8 x 79-15/16"	URDDDE3680			83.0#
	 64" models are monolithic; 80" models 	50-3/8 x 63-15/16"	URDDDE4264			69.0#
	(shown at left) feature segmentation with trim at 64"	50-3/8 x 79-15/16"	URDDDE4280			86.0#
	Polycarbonate core inserts feature					
	horizontal fluting pattern					
	 Non-locking Actual door dimension extends 10-3/4" 					
	beyond its nominal door opening width					
URD	 Panel to which door attaches must be 					
OND	the same width or wider than the nomi- nal width of door, see Planning Guide for					
	more details					
	See General Information preceding these					
	pages for all conditions in plan view					
					_	1
			A	•	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select core type (plastic fluted core insert). - Fluted Clear Plastic Core - Fluted Opal Plastic Core; add 0P

\$164

Select trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>



Delivered Pricing
\$ 1916
2251
1968
2331
2001
\$ 3443
4064
3521
4168

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

		MODEL NUM	BER		
					Approx.
MODEL	WxH	Basic Model	Core Insert	Trim Color	Packaged Weight
	44-3/8 x 63-15/16"	URDBW3664			24.0#
	44-3/8 x 79-15/16"	URDBW3680			31.0#
	50-3/8 x 63-15/16"	URDBW4264			26.0#
Door is non-handed and may be used in	50-3/8 x 79-15/16"	URDBW4280			32.0#
either right or left position					
with trim at 64"					
Polycarbonate core inserts feature					
beyond its nominal door opening width					
Panel to which door attaches must be					
 See General Information preceding these 					
pages for all conditions in plan view					
	,	A	3	0	-
	Rolling Door-Building Wall Condition Includes door, attachment post and jamb rail Jamb rail attaches to building wall Door is non-handed and may be used in either right or left position 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64" Polycarbonate core inserts feature horizontal fluting pattern Non-locking Actual door dimension extends 10-3/4" beyond its nominal door opening width Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details See General Information preceding these	Rolling Door-Building Wall Condition Includes door, attachment post and jamb rail Jamb rail attaches to building wall Door is non-handed and may be used in either right or left position 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64" Polycarbonate core inserts feature horizontal fluting pattern Non-locking Actual door dimension extends 10-3/4" beyond its nominal door opening width Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details See General Information preceding these	MODEL Rolling Door-Building Wall Condition Includes door, attachment post and jamb rail Jamb rail attaches to building wall Door is non-handed and may be used in either right or left position 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64" Polycarbonate core inserts feature horizontal fluting pattern Non-locking Actual door dimension extends 10-3/4" beyond its nominal door opening width Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details See General Information preceding these pages for all conditions in plan view	MODEL Rolling Door-Building Wall Condition Includes door, attachment post and jamb rail Jamb rail attaches to building wall Door is non-handed and may be used in either right or left position 64* models are monolithic; 80" models (shown at left) feature segmentation with trim at 64" Polycarbonate core inserts feature horizontal fluting pattern Non-locking Actual door dimension extends 10-3/4" beyond its nominal door opening width Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details See General Information preceding these pages for all conditions in plan view M x H 44-3/8 x 63-15/16" URDBW4264 URDBW4280 URDBW4280 URDBW4280 URDBW4280 □ URDBW4280 □ URDBW4280 □ URDBW4280 □ URDBW4280 □ URDBW4280 □ URDBW4280 □ URDBW4280 □ □ Insert VRDBW4264 □ □ VRDBW4264 □ □ VRDBW4280 □ □ VRDBW4264 □ □ VRDBW4264 □ □ VRDBW4264 □ □ VRDBW4264 □ □ VRDBW4264 □ □ VRDBW4264 □ □ VRDBW4264 □ □ VRDBW4264 □ VRDBW4264 □ □ VRDBW4264 □	MODEL Rolling Door-Building Wall Condition Includes door, attachment post and jamb rail Jamb rail attaches to building wall Door is non-handed and may be used in either right or left position 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64" Polycarbonate core inserts feature horizontal fluting pattern Non-locking Actual door dimension extends 10-3/4" beyond its nominal door opening width Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details See General Information preceding these pages for all conditions in plan view

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select core type (plastic fluted core insert).

 CP Fluted Clear Plastic Core
 OP Fluted Opal Plastic Core; add
 \$164
- Select trim color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>



Delive	vorod
Pricir	ing
\$ 1	
18	1838
1:	1578
13	1890

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N,

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUI	MBER		
	MODEL	L	Basic Model	Finish	Approx. Packaged Weight	
11.	Rolling Door-Threshold for use with Jamb	77-1/4"	URDT36		5.0#	
N.	Conditions	89-1/4"	URDT42		5.0#	
	 Thresholds are an accessory, designed 					
	as an option to assist door tracking					
	 Non-handed threshold model are speci- fied by nominal door opening 					
	Thresholds extend across the door open-					
	ing and in front of the attachment panel					
HRDPT	Length listed reflects attached endcaps,					
ו זעחוו	and corresponds to roughly twice the width of the door opening					
	Threshold kits include two types of floor					
	attachment - (1) adhesive back hook					
	pads that are effective on a variety of					
	carpets or (2) double back foam tape					
	pads that are effective on hard floors or hard pile carpet					
	Includes two aluminum end caps					
	Thresholds are extruded aluminum with					
	either black or clear silver anodize color					
	option					
			0	3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect finish.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Delivered Pricing

\$ 209

209

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL MI	MDED	
			MODEL NUI	MRFK	
	MODEL	L	Basic Model	Finish	Approx. Packaged n Weight
# 1	Rolling Door-Threshold for use with No-	83-1/4"	URDTNJ36		5.0#
HRDPT	Jamb Conditions Thresholds are an accessory, designed as an option to assist door tracking Non-handed threshold model are specified by nominal door opening for rolling door in "no jamb" conditions that require wider doors and longer thresholds Thresholds extend across the door opening and in front of the attachment panel Length listed reflects attached endcaps, and corresponds to roughly twice the width of the door opening Threshold kits include two types of floor attachment - (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet Includes two aluminum end caps Thresholds are extruded aluminum with either black or clear silver anodize color	95-1/4"	URDTNJ42		5.0#
	option				
	Rolling Door-Continuous Threshold	96-1/4"	URDTC		5.0#
	Thresholds are an accessory, designed as an option to assist door tracking Continuous Threshold models are designed to be installed end to end Consult space plan for the required linear feet Threshold kits include two types of floor attachment - (1) adhesive back hook	30-1/4	סוטוט		J.UII
HRDPT	attachment - (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet Includes one threshold and one aluminum end cap. End caps are not required at joints so only one end cap is included per model Threshold is extruded aluminum with either black or clear silver anodize color option		A	3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect finish.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Delivered Pricing

\$ 209

209

\$ 140

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

10-Wire System 6 Circuit "810"

			MODEL NUMBER	
			Basic	Approx. Packaged
	MODEL	PANEL WIDTH	Model	Weight
A	Rigid Wireway - 6 Circuit	24"	UET6WW.24	2.0#
	 Distributes 10-wire power and allows receptacle mounting 	30"	UET6WW.30	2.0#
	Non-directional	36"	UET6WW.36	3.0#
	Wireway can be mounted inside the base		UET6WW.42	3.0#
radius.	raceway or at beltway behind tile Accomodates two duplex receptacles per 	48"	UET6WW.48	3.0#
HRDPT	side; maximum of four per wireway	54"	UET6WW.54	4.0#
	 Receptacles are purchased separately 	60"	UET6WW.60	4.0#
	Beltway power requires UETBWM for	72"	UET6WW.72	4.0#
	mounting			
A.	Raceway Cable Trough - 6 Circuit • Steel trough manages cords at raceway	24"	UETRT.24	0.9#
		30"	UETRT.30	1.1#
		36"	UETRT.36	1.3#
		42"	UETRT.42	1.4#
**		48"	UETRT.48	1.6#
HRDPT		54"	UETRT.54	1.8#
		60"	UETRT.60	2.0#
		72"	UETRT.72	2.3#
	Beltway-Height Harness Mounting Kit - 6 Circuit		UETBWM	1.3#
	 Allows harness to mount at beltway height 			
ite /	 Includes mounting brackets and hard- ware 			
HRDPT				
. ^	Beltway Cable Trough - 6 Circuit	24"	UETBT.24	0.6#
	Steel trough manages cords at beltwayRequires UETBWM for mounting	30"	UETBT.30	0.8#
	Requires OF I BWW 101 I I I Out I III Out I I III	36"	UETBT.36	0.9#
		42"	UETBT.42	1.1#
~		48"	UETBT.48	1.3#
HRDPT		54"	UETBT.54	1.5#
		60"	UETBT.60	1.6#
		72"	UETBT.72	1.9#
			•	_

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



10-Wire System 6 Circuit "810"

Delive	ered
Pricin	ng
\$	
	102
	106
	110
	115
	125
	125
1	125
\$	11
	12
	14
	16
	17
	19
	21
	25
\$	37
	11
	12
	14
	16
	17
	19
	21
	25

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

10-Wire System 6 Circuit "810"

			MODEL MUMBER		
			MODEL NUMBER		
	MODEL	PANEL WIDTH	Basic Model	Approx. Packaged Weight	
	Harness/Power Pass Through - 6 Circuit	24"	UET6PP.24	1.0#	
	Distributes 10-wire powerNon-directional	30"	UET6PP.30	2.0#	
	Connects to adjacent rigid wireway or	36"	UET6PP.36	2.0#	
	another harness/pass through	42"	UET6PP.42	2.0#	
	Receptacle access is not provided	48"	UET6PP.48	2.0#	
HRDPT	 Length is same as corresponding rigid wireway 	54"	UET6PP.54	3.0#	
	Pass through requires panel-to-panel	60"	UET6PP.60	3.0#	
	jumpers (ordered separately)	72"	UET6PP.72	3.0#	
	In-Line Panel Jumper - 6 Circuit Used for in-line intersections Non-directional	12" Length	UET6PJINL	1.0#	
HRDPT					
	Intersection Panel Jumper - 6 Circuit	15-1/2" Length	UET6PJINT	1.0#	
	 Used for intersections Non-directional				
6					
W/					
HRDPT					
			•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



10-Wire System 6 Circuit "810"

D	ered
Р	ng
\$	114
	120
	120
	120
	125
	125
	125
	125
\$	50
φ	
\$	56

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Electrical
10-Wire System 6 Circuit "810"

			MODEL NUMBER		
	MODEL	L	Basic Model	Approx. Packaged Weight	
HRDPT	Genius In-Line Panel Jumper - 6 Circuit Used to connect Genius® (UL 183) to Unite (UL 1286) at in-line conditions Jumper is non-directional; however electrical system must originate from Genius® wall and terminate in Unite® panel Electrical system cannot alternate between Genius® and Unite® Steel corrogated sheathing and steel shielded connectors	18-1/2" Length	SET6PJINL	1.0#	
HRDPT	Genius Intersection Panel Jumper - 6 Circuit Used to connect Genius® (UL 183) to Unite (UL 1286) at 90 degree intersection conditions Jumper is non-directional; however electrical system must originate from Genius® wall and terminate in Unite panel Electrical system cannot alternate between Genius® and Unite Steel corrogated sheathing and steel shielded connectors	17-1/2" Length	SET6PJINT	1.0#	
	Vertical Jumper - 6 Circuit Jumps power from base raceway to beltway Non-directional	38-1/2" Length	UET6VJ	2.0#	
HRDPT					
			A		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



10-Wire System 6 Circuit "810"

Delive Pricin	vered na
\$	84
\$	84
\$	87

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

10-Wire System 6 Circuit "810"/with Bezel for Raceway Use

			MODEL NUM	IBER		
	MODEL	Features	Basic Model	Trim Color	Approx. Packaged Weight	
	15 Amp Duplex Receptacle with Bezel for	Circuit 1	UET6RRC.1		1.0#	
	Raceway Use - 6 Circuit	Circuit 2	UET6RRC.2		1.0#	
	Snaps to wireways of powered panels	Circuit 3	UET6RRC.3		1.0#	
	 Includes bezel with filler plate which can be removed to accept standard "modular 	Circuit 4	UET6RRC.4I		1.0#	
	furniture knockouts" or data plates	Circuit 5	UET6RRC.5I		1.0#	
	Receptacle color matches bezel color for	Circuit 6	UET6RRC.6I		1.0#	
1 DPT	circuits 1,2 and 3 4l, 5l and 6l circuit receptacles are stamped with orange triangle					
	otampou with orange thangle					
	20 Amp Receptacle with Bezel for Raceway Use - 6 Circuit Snaps to wireways of powered panels Receptacle includes one 20 amp simplex and one 15 amp simplex Occupies space of one duplex receptacle Includes bezel with filler plate which can be removed to accept standard "modular"	Circuit 1	UET6R20R.1		1.0#	
		Circuit 2	UET6R20R.2		1.0#	
		Circuit 3	UET6R20R.3		1.0#	
		Circuit 4	UET6R20R.4I		1.0#	
		Circuit 5	UET6R20R.5I		1.0#	
		Circuit 6	UET6R20R.6I		1.0#	
DPT	furniture knockouts" or data plates					
טרו	 Receptacle color matches bezel color for circuits 1,2 and 3 					
	• 41, 51 and 61 circuit receptacles are					
	stamped with orange triangle					
			A	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Metallic finish not available.



10-Wire System 6 Circuit "810"/with Bezel for Raceway Use

Dalling		
Deliver	20	
Pricing		
	9	
	9	
	9	
	9	
	9	
	9	
¢		
	2	
	2	
	2	
	2	
	2	
	2	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

10-Wire System 6 Circuit "810"/for Beltway Use

			MODEL NUM	IDED		
			MODEL NOW	IDEN		
	MODEL	Features	Basic Model	Trim Color	Approx. Packaged Weight	
	15 Amp Duplex Receptacle for Beltway	Circuit 1	UET6BRC.1		1.0#	
	Use - 6 Circuit	Circuit 2	UET6BRC.2		1.0#	
e 08	 Snaps to wireways of powered panels Receptacle color is specified only for 	Circuit 3	UET6BRC.3		1.0#	
The state of the s	circuits 1,2 and 3	Circuit 4	UET6BRC.4I		1.0#	
	 4I, 5I and 6I circuit receptacles are stamped with orange triangle Bezel is pre-specified within beltway tile 	Circuit 5	UET6BRC.5I		1.0#	
HRDPT		Circuit 6	UET6BRC.6I		1.0#	
	 For use at beltway only: raceway recep- 					
	tacles are listed separately					
		Circuit 1	UET6B20R.1		1.0#	
<i>6</i> 3a	20 Amp Receptacle for Beltway Use - 6 Circuit	Circuit 2	UET6B20R.1		1.0#	
	Snaps to wireways of powered panels	Circuit 3	UET6B20R.2		1.0#	
	 Receptacle includes one 20-amp simplex 	Circuit 4	UET6B20R.4I		1.0#	
** *	and one 15-amp simplex4I, 5I and 6I circuit receptacles are	Circuit 5	UET6B20R.5I		1.0#	
HRDPT	stamped with orange triangle	Circuit 6	UET6B20R.6I		1.0#	
	Bezel is pre-specified within beltway tile	0000	02.0020101		110"	
	 For use at beltway only: raceway receptacles are listed separately 					
	action and notice departatory					
			· ·	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Metallic finish not available.



10-Wire System 6 Circuit "810"/for Beltway Use

Delive Pricing	red g
	25
	25
	25
	25
	25 25
	20
\$	39
	39
	39
	39
	39
	39

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

10-Wire System 6 Circuit "810"

			MODEL NUM	MBER		
	MODEL L		Basic Model	Trim Color	Approx. Packaged Weight	
	Base Infeed with Bezel for Raceway Base 7	72"	UET6RBFU		7.0#	
	Gircuit Infeed is non-handed					
	Includes bezel with filler plate which can be removed to accept "modular furniture knockouts" for data plates For use with standard or tile to floor					
HRDPT	bases only					
	Base Infeed for Elevated Base - 6 Circuit 7	72"	UET6LBFU		7.0#	
1.2	Infeed is non-handedFor use with elevated base only					
	Infeed connects to rigid wireway at					
Carrie and the same of the sam	beltway					
UDDDT						
HRDPT		L				
			Φ	3		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Metallic finish not available.



10-Wire System 6 Circuit "810"

Delivered Pricing

\$ 156

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

10-Wire System 6 Circuit "810"

			MODEL N	UMBER		
	MODEL	PANEL WIDTH	Basic Model	Power Option	Trim Color	Approx. Packaged Weight
_	Top Feed with 7-Foot Pole and Top Cap	24"	UETF0724			7.3#
	- 6 Circuit	30"	UETF0730			7.4#
	Topfeed must be specified by length of	36"	UETF0736			7.6#
	top cap • For use at top of panel only	42"	UETF0742			7.8#
	When powered, infeed connects to either	48"	UETF0748			8.0#
	end of rigid wireway at base or beltway	54"	UETF0754			8.2#
ETF	 Does not occupy space for duplex receptacles 	60"	UETF0760			8.4#
IRDPT	Includes aluminum topfeed power pole,	72"	UETF0772			8.8#
	ceiling trim, top cap, and infeed when powered Infeed length 144" adds 14lbs to ship weight					
•	Top Feed with 10-foot Pole and Top Cap - 6 Circuit Topfeed must be specified by length of top cap For use at top of panel only When powered, infeed connects to either end of rigid wireway at base or beltway Does not occupy space for duplex receptacles	24"	UETF1024			9.6#
		30"	UETF1030			9.8#
		36"	UETF1036			10.0#
		42"	UETF1042			10.2#
		48"	UETF1048			10.4#
S		54"	UETF1054			10.6#
JETF IRDPT		60"	UETF1060			10.8#
	 Includes aluminum topfeed power pole, 	72"	UETF1072			11.2#
	ceiling trim, top cap, and infeed when					
	powered Infeed length 216" adds 19lbs to ship					
	weight					
			•	B	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect power.

N	- No Power
4	- 442 power infeed; add
\$156	
6	- 622 power infeed; add
\$156	
NI-+ F	Object of Many Many

Note: For Chicago and New York electrical requirements, contact your Customer Service Representative.

Select trim color.

Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>

Metallic finish not available.



Electrical 10-Wire System 6 Circuit "810"

Delive	ored.
Pricin	nq
\$;	
	317
	319
	326
	328
	329
	331
;	350
	388
	401
	404
	413
	414
	416 417
	436
•	1 50

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

10-Wire System 4 Circuit "810"

			MODEL NUMBER		
	MODEL	PANEL WIDTH	Basic Model	Approx. Packaged Weight	
	Rigid Wireway - 4 Circuit	24"	UET4WW.24	2.0#	
	Distributes 10-wire power and allows	30"	UET4WW.30	2.0#	
	receptacle mounting Non-directional	36"	UET4WW.36	3.0#	
	Wireway can be mounted inside the base	42"	UET4WW.42	3.0#	
all the second	raceway or at beltway behind tile	48"	UET4WW.48	3.0#	
HRDPT	Accomodates two duplex receptacles per aida Maximum of four paraviranes.	54"	UET4WW.54	3.0#	
	 side. Maximum of four per wireway Receptacles purchased separately 	60"	UET4WW.60	4.0#	
	Beltway power requires UETBWM for	72"	UET4WW.72	4.0#	
	mounting				
	Raceway Cable Trough - 4 Circuit	24"	UETRT.24	0.9#	
	Steel trough manages cords at raceway	30"	UETRT.30	1.1#	
		36"	UETRT.36	1.3#	
		42"	UETRT.42	1.4#	
**/		48"	UETRT.48	1.6#	
HRDPT		54"	UETRT.54	1.8#	
		60"	UETRT.60	2.0#	
		72"	UETRT.72	2.3#	
	Beltway-Height Harness Mounting Kit - 4 Circuit		UETBWM	1.3#	
nita	Allows harness to mount at beltway				
	heightIncludes mounting brackets and hard-				
14	ware				
HRDPT					
. ^	Beltway Cable Trough - 4 Circuit	24"	UETBT.24	0.6#	
	Steel trough manages cords at beltwayRequires UETBWM for mounting	30"	UETBT.30	0.8#	
	• Requires Of I Byvivi for I Houriting	36"	UETBT.36	0.9#	
		42"	UETBT.42	1.1#	
~		48"	UETBT.48	1.3#	
HRDPT		54"	UETBT.54	1.5#	
		60"	UETBT.60	1.6#	
		72"	UETBT.72	1.9#	
			(A)		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



10-Wire System 4 Circuit "810"

Deliv	orod	
Prici	na na	
\$	98	
	102	
	106	
	110	
	115	
	119	
	121	
	125	
	•	
\$	11	
7	12	
	14	
	16	
	17	
	19	
	21	
	25	
\$	37	
 \$	11	
	12	
	14	
	16	
	17	
	19	
	21	
	25	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

10-Wire System 4 Circuit "810"

			MODEL NUMBER		
				Approx.	
			Basic	Packaged	
	MODEL	PANEL WIDTH	Model	Weight	
	Harness/Power Pass Through - 4 Circuit	24"	UET4PP.24	1.0#	
	Distributes 10-wire powerNon-directional	30"	UET4PP.30	2.0#	
	· Connects to adjacent Rigid Wireway or	36"	UET4PP.36	2.0#	
	or another Harness/Pass Through	42"	UET4PP.42	2.0#	
	Receptacle access is not providedLength is same as corresponding Rigid	48"	UET4PP.48	2.0#	
HRDPT	Wireway	54"	UET4PP.54	3.0#	
	 Pass through requires panel-to-panel 	60"	UET4PP.60	3.0#	
	jumpers (ordered separately)	72"	UET4PP.72	3.0#	
~	In-Line Panel Jumper - 4 Circuit Used for in-line intersections	12" Length	UET4PJINL	1.0#	
46]	Non-directional				
UDDDT					
HRDPT	Interception Denat Immery 4 Circuit	15 1/0" Langth	UET4PJINT	1.0#	
~	Intersection Panel Jumper - 4 Circuit Used for intersections	15-1/2" Length	UE14PJIN1	1.0#	
	Non-directional				
HRDPT					
TITIOT T	Vertical Jumper - 4 Circuit	38-1/2" Length	UET4VJ	2.0#	
	 Jumps power from base raceway to 	oo i/L Longin	OLI IVO	2.0#	
	beltway • Non-directional				
	• Non-directional				
~					
HRDPT					
			Q		
			w		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



10-Wire System 4 Circuit "810"

De	elivered
Pr	ricing
\$	114
	120
	120
	120
	125
	125
	125
	125
\$	50
2	ou
\$	56
\$	87

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

10-Wire System 4 Circuit "810"/with Bezel for Raceway Use

			MODEL NUM	IBER		
ı	MODEL	Features	Basic Model	Trim Color	Approx. Packaged Weight	
1	15-Amp Duplex Receptacle with Bezel for	Circuit 1	UET4RRC.1		1.0#	
	Raceway Use - 4 Circuit	Circuit 2	UET4RRC.2		1.0#	
	Snaps to wireways of powered panels	Circuit 3	UET4RRC.3I		1.0#	
	Includes bezel with filler plate which can be removed to accept standard "modular"	Circuit 4	UET4RRC.4I		1.0#	
	furniture knockouts" or data plates					
•	Receptacle color matches bezel color for					
_	circuits 1 and 2 31 and 41 circuit receptacles are stamped					
•	with orange triangle					
	gcagc					
2	20-Amp Receptacle with Bezel for Race-	Circuit 1	UET4R20R.1		1.0#	
	way Use - 4 Circuit	Circuit 2	UET4R20R.2		1.0#	
	Snaps to wireways of powered panels Receptacle includes one 20 amp simplex	Circuit 4	UET4R20R.4I		1.0#	
`	and one 15 amp simplex					
	Occupies space of one duplex receptacle					
•	Includes bezel with filler plate which can					
	be removed to accept standard "modular furniture knockouts" or data plates					
•	Receptacle color matches bezel color for					
	circuits 1 and 2					
•	41 circuit receptacles are stamped with orange triangle					
	orange triangle					
			A	(3)		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Metallic finish not available.



10-Wire System 4 Circuit "810"/with Bezel for Raceway Use

Delive	ored
Pricin	uidu Ma
	29
	29
	29
	29
\$	42
	42
	42

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

10-Wire System 4 Circuit "810"/for Beltway Use

			MODEL NUM	IBER		
	MODEL	Features	Basic Model	Trim Color	Approx. Packaged Weight	
~	15-Amp Duplex Receptacle for Beltway	Circuit 1	UET4BRC.1		1.0#	
	Use - 4 Circuit	Circuit 2	UET4BRC.2		1.0#	
	 Snaps to wireways of powered panels Receptacle color is specified only for 	Circuit 3	UET4BRC.3I		1.0#	
	circuits 1,and 2	Circuit 4	UET4BRC.4I		1.0#	
HRDPT	 3I and 4I circuit receptacles are stamped with orange triangle 					
ПКИРТ	Bezel is pre-specified within beltway tile					
	For use at beltway only: raceway recep-					
	tacles are listed separately					
	20-Amp Receptacle for Beltway Use - 4	Circuit 1	UET4B20R.1		1.0#	
	Circuit Snaps to wireways of powered panels Receptacle includes one 20-amp simplex	Circuit 2	UET4B20R.2		1.0#	
1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Circuit 4	UET4B20R.4I		1.0#	
V Pe	and one 15-amp simples					
	4l circuit receptacle is stamped with					
HRDPT	orange triangleBezel is pre-specified within beltway tile					
	 For use at beltway only: raceway receptacles are listed separately 					
			(3		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Metallic finish not available.



10-Wire System 4 Circuit "810"/for Beltway Use

Delivere	ed
Pricing	
	25
	25
	25
2	25
\$ 3	39
	39
	39

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

10-Wire System 4 Circuit "810"

			MODEL NUM	MBER		
	MODEL L	L	Basic Model	Trim Color	Approx. Packaged Weight	
	Base Infeed with Bezel for Raceway Base 7	72"	UET4RBFU		7.0#	
	4 Circuit Infeed is non-handed					
	 Includes bezel with filler plate which can be removed to accept "modular furniture 					
	knockouts" for data plates • For use with standard or tile to floor					
HRDPT	bases only					
		72"	UET4LBFU		7.0#	
	Infeed is non-handedFor use with elevated base only					
	Infeed connects to rigid wireway at					
	beltway					
LIDDOT						
HRDPT		l	_			
			A	•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Metallic finish not available.



Electrical

10-Wire System 4 Circuit "810"

Delivered Pricing

\$ 156

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Electrical

10-Wire System 4 Circuit "810"

			MODEL N	UMBER			
	MODEL	PANEL WIDTH	Basic Model	Power Option	Trim Color	Approx. Packaged Weight	
	Top Feed with 7-Foot Pole and Top Cap	24"	UETF0724			7.3#	
	- 4 Circuit	30"	UETF0730			7.4#	
	 Topfeed must be specified by length of top cap 	36"	UETF0736			7.6#	
	For use at top of panel only	42"	UETF0742			7.8#	
	When powered,infeed connects to either	48"	UETF0748			8.0#	
\$	end of rigid wireway at base or beltway	54"	UETF0754			8.2#	
UETF	 Does not occupy space for duplex receptacles 	60"	UETF0760			8.4#	
HRDPT	 Includes aluminum topfeed power pole, 	72"	UETF0772			8.8#	
	ceiling trim, top cap, and infeed when powered Infeed length 144" adds 14lbs to ship weight						
	Top Feed with 10-foot Pole and Top Cap	24"	UETF1024			9.6#	
	- 4 Circuit	30"	UETF1030			9.8#	
	 Topfeed must be specified by length of top cap 	36"	UETF1036			10.0#	
	For use at top of panel only	42"	UETF1042			10.2#	
	When powered, infeed connects to	48"	UETF1048			10.4#	
\$	either end of rigid wireway at base or	54"	UETF1054			10.6#	
UETF	beltwayDoes not occupy space for duplex	60"	UETF1060			10.8#	
HRDPT	receptacles	72"	UETF1072			11.2#	
	 Includes aluminum topfeed power pole, 						
	ceiling trim, top cap, and infeed when						
	poweredInfeed length 216" adds 19lbs to ship						
	weight						
	-						
			•	3	Θ		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect power.

N	- No Power	
4	- 442 power infeed; add	
\$156		
6	- 622 power infeed; add	
\$156		
Inta Fau	Obigona and Nam Vaul	

Note: For Chicago and New York electrical requirements, contact your Customer Service Representative.

Select trim color.

Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>

Metallic finish not available.



Electrical 10-Wire System 4 Circuit "810"

Deliver	
Pricing	
\$ 30	04
	17
	19
	26
	28
	29
33	31
	50
\$ 38	
40	
	04
	13
	14
	16
	17
43	36

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Electrical

New York Power - 10-Wire System 6 or 4 Circuit "810"

	viio oyotoiii o oi i oiiouti oio					
		MODEL NUME	BER			
	MODEL	Basic Model	Power Option	Trim Color	Whip Color	Approx. Packaged Weight
	New York Base Infeed with Race Way	UETNYBF24				12.3#
and the state of t	Cover	UETNYBF30				12.6#
K granden and	 City of New York approved power entry box with panel to panel jumper 	UETNYBF36				12.8#
AM.	Infeed must be specified by width of	UETNYBF42				13.6#
	panel	UETNYBF48				13.8#
	Infeed comes with painted steel raceway	UETNYBF54				0.0#
√	cover with entry hole and grommet for inlet	UETNYBF60				14.5#
UENY	Can be used at base level only	UETNYBF72				15.0#
HRDPT	• 72" whip is color matched to trim					
	 Entry box is mounted to bottom horizon- tal and inlet whip enters one side of the 					
	panel					
	Panel jumper is hard wired to infeed box					
	 and plugs into wireway of adjacent panel Infeed compatible with the 10-Wire Sys- 					
	tem "810". Specify either 6 or 4 circuit					
	tom ore . Speedly states out a strout					
1						
Į.	New York Power Top Feed with 7-foot	UETNYTF0730				31.4#
*	Pole and Top Cap	UETNYTF0736				31.6#
	 Topfeed must be specified by length of top cap 	UETNYTF0742				32.3#
4	For use at top of panel only	UETNYTF0748				32.5#
	 Infeed connects at base raceway 	UETNYTF0754				0.0#
	 Includes aluminum topfeed power pole, ceiling trim and infeed 	UETNYTF0760				33.1#
	216" of conduit provided	UETNYTF0772				33.5#
	Top feed compatible with the 10-Wire					
UENY	System "810". Specify either 6 or 4					
HRDPT	circuit					
Į	New York Power Top Feed with 10-foot	UETNYTF1030				33.8#
*	Pole and Top Cap	UETNYTF1036				34.0#
	 Topfeed must be specified by length of top cap 	UETNYTF1042				34.7#
#	For use at top of panel only	UETNYTF1048				34.9#
	 Infeed connects at base raceway 	UETNYTF1054				0.0#
	Includes aluminum topfeed power pole, sailing trim and infeed.	UETNYTF1060				35.5#
	ceiling trim and infeed • 216" of conduit provided	UETNYTF1072				35.9#
**	Top feed compatible with the 10-Wire					
UENY	System "810". Specify either 6 or 4					
HRDPT	circuit					
		A	B	Θ	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select power.

4 - 4 Circuit 6 - 6 Circuit

- Select trim color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>
- ② Select whip color.
 Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Electrical

New York Power - 10-Wire System 6 or 4 Circuit "810"

Delivered Pricing	
\$ 446	
448	
451	
453	
455	
456	
459	
463	
100	
\$ 604	
608	
615	
010	
616	
616	
616 617	
616 617 617	
616 617	
616 617 617	
616 617 617	
616 617 617 634	
616 617 617 634 \$ 633	
616 617 617 634 \$ 633 635	
616 617 617 634 \$ 633 635 638	
\$ 633 635 638 647	
\$ 633 635 638 647 648	
\$ 633 635 638 647 648 649	
\$ 633 635 638 647 648	
\$ 633 635 638 647 648 649	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Rectangular

			MODEL NUMBER						
	MODEL	AxB	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight
	Rectangular Worksurfaces - 18" D	18 x 24"	UWR1824						17.0#
	 Brackets and/or supports are specified separately, two required for 24"-72" and 	18 x 30"	UWR1830						20.0#
\\\ \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	three required for larger than 72"	18 x 36"	UWR1836						24.0#
	60" and larger worksurfaces are rein-	18 x 42"	UWR1842						27.0#
	forced Grommet locations are shown	18 x 48"	UWR1848						30.0#
У.	Grommet locations are snown	18 x 54"	UWR1854						33.0#
UWR		18 x 60"	UWR1860						38.0#
		18 x 66	UWR1866						41.0#
		18 x 72	UWR1872						44.0#
	Rectangular Worksurfaces - 22" D	22 x 24	UWR2224						20.0#
UWR	 22" deep worksurfaces optimize alignment with U Series 22" storage elements Brackets and/or supports are specified 	22 x 30	UWR2230						24.0#
		22 x 36	UWR2236						28.0#
	separately, two required for 24"-72" and	22 x 42	UWR2242						32.0#
	three required for larger than 72" • 60" and larger worksurfaces are rein-	22 x 48	UWR2248						36.0#
	forced	22 x 54	UWR2254						39.0#
	Grommet locations are shown	22 x 60	UWR2260						45.0#
		22 x 66	UWR2266						49.0#
		22 x 72	UWR2272						53.0#
		22 x 84	UWR2284						60.0#
		22 x 96	UWR2296						68.0#
	Rectangular Worksurfaces - 24" D • Brackets and/or supports are specified	24 x 24	UWR2424						21.0#
UWR	separately, two required for 24"-72" and	24 x 30	UWR2430						26.0#
	three required for larger than 72"	24 x 36	UWR2436						30.0#
	60" and larger worksurfaces are rein- forced	24 x 42	UWR2442						34.0#
	Grommet locations are shown	24 x 48	UWR2448						38.0#
		24 x 54	UWR2454						43.0#
		24 x 60	UWR2460						48.0#
		24 x 66	UWR2466						53.0#
		24 x 72	UWR2472						57.0#
		24 x 84	UWR2484						65.0#
		24 x 96	UWR2496						74.0#
			Δ	3	Θ	0	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge
KN - Knife edge

C Select grommet location.

N - No grommet
C - Grommet : Left; add \$24
C - Grommet : Center; add \$24
R - Grommet : Right; add \$24
LR - Grommet : Left/right; add \$47
LC - Grommet : Left /center; add
\$47
CR - Grommet : Center/right; add
\$47
LCR - Grommet : Center/right; add

• Select surface finish.

add \$69

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select grommet color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Worksurfaces Rectangular

		_	
740	Edgo	/nifo Eda	
(74F	Edge P) (Knife Edg (KN)	
\$	182	\$ 210	
	203	229	
	218	249	
	256	290	
	274	314	
	287	327	
	297	341	
	309	351	
	314	357	
\$		213	
	207	235	
	225	257	
	265	303	
	287	327	
	303	346	
	315	358	
	324	369	
	329	377	
	352	402	
	365	416	
\$		213	
	207	235	
	225	257	
	265	303	
	287	327	
	303	346	
	315	358	
	324	369	
	329	377	
	352	402	
	365	416	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

		MODEL NU	JMBER							
	MODEL	AxB	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight	
	Rectangular Worksurfaces - 30" D	30 x 24	UWR3024						26.0#	
	Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" 60" and larger worksurfaces are reinforced	30 x 30	UWR3030						31.0#	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		30 x 36	UWR3036						36.0#	
		30 x 42	UWR3042						41.0#	
			30 x 48	UWR3048						47.0#
>.	Grommet locations are shown	30 x 54	UWR3054						52.0#	
UWR		30 x 60	UWR3060						59.0#	
		30 x 66	UWR3066						64.0#	
		30 x 72	UWR3072						69.0#	
		30 x 84	UWR3084						80.0#	
		30 x 96	UWR3096						90.0#	
			•	B	•	0	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.
 74P 74P edge

- Knife edge

CSelect grommet location.

- No grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$47 LC - Grommet : Left /center; add - Grommet : Center/right; add CR LCR - Grommet : Left /center/right;

• Select surface finish. Refer to the KI Color Addendum or KI

add \$69

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select grommet color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



417

475

Worksurfaces Rectangular

•		
740.54=	Maifa Edan	
74P Edge	Knife Edge	
(74P)	(KN)	
\$ 207	\$ 235	
225	257	
246	280	
282	321	
309	351	
319	364	
330	378	
346	394	
351	400	
400	455	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Diagonal 90° Corner

	MODEL NUMBER								
	MODEL	AxBxCxD	Basic	Edge	Grommet	Surface	Edge	Grommet	
			Model	Style	Location	Finish	Color	Color	
	Diagonal 90° Corner - 18" D	18 x 36 x 36 x 18	UWDC18363618						
	Brackets and/or supports are specified apparentally three required.	18 x 42 x 42 x 18	UWDC18424218						
	separately, three required Grommet options are limited to center	18 x 48 x 48 x 18	UWDC18484818						
	(corner) or no grommet								
P /	(comer) or me greatment								
×									
LIMO									
UWC					_				
	Diagonal 90° Corner - 22" D	22 x 36 x 36 x 22	UWDC22363622						
UWC	 Brackets and/or supports are specified separately, three required 	22 x 42 x 42 x 22	UWDC22424222						
	Grommet options are limited to center	22 x 48 x 48 x 22	UWDC22484822						
	(corner) or no grommet								
	(
	Diagonal 90° Corner - 24" D	24 x 36 x 36 x 24	UWDC24363624						
UWC	Brackets and/or supports are specified	24 x 42 x 42 x 24	UWDC2442424						
OWC	separately, three required								
	 Grommet options are limited to center 	24 x 48 x 48 x 24	UWDC24484824						
	(corner) or no grommet								
			A	(3)	Θ	O	(3	(3	
			w	U	G	U	G	U	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

74P - 74P edge
KN - Knife edge

Select grommet location.

- No grommet - Grommet : Center; add \$24

• Select surface finish.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select grommet color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Worksurfaces Diagonal 90° Corner

	Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)
	34.0#	\$ 338	\$ 388
	47.0#	363	417
	62.0#	473	542
_	37.0#	\$ 338	\$ 388
	50.0#	363	417
	65.0#	473	542
	39.0#	\$ 338	\$ 388
	52.0#	363	417
	67.0#	473	542

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

		MODEL NUMBE	R						
	MODEL	A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight
	Extended Corner - 22"	22 x 60 x 36 x 22	UWEC22603622						53.0#
e c	Brackets and/or supports are specified All 70" and	22 x 72 x 36 x 22	UWEC22723622						60.0#
	separately, two required for 24"-72" and three required for larger than 72"								
	60" and larger worksurfaces are rein-								
	forced								
	 Grommet locations are shown 								
UWC									
	Extended Corner - 24"	24 x 60 x 36 x 24	UWEC24603624						55.0#
UWC	 Brackets and/or supports are specified separately, two required for 24"-72" and 	24 x 72 x 36 x 24	UWEC24723624						62.0#
	three required for larger than 72"								
	60" and larger worksurfaces are rein-								
	forced								
	Grommet locations are shown								
			•	B	Θ	0	3	•	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

add \$69

Select edge style.
74P - 74P edge - Knife edge

CSelect grommet location.

- No grommet Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$47 LC - Grommet : Left /center; add - Grommet : Center/right; add CR LCR - Grommet : Left /center/right;
- Select surface finish. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. Surface finish offerings are based on edge

style selections.

- Select edge color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select grommet color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Knife Edge		
(KN)		
\$ 701		
806		
\$ 701		
806		
	806 \$ 701	(KN) \$ 701 806 \$ 701

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Extended Corne

		MODEL NUMBE	R						
	MODEL	AxBxCxD	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight
* *	Extended Corner - 22"	22 x 36 x 60 x 22	UWEC22366022						53.0#
	Brackets and/or supports are specified separately, two required for 24"-72" and	22 x 36 x 72 x 22	UWEC22367222						60.0#
	three required for larger than 72" • 60" and larger worksurfaces are rein-								
	forced								
> . <	Grommet locations are shown								
UWC									
	Extended Corner - 24"	24 x 36 x 60 x 24	UWEC24366024						55.0#
UWC	 Brackets and/or supports are specified separately, two required for 24"-72" and 	24 x 36 x 72 x 24	UWEC24367224						62.0#
	three required for larger than 72"								
	60" and larger worksurfaces are rein-								
	forced Grommet locations are shown								
	distilling locations are shown								
			A	3	Θ	0	3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

74P	- 74P edge
KN	- Knife edge

©Select grommet location

ociect gi	JIIIII EL IUGALIUII.
N	- No grommet
L	- Grommet : Left; add \$24
C	- Grommet : Center; add \$24
R	- Grommet : Right; add \$24
LR	- Grommet : Left/right; add \$47
LC	- Grommet : Left /center; add
\$47	
CR	- Grommet : Center/right; add
\$47	
LCR	- Grommet : Left /center/right;

②Select surface finish.
Refer to the <u>KI Color Addendum</u> or <u>KI</u>

add \$69

Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

(3) Select edge color.
Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select grommet color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Extended Corner Reductions

			MODEL NUMBE	R					
	MODEL	A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight
	Extended Corner Reduction - 18"	18 x 36 x 60 x 22	UWEC18366022						51.0#
	Brackets and/or supports are specified apparetally three required.	18 x 36 x 60 x 24	UWEC18366024						53.0#
	separately, three required 60" and larger worksurfaces are rein-	18 x 36 x 72 x 22	UWEC18367222						58.0#
	forced	18 x 36 x 72 x 24	UWEC18367224						60.0#
	 Grommet locations are shown 								
UWC									
	Extended Corner Reduction - 22"	22 x 36 x 60 x 18	UWEC22366018						51.0#
UWC	Brackets and/or supports are specified separately, three required Grommet locations are shown	22 x 36 x 60 x 24	UWEC22366024						51.0#
		22 x 36 x 72 x 18	UWEC22367218						58.0#
		22 x 36 x 72 x 24	UWEC22367224						53.0#
	Extended Corner Reduction - 24"	24 x 36 x 60 x 18	UWEC24366018						53.0#
UWC	 Brackets and/or supports are specified separately, three required 	24 x 36 x 60 x 22	UWEC24366022						55.0#
	 60" and larger worksurfaces are rein- 	24 x 36 x 72 x 18	UWEC24367218						60.0#
	forced	24 x 36 x 72 x 22	UWEC24367222						62.0#
	 Grommet locations are shown 								
			Ø	3	Θ	0	(3	•	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

74P - 74P edge
KN - Knife edge

©Select grommet location

Jillillet location.
- No grommet
- Grommet : Left; add \$24
- Grommet : Center; add \$24
- Grommet : Right; add \$24
- Grommet : Left/right; add \$47
- Grommet : Left /center; add
- Grommet : Center/right; add
- Grommet : Left /center/right;

OSelect surface finish.

add \$69

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select grommet color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Worksurfaces Extended Corner Reductions

74I (74	P Edge K IP) (I	(nife Edge KN)
\$	614 \$	3 701
	614	701
	707	806
	707	806
\$	614 \$	3 701
	614	701
	707	806
	707	806
\$		3 701
	614	701
	707	806
	707	806

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Extended Corner Reductions

			MODEL NUMBE	D					
			MODEL NOMBL	n 					
	MODEL	A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight
	Extended Corner Reduction - 18"	18 x 60 x 36 x 22	UWEC18603622						51.0#
	 Brackets and/or supports are specified separately, three required 	18 x 60 x 36 x 24	UWEC18603624						53.0#
	60" and larger worksurfaces are rein-	18 x 72 x 36 x 22	UWEC18723622						58.0#
	forced	18 x 72 x 36 x 24	UWEC18723624						60.0#
^ <i>*</i>	 Grommet locations are shown 								
UWC									
	Extended Corner Reduction - 22"	22 x 60 x 36 x 18	UWEC22603618						51.0#
UWC	Brackets and/or supports are specified separately, three required Grommet locations are shown	22 x 60 x 36 x 24	UWEC22603624						58.0#
		22 x 72 x 36 x 18	UWEC22723618						58.0#
		22 x 72 x 36 x 24	UWEC22723624						60.0#
	Extended Corner Reduction - 24"	24 x 60 x 36 x 18	UWEC24603618						53.0#
UWC	Brackets and/or supports are specified	24 x 60 x 36 x 22	UWEC24603622						55.0#
	separately, three required • 60" and larger worksurfaces are rein-	24 x 72 x 36 x 18	UWEC24723618						60.0#
	forced	24 x 72 x 36 x 22	UWEC24723622						62.0#
	 Grommet locations are shown 								
			Ø	3	Θ	0	3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

74P - 74P edge KN - Knife edge

Select grommet location.

oo.oo. g.	O.I.II.IOC IOOULIOIII
N	- No grommet
L	- Grommet : Left; add \$24
C	- Grommet : Center; add \$24
R	- Grommet : Right; add \$24
LR	- Grommet : Left/right; add \$47
LC	- Grommet : Left /center; add
\$47	
CR	- Grommet : Center/right; add
\$47	
LCR	- Grommet : Left /center/right;

OSelect surface finish.

add \$69

Refer to the KI Color Addendum or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select grommet color.
Refer to the KI Color Addendum or KI
Fabrics & Finishes binder.



Worksurfaces Extended Corner Reductions

74P (74F	Edge Kn P) (KI	
\$	614 \$	701
	614	701
	707	806
	707	806
\$	614 \$	701
	614	701
	707	806
	707	806
\$	614 \$	701
	614	701
	707	806
	707	806

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NU	MBER					
	MODEL	AxB	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight
	Conference End	24 x 51	UWCE2451						45.0#
	 Brackets and/or supports are specified separately; requires two brackets and two post legs or two worksurface sup- 	30 x 63	UWCE3063						70.0#
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~									
	port legs								
	<ul> <li>Grommet location is shown</li> </ul>								
>*									
UWP									
			Ø	3	•	0	<b>(3</b>	•	

#### **HOW TO ORDER**

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select edge style.

74P - 74P edge
KN - Knife edge

Select grommet location.

- No grommet - Grommet : Center; add \$24

• Select surface finish.

Refer to the KI Color Addendum or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

Select edge color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select grommet color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



# Worksurfaces Conference End

74P Edge (74P)			Knife (KN)	
\$	303		\$	346
	346			394

## **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tapered

			MODEL NUN	/IBER					
	MODEL	AxBxC	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight
	Tapered - 22"	22 x 48 x 30	UWT224830						39.0#
	Tapered worksurfaces allow user to face     aut of the workstation	22 x 60 x 30	UWT226030						49.0#
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	out of the workstation • 22" tapered worksurfaces align with	22 x 72 x 30	UWT227230						58.0#
	U-Series tower depths	30 x 48 x 22	UWT304822						39.0#
	Brackets and/or supports are specified     All 70" and	30 x 60 x 22	UWT306022						49.0#
•	separately, two required for 24"-72" and three required for larger than 72"	30 x 72 x 22	UWT307222						58.0#
UWT	60" and larger worksurfaces are rein-								
	forced								
	Grommet locations are shown								
	Tapered - 24"	24 x 48 x 30	UWT244830						41.0#
UWT	Tapered worksurfaces allow user to face out of the workstation	24 x 60 x 30	UWT246030						51.0#
	Brackets and/or supports are specified	24 x 72 x 30	UWT247230						60.0#
	separately, two required for 24"-72" and	30 x 48 x 24	UWT304824						41.0#
	three required for larger than 72"  • 60" and larger worksurfaces are rein-	30 x 60 x 24	UWT306024						51.0#
	forced	30 x 72 x 24	UWT307224						61.0#
	Grommet locations are shown								
			Φ	<b>3</b>	•	0	<b>(3</b>	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   □ indicate that no other alternatives
   are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style

74P - 74P edge
KN - Knife edge

C Select grommet location.

N - No grommet
L - Grommet : Left; add \$24
C - Grommet : Center; add \$24
R - Grommet : Right; add \$24
LR - Grommet : Left/right; add \$47
LC - Grommet : Left /center; add \$47
CR - Grommet : Center/right; add
\$47
LCR - Grommet : Left /center/right;

②Select surface finish.
Refer to the <u>KI Color Addendum</u> or <u>KI</u>

add \$69

Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select grommet color.
Refer to the KI Color Addendum or KI
Fabrics & Finishes binder.



74P Ec	dge Knii	fe Edge
(74P)		
\$ 4	95 \$	568
5-	41	620
5	88	673
4	95	568
5-	41	620
5	88	673
\$ 4	95 \$	568
5	41	620
5	88	673
4	95	568
5	41	620
5	88	673

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUMB	ER					
	MODEL	A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight
	Peninsula - 22" D	16 x 48 x 72 x 22	UWP16487222						71.0#
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Peninsula worksurfaces allow user to	16 x 54 x 72 x 22	UWP16547222						74.0#
	face out of the workstation  • 22" worksurfaces align with U-Series	16 x 60 x 72 x 22	UWP16607222						78.0#
// • //	tower depths								
	Brackets and/or supports are specified								
\&\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	separately, two required for 24"-72" and three required for larger than 72"								
/* * * * * * * * * * * * * * * * * * *	60" and larger worksurfaces are rein-								
JWP	forced								
	<ul> <li>Grommet locations are shown</li> </ul>								
	Peninsula - 24" D	16 x 48 x 72 x 24	UWP16487224						75.0#
JWP	Peninsula worksurfaces allow user to face out of the workstation	16 x 54 x 72 x 24	UWP16547224						78.0#
	22" worksurfaces align with U-Series	16 x 60 x 72 x 24	UWP16607224						82.0#
	tower depths								
	Brackets and/or supports are specified								
	separately, two required for 24"-72" and three required for larger than 72"								
	60" and larger worksurfaces are rein-								
	forced								
	Grommet locations are shown								
			A	(3)	0	0	<b>(3</b>	G	

### **HOW TO ORDER**

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

74P	- 74P edge
KN	- Knife edge

©Select grommet location

ocious gro	Jillillot location.
N	- No grommet
L	- Grommet : Left; add \$24
C	- Grommet : Center; add \$24
R	- Grommet : Right; add \$24
LR	- Grommet : Left/right; add \$47
LC	- Grommet : Left /center; add
\$47	
CR	- Grommet : Center/right; add
\$47	
LCR	- Grommet : Left /center/right;

• Select surface finish.

add \$69

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select grommet color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



# Worksurfaces Peninsula

74P Edge (74P)				Knife Edç (KN)		
\$	620			\$	674	
	663				770	
	685				794	

\$	620	\$	674
	663		770
	685		794

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Peninsula

			MODEL NUMB	ER					
	MODEL	A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight
	Peninsula - 22" D	22 x 72 x 48 x 16	UWP22724816						71.0#
	Peninsula worksurfaces allow user to	22 x 72 x 54 x 16	UWP22725416						74.0#
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	face out of the workstation  • 22" worksurfaces align with U-Series	22 x 72 x 60 x 16	UWP22726016						78.0#
	tower depths								
	Brackets and/or supports are specified								
	separately, two required for 24"-72" and								
UWP	three required for larger than 72" • 60" and larger worksurfaces are rein-								
	forced								
	 Grommet locations are shown 								
	Peninsula - 24" D	24 x 72 x 48 x 16	UWP24724816						75.0#
UWP	Peninsula worksurfaces allow user to face out of the workstation	24 x 72 x 54 x 16	UWP24725416						78.0#
	22" worksurfaces align with U-Series	24 x 72 x 60 x 16	UWP24726016						82.0#
	tower depths								
	Brackets and/or supports are specified All 70" and								
	separately, two required for 24"-72" and three required for larger than 72"								
	60" and larger worksurfaces are rein-								
	forced								
	Grommet locations are shown								
			A	3	Θ	0	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

74P - 74P edge
KN - Knife edge

©Select grommet location

oeiect gr	Jillillet location.
N	- No grommet
L	- Grommet : Left; add \$24
C	- Grommet : Center; add \$24
R	- Grommet : Right; add \$24
LR	- Grommet : Left/right; add \$47
LC	- Grommet : Left /center; add
\$47	
CR	- Grommet : Center/right; add
\$47	
LCR	- Grommet : Left /center/right;

DSelect surface finish.

add \$69

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u>

<u>Fabrics & Finishes binder</u>.

Select grommet color.
Refer to the KI Color Addendum or KI
Fabrics & Finishes binder.



Worksurfaces Peninsula



74P Edge (74P)			Knife Ed (KN)		
\$	620		\$	674	
	663			770	
	685			794	

\$ 620	\$	674
663		770
685		794

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° End Corner

			MODEL NUMBER	l					
			Basic	Edge	Grommet	Surface	Edge	Grommet	
	MODEL	AxBxCxD	Model	Style	Location	Finish	Color	Color	
	120° End Corner/60° User Edge - 22"	22 x 36 x 36 x 22	UW12022363622						
C	Brackets and/or supports are specified	22 x 42 x 42 x 22	UW12022424222						
B	separately, two required Grommet locations are shown	22 x 48 x 48 x 22	UW12022484822						
TO II	G. G								
41									
UWC									
	120° End Corner/60° User Edge - 24"	24 x 36 x 36 x 24	UW12024363624						
UWC	Brackets and/or supports are specified	24 x 42 x 42 x 24	UW12024424224						
	separately, two required Grommet locations are shown	24 x 48 x 48 x 24	UW12024484824						
	didililiot locatione a. 5 ss								
			A	B	0	0	A	(a)	
			w	U	G	U	G	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

/4P	- 74P eage
KN	- Knife edge

Select grommet location

Select gr	ommet location.
N	- No grommet
L	- Grommet : Left; add \$24
C	- Grommet : Center; add \$24
R	- Grommet : Right; add \$24
LR	- Grommet : Left/right; add \$47
LC	- Grommet : Left /center; add
\$47	
CR	- Grommet : Center/right; add
\$47	
LCR	- Grommet : Left /center/right;

OSelect surface finish.

add \$69

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

(3) Select edge color.
Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select grommet color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Approx.	740.51	W W E1
Packaged	74P Edge	Knife Edge
Weight	(74P)	(KN)
43.0#	\$ 704	\$ 816
50.0#	865	1006
58.0#	925	1073
45.0#	\$ 704	\$ 816
54.0#	865	1006
62.0#	925	1073

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° End Corner/60° End Corner

			MODEL NUMBER					
	MODEL	AxBxCxD	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color
	120° End Corner/90° User Edge - 22"	22 x 36 x 36 x 22	UWIC12022363622					
> / c	 Brackets and/or supports are specified 	22 x 42 x 42 x 22	UWIC12022424222					
B	separately, two required Grommet locations are shown	22 x 48 x 48 x 22	UWIC12022484822					
	dioministriodations are snown							
A								
UWC								
	120° End Corner/90° User Edge - 24" Brackets and/or supports are specified separately, two required Grommet locations are shown	24 x 36 x 36 x 24	UWIC12024363624					
UWC		24 x 42 x 42 x 24	UWIC12024424224					
		24 x 48 x 48 x 24	UWIC12024484824					
	COS Ford Courses CO and OAH	00 + 00	111111111111111111111111111111111111111					
	60° End Corner - 22 and 24"Attaches to adjacent worksurface with	22 x 22 24 x 24	UW1202260 UW1202460					
	splice plates (ordered separately)	24 X 24	UW1202460					
A	Does not feature grommets							
1								
UWC								
			•	•	•			
			A	•	Θ	O	•	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

add \$69

74P	- 74P edge	_
KN	- Knife edge	

Select grommet location

o	elect gro	IIIIIet location.
	N	- Grommet : No grommet
	L	- Grommet : Left; add \$24
	C	- Grommet : Center; add \$24
	R	- Grommet : Right; add \$24
	LR	- Grommet : Left/right; add \$47
	LC	- Grommet : Left /center; add
	\$47	
	CR	- Grommet : Center/right; add
	\$47	
	LCR	- Grommet : Left /center/right;

Select surface finish.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
 Surface finish offerings are based on edge

style selections.

(3) Select edge color.
Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select grommet color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



120° End Corner/60° End Corner

			\		
Approx.	740.5				
Packaged Weight	74P E (74P)	age	()	nife Edge KN)	
43.0#		'04	\$		
50.0#	8	65		1006	
58.0#	9	25		1073	
45.0#		39	\$		
54.0#		65		1006	
62.0#	9	25		1073	
17.0#	\$ 1	74	\$	203	
17.0#	1	74		203	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

II-Series Underhead

			MODEL NU	MBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight	
		15 x 36	UHWR1536						18.0#	
/ " >	Specify by width of underheadLeft and/or right grommets are offered	15 x 42	UHWR1542						21.0#	
	• 15" is flush to edge of storage; other	15 x 48	UHWR1548						24.0#	
	sizes are recessed to rear of worksurface	15 x 60	UHWR1560						30.0#	
*	KN edge not offered on 15" deep tops	15 x 72	UHWR1572						35.0#	
UHWR		18 x 36	UHWR1836						24.0#	
		18 x 42	UHWR1842						27.0#	
		18 x 48	UHWR1848						30.0#	
		18 x 60	UHWR1860						38.0#	
		18 x 72	UHWR1872						44.0#	
	:	22 x 36	UHWR2236						28.0#	
		22 x 42	UHWR2242						32.0#	
	:	22 x 48	UHWR2248						36.0#	
	:	22 x 60	UHWR2260						45.0#	
	:	22 x 72	UHWR2272						53.0#	
	:	24 x 36	UHWR2436						30.0#	
	:	24 x 42	UHWR2442						34.0#	
	:	24 x 48	UHWR2448						38.0#	
	:	24 x 60	UHWR2460						48.0#	
	:	24 x 72	UHWR2472						57.0#	
			4	3	Θ	O	3	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge KN - Knife edge

©Select grommet location.

N - No grommet
L - Grommet : Left; add \$24
R - Grommet : Right; add \$24
LR - Grommet : Left/right; add \$47

• Select surface finish.

Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u>
<u>Fabrics & Finishes binder</u>.

• Select grommet color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Worksurfaces U-Series Underhead

•	
74P Edge (74P)	Knife Edge (KN)
\$ 207	N/A
242	N/A

	\checkmark	
74P I	Edge	Knife Edge
(74P)		(KN)
\$		N/A
	242	N/A
	263	N/A
	276	N/A
	286	N/A
	218	249
	256	290
	274	314
	297	341
	314	357
	225	257
	265	303
	287	327
	315	358
	329	377
	225	257
	265	303
	287	327
	315	358
	329	377

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Transaction Countertops

			MODEL NUM	IBER						
	MODEL	D x W	Basic Model	Notch Location	Edge Style	Surface Finish	Edge Color	Bracket Finish	Approx. Packaged Weight	
$\overline{}$	Straight Countertops, Standard Height	16 x 24	UWTR1624						15.7#	
	 Includes cantilever support brackets and locking clips to prevent dislodgement 	16 x 30	UWTR1630						19.0#	
	Notch is required when transaction	16 x 36	UWTR1636						22.3#	
		16 x 42	UWTR1642						25.7#	
	change of height conditionsCountertops accept task lights	16 x 48	UWTR1648						29.0#	
	Transaction counters add 1-1/4" to	16 x 54	UWTR1654						32.3#	
	finished panel heights	16 x 60	UWTR1660						35.7#	
		16 x 66	UWTR1666						39.0#	
		16 x 72	UWTR1672						42.3#	
Notch locations shown		16 x 78	UWTR1678						45.7#	
		16 x 84	UWTR1684						50.2#	
UWTR	0 0 1 1 0 1 1 1 1 1 1 1	10 01	LUATTROLOGA						01.1"	
	Corner Countertops, Standard Height • Includes cantilever support brackets and	16 x 24	UWTRC1624						21.1#	
	locking clips to prevent dislodgement	16 x 30	UWTRC1630						27.8#	
	Notch is required when transaction counter is adjacent to end of run trim for	16 x 36	UWTRC1636						34.4#	
	change of height conditions • Countertops accept task lights									
	Transaction counters add 1-1/4" to									
	finished panel heights									
Notch locations shown										
UWTR										
			(A)	$oldsymbol{\Theta}$	Θ	O	•	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect notch location.

NN	- Standard
LN	- Left; add \$39
RN	- Right; add \$39
LRN	- Both; add \$79

Select edge style.

74P	- 74P edge
KN	- Knife edge

• Select surface finish.

Refer to the <u>KI Color Addendum</u> or <u>KI</u>

<u>Fabrics & Finishes binder</u>.

Surface finish offerings are based on edge style selections.

Select edge color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select bracket finish.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder



Worksurfaces Transaction Countertops

74P Edge (74P)	Knife Edge (KN)
\$ 304	\$ 346
325	375
357	414
388	453
408	477
424	496
490	561
544	632
619	707
706	829
758	881
\$ 712	\$ 821
772	898
810	947

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Transaction Countertops

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Notch Location	Edge Style	Surface Finish	Edge Color	Bracket Finish	Approx. Packaged Weight
	Straight Countertops, 32" Height	16 x 24	UWTR321624		74P				15.3#
	Includes cantilever support brackets and locking clips to prevent dislodgement Notch is required when transaction counter is adjacent to end of run trim for change of height conditions	16 x 30	UWTR321630		74P				18.6#
		16 x 36	UWTR321636		74P				21.9#
		16 x 42	UWTR321642		74P				25.3#
		16 x 48	UWTR321648		74P				28.6#
	Countertops accept task lights Transaction counters add 1-1/4" to	16 x 54	UWTR321654		74P				31.9#
↓	finished panel heights	16 x 60	UWTR321660		74P				35.2#
	Due to bracket constraints, only 74P	16 x 66	UWTR321666		74P				38.6#
	edge is available on these models	16 x 72	UWTR321672		74P				41.9#
		16 x 78	UWTR321678		74P				45.3#
Notch locations shown		16 x 84	UWTR321684		74P				49.6#
JWTR									
^	Corner Countertops, 32" Height Includes cantilever support brackets and locking clips to prevent dislodgement	16 x 24	UWTRC321624		74P				20.7#
		16 x 30	UWTRC321630		74P				27.4#
	Notch is required when transaction	16 x 36	UWTRC321636		74P				34.0#
	counter is adjacent to end of run trim for								
	change of height conditionsCountertops accept task lights								
	Transaction counters add 1-1/4" to								
	finished panel heights								
	Due to bracket constraints, only 74P edge is available on these models								
	ougo to available off those models								
Notch locations shown									
JWTR									
-			A	· • • • • • • • • • • • • • • • • • • •	•	•	3	G	1

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Fabrics & Finishes binder

A Select basic model.

BSelect notch location.

NN	- Standard	
LN	- Left; add \$39	
RN	- Right; add \$39	
LRN	- Both; add \$79	

Select edge style.

74P - 74P edge

• Select surface finish. Refer to the <u>KI Color Addendum</u> or <u>KI</u>
<u>Fabrics & Finishes binder</u>.
Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select bracket finish. Refer to the **KI Color Addendum** or **KI**



Worksurfaces

Transaction Countertops

$\overline{}$	
\//	
\bigvee	

Y /	
P Edge 4P)	
\$ 276	
297	
329	
360	
381	
395	
461	
472	
519	
677	
717	
\$ 689	
750	
789	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Worksurfaces

Freestanding Tables

			MODEL NUI	MRFK						
										Approx.
	MODEL	D x W	Basic Model	Edge Style	Frame Color	Insert Type	Insert Color	Surface Finish	Edge Color	Packaged Weight
	Freestanding Tables - Open Leg	24 x 48"	UTBL02448							51.0#
	 Table includes base support and work- surface 	24 x 60"	UTBL02460							62.0#
	Knife edge is featured on all four sides	24 x 72"	UTBL02472							74.0#
	when specified	30 x 48"	UTBL03048							71.0#
	Support gusset extends 1-1/2" below workey reason all sides.	30 x 60"	UTBL03060							73.0#
	worksurface on all sides • 29" high table provides 26-1/4" clearance	30 x 72"	UTBL03072							83.0#
	under gusset									
UTBL										
	Freestanding Tables - With Insert	24 x 48"	UTBLI2448			PS				86.0#
	 Table includes base support and work- surface 	24 x 60"	UTBLI2460			PS				97.0#
	Knife edge is featured on all four sides	24 x 72"	UTBLI2472			PS				109.0#
	when specified	30 x 48"	UTBLI3048			PS				97.0#
	Support gusset extends 1-1/2" below worksurface on all sides	30 x 60"	UTBLI3060			PS				108.0#
	29" high table provides 26-1/4" clearance under gusset	30 x 72"	UTBLI3072			PS				118.0#
UTBL	under gubbet									
			A	•	Θ	0	•	•	Ф	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

74P - 74P edge
KN - Knife edge

Select frame color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>

Select insert type.

PS - Perforated Steel

Select insert color.

Refer to the KI Color Addendum or KI
Fabrics & Finishes binder.

Select surface finish.

Refer to the KI Color Addendum or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

GSelect edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Worksurfaces Freestanding Tables

74P Edge	Knife Edge
(74P)	(KN)
\$ 660	\$ 702
763	875
774	929
743	790
848	935
844	1051
\$ 1026	\$ 935
1085	1151
1144	1148
1086	1052
1171	1250
1232	1280

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

		MODEL NUM	IBER				
	MODEL	Basic Model	Trim Color	Approx. Packaged Weight			
	Standard Cantilever Bracket	UCANTST.R		2.5#			
Left	Either left or right handed	UCANTST.L		2.5#			
ţ							
HRDPT							
1 -4	Design Bracket - Worksurface Support	UCANTD12.R		2.0#			
Left	Bracket	UCANTD12.L		2.0#			
	 For 18" deep worksurface support only; may not be used in conjunction with 						
	overheads						
HRDPT	5.55445						
		•	•				

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select trim color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>

 <u>Fabrics & Finishes binder</u>

Metallic finish not available.



Deliv Prici	red ng	
\$	28	
	28	
\$	56	
	56	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NU	JMBER			
						Approx.	
			Basic	Edge	Trim	Packaged	
	MODEL	Н	Model	Style	Color	Weight	
	Worksurface Edge Support with Lock Optional support tying worksurface edge		UWSES.R			1.0#	
٠	in to adjacent panel frame		UWSES.L			1.0#	
Right	•						
Orientation ♥ HRDPT							
HKUPI	Splice Plate		USPLPL			0.5#	
	• For use with 24" and 30" deep worksur-		USPLPL			0.5#	
~	faces						
HRDPT							
	Splice Plate - 22" Worksurface		USPLPL.22			2.4#	
€.	For use with 22" deep worksurfaces		00. 2. 2.22			2	
/··/							
,,,,							
HRDPT							
	Add-on Peninsula Attachment Plate		UPENPL24			3.8#	
1.	For use only with 74P worksurfaces		UPENPL30			4.6#	
$\overline{}$							
HRDPT							
and the second s	 Height Change Filler Plate for In-Line Use when adapting heights of in-line 	18"	UCFPI18			2.6#	
	worksurface conditions	22"	UCFPI22			3.1#	
Jane De la Caración d	Specify by worksurface depth	24"	UCFPI24			3.4#	
	 Edge style refers to worksurface that support is being attached to 	30"	UCFPI30			4.3#	
UCFP	Filler plate is intended for use between						
UGFP	26" and 29" worksurface heights, result-						
	ing gap between surfaces is 1-7/8"						
	Height Change Filler Plate for Corner	18"	UCFPC18			2.7#	
3 3	 Use when adapting heights of corner 	22"	UCFPC22			3.3#	
	worksurface conditions	24"	UCFPC24			3.5#	
	Specify by worksurface depthEdge style refers to worksurface that	30"	UCFPC30			4.3#	
UCFP	support is being attached to						
	 Filler plate is intended for use between 26" and 29" worksurface heights, result- 						
	ing gap between surfaces is 1-7/8"						
			A	B	Θ		
			$oldsymbol{\omega}$	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge

Select trim color.
Refer to the KI Color Addendum or KI
Fabrics & Finishes binder Metallic finish not available.



Delivered		
Pricing		
\$ 30		
30		
\$ 7		
Ψ		
\$ 23		
Φ 00		
\$ 20 23		
23		
\$ 36		
38		
38		
41		
\$ 36		
38		
38		
41		
41		
41		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

				MODEL NU	MBER			
	MOI	DEL	Н	Basic Model	Frame Color	Approx. Packaged Weight		
	Post	Leg Assembly - 27-3/4" Height	27-3/4"	UPL29		5.5#		
		upports standard 29" height worksur- ces						
	lat	Les						
	Ψ							
HRDPT								
	Post	Leg Assembly - 24-3/4" Height upports 26" height worksurfaces	24-3/4"	UPL26		5.0#		
,	• 50	apports 26 neight worksurfaces						
	\forall							
HRDPT								
				A	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Metallic finish not available.



Worksurface Support Post Leg

Delivered Pricing

\$ 5

\$ 56

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Support Leg Non-Panel Mounted, Open

			MODEL NUI	VIBER		
	MODEL	W x H	Basic Model	Edge Style	Frame Color	Approx. Packaged Weight
K~~	Open Leg - 27-3/4" Height	18 x 27-3/4"	UPNL01829			12.5#
	Does not allow for panel attachmentSupports standard 29" perpendicular	22 x 27-3/4"	UPNL02229			13.8#
	worksurface	24 x 27-3/4"	UPNL02429			14.4#
	Specify width by worksurface depth	30 x 27-3/4"	UPNL03029			16.2#
	 Edge style refers to worksurface that support is being attached to 					
USL						
~	Open Leg - 24-3/4" Height	18 x 24-3/4"	UPNL01826			12.0#
	Does not allow for panel attachment Supports standard 26" perpendicular	22 x 24-3/4"	UPNL02226			13.2#
	 Supports standard 26" perpendicular worksurface 	24 x 24-3/4"	UPNL02426			13.9#
	Specify width by worksurface depth	30 x 24-3/4"	UPNL03026			15.7#
	 Edge style refers to worksurface that support is being attached to 					
USL						
			Ø	3	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge

Select frame color.

Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>

**Table finish not available Metallic finish not available.



Support Leg Non-Panel Mounted, Open

Deliv Prici	vered ina	
	180	
	183	
	188	
	207	
	178	
	181	
	184	
	204	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Support Leg Non-Panel Mounted, Insert

		MODEL NU	MBER						
	MODEL	WxH	Basic Model	Edge Style	Frame Color	Insert Type	Insert Color	Approx. Packaged Weight	
Riv.	Insert Leg - 27-3/4" Height	18 x 27-3/4"	UPNLI1829			PS		16.1#	
	Does not allow for panel attachmentSupports standard 29" perpendicular	22 x 27-3/4"	UPNLI2229			PS		18.3#	
	worksurface	24 x 27-3/4"	UPNLI2429			PS		19.4#	
	 Features perforated steel insert 	30 x 27-3/4"	UPNLI3029			PS		22.4#	
	 Specify width by worksurface depth Steel insert paint color is specified 								
	separately from frame color								
SL	 Edge style refers to worksurface that 								
	support is being attached to								
K	Insert Leg - 24-3/4" Height	18 x 24-3/4"	UPNLI1826			PS		15.3#	
	 Does not allow for panel attachment Supports 26" perpendicular worksurface 	22 x 24-3/4"	UPNLI2226			PS		17.4#	
	Features perforated steel insert	24 x 24-3/4"	UPNLI2426			PS		18.4#	
	 Specify width by worksurface depth 	30 x 24-3/4"	UPNLI3026			PS		21.3#	
	 Steel insert paint color is specified separately from frame color 								
	Edge style refers to worksurface that								
ISL	support is being attached to								
			A	(3)	0	0	(3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge

- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Metallic finish not available.
- Select insert type.

 PS Perforated Steel

Select insert color.
Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Support Leg Non-Panel Mounted, Insert

Delivered Pricing	d
\$ 280	
293	
307	
339	
	
\$ 277	
291	
303	
335	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Support Leg Panel Mounted, Open

				MODEL NUI	MBER				
		MODEL	WxH	Basic Model	Left or Right Side	Edge Style	Frame Color	Approx. Packaged Weight	
	ne >-	Open Leg - 27-3/4" Height	18 x 27-3/4"	UPSL01829				13.1#	
		 Features bracketry to attach to panel frame 	22 x 27-3/4"	UPSL02229				14.4#	
	Ŷ	Left orientation shown in image	24 x 27-3/4"	UPSL02429				15.0#	
		Specify width by worksurface depth Edge style refers to worksurface that support is being attached to	30 x 27-3/4"	UPSL03029				16.9#	
			48 x 27-3/4"	UPSL04829				25.2#	
	•		54 x 27-3/4"	UPSL05429				27.1#	
USL			60 x 27-3/4"	UPSL06029				29.0#	
			72 x 27-3/4"	UPSL07229				32.9#	
		Open Leg - 24-3/4" Height	18 x 24-3/4"	UPSL01826				12.5#	
		 Features bracketry to attach to panel frame 	22 x 24-3/4"	UPSL02226				13.8#	
		Left orientation shown in image	24 x 24-3/4"	UPSL02426				14.4#	
		 Specify width by worksurface depth 	30 x 24-3/4"	UPSL03026				16.3#	
		Edge style refers to worksurface that	48 x 24-3/4"	UPSL04826				24.6#	
	·	support is being attached to	54 x 24-3/4"	UPSL05426				25.2#	
USL			60 x 24-3/4"	UPSL06026				28.4#	
			72 x 24-3/4"	UPSL07226				32.3#	
				A	B	Θ	0		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect orientation.
 - Left Right

Select edge style.

74P - 74P edge

KN - Knife edge

Select frame color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder
Metallic finish not available.



Support Leg Panel Mounted, Open

Delive	ered
Pricin	
	183
	188
	193
	210
	313
	314
	321
	349
	181
	184
	190
	208
	311
	312
	319
3	347

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Support Leg Panel Mounted, Insert

MODEL NUMBER									
			Basic	Left or	Edge	Frame	Insert	Insert	Approx. Packaged
	MODEL	WxH	Model	Right Side	Style	Color	Type	Color	Weight
160m	Insert Leg - 27-3/4" Height	18 x 27-3/4"	UPSLI1829						16.8#
	 Features bracketry to attach to panel frame 	22 x 27-3/4"	UPSLI2229						18.9#
	Specify width by worksurface depth	24 x 27-3/4"	UPSLI2429						20.0#
	 Left orientation shown in image 	30 x 27-3/4"	UPSLI3029						23.0#
	Edge style refers to worksurface that	48 x 27-3/4"	UPSLI4829						35.3#
•	support is being attached to	54 x 27-3/4"	UPSLI5429						38.6#
USL		60 x 27-3/4"	UPSLI6029						41.8#
		72 x 27-3/4"	UPSLI7229						48.3#
	Insert Leg - 24-3/4" Height	18 x 24-3/4"	UPSLI1826						15.8#
	 Features bracketry to attach to panel frame 	22 x 24-3/4"	UPSLI2226						17.9#
	Specify width by worksurface depth	24 x 24-3/4"	UPSLI2426						19.0#
	Left orientation shown in image	30 x 24-3/4"	UPSLI3026						21.9#
	Edge style refers to worksurface that	48 x 24-3/4"	UPSLI4826						33.8#
	support is being attached to	54 x 24-3/4"	UPSLI5426						35.6#
USL		60 x 24-3/4"	UPSLI6026						40.0#
		72 x 24-3/4"	UPSLI7226						46.2#
			A	3	Θ	O	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select orientation.

L	- Left
R	- Riaht

Select edge style.

74P - 74P edge

KN - Knife edge

• Select frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder
Metallic finish not available.

Select insert type.

PS - Perforated Steel

Select insert color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Support Leg Panel Mounted, Insert

Deliv	vered	
Prici		
	284	
	297	
	311	
	343	
	582	
	593	
	611	
	667	
	280	
	294	
	307	
	339	
	579	
	589	
	607	
	663	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Support Leg

				MBER				
							A	
			Basic	Left or	Edge	Frame	Approx. Packaged	
	MODEL	WxH	Model	Right Side	Style	Color	Weight	
	Center Leg (Open) - 27-3/4" Height	18 x 27-3/4"	UPSLC1829				16.5#	
	Handedness of unit indicates placen of the visible portion of the locking		UPSLC2229				18.5#	
	Leg is non-handed. Leg is centered	24 x 27-3/4"	UPSLC2429				19.4#	
	between joining worksurfaces. Righ		UPSLC3029				22.2#	
	Left selection indicate location of the							
	lockng bracket for preferred installa access. Teeth engage one vertical ro							
USL	bracket slots and cover the adjacent							
	Attaches to panel frame to join two							
	worksurfaces • Specify width by worksurface depth							
	Leg is non-handed, leg is centered							
	between joining worksurfaces and c							
	nects to left hand panel slotting and covers adjacent right hand slotting	also						
	Edge style refers to worksurface that							
	support is being attached to							
	Center Leg (Open) - 24-3/4" Height • Handedness of unit indicates placen	18 x 24-3/4"	UPSLC1826				15.9#	
	of the visible portion of the locking	late 22 x 24-5/4	UPSLC2226				17.9#	
	Leg is non-handed. Leg is centered	24 x 24-3/4"	UPSLC2426				18.8#	
	between joining worksurfaces. Righ		UPSLC3026				21.6#	
	Left selection indicate location of the locking bracket for preferred installa							
	access. Teeth engage one vertical ro	w of						
USL	bracket slots and cover the adjacent	row						
	Attaches to panel frame to join two worksurfaces							
	Specify width by worksurface depth							
	Edge style refers to worksurface that							
	support is being attached to							
			A	3	Θ	O		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect orientation.

L	- Left
R	- Riaht

Select edge style.

74P - 74P edge

KN - Knife edge

• Select frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder
Metallic finish not available.



Support Leg Panel Mounted, Center

D !!	
Delive Pricing	rered
\$ 2	91/ 21/
	219
	225
	241
\$ 2	211
	216
	220
	239

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

	MOD							
	MODEL	WxHxD	Basic Model	Assembly	Paint Color	Key Option	Approx. Packaged Weight	
	Steel Door Overhead Cabinet-On-Module	24 x 16-1/2 x 14-1/2"	PRDS24/UN/PM				32.0#	
		30 x 16-1/2 x 14-1/2"	PRDS30/UN/PM				36.0#	
	 On-Module overheads (PM) mount into slots in vertical posts. Overheads must 	36 x 16-1/2 x 14-1/2"	PRDS36/UN/PM				40.0#	
"	be the same width as panel mounted to	42 x 16-1/2 x 14-1/2"	PRDS42/UN/PM				44.0#	
	 Allows for vertical adjustment in 1" incre- 	48 x 16-1/2 x 14-1/2"	PRDS48/UN/PM				49.0#	
PRDS	ments	54 x 16-1/2 x 13 1/4"	PRDS54/UN/PM				54.0#	
		60 x 16-1/2 x 14-1/2"	PRDS60/UN/PM				57.0#	
\mathbb{A}_{\searrow}	Steel Door Overhead Cabinet-Load Bar	24 x 16-1/2 x 14-1/2"	PRDS24/UN/LB				32.0#	
	Mount	30 x 16-1/2 x 14-1/2"	PRDS30/UN/LB				36.0#	
	 Load Bar mount overheads (LB) hang from an externally mounted load bar 	36 x 16-1/2 x 14-1/2"	PRDS36/UN/LB				40.0#	
•	Load Bar purchased separately	42 x 16-1/2 x 14-1/2"	PRDS42/UN/LB				44.0#	
		48 x 16-1/2 x 14-1/2"	PRDS48/UN/LB				49.0#	
PRDS		54 x 16-1/2 x 13 1/4"	PRDS54/UN/LB				54.0#	
1		60 x 16-1/2 x 14-1/2"	PRDS60/UN/LB				57.0#	
	Steel Door Overhead Cabinet-Upmount	24 x 16-1/2 x 14-1/2"	PRDS24/UN/UM				32.0#	
	 On a 48" panel, clearance between the Universal overhead and 29" high work- 	30 x 16-1/2 x 14-1/2"	PRDS30/UN/UM				36.0#	
	surface is 18.85"	36 x 16-1/2 x 14-1/2"	PRDS36/UN/UM				40.0#	
	On a 56" panel, clearance between the	42 x 16-1/2 x 14-1/2"	PRDS42/UN/UM				44.0#	
	Universal overhead and 29" high work-	48 x 16-1/2 x 14-1/2"	PRDS48/UN/UM				49.0#	
	surface is 26.85"	54 x 16-1/2 x 13 1/4"	PRDS54/UN/UM				54.0#	
PRDS		60 x 16-1/2 x 14-1/2"	PRDS60/UN/UM				57.0#	
			A	3	Θ	0		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect assembly.

- Fully Assembled; add

- Unassembled

Select paint color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. Metallic paint requires upcharge.

• Select key alike.

- Key alike - Key standard NLC - No lock core

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish Accepts shelf divider Door stores recessed with handle exposed Double bit lock is included Shelf depth is 13-1/4"



		Metalli	C
Dα	livered	Paint add to	liet
Pri	invered	price	1151
\$	452	\$	77
	498		85
	505		86
	539		93
	570		98
	631		104
	697		119
\$	536	\$	77
	576		85
	585		86
	620		93
	653		98
	709		104
	779		119
\$	576	\$	77
	621		85
	628		86
	662		93
	694		98
	756		104
	824		119

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

		MODEL NUMBER						
	MODEL	WxHxD	Basic Model	Assembly	Paint Color	Fabric Color	Key Option	Approx. Packaged Weight
$\overline{}$	Fabric Door Overhead Cabinet-On-Module	24 x 16-1/2 x 14-1/2"	PRDF24/UN/PM					32.0#
		30 x 16-1/2 x 14-1/2"	PRDF30/UN/PM					36.0#
	 On-Module overheads (PM) mount into slots in vertical posts. 	36 x 16-1/2 x 14-1/2"	PRDF36/UN/PM					40.0#
	Overheads must be same width as panel	42 x 16-1/2 x 14-1/2"	PRDF42/UN/PM					44.0#
·	mounted to. Allows for vertical adjust-	48 x 16-1/2 x 14-1/2"	PRDF48/UN/PM					49.0#
PRDF	ment in 1" increments	54 x 17 x 19-1/4"	PRDF54/UN/PM					53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/UN/PM					57.0#
	Fabric Door Overhead Cabinet-Load Bar Mount	24 x 16-1/2 x 14-1/2"	PRDF24/UN/LB					32.0#
		30 x 16-1/2 x 14-1/2"	PRDF30/UN/LB					36.0#
	 Load Bar mount overheads (LB) hang from an externally mounted load bar 	36 x 16-1/2 x 14-1/2"	PRDF36/UN/LB					40.0#
	Load Bar purchased separately	42 x 16-1/2 x 14-1/2"	PRDF42/UN/LB					44.0#
		48 x 16-1/2 x 14-1/2"	PRDF48/UN/LB					49.0#
PRDF		54 x 17 x 19-1/4"	PRDF54/UN/LB					53.0#
		60 x 16-1/2 x 14-1/2"	PRDF60/UN/LB					57.0#
	Fabric Door Overhead Cabinet-Upmount	24 x 16-1/2 x 14-1/2"	PRDF24/UN/UM					32.0#
	 On a 48" panel, clearance between the Universal overhead and 29" high work- 	30 x 16-1/2 x 14-1/2"	PRDF30/UN/UM					36.0#
	surface is 18.85"	36 x 16-1/2 x 14-1/2"	PRDF36/UN/UM					40.0#
	On a 56" panel, clearance between the	42 x 16-1/2 x 14-1/2"	PRDF42/UN/UM					44.0#
	Universal overhead and 29" high work-	48 x 16-1/2 x 14-1/2"	PRDF48/UN/UM					49.0#
	surface is 26.85"	54 x 16-1/2 x 13 1/4"	PRDF54/UN/UM					53.0#
PRDF		60 x 16-1/2 x 14-1/2"	PRDF60/UN/UM					57.0#
			A	3	Θ	O	(3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect assembly.

- Fully Assembled; add \$136 **U**

- Unassembled Select paint color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u>

Fabrics & Finishes binder. Metallic paint requires upcharge.

Select fabric color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Select key alike.

KA NL - Key alike - No Lock - No lock core

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish Accepts shelf divider Door stores recessed with handle exposed Double bit lock is included Shelf depth is 13-1/4"



F	Delivered Pricing Fabric Grade 1 & C.O.M.	Pric	vered ing	Fabr 3 &	vered Pricing ic Grade Pallas Vertical ic Grade	Pric Palla	as Vertical ric Grade	Prici Palla	as Vertical F ic Grade a	/letallic 'aint dd to li rice	
9	\$ 477	\$	485	\$	492	\$	492	\$	497	\$	77
	520		530		537		537		542		85
	534		541		548		548		556		86
	565		574		583		583		591		93
	601		613		620		620		626		98
	582		595		600		600		611		104
	734		747		753		753		765		119
5	\$ 559	\$	565	\$	571	\$	571	\$	576	\$	77
	601		610		616		616		624		85
	613		621		629		629		634		86
	648		655		663		663		670		93
	683		693		703		703		708		98
	756		761		768		768		774		104
	815		830		837		837		844		119
5	• • • •	\$		\$	615	\$	615	\$	620	\$	77
	646		653		659		659		667		85
	656		664		674		674		680		86
	689		698		708		708		715		93
	726		737		743		743		748		98
	788		804		810		810		808		104
	857		873		879		879		887		119

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories

Overhead Storage

			MODEL NUMBE	R				
	MODEL	WxHxD	Basic Model	Assembly	Paint Color	Laminate Color	Key Option	Approx. Packaged Weight
	Laminate Door Overhead Cabinet-On-	24 x 16-1/2 x 14-1/2"	PRDL24/UN/PM					32.0#
	Module (PM)	30 x 16-1/2 x 14-1/2"	PRDL30/UN/PM					36.0#
	 On-Module overheads mount into slots in vertical posts. Overheads must be 	36 x 16-1/2 x 14-1/2"	PRDL36/UN/PM					40.0#
	same width as panel mounted to. Allows	42 x 16-1/2 x 14-1/2"	PRDL42/UN/PM					44.0#
•	for vertical adjustment in 1" increments	48 x 16-1/2 x 14-1/2"	PRDL48/UN/PM					48.0#
PRDL		54 x 16-1/2 x 13 1/4"	PRDL54/UN/PM					53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/UN/PM					57.0#
	Laminate Door Overhead Cabinet-Load	24 x 16-1/2 x 14-1/2"	PRDL24/UN/LB					32.0#
	Bar Mount (LB)	30 x 16-1/2 x 14-1/2"	PRDL30/UN/LB					36.0#
	 Load Bar mount overheads (LB) hang from an externally mounted load bar 	36 x 16-1/2 x 14-1/2"	PRDL36/UN/LB					40.0#
	Load Bar purchased separately	42 x 16-1/2 x 14-1/2"	PRDL42/UN/LB					44.0#
	, , ,	48 x 16-1/2 x 14-1/2"	PRDL48/UN/LB					48.0#
PRDL		54 x 16-1/2 x 13 1/4"	PRDL54/UN/LB					53.0#
		60 x 16-1/2 x 14-1/2"	PRDL60/UN/LB					57.0#
	Laminate Door Overhead Cabinet-	24 x 16-1/2 x 14-1/2"	PRDL24/UN/UM					32.0#
	Upmount	30 x 16-1/2 x 14-1/2"	PRDL30/UN/UM					36.0#
	 On a 48" panel, clearance between the Universal overhead and 29" high work- 	36 x 16-1/2 x 14-1/2"	PRDL36/UN/UM					40.0#
	surface is 18.85"	42 x 16-1/2 x 14-1/2"	PRDL42/UN/UM					44.0#
1	On a 56" panel, clearance between the	48 x 16-1/2 x 14-1/2"	PRDL48/UN/UM					48.0#
	Universal overhead and 29" high work-	54 x 16-1/2 x 13 1/4"	PRDL54/UN/UM					53.0#
PRDL	surface is 26.85"	60 x 16-1/2 x 14-1/2"	PRDL60/UN/UM					57.0#
			Ø	•	•	0	(3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly

- Fully Assembled; add \$136 **U**

- Unassembled

Select paint color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. Metallic paint requires upcharge.

DSelect laminate color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select key alike.

- Key alike KA KS - Key standard - No lock core

INFORMATION

Steel bottom, top shelf and end panels with powder-coated finish Accepts shelf divider Door stores recessed with handle exposed Double bit lock is included Shelf depth is 13-1/4"

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Pric	ivered cing	Metallic Paint add to l price	list
\$	611	\$	77
	670		85
	683		86
	727		93
	772		98
	798		104
	946		119
\$	691	\$	77
	749		85
	766		86
	808		93
	853		98
	936		104
	1024		119
\$	736	\$	77
	794		85
	806		86
	852		93
	895		98
	977		104
	1068		119

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUMBE	D		
			MODEL NOMBL	n	_	
	MODEL	WxHxD	Basic Model	Paint Color		
	Low Shelf-On-Module	24 x 10-1/2 x 13-1/4"	ULSR24/UN/PM		14.0#	
	On-Module shelves (PM) mount into slots in vertical posts. Shelves must be	30 x 10-1/2 x 13-1/4"	ULSR30/UN/PM		16.0#	
W. J. W. L. W.	same width as panel mounted to. Allows	36 x 10-1/2 x 13-1/4"	ULSR36/UN/PM		17.0#	
	for vertical adjustment in 1" increments	42 x 10-1/2 x 13-1/4"	ULSR42/UN/PM		19.0#	
ULSR		48 x 10-1/2 x 13-1/4"	ULSR48/UN/PM		20.0#	
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/PM		22.0#	
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/PM		24.0#	
	Low Shelf-Load Bar Mount	24 x 10-1/2 x 13-1/4"	ULSR24/UN/LB		14.0#	
	 Load Bar mount overheads (LB) hang from an externally mounted load bar 	30 x 10-1/2 x 13-1/4"	ULSR30/UN/LB		16.0#	
The state of the s	Load Bar purchased separately	36 x 10-1/2 x 13-1/4"	ULSR36/UN/LB		17.0#	
V	, , ,	42 x 10-1/2 x 13-1/4"	ULSR42/UN/LB		19.0#	
ULSR		48 x 10-1/2 x 13-1/4"	ULSR48/UN/LB		20.0#	
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/LB		22.0#	
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/LB		24.0#	
	Low Shelf-Upmount	24 x 10-1/2 x 13-1/4"	ULSR24/UN/UM		14.0#	
Sarah Sarah	On a 48" panel, clearance between the Universal overhead and 29" high work-	30 x 10-1/2 x 13-1/4"	ULSR30/UN/UM		16.0#	
	surface is 18.85"	36 x 10-1/2 x 13-1/4"	ULSR36/UN/UM		17.0#	
	On a 56" panel, clearance between the	42 x 10-1/2 x 13-1/4"	ULSR42/UN/UM		19.0#	
v	Universal overhead and 29" high work- surface is 26.85"	48 x 10-1/2 x 13-1/4"	ULSR48/UN/UM			
ULSR	Surface is 20.00	54 x 10-1/2 x 13-1/4"	ULSR54/UN/UM			
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/UM		24.0#	
			(2)	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect paint color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**. Metallic paint requires upcharge.

INFORMATION

Includes 10-1/2" high back Accepts shelf dividers Shelves shipped assembled



Delive Pricin	g	Metalli Paint add to price	list
	197	\$	77
	204		85
	215		86
	223		93
	227		98
	238		104
	249		119
	277	\$	77
	286		85
	294		86
	304		93
	308		98
	321		104
	330		119
	320	\$	77
	327		85
	338		86
	349		93
	352		98
	363		104
3	376		119

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL MUMBE			
			MODEL NUMBER	K 		
	MODEL	WxHxD	Basic Model	Paint Color	Approx. Packaged Weight	
	Regular Shelf-On-Module	24 x 16-1/2 x 13-1/4"	URSR24/UN/PM		19.0#	
	 On-Module shelves mount into slots in vertical posts. Shelves must be same 	30 x 16-1/2 x 13-1/4"	URSR30/UN/PM		20.0#	
WILL SHAPE	width as panel mounted to. Allows for	36 x 16-1/2 x 13-1/4"	URSR36/UN/PM		22.0#	
Limit	vertical adjustment in 1" increments	42 x 16-1/2 x 13-1/4"	URSR42/UN/PM		23.0#	
·		48 x 16-1/2 x 13-1/4"	URSR48/UN/PM		25.0#	
URSR		54 x 16-1/2 x 13-1/4"	URSR54/UN/PM		27.0#	
		60 x 16-1/2 x 13-1/4"	URSR60/UN/PM		28.0#	
	Regular Shelf-Load Bar Mount	24 x 16-1/2 x 13-1/4"	URSR24/UN/LB		19.0#	
	 Load Bar mount overheads (LB) hang from an externally mounted load bar 	30 x 16-1/2 x 13-1/4"	URSR30/UN/LB		20.0#	
	Load Bar purchased separately	36 x 16-1/2 x 13-1/4"	URSR36/UN/LB		22.0#	
LULLE	Load Bar paronassa soparatory	42 x 16-1/2 x 13-1/4"	URSR42/UN/LB		23.0#	
•		48 x 16-1/2 x 13-1/4"	URSR48/UN/LB		25.0#	
URSR		54 x 16-1/2 x 13-1/4"	URSR54/UN/LB		27.0#	
		60 x 16-1/2 x 13-1/4"	URSR60/UN/LB		28.0#	
$\overline{}$	Regular Shelf-Upmount	24 x 16-1/2 x 13-1/4"	URSR24/UN/UM		19.0#	
	 On a 48" panel, clearance between the Universal overhead and 29" high work- 	30 x 16-1/2 x 13-1/4"	URSR30/UN/UM		20.0#	
L LINE	surface is 18.85"	36 x 16-1/2 x 13-1/4"	URSR36/UN/UM		22.0#	
	 On a 56" panel, clearance between the 	42 x 16-1/2 x 13-1/4"	URSR42/UN/UM		23.0#	
	Universal overhead and 29" high work-	48 x 16-1/2 x 13-1/4"	URSR48/UN/UM		25.0#	
	surface is 26.85"	54 x 16-1/2 x 13-1/4"	URSR54/UN/UM		27.0#	
URSR		60 x 16-1/2 x 13-1/4"	URSR60/UN/UM		28.0#	
			A	3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect paint color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**. Metallic paint requires upcharge.

INFORMATION

Includes full back Accepts shelf dividers Shelves shipped assembled

		Metallio	2
		Paint	
Delive	ored Control of the C	add to	list
Pricin		price	
	212	\$	77
	220		85
	227		86
	234		93
	244		98
	252		104
2	264		119
	292	\$	77
3	301		85
	308		86
	317		93
3	324		98
3	331		104
	347		119
	335	\$	77
	346		85
	352		86
	358		93
	367		98
	375		104
3	388		119

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

		MODEL NUN	/IBER		
	MODEL	Basic Model	Trim Color	Approx. Packaged Weight	
HRDPT	Universal Overhead On-Module Mounting Bracket Sold in pairs / Black only Mounts into slots in vertical posts Allows for vertical adjustments in 1" increments Only necessary to order if changing mounting style	48.0261.SET		1.0#	
	Load Bar Brackets Load Bar mount overheads hang from an externally mounted load bar Load Bar purchased separately, Sold in pairs	46.2103		1.0#	
HRDPT	Upmount Brackets On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85" Sold in pairs	46.1234		1.0#	
		(A)	3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**

Metallic finish not available.



Delivered Pricing
\$ 39
\$ 121
e 150
\$ 150

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NU	JMBER				
	MODEL	WxH	Basic Model	Trim Color	Mounting	Fabric Color	Approx. Packaged Weight	
	Universal Shelf Dividers • Steel shelf dividers with powder-coated finish • Fits on all shelves and cabinets	7-1/4 x 11-1/2"	NSD				1.0#	
HRDPT								
	Wall Mounted Load Bar	24"	SWLB.24				5.0#	
	 Supports overhead storage on drywall or other non-panel applications 	30"	SWLB.30				6.0#	
	other non-paner applications	36"	SWLB.36				7.0#	
		42"	SWLB.42				8.0#	
		48"	SWLB.48				10.0#	
HRDPT		54"	SWLB.54				13.0#	
		60"	SWLB.60				12.0#	
		66"	SWLB.66				13.0#	
		72"	SWLB.72				14.0#	
		84"	SWLB.84				17.0#	
		96"	SWLB.96				19.0#	
	Overhead Tackboard	24 x 12"	PTB02412				3.0#	
	 Hangs from bottom of overhead cabinet or shelf 	30 x 12"	PTB03012				3.0#	
	 Includes mounting brackets in black only 	36 x 12"	PTB03612				3.0#	
	morado mounting practice in plact conf	42 x 12"	PTB04212				4.0#	
		48 x 12"	PTB04812				4.0#	
PTB0		54 x 12"	PTB05412				4.0#	
		60 x 12"	PTB06012				4.0#	
			•	3	Θ	0		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Metallic finish not available.

Select mounting.

NLBM - Not load bar mounted

YLBM - Load bar mounted

• Select fabric color. Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder



Deli ¹ Pric	vered ing	ng	Prici	vered ing ic Grade	Fabr 3 &	vered Pricing ric Grade Pallas Vertical ric Grade	Pric Palla	as Vertical ric Grade	Prici Palla	as Vertical ic Grade
\$	27									
\$	115									
	123									
	125									
	138 143									
	169									
	170									
	172									
	179									
	277									
	290									
	N/A	\$ 139	\$	142	\$	145	¢	152	\$	161
	N/A	153		156	φ	158	φ	167	φ	175
	N/A	168		172		174		179		188
	N/A	173		177		179		184		198
	N/A	176		179		181		188		201
	N/A	201		206		210		217		228
	N/A	209		214		216		225		236
	IV/A	203		217		210		220		200

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories Shelf/Cabinet Task Light

			MODEL NUMBER			
	MODEL	w	Basic Model	Approx. Packaged Weight		
	Shelf/Cabinet Task Light	18"	TLT5.18	3.4#		
	Attaches to the bottom of overhead storage cabinet or shelf	24"	TLT5.24	3.9#		
//-/	Task lights are specified by the cabinet	36"	TLT5.36	5.3#		
	width to which they are attached. See	48"	TLT5.48	6.7#		
P	"INFORMATION" at bottom of price list					
\int	page for sizing chart. • Attachment hardware included					
w.	Electronic NPF ballast					
HRDPT	T5 Florescent bulb					
	Center located, 9' cord with 90 degree, 3					
	prong plugCenter located, two position rocker					
	switch					
	Cord and power switch on 24" wide					
	located left of center Standard color of casing is black					
	- Otanidard Color of Cashing is black					
			A			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

TASK LIGHT CABINET WIDTH

Gabillet	Ligiii
Width	Width
24"	18"
30"	24"
36"	24"
42"	36"
48"	36"
54"	48"
60"	48"



Universal Storage and Accessories Shelf/Cabinet Task Light

Deliv Prici	ered ng
\$	77
	79
	86
	94

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories

			MODEL NUMBER	
				Approx.
			Basic	Packaged
	MODEL	W	Model	Weight
	Attaches to the bottom of overhead storage cabinets or shelving Task lights are specified by the cabinet	12"	LEDTK.12.SGL.GN	1.2#
		17"	LEDTK.17.SGL.GN	1.6#
		31"	LEDTK.31.SGL.GN	2.1#
		44"	LEDTK.44.SGL.GN	2.3#
M.				
HRDPT	Slim profile mounts effortlesly via			
	magnets or screw-in bracket			
	 Attachment hardware included Touch and hold dimmability with last- 			
	state memory			
	Silver anodized aluminum body/black			
	plastic end caps • 18W energy consumption			
	9' power supply			
	Includes 2 cord managers			
	Starter Unit - Overhead LED Task Light	12"	LEDTK.12.DCP.GN	1.2#
	Attaches to the bottom of overhead stor-	17"	LEDTK.12.DCP.GN	1.6#
	age cabinets or shelving	31"	LEDTK.17.DCP.GN	2.1#
	Task lights are specified by the cabinet width to which they are attached. See	44"	LEDTK.44.DCP.GN	2.3#
	"INFORMATION" below for sizing chart.	44	LLDTK.44.DOI.GN	2.07
HRDPT	Slim profile mounts effortlesly via			
	magnets or screw-in bracket • Attachment hardware included			
	Touch and hold dimmability with last-			
	state memory			
	Silver anodized aluminum body/black plastic end caps			
	Daisy chain with Adder units			
	60W energy consumption			
	11' power supplyIncludes 2 cord managers			
	Refer to Interlinking Combination table			
	below for optimal performance of daisy			
	chained fixtures			
			A	



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION LED TASK LIGHT CABINET WIDTH

Cabinet Light Width Width 24" 12" or 17" 30" 17" 17" 36" 42" 31" 31" 54" 44" 60" 44"

44"

44"

66"



Universal Storage and Accessories

.	
Prici	vered
r ποπ	111
	142
	174
	200
	145
	182
	214
	242

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (DAISY CHAIN)

# of	# of	# of	# of
12"	17"	31"	44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	Ō
2	1	1	0
2	Ö	2	Ō
2	Ō	0	1

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (cont.)
(DAISY CHAIN)

# of	# of	# of	# of
12"	17"	31"	44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI **54220, freight prepaid.** Freight class 70.

Universal Storage and Accessories

			MODEL NUMBER			
				Approx.		
			Basic	Packaged		
	MODEL	W	Model	Weight		
	Adder Unit - Overhead LED Task Light	12"	LEDTK.12.DCA.GN	1.2#		
	Attaches to the bottom of overhead stor-	17"	LEDTK.17.DCA.GN	1.6#		
	age cabinets or shelvingTask lights are specified by the cabinet	31"	LEDTK.31.DCA.GN	2.1#		
6	width to which they are attached. See	44"	LEDTK.44.DCA.GN	2.3#		
	"INFORMATION" below for sizing chart.					
HRDPT	Slim profile mounts effortlesly via magnets or screw-in bracket					
	Attachment hardware included Touch and hold dimmability with last-					
	state memory					
	 Silver anodized aluminum body/black plastic end caps 					
	Daisy chain with Starter units					
	 18' jumper cord and connect to starter 					
	unit • Includes 2 cord managers					
	Does not inloude power supply; must					
	purchase starter unit with power supply					
	Controlled by the on/off/dimmer of the starter unit					
	Refer to Interlinking Combination table					
	below for optimal performance of daisy					
	chained fixtures					
			Ø			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

LED TASK LIGHT CABINET WIDTH Cabinet Light Width

Width 24" 12" or 17" 30" 17" 17" 36" 42" 31" 54" 44" 60" 66" 44" 44" 72" 44"



Universal Storage and Accessories

Deli Prio	vered ing	
\$	72	
	83	
	115	
	142	

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (DAISY CHAIN)

# of	# of	# of	# of
12"	17"	31"	44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)

# of	# of	# of	# of
			יוט ייד
12"	17"	31"	44"
1	4	0	<u> </u>
1	3	0	0
11	2	11	0
1	2	0	1
1	1	11	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	<u> </u>
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Balance® Storage and Accessories Overhead Storage

			MODEL NUMBER					
	MODEL	WxHxD	Basic Model	Cabinet Paint Color	Upper Door Solid Color	Key Option	Approx. Packaged Weight	
	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/UN/PM				46.0#	
	Upper Door-On Module (PM)	36 x 17 x 19-1/4"	BLCS36/UN/PM				52.0#	
	 Colored or translucent extruded polypro- pylene door 	42 x 17 x 19-1/4"	BLCS42/UN/PM				58.0#	
	On-Module overheads mount into slots	48 x 17 x 19-1/4"	BLCS48/UN/PM				64.0#	
	in vertical posts. Overheads must be	54 x 17 x 19-1/4"	BLCS54/UN/PM				72.0#	
	same width as panel mounted to. Allows for vertical adjustment in 1" increments	60 x 17 x 19-1/4"	BLCS60/UN/PM				78.0#	
ВОН	for vertical adjustment in 1 increments							
A	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/UN/LB				46.0#	
	Upper Door-Load Bar Mount	36 x 17 x 19-1/4"	BLCS36/UN/LB				52.0#	
	 Colored or translucent extruded polypro- pylene door 	42 x 17 x 19-1/4"	BLCS42/UN/LB				58.0#	
	Load Bar Mount overheads hang from an externally mounted load bar Load Bar purchased separately	48 x 17 x 19-1/4"	BLCS48/UN/LB				64.0#	
		54 x 17 x 19-1/4"	BLCS54/UN/LB				72.0#	
		60 x 17 x 19-1/4"	BLCS60/UN/LB				78.0#	
ВОН								
	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/UN/UM				46.0#	
	Upper Door-Load Bar-Upmount	36 x 17 x 19-1/4"	BLCS36/UN/UM				52.0#	
	 Colored or translucent extruded polypro- pylene door 	42 x 17 x 19-1/4"	BLCS42/UN/UM				58.0#	
	Upmount brackets raise the storage 12"	48 x 17 x 19-1/4"	BLCS48/UN/UM				64.0#	
[>	On a 48" panel, clearance between the	54 x 17 x 19-1/4"	BLCS54/UN/UM				72.0#	
•	Balance overhead and 29" high worksur- face is 18.85"	60 x 17 x 19-1/4"	BLCS60/UN/UM				78.0#	
ВОН	On a 56" panel, clearance between the							
	Balance overhead and 29" high worksur-							
	face is 26.85"							
			•	•	•	0		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select upper door color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

• Select key alike.

KA	- Key alike	
KS	 Key standard 	Ī
NLC	- No lock core	Ī

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet
Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

Balance® Storage and Accessories Overhead Storage

Delivered	
Pricing	
\$ 924	
984	
1036	
1071	
1133	
1194	
\$ 1068	
1129	
1177	
1213	
1275	
1337	
* 200	
\$ 999	
1059	
1110	
1145	
1201	
1271	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Manitowoc, WI **54220, freight prepaid.** Freight class 77.5.

Balance® Storage and Accessories Overhead Storage

	MODEL NUMBER							
			INOBEL NOMBE					
	MODEL	WxHxD	Basic Model	Cabinet Paint Color	Fabric Color	Key Option	Approx. Packaged Weight	
	Balance® Overhead Cabinet-Fabric Upper	30 x 17 x 19-1/4"	BLCF30/UN/PM				46.0#	
	Door-On-Module	36 x 17 x 19-1/4"	BLCF36/UN/PM				52.0#	
	 On-Module overheads (PM) mount into slots in vertical posts 	42 x 17 x 19-1/4"	BLCF42/UN/PM				58.0#	
	Overheads must be same width as panel	48 x 17 x 19-1/4"	BLCF48/UN/PM				64.0#	
	mounted to	54 x 17 x 19-1/4"	BLCF54/UN/PM				71.0#	
ВОН	Allows for vertical adjustment in 1" incre-	60 x 17 x 19-1/4"	BLCF60/UN/PM				78.0#	
	ments.							
A	Balance® Overhead Cabinet-Fabric Upper	30 x 17 x 19-1/4"	BLCF30/UN/LB				46.0#	
	Door-Load Bar Mount	36 x 17 x 19-1/4"	BLCF36/UN/LB				52.0#	
	 Load Bar Mount overheads (LB) hang from an externally mounted load bar 	42 x 17 x 19-1/4"	BLCF42/UN/LB				58.0#	
	Load Bar purchased separately	48 x 17 x 19-1/4"	BLCF48/UN/LB				64.0#	
		54 x 17 x 19-1/4"	BLCF54/UN/LB				71.0#	
		60 x 17 x 19-1/4"	BLCF60/UN/LB				78.0#	
ВОН								
	Balance® Overhead Cabinet-Fabric Upper	30 x 17 x 19-1/4"	BLCF30/UN/UM				46.0#	
	Door-UpmountUpmount brackets raise the storage	36 x 17 x 19-1/4"	BLCF36/UN/UM				52.0#	
	component 12"	42 x 17 x 19-1/4"	BLCF42/UN/UM				58.0#	
	 On a 48" panel, clearance between the 	48 x 17 x 19-1/4"	BLCF48/UN/UM				64.0#	
r P	Balance overhead and 29" high worksur-	54 x 17 x 19-1/4"	BLCF54/UN/UM				71.0#	
	face is 18.85" • On a 56" panel, clearance between the	60 x 17 x 19-1/4"	BLCF60/UN/UM				78.0#	
ВОН	Balance overhead and 29" high worksur-							
	face is 26.85"							
			•	3	Θ	O		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect cabinet paint color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select upper door color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder

• Select key alike.

- Key alike - No Lock - No lock core

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet
Will accept hanging tool rail and tackboards (Attachment bar ordered separately)



Balance® Storage and Accessories Overhead Storage

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 998	\$ 1007	\$ 1018	\$ 1018	\$ 1023
1063	1072	1086	1086	1089
1115	1128	1140	1140	1144
1158	1166	1178	1178	1183
1221	1231	1246	1246	1251
1290	1301	1317	1317	1323
\$ 1140	\$ 1148	\$ 1162	\$ 1162	\$ 1165
1207	1215	1230	1230	1234
1260	1271	1285	1285	1289
1296	1307	1323	1323	1329
1356	1365	1381	1381	1387
1432	1443	1459	1459	1465
\$ 1074	\$ 1083	\$ 1096	\$ 1096	\$ 1100
1137	1146	1162	1162	1165
1193	1202	1215	1215	1220
1231	1242	1254	1254	1260
1294	1303	1319	1319	1320
1362	1377	1390	1390	1395

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

Balance® Storage and Accessories

Overhead Storage

			MODEL NUMBE	R				
	MODEL	WxHxD	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Key Option	Approx. Packaged Weight
	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/UN/PM					46.0#
	Upper Door-On-Module	36 x 17 x 19-1/4"	BLCL36/UN/PM					52.0#
	 On-Module overheads (PM) mount into slots in vertical posts. Overheads must 	42 x 17 x 19-1/4"	BLCL42/UN/PM					58.0#
	be the same width as panel mounted to	48 x 17 x 19-1/4"	BLCL48/UN/PM					64.0#
	 Allows for vertical adjustment in 1" incre- 	54 x 17 x 19-1/4"	BLCL54/UN/PM					71.0#
ВОН	ments.	60 x 17 x 19-1/4"	BLCL60/UN/PM					78.0#
A	Balance® Overhead Cabinet-Laminate Upper Door-Load Bar Mount • Load Bar Mount overheads (LB) hang from an externally mounted load bar • Load Bar purchased separately	30 x 17 x 19-1/4"	BLCL30/UN/LB					46.0#
		36 x 17 x 19-1/4"	BLCL36/UN/LB					52.0#
		42 x 17 x 19-1/4"	BLCL42/UN/LB					58.0#
		48 x 17 x 19-1/4"	BLCL48/UN/LB					64.0#
		54 x 17 x 19-1/4"	BLCL54/UN/LB					71.0#
ВОН		60 x 17 x 19-1/4"	BLCL60/UN/LB					78.0#
\wedge	Balance® Overhead Cabinet-Laminate Upper Door-Upmount • Upmount brackets raise the storage component 12"	30 x 17 x 19-1/4"	BLCL30/UN/UM					46.0#
		36 x 17 x 19-1/4"	BLCL36/UN/UM					52.0#
		42 x 17 x 19-1/4"	BLCL42/UN/UM					58.0#
	• On a 48" panel, clearance between the	48 x 17 x 19-1/4"	BLCL48/UN/UM					64.0#
ß	Balance overhead and 29" high worksur-	54 x 17 x 19-1/4"	BLCL54/UN/UM					71.0#
V	face is 18.85"	60 x 17 x 19-1/4"	BLCL60/UN/UM					78.0#
ВОН	 On a 56" panel, clearance between the Balance overhead and 29" high worksur- face is 26.85" 							
			•	•	Θ	0	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select cabinet paint color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder
- Select upper door laminate color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- OSelect laminate door edge color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select key alike.

KA	- Key alike	
KS	- Key standard	
NI C	- No lock core	

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Balance® Storage and Accessories Overhead Storage

De	vered
	sing State of the
	1134
	1166
	1244
	1331
	1414
	1498
	1277
	1307
	1387
	1472
	1563
	1643
\$	1211
	1243
	1321
	1406
	1521
	1574

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Manitowoc, WI **54220**, freight prepaid. Freight class 77.5.

			MODEL NUM	IBER	
	MODEL	W	Basic Model	Paint Color	Approx. Packaged Weight
	Balance® Overhead On-Module Mounting		BOA/UN/PM		5.0#
	Bracket				
	Sold in pairsMounts into slots in vertical posts				
₹ <u> </u>	Black only				
200					
BOA	Load Bar Brackets		BOA/UN/LB		5.0#
	Load Bar mount overheads (LB) hang		DUA/UN/LD		5.0#
	from an externally mounted load bar				
H H	Load Bar purchased separately Sold in pairs				
	Sold in pairs				
BOA					
<u>~</u>	Upmount Brackets		BOA/UN/UM		5.0#
	On a 48" panel, clearance between the Balance® overhead and 29" high work-				
	surface is 18.85"				
4.	 On a 56" panel, clearance between the 				
	Balance® overhead and 29" high work-				
• •	surface is 26.85" • Sold in pairs				
BOA		7-1/4 x 11-1/2"	NSD		1.0#
	Shelf DividersSteel shelf dividers with powder coat	7-1/4 X 11-1/2	เพอบ		1.0#
[finish				
	Fits on all shelves and cabinets				
HRDPT					
	Wall Mounted Load Bar	24"	SWLB.24		5.0#
		30"	SWLB.30		6.0#
		36"	SWLB.36		7.0#
		42"	SWLB.42		8.0#
		48"	SWLB.48		10.0#
HRDPT		54"	SWLB.54		13.0#
		60"	SWLB.60		12.0#
		66"	SWLB.66		13.0#
		72"	SWLB.72		14.0#
		84" 96"	SWLB.84 SWLB.96		17.0# 19.0#
		90			19.0#
			(A)	3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect paint color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder Metallic finish not available.

Deliv	vered
Prici	ing 157
\$	157
\$	107
φ	
\$	241
\$	27
Ψ	
 \$	115
	123
	125
	138
	143
	169 170
	172
	179
	277
	290

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

	MODEL Overhead Tackboard • Hangs from bottom of flipper door cabinet or shelf • When hanging from Balance® overhead	W x H 24 x 12" 30 x 12"	Basic Model PTB02412	Trim Color	Approx. Packaged Weight	Delivered	
	Hangs from bottom of flipper door cabinet or shelf		PTB02412		weigiit	Pricing	
	cabinet or shelf	30 x 12"			3.0#	N/A	
			PTB03012		3.0#	N/A	
		36 x 12"	PTB03612		3.0#	N/A	
	or U-Series sliding overhead, specify at-	42 x 12"	PTB04212		4.0#	N/A	
	tachment bar BMB (purchase separately)	48 x 12"	PTB04812		4.0#	N/A	
PTB0	 Includes mounting brackets in black only 	54 x 12"	PTB05412		4.0#	N/A	
			PTB06012		4.0#	N/A	
		24 x 16"	PTB02416		3.0#	N/A	
		30 x 16"	PTB03016		4.0#	N/A	
		36 x 16"	PTB03616		4.0#	N/A	
		42 x 16"	PTB04216		5.0#	N/A	
		48 x 16"	PTB04816		5.0#	N/A	
		54 x 16"	PTB05416		6.0#	N/A	
		60 x 16"	PTB06016		6.0#	N/A	
	Annual contract the second sec	30"	BMB30		3.0#	\$ 38	
	hottom of overhead to accent overhead	36"	BMB36		3.0#	38	
	tackboard	42"	BMB42		3.0#	39	
		48"	BMB48		4.0#	46	
	18-gauge steelBlack only	54"	BMB54		4.0#	47	
	- black only	60"	BMB60		4.0#	49	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Metallic finish not available.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 139	\$ 143	\$ 145	\$ 152	\$ 161	_
153	156	158	167	175	
168	172	174	179	188	
173	177	179	184	198	
176	179	181	188	201	
201	206	210	217	228	
209	214	216	225	236	
200	205	209	215	228	
206	212	216	221	239	
211	216	220	227	243	
215	220	225	232	246	
225	232	236	243	260	
234	242	246	254	270	
245	250	258	264	285	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Balance® Storage and Accessories Overhead Task Light

			MODEL NUMBER			
			Basic	Approx. Packaged		
	MODEL	W	Model	Weight		
	Overhead Task Light	24"	BTLT5.24	3.9#		
	Attaches to the bottom of overhead storage cabinet	36"	BTLT5.36	5.3#		
//-/	age caoniet Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" at bottom of price list page for sizing chart. Attachment hardware included Electronic NPF ballast T5 Florescent bulb Center located, 9' cord with 90 degree, 3 prong plug	48"	BTLT5.48	6.7#		
ø						
S						
HRDPT						
	Center located, two position rocker					
	switch					
	Cord and power switch on 24" wide located left of center					
	Standard color of casing is black					
			Λ			



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

TASK LIGHT CABINET WIDTH Cabinet Light Width 24" 30" 36" 42" 18" 24" 24"

36" 48" 36" 54" 60" 48" 48"



Balance® Storage and Accessories Overhead Task Light

Deli Pric	/ered	
	106	
	116	
	121	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Mohile

				MODEL NUN	ADED.			
				MODEL NON	IDEN			
	MODEL	Features	WxDxH	Basic Model	Unit Color	Lock Option	Pull Style	Approx. Packaged Weight
	Pedestal - MBF	Mobile	15 x 17-5/8" x 21-3/4"	ULP20MBF				38.0#
	One 6" box drawerOne 12" file drawer	Mobile	15 x 21-5/8" x 21-3/4"	ULP24MBF				42.0#
	5th wheel eliminates need for counter-							
	balance weight							
	 Optional dividers sold separately 							
•								
USLP								
	Pedestal - BBF Two 6" box drawers	Mobile	15 x 17-5/8" x 27-5/8"	ULP20MBBF				
	One 12" file drawer	Mobile	15 x 21-5/8" x 27-5/8"	ULP24MBBF				51.0#
	5th wheel eliminates need for counter-							
	balance weightOptional dividers sold separately							
	• Optional dividers sold separately							
40								
USLP								
UOLI -	Pedestal - FF	Mobile	15 x 17-5/8" x 27-5/8"	ULP20MFF				79.0#
	Two 12" file drawers	Mobile	15 x 21-5/8" x 27-5/8"	ULP24MFF				71.0#
	Counterbalance weight included	Widdiid	10 X L 1 0/0 X L 1 0/0	OLI ZHIVII I				11.0#
	 Optional dividers sold separately 							
USLP								
				A	B	Θ	0	
				w	U	G	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit and drawer color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>

 <u>Fabrics & Finishes binder</u>.
- Select key option.

DOIGGE KI	by option.	
KS	- Key standard	
NLC	- No lock core	
KA	- Key alike	

• Select pull style.

USP	 U-Series Pull (Standard
CZP	- Connection Zone Pull

INFORMATION

Height

Mobile pedestal include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights



De Pri	livered All	hites & Metal ochargo	llics
\$	327	\$	60
	346		60
\$	391	\$	60
	410		60
\$			60
	472		60

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Freestanding

				MODEL NUMBER				
				Basic	Unit	Lock	Pull	Approx. Packaged
	MODEL	Features	WxDxH	Model	Color	Option	Style	Weight
	Pedestal - BBF	Freestanding	15 x 17-5/8" x 27-5/8"	ULP20FBBF				49.0#
	 Features 2-5/8" non-adjustable glides Two 6" box drawers 	Freestanding	15 x 21-5/8" x 27-5/8"	ULP24FBBF				51.0#
	One 12" file drawer							
	· Center caster eliminates need for coun-							
	terbalance weight • Optional dividers sold separately							
•								
USLP								
	Pedestal - FF • Features 2-5/8" non-adjustable glides • Two 12" file drawers	Freestanding	15 x 17-5/8" x 27-5/8"	ULP20FFF				79.0#
		Freestanding	15 x 21-5/8" x 27-5/8"	ULP24FFF				71.0#
	Counterbalance is included							
	 Optional dividers sold separately 							
USLP								
				A	3	•	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit and drawer color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select key option

	by option.	
KS	 Key standard 	
NLC	- No lock core	
KA	- Key alike	

• Select pull style.

USP	- U-Series Pull (Standard)
CZP	- Connection Zone Pull

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights



U-Series[™] Pedestals Freestanding

Delivered Pricing	Al	Vhites & II Meta Ipcharg	allics
\$ 415		\$	60
442			60

\$ 489	\$ 60
495	60

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Worksurface Supporting

				MODEL NUN	/IRFR			
				MODEL NON	IDEN			
							,,	.
	MODEL	Features	WxDxH	Basic Model	Unit Color	Bracket	Key Option	Pull Style
	Pedestal - Box/Box/File	Worksurface Supporting	15 x 17-5/8 x 27-7/8"	ULP20WBBF				
	Two 6" box drawers	Worksurface Supporting	15 x 21-5/8 x 27-7/8"	ULP24WBBF				
	One 12" file drawerIncludes four leveling glides							
	 Pedestal ships fully assembled 							
	Bracket, if ordered, ships with unitOptional dividers sold separately							
•								
SLP								
	Pedestal - File/File Two 12" file drawers	Worksurface Supporting	15 x 17-5/8 x 27-7/8"	ULP20WFF				
	 Iwo 12 life drawers Includes four leveling glides 	Worksurface Supporting	15 x 21-5/8 x 27-7/8"	ULP24WFF				
	 Pedestal ships fully assembled 							
	Bracket, if ordered, ships with unit Optional dividers cold constraint							
	 Optional dividers sold separately 							
ICI D								
JSLP								
				A	$\mathbf{\Theta}$	Θ	O	(3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

All white and metallic paints require an

upcharge. Please see upcharge column.

Select bracket.

edge; add \$77

NB	- No Bracket
3K24	- 24" Worksurface; add \$77
3K30	- 30" Worksurface; add \$77
SW24	- 24" Worksurface; add \$77
	- 30" Worksurface; add \$77
UN22	- 22" Worksurface; add \$77
	- 24" Worksurface; add \$77
UN24KN	- 24" Worksurface w/knife
edge; add	\$77
UN30	- 30" Worksurface; add \$77
UN30KN	- 30" Worksurface w/knife

WW24 - 24" Worksurface; add \$77 **WW30** - 30" Worksurface; add \$77 When ordering:
3K for System 3000
SW for Studio Works
UN for Unite
WW for WireWorks
If ped is not replacing return, no
bracket is required.

• Select key option.

KS - Key standard

NLC - No lock core

KA - Key alike

Select pull style.

USP - U-Series Pull (Standard)
CZP - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights



Worksurface Supporting

Approx. Packaged Weight	Deliver Pricing	od	Whites All Meta Upcharg	llics
47.0#	\$ 40		\$	60
52.0#	43	0		60
43.0#	\$ 36		\$	60
48.0#	38	0		60

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

U-Series[™] Double Pedestals

Worksurface Supporting

			MODEL NUMBER					
	MODEL	WxDxH	Basic Model	Unit Color	Bracket	Key Option	Pull Style	Approx. Packaged Weight
	30" Wide, 2 High	30 x 22 x 27-3/4"	UDP302D					88.0#
	 Two 12" drawers with side-to-side hang- ing folder bars 							
	 For use within panel systems' planning 							
	only, may not be planned free standing							
PUSP								
			Ø	B	Θ	0	3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.

All white and metallic paints require an upcharge. Please see upcharge column.

Select bracket.

NB	- No Bracket
3K24	- 24" Worksurface; add \$77
3K30	- 30" Worksurface; add \$84
SW24	- 24" Worksurface; add \$99
SW30	- 30" Worksurface; add \$104
UN22	- 22" Worksurface; add \$77
UN24	- 24" Worksurface; add \$77
UN24KN	- 24" Worksurface w/knife
edge; ad	d \$77
UN30	- 30" Worksurface; add \$77
UN30KN	- 30" Worksurface w/knife
edge; ad	d \$77
WW24	- 24" Worksurface; add \$71

WW30 - 30" Worksurface; add \$76

When ordering:
3K for System 3000
SW for Studio Works
UN for Unite
WW for WireWorks
If ped is not replacing return, no
bracket is required.

• Select key option.

KS - Key standard
NLC - No lock core
KA - Key alike

Select pull style.

USP - U-Series Pull (Standard)
CZP - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

leight

Height shown is with glides in fully recessed position. Maximum height is 28-1/2".

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

Folder Bars

Files are configured for side-to-side media storage.h



U-Series[™] Double Pedestals

Worksurface Supporting

Delivered Pricing Whites & All Metallics Upcharge

ф 770

pontar go

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

U-Series™ Credenzas

Freestanding Credenzas

			MODEL NUMBER				
	MODEL	WxDxH	Basic Model	Key Option	Unit Color	Pull Style	Approx. Packaged Weight
	36" WideFeatures sliding door with lock	36 x 15 x 27-3/4"	UC36				45.0#
	• reatures sliding door with lock						
•							
PUSC							
1 000	42" Wide	42 x 15 x 27-3/4"	UC42				50.0#
	Features sliding door with lock						
BUOO							
PUSC							
			A	3	Θ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

ASelect basic model. Select key option. KS - Key standard NLC - No lock core KA - Key alike Select unit color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column. Select pull style. USP - U-Series Pull (Standard) CZP - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weiahts



U-Series™ Credenzas

Freestanding Credenzas

Delivered Pricing All Metallics Upcharge
\$ 951 \$ 60

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

U-Series[™] Credenzas

Laminate Tons

	MODEL NU	MBER						
	MODEL	D x W	Basic Model	Edge Style	Surface Finish	Edge Color	Approx. Packaged Weight	
	U-Series® Credenza-Laminate Tops	15-1/8 x 36-1/8"	UWCT1536	74P			16.0#	
	High pressure laminate with particle-	15-1/8 x 42-1/8"	UWCT1542	74P			19.0#	
	board core74P edge only	30-1/8 x 36-1/8"	UWCT3036	74P			34.0#	
·	Back-to-back credenzas should use	30-1/8 x 42-1/8"	UWCT3042	74P			40.0#	
UWCT	single piece tops of appropriate depth							
			A	3	Θ	O		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.
 - **74P** 74P edge
- Select surface finish.

style selections.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge

OSelect edge color.
Refer to the KI Color Addendum or KI
Fabrics & Finishes binder.



U-Series[™] Credenzas Laminate Tops



74P Edge (74P)

205

243

261

303

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

48" High Cabinet

				MODEL NUM	IBER				
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight	
	Wardrobe/Cabinet - File/File	Left	24 x 22 x 48"	UWFFC48L				122.0#	
	 Wardrobe and cabinet lock independently 	Right	24 x 22 x 48"	UWFFC48R				122.0#	
	Pedestal features two 12" drawers and								
	locks independently of wardrobe								
	Includes four leveling glidesCabinet features adjustable shelf								
	Units ship fully assembled								
left shown									
PUSW									
	Wardrobe/Cabinet - Box/Box/File	Left	24 x 22 x 48"	UWBBFC48L				127.0#	
	 Wardrobe and cabinet lock independently 	Right	24 x 22 x 48"	UWBBFC48R				127.0#	
	Pedestal features two 6" box drawers								
	and one 12" file drawer								
	Includes four leveling glidesCabinet features adjustable shelf								
	Units ship fully assembled								
left shown									
DUOM									
PUSW									
				A	0	Θ	0		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color. Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder.

All white and metallic paints require an upcharge. Please see upcharge column.

Select key option.

- Key standard NLC - No lock core - Key alike

Select pull style.

USP - U-Series Pull (Standard) - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.



U-Series[™] Wardrobe Towers 48" High Cabinet

Delivered Pricing	White: All Me Upcha	tallics rge
\$ 1451	\$	97
1451		97
*	±	
\$ 1511	\$	97
1511		97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

64" High Cabinet

				MODEL NUMBER				
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight
^	Wardrobe/Cabinet - File/File	Left	24 x 22 x 64"	UWFFC64L				152.0#
	Wardrobe and cabinet lock indepen-	Right	24 x 22 x 64"	UWFFC64R				152.0#
	dently • Pedestal features two 12" drawers and							
1/35	locks independently of wardrobe							
	Includes four leveling glides Cabinat features adjustable abolf							
	Cabinet features adjustable shelfUnits ship fully assembled							
	2 2p, 2000							
left shown								
V								.==
	Wardrobe/Cabinet - Box/Box/File • Wardrobe and cabinet lock indepen-	Left	24 x 22 x 64"	UWBBFC64L				157.0#
$\langle \ \rangle$	dently	Right	24 x 22 x 64"	UWBBFC64R				157.0#
	 Pedestal features two 6" box drawers 							
	and one 12" file drawerIncludes four leveling glides							
	Cabinet features adjustable shelf							
	Units ship fully assembled							
left shown								
W								
VV								
				Δ	•	Θ	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

A Select basic model. 3 Select unit color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column. 6 Select key option. KS - Key standard NLC - No lock core KA - Key alike 5 Select pull style. USP - U-Series Pull (Standard) CZP - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights



64" High Cahinet

Delivered Pricing	All Up	hites & I Metallics ocharge
\$ 1522		\$ 146
1522		146
\$ 1560		\$ 146
1560		146

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

48" High Side Access Bookcase

			MODEL NUMBER						
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight	
	Wardrobe/Side Access Bookcase - File/	Left	24 x 22 x 48"	UWFFB48L				120.0#	
	File	Right	24 x 22 x 48"	UWFFB48R				120.0#	
	 Pedestal features two 12" drawers and locks independently of wardrobe 								
	 Includes four leveling glides 								
	 Cabinet features adjustable shelf 								
	Units ship fully assembled48" Tower does not include adjustable								
left shown	shelf								
PUSW			0.4 00 40					107.0%	
	Wardrobe/Side Access Bookcase - Box/ Box/File	Left	24 x 22 x 48"	UWBBFB48L				125.0#	
	Pedestal features two 6" box drawers	Right	24 x 22 x 48"	UWBBFB48R				125.0#	
	and one 12" file drawer								
	Includes four leveling glidesCabinet features adjustable shelf								
	Units ship fully assembled								
	 48" Tower does not include adjustable 								
left shown	shelf								
PUSW									
				· · ·	3	Θ	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

A Select basic model. 3 Select unit color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column. 6 Select key option. KS - Key standard NLC - No lock core KA - Key alike 5 Select pull style. USP - U-Series Pull (Standard) CZP - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights



U-Series[™] Wardrobe Towers 48" High Side Access Bookcase

Delivered Pricing	Д	Vhites & III Metal Jpcharg	llics je
\$ 1413			97
1413			97
\$ 1431		\$	97
1431			97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

64" High Side Access Bookcase

				MODEL NUM	IBER			
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight
	Wardrobe/Side Access Bookcase - File/	Left	24 x 22 x 64"	UWFFB64L				155.0#
	File	Right	24 x 22 x 64"	UWFFB64R				155.0#
	 Pedestal features two 12" drawers and locks independently of wardrobe 							
	 Includes four leveling glides 							
	Cabinet features adjustable shelf Unite ship fully accomplised.							
	 Units ship fully assembled 							
left shown								
USW								
^	Wardrobe/Side Access Bookcase - Box/	Left	24 x 22 x 64"	UWBBFB64L				160.0#
	Box/File	Right	24 x 22 x 64"	UWBBFB64R				160.0#
	 Pedestal features two 6" box drawers and one 12" file drawer 							
	 Includes four leveling glides 							
	 Cabinet features adjustable shelf 							
	 Units ship fully assembled 							
left shown								
HCM								
PUSW								
				A	•	Θ	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

Select basic model. Select unit color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column. Select key option. KS - Key standard NLC - No lock core KA - Key alike Select pull style. USP - U-Series Pull (Standard) CZP - Connection Zone Pull

HOW TO BUILD A MODEL NUMBER

IINFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights



U-Series[™] Wardrobe Towers 64" High Side Access Bookcase

Delivered Pricing	Upcha	etallics arge
\$ 1560	\$	146
1560		146
\$ 1583	\$	146
1583		146

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

U-Series[™] Overheads

	MODEL	W x D x H	Basic Model	Bracket	Unit Color	Key Option	Approx. Packaged Weight	
^	Sliding Door Overhead Lockable sliding door extends slightly beyond the center of overhead Overhead accommodates standard bind-	35-3/4 x 14-3/8 x 14-7/16	USSDH36				38.0#	
		41-3/4 x 14-3/8 x 14-7/16	USSDH42				42.0#	
		47-3/4 x 14-3/8 x 14-7/16	USSDH48				47.0#	
	ers	53-3/4 x 14-3/8 x 14-7/16	USSDH54				52.0#	
		59-3/4 x 14-3/8 x 14-7/16	USSDH60				57.0#	
		71-3/4 x 14-3/8 x 14-7/16	USSDH72				67.0#	
USSD0								
			Δ	B	Θ	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

Aselect basic model. Select basic model. Select bracket type. UN - Unite mounted UN/UM - Unite upmount Select unit color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column. Select key option. KS - Key standard NLC - No lock core

- Key alike

INFORMATION

Weights



U-Series[™] Overheads

Deli Pric	iver cing	red		llics
\$	50	08	\$ 5	60
	54	43		60
	5	76		60
	66	60		60
	70	06		60
	83	33		60

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

U-Series[™] Underhead Storage

			MODEL	NUMBER			
	MODEL	D x W x H	Basic Model	Direction	Unit Color	Key Option	Approx. Packaged Weight
	Underhead Storage	35-3/4 x 14-3/8 x 14-7/8	UHS36				38.0#
◆	Underhead storage units mount below	41-3/4 x 14-3/8 x 14-7/8	UHS42				42.0#
	worksurface Underhead accommodates standard	47-3/4 x 14-3/8 x 14-7/8	UHS48				47.0#
	binders	53-3/4 x14-3/8 x 14-7/8"	UHS54				50.0#
	Storage units include holes in top and hatten for could draw in conjustion with	59-3/4 x 14-3/8 x 14-7/8	UHS60				52.0#
	bottom for cord drop in conjuction with grommets Includes brackets for attachment; legs may be specified separately if desired	71-3/4 x 14-3/8 x 14-7/8	UHS72				57.0#
UHS							
	 Lockable sliding door extends slightly beyond the center divider of storage unit 						
*	 Underhead Storage Support Leg May be used in place of return 	1-1/2 x 13-7/8 x 13-5/16"	UHSL				8.6#
	Size noted does not reflect attachment						
	brackets						
UHSL							
			A	₿	Θ	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect placement of leg.

 L Left

R - Right

Select unit color.

Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

All white and metallic paints require an upcharge. Please see upcharge column.

• Select key option.

KS	- Key standard	
KA	- Key alike	
NLC	- No lock core	



U-Series[™] Underhead Storage

•			
Delivered	V 1	Whites & All Metall	ics
Pricing	·	Jpcharge)
\$ 508			60
543			60
576			60
631			60
660			60
706			60
\$ 127		\$	10

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N.

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

U-Series[™] Storage and Accessories Overhead Accessories

		MODEL NUM	IBER		
	MODEL L	Basic Model	Trim Color	Approx. Packaged Weight	
	U-Series® Overhead On-Module Mounting	48.0222.SET		5.0#	
	Bracket for Unite Sold in pairs				
	Mounts into slots in frame				
d °	Black only Allows for vertical adjustment in 1" incre-				
	ment				
-					
HRDPT					
	U-Series® Overhead On-Module Single	48.0222.R.BL		2.5#	
• [Mounting Bracket for Unite • Sngle bracket must be specified with				
	overhead bracket set 48.022.SET				
\downarrow	Sor use supporting a U-Series overhead that spans two Unite panels				
HRDPT	· ·				
<u> </u>	U-Series® Overhead Upmount Brackets	48.0236.12.S		7.0#	
	for Unite • Sold in pairs				
	Mounts into slots in frame				
	 Uses 8" of slot space at top of panel Overhead extends 15" above top cap 				
	Fasteners and allen wrench included				
HRDPT					
F	U-Series® Overhead Load Bar Brackets	46.8186.SET		5.0#	
↓	for Unite • Sold in pairs				
	Load Bar Brackets attach to an externally				
ا ا ا	mounted load bar • Load Bar purchased separately				
LIDDAT					
HRDPT					
		A	3		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>



U-Series[™] Storage and Accessories Overhead Accessories

Delivered
Pricing
\$ 157
\$ 80
\$ 263
ψ 200
\$ 197

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

U-Series[™] Storage and Accessories Overhead Accessories

				MBER				
	MODEL L		Basic Model	Trim Color	Approx. Packaged Weight			
	Wall Mounted Load Bar for Unite 2	24"	SWLB.24		5.0#			
	Supports overhead storage on drywall or other non-panel application	30"	SWLB.30		6.0#			
	Requires Load Bar brackets to support storage unit-sold separately	36"	SWLB.36		7.0#			
		42"	SWLB.42		8.0#			
		48"	SWLB.48		10.0#			
HRDPT	F	54"	SWLB.54		13.0#			
	f	60"	SWLB.60		12.0#			
	f	66"	SWLB.66		13.0#			
	7	72"	SWLB.72		14.0#			
	F	84"	SWLB.84		17.0#			
	Ċ	96"	SWLB.96		19.0#			
			Δ	B				

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect trim color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



U-Series[™] Storage and Accessories Overhead Accessories

Delivered Pricing	
\$ 115	
123	
125	
138	
143	
169	
170	
172	
179	
277	
290	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

U-Series[™] Storage and Accessories Overhead Task Light

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Overhead Task Light	24"	UTLT5.24	3.9#		
	 Attaches to the bottom of overhead storage cabinet 	36"	UTLT5.36	5.3#		
//-/	Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" at bottom of price list page for sizing chart. Attachment hardware included Electronic NPF ballast T5 Florescent bulb Center located, 9' cord with 90 degree, 3 prong plug Center located, two position rocker	48"	UTLT5.48	6.7#		
P						
<i></i>						
•						
HRDPT						
	switch					
	Cord and power switch on 24" wide					
	located left of center					
	Standard color of casing is black					
			a			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

TASK LIGHT CABINET WIDTH Cabinet Light Width 24" 30" 36" 42" 18" 24" 24" 36" 36" 48" 54" 60" 72" 48" 48" 48"



U-Series[™] Storage and Accessories Overhead Task Light

Delive Pricir	ered ig	
\$	78	
	85	
	91	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Pedestal Accessories

			MODEL NU	MBER	
	MODEL	Features	Basic Model	Paint Color	Approx. Packaged Weight
	Pedestal Bracket	System 3000® 24" deep worksurface	3K24		6.0#
	 Graphic represents bracket used with a 24" deep pedestal on a 24" deep 	System 3000® 30" deep worksurface	3K30		10.0#
1	worksurface	StudioWorks® 24" deep worksurface	SW24		6.0#
. †	 Bracket is intended to fill the space 	StudioWorks® 30" deep worksurface	SW30		10.0#
	between back of pedestal and panel	Unite® 22" deep worksurface	UN22		6.0#
•	 Bracket provides support for extended runs and screws with trim to outside 	Unite® 24" deep worksurface	UN24		6.0#
1	back of pedestal for added support on	Unite® 24" deep knife edge worksurface	UN24KN		10.0#
,	extended panel runs	Unite® 30" deep worksurface	UN30		6.0#
	 Bracket depth varies by pedestal model 24" worksurface 	Unite® 30" deep knife edge worksurface	UN30KN		10.0#
USPA	- 20" pedestal = approx. 6-1/4"	WireWorks® 24" deep worksurface	WW24		6.0#
	- 24" pedestal = approx. 2-1/4"	WireWorks® 30" deep worksurface	WW30		10.0#
	0.011				
	30" worksurface - 20" pedestal = approx. 12-1/4"				
	- 24" pedestal = approx. 6-1/4"				
			Ø	•	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

- A Select basic model.
- ③ Select paint color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>



Pedestal Accessories

Delivered Pricing	
\$ 77	
77	
77	
77	
77	
77	
77	
77	
77	
77	
77	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Pedestal Accessories

					MODEL NUMBER				
	MODEL	WxDxH	Basic Model	Trim Color	Upholstery Color	Approx. Packaged Weight	Pri	livered icing D.M.	
	Cushioned Seat for Mobile Pedestal	15 x 17 x 1-7/8"	PDCU/17			5.0#	\$	156	
	 17" deep, used with 17-5/8" deep mobile pedestal 	15 x 20 x 1-7/8"	PDCU/20			6.0#		169	
	• 20" deep, used with 21-5/8" deep mobile								
PDCU	pedestal								
	 Fabric runs side to side 								
	Lip height is 3-1/4"								
			•	B	Θ				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③ Select trim color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select upholstery color.
 Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
 For a listing of available fabric finishes, please refer to the Color Addendum. For

seats, please refer to E-Spec.

specific fabric availability on cushioned



Pedestal Accessories

\$ 156 \$ 178 \$ 187 \$ 197 \$ 208 \$ 219 \$ 244 \$ 250	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
100 100 200 207 217 220 250	\$ 156	\$ 178	\$ 187	\$ 197	\$ 208	\$ 219	\$ 244	\$ 250
109 100 200 201 211 229 230 202	169	186	200	207	217	229	256	262

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

Pedestal Accessories

					MODEL NUMBER		
						Approx.	
		MODEL	Features	WxDxH	Basic Model	Packaged Weight	
	e*:	Counterbalance Weight	24"D Units	12-1/2 x 2 x 18"	USPCBW25	25.0#	
ľ	일구 -	Required for conversion for 24" deep					
		mobile and freestanding to file/file units.					
USPA	3,						
	<u> </u>	Counterbalance Weight	For 20" D Units	7-1/2 x 3/4 x 16"	USPCBW36	36.0#	
	m 17	Required for conversion for 20" deep					
		mobile and freestanding to file/file units. Two required, sold in pairs					
		Two roquirou, oolu iii puiro					
USPA							
		P-Series Keys	Lock Core/2 Key Set		2.KP20522	0.4#	
HRDPT		Double bit design Range of 200 different core/key numbers available Must specify lock number(s) requested when ordering cut key or lock core/key sets	Master Key		2.KP20550	0.2#	
			Extractor Key		2.KP20551	0.2#	
			Blank Key		2.KP20552	0.2#	
			Cut Key		2.KP20557	0.2#	
	Ø	Caster Kit		2-5/8"	USPCK	1.0#	
B	_	 Converts freestanding pedestals to mobile units 					
a.	₹ ®	Finished height consistent with free-					
	Q Q	standing pedestal					
		 File/file units require counterbalance weights 					
USPA		 4 casters and a 5th wheel per kit 					
	8	Glide Kit		2-5/8"	USPGK	1.0#	
8	•	 Converts mobile pedestal to freestanding File/file units require counterbalance 					
9	3 5	weights					
	§ ® [©]	Finished height consistent with mobile					
		pedestal4 glides and a center wheel per kit					
USPA		- 4 glides and a center wheel per kit					
					Ø		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

U-Series[™] Accessories Pedestal Accessories

Deliv	ered	
Prici	ng	
\$	87	
Φ.	470	
\$	1/2	
\$	12	
Ψ	9	
	9	
	3	
	4	
\$	67	
\$	67	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Pedestal Accessories

			MODEL NUMBER		
	MODEL	WxDxH	Basic Model	Approx. Packaged Weight	
	Pencil Tray	12-1/8 x 4 x 1"	S7P/PENTRAY	1.0#	
	For 6" box drawersBlack finish only				
	Didok illion olly				
PDACU					
	6" Partition • For 6" box drawers	12-1/8 x 4-5/8"	S7P/D6	1.0#	
	Black finish only				
	Priced each				
PDACU					
	Hanging Folder Partition	12-1/8 x 9-5/8"	S7P/D12	1.0#	
	For 12" file drawers Plack finish and:				
, and the second	Black finish onlyPriced each				
7					
PDACU					
			Δ		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Pedestal Accessories

Delive Pricin	red J	
\$	8	
\$	5	
\$	8	
Ψ	U	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Acoustic Septum Kits

			MODEL NUMBER		
	MODEL	WxH	Basic Model	Approx. Packaged Weight	
	Acoustic Septum Kit	24 x 32"	UNRC.2432	5.1#	
	2" thick fiberglass sheet is field installed incide frame attractives.	30 x 32"	UNRC.3032	6.0#	
	 inside frame structure When used with Unite® tiles, kit provides 	36 x 32"	UNRC.3632	6.9#	
	.70NRC / .70SAA per ASTM C423-09a	42 x 32"	UNRC.4232	7.8#	
	Acoustic septum kit may be specified	48 x 32"	UNRC.4832	8.8#	
HRDPT	with any Unite® base style • Specify by panel size (72" panels include	60 x 32"	UNRC.6032	10.6#	
	2-36" kits)	72 x 32"	UNRC.7232	11.6#	
	 Septums may be field-trimmed to allow 	24 x 40"	UNRC.2440	6.1#	
	clearance for beltway power	30 x 40"	UNRC.3040	7.4#	
		36 x 40"	UNRC.3640	8.7#	
		42 x 40"	UNRC.4240	10.0#	
		48 x 40"	UNRC.4840	11.2#	
		60 x 40"	UNRC.6040	13.8#	
		72 x 40"	UNRC.7240	15.2#	
		24 x 48"	UNRC.2448	7.2#	
		30 x 48"	UNRC.3048	8.8#	
		36 x 48"	UNRC.3648	10.5#	
		42 x 48"	UNRC.4248	12.1#	
		48 x 48"	UNRC.4848	13.7#	
		60 x 48"	UNRC.6048	17.0#	
		72 x 48"	UNRC.7248	18.7#	
		24 x 56"	UNRC.2456	8.3#	
		30 x 56"	UNRC.3056	10.3#	
		36 x 56"	UNRC.3656	12.2#	
		42 x 56"	UNRC.4256	14.2#	
		48 x 56"	UNRC.4856	16.2#	
		60 x 56"	UNRC.6056	20.2#	
		72 x 56"	UNRC.7256	22.3#	
		24 x 64"	UNRC.2464	9.3#	
		30 x 64"	UNRC.3064	11.7#	
		36 x 64"	UNRC.3664	14.0#	
		42 x 64"	UNRC.4264	16.3#	
		48 x 64"	UNRC.4864	18.7#	
		60 x 64"	UNRC.6064	25.5#	
		72 x 64"	UNRC.7264	25.8#	
			A		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Accessories Acoustic Septum Kits

Deli Pric \$	
Pric	
Pric	iivered
2	cing
Ψ	50
	59
	86
	98
	117
	117
	171
	85
	86
	167
	167
	167
	167
	327
	64
	98
	167
	194
	194
	194
	327
	98
	125
	167
	194
	248
	248
	330
	98
	146
	167
	194
	248

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

N/C

Glass Divider Screen

			MODEL N	UMBER			
	MODEL	WxH	Basic Model	Glass Color	Trim Color	Approx. Packaged Weight	
	Glass Divider Screen	24 x 12"	UNGDS24			20.0#	
	Unframed glass divider drops into panel top Divider base takes place of top cap May span two panels up to 72" wide maximum May not be used over segmented glass or segmented perforated steel panels May not be used over stacking sections or adjacent to trim UEORV	30 x 12"	UNGDS30			23.0#	
		36 x 12"	UNGDS36			26.0#	
		42 x 12"	UNGDS42			28.0#	
		48 x 12"	UNGDS48			31.0#	
		54 x 12"	UNGDS54			35.0#	
UNGD		60 x 12"	UNGDS60			38.0#	
		66 x 12"	UNGDS66			40.0#	
	Glass features polished edge	72 x 12"	UNGDS72			43.0#	
			A	B	Θ		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select glass color.

GLA - Clear (std)
GLV - Satin etch one side

Select trim color.
Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>
Metallic finish not available.



Accessories Glass Divider Screen

Clear (GLA)	Satin Etch One Side (GLV)		
\$ 234	\$ 277		
242	287		
267	319		
303	364		
317	385		
328	406		
344	430		
412	493		
455	559		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Frameless Modesty Panel with Acrylic Insert

			MODEL NU	JMBER		
	MODEL	WxH	Basic Model	Acrylic	Approx. Packaged Weight	
		24 x 10	UMODA24		7.0#	
	 Metal attachment to worksurface underside acrylic panel Dimension listed refers to the worksurface width; actual width is approxi- 	30 x 10	UMODA30		8.0#	
		36 x 10	UMODA36		9.0#	
		42 x 10	UMODA42		11.0#	
V	mately 6" undersized	48 x 10	UMODA48		13.0#	
UMOD		54 x 10	UMODA54		14.0#	
		60 x 10	UMODA60		16.0#	
		66 x 10	UMODA66		18.0#	
		72 x 10	UMODA72		19.0#	
			A	•		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect acrylic color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Accessories
Frameless Modesty Panel with Acrylic Insert

Delivered Pricing	
\$ 108	
135	
170	
193	
235	
242	
414	
419	
432	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Continuous Top Cap/Carpet Gripper/Alum Grommet

		MODEL NUI	MBER		
	MODEL	Basic Model	Trim Color	Approx. Packaged Weight	
	Continuous Top Cap	48.0717.48		2.7#	
	 Used in place of standard top cap for un- interrupted spans between intersections 	48.0717.54		3.4#	
	To specify, add together nominal panel	48.0717.60		3.6#	
4/	widths	48.0717.66		3.8#	
	 Maximum span is 6 feet 	48.0717.72		3.8#	
HRDPT					
	Carpet Gripper	UNCG10		0.5#	
HRDPT	 Grippers snap into leveling glides to prevent panels from shifting on carpet 				
	Glide rotation is unaffected				
	Black finish only				
	Package of 10				
	Aluminum Grommet	48.0399		0.5#	
	 Molded grommet is specified in all powdercoat colors 				
	powdercoat colors				
HRDPT					
		Φ	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

- A Select basic model.
- ③ Select trim color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

 Metallic finish not available.



Continuous Top Cap/Carpet Gripper/Alum Grommet

Deliv Pricii	vered				
\$	38				
	38				
	42				
	71				
	71				
\$	6				
\$	9				

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

		MODEL NUMBER	
			Approx.
		Basic	Packaged
	MODEL	Model	Weight
		UNPWUP	2.0#
	Round module with sleeves fits into Unite® grommet cutout	'	
	 Provides two receptacles 		
	Cord length is 6 feetBlack	Ĺ'	
# ~			
<u> </u>		<u></u> '	
HRDPT			
	Round Power Module-Receptacle and	UNPWUD	2.0#
	Data		
J 🕅	Round module with sleeves fits into Unite® grommet cutout	[
	 Unite® grommet cutout Provides one receptacle and one data 		
\(\psi\)	port		
₩	Black		
HRDPT	·		
		A	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Accessories Power Modules

Delivered Pricing

\$ 278

\$ 278

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Bracket Assembly Kit/Receptacle Kit

		MODEL NUI	MBER	
	MODEL	Basic Model	Bezel Color	Approx. Packaged Weight
	Chicago Mounting Bracket Assembly Kit	UCEM		1.5#
1.	Steel constructionAccepts Chicago Code Receptacle Kit			
	(see below)			
	Specify one assembly per panel, for use			
•	on base raceway onlyAssociated panels must be specified with			
4.	Chicago power option in order to accept			
HRDPT	assembly			
	Includes mounting hardware Assembly is not size appositio or handed.			
	Assembly is not size-specific or handed			
_	Chicago Code Receptacle Kit	URK.HW		1.4#
	 Includes all components required to mount one hardwired receptacle to a 			
	mounting bracket assembly (see below)			
	Receptacle is provided by customer			
	 Up to two receptacles may be specified on a 24" panel, one per side; up to four 			
	receptacles may be mounted on all other			
LIDDAT	panels, two per side			
HRDPT				
		Φ	3	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect bezel color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Bracket Assembly Kit/Receptacle Kit

Delivered Pricing

\$ 75

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

				MODEL NUMBER		
	MODEL	Features	W x H	Basic Model	Approx. Packaged Weight	
	Markerboards - No Frame	On-Module	36 x 30"	UNDEMB.PM3630	25.0#	
	White "dry erase" painted steel "No frame" construction of 22 gauge	On-Module	42 x 30"	UNDEMB.PM4230	21.0#	
	 "No frame" construction of 22 gauge steel with honeycomb core adhered to 	On-Module	48 x 30"	UNDEMB.PM4830	23.0#	
	back of tile to dampen sound	On-Module	54 X 30"	UNDEMB.PM5430	27.0#	
	Includes magnetic removable 16" x	On-Module	60 x 30"	UNDEMB.PM6030	30.0#	
\vee	2-1/2" tray with markers and eraserIncludes black mounting brackets					
HRDPT	Includes black filledining brackets					
	Markerboards	On-Module	30 x 32"	UNMB.PM.3032	11.0#	
	 White porcelain painted steel surface with matching white trim 	On-Module	36 x 32"	UNMB.PM.3632	13.0#	
	Includes magnetic removable 16" x	On-Module	42 x 32"	UNMB.PM.4232	15.0#	
1 /	2-1/2" tray with markers and eraser	On-Module	48 x 32"	UNMB.PM.4832	17.0#	
	 Includes black mounting brackets 	On-Module	54 X 32"	UNMB.PM.5432	20.0#	
		On-Module	60 x 32"	UNMB.PM.6032	22.0#	
HRDPT						
	Magnetic Tray		16 x 2-1/2"	MB.TRAY	1.0#	
HRDPT						
	Tray/Eraser/4 Markers			MB.MARKERKIT	1.0#	
HRDPT						



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Accessories Markerboards

De	bd	
Pri		
\$	0	
	0	
	11	
	0	
Φ.		
\$		
	16 15	
	18 18	
	3	
	1 4	
\$	9	
\$	15	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

				MODEL NUMB	BER	
						Approx.
				Basic	Fabric	Packaged
	MODEL	Features	WxH	Model	Color	Weight
	Tackboard	On-Module	24 x 12"	UNTB2412/PM		3.0#
	 Tackboards are constructed of 3/4" tack- able core and covered with fabric 	On-Module	30 x 12"	UNTB3012/PM		3.0#
	Includes black mounting brackets	On-Module	36 x 12"	UNTB3612/PM		4.0#
	 Not available with countertops 	On-Module	42 x 12"	UNTB4212/PM		4.0#
		On-Module	48 x 12"	UNTB4812/PM		5.0#
		On-Module	54 x 12	UNTB5412/PM		0.0#
UTB		On-Module	60 x 12"	UNTB6012/PM		6.0#
		On-Module	24 x 16"	UNTB2416/PM		4.0#
		On-Module	30 x 16"	UNTB3016/PM		4.0#
		On-Module	36 x 16"	UNTB3616/PM		5.0#
		On-Module	42 x 16"	UNTB4216/PM		5.0#
		On-Module	48 x 16"	UNTB4816/PM		6.0#
		On-Module	54 x 16	UNTB5416/PM		0.0#
		On-Module	60 x 16"	UNTB6016/PM		7.0#
		On-Module	24 x 20"	UNTB2420/PM		4.0#
		On-Module	30 x 20"	UNTB3020/PM		5.0#
		On-Module	36 x 20"	UNTB3620/PM		6.0#
		On-Module	42 x 20"	UNTB4220/PM		7.0#
		On-Module	48 x 20"	UNTB4820/PM		8.0#
		On-Module	54 x 20	UNTB5420/PM		0.0#
		On-Module	60 x 20"	UNTB6020/PM		10.0#
		On-Module	24 x 30"	UNTB2430/PM		6.0#
		On-Module	30 x 30"	UNTB3030/PM		7.0#
		On-Module	36 x 30"	UNTB3630/PM		8.0#
		On-Module	42 x 30"	UNTB4230/PM		10.0#
		On-Module	48 x 30"	UNTB4830/PM		11.0#
		On-Module	54 x 30	UNTB5430/PM		0.0#
		On-Module	60 x 30"	UNTB6030/PM		14.0#
		On-Module	24 x 48"	UNTB2448/PM		9.0#
		On-Module	30 x 48"	UNTB3048/PM		11.0#
		On-Module	36 x 48"	UNTB3648/PM		13.0#
		On-Module	42 x 48"	UNTB4248/PM		15.0#
		On-Module	48 x 48"	UNTB4848/PM		17.0#
				A	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect fabric color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder



Accessories Tackboard

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 132	\$ 137	\$ 139	\$ 142	\$ 152	
146	149	151	156	167	
157	164	166	171	180	
165	169	171	176	186	
168	171	173	179	191	
186	191	194	201	210	
199	204	206	213	225	
137	139	142	146	156	
146	149	151	156	167	
148	151	153	158	169	
166	170	172	179	188	
172	175	179	185	197	
197	202	204	211	220	
210	214	218	228	238	
200	207	209	214	228	
214	221	225	233	243	
229	235	239	248	261	
236	241	248	256	269	
282	290	295	304	321	
284	295	300	309	326	
288	299	304	314	328	
216	224	229	235	250	
269	276	282	290	307	
284	291	299	309	324	
301	311	318	325	344	
318	324	331	343	360	
331	343	348	357	373	
345	356	361	372	393	
277	284	291	300	317	
320	326	335	345	364	
364	375	384	393	414	
375	386	396	404	427	
398	412	419	432	454	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

		MODEL NUMBE	<i>Ē</i> R			
	MODEL	Basic Model	Trim Color	Approx. Packaged Weight		
	Tackboard On-Module Bracket	48.0262.TB.KIT		1.0#		
	 Order one kit for 12" and 16" high tackboards 					
4	 Order two kits for 20" and 30" high 		<u> </u>			
9 ld 1	tackboards • Order three kits for 48" high tackboards		-			
	 Not used on Overhead Tackboards 					
HRDPT	 Only necessary to order if changing mounting style 					
	Black only					
		<u> </u>	<u> </u>			
	Markerboard On-Module Bracket • Pair of brackets	48.0262.MB.KIT		1.0#		
	Order one kit for all heights		'			
] 9	Includes mounting hardware Only passessery to order if changing		-			
٠ إلى العالم الع	Only necessary to order if changing mounting style					
	Black only					
HRDPT	1					
		Δ	3			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- Select trim color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u> Metallic finish not available.



Brackets

Delivered Pricing

3 2

\$ 47

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Paper Management

			MODEL	MDED		
			MODEL NU	IMBER		
			Basic	Tuina	Approx.	
	MODEL	H x W x D	Model	Trim Color	Packaged Weight	
	On-Module Tool Rail	24 x 4-1/2"	UPMTR24		3.0#	
	Accomodates paper management	30 x 4-1/2"	UPMTR30		4.0#	
	componentsAttaches to panels "on" module	36 x 4-1/2"	UPMTR36		5.0#	
	Field installable	42 x 4-1/2"	UPMTR42		6.0#	
UTR	 Painted aluminum construction 	48 x 4-1/2"	UPMTR48		6.0#	
	 Consists of four slots to accept components 	54 X 4-1/2"	UPMTR54		7.0#	
	Hents	60 x 4-1/2"	UPMTR60		7.0#	
		72 x 4-1/2"	UPMTR72		8.0#	
	Plastic Paper Tray Unit	2 x 9-1/2 x 14"	PPLL		1.0#	
	Plastic construction					
	 Accepts letter and legal-size paper Suspends from Tool Rail 					
1	- ouspoiles from foot flair					
· · · ·						
HRDPT						
	Plastic Diagonal Storage Unit	2-1/2 x 7 x 12-1/2"	PPDS		4.0#	
	Plastic construction Three closed partitions now unit with					
	 Three slanted partitions per unit with dividers 					
	Suspends from Tool Rail					
HRDPT						
	Plastic Vertical Storage Unit	9 x 5 x 10-1/2"	PPVS		1.0#	
7	 Injection-molded plastic construction Stores binders and books 					
[/\ [/\	Suspends from Tool Rail					
	222,01140 11011 11011 11411					
HRDPT						
			A	3		
			\mathbf{w}	•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- Select trim color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>



Accessories Paper Management

Delivered	
Pricing	
\$ 109	
115	
120	
126	
134	
155	
170	
186	
\$ 39	
\$ 39	
\$ 37	
\$ 37	
\$ 37	
\$ 37	
\$ 37	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Desktop Accessories

			MODEL NUI	VIRFR			
			WODEL NO.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged Weight		
	Telephone Caddy • Plastic construction	2 x 8 1/2 x 9 1/2"	PPTC		0.8#		
	 Plastic construction Suspends from Tool Rail 						
HRDPT							
	Accessory Tray	2 x 9 1/2 x 10"	PPAT		6.0#	·	
FE	Injection-molded plasticStores stamps, tape dispenser, post-it						
	pads and paper clips						
	Suspends from Tool Rail						
HRDPT							
	Pencil Cup • Injection-molded plastic	4 x 4 x 3 1/2"	PPPC		0.3#		
	Suspends from Tool Rail						
HRDPT							
			A	B			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- Select trim color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u> Metallic finish not available.



Accessories Desktop Accessories

Deliv Prici	ivered zina	
\$	48	
\$	33	
\$	33	
φ		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Unite® C.O.M. Yardage Requirements

		Actual	54" Non	54"	66" Non	66" Non			Actual	54" Non	54"	66" Non	66" Non
Width	Height	Cut size	Directional	Directional	Directional	Directional	Width	Height	Cut size	Directional	Directional	Directional	Directional
0.4	0	00 40	0.004	0.004	0.404	0.404	40	•	50 10	0.004	0.004	0.004	0.004
24	8	28 x 13	0.361	0.361	0.181	0.181	48	8	52 x 13	0.361	0.361	0.361	0.361
24	16	28 x 21	0.583	0.583	0.292	0.292	48	16	52 x 21	0.583	0.583	0.583	0.583
24	24	28 x 29	0.806	0.806	0.403	0.403	48	24	52 x 29	0.806	0.806	0.806	0.806
24	26	28 x 31	0.861	0.861	0.431	0.431	48	26	52 x 31	0.861	0.861	0.861	0.861
24	32	28 x 37	1.028	1.028	0.514	0.514	48	32	52 x 37	1.028	1.028	1.028	1.028
24	34	28 x 39	1.083	1.083	0.542	0.542	48	34	52 x 39	1.083	1.083	1.083	1.083
24	40	28 x 45	1.250	1.250	0.625	0.625	48	40	52 x 45	1.250	1.250	1.250	1.250
24	42	28 x 47	1.306	1.306	0.653	0.653	48	42	52 x 47	1.306	1.306	1.306	1.306
24	48	28 x 53	1.472	1.472	0.736	0.736	48	48	52 x 53	1.472	1.472	1.472	1.472
24	50	28 x 55	1.528	1.528	0.764	0.764	48	50	52 x 55	1.528	1.528	1.528	1.528
24	56	28 x 61	1.694	1.694	0.847	0.847	48	56	52 x 61	1.694	1.694	1.694	1.694
24	58	28 x 63	1.750	1.750	0.875	0.875	48	58	52 x 63	1.750	1.750	1.750	1.750
24	64	28 x 69	1.917	1.917	0.958	0.958	48	64	52 x 69	1.917	1.917	1.917	1.917
30	8	34 x 13	0.361	0.361	0.361	0.361	54	8	58 x 13			0.361	0.361
30	16	34 x 21	0.583	0.583	0.583	0.583	54	16	58 x 21			0.583	0.583
30	24	34 x 29	0.806	0.806	0.806	0.806	54	24	58 x 29			0.806	0.806
30	26	34 x 31	0.861	0.861	0.861	0.861	54	26	58 x 31			0.861	0.861
30	32	34 x 37	1.028	1.028	1.028	1.028	54	32	58 x 37			1.028	1.028
30	34	34 x 39	1.083	1.083	1.083	1.083	54	34	58 x 39			1.083	1.083
30	40	34 x 45	1.250	1.250	1.250	1.250	54	40	58 x 45			1.250	1.250
30	42	34 x 47	1.306	1.306	1.306	1.306	54	42	58 x 47			1.306	1.306
30	48	34 x 53	1.472	1.472	1.472	1.472	54	48	58 x 53			1.472	1.472
30	50	34 x 55	1.528	1.528	1.528	1.528	54	50	58 x 55			1.528	1.528
30	56	34 x 61	1.694	1.694	1.694	1.694	54	56	58 x 61			1.694	1.694
30	58	34 x 63	1.750	1.750	1.750	1.750	54	58	58 x 63			1.750	1.750
30	64	34 x 69	1.917	1.917	1.917	1.917	54	64	58 x 69			1.917	1.917
36	8	40 x 13	0.361	0.361	0.361	0.361	60	8	64 x 13			0.361	0.361
36	16	40 x 21	0.583	0.583	0.583	0.583	60	16	64 x 21			0.583	0.583
36	24	40 x 29	0.806	0.806	0.806	0.806	60	24	64 x 29			0.806	0.806
36	26	40 x 31	0.861	0.861	0.861	0.861	60	26	64 x 31			0.861	0.861
36	32	40 x 37	1.028	1.028	1.028	1.028	60	32	64 x 37			1.028	1.028
36	34	40 x 39	1.083	1.083	1.083	1.083	60	34	64 x 39			1.083	1.083
36	40	40 x 45	1.250	1.250	1.250	1.250	60	40	64 x 45			1.250	1.250
36	42	40 x 47	1.306	1.306	1.306	1.306	60	42	64 x 47			1.306	1.306
36	48	40 x 53	1.472	1.472	1.472	1.472	60	48	64 x 53			1.472	1.472
36	50	40 x 55	1.528	1.528	1.528	1.528	60	50	64 x 55			1.528	1.528
36	56	40 x 61	1.694	1.694	1.694	1.694	60	56	64 x 61			1.694	1.694
36	58	40 x 63	1.750	1.750	1.750	1.750	60	58	64 x 63			1.750	1.750
36	64	40 x 69	1.917	1.917	1.917	1.917	60	64	64 x 69			1.917	1.917
42	8	46 x 13	0.361	0.361	0.361	0.361							

... o 46 x 13 0.361 Yardage requirements are "per panel side" (multiply times 2 for a complete panel).



Unite® C.O.M. Yardage Requirements

How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.

C.O.M. Testing

KI will require six yards of actual fabric to be submitted for testing. The test will be completed on panels, tackboards, and overheads. For products shipped from Manitowoc, WI facility, ship upholstery material to:

KI Manitowoc 1400 South 41st Street Manitowoc, WI 54220 Attn: Fabric Testing

C.O.M. Production

Customer's fabrics must be approved prior to acceptance for production. KI assumes no responsibility for wear, defects, or performance of customer's own materials. C.O.M. orders are available on a deferred delivery basis.

Orders for production of C.O.M. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.




Diagram A

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material

Yardage Specification

The chart on the following page details the yardage requirements for each upholstered item in the price list. To accommodate flaws, wrinkles, and other imperfections, calculate the total yardage and add the appropriate percentage shown below:

1 to 25 yards — Add 5 yards 25 + yards — Add 10% over requirements (5 yard minimum)

Model No.	Description	Page	Model No.	Description	Page
2.KP20522	Pedestal Accessories: P-Series Keys	372	PTB02412	Overhead Accessories: Overhead Tackboard	318
3K24	Pedestal Accessories: Pedestal Bracket	368	S7P/D12	Pedestal Accessories: Hanging Folder Partition	374
46.1234	Overhead Accessories: Upmount Brackets	316	S7P/D6	Pedestal Accessories: 6" Partition	374
46.2103	Overhead Accessories: Load Bar Brackets	316	S7P/PENTRAY	Pedestal Accessories: Pencil Tray	374
46.8186.SET	Overhead Accessories: U-Series® Overhead Load Bar Brackets for Unite	362	SET6PJINL	10-Wire System 6 Circuit "810": Genius In-Line Panel Jumper - 6 Circuit	232
48.0222.R.BL	Overhead Accessories: U-Series® Overhead On-Module Single		SET6PJINT	10-Wire System 6 Circuit "810": Genius Intersection Panel Jumper - 6 Circuit	232
40 0000 CET	Mounting Bracket for Unite	362	SWLB.24	Overhead Accessories: Wall Mounted Load Bar	318
48.0222.SET	Overhead Accessories: U-Series® Overhead On-Module Mounting Bracket for Unite	362	TLT5.18	Shelf/Cabinet Task Light: Shelf/Cabinet Task Light	320
48.0236.12.S	Overhead Accessories: U-Series® Overhead Upmount Brackets	302	U1W120S16	120° 1-Way, 2-Way, 3-Way and 4-Way: 120° 1-Way End	210
40.0230.12.3	for Unite	362	U1W90S16	90° 1-Way, 2-Way, 3-Way and 4-Way: 90° 1-Way End	206
48.0261.SET	Overhead Accessories: Universal Overhead On-Module Mount-	002	U2W1201W3240	2-Way 120°: 2-Way 120°, "V" Corner, with Height Change	190
	ing Bracket	316	U2W12032	2-Way 120°: 2-Way 120°, "V" Corner, No Height Change	190
48.0262.MB.KIT	Brackets: Markerboard On-Module Bracket	392	U2W120S16	120° 1-Way, 2-Way, 3-Way and 4-Way: 120° 2-Way Corner	210
48.0262.TB.KIT	Brackets: Tackboard On-Module Bracket	392	U2W1801W3240	2-Way 180°: 2-Way 180°, Trim One Side, with Height Change	174
48.0399	Continuous Top Cap/Carpet Gripper/Alum Grommet: Alumi-		U2W180IL32	2-Way 180°: 2-Way 180°, In-Line Spacer Trim, No Height Change	174
	num Grommet	382	U2W180S16	2-Way 180° In-Line Spacer: 180° 2-Way In-Line Spacer	208
48.0717.48	Continuous Top Cap/Carpet Gripper/Alum Grommet: Continu-		U2W901W3240	2-Way 90° "L" Corner: 2-Way 90°, "L" Corner, with Height Change	172
	ous Top Cap	382	U2W9032	2-Way 90° "L" Corner: 2-Way 90°, "L" Corner, No Height Change	172
BLCF30/UN/LB	Overhead Storage: Balance® Overhead Cabinet-Fabric Upper		U2W90S16	90° 1-Way, 2-Way, 3-Way and 4-Way: 90° 2-Way Corner	206
	Door-Load Bar Mount	328		3-Way 120°: 3-Way 120° Corner, Trim One Side, with Height Change	192
BLCF30/UN/PM	Overhead Storage: Balance® Overhead Cabinet-Fabric Upper			3-Way 120°: 3-Way 120° Corner, Trim Two Sides, with Height Change	
DI 0500 # IN # IN #	Door-On-Module	328	U3W12032 U3W120S16	3-Way 120°: 3-Way 120° Corner, No Height Change 120° 1-Way, 2-Way, 3-Way and 4-Way: 120° 3-Way Intersection	192 210
BLCF30/UN/UM	Overhead Storage: Balance® Overhead Cabinet-Fabric Upper	000	U3W901W3240	3-Way 90°: 3-Way 90°, Trim One Side "T" Corner, with Height Change	
DI CLOO/UN/I D	Door-Upmount	328	U3W902W3240	3-Way 90°: 3-Way 90°, Trim Two Sides "T" Corner, with Height	170
BLCL30/UN/LB	Overhead Storage: Balance® Overhead Cabinet-Laminate Up- per Door-Load Bar Mount	330	0300302003240	Change	180
BLCL30/UN/PM	Overhead Storage: Balance® Overhead Cabinet-Laminate Up-	330	U3W9032	3-Way 90°: 3-Way 90°, "T" Corner, No Height Change	176
DEOLOG/OW/T WI	per Door-On-Module	330	U3W90IL3240	3-Way 90°: 3-Way 90°, In-Line "T" Corner, with Height Change	178
BLCL30/UN/UM	Overhead Storage: Balance® Overhead Cabinet-Laminate Up-	000	U3W90S16	90° 1-Way, 2-Way, 3-Way and 4-Way: 90° 3-Way Intersection	206
	per Door-Upmount	330	U4W901W3240	4-Way 90°: 4-Way 90°, "X" Trim One Side, with Height Change	182
BLCS30/UN/LB	Overhead Storage: Balance® Overhead Cabinet-Solid Color		U4W902W3240	4-Way 90°: 4-Way 90°, "X" Trim Two Sides, with Height Change	186
	Upper Door-Load Bar Mount	326	U4W9032	4-Way 90°: 4-Way 90°, "X", No Height Change	182
BLCS30/UN/PM	Overhead Storage: Balance® Overhead Cabinet-Solid Color		U4W903W3240	4-Way 90°: 4-Way 90°, "X" Trim Three Sides, with Height Change	188
	Upper Door-On Module (PM)	326	U4W90IL3240	4-Way 90°: 4-Way 90°, "X" In-Line Intersection, with Height Change	184
BLCS30/UN/UM	Overhead Storage: Balance® Overhead Cabinet-Solid Color		U4W90S16	90° 1-Way, 2-Way, 3-Way and 4-Way: 90° 4-Way Intersection	206
	Upper Door-Load Bar-Upmount	326	UC36	Freestanding Credenzas: 36" Wide	346
BMB30	Overhead Accessories: Tackboard/Tool Rail Attachment Bar	334	UC42	Freestanding Credenzas: 42" Wide	346
BOA/UN/LB	Overhead Accessories: Load Bar Brackets	332	UCANTD12.R	Design Bracket - Worksurface Support Bracket	290
BOA/UN/PM	Overhead Accessories: Balance® Overhead On-Module Mount-		UCANTST.R	Standard Cantilever Bracket	290
DO 4 // IN // IN /	ing Bracket	332	UCEM	Bracket Assembly Kit/Receptacle Kit: Chicago Mounting	206
BOA/UN/UM	Overhead Accessories: Upmount Brackets	332	UCFPC18	Bracket Assembly Kit Height Change Filler Plate for Corner	386 292
BTLT5.24	Overhead Task Light: Overhead Task Light	336	UCFPI18	Height Change Filler Plate for In-Line	292
	LED Task Lights: Adder Unit - Overhead LED Task Light LED Task Lights: Starter Unit - Overhead LED Task Light	324 322	UDP302D	Worksurface Supporting: 30" Wide, 2 High	344
	LED Task Lights: Single Unit - Overhead LED Task Light	322	UEOR32	End-of-Run Trim for Full Panel Height Conditions	196
MB.MARKERKIT	Markerboards: Tray/Eraser/4 Markers	388	UEORS16	End-of-Run Trim - Stacking Section	212
MB.TRAY	Markerboards: Magnetic Tray	388	UEORV08	End-of-Run Trim for Change of Height Conditions	196
NSD	Overhead Accessories: Universal Shelf Dividers	318	UEORV16	End-of-Run Trim for Change of Height Conditions	196
PDCU/17	Pedestal Accessories: Cushioned Seat for Mobile Pedestal	370	UET4B20R.1	10-Wire System 4 Circuit "810"/for Beltway Use: 20-Amp	
PPAT	Desktop Accessories: Accessory Tray	396		Receptacle for Beltway Use - 4 Circuit	248
PPDS	Paper Management: Plastic Diagonal Storage Unit	394	UET4BRC.1	10-Wire System 4 Circuit "810"/for Beltway Use: 15-Amp	
PPLL	Paper Management: Plastic Paper Tray Unit	394		Duplex Receptacle for Beltway Use - 4 Circuit	248
PPPC	Desktop Accessories: Pencil Cup	396	UET4LBFU	10-Wire System 4 Circuit "810": Base Infeed for Elevated Base	
PPTC	Desktop Accessories: Telephone Caddy	396		- 4 Circuit	250
PPVS	Paper Management: Plastic Vertical Storage Unit	394	UET4PJINL	10-Wire System 4 Circuit "810": In-Line Panel Jumper - 4 Circuit	244
PRDF24/UN/LB	Overhead Storage: Fabric Door Overhead Cabinet-Load Bar Mount	308	UET4PJINT	10-Wire System 4 Circuit "810": Intersection Panel Jumper - 4 Circuit	244
PRDF24/UN/PM	Overhead Storage: Fabric Door Overhead Cabinet-On-Module	308	UET4PP.24	10-Wire System 4 Circuit "810": Harness/Power Pass Through	044
PRDF24/UN/UM	Overhead Storage: Fabric Door Overhead Cabinet-Upmount	308	UETADOOD 1	- 4 Circuit	244
PRDL24/UN/LB	Overhead Storage: Laminate Door Overhead Cabinet-Load Bar	040	UET4R20R.1	10-Wire System 4 Circuit "810"/with Bezel for Raceway Use:	0.4E
DDD1 04/181/254	Mount (LB)	310	ETADDEI	20-Amp Receptacle with Bezel for Raceway Use - 4 Circuit	246
PRDL24/UN/PM	Overhead Storage: Laminate Door Overhead Cabinet-On-Module (PM)		UET4RBFU	10-Wire System 4 Circuit "810": Base Infeed with Bezel for Baceway Base - 4 Circuit	250
PRDL24/UN/UM	Overhead Storage: Laminate Door Overhead Cabinet-Upmount	310	UET4RRC.1	Raceway Base - 4 Circuit 10-Wire System 4 Circuit "810"/with Bezel for Raceway Use:	230
PRDS24/UN/LB PRDS24/UN/PM	Overhead Storage: Steel Door Overhead Cabinet-Load Bar Mount Overhead Storage: Steel Door Overhead Cabinet-On-Module	306 306	OE1711110.1	15-Amp Duplex Receptacle with Bezel for Raceway Use - 4 Circuit	246
PRDS24/UN/PM PRDS24/UN/UM	Overhead Storage: Steel Door Overhead Cabinet-Un-woulde	306	UET4VJ	10-Wire System 4 Circuit "810": Vertical Jumper - 4 Circuit	244
1 110027/UN/UN	Overhous diviage. Diver Door Overhead Cabiliet-Opiniount	000			



Model No.	Description	Page	Model No.	Description	Page
UET4WW.24	10-Wire System 4 Circuit "810": Rigid Wireway - 4 Circuit	242		Monolithic Fabric Panel - 40" H	12
UET6B20R.1	10-Wire System 6 Circuit "810"/for Beltway Use: 20 Amp		UMFT2448	Tile-to-Floor One Side; Standard Base Raceway One Side:	
	Receptacle for Beltway Use - 6 Circuit	236		Monolithic Fabric Panel - 48" H	12
UET6BRC.1	10-Wire System 6 Circuit "810"/for Beltway Use: 15 Amp		UMFT2456	Tile-to-Floor One Side; Standard Base Raceway One Side:	
	Duplex Receptacle for Beltway Use - 6 Circuit	236		Monolithic Fabric Panel - 56" H	16
UET6LBFU	10-Wire System 6 Circuit "810": Base Infeed for Elevated Base		UMFT2464	Tile-to-Floor One Side; Standard Base Raceway One Side:	
	- 6 Circuit	238		Monolithic Fabric Panel - 64" H	16
UET6PJINL	10-Wire System 6 Circuit "810": In-Line Panel Jumper - 6 Circuit	230	UMFTBW2440	Tile-to-Floor One Side; Standard Base Raceway One Side:	
UET6PJINT	10-Wire System 6 Circuit "810": Intersection Panel Jumper - 6 Circui	t 230		Monolithic Fabric Panel - 40" H	26
UET6PP.24	10-Wire System 6 Circuit "810": Harness/Power Pass Through		UMFTBW2448	Tile-to-Floor One Side; Standard Base Raceway One Side:	
	- 6 Circuit	230		Monolithic Fabric Panel - 48" H	26
UET6R20R.1	10-Wire System 6 Circuit "810"/with Bezel for Raceway Use:		UMFTBW2456	Tile-to-Floor One Side; Standard Base Raceway One Side:	
LIETADDELL	20 Amp Receptacle with Bezel for Raceway Use - 6 Circuit	234		Monolithic Fabric Panel - 56" H	26
UET6RBFU	10-Wire System 6 Circuit "810": Base Infeed with Bezel for	000	UMFTBW2464	Tile-to-Floor One Side; Standard Base Raceway One Side:	
LIETODDO 4	Raceway Base - 6 Circuit	238		Monolithic Fabric Panel - 64" H	28
UET6RRC.1	10-Wire System 6 Circuit "810"/with Bezel for Raceway Use:	004	UMODA24	Frameless Modesty Panel with Acrylic Insert: Frameless	
LIETOVI	15 Amp Duplex Receptacle with Bezel for Raceway Use - 6 Circuit	234		Modesty Panel	380
UET6VJ	10-Wire System 6 Circuit "810": Vertical Jumper - 6 Circuit	232	UM0L2432	Elevated Base: Monolithic Open Panel - 32"H	44
UET6WW.24	10-Wire System 6 Circuit "810": Rigid Wireway - 6 Circuit	228	UM0R2432	Standard Base Raceway: Monolithic Open Panel - 32"H	42
UETBT.24	10-Wire System 6 Circuit "810": Beltway Cable Trough - 6 Circuit	228	UMSL2432	Elevated Base: Monolithic Steel Panel - 32"H	32
UETBWM	10-Wire System 6 Circuit "810": Beltway-Height Harness	000	UMSL2440	Elevated Base: Monolithic Steel Panel - 40"H	32
LICTEO 704	Mounting Kit - 6 Circuit	228	UMSL2448	Elevated Base: Monolithic Steel Panel - 48"H	32
UETF0724	10-Wire System 6 Circuit "810": Top Feed with 7-Foot Pole and	040	UMSL2456	Elevated Base: Monolithic Steel Panel - 56"H	32
LICTC1004	Top Cap - 6 Circuit	240	UMSL2464	Elevated Base: Monolithic Steel Panel - 64"H	32
UETF1024	10-Wire System 6 Circuit "810": Top Feed with 10-foot Pole	040	UMSLBW2440	Elevated Base: Monolithic Steel Panel - 40"H	38
HETNIVDEOA	and Top Cap - 6 Circuit New York Power - 10-Wire System 6 or 4 Circuit "810": New	240	UMSLBW2448	Elevated Base: Monolithic Steel Panel - 48"H	38
UETNYBF24	-	254	UMSLBW2456	Elevated Base: Monolithic Steel Panel - 56"H	38
LICTNIVTCO720	York Base Infeed with Race Way Cover	254	UMSLBW2464	Elevated Base: Monolithic Steel Panel - 64"H	38
UETNYTF0730	New York Power - 10-Wire System 6 or 4 Circuit "810": New	254	UMSR2432	Standard Base Raceway: Monolithic Steel Panel - 32"H	30
UETNYTF1030	York Power Top Feed with 7-foot Pole and Top Cap New York Power - 10-Wire System 6 or 4 Circuit "810": New	254	UMSR2440	Standard Base Raceway: Monolithic Steel Panel - 40"H	30
UETINTTETUSU	York Power Top Feed with 10-foot Pole and Top Cap	254	UMSR2448	Standard Base Raceway: Monolithic Steel Panel - 48"H	30
UETRT.24	10-Wire System 6 Circuit "810": Raceway Cable Trough - 6 Circuit	228	UMSR2456	Standard Base Raceway: Monolithic Steel Panel - 56"H	30
UHS36	Underhead Storage	360	UMSR2464	Standard Base Raceway: Monolithic Steel Panel - 64"H	30
UHSL	Underhead Storage Support Leg	360	UMSRBW2440	Standard Base Raceway: Monolithic Steel Panel - 40"H	36
UHWR1536	U-Series® Underhead: U-Series® Underhead Worksurface	282	UMSRBW2448	Standard Base Raceway: Monolithic Steel Panel - 48"H	36
ULP20FBBF	Freestanding: Pedestal - BBF	340	UMSRBW2456	Standard Base Raceway: Monolithic Steel Panel - 56"H	36
ULP20FFF	Freestanding: Pedestal - FF	340	UMSRBW2464 UMST2432	Standard Base Raceway: Monolithic Steel Panel - 64"H	36
ULP20MBBF	Mobile: Pedestal - BBF	338	UIVIS12432	Tile-to-Floor One Side; Standard Base Raceway One Side: Monolithic Steel Panel - 32"H	34
ULP20MBF	Mobile: Pedestal - MBF	338	UMST2440	Tile-to-Floor One Side; Standard Base Raceway One Side:	34
ULP20MFF	Mobile: Pedestal - FF	338	01012440	Monolithic Steel Panel - 40"H	34
ULP20WBBF	Worksurface Supporting: Pedestal - Box/Box/File	342	UMST2448	Tile-to-Floor One Side; Standard Base Raceway One Side:	34
ULP20WFF	Worksurface Supporting: Pedestal - File/File	342	OMOTZHIO	Monolithic Steel Panel - 48"H	34
ULSR24/UN/LB	Overhead Storage: Low Shelf-Load Bar Mount	312	UMST2456	Tile-to-Floor One Side; Standard Base Raceway One Side:	04
ULSR24/UN/PM	Overhead Storage: Low Shelf-On-Module	312	OWO12400	Monolithic Steel Panel - 56"H	34
ULSR24/UN/UM	Overhead Storage: Low Shelf-Upmount	312	UMST2464	Tile-to-Floor One Side; Standard Base Raceway One Side:	0.
UMFL2432	Elevated Base: Monolithic Fabric Panel - 32" H	10	0012.101	Monolithic Steel Panel - 64"H	34
UMFL2440	Elevated Base: Monolithic Fabric Panel - 40" H	10	UMSTBW2440	Tile-to-Floor One Side; Standard Base Raceway One Side:	
UMFL2448	Elevated Base: Monolithic Fabric Panel - 48" H	10		Monolithic Steel Panel - 40"H	40
UMFL2456	Elevated Base: Monolithic Fabric Panel - 56" H	12	UMSTBW2448	Tile-to-Floor One Side; Standard Base Raceway One Side:	
UMFL2464	Elevated Base: Monolithic Fabric Panel - 64" H	12		Monolithic Steel Panel - 48"H	40
UMFLBW2440	Elevated Base: Monolithic Fabric Panel - 40" H	22	UMSTBW2456	Tile-to-Floor One Side; Standard Base Raceway One Side:	
UMFLBW2448	Elevated Base: Monolithic Fabric Panel - 48" H	22		Monolithic Steel Panel - 56"H	40
UMFLBW2456	Elevated Base: Monolithic Fabric Panel - 56" H	22	UMSTBW2464	Tile-to-Floor One Side; Standard Base Raceway One Side:	
UMFLBW2464	Elevated Base: Monolithic Fabric Panel - 64" H	24		Monolithic Steel Panel - 64"H	40
UMFR2432	Standard Base Raceway: Monolithic Fabric Panel - 32" H	6	UNCG10	Continuous Top Cap/Carpet Gripper/Alum Grommet: Carpet Gripper	382
UMFR2440	Standard Base Raceway: Monolithic Fabric Panel - 40" H	6	UNDEMB.PM3630	Markerboards: Markerboards - No Frame	388
UMFR2448	Standard Base Raceway: Monolithic Fabric Panel - 48" H	6	UNGDS24	Glass Divider Screen: Glass Divider Screen	378
UMFR2456	Standard Base Raceway: Monolithic Fabric Panel - 56" H	8	UNGPS32	Perpendicular Start for Genius® Wall: Perpendicular Start - 32" H	200
UMFR2464	Standard Base Raceway: Monolithic Fabric Panel - 64" H	8	UNGPS40	Perpendicular Start for Genius® Wall: Perpendicular Start -	
UMFRBW2440	Standard Base Raceway: Monolithic Fabric Panel - 40" H	18		40",48",56", 64" H	200
UMFRBW2448	Standard Base Raceway: Monolithic Fabric Panel - 48" H	18	UNGUS	Universal Start for Genius® Wall: Universal Start	202
UMFRBW2456	Standard Base Raceway: Monolithic Fabric Panel - 56" H	18	UNMB.PM.3032	Markerboards: Markerboards	388
UMFRBW2464	Standard Base Raceway: Monolithic Fabric Panel - 64" H	20	UNPWUD	Power Modules: Round Power Module-Receptacle and Data	384
UMFT2432	Tile-to-Floor One Side; Standard Base Raceway One Side:		UNPWUP	Power Modules: Round Power Module-Dual Receptacles	384
	Monolithic Fabric Panel - 32" H	12	UNRC.2432	Acoustic Septum Kits: Acoustic Septum Kit	376
UMFT2440	Tile-to-Floor One Side; Standard Base Raceway One Side:		UNTB2412/PM	Tackboard: Tackboard	390

Model No.	Description	Page	Model No.	Description	Page
UNWM16	Adjustable Wall Mount Start: Adjustable Wall Mount Start	198	USFT2464	Tile-to-Floor One Side; Standard Base Raceway One Side:	
UNWT30	Wall Track: Wall Track	204		Segmented Fabric Panel - 64"H	56
UPENPL24	Add-on Peninsula Attachment Plate	292	USFTBW2440	Tile-to-Floor One Side; Standard Base Raceway One Side:	
UPL26	Post Leg: Post Leg Assembly - 24-3/4" Height	294		Segmented Fabric Panel - 40"H	66
UPL29	Post Leg: Post Leg Assembly - 27-3/4" Height	294	USFTBW2448	Tile-to-Floor One Side; Standard Base Raceway One Side:	
UPMTR24	Paper Management: On-Module Tool Rail	394		Segmented Fabric Panel - 48"H	66
UPNLI1826	Non-Panel Mounted, Insert: Insert Leg - 24-3/4" Height	298	USFTBW2456	Tile-to-Floor One Side; Standard Base Raceway One Side:	
UPNLI1829	Non-Panel Mounted, Insert: Insert Leg - 27-3/4" Height	298		Segmented Fabric Panel - 56"H	66
UPNLO1826	Non-Panel Mounted, Open: Open Leg - 24-3/4" Height	296	USFTBW2464	Tile-to-Floor One Side; Standard Base Raceway One Side:	
UPNL01829	Non-Panel Mounted, Open: Open Leg - 27-3/4" Height	296	11001.0440	Segmented Fabric Panel - 64"H	68
UPSLC1826	Panel Mounted, Center: Center Leg (Open) - 24-3/4" Height	304	USGL2440	Elevated Base: Segmented Fabric Panel - 40"H	106
UPSLC1829	Panel Mounted, Center: Center Leg (Open) - 27-3/4" Height	304	USGL2448	Elevated Base: Segmented Fabric Panel - 48"H	106
UPSLI1826	Panel Mounted, Insert: Insert Leg - 24-3/4" Height	302	USGL2456	Elevated Base: Segmented Fabric Panel - 56"H	106
UPSLI1829 UPSL01826	Panel Mounted, Insert: Insert Leg - 27-3/4" Height	302 300	USGL2464 USGR2440	Elevated Base: Segmented Fabric Panel - 64"H	108 102
UPSL01829	Panel Mounted, Open: Open Leg - 24-3/4" Height Panel Mounted, Open: Open Leg - 27-3/4" Height	300	USGR2448	Standard Base Raceway: Segmented Fabric Panel - 40"H Standard Base Raceway: Segmented Fabric Panel - 48"H	102
URD1803664	Rolling Door-180° Inline Condition	218	USGR2456	Standard Base Raceway: Segmented Fabric Panel - 56"H	102
URD903664	Rolling Door-90° Intersection Condition	218	USGR2464	Standard Base Raceway: Segmented Fabric Panel - 64"H	102
URDBW3664	Rolling Door-Building Wall Condition	222	USGT2440	Tile-to-Floor One Side; Standard Base Raceway One Side:	104
URDDDE3664	Rolling Door-Double Dead End Condition	220	00012440	Segmented Fabric Panel - 40"H	110
URDDE3664	Rolling Door-Dead End Condition	220	USGT2448	Tile-to-Floor One Side; Standard Base Raceway One Side:	110
URDNJ3664	Rolling Door-No Jamb Condition	216	00012440	Segmented Fabric Panel - 48"H	110
URDT36	Thresholds: Rolling Door-Threshold for use with Jamb Conditions	224	USGT2456	Tile-to-Floor One Side; Standard Base Raceway One Side:	110
URDTC	Thresholds: Rolling Door-Continuous Threshold	226	00012100	Segmented Fabric Panel - 56"H	110
URDTNJ36	Thresholds: Rolling Door-Threshold for use with No-Jamb Conditions		USGT2464	Tile-to-Floor One Side; Standard Base Raceway One Side:	110
URK.HW	Bracket Assembly Kit/Receptacle Kit: Chicago Code Receptacle Kit	386	000.2.0.	Segmented Fabric Panel - 64"H	112
URSR24/UN/LB	Overhead Storage: Regular Shelf-Load Bar Mount	314	USMB1L2448	Elevated Base: Segmented Fabric Panel - 48"H	116
URSR24/UN/PM	Overhead Storage: Regular Shelf-On-Module	314	USMB1L2456	Elevated Base: Segmented Fabric Panel - 56"H	116
URSR24/UN/UM	Overhead Storage: Regular Shelf-Upmount	314	USMB1L2464	Elevated Base: Segmented Fabric Panel - 64"H	116
USFL2440	Elevated Base: Segmented Fabric Panel - 40"H	50	USMB1R2448	Standard Base Raceway: Segmented Fabric Panel - 48"H	114
USFL2448	Elevated Base: Segmented Fabric Panel - 48"H	50	USMB1R2456	Standard Base Raceway: Segmented Fabric Panel - 56"H	114
USFL2456	Elevated Base: Segmented Fabric Panel - 56"H	50	USMB1R2464	Standard Base Raceway: Segmented Fabric Panel - 64"H	114
USFL2464	Elevated Base: Segmented Fabric Panel - 64"H	52	USMB1T2448	Tile-to-Floor One Side; Standard Base Raceway One Side:	
USFLBW2440	Elevated Base: Segmented Fabric Panel - 40"H	62		Segmented Fabric Panel - 48"H	118
USFLBW2448	Elevated Base: Segmented Fabric Panel - 48"H	62	USMB1T2456	Tile-to-Floor One Side; Standard Base Raceway One Side:	
USFLBW2456	Elevated Base: Segmented Fabric Panel - 56"H	62		Segmented Fabric Panel - 56"H	118
USFLBW2464	Elevated Base: Segmented Fabric Panel - 64"H	64	USMB1T2464	Tile-to-Floor One Side; Standard Base Raceway One Side:	
USFPL2440	Elevated Base: Segmented Fabric Panel - 40"H	128		Segmented Fabric Panel - 64"H	118
USFPL2448	Elevated Base: Segmented Fabric Panel - 48"H	128	USMB2L2448	Elevated Base: Segmented Fabric Panel - 48"H	122
USFPL2456	Elevated Base: Segmented Fabric Panel - 56"H	128	USMB2L2456	Elevated Base: Segmented Fabric Panel - 56"H	122
USFPL2464	Elevated Base: Segmented Fabric Panel - 64"H	130	USMB2L2464	Elevated Base: Segmented Fabric Panel - 64"H	122
USFPR2440	Standard Base Raceway: Segmented Fabric Panel - 40"H	124	USMB2R2448	Standard Base Raceway: Segmented Fabric Panel - 48"H	120
USFPR2448	Standard Base Raceway: Segmented Fabric Panel - 48"H	124	USMB2R2456	Standard Base Raceway: Segmented Fabric Panel - 56"H	120
USFPR2456	Standard Base Raceway: Segmented Fabric Panel - 56"H	124	USMB2R2464	Standard Base Raceway: Segmented Fabric Panel - 64"H	120
USFPR2464	Standard Base Raceway: Segmented Fabric Panel - 64"H	126	US0L2440	Elevated Base: Segmented Open Panel - 40"H	98
USFPT2440	Tile-to-Floor One Side; Standard Base Raceway One Side:		US0L2448	Elevated Base: Segmented Open Panel - 48"H	98
	Segmented Fabric Panel - 40"H	132	US0L2456	Elevated Base: Segmented Open Panel - 56"H	98
USFPT2448	Tile-to-Floor One Side; Standard Base Raceway One Side:		US0L2464	Elevated Base: Segmented Open Panel - 64"H	100
	Segmented Fabric Panel - 48"H	132	US0R2440	Standard Base Raceway: Segmented Open Panel - 40"H	94
USFPT2456	Tile-to-Floor One Side; Standard Base Raceway One Side:		USOR2448	Standard Base Raceway: Segmented Open Panel - 48"H	94
	Segmented Fabric Panel - 56"H	132	USOR2456	Standard Base Raceway: Segmented Open Panel - 56"H	94
USFPT2464	Tile-to-Floor One Side; Standard Base Raceway One Side:		USOR2464	Standard Base Raceway: Segmented Open Panel - 64"H	96
	Segmented Fabric Panel - 64"H	134	USPCBW25	Pedestal Accessories: Counterbalance Weight	372
USFR2440	Standard Base Raceway: Segmented Fabric Panel - 40"H	46	USPCBW36	Pedestal Accessories: Counterbalance Weight	372
USFR2448	Standard Base Raceway: Segmented Fabric Panel - 48"H	46	USPCK	Pedestal Accessories: Caster Kit	372
USFR2456	Standard Base Raceway: Segmented Fabric Panel - 56"H	46	USPGK	Pedestal Accessories: Glide Kit	372
USFR2464	Standard Base Raceway: Segmented Fabric Panel - 64"H	48	USPLPL	Splice Plate	292
USFRBW2440	Standard Base Raceway: Segmented Fabric Panel - 40"H	58	USPLPL.22	Splice Plate - 22" Worksurface	292
USFRBW2448	Standard Base Raceway: Segmented Fabric Panel - 48"H	58 50	USSDH36	Sliding Door Overhead	358
USFRBW2456	Standard Base Raceway: Segmented Fabric Panel - 56"H	58	USSFL2440	Elevated Base: Segmented Steel Panel - 40"H	74
USFRBW2464	Standard Base Raceway: Segmented Fabric Panel - 64"H	60	USSFL2448	Elevated Base: Segmented Steel Panel - 48"H	74
USFT2440	Tile-to-Floor One Side; Standard Base Raceway One Side:	F 4	USSFL2456	Elevated Base: Segmented Steel Panel - 56"H	74 70
LICETOAAO	Segmented Fabric Panel - 40"H	54	USSFL2464	Elevated Base: Segmented Steel Panel - 64"H	76
USFT2448	Tile-to-Floor One Side; Standard Base Raceway One Side:	F 4	USSFLBW2440	Elevated Base: Segmented Steel Panel - 40"H	86
LICETOAFC	Segmented Fabric Panel - 48"H	54	USSFLBW2448	Elevated Base: Segmented Steel Panel - 48"H	88
USFT2456	Tile-to-Floor One Side; Standard Base Raceway One Side:	E1	USSFLBW2456	Elevated Base: Segmented Steel Panel - 56"H	88
	Segmented Fabric Panel - 56"H	54	USSFLBW2464	Elevated Base: Segmented Steel Panel - 64"H	88



Model No.	Description	Page	Model No.	Description	Page
USSFR2440	Standard Base Raceway: Segmented Steel Panel - 40"H	70		case - Box/Box/File	356
USSFR2448	Standard Base Raceway: Segmented Steel Panel - 48"H	70	UWBBFC48L	48" High Cabinet: Wardrobe/Cabinet - Box/Box/File	350
USSFR2456	Standard Base Raceway: Segmented Steel Panel - 56"H	70	UWBBFC64L	64" High Cabinet: Wardrobe/Cabinet - Box/Box/File	352
USSFR2464	Standard Base Raceway: Segmented Steel Panel - 64"H	72	UWCE2451	Conference End: Conference End	270
USSFRBW2440	Standard Base Raceway: Segmented Steel Panel - 40"H	82	UWCT1536	Laminate Tops: U-Series® Credenza-Laminate Tops	348
USSFRBW2448	Standard Base Raceway: Segmented Steel Panel - 48"H	84	UWDC18363618	Diagonal 90° Corner: Diagonal 90° Corner - 18" D	260
USSFRBW2456	Standard Base Raceway: Segmented Steel Panel - 56"H	84	UWDC22363622	Diagonal 90° Corner: Diagonal 90° Corner - 22" D	260
USSFRBW2464	Standard Base Raceway: Segmented Steel Panel - 64"H	84	UWDC24363624	Diagonal 90° Corner: Diagonal 90° Corner - 24" D	260
USSFT2440	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWEC18366022	Extended Corner Reductions: Extended Corner Reduction - 18"	266
	Segmented Steel Panel - 40"H	78	UWEC18603622	Extended Corner Reductions: Extended Corner Reduction - 18"	268
USSFT2448	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWEC22366018	Extended Corner Reductions: Extended Corner Reduction - 22"	266
	Segmented Steel Panel - 48"H	78	UWEC22366022	Extended Corner: Extended Corner - 22"	264
USSFT2456	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWEC22603618	Extended Corner Reductions: Extended Corner Reduction - 22"	268
	Segmented Steel Panel - 56"H	78	UWEC22603622	Extended Corner: Extended Corner - 22"	262
USSFT2464	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWEC24366018	Extended Corner Reductions: Extended Corner Reduction - 24"	266
	Segmented Steel Panel - 64"H	80	UWEC24366024	Extended Corner: Extended Corner - 24"	264
USSFTBW2440	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWEC24603618	Extended Corner Reductions: Extended Corner Reduction - 24"	268
	Segmented Steel Panel - 40"H	90	UWEC24603624	Extended Corner: Extended Corner - 24"	262
USSFTBW2448	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWFFB48L	48" High Side Access Bookcase: Wardrobe/Side Access Book-	
	Segmented Steel Panel - 48"H	92		case - File/File	354
USSFTBW2456	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWFFB64L	64" High Side Access Bookcase: Wardrobe/Side Access Book-	
	Segmented Steel Panel - 56"H	92		case - File/File	356
USSFTBW2464	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWFFC48L	48" High Cabinet: Wardrobe/Cabinet - File/File	350
	Segmented Steel Panel - 64"H	92	UWFFC64L	64" High Cabinet: Wardrobe/Cabinet - File/File	352
USSW1L2440	Elevated Base: Segmented Fabric Panel - 40"H	140	UWIC1202236362	2	
USSW1L2448	Elevated Base: Segmented Fabric Panel - 48"H	140		120° End Corner/60° End Corner: 120° End Corner/90° User	
USSW1L2456	Elevated Base: Segmented Fabric Panel - 56"H	140		Edge - 22"	280
USSW1L2464	Elevated Base: Segmented Fabric Panel - 64"H	142	UWIC1202436362	4	
USSW1R2440	Standard Base Raceway: Segmented Fabric Panel - 40"H	136		120° End Corner/60° End Corner: 120° End Corner/90° User	
USSW1R2448	Standard Base Raceway: Segmented Fabric Panel - 48"H	136		Edge - 24"	280
USSW1R2456	Standard Base Raceway: Segmented Fabric Panel - 56"H	136	UWP16487222	Peninsula: Peninsula - 22" D	274
USSW1R2464	Standard Base Raceway: Segmented Fabric Panel - 64"H	138	UWP16487224	Peninsula: Peninsula - 24" D	274
USSW1T2440	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWP22724816	Peninsula: Peninsula - 22" D	276
	Segmented Fabric Panel - 40"H	144	UWP24724816	Peninsula: Peninsula - 24" D	276
USSW1T2448	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWR1824	Rectangular: Rectangular Worksurfaces - 18" D	256
	Segmented Fabric Panel - 48"H	144	UWR2224	Rectangular: Rectangular Worksurfaces - 22" D	256
USSW1T2456	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWR2424	Rectangular: Rectangular Worksurfaces - 24" D	256
	Segmented Fabric Panel - 56"H	144	UWR3024	Rectangular: Rectangular Worksurfaces - 30" D	258
USSW1T2464	Tile-to-Floor One Side; Standard Base Raceway One Side:		UWSES.R	Worksurface Edge Support with Lock	292
	Segmented Fabric Panel - 64"H	146	UWT224830	Tapered: Tapered - 22"	272
USSW2L2440	Elevated Base: Segmented Fabric Panel - 40"H	152	UWT244830	Tapered: Tapered - 24"	272
USSW2L2448	Elevated Base: Segmented Fabric Panel - 48"H	152	UWTR1624	Transaction Countertops: Straight Countertops, Standard Height	284
USSW2L2456	Elevated Base: Segmented Fabric Panel - 56"H	152	UWTR321624	Transaction Countertops: Straight Countertops, 32" Height	286
USSW2L2464	Elevated Base: Segmented Fabric Panel - 64"H	154	UWTRC1624	Transaction Countertops: Corner Countertops, Standard Height	284
USSW2R2440	Standard Base Raceway: Segmented Fabric Panel - 40"H	148	UWTRC321624	Transaction Countertops: Corner Countertops, 32" Height	286
USSW2R2448	Standard Base Raceway: Segmented Fabric Panel - 48"H	148			
USSW2R2456	Standard Base Raceway: Segmented Fabric Panel - 56"H	148			
USSW2R2464	Standard Base Raceway: Segmented Fabric Panel - 64"H	150			
USTF2416	Fabric : Fabric Stacking Panel - 16" H	156			
USTG2416	Glass: Glass Stacking Panel - 16" H	160			
USTM12416	Markerboard on One Side: Markerboard on One-Side Stacking				
	Panel - 16" H	164			
USTM22416	Markerboard on Both Sides : Markerboard on Both-Sides				
	Stacking Panel - 16" H	166			
USTP2416	Perforated Steel: Perforated Steel Stacking Panel - 16" H	162			
USTS2416	Solid Steel : Solid Steel Stacking Panel - 16" H	158			
USTSW12416	Slat Wall on One Side : Slat Wall on One-Side Stacking Panel - 16" H				
USTSW22416	Slat Wall on Two Sides : Slat Wall on Two-Sides Stacking Panel - 16"				
UTBLI2448	Freestanding Tables: Freestanding Tables - With Insert	288			
UTBL02448	Freestanding Tables: Freestanding Tables - Open Leg	288			
UTLT5.24	Overhead Task Light: Overhead Task Light	366			
UW12022363622	Ç	278			
UW1202260	120° End Corner/60° End Corner: 60° End Corner - 22 and 24"	280			
UW12024363624	•	278			
UWBBFB48L	48" High Side Access Bookcase: Wardrobe/Side Access Book-	254			
I IM/DDEDG 41	case - Box/Box/File	354			
UWBBFB64L	64" High Side Access Bookcase: Wardrobe/Side Access Book-				

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2010 KI All Rights Reserved. Litho in USA. Code KI-11557/KI/PDF/1010