




Nalu in Waimea, monolithic tile installation




Tapa in Waimea, monolithic tile installation



Fin in Waimea, monolithic tile installation

4






Tapa in Cloud Break, monolithic tile installation



Nalu in Cloud Break, monolithic tile installation



Fin in Custom Color, monolithic tile installation Contact your Milliken representative for custom order guidelines.

Colorline shown in Nalu



NAL21-39-4 BALSA (Fin FIN21-39-4, Tapa TAP39-4)



NAL4-114-122 RINCON (Fin FIN4-114-122, Tapa TAP114-122)



NAL15-93-144 KANDUI (Fin FIN15-93-144, Tapa TAP93-144)



NAL144-96-165 WAIMEA (Fin FIN144-96-165, Tapa TAP96-165)



NAL139-5-171 NOSARA (Fin FIN139-5-171, Tapa TAP5-171)



NAL13-180 CLOUD BREAK (Fin FIN13-180, Tapa TAP13-180)



NAL180-118-5 PIPE LINE (Fin FIN180-118-5, Tapa TAP118-5)



NAL144-67-97 LAIRD (Fin FIN144-67-97, Tapa TAP67-97)



NAL173-144 STEAMER LANE (Fin FIN173-144, Tapa TAP173-144)



NAL139-67-132 GREEN ROOM (Fin FIN139-67-132, Tapa TAP67-132)



NAL21-81-4 SLATER (Fin FIN21-81-4, Tapa TAP81-4)



NAL37-45-48 HANALEI BAY (Fin FIN37-45-48, Tapa TAP45-48)

11

KAIFin / Nalu / Tapa

Have you seen our other collections? Visit us online today.









Art Media





Ghost Artis

Suitable 2.0





Inis Mór

Construction

Tufted, Textured Loop

Tile Size

1 m x 1 m (39.4" x 39.4")

Yarn Type

100% Milliken-Certified WearOn® Nylon Type 6,6

Stain Repel / Stain Resist / Soil Release

StainSmart®

Tufted Face Weight

 $15 \text{ oz/yd}^2 (509 \text{ g/m}^2)$

Finished Pile Height

0.08" (2.03 mm)

Average Density

6,541

Standard Backing

PVC-Free Underscore™ ES Cushion
Underscore™ is available with TractionBack®

Texture Appearance Retention Rating (TARR)

Severe

Recommended Installation Method



MONOLITHIC

TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick carpet tile.









This cushion-back carpet tile product is covered by one or more patents, published applications and/or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice.

Growing greener for over 100 years.

This product has a UL® Environment 3rd party verified Environmental Product Declaration(EPD). A copy of the EPD is available online at millikencarpet.com/epd and productguide.ulenvironment.com.