



Graphite in Dove Grey, monolithic tile installation




Chalk in Dove Grey with canvas right accessory pattern, monolithic tile installation







Charcoal in Dove Grey, monolithic tile installation







Charcoal in Gunmetal, monolithic tile installation




Graphite in Gunmetal, monolithic tile installation







Chalk in True Blue, monolithic tile installation






Charcoal in Cinnabar, monolithic tile installation



Graphite in Cinnabar, monolithic tile installation







Chalk in Pepper, monolithic tile installation



Charcoal in Pepper, monolithic tile installation




Charcoal in True Blue with canvas right accessory pattern, monolithic tile installation




Charcoal is a 4-tile precision set pattern repeat that perfectly achieves drama through large scale pattern. This product is labeled numerically 1-4 on the back of each tile and comes with an installation pattern repeat diagram to ensure all tiles are placed in the appropriate location.


Additionally, as an optional accessory or trim tile, Charcoal canvas left or canvas right patterns, which feature the perimeter of the artwork where the charcoal fades to the canvas edge, are available. This creates opportunities to define circulation, create a white space edge to transition to other modular flooring, or as edge detail to transition to hard surface floor. The pattern consists of a companion right or left version tile, for all 4 of the tiles. These canvas edge tiles are to be installed precisely paired with their corresponding tile.



canvas left 4 canvas tiles to precision pair with Charcoal tile #1-4 (tiles 3 & 4 not shown)





Charcoal 4-tile precision set pattern



canvas right 4 canvas tiles to precision pair with Charcoal tile #1-4 (tiles 1 & 2 not shown)


A detailed floor plan is recommended for all installations using the canvas accessory tile. Milliken is pleased to offer assistance with this plan and the tile diagram for your project.






Chalk is a random multi-tile repeat. Each tile has edge-to-edge pattern match with unique tile centers. The variety in this design makes each installation one-of-a-kind without additional floor plans or special installation instructions. This design is to be installed random monolithic from the delivery container.

Additionally, as an optional accessory or trim tile, Chalk canvas left or canvas right patterns, which feature the perimeter of the artwork where the chalk fades to the canvas edge, are available. The pattern consists of a two tile repeat, to achieve a randomized effect. These are to be installed randomly along an area to define circulation, create a white space edge to transition to other modular flooring, or as edge detail to transition to hard surface flooring.



Graphite is a random multi-tile repeat. Each tile has edge-to-edge pattern match with unique tile centers. The variety in this design makes each installation one-of-a-kind without additional floor plans or special installation instructions. This design is to be installed random monolithic from the delivery container.

Additionally, as an optional accessory or trim tile, Graphite canvas left or canvas right patterns, which feature the perimeter of the artwork where the pencil fades to the canvas edge, are available. The pattern consists of a two-tile repeat, to achieve a randomized effect. These are to be installed randomly along an area to define circulation, create a white space edge to transition to other modular flooring, or as edge detail to transition to hard surface flooring.



6-tile random repeat



GRA134-04 CADMIUM YELLOW (canvas left GRL134-04, canvas right GRR134-04)



GRA76-15 HAZEL (canvas left GRL76-15, canvas right GRR76-15)



GRA27-48 BISTER (canvas left GRL27-48, canvas right GRR27-48)



GRA137-04 ARTHAS' TEARS (canvas left GRL137-04, canvas right GRR137-04)



GRA48-93 COCOA (canvas left GRL48-93, canvas right GRR48-93)



GRA03-147 CINNABAR (canvas left GRL03-147, canvas right GRR03-147)




CHK134-04 CADMIUM YELLOW (canvas left CKL134-04, canvas right CKR134-04)



CHK76-15 HAZEL (canvas left CKL76-15, canvas right CKR76-15)



CHK27-48 BISTER (canvas left CKL27-48, canvas right CKR27-48)



CHK137-04 ARTHAS' TEARS (canvas left CKL137-04, canvas right CKR137-04)



CHK48-93 COCOA (canvas left CKL48-93, canvas right CKR48-93)



CHK03-147 CINNABAR (canvas left CKL03-147, canvas right CKR03-147)



CHA134-04 CADMIUM YELLOW (canvas left CHL134-04, canvas right CHR134-04)



CHA76-15 HAZEL (canvas left CHL76-15, canvas right CHR76-15)




CHA27-48 BISTER (canvas left CHL27-48, canvas right CHR27-48)




CHA137-04 ARTHAS' TEARS (canvas left CHL137-04, canvas right CHR137-04)



CHA48-93 COCOA (canvas left CHL48-93, canvas right CHR48-93)



CHAO3-147 CINNABAR (canvas left CHLO3-147, canvas right CHRO3-147)



GRA108 DOVE GREY (canvas left GRL108, canvas right GRR108)



GRA04-33 PYRROLE ORANGE (canvas left GRL04-33, canvas right GRR04-33)



GRA154-180 GUNMETAL (canvas left GRL154-180, canvas right GRR154-180)




GRA46-138 PEPPER (canvas left GRL46-138,



GRA123-48 TRUE BLUE (canvas left GRL123-48, canvas right GRR123-48)



GRA154 ASH (canvas left GRL154, canvas right GRR154)




CHK108 DOVE GREY (canvas left CKL108, canvas right CKR108)




CHK04-33 PYRROLE ORANGE (canvas left CKL04-33, canvas right CKR04-33)



CHK154-180 GUNMETAL (canvas left CKL154-180, canvas right CKR154-180)



CHK46-138 PEPPER (canvas left CKL46-138,



8, CHK123-48 TRUE BLUE (canvas left CKL123-48, canvas right CKR123-48)



CHK154 ASH (canvas left CKL154, canvas right CKR154)



CHARCOAL

CHA108 DOVE GREY (canvas left CHL108, canvas right CHR108)



CHA04-33 PYRROLE ORANGE (canvas left CHL04-33, canvas right CHR04-33)



CHA154-180 GUNMETAL (canvas left CHL154-180, canvas right CHR154-180)



CHA46-138 PEPPER (canvas left CHL46-138



CHA123-48 TRUE BLUE (canvas left CHL123-48, canvas right CHR123-48)



CHA154 ASH (canvas left CHL154, canvas right CHR154)

ART MEDIA


Charcoal / Chalk / Graphite

Have you seen our other collections? Visit us online today.










Pen & Ink







Theory 2.0

Yarn Storm

Construction

Tufted, Loop/Tip-Shear

Tile Size

1 m x 1 m (39.4" x 39.4")

Yarn Type

Milliken-Certified WearOn® Nylon Type 6,6

Stain Repel & Resist / Soil Release StainSmart®

Tufted Face Weight 27 oz/yd² (915.5 g/m²)

Finished Pile Height

0.17" (4.3 mm)

Average Density 5,718

Standard Backing

PVC-Free Comfort Plus® ES cushion Comfort Plus® is available with TractionBack®

Texture Appearance Retention Rating (TARR)

Heavy

Recommended Installation Method



MONOLITHIC

TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick carpet tile.

by one or more patents, published applications and/or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice.









Growing greener for over 100 years.

Visit milliken.com for more information.









Action Painting in Ultramarine, monolithic tile installation





Action Painting in Van Rijn, monolithic tile installation (pg. 4 & 5)





Action Painting in Titan Buff, monolithic tile installation (pg. 8 & 9)







Random Layout

Action Painting is a random multi-tile repeat. Each tile has edge-to-edge pattern match with unique tile centers. The variety in this design makes each installation one-of-a-kind without additional floor plans or special installation instructions. This design is to be installed random monolithic from the delivery container.


Additionally, as an optional accessory or trim tile, Action Painting canvas left or canvas right patterns, which feature the perimeter of the artwork where the paint dissipates to the canvas edge, are available. The pattern consists of a two tile repeat to achieve a randomized effect. These are to be installed randomly along an area to define circulation, create a white space edge to transition to other modular flooring, or as edge detail to transition to hard surface flooring.




canvas left 2-tile random repeat




Action Painting 4-tile random repeat



canvas right
2-tile random repeat




ACT33-93-95 TITAN BUFF (canvas left APL33-93-95, canvas right APR33-93-95)




ACT105-148-59 MARS PINK (canvas left APL105-148-59, canvas right APR105-148-59)




ACT134-148-109 FRENCH ROUGE (canvas left APL134-148-109, canvas right APR134-148-109)




ACT146-169-106 CRIMSON (canvas left APL146-169-106, canvas right APR146-169-106)



ACT166-158-15 PORPHYRA (canvas left APL166-158-15, canvas right APR166-158-15)




ACT166-181-137 NAPHTHOL (canvas left APL166-181-137, canvas right APR166-181-137)




ACT103-27-25 CHROMEOXIDE (canvas left APL103-27-25, canvas right APR103-27-25)




ACT139-156-52 MANGANESE (canvas left APL139-156-52, canvas right APR139-156-52)




ACT46-158-174 VAN RIJN (canvas left APL46-158-174, canvas right APR46-158-174)



ACT172-33-174 OCHRE HAVANA (canvas left APL172-33-174, canvas right



ACT154-160-141 ULTRAMARINE (canvas left APL154-160-141, canvas right APR154-160-141)



ACT147-141-134 GAMUT (canvas left APL147-141-134, canvas right APR147-141-134)

ART MEDIA


Action Painting

Have you seen our other collections? Visit us online today.










Pen & Ink







Theory 2.0

Yarn Storm

Construction

Tufted, Loop/Tip-Shear

Tile Size

1 m x 1 m (39.4" x 39.4")

Yarn Type

Milliken-Certified WearOn® Nylon Type 6,6

Stain Repel & Resist / Soil Release StainSmart®

Tufted Face Weight 27 oz/yd² (915.5 g/m²)

Finished Pile Height

0.17" (4.3 mm)

Average Density

5,718

Standard Backing

PVC-Free Comfort Plus® ES cushion Comfort Plus® is available with TractionBack®

Texture Appearance Retention Rating (TARR)

Heavy

Recommended Installation Method



MONOLITHIC

TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick carpet tile.

This cushion-back carpet tile product is covered by one or more patents, published applications and/or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice.








Growing greener for over 100 years.

Visit milliken.com for more information.









Drip Painting in Beryl, monolithic tile installation

Each art technique was originally used to have a response to the canvas in a different manner simplified forms of abstraction, fluid continuous lines, no defined positive or negative space, and playing with the figure-ground relationship. Here we treat the floor plane as a giant canvas where installation size has no limitation, allowing the viewer to respond to 'space' in a new and different manner.





Drip Painting in Lyart, monolithic tile installation






Drip Painting in Cinerescent with *canvas right* accessory pattern, monolithic tile installation




Random Layout

Drip Painting is a random pattern with no pattern repeat- every tile is unique. Each tile has edge-to-edge pattern match with unique tile centers. The variety in this design makes each installation one-of-a-kind without additional floor plans or special installation instructions. This design is to be installed random monolithic from the delivery container.

Additionally, as an optional accessory or trim tile, Drip Painting canvas left or canvas right patterns, which feature the perimeter of the artwork where the paint dissipates to the canvas edge, are available. The pattern consists of a two tile repeat to achieve a randomized effect. These are to be installed randomly along an area to define circulation, create a white space edge to transition to other modular flooring, or as edge detail to transition to hard surface flooring.



canvas left 2-tile random repeat




Drip Painting random - no pattern repeat



canvas right
2-tile random repeat




DRP93-15 NICKEL AZO (canvas left DPL93-15, canvas right DPR93-15)




DRP72-105 HANSA (canvas left DPL72-105, canvas right DPR72-105)




DRP59-15 TERTIARY (canvas left DPL59-15, canvas right DPR59-15)




DRP147-146 PYRROLE POPPY (canvas left DPL147-146, canvas right DPR147-146)



DRP168-109 CERISE (canvas left DPL168-109, canvas right DPR168-109)



DRP118-138 MINERAL VIOLET (canvas left DPL118-138, canvas right DPR118-138)




DRP156-52 BERYL (canvas left DPL156-52, canvas right DPR156-52)




DRP51-139 LYART (canvas left DPL51-139, canvas right DPR51-139)




DRP67-173 IRON (canvas left DPL67-173, canvas right DPR67-173)



DRP46-152 CINERESCENT (canvas left DPL46-152, canvas right DPR46-152)



DRP160-158 AZUREOUS (canvas left DPL160-158, canvas right DPR160-158)



DRP141-95 PHTHALO GREEN (canvas left DPL141-95, canvas right DPR141-95)

ART MEDIA


Drip Painting

Have you seen our other collections? Visit us online today.









Pen & Ink





Yarn Storm



Theory 2.0

Construction

Tufted, Loop/Tip-Shear

Tile Size

1 m x 1 m (39.4" x 39.4")

Yarn Type

Milliken-Certified WearOn® Nylon Type 6,6

Stain Repel & Resist / Soil Release StainSmart®

Tufted Face Weight 27 oz/yd² (915.5 g/m²)

Finished Pile Height

0.17" (4.3 mm)

Average Density

5,718

Standard Backing

PVC-Free Comfort Plus® ES cushion Comfort Plus® is available with TractionBack®

Texture Appearance Retention Rating (TARR)

Heavy

Recommended Installation Method



MONOLITHIC

TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peeland-stick carpet tile.

by one or more patents, published applications to normal manufacturing tolerances and may be changed without prior notice.









Growing greener for over 100 years. Visit milliken.com for more information.







Op Art in Warp, monolithic tile installation









Op Art in Grisaille, monolithic tile installation



Op Art in Radiate (left) and Flicker (right), monolithic tile installation







Op Art 9-tile random repeat

Random Layout

Op Art is a multi-tile repeat. Each tile has edge-to-edge pattern match with unique tile centers. The variety in this design makes each installation one-of-a-kind without additional floor plans or special installation instructions. This design is to be installed random monolithic from the delivery container.



OPA180-154 OSCILLATE

OPA174 FLUCTUATE

OPA97-79 BINARY

OPA148-169 VOLATILE

OPA79-122 GEOMETRICAL

OPA139 RHYTHM

OPA103 GLIMMER

OPA72-11 TOTTER


ART MEDIAOp Art

Have you seen our other collections? Visit us online today.










Pen & Ink







Theory 2.0

Yarn Storm

Construction

Tufted, Loop/Tip-Shear

Tile Size

1 m x 1 m (39.4" x 39.4")

Yarn Type

Milliken-Certified WearOn® Nylon Type 6,6

Stain Repel & Resist / Soil Release StainSmart®

Tufted Face Weight 27 oz/yd² (915.5 g/m²)

Finished Pile Height

0.17" (4.3 mm)

Average Density

5,718

Standard Backing

PVC-Free Comfort Plus® ES cushion Comfort Plus® is available with TractionBack®

Texture Appearance Retention Rating (TARR)

Severe

Recommended Installation Method



MONOLITHIC

TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick carpet tile.

This cushion-back carpet tile product is covered by one or more patents, published applications and/or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice.







Growing greener for over 100 years. Visit milliken.com for more information.