

GSA prices effective April 1, 2019 (based on January 7, 2019, commercial price list) Published April 2019

### Workspaces

Action Office® System with Meridian® and Tu® Pedestals 10-Day or Less

#### **General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List**

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!", a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture FSC Group 71, Part 1

Contract Number: GS-03F-036DA

Contract Period: December 21, 2015 — December 20, 2020

Herman Miller, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax www.HermanMiller.com/government

Business Size: Large

#### 1a. Special Item Numbers (SIN)

SIN 71-1

**Packaged Offices** 

SIN 711-1

Furniture Systems

SIN 711-2

Computer Furniture

SIN 711-3

Filing and Storage Cabinets

SIN 711-11

Tables and Accessories

SIN 711-16

**Upholstered Seating** 

SIN 711-18

Multi-Purpose Seating

SIN 711-91

**Project Management** 

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local Herman Miller representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour Furniture Project Coordinator: \$49.00 per hour Build-Out Project Manager: \$80.00 per hour

SIN 711-93

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour, which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis. This SIN may only be used with the purchase of new product under SIN 711-1.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 711-94

Design/Layout

Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$65 per hour.

SIN 711-95

Installation Services

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

\* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

SIN 711-96

Leasing

Contact Herman Miller participating government dealer for current leasing information.

SIN 711-99

**New Product Introductions** 

HermanMiller for Government April 2019

continued

SIN 711-500

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local Herman Miller representative to discuss the appropriate use of this SIN.

#### 1b. Lowest Priced Model

SIN 711-1:	G9999.B	\$9
SIN 711-2:	6-5-D	\$40
SIN 711-3:	L29P.15	\$11
SIN 711-11:	DT9A.	\$39
SIN 711-16:	OA401	\$43
SIN 711-18:	AS90598	\$51
SIN 711-99:	BVP <sub>3</sub> .S	\$12

#### 1c. Not applicable

#### **Maximum Order**

SIN 711-1, SIN 711-2

\$500,000 net product value

SIN 711-3, SIN 711-11

\$300,000 net product value

SIN 711-16, SIN 711-18

\$200,000 net product value

SIN 711-93

\$150,000

SIN 711-94

\$150,000

SIN 711-95

\$150,000

SIN 711-96

\$500,000 net product value

SIN 711-99

\$50,000 net product value

SIN 711-500

\$100,000

#### Minimum Order

\$100 net

#### **Geographic Coverage**

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

#### **Point of Production**

Zeeland, Ottawa County, Michigan Spring Lake, Ottawa County, Michigan

#### 6. **Pricing**

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 711-1

Product: Selected Action Office 1, Action Office 2, C-Style Overhead Storage, Ethospace System, Quadrant Pedestals, Supplemental Products, Tu Pedestals, and approved Herman Miller Options Products.

Standard Lead Time	Single Order Net Purchase	Discount From list	
	\$100 - 250,000	73.8%	
	\$250,001 - 500,000	76.8%	

SIN 711-1

Product: Selected Nevi<sup>™</sup> Tables, Renew<sup>™</sup> Tables, Renew Link and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	73.8%

SIN 711-1

Product: Selected Motia<sup>™</sup> Tables, and approved Herman Miller **Options Products** 

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	73.8%

SIN 711-1

Product: Tu Wood Pedestals and approved Herman Miller Options **Products** 

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 300,000	74.3%

SIN 711-1

Product: Selected Canvas Office Landscape (Beam, Dock, Group, Metal Storage, Private Office, Vista, Wall, and Wood Storage) and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	74.8%

HermanMiller for Government April 2019

continued

SIN 711-1

Product: Selected Layout Studio® and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	60.7%

SIN 711-1

Product: Selected Meridian Pedestals and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	64.2%

SIN 711-1

Product: Selected Thrive Portfolio and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List	
	\$100 - 250,000	62%	
	\$250,001 - 500,000	66.4%	

SIN 711-2

Product: Approved Herman Miller Options Products

Standard Single Order		Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	58.7%

SIN 711-3

Product: Meridian Laterals, Towers, and Storage products and approved Herman Miller Options Products

Standard Single Order		Discount From List		Towers &	
Lead Time	Net Purchase	Laterals	Verticals	Storage	
	\$100 - 300,000	67.3%	66.3%	62.7%	

SIN 711-3

Product: Tu Lateral Files, Tu Storage, Tu Towers, Tu Wood Cases, Tu Wood Cubbies, Tu Wood Credenzas, Tu Wood Towers, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 300,000	74.3%

SIN 711-11

Product: Selected Tables and Accessories and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Avive® Tables	\$100 - 250,000	72.8%
	\$250,001 - 500,000	74.8%
Herman Miller Eames® Tables	\$100 - 250,000	73.6%
	\$250,001 - 300,000	77.6%
Everywhere™ Tables	\$100 - 300,000	72.8%

SIN 711-16

Product: Swoop upholstered seating products and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Plex Lounge Furniture	\$100 - 200,000	59.5%
Swoop™	\$100 - 200,000	60.7%

SIN 711-18

Product: Selected Seating and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Aeron®	\$100 - 200,000	64.5%
Aside®	\$100 - 200,000	64.2%
Caper®	\$100 - 200,000	61.5%
Celle®	\$100 - 200,000	59.7%
Cosm™	\$100 - 200,000	61.7%
Embody®	\$100 - 200,000	59.7%
Keyn	\$100 - 200,000	57.7%
Lino™	\$100 - 200,000	63.7%
Mirra® 2	\$100 - 200,000	61.7%
Sayl®	\$100 - 200,000	62.2%
Setu®	\$100 - 200,000	59.7%
Verus™	\$100 - 200,000	63.7%

SIN 711-99

Product: Selected Exclave<sup>™</sup>, Locale<sup>®</sup>, Public Office Landscape<sup>®</sup>, Resolve<sup>®</sup> System, and approved Herman Miller Options Products

Resolve System, and approved	a Herman Miller Options i	Touucis
Standard	Single Order	Discount
Lead Time	Net Purchase	From List
Exclave	\$100 - 50,000	61.7%
Intent Solution	\$100 - 50,000	58.7%
Locale	\$100 - 50,000	63.7%
Public Office Landscape	\$100 - 50,000	61.7%
Resolve System	\$100 - 50,000	69.8%

HermanMiller for Government April 2019

continued

#### 7. Quantity Discounts

Reference item #6.

#### 8. Payment Term

Net 30 days

#### Government Commercial Credit Card

- Government commercial credit cards are accepted below the micropurchase threshold.
- Government commercial credit cards are accepted above the micropurchase threshold.

#### 10. Foreign Items

None

#### 11. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact Herman Miller or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

#### 12. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

#### 13. Ordering Address

a. Herman Miller, Inc.,

Government Customer Care 0161

855 East Main Avenue

Zeeland MI 49464.

 For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (www.fss.gsa.gov/schedules).

#### 14. Payment Address.

Herman Miller, Inc. 22764 Network Place Chicago, IL 60673-1227

#### 15. Warranty

Herman Miller, Inc., commercial warranty applies.

#### 16. Export Packing Charge

Prices supplied on request.

#### 17. Terms and Conditions of Government Purchase Card Acceptance

(any thresholds above the micropurchase level)
None.

#### 18. Rental Maintenance and Repair Terms

Not applicable

#### 19. Terms and Conditions of Installation

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

continued

#### 20. Terms and Conditions of Repair Parts

Not applicable

#### 21. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

#### 22. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/government.

#### 23. Preventive Maintenance

Not applicable

#### 24a. Special Attributes.

2018

Herman Miller receives the Corporation of the Year—Consumer Products award from the Michigan Minority Supplier Development Council.

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

As one of the top-scoring companies in the industry for the four-teenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and received the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair won the 2018 Best of NeoCon Gold Award in the Ergonomic Seating Category, the Interior Design HiP Award in the Ergonomic Seating Category, and a #MetropolisLikes Award. Cosm also won Mix Interiors "Product of the Year—Task" award.

For the 11th consecutive year, Herman Miller received a perfect score on the Corporate Equality Index and we were designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly their LGBT-related policies and practices.

#### 2017

Herman Miller was named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller has received a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award.

Herman Miller has earned the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller named one of the Best and Brightest in Wellness for the fifth year in a row.

Working Mother magazine has recognized Herman Miller as one of the 2017 Working Mother 100 Best Companies.

Herman Miller earned our tenth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in our industry for the thirteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and received the Bronze Class distinction for our excellent economic, environmental, and social sustainability performance.

Herman Miller has once again earned the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience.

#### 2016

Herman Miller was recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC). This award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (fifth consecutive year) recognized Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability.

Herman Miller has been recognized by the Michigan Minority Supplier Development Council (MMSDC), as a "Corporation of the Year", and we also received a "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council. Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Spot Stools from Herman Miller Collection receive Interior Design HiP Award for Hospitality Seating at NeoCon 2016.

HermanMiller for Government April 2019

continued

Herman Miller has been named a 2020 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for twelfth consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

#### 2015

Herman Miller earns ninth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2016 Corporate Equality Index and we were designated as Best Place to Work for LGBT equality.

This is the fourth consecutive year that Herman Miller was named one of Michigan's Best and Brightest Sustainable Companies.

Herman Miller has received the Best and Brightest in Wellness Award for the third year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller received the Forest Stewardship Council (FSC) Leadership Award for longstanding commitment to manufacturing with wood sourced from responsibly managed forests, which reduces environmental impacts by protecting against deforestation and forest degradation.

Herman Miller accepted its second Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller has once again been recognized for its commitment to best-in-class economic, environmental, and societal sustainability, earning a spot on the prestigious Dow Jones Sustainability Index (DJSI) for the twelfth consecutive year. We are the only contract furniture company recognized globally for its corporate sustainability leadership.

Herman Miller selected for inclusion in the 2015 RobecoSAM Sustainability Yearbook; awarded Bronze Class distinction for excellent sustainability performance for the second consecutive year.

Herman Miller received a Michigan Business Pollution Prevention (MBP3) Certificate – a recognition given by the Michigan Department of Environmental Quality (MDEQ) to organizations committed to environmental stewardship, conservation, and sustainable operations. This basic partnership with the MDEQ, which we've maintained since 1998, makes us eligible for our Clean Corporate Citizen (CCC) status that began in 2004 and our Environmental Leader status, which we received for the first time this past year.

MedAssets named Herman Miller Healthcare as Platinum Suppliers. MedAssets, a large group purchasing organization, helps providers enhance operational and financial performance so they can sustainably serve the needs of their community.

Herman Miller honored with five of 20 spots for the Michigan Environmental Leaders Award by the Michigan Department of Environmental Quality for our outstanding, voluntary environmental stewardship.

Renew Sit-to-Stand tables recognized on Record Products 2014 list by Architectural Record.

Herman Miller was again awarded a perfect score in the 2015 Corporate Equality Index. This is the eighth consecutive year we received a perfect score.

#### 2014

Herman Miller has received the Best and Brightest in Wellness Award for the second year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller's Locale wins International Design Excellence Awards (IDEA) Gold in the Office & Productivity category.

Herman Miller achieves eleventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

#### 2013

Herman Miller achieves tenth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller has received the Best and Brightest in Wellness Award. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller Earns Perfect Score on the Corporate Equality Index. We are one of only 303 major U.S. businesses to receive a perfect score in 2013, an achievement we have now obtained seven years in a row.

Herman Miller is listed in Forbes Magazine inaugural "Platinum List" of America's 400 best managed, large companies.

For the second consecutive year, Herman Miller is honored as one of West Michigan's "101 Best and Brightest Sustainable Companies".

#### 2012

Herman Miller accepted its first Excellence in Reusable Packaging Award from the Reusable Packaging Association.

April 2019 HermanMiller for Government

continued

Herman Miller is named "Corporation of the Year" in the commercial products sector by the Michigan Minority Supplier Development Council.

In July 2012 Herman Miller was inducted into the Made in the USA Hall of Fame. Herman Miller is one of only 20 companies across the nation to receive this distinction.

Herman Miller achieves ninth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller is honored as one of West Michigan's 101 Best and Brightest Sustainable Companies.

The Sustainable Asset Management (SAM) group selected Herman Miller for inclusion in "The Sustainability Yearbook 2012" and has awarded Herman Miller both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller was named one of 16 Section Leaders on Climate Counts 2011-2012 Scorecard Report, making us the industry leader for Home and office Furnishings.

SGS International Certification Services, Inc., recognizes Herman Miller's manufacturing sites, Midwest Distribution Center, and Design Yard for initial certification to the OHSAS 18001 standard as well as re-certification to ISO 14001.

#### 2011

Trust Across America, a company dedicated to unraveling the complexities of trustworthy business behavior, listed Herman Miller as one of their "Top Ten Most Trustworthy Companies in America 2011."

The U.S. Environmental Protection Agency (EPA) selected Herman Miller, as a WasteWise Gold Achievement—Climate Change winner.

Herman Miller achieves eighth consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

The Michigan Minority Supplier Development Council (MMSDC) named Herman Miller as its "Corporation of the Year" in the commercial products sector. This was the fifth time Herman Miller has received this award since 2005.

Herman Miller accepted its third Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

Herman Miller receives the Reader's Choice award from TreeHugger's Best of Green: Design and Architecture category for the SAYL chair.

Herman Miller earns Citibank's Global Environmental Vendor of the Year award.

The SAYL chair from Herman Miller was dubbed the "Product Design of the Year" from the 2010 International Design Awards (IDA) jury.

Herman Miller Healthcare's Compass system was awarded a 2011 Medical Design Excellence Award (MDEA) for its research-based design and ability to be used in a variety of healing spaces, while simultaneously improving the overall delivery of healthcare.

The Sustainable Asset Management (SAM) Group selected Herman Miller for inclusion in the "Sustainability Yearbook 2011" and awarded us both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller has received the top rating for a fourth consecutive year in the Human Rights Campaign (HRC) Foundation's eighth annual Corporate Equality Index. The "Best Places to Work for LGBT Equality" distinction is awarded to businesses that scored 100% on the HRC Foundation's 2011 Corporate Equality Index.

Herman Miller again tops contract furniture industry in FORTUNE's 'Most Admired' Companies survey. For the 23rd time in 25 years.

#### 24b. Section 508 Compliance

Not applicable

#### 25. Data Universal Numbering System (DUNS): 00-601-2801

### 26. Registered in System for Award Management (www.SAM.gov) Database

#### 27. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

#### 28. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

#### **Herman Miller Miscellaneous Information:**

Federal ID Number: 38-0837640 Commercial and Government Entity Code (CAGE): 40636 Data Universal Numbering System (DUNS) 00-601-2801 Commercial Entity Code (CEC): 00702290J

HermanMiller for Government April 2019

April 2019 HermanMiller for Government

Introduction	page 2
Action Office® System 10-Day or Less	3
Series 2 Walls	5
Work Surfaces	38
Wall-Attached Storage	54
Display Components	65
Lighting	66
Work Organizers	68
Meridian® Pedestals 10-Day or Less	71
Tu® Storage 10-Day or Less	79
Metal Pedestals	81
Metal Pedestal Accessories	89
Indices	93
By Name	93
By Number	95
Appendices	
10-Day or Less Order Information	
10-Day Keyed-Alike Information	
Stain-to-Match Program	
Proprietary Textiles Application Chart - 10-Day Workspaces	
Proprietary Textile Colors - 10-Day Workspaces	
For the latest materials information, refer to the Materials pages	on HermanMiller.com.

#### A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

## Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

#### Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

#### The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

#### **General Information**


This book is effective April 1, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as demensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.





Sne	cification Information
Step	
A112	
	•
Step	2. Height
32	32" high
39	39" high
47	47" high
53	53" high
62	62" high
67	67" high
85	85" high
	3. Width
12	12" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	6o" wide
Step	4. Power
·	,
For 12	2" wide (12)
N	(N) nonpowered with no receptacle locations
G	(G) 4-circuit power with no receptacle locations
	4" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide
	or 60" wide (60)
N -	(N) nonpowered with no receptacle locations
R	(R) nonpowered with 2 receptacle locations per side (meets
_	Chicago electrical code requirements)
J	(J) nonpowered with 2 receptacle and 1 communication port
	locations per side
G	(G) 4-circuit power with 2 receptacle and 1 communication port
	locations per side

Prices for Steps 1-4.				
	N	R	J	G
A1120. 32 12	\$410	_	_	592
24	\$440	440	440	622
30	\$480	480	480	664
36	\$542	542	542	724
42	\$571	571	571	755
48	\$598	598	598	786
60	\$743	743	743	928

39 12	\$424	_	_	609
24	\$458	458	458	639
30	\$500	500	500	683
36	\$566	566	566	746
42	\$594	594	594	778
48	\$626	626	626	808
60	\$773	773	773	956
47 12	\$452	_	_	635
24	\$483	483	483	666
30	\$541	541	541	722
36	\$618	618	618	800
42	\$684	684	684	866
48	\$708	708	708	887
60	\$869	869	869	1050
53 12	\$461	_	_	645
24	\$495	495	495	677
30	\$562	562	562	743
36	\$655	655	655	840
42	\$710	710	710	892
48	\$755	755	755	935
60	\$929	929	929	1110
62 12	\$479	_	_	660
24	\$566	566	566	746
30	\$635	635	635	816
36	\$736	736	736	918
42	\$786	786	786	967
48	\$840	840	840	1022
60	\$1039	1039	1039	1222
67 12	\$492	_	_	673
24	\$574	574	574	757
30	\$645	645	645	828
36	\$745	745	745	929
42	\$795	795	795	975
48	\$846	846	846	1028
60	\$1044	1044	1044	1227
85 12	\$562	_	_	743
24	\$678	678	678	860
30	\$753	753	753	934
36	\$870	870	870	1051
42	\$927	927	927	1107
48	\$983	983	983	1167
60	\$1214	1214	1214	1396

Step 5.	. Trim/Top Cap Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	<b>+\$</b> 0

Step 6	. Cable Management Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	+\$o
LU	soft white	<b>+</b> \$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

# Step 7. Surface Finish Side 1 See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 12" wide (12), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)


	32	39	47	53	62
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
Price Category 4	+\$54	54	60	64	65
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49
Price Category 4				+\$72	79
For 60" wide (60)					
	32	39	47	53	62
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49

#### Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 12" wide (12), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

(42) AND 48" wide (48)					
	32	39	47	53	62
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
Price Category 4	+\$54	54	60	64	65
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49
Price Category 4				+\$72	79
For 60" wide (60)					
	32	39	47	53	62
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49



Specification Information	
Step 1.	
A1125.	

Step	2. Height			
39	39" high			
47	47" high			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Step	4. Power
N	(N) nonpowered with no receptacle locations
R	(R) nonpowered with 2 receptacle locations per side (meets
	Chicago electrical code requirements)
J	(J) nonpowered with 2 receptacle and 1 communication port
	locations per side
G	(G) 4-circuit power with 2 receptacle and 1 communication port
	locations per side

Prices for Steps 1-4.				
	N	R	J	G
A1125. 39 24	\$612	612	612	801
30	\$669	669	669	861
36	\$723	723	723	914
42	\$738	738	738	928
48	\$764	764	764	951
60	\$928	928	928	1120
47 24	\$647	647	647	838
30	\$726	726	726	917
36	\$790	790	790	979
42	\$846	846	846	1037
48	\$860	860	860	1050
60	\$1041	1041	1041	1232

53	24	\$696	696	696	886
	30	\$756	756	756	947
	36	\$843	843	843	1033
	42	\$884	884	884	1076
	48	\$935	935	935	1127
	60	\$1142	1142	1142	1332
62	24	\$699	699	699	889
	30	\$762	762	762	950
	36	\$857	857	857	1046
	42	\$893	893	893	1087
	48	\$946	946	946	1136
	60	\$1149	1149	1149	1340
67	24	\$726	726	726	917
	30	\$785	785	785	975
	36	\$878	878	878	1069
	42	\$918	918	918	1107
	48	\$970	970	970	1162
	60	\$1168	1168	1168	1359
85	24	\$835	835	835	1026
	30	\$903	903	903	1092
	36	\$1019	1019	1019	1213
	42	\$1073	1073	1073	1264
	48	\$1142	1142	1142	1332
	60	\$1399	1399	1399	1590

Step 5	5. Trim/Top Cap Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+\$</b> 0
HF	inner tone light	<b>+\$</b> 0
LT	light tone	<b>+\$</b> 0
LU	soft white	<b>+\$</b> 0
MT	medium tone	<b>+\$</b> 0
WL	sandstone	<b>+\$</b> 0
WN	warm grey neutral	<b>+\$</b> 0

Step 6	6. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	<b>+</b> \$0
HF	inner tone light	<b>+</b> \$0
LU	soft white	<b>+</b> \$0
MT	medium tone	<b>+</b> \$0
WL	sandstone	<b>+</b> \$0
WN	warm grey neutral	+\$o

Ctom	_	Curfosa	Finials.	C:da
Steb	/.	Surface	FILITISTI	Side 1

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

39	47	53	62	67
+\$0	0	0	0	0
+\$11	15	16	17	18
+\$25	35	39	40	46
+\$54	60	64	65	72
				85
•				+\$o
				+\$19
				+\$49
				+\$79
	+\$0 +\$11 +\$25	+\$0 0 +\$11 15 +\$25 35	+\$0 0 0 +\$11 15 16 +\$25 35 39	+\$0 0 0 0 +\$11 15 16 17 +\$25 35 39 40

FOT 60 WIGE (60)					
	39	47	53	62	67
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
					85
Price Category 1	•••••				+\$o
Price Category 2					+\$19
Price Category 3					+\$49


#### Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

Wac (40)					
	39	47	53	62	67
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
Price Category 4	+\$54	60	64	65	72
					85
Price Category 1					+\$o
Price Category 2					+\$19
Price Category 3					+\$49
Price Category 4					+\$79

For 60" wide (60)					
	39	47	53	62	67
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
					85
Price Category 1	•••••				+\$0
Price Category 2					+\$19
Price Category 3					+\$49



Specification Information	
Step 1.	
A1131.	

Step	2. Height			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

Step	3. Width			
12	12" wide			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

. Power
' wide (12)
(N) nonpowered with no receptacle locations
(G) 4-circuit power with no receptacle locations

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)

N	(N) nonpowered with no receptacle locations
R	(R) nonpowered with 2 receptacle locations per side (meets
	Chicago electrical code requirements)

(J) nonpowered with 2 receptacle and 1 communication port locations per side


G (G) 4-circuit power with 2 receptacle and 1 communication port locations per side

Prices for Steps 1-4.				
	N	R	J	G
A1131. 53 12	\$604	_	_	792
24	\$685	685	685	872
30	\$743	743	743	930
36	\$832	832	832	1014
42	\$873	873	873	1055
48	\$920	920	920	1103
60	\$1125	1125	1125	1308

62	12	\$632	_	_	815
	24	\$690	690	690	875
	30	\$750	750	750	935
	36	\$844	844	844	1026
	42	\$880	880	880	1064
	48	\$930	930	930	1111
	60	\$1134	1134	1134	1317
67	12	\$646	_	_	833
	24	\$715	715	715	897
	30	\$772	772	772	958
	36	\$862	862	862	1047
	42	\$903	903	903	1089
	48	\$957	957	957	1139
	60	\$1148	1148	1148	1334
85	12	\$742	_	_	926
	24	\$813	813	813	1000
	30	\$888	888	888	1074
	36	\$1002	1002	1002	1183
	42	\$1055	1055	1055	1240
	48	\$1125	1125	1125	1308
	60	\$1377	1377	1377	1560

Step 5	. Trim/Top Cap Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Step 6.	Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	<b>+\$</b> 0
MT	medium tone	<b>+\$</b> 0
WL	sandstone	<b>+\$</b> 0
WN	warm grey neutral	<b>+</b> \$0



#### Step 7. Surface Finish Side 1

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 12" wide (12), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

53	62	67	85
+\$o	0	0	0
+\$16	17	18	19
+\$39	40	46	49
+\$64	65	72	79
	+\$0 +\$16 +\$39	+\$0 0 +\$16 17 +\$39 40	+\$0 0 0 +\$16 17 18 +\$39 40 46

For 60" wide (60)				
	53	62	67	85
Price Category 1	+\$o	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49

#### Step 8. Surface Finish Side 2

Price Category 3

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 12" wide (12), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

	53	62	67	85
Price Category 1	+\$0	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49
Price Category 4	+\$64	65	72	79
For 60" wide (60)				
	53	62	67	85
Price Category 1	+\$0	0	0	0
Price Category 2	+\$16	17	18	19

+\$39

40

46

49

HF

MT

WL

inner tone light

warm grey neutral

medium tone

sandstone


Step:	ı. 1.8548	¢
AII9	1.0340	\$3320
Step :	2. Frame Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step :	3. Door Finish	
Solid-	Color Laminate	
8Q	folkstone grey	+\$0
HF	inner tone light	+\$0
HT	inner tone	+\$0
LT	light tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step	4. Knob Handle	
NN	none	+\$0
LV	lever - silver	+\$400
	5. Side Panel Acrylic Finish	
TR	clear	+\$0
Step	6. Trim/Top Cap Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$
Step	7. Cable Management Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0

+\$0

+\$0

**+**\$o

**+**\$o



Specification Informa	ion
Step 1.	
A8120.	

Step	2. Height			
32	32" high			
39	39" high			
47	47" high			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Step 4.	Power
N	(N) nonpowered with no receptacle locations
R	(R) nonpowered with 2 receptacle locations per side (meets
	Chicago electrical code requirements)
J	(J) nonpowered with 2 receptacle and 1 communication port
	locations per side
G	(G) 4-circuit power with 2 receptacle and 1 communication port
	locations per side

Prices for Steps 1-4.				
	N	R	J	G
A8120. 32 24	\$440	440	440	622
30	\$480	480	480	664
36	\$542	542	542	724
42	\$571	571	571	755
48	\$598	598	598	786
60	\$743	743	743	928
39 24	\$458	458	458	639
30	\$500	500	500	683
36	\$566	566	566	746
42	\$594	594	594	778
48	\$626	626	626	808
60	\$773	773	773	956

\$483	483	483	666
\$541	541	541	722
\$618	618	618	800
\$684	684	684	866
\$708	708	708	887
\$869	869	869	1050
\$495	495	495	677
\$562	562	562	743
\$655	655	655	840
\$710	710	710	892
\$755	755	755	935
\$929	929	929	1110
\$566	566	566	746
\$635	635	635	816
\$736	736	736	918
\$786	786	786	967
\$840	840	840	1022
\$1039	1039	1039	1222
\$574	574	574	757
\$645	645	645	828
\$745	745	745	929
\$795	795	795	975
\$846	846	846	1028
\$1044	1044	1044	1227
\$678	678	678	860
\$753	753	753	934
\$870	870	870	1062
\$927	927	927	1107
\$983	983	983	1167
\$1214	1214	1214	1396
	\$541 \$618 \$684 \$708 \$869 \$495 \$562 \$655 \$710 \$755 \$929 \$566 \$635 \$736 \$736 \$746 \$840 \$1039 \$574 \$645 \$745 \$795 \$846 \$1044 \$678 \$753 \$870 \$927 \$983	\$541 541 \$618 618 \$684 684 \$708 708 \$869 869 \$495 495 \$562 562 \$655 655 \$710 710 \$755 755 \$929 929 \$566 566 \$635 635 \$736 736 \$786 786 \$840 840 \$1039 1039 \$574 574 \$645 645 \$745 745 \$795 795 \$846 846 \$1044 1044 \$678 678 \$753 753 \$870 870 \$927 927 \$983 983	\$541 541 541 \$618 \$618 \$618 \$684 684 684 \$708 708 708 \$869 869 869 \$495 495 495 \$562 562 562 \$655 655 \$710 710 710 \$755 755 755 \$929 929 929 \$566 566 566 \$635 635 \$736 736 736 \$786 786 786 786 786 786 \$840 840 \$1039 1039 1039 \$574 574 574 \$645 645 645 \$745 745 \$795 795 795 \$846 846 \$46 \$1044 1044 \$678 678 678 678 \$753 753 753 \$870 870 \$927 927 \$983 983 983

Step 5	5. Trim/Top Cap Finish	
8Q	folkstone grey	+\$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+\$</b> o

Step 6	5. Cable Management Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	<b>+</b> \$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

#### Step 7. Surface Finish Side 1

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

	32	39	47	53	62
Price Category 1	+\$0	0	0	0	C
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
Price Category 4	+\$54	54	60	64	65
••••••				67	85
Price Category 1	•			+\$o	C
Price Category 2				+\$18	19
Price Category 3				+\$46	49
Price Category 4				+\$72	79

For 60" wide (60)					
	32	39	47	53	62
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49


#### Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

Wide (40)					
	32	39	47	53	62
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
Price Category 4	+\$54	54	60	64	65
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49
Price Category 4				+\$72	79
For 60" wide (60)					
	32	39	47	53	62
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49

#### Tackable Acoustical-Barrier Panel, A8125. Thin Base



Specification Information	
Step 1.	
A8125.	

Step 2. Height						
39	39" high					
47	47" high					
53	53" high					
62	62" high					
67	67" high					
85	85" high					

Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Step	4. Power
N	(N) nonpowered with no receptacle locations
R	(R) nonpowered with 2 receptacle locations per side (meets
	Chicago electrical code requirements)
J	(J) nonpowered with 2 receptacle and 1 communication port
	locations per side
G	(G) 4-circuit power with 2 receptacle and 1 communication port
	locations per side

Prices for Steps 1-4.				
	N	R	J	G
A8125. 39 24	\$612	612	612	801
30	\$669	669	669	861
36	\$723	723	723	914
42	\$738	738	738	928
48	\$764	764	764	951
60	\$928	928	928	1120
47 24	\$647	647	647	838
30	\$726	726	726	917
36	\$790	790	790	979
42	\$846	846	846	1037
48	\$860	860	860	1050
60	\$1041	1002	1041	1232

53 2	24	\$696	696	696	886
3	30	\$756	756	756	947
3	36	\$843	843	843	1033
4	12	\$884	884	884	1076
4	48	\$935	935	935	1127
6	60	\$1142	1142	1142	1332
62 2	24	\$699	699	699	889
3	30	\$762	762	762	950
3	36	\$857	857	857	1046
4	12	\$893	893	893	1087
4	48	\$946	946	946	1136
6	60	\$1149	1149	1149	1340
67 2	24	\$726	726	726	917
3	30	\$785	785	785	975
3	36	\$878	878	878	1069
4	12	\$918	918	918	1107
4	48	\$970	970	970	1162
6	60	\$1168	1168	1168	1359
85 2	24	\$835	835	835	1026
3	30	\$903	903	903	1092
3	36	\$1019	1019	1019	1213
4	12	\$1073	1073	1073	1264
4	48	\$1142	1142	1142	1332
6	50	\$1399	1399	1399	1590

Step	5. Trim/Top Cap Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	<b>+</b> \$o

Step	6. Cable Management Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

# Tackable Acoustical-Barrier Panel, Thin Base *continued*

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

	39	47	53	62	67
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
Price Category 4	+\$54	60	64	65	72
					85
Price Category 1					+\$o
Price Category 2					+\$19
Price Category 3					+\$49
Price Category 4					+\$79

For 60" wide (60)					
	39	47	53	62	67
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
					85
Price Category 1	•				+\$o
Price Category 2					+\$19
Price Category 3					+\$49


#### Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

Wac (40)					
	39	47	53	62	67
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
Price Category 4	+\$54	60	64	65	72
					85
Price Category 1					+\$o
Price Category 2					+\$19
Price Category 3					+\$49
Price Category 4					+\$79

For 60" wide (60)					
	39	47	53	62	67
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
					85
Price Category 1	•••••				+\$0
Price Category 2					+\$19
Price Category 3					+\$49



Specification Information	
Step 1.	
A8131.	

Step	2. Height				
53	53" high				
62	62" high				
67	67" high				
85	85" high				

Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Step	4. Power
N	(N) nonpowered with no receptacle locations
R	(R) nonpowered with 2 receptacle locations per side (meets
	Chicago electrical code requirements)
J	(J) nonpowered with 2 receptacle and 1 communication port
	locations per side
G	(G) 4-circuit power with 2 receptacle and 1 communication port
	locations per side

Prices for Steps 1-4.				
	N	R	J	G
A8131. 53 24	\$685	685	685	872
30	\$743	743	743	930
36	\$832	832	832	1014
42	\$873	873	873	1055
48	\$920	920	920	1103
60	\$1125	1125	1125	1308
62 24	\$690	690	690	875
30	\$750	750	750	935
36	\$844	844	844	1026
42	\$880	880	880	1064
48	\$930	930	930	1111
60	\$1134	1134	1134	1317
67 24	\$715	715	715	897
30	\$772	772	772	958
36	\$862	862	862	1047
42	\$903	903	903	1089
48	\$957	957	957	1139
60	\$1148	1148	1148	1334

85 24	\$813	813	813	1000
30	\$888	888	888	1074
36	\$1002	1002	1002	1183
42	\$1055	1055	1055	1240
48	\$1125	1125	1125	1308
60	\$1377	1377	1377	1560


Step 5	. Trim/Top Cap Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

#### Step 7. Surface Finish Side 1

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

•••••			····	~
	53	62	67	85
Price Category 1	+\$o	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49
Price Category 4	+\$64	65	72	79
For 60" wide (60)				
	53	62	67	85
Price Category 1	+\$0	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49



#### Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

	53	62	67	85
Price Category 1	+\$0	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49
Price Category 4	+\$64	65	72	79

For 60" wide (60)				
	53	62	67	85
Price Category 1	+\$0	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49


Spec	cification Information	
Step:	1.	
A819	1.8548	\$3258
	2. Frame Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step :	3. Door Finish	
Solid.	-Color Laminate	
3011u	folkstone grey	+\$0
HF	inner tone light	+\$0
 HT	inner tone	+\$0
LT	light tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
VV IV	wann grey neutrat	+\$0
Step	4. Knob Handle	
NN	none	+\$0
LV	lever - silver	+\$400
Step	5. Side Panel Acrylic Finish	
TR	clear	+\$o
Step	6. Trim/Top Cap Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step ·	7. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$0
HF	inner tone light	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
** 14	waili sicy licutiat	+\$0

A0213.

Step 2.	Height
60	60" high
72	72" high
84	84" high

Prices for Steps 1-2.	
A0213. 60	\$66
72	\$71
84	\$75

Step :	3. Surface Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+</b> \$o
HF	inner tone light	+\$0
LT	light tone	<b>+\$</b> o
LU	soft white	<b>+\$</b> o
MT	medium tone	<b>+\$</b> o
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	+\$0



Specification Information


Step 1.

X1192.

Step	2. Size
1	no. 10, $1^{1}/_{2}$ " sheet metal screw
2	no. 10, 3" sheet metal screw
3	no. 10. 3" machine screw

Prices for Steps 1-2.	
X1192. 1	\$34
2	\$34

3 \$58




Specification Information
Step 1.
AO210.

Step:	2. Height			
27	27" high			
34	34" high			
42	42" high			
48	48" high			
57	57" high			
62	62" high			
80	8o" high			

Prices for Steps 1-2.	
AO210. 27	\$74
34	\$79
42	\$79
48	\$79
57	\$85
62	\$85
80	\$93

Step :	3. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	<b>+\$</b> o




Specification Information	
Step 1.	
AO212.	\$196

Draw Rod

AO215.

Draw Rod, Change of Height

A0219.




#### Specification Information

Step 1.

AO215.

Step	2. Height			
27	27" high			
34	34" high			
42	42" high			
48	48" high			
57	57" high			
62	62" high			
80	8o" high			
48 57 62	42" high 48" high 57" high 62" high			

Prices for Steps 1-2.	
A0215. 27	\$27
34	\$28
42	\$28
48	\$29
57	\$29
62	\$29
80	\$33



#### Specification Information

Step 1.


AO219.

Step 2.	. Height	
27	27" high	
34	34" high	
42	42" high	
48	48" high	
57	57" high	
62	62" high	

Prices for Steps 1-2.	
AO219. 27	\$30
34	\$33
42	\$33
48	\$34
57	\$34
62	\$34

85

85" high



Speci	ification Information			
Step 1				
A1220	A1220.			
Step 2	. Height			
32	32" high			
39	39" high			
47	47" high			
53	53" high			
62	62" high			
67	67" high			


Step 3	. Surface Material
Н	hard surfaced
F	fabric

Prices for Steps 1-3.		
	Н	F
A1220. 32	\$129	185
39	\$133	191
47	\$149	206
53	\$158	222
62	\$169	226
67	\$171	230
85	\$193	261

Step	4.	
Surfa	ce Finish	
For h	ard surfaced (H)	
8Q	folkstone grey	+\$0
BU	black umber	<b>+\$</b> o
HF	inner tone light	<b>+\$</b> o
LT	light tone	<b>+\$</b> o
LU	soft white	<b>+\$</b> o
MT	medium tone	<b>+\$</b> o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+\$</b> o

Trim/	Top Cap Finish	
For fa	abric (F)	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step	5. Cable Management Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step	6. Surface Finish	
For fa	abric (F)	
See a	application chart and textiles lis	st for fabric usage and numbers.
First 2	2 digits of number indicate fab	ric line; remaining digit(s) indicate
fabric	c color.	
Price	Category 1	+\$0
Price	Category 2	+\$17
Price	Category 3	+\$22
Price	Category 4	+\$29

Spacer A1260.



#### Specification Information Step 1. A1260.


Step	2. Height			
32	32" high			
39	39" high			
47	47" high			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

Step	3. Surface Material		
Н	hard surfaced		
F	fabric		

Prices for Steps 1-3.		
	Н	F
A1260. 32	\$164	210
39	\$169	218
47	\$176	239
53	\$185	251
62	\$205	256
67	\$207	259
85	\$229	298

Step	4.	
Surfa	ce Finish	
For ho	ard surfaced (H)	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Trim/	/Top Cap Finish	
For fo	abric (F)	
8Q	folkstone grey	+\$0
BU	black umber	<b>+\$</b> o
HF	inner tone light	<b>+\$</b> o
LT	light tone	<b>+\$</b> o
MT	medium tone	<b>+\$</b> o
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	<b>+\$</b> o
Step	5. Cable Management Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	<b>+\$</b> o
Step	6. Surface Finish	
For fo	abric (F)	
See a	application chart and textiles list for fabric usag	ge and numbers.
First :	2 digits of number indicate fabric line; remaini	ng digit(s) indicate
fabrio	c color.	
Price	Category 1	+\$o
Price	Category 2	+\$17
Price	Category 3	+\$22
Price	Category 4	+\$29




Specif	ication Information	
Step 1.		
A1230.	A1230.	
Step 2.	Height	
32	32" high	
39	39" high	
47	47" high	
53	53" high	
62	62" high	
67	67" high	
85	85" high	

Step 3	. Surface Material
Н	hard surfaced
F	fabric

Prices for Steps 1-3.		
	Н	F
A1230. 32	\$224	281
39	\$233	293
47	\$247	315
53	\$265	328
62	\$285	336
67	\$287	340
85	\$326	390

Step	4.	
Surfa	ce Finish	
For ho	ard surfaced (H)	
8Q	folkstone grey	+\$0
BU	black umber	<b>+\$</b> o
HF	inner tone light	<b>+\$</b> o
LT	light tone	<b>+\$</b> o
LU	soft white	<b>+\$</b> o
MT	medium tone	<b>+\$</b> o
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	+\$0

Trim/	Top Cap Finish		
For fa	bric (F)		
8Q	folkstone grey		+\$0
BU	black umber		+\$0
HF	inner tone light		+\$0
LT	light tone		+\$0
LU	soft white		+\$0
MT	medium tone		+\$0
WL	sandstone		+\$0
WN	warm grey neut	ral	+\$0
Step	. Cable Managem	ent Finish	
8Q	folkstone grey		+\$0
BU	black umber		+\$0
HF	inner tone light		+\$0
LU	soft white		+\$0
MT	medium tone		+\$0
WL	sandstone		+\$0
WN	warm grey neut	ral	+\$0
Step 6	6. Surface Finish		
For fa	bric (F)		
See a	pplication chart an	d textiles list for fabric usage	and numbers.
First 2	digits of number	indicate fabric line; remaining	g digit(s) indicate
fabric	color.		
Price	Category 1		+\$0
	Category 2		+\$17
	Category 3		+\$22
	Category 4		+\$29
	2 , .		



#### Specification Information


Step 1.

A1240.

Step 2	2. Height			
32H	32" high			
39H	39" high			
47H	47" high			
53H	53" high			
62H	62" high			
67H	67" high			
85H	85" high			
62H 67H	62" high 67" high			

Prices for Steps 1-2.	
A1240. 32H	\$278
39H	\$288
47H	\$309
53H	\$335
62H	\$366
67Н	\$369
85H	\$413

Step	3. Top Cap Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$o



#### Specification Information

Step 1.

A1271.

Step	2. Height			
32	32" high			
39	39" high			
47	47" high			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

#### Step 3. Configuration

Т with transaction surface end support

Prices for Steps 1-3.		
	Н	Т
A1271. 32	\$61	110
39	\$65	112
47	\$68	117
53	\$70	124
62	\$72	129
67	\$72	129
85	\$78	132

Step 2	. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o


Step 5.	Cable Management Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	<b>+\$</b> o
HF	inner tone light	<b>+\$</b> o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

# Finished End, Change of Height, Panel/Panel

AO272.

Finished End, Change of Height, Panel/Connector

A0259.



Action Office® Series 2 Walls



Spec	cification Information	
Step	1.	
AO25	A0259.	
<u> </u>		
Step	2. Surface Finish	
8Q	folkstone grey	<b>+\$</b> o
BU	black umber	+\$0
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grev neutral	+\$0

A027	A0272.	
Step	2. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

LU

WL

soft white


sandstone

medium tone

**+\$**o

**+\$**o

**+\$**o



Specification Information	
Step 1.	
A8220.	

Step	Step 2. Height				
32	32" high				
39	39" high				
47	47" high				
53	53" high				
62	62" high				
67	67" high				
85	85" high				

Step 3	. Surface Material
Н	hard surfaced
F	fabric


Prices for Steps 1-3.		
	Н	F
A8220. 32	\$133	185
39	\$139	191
47	\$154	206
53	\$162	222
62	\$174	226
67	\$176	230
85	\$200	261

Surfa	ce Finish	
For h	ard surfaced (H)	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Trim/T	op Cap Finish	
For fab	ric (F)	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$o
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step 5.	Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$0
HF	inner tone light	<b>+</b> \$o

WN	warm grey neutral	<b>+</b> \$o		
Step 6.	Surface Finish			
For fabric (F)				
See application chart and textiles list for fabric usage and numbers.				
First 2 digits of number indicate fabric line; remaining digit(s) indicate				
fabric color.				
Price C	ategory 1	+\$o		
Price C	ategory 2	+\$17		
Price C	ategory 3	+\$22		
Price C	ategory 4	+\$29		

Step 4.



Specification Information	
Step 1.	
A8260.	
Step 2. Height	

step	2. Height			
32	32" high			
39	39" high			
47	47" high			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

Step	3. Surface Material		
Н	hard surfaced		
F	fabric		

Prices for Steps 1-3.		
	Н	F
<b>A8260. 32</b>	\$160	212
39	\$164	219
47	\$172	240
53	\$182	252
62	\$201	257
67	\$204	261
85	\$224	300

Step	4.	
Surfa	ce Finish	
For h	ard surfaced (H)	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Trim/	Top Cap Finish			
	bric (F)			
8Q	folkstone grey	+\$0		
BU	black umber	<b>+</b> \$o		
HF	inner tone light	<b>+</b> \$o		
LT	light tone	<b>+</b> \$o		
MT	medium tone	<b>+</b> \$o		
WL	sandstone	+\$0		
WN	warm grey neutral	+\$0		
Step 5	5. Cable Management Finish			
8Q	folkstone grey	<b>+</b> \$o		
BU	black umber	<b>+</b> \$o		
HF	inner tone light	<b>+</b> \$o		
MT	medium tone	<b>+</b> \$o		
WL	sandstone	<b>+</b> \$o		
WN	warm grey neutral	+\$0		
Step 6	6. Surface Finish			
For fa	bric (F)			
See a <sub>l</sub>	oplication chart and textiles list for fabric u	sage and numbers.		
First 2	digits of number indicate fabric line; rema	nining digit(s) indicate		
fabric	color.			
Price Category 1 +				
Price	Price Category 2 +:			
Price Category 3 +\$:				
Price	Category 4	+\$29		

LU

WL

soft white


sandstone

medium tone

**+\$**o

**+\$**o

**+\$**o



Specification Information	
Step 1.	
A8230.	

Step	Step 2. Height					
32	32" high					
39	39" high					
47	47" high					
53	53" high					
62	62" high					
67	67" high					
85	85" high					


Step 3. Surface Material			
Н	hard surfaced		
F	fabric		

Prices for Steps 1-3.		
	Н	F
A8230. 32	\$225	282
39	\$234	294
47	\$248	317
53	\$266	330
62	\$286	338
67	\$288	341
85	\$328	392

Step	4.	
Surfa	ce Finish	
For h	ard surfaced (H)	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Trim/	/Top Cap Finish	
For fo	abric (F)	
8Q	folkstone grey	+\$0
BU	black umber	<b>+\$</b> o
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step	5. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$0
HF	inner tone light	+\$0

<b>WN</b> warm grey	y neutral	+\$0
Step 6. Surface Fir	nish	
See application ch	nart and textiles list for fabric usc imber indicate fabric line; remain	S .
Price Category 1 Price Category 2 Price Category 3 Price Category 4		+\$0 +\$17 +\$22 +\$29



Step 1.


A8240.

Step 2	. Height				
32H	32" high				
39H	39" high				
47H	47" high				
53H	53" high				
62H	62" high				
67H	67" high				
85H	85" high				

Prices for Steps 1-2.	
A8240. 32H	\$278
39H	\$288
47H	\$309
53H	\$335
62H	\$366
67H	\$369
85H	\$413

Step :	3. Surface Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o

Step 2	4. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



# Specification Information

Step 1.

A8271.

Step	Step 2. Height					
32	32" high					
39	39" high					
47	47" high					
53	53" high					
62	62" high					
67	67" high					
85	85" high					

Step 3.	Configu	ratior
---------	---------	--------

**H** standard

T with transaction surface end support

Prices for Steps 1-3.		
	Н	Т
A8271. 32	\$54	101
39	\$56	103
47	\$60	106
53	\$61	113
62	\$63	118
67	\$63	118
85	\$68	121


Step 4. Surface Finish			
8Q	folkstone grey	+\$o	
BU	black umber	+\$o	
HF	inner tone light	+\$o	
LT	light tone	+\$o	
LU	soft white	+\$o	
MT	medium tone	+\$o	
WL	sandstone	+\$o	
WN	warm grey neutral	+\$o	


Step 5. Cable Management Finish				
8Q	folkstone grey	+\$o		
BU	black umber	+\$o		
HF	inner tone light	+\$o		
LU	soft white	+\$o		
MT	medium tone	+\$o		
WL	sandstone	+\$o		
WN	warm grey neutral	+\$o		

# Action Office® Series 2 Walls

# Base Power Entry, Direct Connect, 4 Circuit








C:6		1 6	!
Specifi	carion	Intorr	manion

Step 1.

A1322.

Step 2. Length				
06E	6' long			
24E	24' long			

Prices for Steps 1-2.	
A1322. 06E	\$194
24E	\$398



# Specification Information

Step 1.

A1323.

Step 2. Width		
24E	24" wide	
30E	30" wide	
36E	36" wide	
42E	42" wide	
48E	48" wide	
60E	60" wide	

Prices for Steps 1-2.	
A1323. 24E	\$563
30E	\$563
36E	\$584
42E	\$609
48E	\$628
60E	\$674

Step 3. Cable Management Finish				
BU	black umber	<b>+\$</b> o		
MT	medium tone	<b>+\$</b> 0		

# Specification Information

Step 1

A8323.

Step 2. Width			
24E	24" wide		
30E	30" wide		
36E	36" wide		
42E	42" wide		
48E	48" wide		
60E	6o" wide		

Prices for Steps 1-2.	
A8323. 24E	\$510
30E	\$510
36E	\$527
42E	\$551
48E	\$567
60E	\$610

Step :	3. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

**Direct Connect** 

Ceiling Power Entry, Internal

# Specification Information

Step 1.

A1325.

Step:	2. Height				
39	39" high				
47	47" high				
53	53" high				
62	62" high				
67	67" high				
85	85" high				

Step 3.	Power
N	(N) nonpowered
Ε	(E) powered

N	E
\$299	589
\$305	594
\$317	601
\$354	642
\$354	642
\$370	656
	\$299 \$305 \$317 \$354 \$354

Step 4	. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	<b>+</b> \$o


Step	5. Cable Management Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	<b>+</b> \$o

# Ceiling Power Entry, Internal Direct Connect, Thin Base

A8325.

Base Power Adapter, 4 Circuit

A1354. A1355.



# Specification Information

Step 1.

A8325.


Step	Step 2. Height					
39	39" high					
47	47" high					
53	53" high					
62	62" high					
67	67" high					
85	85" high					

Steb 3	3. Power	
N	(N) nonpowered	
Ε	(E) powered	

Prices for Steps 1-3.		
	N	E
A8325. 39	\$264	499
47	\$270	503
53	\$279	508
62	\$314	544
67	\$314	544
85	\$327	557

Step 4	. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Step	5. Cable Management Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+</b> \$o
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	<b>+</b> \$o



Specification	Information
Sten 1	

A135

Step 2. Side Covers

no side covers

side covers

#### Step 3. Width

For n	o side covers (5.)	
06	6" wide	
12	12" wide	
24	24" wide	
30	30" wide	
36	36" wide	
42	42" wide	
48	48" wide	
60	6o" wide	

For si	de covers (4.)
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	6o" wide


Step	4. Power	
For n	oo side covers (5.) with 6" wide (o6)	_
E	(E) 4-circuit power	

For no side covers (5.) with 12" wide (12), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)

(E) 4-circuit power

#### For side covers (4.)

(G) 4-circuit power with 2 receptacle and 1 communication port locations per side



	cification Information	
Step		
A835		
Step	2. Side Covers	
5.	no side covers	
4.	side covers	
Step	3. Width	
For n	o side covers (5.)	
06	6" wide	
24	24" wide	
30	30" wide	
36	36" wide	
42	42" wide	
48	48" wide	
60	6o" wide	
For si	ide covers (4.)	
24	24" wide	
30	30" wide	
36	36" wide	
42	42" wide	
48	48" wide	
60	6o" wide	
Step	4. Power	
For n	o side covers (5.) with 6" wide (o6)	

For no side covers (5.) with 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)

(E) 4-circuit power

For side covers (4.)


(G) 4-circuit power with 2 receptacle and 1 communication port locations per side

#### Prices for Steps 1-4. Ε A1355. 06 \$197 12 \$197 24 \$197 30 \$197 36 \$197 42 \$197 48 \$197 60 \$197 A1354. 24 \$251 30 \$251 36 \$251 42 \$251 48 \$251 60 \$251

Step	5. Cable Management Finish	
For si	de covers (4.)	
8Q	folkstone grey	+\$0
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

# Base Power Adapter, 4 Circuit, Thin Base continued

# Panel Pass-Through Power Jumper



|--|

Specification Information

Step 1.

Prices for Steps 1-4.		
	E	G
A8355. 06	\$197	_
24	\$197	_
30	\$197	_
36	\$197	_
42	\$197	_
48	\$197	_
60	\$197	_
A8354. 24	_	\$251
30	_	\$251
36	_	\$251
42	_	\$251
48	_	\$251
60	_	\$251

		_
Step	5. Cable Management Finish	
For si	ide covers (4.)	
8Q	folkstone grey	+\$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$0

A1342	2.				
Step 2	2. Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				
60	6o" wide				


Prices for Steps 1-2.	
A1342. 24	\$119
30	\$128
36	\$133
42	\$142
48	\$155
60	\$170

# Power Harness Extender, Thin Base

A8342.

# Receptacle, 4 Circuit, 15 Amp (package of 6)


A1311.



# Specification Information

Step 1.

**A8342.** \$34



# Specification Information


Step 1.

A1311.


Step 2.	Туре
Α	duplex, circuit a
В	duplex, circuit b
C	duplex, circuit c
DN	duplex, circuit d
D	duplex, circuit d, isolated ground

Prices for Steps 1-2.	
A1311. A	\$218
В	\$218
С	\$218
DN	\$218
D	\$218

Step 3.	Receptacle Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



#### Specification Information Step 1. NP289 \$112



# Specification Information Step 1.

Y1323.

# Step 2. Configuration

2 simplex receptacles, 2 data openings

3 simplex receptacles, 3 data openings

#### Step 3. Power Type

Α power cord with plug end

В conduit with open end, for hard-wiring

# Step 4. Cord/Conduit Length

03 3' cord/conduit

06 6' cord/conduit

10 10' cord/conduit

20 20' cord/conduit

# Step 5. Attachment

G grommet mount

S surface clamp

Prices for S	Steps 1-5.						
		03G	035	06G	06 <b>S</b>	10G	105
Y1323. 3	Α	\$290	290	290	290	300	300
	В	\$345	345	345	345	355	355
4	A	\$361	361	361	361	370	370
	В	\$418	418	418	418	428	428
						20G	205
Y1323. 3	Α					\$350	350

Y1323. 3	Α	\$350	350
	В	\$404	
4	Α		423
	В	\$477	477


Step 6.	Finish	
0H	black	<b>+</b> \$o
01	silver	<b>+</b> \$o
0J	white	+\$0

# Receptacle, 4 Circuit, 15 Amp (package of 6)

K1311.

# Cable Management Trough, Work Surface Suspended

AO382.



# Specification Information


Step 1.

K1311.

Step 2.	Step 2. Type			
Α	duplex, circuit a			
В	duplex, circuit b			
C	duplex, circuit c			
DN	duplex, circuit d			
ВІ	duplex, circuit b, isolated ground			
CI	duplex, circuit c, isolated ground			
D	duplex, circuit d, isolated ground			

Prices for Steps 1-2.	
K1311. A	\$226
В	\$226
С	\$226
DN	\$226
ВІ	\$226
CI	\$226
D	\$226

Step 3	. Receptacle Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
SG	slate grey	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	+\$o



# Specification Information

Step 1.

A0382.

Step 2	2. Width		
30	30" wide		
40	40" wide		

Prices for Steps 1-2.	
AO382. 30	\$81
40	\$100


Step 3.	Surface Fillish	
BU	black umber	+\$o
MT	medium tone	+\$0

# Communication Port Faceplate Reducer


G1189.

# Communication Port Faceplate Extender

G1189.




Specification Information	
Step 1.	
G1189.A	\$54



Specification Information

Step 1.			
G1189.	В	\$70	
a.			
Step 2.	Surface Finish		
8Q	folkstone grey	+\$o	
BU	black umber	+\$o	
CL	cool grey neutral	+\$o	
HF	inner tone light	+\$o	
MT	medium tone	+\$o	
WL	sandstone	+\$o	
WN	warm grey neutral	+\$o	



Specification Information	
Step 1.	
A2310.	
Step 2. Depth	

24	24" deep
30	30" deep

Step 3. Width		
24	24" wide	
30	30" wide	
36	36" wide	
42	42" wide	
48	48" wide	
54	54" wide	
60	6o" wide	
66	66" wide	
72	72" wide	

96

# Step 4. Surface Material

96" wide

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 60" wide (60), 66" wide (66), 72" wide (72), or 96" wide (96)

L laminate top/thermoplastic edgeU laminate top/universal edge

For 54" wide (54)		
L	laminate top/thermoplastic edge	
U	laminate top/universal edge	

Prices for Steps 1-4.		
	L	U
A2310. 24 24	\$267	259
30	\$295	288
36	\$339	331
42	\$362	353
48	\$382	372
54	\$446	435
60	\$489	476
66	\$503	491
72	\$555	542
96	\$746	726


30 24	\$295	288
30	\$351	342
36	\$419	408
42	\$454	442
48	\$471	460
54	\$552	539
60	\$603	587
66	\$627	611
72	\$693	674
96	\$884	863

	96	\$884	863
Step 5	;. Top Finish		
76	light brown walnut		+\$o
8Q	folkstone grey		+\$0
91	white		+\$0
98	studio white		+\$0
CL	cool grey neutral		+\$0
HF	inner tone light		+\$0
нм	natural maple		+\$0
HP	light anigre		+\$0
HT	inner tone		+\$0
нх	aged cherry		+\$0
HY	walnut on cherry		+\$0
LA	light ash		+\$0
LBA	clear on ash		+\$0
LBR	phantom ecru		+\$0
LBS	phantom cocoa		+\$0
LBU	medium matte walnut		+\$0
LBV	warm grey teak		+\$0
LBB	oak on ash		+\$0
LBC	walnut on ash		+\$0
LBD	dark brown walnut		+\$0
LBE	medium red walnut		+\$0
LBF	neutral twill		+\$0
LBG	sarum twill		+\$0
LBH	earthen twill		+\$0
LBJ	graphite twill		+\$0
LBK	pewter mesh		+\$0
LBL	steel mesh		+\$0
LBM	crisp linen		+\$0
LBN	classic linen		+\$0
LBP	casual linen		+\$0
LBQ	white twill		+\$0
LM	mahogany		+\$0
LT	light tone		+\$0
LU	soft white		+\$0
MT	medium tone		+\$0

# Squared-Edge Rectangular Work Surface continued

WL	sandstone	+\$o
WN	warm grey neutral	+\$0
Step 6	6. Edge Finish	
For lai	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	<b>+</b> \$o
8Z	neutral grey	<b>+</b> \$o
91	white	<b>+</b> \$o
98	studio white	<b>+</b> \$o
BU	black umber	<b>+</b> \$o
CL	cool grey neutral	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
нм	natural maple	<b>+</b> \$o
HP	light anigre	<b>+</b> \$o
HT	inner tone	<b>+</b> \$o
нх	aged cherry	<b>+</b> \$o
HY	walnut on cherry	<b>+</b> \$o
JB	millwork cherry	<b>+</b> \$o
LA	light ash	<b>+</b> \$o
LBA	clear on ash	<b>+</b> \$o
LBR	phantom ecru	<b>+</b> \$o
LBS	phantom cocoa	<b>+</b> \$o
LBU	medium matte walnut	<b>+</b> \$o
LBV	warm grey teak	<b>+</b> \$o
LBB	oak on ash	<b>+</b> \$o
LBC	walnut on ash	<b>+</b> \$o
LBD	dark brown walnut	<b>+</b> \$o
LBE	medium red walnut	<b>+</b> \$o
LBF	neutral twill	<b>+</b> \$o
LBG	sarum twill	<b>+</b> \$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grev neutral	+\$0

Step 7.	Support Finish	
3Q	folkstone grey	+\$
BU	black umber	+\$
łF.	inner tone light	+\$
.T	light tone	+\$
.U	soft white	+\$
ИT	medium tone	+\$
NL	sandstone	+\$
٧N	warm grey neutral	+\$



# Specification Information Step 1. A2332.

Step 2.	. Size
2436	24" deep x 36" wide
2442	24" deep x 42" wide
2448	24" deep x 48" wide
3036	30" deep x 36" wide
3042	30" deep x 42" wide
3048	30" deep x 48" wide

Step 3. Surface Material

For 24	" deep x 36" wide (2436), 30" deep x 36" wide (3036), or 30"
deep	x 42" wide (3042)
L	laminate top/thermoplastic edge
U	laminate top/universal edge

For 24" deep x 42" wide (2442), 24" deep x 48" wide (2448), or 30" deep x 48" wide (3048)

L laminate top/thermoplastic edge

Prices for Steps 1-3.		
	L	U
A2332. 2436	\$529	516
2442	\$576	_
2448	\$622	_
3036	\$627	611
3042	\$623	607
3048	\$728	_

Step 4	. Top Finish	
76	light brown walnut	<b>+</b> \$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	<b>+</b> \$0
LBR	phantom ecru	+\$o

LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


For la	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
8Z	neutral grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
JB	millwork cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0

Step 5. Edge Finish

# Squared-Edge Corner Work Surface continued

# Squared-Edge Concave Corner Work Surface





Step 2. Depth

24" deep

LBB	oak on ash	<b>+\$</b> o
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	<b>+\$</b> o
LBF	neutral twill	<b>+\$</b> o
LBG	sarum twill	<b>+\$</b> o
LBH	earthen twill	<b>+\$</b> 0
LBJ	graphite twill	<b>+\$</b> o
LBK	pewter mesh	<b>+\$</b> o
LBL	steel mesh	<b>+</b> \$o
LBM	crisp linen	<b>+\$</b> o
LBN	classic linen	+\$0
LBP	casual linen	<b>+</b> \$o
LBQ	white twill	+\$0
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o

Step	6. Support Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	+\$0

Specification Information	
itep 1.	
2333.	

30	30" deep			
<u></u>	NAC III			
Step 3	3. Width			
36	36" wide			
42	42" wide			
48	48" wide			

Step	4. Surface Material	
L	laminate top/thermoplastic edge	


Prices for Steps 1-4.	
	L
A2333. 24 36	\$529
42	\$576
48	\$622
30 36	\$627
42	\$623
48	\$728

Step 5	. Top Finish	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
HM	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o

LBF	neutral twill	+\$o	LBL	steel mesh	+\$0
LBG	sarum twill	+\$o	LBM	crisp linen	+\$0
LBH	earthen twill	+\$o	LBN	classic linen	+\$0
LBJ	graphite twill	+\$o	LBP	casual linen	+\$0
LBK	pewter mesh	+\$o	LBQ	white twill	+\$0
LBL	steel mesh	+\$o	LU	soft white	+\$0
LBM	crisp linen	+\$o	MT	medium tone	+\$0
LBN	classic linen	+\$o	WL	sandstone	+\$0
LBP	casual linen	+\$o	WN	warm grey neutral	+\$0
LBQ	white twill	+\$o			
LM	mahogany	+\$o	Step 7	7. Support Finish	
LT	light tone	+\$o	8Q	folkstone grey	+\$0
LU	soft white	+\$o	BU	black umber	+\$0
MT	medium tone	+\$o	HF	inner tone light	+\$0
WL	sandstone	+\$o	LT	light tone	+\$0
WN	warm grey neutral	+\$o	LU	soft white	+\$0
			MT	medium tone	+\$0
Step 6	. Edge Finish		WL	sandstone	+\$0
76	light brown walnut	+\$o	WN	warm grey neutral	+\$0
8Q	folkstone grey	+\$o			
8Z	neutral grey	+\$o			
91	white	+\$o			
98	studio white	+\$o			
BU	black umber	+\$o			
CL	cool grey neutral	+\$o			
HF	inner tone light	+\$o			
НМ	natural maple	+\$o			
HP	light anigre	+\$o			
HT	inner tone	+\$o			
НХ	aged cherry	+\$o			
HY	walnut on cherry	+\$o			
JB	millwork cherry	+\$o			
LA	light ash	+\$o			
LBA	clear on ash	+\$o			
LBR	phantom ecru	+\$o			
LBS	phantom cocoa	<b>+</b> \$0			
LBU	medium matte walnut	+\$0			
LBV	warm grey teak	+\$o			
LBB	oak on ash	+\$o			
LBC	walnut on ash	+\$0			
LBD	dark brown walnut	+\$o			
LBE	medium red walnut	+\$o			
LBF	neutral twill	+\$o			
LBG	sarum twill	+\$o			
LBH	earthen twill	+\$o			
LBJ	graphite twill	<b>+</b> \$0			
LBK	pewter mesh	+\$o			

# Squared-Edge Round-End Peninsula

A2350.



	<u>U</u>				
Spec	cification Information		LBU	medium matte walnut	+
Step	1.		LBV	warm grey teak	+
<b>A235</b>	0.		LBB	oak on ash	+
			LBC	walnut on ash	+
Step	2. Depth		LBD	dark brown walnut	+
24	24" deep		LBE	medium red walnut	+
30	30" deep		LBF	neutral twill	+
			LBG	sarum twill	+
Step	3. Width		LBH	earthen twill	+
			LBJ	graphite twill	+
or 22	4" deep (24)		LBK	pewter mesh	+
8	48" wide		LBL	steel mesh	+
60	6o" wide		LBM	crisp linen	+
			LBN	classic linen	+
or 30	o" deep (30)		LBP	casual linen	+
8	48" wide		LBQ	white twill	+
0	6o" wide		LM	mahogany	+
2	72" wide		LT	light tone	+
			LU	soft white	+
tep.	4. Surface Material		MT	medium tone	-
	laminate top/thermoplastic edge		WL	sandstone	4
			WN	warm grey neutral	+
Prices	s for Steps 1-4.				
		L	Step 6	. Edge Finish	
235	0. 24 48	\$717	76	light brown walnut	+
	60	\$784	8Q	folkstone grey	+
	30 48	\$750	8Z	neutral grey	+
	60	\$802	91	white	+
	72	\$854	98	studio white	+
			BU	black umber	+
tep	5. Top Finish		CL	cool grey neutral	4
9	misted	<b>+\$</b> o	HF	inner tone light	4
6	light brown walnut	<b>+\$</b> o	НМ	natural maple	-
Q	folkstone grey	+\$0	HP	light anigre	-
1	white	+\$o	HT	inner tone	-
8	studio white	+\$o	нх	aged cherry	-
L	cool grey neutral	+\$o	HY	walnut on cherry	-
F	inner tone light	+\$0	JB	millwork cherry	-
M	natural maple	+\$0	LA	light ash	4
Р	light anigre	<b>+</b> \$0	LBA	clear on ash	4
Т	inner tone	<b>+</b> \$o	LBR	phantom ecru	4
Χ	aged cherry	+\$0	LBS	phantom cocoa	+
Υ	walnut on cherry	+\$0	LBU	medium matte walnut	4
Α	light ash	+\$0	LBV	warm grey teak	-
.BA	clear on ash	+\$0	LBB	oak on ash	+
<b>D</b> D		<b>*</b>	LDC		

**+\$**0

**+\$**0

LBC

LBD

walnut on ash

dark brown walnut

phantom ecru

phantom cocoa

**LBR** 


LBS

**+\$**o


**+\$**0

# Squared-Edge Round-End

# Squared-Edge D-Shaped Work



A2355.



Step 1		
A2355	5.50L	\$67
Step 2	2. Top Finish	
76	light brown walnut	+\$
8Q	folkstone grey	+\$
91	white	+\$
98	studio white	+\$
CL	cool grey neutral	+\$
HF	inner tone light	+\$
нм	natural maple	+\$
HP	light anigre	+\$
HT	inner tone	+\$
НΧ	aged cherry	+\$
HY	walnut on cherry	+\$
LA	light ash	+\$
LBA	clear on ash	+\$
LBR	phantom ecru	+\$
LBS	phantom cocoa	+\$
LBU	medium matte walnut	+\$
LBV	warm grey teak	+\$
LBB	oak on ash	+\$
LBC	walnut on ash	+\$
LBD	dark brown walnut	+\$
LBE	medium red walnut	+\$
LBF	neutral twill	+\$
LBG	sarum twill	+\$
LBH	earthen twill	+\$
LBJ	graphite twill	+\$
LBK	pewter mesh	+\$
LBL	steel mesh	+\$
LBM	crisp linen	+\$
LBN	classic linen	+\$
LBP	casual linen	+\$
LBQ	white twill	+\$
LM	mahogany	+\$
LT	light tone	+\$
LU	soft white	+\$
MT	medium tone	+\$
WL	sandstone	+\$
WN	warm grey neutral	+\$
Sten	3. Edge Finish	
76	light brown walnut	+\$
	6.11	

8Q

8Z

folkstone grey

neutral grey


LBE	medium red walnut	+\$0
LBF	neutral twill	<b>+</b> \$o
LBG	sarum twill	<b>+</b> \$o
LBH	earthen twill	<b>+</b> \$o
LBJ	graphite twill	<b>+</b> \$o
LBK	pewter mesh	<b>+</b> \$o
LBL	steel mesh	<b>+</b> \$o
LBM	crisp linen	<b>+</b> \$o
LBN	classic linen	<b>+</b> \$o
LBP	casual linen	<b>+</b> \$o
LBQ	white twill	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	<b>+</b> \$o

Step 7. Leg Finish			
8Q	folkstone grey	+\$o	
BU	black umber	+\$o	
HF	inner tone light	+\$o	
LT	light tone	+\$o	
LU	soft white	+\$o	
MT	medium tone	+\$o	
WL	sandstone	+\$o	
WN	warm grey neutral	+\$o	

**+**\$0

**+**\$0

# Squared-Edge D-Shaped Work Surface *continued*




98 studio white +\$0 Step 1.  BU black umber +\$0 Y2091.  CL cool grey neutral +\$0  HF inner tone light +\$0 Step 2. Surface Material	l permoplastic edge
CL cool grey neutral +\$0  HF inner tone light +\$0 Step 2. Surface Material	
HF inner tone light +\$0 Step 2. Surface Material	
-	
	ermoplastic edge
HM natural maple +\$0 L laminate top/th	
<b>HP</b> light anigre +\$0 <b>U</b> laminate top/ur	niversal edge
HT inner tone +\$o	
<b>HX</b> aged cherry +\$0 Prices for Steps 1-2.	
HY walnut on cherry +\$o Y2091. L	\$118
JB millwork cherry +\$0 U	\$114
LA light ash +\$o	
LBA clear on ash +\$0 Step 3. Top Finish	
LBR phantom ecru +\$o 76 light brown waln	nut +\$o
LBS phantom cocoa +\$o 8Q folkstone grey	+\$o
LBU medium matte walnut +\$o 91 white	+\$0
LBV warm grey teak +\$o 98 studio white	+\$o
LBB oak on ash +\$o CL cool grey neutra	al +\$o
LBC walnut on ash +\$o HF inner tone light	+\$0
LBD dark brown walnut +\$o HM natural maple	+\$0
LBE medium red walnut +\$o HP light anigre	+\$o
LBF neutral twill +\$o HT inner tone	+\$0
LBG sarum twill +\$o HX aged cherry	+\$o
LBH earthen twill +\$o HY walnut on cherr	y +\$o
LBJ graphite twill +\$0 LA light ash	+\$0
LBK pewter mesh +\$0 LBA clear on ash	+\$0
LBL steel mesh +\$0 LBR phantom ecru	+\$o
LBM crisp linen +\$o LBS phantom cocoa	+\$0
LBN classic linen +\$0 LBU medium matte v	
LBP casual linen +\$0 LBV warm grey teak	+\$o
LBQ white twill +\$o LBB oak on ash	+\$o
LU soft white +\$0 LBC walnut on ash	+\$o
MT medium tone +\$0 LBD dark brown wali	
WL sandstone +\$0 LBE medium red wal	
WN warm grey neutral +\$0 LBF neutral twill	+\$0
LBG sarum twill	+\$0
Step 4. Leg Finish LBH earthen twill	+\$0
8Q folkstone grey +\$0 LBJ graphite twill	+\$0
BU black umber +\$0 LBK pewter mesh	+\$0
HF inner tone light +\$0 LBL steel mesh	+\$0
LT light tone +\$0 LBM crisp linen	+\$0
LU soft white +\$0 LBN classic linen	+\$0
MT medium tone +\$0 LBP casual linen	+\$0
WL sandstone +\$0 LBQ white twill	+\$0
WN warm grey neutral +\$0 LM mahogany	+\$0
LT light tone	+\$0
LU soft white	+\$0

continued



••••	nag.e, neattat	.40
Step 4	. Edge Finish	
For lar	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$o
8Z	neutral grey	+\$o
91	white	+\$o
98	studio white	+\$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
HM	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	<b>+</b> \$0
JB	millwork cherry	<b>+\$</b> 0
LA	light ash	<b>+\$</b> 0
LBA	clear on ash	+\$o
LBR	phantom ecru	<b>+\$</b> 0
LBS	phantom cocoa	<b>+\$</b> 0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen white twill	+\$0
LBQ	***************************************	+\$0 +\$0
LU MT	soft white	•
M I OG	medium tone	+\$0 +\$0
WL	honey maple	•
WN	sandstone	+\$0
AA IA	warm grey neutral	+\$o




Step 2. Work Surface Depth					
24	24" deep				
30	30" deep				

Step 3. Position				
L	left			
R	right			

	L	R
A2393. 24	\$36	36
30	\$56	56

Step 4.	Surface Finish	
RS	ironstone	-\$3
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o




# Specification Information

Step 1.

A2390.

Step 2. Position						
L	left					
R	right					

Prices for Steps 1-2. **A2390.** L \$51 **R** \$51



# Specification Information

Step 1.

A2380.

Step	2. Depth			
24	24" deep			
30	30" deep			


Step 3. Surface Material

Step 4. Surface Finish

L laminate

Prices for Steps 1-3.	
	L
A2380. 24	\$298
30	\$337

Solid-	-Color Laminate	
8Q	folkstone grey	+\$0
BU	black umber	<b>+\$</b> 0
HF	inner tone light	<b>+\$</b> o
LT	light tone	<b>+\$</b> o
LU	soft white	<b>+\$</b> o
MT	medium tone	<b>+\$</b> 0
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o



Specification Information	

Specification	Information

Step 1.

A8380.


Step 2	. Depth
24	24" deep
30	30" deep

Step	3.	Surface	N	lateria	al

laminate

Prices for Steps 1-3.	
	L
A8380. 24	\$312
30	\$351
Step 4. Surface Finish	
Solid-Color Laminate	

Solid	Color Laminate	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	+\$0



# Specification Information

Step 1.

A0432.

Step 2	2. Depth					
24	24" deep					
30	30" deep					

Prices for Steps 1-2.	
AO432. 24	\$318
30	\$358

Step 3	. Surface Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

# Work Surface Support Panel, Thin Base


AO832.

\$358

C-Leg

A2381.






30

Specification Information	
Step 1.	
A0832.	


Step 24	2. Depth 24" deep		
30	30" deep		
Prices	s for Steps 1-2.		
٧٥٥3	2 2/1		\$2

Step	3. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



Specification Information


Step 1.		
A2381.29		\$473
<u></u>		
Step 2	. Leg Finish	
8Q	folkstone grey	+\$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+\$</b> o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	+\$o



# Specification Information

Step 1.

**G1331.** \$22



# Specification Information

Step 1.

A2830.14

Step	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			
72	72" wide			

# Step 3. Surface Material

L laminate top/thermoplastic edge

**U** laminate top/universal edge

Prices for Steps 1-3.		
	L	U
A2830.14 24	\$173	169
30	\$181	175
36	\$201	195
42	\$210	205
48	\$219	213
60	\$276	268
72	\$324	316

Step 4	. Top Finish	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o

**+\$**o +\$o **+\$**0 **+**\$o **+\$**0 **+\$**o **+\$**o **+\$**o +\$o **+\$**0 **+\$**o **+\$**o **+\$**o **+\$**0 **+\$**o


LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LM	mahogany	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
OG	honey maple	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

LBF	neutral twill
LBG	sarum twill
LBH	earthen twill
LBJ	graphite twill
LBK	pewter mesh
LBL	steel mesh
LBM	crisp linen
LBN	classic linen
LBP	casual linen
LBQ	white twill
LU	soft white
MT	medium tone
OG	honey maple
WL	sandstone
WN	warm grey neutral

# Step 5. Edge Finish

For la	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
8Z	neutral grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
JB	millwork cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	<b>+</b> \$o
LBE	medium red walnut	<b>+</b> \$o

# Squared-Edge Corner Transaction Surface



# **Specification Information**

Step 1.

Action Office® Work Surfaces

A2840.

Step 2.	Surface Material
L	laminate top/thermoplastic edge
U	laminate top/universal edge

Prices for Steps 1-2.	
A2840. L	\$291
U	\$284

Step 3	. Top Finish	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НΧ	aged cherry	+\$0
ΗY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
_BS	phantom cocoa	+\$0
_BU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0

MT	medium tone	+\$o
WL	sandstone	+\$0
WN	warm grey neutral	+\$o

# Step 4. Edge Finish

For laminate top/thermoplastic edge (L)

A2840.


76	light brown walnut	+\$0
8Q	folkstone grey	<b>+</b> \$o
8Z	neutral grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
JB	millwork cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

# Transaction Surface Support

A0460. AO461. A0463.

# Transaction Surface Support, Change of Height


A0464.




Specification Information
Step 1.
A046

A040	•	
Step	2. Position	
0.	center	
1.	end	
3.	mid-end	
Price	es for Steps 1-2.	
A046	60.	\$44 \$43
A046	61.	\$43

AU46	3.	\$43
Step	3. Surface Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	<b>+\$</b> 0



Specification Information Step 1.		
Surface Finish		
folkstone grey	+\$0	
black umber	<b>+\$</b> o	
inner tone light	+\$o	
light tone	+\$o	
soft white	+\$o	
medium tone	+\$o	
sandstone	+\$o	
warm grey neutral	+\$o	
	Surface Finish folkstone grey black umber inner tone light light tone soft white medium tone sandstone	



Specification Information	
Step 1.	
A335	

3.	painted door
2.	fabric door

Step 2. Door Material

Step 3. Depth				
13	13" deep			
16	16" deep			

Step	4. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Step 5. Lock	
For lock (*), skip this step.	

o loc	k
	o loc

\$44 30 \$46 36 \$50 42 \$54 48 \$57 60 \$70 16 24 \$46 30 \$50 36 \$57 42 \$60 48 \$62 48 \$62 577		
30 \$46 36 \$50 42 \$54 48 \$57 60 \$70 16 24 \$46 30 \$55 36 \$57 42 \$60 48 \$62 48 \$62 48 \$62 48 \$62 48 \$52 49 \$64 50 \$77	ı	N *
36 \$50 42 \$54 48 \$57 60 \$70 16 24 \$46 30 \$50 36 \$57 42 \$60 48 \$62 48 \$62 49 \$60 \$77	\$44	\$441 455
42 \$54 48 \$57 60 \$70 16 24 \$46 30 \$50 36 \$57 42 \$60 48 \$62 49 \$62 40 \$77 3352. 13 24 \$45 30 \$48 36 \$52 42 \$55 42 \$55 48 \$55	\$468	\$468 480
48 \$57 60 \$70 16 24 \$46 30 \$50 36 \$57 42 \$60 48 \$62 48 \$62 60 \$77 3352. 13 24 \$45 30 \$48 36 \$52 42 \$55 42 \$55	\$509	\$505 520
60 \$70  16 24 \$46  30 \$50  36 \$57  42 \$60  48 \$62  48 \$62  60 \$77   3352. 13 24 \$45  30 \$48  36 \$52  42 \$55  42 \$55	\$545	\$545 557
16 24 \$46 30 \$55 36 \$57 42 \$60 48 \$62 49 \$77  3352. 13 24 \$45 30 \$48 36 \$52 42 \$55 42 \$55	\$576	\$576 590
30 \$50 36 \$57 42 \$60 48 \$62 49 \$77 3352. 13 24 \$45 30 \$48 36 \$52 42 \$55 48 \$59	\$708	\$708 719
36 \$57 42 \$60 48 \$62 60 \$77 3352. 13 24 \$45 30 \$48 36 \$52 42 \$55 48 \$59	\$469	\$469 482
42 \$62 48 \$62 60 \$77 3352. 13 24 \$45 30 \$48 36 \$52 42 \$55 48 \$59	\$50	\$501 512
48 \$62 60 \$77 3352. 13 24 \$45 30 \$48 36 \$52 42 \$55 48 \$59	\$578	\$578 591
\$45 \$45 \$46 \$48 \$48 \$55 \$48	\$60	\$601 614
3352. 13 24 \$45 30 \$48 36 \$52 42 \$55 48 \$59	\$628	\$628 639
\$45 30 \$48 36 \$42 \$55 48	\$772	\$772 784
30 \$48 36 \$52 42 \$55 48 \$59	1	N *
36 \$52 42 \$55 48 \$59	\$456	\$456 470
<b>42</b> \$55 <b>48</b> \$59	\$480	\$480 496
<b>48</b> \$59	\$520	\$520 533
	\$558	\$558 572
(A)	\$590	\$590 603
<b>60</b> \$71	\$719	\$719 733

16 24	\$482	499
30	\$512	527
36	\$591	604
42	\$614	630
48	\$642	655
60	\$785	801


Step	6. Lock Option	
For lo	ock	
KA	keyed alike	-\$10
KD	keyed differently	+\$0
Step	7. Case Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	<b>+\$</b> o
LT	light tone	<b>+\$</b> 0
LU	soft white	<b>+\$</b> 0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

# Step 8. Door Finish

	ainted door (3.)	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

warm grey neutrat	140
For fabric door (2.) with 24" wide (24), 30' 42" wide (42), or 48" wide (48)	" wide (30), 36" wide (36), or
Price Category 1	+\$o
Price Category 2	+\$18
Price Category 3	+\$37
Price Category 4	+\$54
For fabric door (2.) with 60" wide (60)	
Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$37

A3312. A3313.



Specification Information	
Step 1.	
A331	

Step 2.	Door Material
3.	painted door
2	fabric door

**2.** fabric door

Step 3	3. Depth	
13	13" deep	
16	16" deep	

Step	4. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Step 5. Lock
For lock (*), skip this step.

N no lock

Prices for Steps 1-5.		
	N	*
A3313. 13 24	\$276	290
30	\$296	313
36	\$326	339
42	\$351	368
48	\$378	391
60	\$477	492
16 24	\$286	296
30	\$295	308
36	\$340	355
42	\$360	373
48	\$379	394
60	\$484	498
	N	*
A3312. 13 24	\$290	301
30	\$314	326
36	\$339	351
42	\$368	380
48	\$394	406
60	\$494	505

16 24	\$296	313
30	\$313	324
36	\$356	370
42	\$373	387
48	\$395	407
60	\$499	513


Step 6. Lock Option

For lo	ock	
KA	keyed alike	-\$10
KD	keyed differently	+\$o
Step	7. Top Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	<b>+\$</b> 0
LU MT WL	soft white medium tone sandstone	+\$0 +\$0 +\$0

# Step 8. Door Finish

Paint	ed	
For p	ainted door (3.)	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	+\$0
For fa	abric door (2.) with 24" wide (24), 30" wide	e (30), 36" wide (36), or

For fabric door (2.) with 24" wide (24), 30" wide (30), 3	36" wide (36), or
42" wide (42), or 48" wide (48)	
Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$37
Price Category 4	+\$54
For fabric door (2.) with 60" wide (60)	
Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$37



# Specification Information

Step 1.

A32

Step 2	. Height		
10.	15 <sup>1</sup> / <sub>2</sub> " high		


# Step 3. Depth

13 13" deep16 16" deep

Step	4. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Prices for Steps 1-4.						
	24	30	36	42	48	60
A3210. 13	\$189	195	204	215	223	259
16	\$208	226	258	263	269	306

Step	5. Case Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o



# Specification Information

Step 1.

A3220.13

Step 2	. Width
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	6o" wide


Prices for S	Steps 1-2.		
A3220.13	24	\$:	175
	30	\$1	184
	36	\$3	194
	42	\$2	209
	48	\$:	216
	60	\$2	267

Step 3	. Case Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

WN

warm grey neutral

**+\$**o



Specification Information	
Step 1.	
X3750.	

Step	Step 2. Width					
24	24" wide					
30	30" wide					
36	36" wide					
42	42" wide					
48	48" wide					

Step 3	3. Mechanism
SP	standard mechanism

Step 4	. Lift Handle			
N	no lift handle			


Prices for Steps 1-4.	
	N
X3750. 24 SP	\$668
30 SP	\$710
36 SP	\$753
42 SP	\$806
48 SP	\$864

Step 5	. Lock Option	
KA	keyed alike	-\$10
KD	keyed differently	+\$0

Step 6	6. Attachment Bracket	
AO	for Action Office® system	+\$0
E1	for Ethospace® System	+\$o
F8	for Canvas	+\$o
OM	for Ethospace® off module	+\$0

Step 7	7. Case/Lift Handle Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
BU	black umber	<b>+</b> \$o
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o


#### Step 8. Door Finish For Action Office® system (AO), Ethospace® System (E1), Canvas (F8), or Ethospace® off module (OM) 8Q folkstone grey **+\$**o 91 white **+\$**0 BU black umber **+\$**o CNmetallic champagne **+\$**o EΗ metallic bronze +\$o HF inner tone light **+\$**o LT light tone **+\$**o LU soft white **+\$**o medium tone **+\$**0 ΜT WL sandstone **+\$**0



Specif	Specification Information				
Step 1.	Step 1.				
X3710.	X3710.				
C:	AMP Int				
Step 2.	Width				
24SP	24" wide				
30 <b>S</b> P	30" wide				
36SP	36" wide				
42SP	42" wide				
48SP	48" wide				
Step 3.	Lift Handle				
N	no lift handle				
Prices f	or Steps 1-3.				

Prices	s for Steps 1-3.	
		N
X3710	0. 24SP	\$417
	30SP	\$445
	36SP	\$486
	42SP	\$525
	48SP	\$562
Step 2	4. Lock Option	
KA	keyed alike	-\$10
KD	keyed differently	+\$0
Step 5	5. Top/Lift Handle Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
BU	black umber	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$0

step 6.	. Door Finish	
Q	folkstone grey	+\$o
1	white	+\$o
BU	black umber	+\$o
H	metallic bronze	+\$o
łF	inner tone light	+\$o
.T	light tone	+\$o
.U	soft white	+\$o
ΛT	medium tone	+\$o
٧L	sandstone	+\$o
VN	warm grey neutral	+\$o



# Specification Information

Step 1.


X3730.

Step 2	Step 2. Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				

Prices for Steps 1-2.	
X3730. 24	\$275
30	\$285
36	\$299
42	\$316
48	\$330

Step 3	. Attachment Bracket	
AO	for Action Office® system	+\$0
E1	for Ethospace® System	+\$0
F8	for Canvas	+\$0
OM	for Ethospace® off module	+\$0

Step	4. Surface Finish	
8Q	folkstone grey	+\$0
91	white	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
MT	medium tone	+\$0
EH	metallic bronze	+\$0
CN	metallic champagne	+\$0
WL	sandstone	+\$0
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	+\$o



# Specification Information

Step 1.

A3810.

Step 2	. Height			
1	15" high			

Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			

# Step 4. Door Material P painted door

Step 5. Lock					
N	no lock				
L	lock				


Prices for	Steps 1-5.		
		PN	PL
A3810. 1	24	\$391	402
	30	\$415	426
	36	\$447	460
	42	\$481	494
	48	\$509	520

Step	6. Lock Option	
For lo	ock (L)	
KA	keyed alike	-\$10
KD	keyed differently, black	+\$0
Step	7. Case Finish	
8Q	folkstone grey	<b>+\$</b> 0
BU	black umber	<b>+\$</b> o
HF	inner tone light	<b>+\$</b> o
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	<b>+\$</b> o

#### Step 8. Door Finish 8Q folkstone grey +\$o BU black umber +\$o HF inner tone light +\$o LU soft white +\$o MT medium tone +\$o $\mathbf{W}\mathbf{L}$ sandstone +\$o $\mathbf{W}\mathbf{N}$ warm grey neutral +\$o Step 9. Pull Finish CL cool grey neutral +\$o $\mathbf{W}\mathbf{N}$ warm grey neutral +\$o

# F-Style Upmount Sliding Door Storage Unit

A3814.



Spec	cification Information
Step	1.
A381	4.
Step	2. Width
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
Step	3. Door Material
Р	painted door
Step.	4. Lock
N	no lock
L	lock

Prices for Steps 1-4.		
	N	L
A3814. 24 P	\$602	613
30 P	\$641	652
36 P	\$683	696
42 P	\$727	739
48 P	\$770	782

Step	5. Lock Option	
For lo	ock (L)	
KA	keyed alike	-\$10
KD	keyed differently, black	+\$0
Step	6. Case Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	<b>+</b> \$o
MT	medium tone	+\$0

WL

WN

sandstone

warm grey neutral

**+**\$o


**+**\$0

# Action Office® Wall-Attached Storage

A3811.

# F-Style Upmount Sliding Door Storage Unit continued

# F-Style Shelf




Specification Information	
Step 1.	
A3811.	

Step 2. Width						
24	24" wide					
30	30" wide					
36	36" wide					
42	42" wide					
48	48" wide					

Prices for Steps 1-2.	
A3811. 24	\$150
30	\$158
36	\$167
42	\$182
48	\$187

Step 3	3. Surface Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	+\$o
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	<b>+\$</b> o

Step 7	7. Door Finish			
8Q	folkstone grey	<b>+</b> \$o		
BU	black umber			
HF	inner tone light			
LU	soft white			
MT	medium tone			
WL	sandstone			
WN	N warm grey neutral			
Step 8	3. Pull Finish			
CL	cool grey neutral	+\$0		
WN	warm grey neutral	+\$0		




Specification Information	
Step 1.	
A3812.	


Step:	2. Height			
15	15" high			
Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			

	24	30	36	42	48
A3812. 15	\$144	149	156	167	179

Step	4. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o




Specification information		
Step 1.		
A3910.		\$60
Step 2	. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



Specification Information
Step 1.
X3910.


Step 2. Usage  1 for C-/E-style flipper unit/shelf  2 for utility shelf (E3234.)  Prices for Steps 1-2.  X3910. 1 \$49 2 \$49  Step 3. Surface Finish  For C-/E-style flipper unit/shelf (1)  98 studio white +\$0 BU black umber +\$0			
2 for utility shelf (E3234.)  Prices for Steps 1-2.  X3910. 1 \$49 2 \$49  Step 3. Surface Finish  For C-/E-style flipper unit/shelf (1)  98 studio white +\$0	Step	2. Usage	
Prices for Steps 1-2.  X3910. 1 \$49 2 \$49  Step 3. Surface Finish  For C-/E-style flipper unit/shelf (1)  98 studio white +\$0	1	for C-/E-style flipper unit/shelf	
X3910. 1 \$49 2 \$49 Step 3. Surface Finish For C-/E-style flipper unit/shelf (1) 98 studio white +\$0	2	for utility shelf (E3234.)	
X3910. 1 \$49 2 \$49 Step 3. Surface Finish For C-/E-style flipper unit/shelf (1) 98 studio white +\$0			
2 \$49  Step 3. Surface Finish  For C-/E-style flipper unit/shelf (1)  98 studio white +\$0	Prices	s for Steps 1-2.	
Step 3. Surface Finish  For C-/E-style flipper unit/shelf (1)  98 studio white +\$0	X391	0. 1	\$49
For C-/E-style flipper unit/shelf (1)  98 studio white +\$0		2	\$49
For C-/E-style flipper unit/shelf (1)  98 studio white +\$0			
98 studio white +\$o	Step	3. Surface Finish	
The state of the s	For C	C-/E-style flipper unit/shelf (1)	
<b>BU</b> black umber +\$o	98	studio white	+\$0
	BU	black umber	+\$0




Step 1. **G7330.** 

Step	2. Surface Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
CN	metallic champagne	+\$o
EH	metallic bronze	+\$o

\$268



Specification Information	
Step 1.	
AO535.	\$40



Step 1.

A3410.

Step 2	2. Height				
12	12" high				
16	16" high				


Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Prices for Steps 1-3.						
	24	30	36	42	48	60
A3410. 12	\$139	143	152	162	174	219
16	\$181	189	202	210	224	289

Step 4. Surface Finish
See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

	12	16
Price Category 1	+\$0	0
Price Category 2	+\$8	10
Price Category 3	+\$41	54
Price Category 4	+\$71	93
For 60" wide (60)		
	12	16
Price Category 1	+\$0	0
Price Category 2	+\$8	10
Price Category 3	+\$41	54



# Specification Information

Step 1.

A3510.

Step 2.	Height
24	24" high
48	48" high


Step 3. Width
48 48" wide

Prices for Steps 1-3.	
	48
A3510. 24	\$427
48	\$595

LT         light tone         +\$o           LU         soft white         +\$o           MT         medium tone         +\$o           WL         sandstone         +\$o	Step 4.	Step 4. Trim Finish			
HF         inner tone light         +\$o           LT         light tone         +\$o           LU         soft white         +\$o           MT         medium tone         +\$o           WL         sandstone         +\$o	8Q	folkstone grey	<b>+</b> \$o		
LT light tone +\$0 LU soft white +\$0 MT medium tone +\$0 WL sandstone +\$0	BU	black umber	<b>+</b> \$o		
LU       soft white       +\$o         MT       medium tone       +\$o         WL       sandstone       +\$o	HF	inner tone light	<b>+</b> \$o		
MT medium tone +\$0 WL sandstone +\$0	LT	light tone	<b>+</b> \$o		
WL sandstone +\$o	LU	soft white	<b>+</b> \$o		
·	MT	medium tone	<b>+</b> \$o		
	WL	sandstone	<b>+</b> \$o		
<b>WN</b> warm grey neutral +\$o	WN	warm grey neutral	+\$o		

# **Energy-Efficient Task Light**

G6120. G6121. G6123.



Specification Information	
Step 1.	
G612	

# Step 2. Code Requirements

**0.** meets local codes including Canada

- 1. meets Chicago codes
- **3.** meets New York City codes

Step 3	. Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				
60	6o" wide				
Step 2	. Dimmer				

otep 4.	Diffillite			
For 24"	wide (24)			
N	no dimmer			

For 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)

N no dimmer

# Step 5. Bracket Option

**S** for Action Office® or Ethospace® Systems or Canvas

**Q** for C-style storage or E3234.

**P** for Passage® Desking System


Prices fo	or S	teps 1-5.			
			S	Q	P
G6120.	24	N	\$353	353	353
	30	N	\$366	366	366
•••••	36	N	\$376	376	376
•••••	42	N	\$393	393	393
•••••	48	N	\$400	400	400
	60	N	\$436	436	436
			S	Q	Р
G6121.	24	N	\$405	405	405
	30	N	\$424	424	424
	36	N	\$432	432	432
•••••	42	N	\$446	446	446
•••••	48	N	\$454	454	454
	60	N	\$496	496	496

	S	Q	Р
G6123. 24 N	\$350	350	350
30 N	\$380	380	380
36 N	\$391	391	391
42 N	\$400	400	400
48 N	\$412	412	412
60 N	\$452	452	452

# Step 6. Surface Finish

For A	action Office® or Ethospace® Systems or Canvas (S	S) or C-style
stora	ge or E3234. (Q)	
8Q	folkstone grey	+\$0
91	white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For	Passage® Desking System (P)	
********		
BU	black umber	+\$o



Step 1.

G613

# Step 2. Code Requirements

6. meets local codes including Canada and New York City

**7.** meets Chicago codes

# Step 3. Width

24" wide

**30** 30" wide

**42** 42" wide

**60** 60" wide

# Step 4. Attachment Bracket

**S** for Action Office® or Ethospace® Systems or Canvas


**Q** for C-style storage or E<sub>3234</sub>.

**P** for Passage® Desking System

**F** for 5000 Series Furniture

T for transaction surface/counter top/wood cabinets

Prices for Steps 1-4.					
	S	Q	Р	F	Т
G6136. 24	\$261	261	261	261	261
30	\$265	265	265	265	265
42	\$291	291	291	291	291
60	\$324	324	324	324	324
G6137. 24	\$350	350	350	350	350
30	\$355	355	355	355	355
42	\$380	380	380	380	380
60	\$416	416	416	416	416




Step 1.

Y7000.

Step 2. Width						
14	14" wide					
29	29" wide					

Prices for Steps 1-2.	
Y7000. 14	\$225
29	\$345

Step 3	3. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
CN	metallic champagne	+\$o
G2	graphite satin	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MS	metallic silver	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o



# Specification Information

Step 1.


A3610.

Step	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Prices for Steps 1-2.	
A3610. 24	\$93
30	\$102
36	\$108
42	\$116
48	\$126
60	\$159

Step 3	3. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Rail Tile A3615.



# Specification Information

Step 1.

# A3615.16


Step	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			

Prices for Steps 1-2.	
A3615.16 24	\$201
30	\$222
36	\$240
42	\$260
48	\$281

Step :	3. Surface Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o


Meridian® Pedestals 10-Day or Less

Pedestals



Step 1.			
F16-			
Step 2.	Width		
15	15" wide		
Step 3.	Depth		
18-	18" deep		
22-	22" deep		
28-	28" deep		
Step 4.	Configuration		
FF	file/file		
BBF	box/box/file		
Prices f	or Steps 1-4.		
		FF	ВВ
F16-15	18-	\$654	68
	22-	\$679	70
	28-	\$696	73
Step 5.	Paint/Steel Type		
TS	smooth paint on textured steel		+\$20
Step 6.	Surface Finish		
Nonme	tallic Paint		
For smc	ooth paint on textured steel (TS)		
98	studio white		+\$0
BU	black umber		+\$
G2	graphite satin		+\$
HF	inner tone light		+\$
HT	inner tone		+\$
LT	light tone		+\$
LU	soft white		+\$0
MT	medium tone		+\$0
SG	slate grey		+\$
Step 7.	Тор		
,	ace® Pedestal Top (TE3) available only on 15"-wide,	22"- or	
	p pedestals.		_
T1	1"-high painted metal top with squared edge		+\$0
T2	1 <sup>1</sup> / <sub>4</sub> "-high painted metal top with squared edge		+\$0

-\$10
+\$o
+\$o
+\$o
+\$o
+\$o
+\$o
+\$o
+\$88
+\$o



Speci	fication Information
Step 1.	
M16-	
Step 2	. Width
15	15" wide

Step 3. Depth						
18-	18" deep					
22-	22" deep					
28-	28" deep					

Step 4.	Configuration
BF	box/file
FF	file/file
BBF	box/box/file

Prices for Steps 1-4.			
	BF	FF	BBF
M16-15 18-	\$696	798	827
22-	\$713	820	851
28-	\$739	857	877

Step	5. Paint/Steel Type	
TS	smooth paint on textured steel	+\$20
Step	6. Surface Finish	
Nonm	netallic Paint	
For sr	nooth paint on textured steel (TS)	
98	studio white	+\$0
BU	black umber	+\$0
G2	graphite satin	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
HT	inner tone	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
Step	7. Top	
T1	1"-high painted metal top with squared edge	+\$0

Step	8. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0
Step	9. Handle	
HN	no hand grip or transit handle	+\$0
Step	10. Compressor	
C	standard compressor	+\$0

 $1^{1}/_{4}$ "-high painted metal top with squared edge

+\$o

T2


# Meridian® Pedestals

# Standard-Pull Suspended Pedestal

S16-1

# Sloped-Pull Freestanding Pedestal

F19P-



Specification Information	
Step 1.	
S16-	

Step 2.	Width		
15	15" wide		

Step 3	3. Depth			
22-	22" deep			
28-	28" deep			

Step 4	. Configuration
BF	box/file

BF
\$508
\$523

Step 5	5. Paint/Steel Type	
TS	smooth paint on textured steel	+\$20

+\$0
+\$0
+\$o
+\$0
_

Step	7. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0
_		
Step	8. Base Height	

NB	no base	+\$0
Step 9	o. Compressor	
For 22	" deep (22-) or 28" deep (28-) with box/file (BF)	

**+**\$0

|--|

Specification Information

Step 1.	
F19	
Step 2	. Front Material
P-15	painted metal front
Step 3	. Depth
18-	18" deep
22-	22" deep

Step 4. Configuration		
FF	file/file	
BBF	box/box/file	

Prices for Steps 1-4.		
	FF	BBF
F19P-15 18-	\$719	752
22-	\$747	778

Step	5. Paint/Steel Type	
TS	smooth paint on textured steel	+\$20
Step	6. Surface Finish	
Nonm	netallic Paint	
For sr	mooth paint on textured steel (TS)	
BU	black umber	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
HT	inner tone	+\$0
LT	light tone	+\$0
LU	soft white	+\$0


LU	3011 WIIIC	+ <b>4</b> 0
MT	medium tone	+\$0
SG	slate grey	<b>+\$</b> 0
Step	7. Top	
Ethos	pace® Pedestal Top (TE3) available only on 15"-wide, 22"- or	
28"-d	eep pedestals.	
T1	1"-high painted metal top with squared edge	+\$0
T2	11/4"-high painted metal top with squared edge	+\$∩

standard compressor

Step 6. Surface Finish

# Sloped-Pull Freestanding Pedestal continued

# Meridian® Pedestals



Step 1				
M19				
Step 2	2. Front Material			
P-15	painted metal front			
Step 3	3. Depth			
18-	18" deep			
22-	22" deep			
Step 2	4. Configuration			
FF	file/file			
BF	box/file			
BBF	box/box/file			
Prices	for Steps 1-4.			
	I	FF	BF	ВІ
M19P	<b>-15 18-</b> \$87	78	766	9
	<b>22-</b> \$90	93	785	93
Step 5	5. Paint/Steel Type			
TS	smooth paint on textured steel			+\$2
Step 6	5. Surface Finish			
Nonm	etallic Paint			
For sn	nooth paint on textured steel (TS)			
BU	black umber			+5
G2	graphite satin			+5
HF	inner tone light			+5
	inner tone			+5
HT	11-1-4-4			+5
HT LT	light tone			
	soft white			+5
LT				
LT LU	soft white			+5
LT LU MT SG	soft white medium tone slate grey			+5
LT LU MT SG	soft white medium tone slate grey  7. Top 1"-high painted metal top with squared edge			+5
LT LU MT	soft white medium tone slate grey 7. Top			+5
LT LU MT SG Step 7 T1 T2	soft white medium tone slate grey  7. Top 1"-high painted metal top with squared edge			+5
LT LU MT SG Step 7 T1 T2	soft white medium tone slate grey  7. Top 1"-high painted metal top with squared edge 11/4"-high painted metal top with squared edge			+5 +5 +5 +5 +5 +5 +5

KD

keyed differently, black

**+**\$o

# 73-15


# Sloped-Pull Mobile Pedestal

continued

Step 11. Compressor

standard compressor

# Pencil Tray for Box Drawer, Meridian® Pedestal



Step 9.	Handle	
ΗN	no hand grip or transit handle	<b>+\$</b> 0
Step 10	o. Pull Finish	
<b>32</b>	graphite satin	<b>+\$</b> o

# Specification Information

Step 1.

73-

+\$o

Step 2. Width

1516-PT for 15"-wide drawer (for Meridian® pedestals and 5000 Series furniture)

Prices for Steps 1-2.

73-1516-PT


\$21

# Drawer Divider for Box Drawer, Meridian® Pedestal

73-15

# File Drawer Organizer

LG901



# Specification Information

Step 1.

73-


Meridian® Pedestals

Step 2. Width

**1567-D** for 15"-wide drawer (for Meridian® pedestals and 5000 Series furniture)

Prices for Steps 1-2.

73-1567-D



# Specification Information

Step 1.

\$15


**LG901** \$84

Tu® Storage 10-Day or Less

Metal Pedestals

\$581

535



**BBF** 

box/box/file

24

Specification Information
Step 1.
LW100.

Step	2. Depth			
20	20" deep			
24	24" deep			
28	28" deep			
Sten	3. Configuration			

FF	file/file		
Price	s for Steps 1-3.		
		BBF	FF
LW10	00. 20	\$568	520

	28	\$652	602
Step	4. Slides		
For b	ox/box/file (BBF)		


For file	e/file (FF)	
SB	full-extension ball-bearing	+\$0
Step 5	. Paint/Steel Type	
SS	smooth paint on smooth steel	+\$0
XS	textured paint on smooth steel	+\$o

Step	6. Surface Finish	
Fors	smooth paint on smooth steel (SS)	
8Q	folkstone grey	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0

Sand	Texture Paint	
For te	xtured paint on smooth steel (XS)	
91	white	+\$0
98	studio white	+\$0
ВК	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0
Step	7. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0
Step	8. Base Height	
1F	standard height	+\$0
2F	raised height	+\$0
Step	9. Drawer Interior	
For be	px/box/file (BBF)	
NN	none	+\$0
3M	drawer divider in one box drawer, pencil tray in one	+\$25
	box drawer, 2 file converters in file drawer	
For fil	e/file (FF)	
NN	none	+\$0
1M	2 file converters in each file drawer	+\$25

**+**\$o

**+**\$o



Specif	ication Information		
Step 1.			
LV100.			
Step 2.	Depth		
20	20" deep		
24	24" deep		
28	28" deep		
Step 3.	Configuration		
BBF	box/box/file		
FF	file/file		
Prices f	or Steps 1-3.		
		BBF	FF
LV100.	20	\$583	537
	24	\$601	550
	28	\$673	617
Step 4.	Slides		
For 20"	deep (20) with box/box/file (BBF)		
SR	<sup>3</sup> / <sub>4</sub> -extension roller slides on box drawer, full-exte	nsion	<b>+\$</b> 0
	ball bearing on file drawer		
SB	full-extension ball-bearing		+\$50
For 24"	deep (24) or 28" deep (28) with box/box/file (BBF	)	
SR	<sup>3</sup> / <sub>4</sub> -extension roller slides on box drawer, full-exte	nsion	+\$o
	ball bearing on file drawer		
For file,			
SB	full-extension ball-bearing		+\$0
Step 5.	Paint/Steel Type		
~~			4


Step	6. Surface Finish	
For sr	mooth paint on smooth steel (SS)	
8Q	folkstone grey	+\$o
98	studio white	+\$o
BU	black umber	+\$o
CN	metallic champagne	+\$o
EH	metallic bronze	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MS	metallic silver	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
Step	7. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$o
KD	keyed differently, black	+\$o
Step	8. Base Height	
1F	standard height	+\$o
2F	raised height	+\$o
Step	9. Drawer Interior	
	ox/box/file (BBF)	
NN	none	+\$o
3M	drawer divider in one box drawer, pencil tray in one	+\$25
	box drawer, 2 file converters in file drawer	
For fil	le/file (FF)	
NN	none	+\$o
1M	2 file converters in each file drawer	+\$25

smooth paint on smooth steel

textured paint on smooth steel

SS

XS




Spec	cification Information			
Step				
LW11	10.			
Step :	2. Depth			
20	20" deep			
24	24" deep			
Step	3. Configuration			
For 20	o" deep (20)			
BBF	box/box/file			
BF	box/file			
FF	file/file			
For 22	4" deep (24)			
BBF	box/box/file			
FF	file/file			
Prices	s for Steps 1-3.			
		BBF	BF	FF
LW11	10. 20	\$618	520	562
	24	\$623	_	570
Step	4. Slides			
For bo	ox/box/file (BBF)			
SR	³/₄-extension roller slides on box	drawer, full-exten	sion	+\$0
	ball bearing on file drawer			
SB	full-extension ball-bearing			+\$50
For bo	ox/file (BF)			
SR	³/₄-extension roller slides on box	drawer, full-exten	sion	+\$0
	ball bearing on file drawer			
For fil	le/file (FF)			
SB	full-extension ball-bearing			+\$0
Step :	full-extension ball-bearing  5. Paint/Steel Type			+\$0
				+\$0

Step	6. Surface Finish	
	1 (22)	
	nooth paint on smooth steel (SS)	
3Q	folkstone grey	+\$
98	studio white	+\$
3U	black umber	+\$
CN	metallic champagne	+\$
EH	metallic bronze	+\$
ΗF -	inner tone light	+\$
.T	light tone	+\$
.U	soft white	+\$
MS	metallic silver	+\$
MΤ	medium tone	+\$
ΝL	sandstone	+\$
	Texture Paint	
	xtured paint on smooth steel (XS)	
91	white	+\$
98	studio white	+\$
3K	black	+\$
CL	cool grey neutral	+\$
<b>31</b>	graphite	+\$
WN	warm grey neutral	+\$
Step	7. Lock	
<b>(</b> A	keyed alike	-\$1
<b>(C</b>	keyed differently, chrome	+\$
<b>(</b> D	keyed differently, black	+\$
Step	3. Drawer Interior	
-a 4 h	ov kov Kilo (DDC)	
NN	ox/box/file (BBF)  none	, r
		+\$
3M	drawer divider in one box drawer, pencil tray in one	+\$2
	box drawer, 2 file converters in file drawer	
or bo	ox/file (BF)	
NN	none	+\$
5M	pencil tray in box drawer, 2 file converters in file	+\$2
	drawer	
or fil	e/file (FF)	
NN	none	+\$

2 file converters in each file drawer

1M



Prices for Steps 1-3.

LV110. 20

Step 9.	Handle	
HN	no hand grip	+\$o
H1	hand grip only	+\$48

Step 1.	
LV110.	
Step 2.	Depth
20	20" deep
24	24" deep
Step 3.	Configuration
For 20"	deep (20)
BBF	box/box/file
BF	box/file
FF	file/file
For 24"	deep (24)
BBF	box/box/file
FF	file/file

	24	\$642	_	585
Step	4. Slides			
For b	ox/box/file (BBF) or box/file (BF)			
SR	<sup>3</sup> / <sub>4</sub> -extension roller slides on box drawer, ball bearing on file drawer	, full-extens	sion	+\$0
For fi	ile/file (FF)			
SB	full-extension ball-bearing			+\$0
Step	5. Paint/Steel Type			
SS	smooth paint on smooth steel			+\$o
XS	textured paint on smooth steel			+\$0


BBF

\$637

537


FF


578




Step	6. Surface Finish	
	nooth paint on smooth steel (SS)	
8Q	folkstone grey	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
Step	7. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0
Step	8. Drawer Interior	
For b	ox/box/file (BBF)	
NN	none	+\$0
3M	drawer divider in one box drawer, pencil tray in one box drawer, 2 file converters in file drawer	+\$25
For b	ox/file (BF)	
NN	none	+\$0
5M	pencil tray in box drawer, 2 file converters in file drawer	+\$20
For fil	e/file (FF)	
NN	none	+\$0
1M	2 file converters in each file drawer	+\$25
Step	9. Handle	
Step :	9. Handle no hand grip	+\$0


Spec	ification Information				
Step:	1.				
LW14	0.				
Step :	2. Depth				
24	24" deep				
28	28" deep				
Step	3. Configuration				
BBF	box/box/file				
FF	file/file				
Prices	s for Steps 1-3.				
				BBF	FF
LW14	0.24			\$542	495
	28			\$633	582
Step	4. Slides				
		24BBF	24FF	28BBF	28FF
SB	full-extension ball-bearing	+\$50	50	0	0
Step	5. Paint/Steel Type				
SS	smooth paint on smooth steel				+\$0
XS	textured paint on smooth steel				+\$0
Step	6. Surface Finish				
For sr	mooth paint on smooth steel (SS)				
8Q	folkstone grey				+\$0
98	studio white				+\$o
BU	black umber				+\$0
CN	metallic champagne				+\$0
EH	metallic bronze				+\$0
HF	inner tone light				+\$0
LT	light tone				+\$0
LU	soft white				+\$0
MS	metallic silver				+\$0
мт	medium tone				+\$0
WL	sandstone				+\$0





Spec	ification Information	
Step 1	i.	
LW15	0.	
Step 2	2. Depth	
20	20" deep	
24	24" deep	
28	28" deep	
Step 3	3. Configuration	
BBF	box/box/file	
FF	file/file	
Prices	for Steps 1-3.	
	BBF	FF
LW15	<b>0.20</b> \$605	562
	<b>24</b> \$633	603
	28 \$668	639
Step 2	4. Slides	
For bo	ox/box/file (BBF)	
SR	³/₄-extension roller slides on box drawer, full-extension	+\$0
	ball bearing on file drawer	
For fil	e/file (FF)	
SB	full-extension ball-bearing	+\$0
Step <u>!</u>	5. Paint/Steel Type	
SS	smooth paint on smooth steel	+\$0
XS	textured paint on smooth steel	+\$0
Step 6	5. Surface Finish	
For sn	nooth paint on smooth steel (SS)	
8Q	folkstone grey	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0
MT	medium tone	+\$0





Step 1.  IV150.  Step 2. Depth 20 20" deep 24 24" deep 28 28" deep  Step 3. Configuration BBF box/box/file FF file/file  Prices for Steps 1-3.  BBF  IV150. 20 \$600 24 \$628 28 \$663  Step 4. Slides  For box/box/file (BBF)  SR ¾-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF) SB full-extension ball-bearing  Step 5. Paint/Steel Type SS smooth paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel CStep 6. Surface Finish  For smooth paint on smooth steel (SS) 8Q folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze Inner tone light IT light tone U soft white MS metallic silver			
Step 1.  LV150.  Step 2. Depth 20 20" deep 24 24" deep 28 28" deep  Step 3. Configuration BBF box/box/file FF file/file  Prices for Steps 1-3.  BBF  LV150. 20 \$600 24 \$628 28 \$663  Step 4. Slides  For box/box/file (BBF)  SR 3/4-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF) SB full-extension ball-bearing  Step 5. Paint/Steel Type SS smooth paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS) BQ folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	Spec	ification Information	
Step 2. Depth 20 20" deep 24 24" deep 28 28" deep  Step 3. Configuration BBF box/box/file FF file/file  Prices for Steps 1-3.  BBF  LV150. 20 \$600 24 \$628 28 \$663  Step 4. Slides  Step 4. Slides  For box/box/file (BBF) SR 3/4-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF) SB full-extension ball-bearing  Step 5. Paint/Steel Type SS smooth paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel CS tep 6. Surface Finish  For smooth paint on smooth steel (SS) BQ folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white			
20 20" deep 24 24" deep 28 28" deep  Step 3. Configuration BBF box/box/file FF file/file  Prices for Steps 1-3.  BBF  LV150. 20 \$600 24 \$628 28 \$663  Step 4. Slides  For box/box/file (BBF)  SR ?/4-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	LV150	).	
24 24" deep 28 28" deep  Step 3. Configuration BBF box/box/file FF file/file  Prices for Steps 1-3.  BBF  LV150. 20 \$600 24 \$628 28 \$663  Step 4. Slides  For box/box/file (BBF)  SR ?/4-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel  KS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	Step 2	2. Depth	
28 28" deep  Step 3. Configuration BBF box/box/file FF file/file  Prices for Steps 1-3.  BBF  LV150. 20 \$600 24 \$628 28 \$663  Step 4. Slides  For box/box/file (BBF)  SR ?/*-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	20	20" deep	
Step 3. Configuration BBF box/box/file FF file/file  Prices for Steps 1-3.  BBF  LV150. 20 \$600 24 \$628 28 \$663  Step 4. Slides  For box/box/file (BBF)  SR ¾-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type SS smooth paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	24	24" deep	
BBF box/box/file FF file/file  Prices for Steps 1-3.  BBF  LV150. 20 \$600 24 \$628 28 \$663  Step 4. Slides  For box/box/file (BBF) SR 3/4-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF) SB full-extension ball-bearing  Step 5. Paint/Steel Type SS smooth paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  BQ folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	28	28" deep	
FF file/file  Prices for Steps 1-3.  BBF  LV150. 20 \$600 24 \$628 28 \$663  Step 4. Slides  For box/box/file (BBF)  SR 3/4-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel  XS textured paint on smooth steel  XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  BQ folkstone grey  98 studio white  BU black umber  CN metallic champagne  EH metallic bronze  HF inner tone light  LT light tone  LU soft white	Step 3	3. Configuration	
Prices for Steps 1-3.  BBF  LV150. 20 \$600 24 \$628 28 \$663  Step 4. Slides  For box/box/file (BBF)  SR ³/a-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel  XS textured paint on smooth steel  XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey 98 studio white  BU black umber  CN metallic champagne  EH metallic bronze  HF inner tone light  LT light tone  LU soft white	BBF	box/box/file	
BBF LV150. 20 \$600 24 \$628 28 \$663  Step 4. Slides  For box/box/file (BBF) SR ³/4-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF) SB full-extension ball-bearing  Step 5. Paint/Steel Type SS smooth paint on smooth steel XS textured paint on smooth steel XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS) 8Q folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	FF	file/file	
LV150. 20 24 \$628 28 \$663  Step 4. Slides  For box/box/file (BBF)  SR \$\frac{3}{4}\text{-extension roller slides on box drawer, full-extension ball bearing on file drawer}  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel  XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey  98 studio white  BU black umber  CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	Prices		
24 28 \$628 \$663  Step 4. Slides  For box/box/file (BBF)  SR ³/₄-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel  XS textured paint on smooth steel  XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey  98 studio white  BU black umber  CN metallic champagne  EH metallic bronze  HF inner tone light  LT light tone  LU soft white			FF
\$663  Step 4. Slides  For box/box/file (BBF)  SR	LV150	·	557
Step 4. Slides  For box/box/file (BBF)  SR 3/4-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel  XS textured paint on smooth steel  XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey  98 studio white  BU black umber  CN metallic champagne  EH metallic bronze  HF inner tone light  LT light tone  LU soft white			598
For box/box/file (BBF)  SR 3/4-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel  XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey  98 studio white  BU black umber  CN metallic champagne  EH metallic bronze  HF inner tone light  LT light tone  LU soft white		28 \$663	632
SR 3/4-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel  XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey 98 studio white  BU black umber  CN metallic champagne  EH metallic bronze  HF inner tone light  LT light tone  LU soft white	Step 2	4. Slides	
SR 3/4-extension roller slides on box drawer, full-extension ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel  XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey 98 studio white  BU black umber  CN metallic champagne  EH metallic bronze  HF inner tone light  LT light tone  LU soft white			
ball bearing on file drawer  For file/file (FF)  SB full-extension ball-bearing  Step 5. Paint/Steel Type  SS smooth paint on smooth steel  XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey  98 studio white  BU black umber  CN metallic champagne  EH metallic bronze  HF inner tone light  LT light tone  LU soft white	• • • • • • • • • • • • • • • • • • • •		+\$0
Step 5. Paint/Steel Type SS smooth paint on smooth steel XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS) 8Q folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	ЭK		+⊅0
Step 5. Paint/Steel Type  SS smooth paint on smooth steel  XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey  98 studio white  BU black umber  CN metallic champagne  EH metallic bronze  HF inner tone light  LT light tone  LU soft white	For file	e/file (FF)	
SS smooth paint on smooth steel  XS textured paint on smooth steel  Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey  98 studio white  BU black umber  CN metallic champagne  EH metallic bronze  HF inner tone light  LT light tone  LU soft white	SB	full-extension ball-bearing	+\$0
Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	Step 5	5. Paint/Steel Type	
Step 6. Surface Finish  For smooth paint on smooth steel (SS)  8Q folkstone grey  98 studio white  BU black umber  CN metallic champagne  EH metallic bronze  HF inner tone light  LT light tone  LU soft white	SS	smooth paint on smooth steel	+\$0
For smooth paint on smooth steel (SS)  8Q folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	XS	textured paint on smooth steel	+\$0
8Q folkstone grey 98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	Step 6	5. Surface Finish	
98 studio white BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	For sn	nooth paint on smooth steel (SS)	
BU black umber CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	8Q	folkstone grey	+\$0
CN metallic champagne EH metallic bronze HF inner tone light LT light tone LU soft white	98	studio white	+\$0
EH metallic bronze HF inner tone light LT light tone LU soft white			+\$0
HF inner tone light LT light tone LU soft white		• =	+\$0
LT light tone LU soft white			+\$0
<b>LU</b> soft white			+\$0
			+\$0
M5 metallic silver			+\$0
	MS	metallic silver	+\$0

MT


WL


medium tone

sandstone


+\$o

+\$o






Const	:GA: 1G	
	ification Information	
Step :		¢202
LW13	0.20BF	\$383
Step :	2. Slides	
SR	<sup>3</sup> / <sub>4</sub> -extension roller slides on box drawer, full-extension	+\$o
	ball bearing on file drawer	
	<b>3</b>	
Step	3. Paint/Steel Type	
SS	smooth paint on smooth steel	+\$o
XS	textured paint on smooth steel	+\$0
Step	4. Surface Finish	
For sr	nooth paint on smooth steel (SS)	
8Q	folkstone grey	+\$0
98	studio white	<b>+\$</b> 0
BU	black umber	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
	Texture Paint	
***************************************	xtured paint on smooth steel (XS)	
91	white	+\$0
98	studio white	+\$0
BK	black	+\$o
CL	cool grey neutral	+\$o
G1	graphite	+\$o
WN	warm grey neutral	+\$0
Step	5. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$o
KD	keyed differently, black	+\$0
Step	6. Drawer Interior	
NN	none	+\$o
5M	pencil tray in box drawer, 2 file converters in file drawer	+\$20



Spec	ification Information	
Step	1.	
LV13	0.20BF	\$412
Step	2. Slides	
SR	<sup>3</sup> / <sub>4</sub> -extension roller slides on box drawer, full-extension ball bearing on file drawer	+\$0
Step	3. Paint/Steel Type	
SS	smooth paint on smooth steel	+\$0
XS	textured paint on smooth steel	+\$0
Step	4. Surface Finish	
For si	nooth paint on smooth steel (SS)	
8Q	folkstone grey	<b>+</b> \$o
98	studio white	+\$o
BU	black umber	+\$o
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
Step	5. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$o
KD	keyed differently, black	+\$0
Step	6. Drawer Interior	
NN	none	+\$0
5M	pencil tray in box drawer, 2 file converters in file drawer	+\$20



Specification Information	
Step 1.	
LG901	\$84


Drawer Divider, Tu® Pedestal

LG903.

Stationery Divider, Tu® Pedestal

LG905

\$56



# Specification Information

Step 1

LG903.


Tu® Metal Pedestals

Step 2. Usage

3 for pencil drawer

6 for box drawer







# Specification Information

Step 1.


LG905



Specification Information	
Step 1.	
LG906	\$20



Specification Information	
Step 1.	
LG907	\$28



# Specification Information Step 1. LG908 \$46

Action Office® System 10-Day or Less	
2-Way 90° Connector	page(s) 20
2-Way 90° Connector, Thin Base	25
3-Way 90° Connector	22
3-Way 90° Connector, Thin Base	27
4-Way 90° Connector	23
4-Way 90° Connector, Thin Base	28
Acoustical Panel	9
Acoustical Panel, Thin Base	15
Base Power Adapter, 4 Circuit	31
Base Power Adapter, 4 Circuit, Thin Base	32
Base Power Entry, Direct Connect, 4 Circuit	29
Base Power Entry, Junction Box, 4 Circuit	29
Base Power Entry, Junction Box, 4 Circuit, Thin Base	30
B-Style Flipper Door	55
B-Style Flipper Door Unit	54
B-Style Marker Board	65
B-Style Shelf	56
B-Style Storage/Display Shelf	56
B-Style Tackboard	65
Cable Management Trough, Work Surface Suspended	36
Ceiling Power Entry, Internal Direct Connect	30
Ceiling Power Entry, Internal Direct Connect, Thin Base	31
C-Leg	49
Coat Hook	64
Communication Port Faceplate Extender	37
Communication Port Faceplate Reducer	37
Component Brace	63,62
Connect™-S300	35
Cord Cleat	50
C-Style Flipper Door	58
C-Style Flipper Door Unit C-Style Shelf	57
Door Panel	59
Door Panel, Thin Base	10 16
Draw Rod	·····
Draw Rod, Change of Height	19 19
Electrical Distributor, Multi-Outlet	
Energy-Efficient Task Light	35 66
Fabric-Covered Panel	······
Fabric-Covered Panel, Thin Base	5 11
Finished End	······
Finished End, Change of Height, Panel/Connector	23 24
Finished End, Change of Height, Panel/Panel	24
Finished End, Thin Base	28
F-Style Shelf	61
F-Style Sliding Door Storage Unit	59
,	

F-Style Storage Unit Back Panel	62
F-Style Upmount Sliding Door Storage Unit	60
Panel Pass-Through Power Jumper	33
Power Harness Extender, Thin Base	34
Rail Tile	69
Receptacle, 4 Circuit, 15 Amp (package of 6)	36, 34
Shelf Divider, Angled	63
Spacer	21
Spacer, Thin Base	26
Squared-Edge Concave Corner Work Surface	41
Squared-Edge Corner Transaction Surface	52
Squared-Edge Corner Wedge	45
Squared-Edge Corner Work Surface	40
Squared-Edge D-Shaped Work Surface	44
Squared-Edge Rectangular Work Surface	38
Squared-Edge Round-End Peninsula	43
Squared-Edge Transaction Surface, Rectangular End	50
Tackable Acoustical-Barrier Panel	7
Tackable Acoustical-Barrier Panel, Thin Base	13
Tool Bar	68
Transaction Surface Support	53
Transaction Surface Support, Change of Height	53
Utility Task Light	67
Wall Fastener	17
Wall Filler Strip	18
Wall Start	18
Wall Strip	17
Work Surface-Attached Tool Rail	68
Work Surface Bracket	47
Work Surface Support Panel	48
Work Surface Support Panel, End	47
Work Surface Support Panel, End, Thin Base	48
Work Surface Support Panel, Thin Base	49
Work Surface Support, Single	46
Meridian® Pedestals 10-Day or Less	
Drawer Divider for Box Drawer, Meridian® Pedestal	page(s) 78
File Drawer Organizer	78
Pencil Tray for Box Drawer, Meridian® Pedestal	77
Sloped-Pull Freestanding Pedestal	75
Sloped-Pull Mobile Pedestal	76
Standard-Pull Freestanding Pedestal	73
Standard-Pull Mobile Pedestal	74
Standard-Pull Suspended Pedestal	
Tu® Storage 10-Day or Less	
Drawer Divider, Tu® Pedestal	page(s) 90
File Compressor, Tu®	92
File Converter, Tu®	91
·	,

File Drawer Organizer	89
Stationery Divider, Tu® Pedestal	90
Utility Tray, Tu® Pedestal	91
V-Pull Freestanding Pedestal	82
V-Pull Mobile Pedestal	84
V-Pull Support Pedestal	87
V-Pull Suspended Pedestal	89
W-Pull Freestanding Pedestal	81
W-Pull Mobile Pedestal	83
W-Pull Support Pedestal	86
W-Pull Surface-Attached Pedestal	85
W-Pull Suspended Pedestal	88

73-15	Drawer Divider for Box Drawer, Meridian® Pedestal	nage(s) 78
73-15	Pencil Tray for Box Drawer, Meridian® Pedestal	page(s) 78
A1120.	Fabric-Covered Panel	77
A1125.	Tackable Acoustical-Barrier Panel	5
A1131.	Acoustical Panel	7
	Door Panel	9
A1191.		10
A1220.	2-Way 90° Connector	20
A1230.	3-Way 90° Connector	22
A1240.	4-Way 90° Connector	23
A1260.	Spacer	21
A1271.	Finished End	23
A1311.	Receptacle, 4 Circuit, 15 Amp (package of 6)	34
A1322.	Base Power Entry, Direct Connect, 4 Circuit	29
A1323.	Base Power Entry, Junction Box, 4 Circuit	29
A1325.	Ceiling Power Entry, Internal Direct Connect	30
A1342.	Panel Pass-Through Power Jumper	33
A1354.	Base Power Adapter, 4 Circuit	31
A1355.		
A2310.	Squared-Edge Rectangular Work Surface	38
A2332.	Squared-Edge Corner Work Surface	40
A2333.	Squared-Edge Concave Corner Work Surface	41
A2350.	Squared-Edge Round-End Peninsula	43
A2355.	Squared-Edge D-Shaped Work Surface	44
A2380.	Work Surface Support Panel, End	47
A2381.	C-Leg	49
A2390.	Work Surface Bracket	47
A2393.	Work Surface Support, Single	46
A2830.	Squared-Edge Transaction Surface, Rectangular End	l 50
A2840.	Squared-Edge Corner Transaction Surface	52
A3210.	B-Style Shelf	56
A3220.	B-Style Storage/Display Shelf	56
A3312.	B-Style Flipper Door	55
A3313.		
A3352.	B-Style Flipper Door Unit	54
A3353.		
A3410.	B-Style Tackboard	65
A3510.	B-Style Marker Board	65
A3610.	Tool Bar	68
A3615.	Rail Tile	69
A3810.	F-Style Sliding Door Storage Unit	59
A3811.	F-Style Shelf	61
A3812.	F-Style Storage Unit Back Panel	62
A3814.	F-Style Upmount Sliding Door Storage Unit	60
A3910.	Component Brace	62
A8120.	Fabric-Covered Panel, Thin Base	
	Tackable Acoustical-Barrier Panel, Thin Base	11
A8125.		13
A8131.	Acoustical Panel, Thin Base	15

A8191.	Door Panel, Thin Base	16
A8220.	2-Way 90° Connector, Thin Base	25
A8230.	3-Way 90° Connector, Thin Base	27
A8240.	4-Way 90° Connector, Thin Base	28
A8260.	Spacer, Thin Base	26
A8271.	Finished End, Thin Base	28
A8323.	Base Power Entry, Junction Box, 4 Circuit, Thin Base	30
A8325.	Ceiling Power Entry, Internal Direct Connect, Thin Base	31
A8342.	Power Harness Extender, Thin Base	34
A8354.	Base Power Adapter, 4 Circuit, Thin Base	32
A8355.		
A8380.	Work Surface Support Panel, End, Thin Base	48
A0210.	Wall Start	18
A0212.	Wall Filler Strip	18
AO213.	Wall Strip	17
AO215.	Draw Rod	19
A0219.	Draw Rod, Change of Height	19
A0259.	Finished End, Change of Height, Panel/Connector	24
AO272.	Finished End, Change of Height, Panel/Panel	24
A0382.	Cable Management Trough, Work Surface Suspended	36
AO432.	Work Surface Support Panel	48
A0460.	Transaction Surface Support	53
A0461.		
A0463.		
A0464.	Transaction Surface Support, Change of Height	53
AO535.	Coat Hook	64
A0832.	Work Surface Support Panel, Thin Base	49
F16-1	Standard-Pull Freestanding Pedestal	73
F19P-	Sloped-Pull Freestanding Pedestal	75
G1189.	Communication Port Faceplate Extender	37
G1189.	Communication Port Faceplate Reducer	37
G1331.	Cord Cleat	50
G6120.	Energy-Efficient Task Light	66
G6121.		
G6123.		
G6136.	Utility Task Light	67
G6137.		
G7330.	Shelf Divider, Angled	63
K1311.	Receptacle, 4 Circuit, 15 Amp (package of 6)	36
LG901	File Drawer Organizer	89,78
LG903.	Drawer Divider, Tu® Pedestal	90
LG905	Stationery Divider, Tu® Pedestal	90
LG906	Utility Tray, Tu® Pedestal	91
LG907	File Converter, Tu®	91
LG908	File Compressor, Tu®	92
LV100.	V-Pull Freestanding Pedestal	82
I V110	V-Pull Mobile Pedestal	8/

LV130.	V-Pull Suspended Pedestal	89
LV150.	V-Pull Support Pedestal	87
LW100.	W-Pull Freestanding Pedestal	81
LW110.	W-Pull Mobile Pedestal	83
LW130.	W-Pull Suspended Pedestal	88
LW140.	W-Pull Surface-Attached Pedestal	85
LW150.	W-Pull Support Pedestal	86
M16-1	Standard-Pull Mobile Pedestal	74
M19P-	Sloped-Pull Mobile Pedestal	76
NP289	Electrical Distributor, Multi-Outlet	35
S16-1	Standard-Pull Suspended Pedestal	75
X1192.	Wall Fastener	17
X3710.	C-Style Flipper Door	58
X3730.	C-Style Shelf	59
X3750.	C-Style Flipper Door Unit	57
X3910.	Component Brace	63
Y1323.	Connect™-S300	35
Y2091.	Squared-Edge Corner Wedge	45
Y7000.	Work Surface-Attached Tool Rail	68

### 10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

#### **Ordering Procedures**

- Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
  - Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.
  - Order Entry fax number for all other products: (616) 654 3085.
- 2. Orders must be clearly marked "10-day or less program" and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
- Only fabrics and finishes listed with each product are available through the 10-day or less program.
- 4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
- For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

## **Shipments and Delivery**

Per Herman Miller Terms and Conditions.

## **Changes and Cancellation**

Per Herman Miller Terms and Conditions.

HermanMiller for Government March 2009



### **Keyed-Alike Locks**

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc. will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

**For Action Office®**, **Ethospace®**, **and Passage® products**, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

For Meridian® Storage or 5000 Series, see the following charts. Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For Meridian Storage or 5000 Series desk components with pedestals, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX <sup>1</sup>	black	UM series 226-427
KA	1B2JK7-XXX <sup>1</sup>	chrome	UM series 226-427

For 5000 Series flipper door unit with bezel or credenza storage cabinet with bezel, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX <sup>1</sup>	black	UM series 226-427

#### Key Number:

XXX<sup>1</sup> = a key number between 226 and 427 (excluding 408 and 412)

HermanMiller for Government April 2016



### Stain-to-Match Program

#### **Program Overview**

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

#### **Ordering Products with Stain-to-Match Veneers**

- Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
- 2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
- 3. If the sample meets the customers approval, sign the reverse side of the sample, scan and email the approval to:
  - options@hermanmiller.com.
- 4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
- 5. A purchase order can then be placed.

#### Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

STA: Stain-to-Match on Recut Ash STB: Stain-to-Match on Beech STC: Stain-to-Match on Cherry STD: Stain-to-Match on Oak

STK: Stain-to-Match on Reltech Anigre (Geiger)

STM: Stain-to-Match on Recut Mahogany

STP: Stain-to-Match on Maple

STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

HermanMiller for Government November 2018



Proprietary Textiles Application Chart — 10-Day Workspaces	Action Office® Panels/Connectors				tors	eens	Tiles	sus	
• Available	els/Co	ors	S	ors	Ethospace® Tiles/Connectors	Ethospace Attaching Screens	Canvas Office Landscape"	y Screens	
Application Note: Herman Miller cannot guarantee material/pattern alignment	Pan	B-Style Flipper Doors	<b>B-Style Tackboards</b>	E-Style Flipper Doors	les/(	achi	Lan	Boundary	
in adjacent products. For example, a fabrics pattern may not align from one	ce®	ppe	ckb	adc	® Ti	Att	lice	Sour	
screen to the next, or from one panel to the next.	Offi	i	Та	E	асе	асе	of.		bo
	ion	tyle	tyle	tyle	osp	osb	was	Resolve®	Seating
	Act	B-S	B-S	E-S	Eth	Eth	Car	Res	Seg
Price Category 1									
8A Bubbletack								•	
2V Chain	•	•	•	•	•		22		
8T Crossing (85)	5	2	2	•			•		6
95 Gem	2	2	2	•	•		•		•
2I Grasscloth	•	•	•	•	•		•	$\perp$	
1MNMonologue	•	•	•	•	•		•	$\dashv$	•
8B Multiscrim™						•		•	_
5T Resonance	•	•	•	•	•		•	$\dashv$	_
8C Scrim Trim								•	_
2M Silkworm	•	•	•	•	•		•	$\dashv$	_
1WSWhisper	•	•	•	•	•		•	Щ	•
Price Category 2									
<u>51</u> Cord	•	•	•	•	•		•	$\dashv$	_
92 Crepe	2	•	•	•	•		•	$\dashv$	•
57 Frost	•	•	•	•	•		•	$\dashv$	_
84 Grosgrain	5			•	•		•	$\dashv$	_
4N Horizon	2	2	2	•	•		•	$\dashv$	-
1LMLoom 3A Moiré	•	2	2	•	•		22	$\dashv$	-
8R_ Twist (5S )	4	2	2	•	•		•	$\dashv$	6
Price Category 3	4			_				_	_
	_			•			•		•
70 Bento 8Z Glaze	2	2	2	•	•		•	$\dashv$	-
	•	•	•	•	•		•	$\dashv$	-
47 Ground Cloth® 5D Kira 2	2	2	2	•	•		•	$\dashv$	-
8L Savannah	•	20	•	•	•		•	•	-
8U_ Stitches (5Z)	Ť	20	_	_	_		-	_	6
8W Strands	•	•	•	•	•		•	+	<u> </u>
Price Category 4							Ш	$\dashv$	
. The Surgery F									

2 Available on all products except 54" and 60" wide.

Quilty Sironetta

- 4 Not available on Action Office acoustical panels and not available on 54" and 60" wide products.
- 5 Not available on Action Office acoustical panels.
- 6 Available on seating products in select colors. See the "Proprietary Textile Colors–10-Day Seating" appendix.
- 10 Not available on Action Office connectors, cable management, and spacers.
- 20 Available only on Ethospace B-Style.
- 22 Not available as railroaded application option for Chain (2V\_\_) and Moiré (3A\_\_).

October 2018

HermanMiller for Government



# Price Category 1

Bubbletack				
100% polyester				
8A01	Seashell White			
8A02	Pearl Grey			
8A07	Pebble Beige			
8A19	Spa Blue			

Chain
66" wide
100% recycled polyester
2V01 Pearl
2V02 Oyster
2V03 Wheat
2V04 Linen
2V05 Wicker
2V06 Bamboo
2V07 Sage
2V08 Spring Wood
2V09 Iceberg

2 vo y icebeig	
Crossing	
54" wide	i
86% antimony-free polyester	
14% polyester	
8T03 Wicker	
8T04 Porcelain	
8T05 Warm Grey	
8T06 Sepia	
8T07 Pumpkin	
8T08 Copper	
8T09 Cranberry	
8T10 Tomato	
8T11 Mulberry	
8T12 Plum	
8T13 Green Apple	
8T14 Loden	
8T15 Spruce	
8T16 Periwinkle	
8T17 Cerulean	
8T18 Indigo	
8T19 Shale	
8T20 Brownstone	
8T21 Bark	
8T22 Tin	
8T23 Graphite	
8T24 Black	

Crossing				
or systems products only.				
54" wide				
36% antimony-free polyester				
14% polyester				
8501 Ivory				
8502 Oyster				

Gem	
54" w	vide
100%	antimony-free polyester
9501	Sesame
9502	Tangerine
9503	Red
9510	Berry Blue
9512	Green Apple
9514	Black
9515	Slate Grey
9516	

Grasscloth					
66" w	66" wide				
100%	recycled polyester				
2101	Silver Birch				
2102	Pampas				
2103	Sedge				
2107	Lea				
2108	Taro				
2109	Steam Grey				
2110	Cayenne				
2 11	Bottle Green				
2112	Surf				
2l13	Gravel				

Monolog	ue
54" wide	
56% recyc	led polyester
44% polye	ester
1MN01	Linen
1MN02	Alabaster
1MN03	
	Folkstone
1MN05	Silver Pine
1MN06	
1MN07	Seed
1MN08	Yellow Oxide
	Persimmon
1MN10	
1MN11	
1MN12	Blue Sky
1MN13	Blue Spruce
1MN14	

Multiscrim™				
60" w	ide			
100%	polyester			
8B01	Seashell White			
8B02	Pearl Grey			
8B07	Pebble Beige			
8B19	Spa Blue			

Resonance						
66" wide						
100% polyester						
5T04	Greige					
5T05	Porcelain					
5T06	Alabaster					
5T15	Iris					
5T28	Sugar					
5T54	Saltbush					

Scrim Trim		
61" wide		
82% polyester		
18% spandex		
8C01	Seashell White	
8C02	Pearl Grey	

Whisper	
54" wide	
73% recyc	led polyester
27% polye	ester
1WS01	Sand Dollar
1WS02	Pebble
1WS03	Silver Birch
1WS04	Iceberg
1WS05	Silver Pine
1WS06	Carbon
1WS07	Cumin
1WS08	Adobe
1WS09	Strawberry
1WS10	Blush
1WS11	Eggplant
1WS12	Willow
1WS13	Sea Grass
1WS14	Pool
1WS15	Blueberry

HermanMiller for Government February 2018 1

Price Category 2 Price Category 3

Cord		
66" wide		
52% a	intimony-free polyester	
48% p	oolyester	
5101	lvory	
5102	White Ash	
5103	Linen	
5104	Bamboo	
5105	Sepia	
5106	Wicker	
5107	Sesame	
5108	Kiwi Green	
5109	Bayou	
5110	Shade	
5111		
5112		

Crepe	9
54" w	vide
100%	recycled polyester
9201	Licorice
9203	Smoke
9209	Claret
9223	Cadet
9241	
9243	
9244	Artichoke
9251	Fog
9252	Slate Grey
9260	Brownstone
9261	Shale
9262	Graphite
9263	
9264	Green Apple

Frost		
66" wide		
100% recycled polyester		
5701	Bisque	
5702	Abalone	
5703	Porcelain	
5704	Honey	
5706	Sage	
5710	Sable Grey	

Gross	grain
66" w	ide
100%	recycled polyester
8401	Pearl
8402	White Ash
8403	Warm Grey
8404	Khaki
8405	Oyster
8406	Celedon
8412	Tin

	Horizon		
	54" W	ide	
65% antimony-free polyeste		ntimony-free polyester	
	35% p	olyester	
	4N01	Rye Grass	
	4N02	Sugar Pine	
	4N04	White Ash	
	4N05	Spring Wood	
	4N09	Oat Grass	

Loom	
54" wide	
100% pol	yester
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM07	Рорру
1LM09	Loden
1LM11	Deep Sea

Moiré	
54" w	ide
100%	recycled polyester
3A01	Concrete
3A03	Rattan
3A04	Chambray
3A12	Cork

Twist	i e
54" W	vide
80% a	antimony-free polyester
۱ %13	recycled polyester
7% p	oolyester
8R05	Wicker
8R10	Рорру
8R14	Tin
8R15	Shale
8R16	Graphite
8R17	Birch
8R18	Sepia
8R22	Blueberry
8R23	Green Apple
8R26	Gunmetal
8R28	Citrus
8R30	Tangerine
8R32	Wisteria
8R35	Waterfall
8R37	Carbon Dark

111130
For systems products only.
54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
5S01 Pearl
5S02 Ivory
5S03 Oyster

Bento		
54" W	ide	
100% antimony-free polyester		
7001	Frost	
7003	Khaki	
7004	Truffle	

Glaze		
66" w	ide	
100%	recycled polyester	
8Z01	Wicker	
8Z03	Porcelain	
8Z06	Rye	
8Z07	Frost	
8Z08	Silver Birch	

<b>Ground Cloth®</b>			
66" wide			
100%	polyester		
4701	Vapor Grey		
4721	Warm White		
4722	Fog		
4723	Straw		
4724	Red Orange		
4725	Wild Berry		
4726	Green Apple		
4727	Caribbean		
4728	Midnight		
4729	Cappuccino		

Category 3 continued on next page

February 2018 HermanMiller for Government

# Proprietary Textile Colors -10-Day Workspaces

continued

**Price Category 3** 

continued

Price Category 4

# Kira 2

54" wide

100% recycled polyester

5D13 Oasis

5D15 Ash

5D16 Falcon

### Savannah

66" wide

76% recycled polyester

24% polypropelene

8L01 Pearl

8L07 Linen

8L10 Frost

### Strands

66" wide

100% recycled polyester

8W01 Pebble

8W02 Porcelain

8W03 Taupe

8W05 Khaki

8W05 Knak

Quilty

56" wide

100% antimony-free polyester

GreenShield

6S04 Straw

6S07 Brick

6S10 Mink

6S11 Green Apple

6S13 Indigo

## Sironetta

66" wide

100% recycled polyester

6301 Acapella

6302 Sonata

6303 Interlude

6308 Harmony

Appendix: Proprietary Textile Colors - 10 - Day Workspaces

HermanMiller for Government

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi — Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

<sup>®</sup> HermanMiller, ♠, Action Office, Aeron, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Quadrant, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

AireWeave, Bubbletack, Cellular Suspension, Compass, Connect, Cosm, DOT, Durawrap, Everywhere, Flex-Edge, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lino, Lyris 2, Mora, Motia, Multiscrim, Nelson, Nevi, Pedastools, Plex, Renew, Stackable, Swoop, TriFlex, Twist, Verus and Vista are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 ${}^{\text{S}}\text{Chemsurf}^{\text{\$}}$  is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

 $\mathsf{Microsoft}^{\otimes}$  and  $\mathsf{Natural}^{\otimes}$  Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.