Casegoods Assembly Instructions

Complementary Furniture

Visual Board with Doors Visual Board without Doors

Tools Required

- Level
- #2 Phillips Head Bit
- Power Screwdriver


Package Contents

- 1 Visual Board Slide Assembly
- 2 Visual Board Doors (if applicable)

- Tape Measure
- Pencil
- Required Mounting Screws (responsibility of installer)
- 2 #8 x 2" Wood Screws
- 8 Thumbscrews (if applicable)

Installation

- The Visual Board is mounted by the installer to a structural wall. The Visual Board comes with or without doors. (Figure A).
- Place Visual Board against wall in the approximate desired location. Mark the height of the top edge of the Visual Board and set the board aside. Measure down 8⁵/₃₂" from this mark and draw a level line. (Figure B).
- 3. The wall hanger boards are attached to the back of the unit. The upper hanger board should remain on the unit. The lower wall hanger board attached to the center of the unit is tacked on for shipping purposes only. Remove the lower wall hanger board from the unit. (Figure C).



Proper product installation, in accordance with these instructions, is the responsibility of the installing agent. If you have any questions concerning these instructions, please call Kimball Office Customer Service.

Kimball[®]Office

Page 1 of 3

Casegoods Assembly Instructions

Page 2 of 3

Complementary Furniture


Installation (continued)


4. The lower wall hanger board must be firmly attached to the structural wall, and should be attached to three (3) wall studs. Countersink or counterbore each attachment screw hole so that the screws will be flush or below the surface of the hanger board. (Figure D).


Note: Make sure hanger board is level.

- If unit has doors, place the doors face down on a smooth, hard, clean surface. Attach the Visual Board slide assembly to the doors using the provided thumbscrews. The thumbscrews insert through the over-sized holes in the slide brackets and thread into the inserts in the back of the doors. (Figure E).
- 6. Carefully position the Visual Board on the wall hanger board, making sure hanger rail on back of Visual Board fully engages the wall hanger board. (Figure F).

Figure E







Proper product installation, in accordance with these instructions, is the responsibility of the installing agent. If you have any questions concerning these instructions, please call Kimball Office Customer Service.

Kimball[®]Office

Page 3 of 3

Complementary Furniture

Installation (continued)

- 7. To prevent accidental dislodgment of the Visual Board from the wall, be sure to install the provided wall brackets. With the Visual Board doors in the open position, place each wall bracket (long, flat side against the wall) over a wall stud and slide each bracket down until the short flange rests on the Visual Board hanger rail. Attach each wall bracket to a wall stud using a provided #8 x 2" wood screw inserted through the mounting hole in the bracket. (Figure G).
- 8. If unit has doors, alignment can be accomplished by loosening the door thumbscrews, adjusting the doors, and firmly re-tightening the thumbscrews. (Figure H).

Figure G





Figure H



Kimball Office

Proper product installation, in accordance with these instructions, is the responsibility of the installing agent. If you have any questions concerning these instructions, please call Kimball Office Customer Service.