# Planning Guide ■ Aristotle® Casegoods

June 2017





# ■ Aristotle® Casegoods - Table of Contents Planning Guide

General Information	3
Laminate Specification	4
Component Specification	4
Desks	5
Returns	7
Bridges, Connector Tops & Tables	8
Credenzas	9
Reception Workstations	11
Shells	
D-Tops & P-Tops	13
Overhead Storage	15
Corner Overheads & Reception Gallery	17
Under Desk Storage	18
Integrated Lateral Files	19
Freestanding Storage	20
Freestanding Lateral Files	22
Built-In Pedestals	23
Hanging Pedestals	24
Full-Height Pedestals	25
Mobile Pedestals	26
Conference Room Elements	27
Accessories	30
Planning Guidelines	31
Instant Office	35
Terminology	43

#### **General Information**

The Aristotle Casegoods collection from KI creates upscale environments for intelligent workspaces without a heavy price tag. Warm wood grains offer classic appeal while solid finishes provide a more contemporary aesthetic. Both may be combined with metallic accents for truly unique style.

Aristotle is offered in both a Classic version and an Executive version. Aristotle in its Classic offering is more economical when budget is a key concern. It features 1" worksurfaces and a flat grain-matched edge. For a more upscale aesthetic, Aristotle Executive features 1 1/2" worksurfaces, with three edge band options. Aside from worksurfaces, the Classic Aristotle and the Executive Aristotle lines feature similar construction and specifications and are planned in keeping with the guidelines set forth in this document.

#### Construction

Classic worksurfaces, tops and end panels are 1" thick. Executive worksurfaces are  $1^{1}/2^{"}$  thick. Bookcases have a 1" or  $1^{1}/2^{"}$  thick top with adjustable shelves. ABS edge banding is 2.5 mm thick and matches the laminate finish. Adjustable glides keep surfaces level.

Most products are shipped pre-assembled. Products that are shipped ready-to-configure have most fittings pre-attached for quick installation.

All dimensions shown are nominal unless otherwise noted. Approximate weights and volumes relate to crated items and are indicated for shipping purposes.

#### **Edge Detail**

1" thick worksurface and top - Classic

1.5" thick worksurface and top — Executive (three profiled edge options)

2.5 mm flat edge banding

#### **Drawer Construction**

Pedestals feature five-sided drawer construction to maximize storage capacity. Pedestals also feature a standard pencil tray in the upper box drawer. Lateral files feature steel drawers sized to laminate fronts.

## **Drawer Suspension**

File drawers utilize a heavy-duty full extension ball bearing slide for smooth operation. Box drawers operate on the same full extension slides, allowing total access to drawer.

#### **File Drawers**

Credenza, pedestal and lateral file drawers accommodate letter and legal filing. Lateral file unit drawers are equipped to accept front-to-back filing hardware, specified separately. Lateral files have an anti-tip interlock system.

#### **Overheads**

Overheads have a 13 ³/4" internal height clearance and feature a full-width, concealed cable pass-through (1³/4" high). 36" high overheads have 17 ¹/2" clearance above desktops and are 65" high installed. 43" high overheads have 24" clearance above desktop and are 72" high installed. Wall mount overheads include instructions and mounting hardware.

#### **Frosted Glass Door Cabinets**

Frosted glass doors on overheads and select storage towers have a vinyl wrapped MDF frame in silver finish with tempered, frosted glass inserts. Doors are hinged.

#### **Sliding Acrylic Door Cabinets**

Cabinets feature  $13^3/4$ " internal height clearance. Full-width concealed cable pass-through  $(1^3/4$ ") is provided for 36" and 43" high units. A wall mount is also available. Doors are sliding.

### **Desktop Acrylic Screens**

Desktop screens are 1/4" thick frosted acrylic. Screens are offered in 12" or 18" heights, offering personal privacy while enhancing the overall design. Desktop panel supports are available in silver, black or charcoal finish. A simple surface-

mounted attachment, specified separately, secures the screen support to the desktop as a field installation. Screen supports are mounted with screws into worksurface.

#### **Nominal/Actual Dimensions**

Published width and depth dimensions are nominal. To determine actual sizes use the multiplier 0.9843, Example: a desk listed with a nominal width of 60" is actually  $60" \times 0.9843 = 59 \frac{1}{16}"$ , or refer to the conversion chart below:

Nominal,	/Actual	Nominal	Nominal/Actual	
24"	23 5/8"	72"	70 7/8"	
30"	291/2"	78"	76³/4"	
36"	35 7/16"	84"	82 11/16"	
42"	41 5/16"	90"	88 <sup>9</sup> /16"	
48"	47 1/4"	96"	94 1/2"	
54"	53 1/8"	102"	100 3/8"	
60"	591/16"	108"	106 1/4"	
66"	64 15/16"			

#### Grommets

Grommets are indicated on all standard product illustrations and have a  $2\sqrt[3]{4}$  diameter opening. For non-standard locations, field-installed grommet kits are available.

#### **End Panels**

Full-height panels are standard on most items. Partial-height panels are available as a charge option on desk shells, extended corner desk shells and corner units.

#### **Modesty Panels**

Modesty panels on D- and P-Tops are 14" standard. Full-height panels are offered on some models.

#### **Pulls**

NP - No pulls. An integral pull is standard on all Classic drawers and doors. Optional handles are available for an additional charge. Handles are standard on Executive versions. See Storage section.

Three pull options are available. To order, add pull code to product code. An applicable upcharge will be applied.

Note: Overheads cannot have pulls specified.

## Laminate Top and Base Finish

All surfaces are manufactured using high performance, thermally fused laminate, providing a durable, resilient finish. Laminates can be mixed and matched to create a two-toned look. Edge banding matches laminate finish.

#### Meeting Table, Freestanding Desk and Return Base Metal Leg Finish

Matching freestanding tables provide auxiliary worksurfaces. Metal legs in two styles offer strength and durability in a contemporary profile.

Metal-legged returns are attached to a primary desk with flat attachment brackets. The legs include an integrated wire management slot and an adjustable glide.

#### **Keying Options**

Locks are standard on all pedestals, credenzas, and lateral files. Locks are pre-installed in all workstation components (all multi-lock units are keyed alike). Workstations are available keyed alike at time of order (entire order must be consistent). See Keyed Alike Kits if additional key sets are required. The following key options are available at the end of the model strings:

KS - Key standard

KA - Key alike (Note: Please note room numbers on order. KA is the sames as KI's NLC option. Cores/keys are shipped in a separate box.)

Planning Guide

#### **Laminate Specification**

- Aristotle offers many patterns that match KI standards, as well as a number of complementary non-KI finishes.
- When wood grain is specified, arrows indicate the direction of the pattern for each separate plane.
- Horizontal and vertical laminates are specified independently.
- Aristotle uses a low-pressure laminate construction (also referred to as "thermally-fused melamine"). Patterns are consistent with high-pressure laminate
  counterparts, however sheen/reflective qualities vary between high- and low-pressure finishes. Variance is more evident among darker finishes than lighter
  finishes. A sample review of both finishes is recommended, particularly if high pressure finishes are specified adjacent to or near Aristotle worksurfaces.

#### **Component Specification**

- Models that feature a built-in storage component are shipped assembled; otherwise units are shipped knock-down (KD) and utilize cam locks for assembly.
- Assembled desks and credenzas do not feature grommets.
- Use of desk shells offers the most flexibility of add on components underneath the shell.
- Standard models feature 1" thick tops with 1" end panels. Overall worksurface height is 29". One edge profile (flat) is offered.
- Executive models have 1.5" thick tops with 1" end panels. Overall worksurface height is 29.5". Three edge profiles are offered.
- Workstations may be ordered "key alike" at time of specification.
  - When ordering "key alike" specify key numbers for **all** locks on order.
  - Keys are different from standard P-Series on other KI products.

#### DESKS Specifying Tips

Desks feature both vertical and horizontal grain patterns in support elements.

Wood grain direction on doors and drawer fronts is vertical and grain-matched except when noted otherwise.


Full-height modesty panels are standard on most items. Partial-height modesty panels are available as a no-charge option on desk shells, extended corner desk shells, and corner units. Modesty panel options apply to certain units only.

FMP – Full-height modesty panel, 8" above floor clearance.

3Q - Three-quarter height modesty panel, 8" above floor clearance.

2Q - Half-height modesty panel, 14" above floor clearance.

**Note:** Double and Single Pedestal Desks are shipped assembled. Desk Shells with no built-in storage are shipped KD. Integral pedestals offer a side lock.



# DESKS (cont.)



P-Top, Corner Desk, Extended Left,

D-Top, Corner Desk, Extended Left

#### **RETURNS**

#### **Specifying Tips**


Grain direction on back panel of returns runs vertically.

Pedestal returns offer full or open back (for access to wall outlets).


**Note:** Returns should be used with adjacent desks or P- and D-Tops in L or U configurations.

**Note:** You must specify a pull option if placing under-worksurface Aristotle pedestals immediately next to one another. If the "no-pull" option is specified and units are placed side-by-side, it may be impossible to open the unit and the lock may be inaccessible.

- If ordered with an integrated pedestal, lock and pull are both on one side. The lock cannot be accessed if pedestal is integrated.
- Freestanding pedestal not affected by the lock location, just the pull location.



Pedestal Return, Left



Flush Return, Left



Return, Aluminum Frame Profile, Non-handed

# BRIDGES, CONNECTOR TOP & TABLES


## **Specifying Tips**

Grain direction on back panel of bridges runs vertically.


Bridges may be specified in any one of three back panel heights:

- Half-height, providing 14" above-floor clearance (2Q)
- Three-quarter height, providing 8" above-floor clearance (3Q)
- Full-height (FMP), standard

Note: Only full-height back panel should be used if bridge is supporting overhead.



#### **Connector Tops**



## Tables



Round Table

#### **CREDENZAS**

#### **Specifying Tips**

Grain direction on rear of credenzas runs horizontally.

Other credenzas and multi-file storage units are fully assembled and feature toe kicks. This is not true of single and double pedestal credenzas.


Units are intended for (but not limited to) use in workstations.

Finished heights align with worksurfaces (29" or 29.5" high) but not with stand alone 2-high laterals.


Must specify accessories separately if front-to-back filing is needed in file drawers.

**Note:** You must specify a pull option if placing under-worksurface Aristotle pedestals immediately next to one another. If the "no-pull" option is specified and units are placed side-by-side, it may be impossible to open the unit and the lock may be inaccessible.


- If ordered with an integrated pedestal, lock and pull are both on one side. The lock cannot be accessed if pedestal is integrated.
- Freestanding pedestal not affected by the lock location, just the pull location.








Credenza with Double Lateral File



Credenza with Lateral File Left and Storage Cabinet Right



Credenza with Double Storage Cabinet


# RECEPTION WORKSTATIONS

# **Specifying Tips**

Clearance between desk top and underside of counter top is 14".



Reception Desk, Left



Bow Front Reception Desk, Left



Reception Return, Left



Reception Return, Transaction Top

Planning Guide

# SHELLS Specifying Tips

On Desk Shells, back panel grain direction runs horizontally.

Desk Shells have no built-in storage and are shipped KD.


Corner Shells may be specified with either full or partial (half- or three-quarter) height back panels.

Corner Shells feature a standard metal corner post leg that may be specified in either a black or silver finish.


Front edge of Corner Shells may be specified with either a straight or curvilinear profile.

Left and right recessed end panels are standard on Corner Shells and are available as an option on extended corner units.


Note: Desk Shells should be used with adjacent corner or extended corner units.




Desk Shell with Full End Panels



Desk Shell with Recessed End Panels



Extended Corner Desk Shell (curved cutout option shown)



Curvilinear Front Corner Shell (curved cutout option shown)

#### **D-TOPS & P-TOPS**

## **Specifying Tips**

Supported D-Tops are intended to mount to the side of adjacent bridges or returns.

Suspended D-Tops are intended to mount to the front of a desk or credenza shell.

Suspended P-Tops are intended to mount to the front of a desk or credenza shell.


Supported P-Tops are intended to mount to the side of adjacent units.

6" diameter post is standard.

P-Top generally attaches to the bridge.


**Note:** Tops with end panels are not to be used in a freestanding application.

Note: Suspended units cannot support an overhead.



Planning Guide

# **D-TOPS & P-TOPS**



# OVERHEAD STORAGE

## **Specifying Tips**

Overhead storage hutches are offered in two heights:


- 36" H has 17.5" clearance and features a 65" overall height
- 43" H has 24" clearance and features a 72" overall height

Note: Cutaway gable may only be specified on side-by-side units (not for standalone single units).


Note: Frosted glass or acrylic door options do not offer lock options.

**Note:** Paper sorter requires a closed back overhead unit.

Note: Wall mounted overheads do not include standard tackboards to mount below the cabinet.




Open Overhead



Open Overhead with Cutaway Gable, Left



Open Shelf Overhead with Cutaway Gable, Left & Right



Closed Overhead




Sliding Frosted Acrylic Door Overhead

# $\blacksquare$ Aristotle $^{\tiny{\circledR}}$ Casegoods - Laminate and General Specifications Guidelines

Planning Guide

# OVERHEAD STORAGE



Open Overhead Wall Mount


Closed Overhead Wall Mount

Sliding Frosted Acrylic Door Overhead Wall Mount

# CORNER OVERHEADS & RECEPTION GALLERY

# **Specifying Tips**

Corner Galleries are intended for use with reception stations. Do not specify Cutaway Gables on stand alone gallery applications.



Planning Guide

#### UNDER DESK STORAGE

## **Specifying Tips**


Under desk storage units, including lateral files, are **full-to-the-floor**, with **toe kick** and feature **front-mounted locks**. Finished height is 28". Grain direction is vertical on all surfaces.

Aesthetics should be considered when planning storage elements and care should be taken that toe kicks/bases are visually compatible among components.

User must specify additional accessories if front-to-back filing is needed.

**Note:** You must specify a pull option if placing under-worksurface Aristotle pedestals immediately next to one another. If the "no-pull" option is specified and units are placed side-by-side, it may be impossible to open the unit and the lock may be inaccessible.

- If ordered with an integrated pedestal, lock and pull are both on one side. The lock cannot be accessed if pedestal is integrated.
- Freestanding pedestal not affected by the lock location, just the pull location.



# INTEGRATED LATERAL FILES

#### **Specifying Tips**


2-drawer integrated lateral files are available in 20" and 24" nominal depths and are 29" high for specification adjacent to Classic tops with vertical grain to match adjacent items.

Common specification is within workstations, but not under desk or shell units.

Units are full-to-the-floor, with toe kick and feature front-mounted locks.

Aesthetics should be considered when planning storage elements and care should be taken that toe kicks/bases are visually compatible among components.

User must specify additional accessories if front-to-back filing is needed.




Integrated 2-Drawer Lateral File

Planning Guide


# FREESTANDING STORAGE

# **Specifying Tips**

**Note:** See price list for complete product descriptions and offering.




Freestanding Storage Cabinet (29" or 29.5" high)



Freestanding 1-Door Storage with Right File/File (29" or 29.5" high)

# FREESTANDING STORAGE (cont.)



Planning Guide

# FREESTANDING LATERAL FILES

#### **Specifying Tips**

Grain direction for freestanding lateral files runs horizontally.

Freestanding 2-drawer lateral files are 20" deep and 30" high with horizontal grain drawer fronts and no toe kick.


Aesthetics should be considered when planning storage elements and care should be taken that toe kicks/bases are visually compatible among components.

User must specify additional accessories if front-to-back filing is needed.

3-drawer freestanding lateral files are 44" tall, full-to-the-floor, with no toe kick and feature front-mounted locks.


4-drawer freestanding lateral files are 58" tall, full-to-the-floor, with no toe kick and feature front-mounted locks.

**Note:** Freestanding 2-drawer files are to be used only with 3-drawer and 4-drawer freestanding lateral files and should not be used adjacent to a workstation or other 29" high storage cabinets.



Freestanding 2-Drawer Lateral (20" deep, 30" high)





Freestanding 4-Drawer Lateral (20" deep, 58" high)

## BUILT-IN PEDESTALS


## **Specifying Tips**

Built-in pedestals (when ordered as part of a desk, return or credenza) are not full-to-the-floor and feature side-mounted locks.

Aesthetics should be considered when planning storage elements and care should be taken that toe kicks/bases are visually compatible among components.

File pedestals accommodate both letter and legal filing.

**Note:** Full-height pedestals should not be specified adjacent to built-in pedestals, as the side mount lock on the built-in pedestals will no longer be accessible.



Planning Guide

## HANGING PEDESTALS


## **Specifying Tips**

Aesthetics should be considered when planning storage elements and care should be taken that toe kicks/bases are visually compatible among components.

File pedestals accommodate both letter and legal filing.

Hanging pedestals feature **front-mounted locks**.

Pencil tray is standard in the upper box drawer.



# FULL-HEIGHT PEDESTALS

#### **Specifying Tips**


Full-height pedestals are **full-to-the-floor**, and feature **front-mounted locks**. Units have **no tops**. Full-height pedestals are intended to be specified for under desk or credenza shells.

Aesthetics should be considered when planning storage elements and care should be taken that toe kicks/bases are visually compatible among components.

File pedestals accommodate both letter and legal filing.

**Note:** Full-height pedestals should not be specified adjacent to built-in pedestals, as the side mount lock on the built-in pedestals will no longer be accessible. If the "no-pull" option is specified and units are placed side-by-side, it may be impossible to open the unit and the lock may be inaccessible.

- If ordered with an integrated pedestal, lock and pull are both on one side. The lock cannot be accessed if pedestal is integrated.
- Freestanding pedestal not affected by the lock location, just the pull location.



Planning Guide


# MOBILE PEDESTALS

## **Specifying Tips**


Mobile pedestals feature **front-mounted locks** and do not feature toe kicks. File pedestals accommodate both letter and legal filing.




Mobile Pedestal – Box/File



Mobile Pedestal – Box/Box/File



Mobile Pedestal - File/File



Mobile Pedestal – Shelf/Box/File


# CONFERENCE ROOM ELEMENTS

# **Specifying Tips**

- All worksurfaces, tops and end panels are 11/2" thick.
- Bookcases have 1<sup>1</sup>/<sub>2</sub>" thick tops and shelves.
- Edge banding is 2.5 mm thick and matches the laminate finish.
- Adjustable glides keep surfaces level.
- Most products are shipped pre-assembled. Products that are shipped ready-to-configure have most fittings pre-attached for quick installation.

Single Serving Cart - Mobile

Glides allow for 5/8" adjustment.




Planning Guide


CONFERENCE ROOM ELEMENTS (cont.)




Double Serving Cart - Mobile



Audiovisual Cabinet




Markerboard




Mobile Whiteboard/Divider






Rectangular Conference Table



Racetrack Conference Table



Boatshape Conference Table

Planning Guide

#### **ACCESSORIES**


## **Specifying Tips**

Desk Top Acrylic Screens


- Specified separately, with three color options for panel supports
- Screens 24" to 54" wide require two supports
- Screens 60" and over require three supports
- Actual width of screen is 3" less than nominal worksurface size, 42" is actually 39"
- 1" gap at base for cord management creates a finished overall height of 13" (for 12" screen) or 19" (for 18" screen)

**Note:** Paper sorters are not compatible with closed overheads with open backs.


Note: Wall-mount tackboard attaches to hard wall with screws.



# P- or D-Top - Suspended




# P- or D-Top - Supported (does not mean stand alone)



# **Proper Specification of P- or D-Top**

The proper specification of P- or D-Tops with end panels is in a side mount application. Although the units feature end panels, they are not meant to be "stand alone". Units must be attached to adjacent furniture for proper stability.


- Must attach to perpendicular worksurface for flat bracket attachment
- End panel must not obstruct flat bracket attachment



A suspended P- or D-Top is mounted to the front edge of the adjoining surface.

# ■ Aristotle® Casegoods - Planning Guidelines Planning Guide


# Improper Specification of P- or D-Tops with End Panels



# **Proper Specification of an Overhead**


To properly support an overhead within an L-Shape layout, specify a desk shell with a full panel as shown below, or as transitional leg.


As highlighted, a return unit does not offer legs on both sides. If an overhead is not required, it meets all stability requirements to use a standard return.



Cutaway gables reduce the space consumed by desk uprights; however, structural constraints must be followed.


Cutaway left, right, and left & right options can only be used when overheads are next to each other in a side-to-side application.






# ■ Aristotle® Casegoods - Planning Guidelines Planning Guide

# Improper Specification of an Overhead - due to Cutaway Gable




# Aristotle Typical 1



Item	Qty.	Model & Options	Tag	Description
1	1	KBDP7242A.H	KBDP7242A	Aristotle Bow Front Double Pedestal Desk, Full MP, 2 BF Pedestals, 72" x 42"
2	1	KCDP7224A.H	KCDP7224A	Aristotle Double Pedestal Credenza, 2BF Pedestals, 72" x 24"


# Aristotle Typical 2




Item	Qty.	Model & Options	Tag	Description
1	1	KCDP7224A.H	KCDP7224A	Aristotle Double Pedestal Credenza, 2 BF Pedestals, 72" x 24"
2	1	KDP7236A.H	KDP7236A	Aristotle Double Pedestal Desk, Full MP, 2 BF Pedestals, 72" x 36"


# ■ Aristotle® Casegoods - Instant Office Planning Guide

# Aristotle Typical 3






Item	Qty.	Model & Options	Tag	Description
1	1	KCDP7224A.H	KCDP7224A	Aristotle Double Pedestal Credenza, 2 BF Pedestals, 72" x 24"
2	1	KDP7236A.H	KDP7236A	Aristotle Double Pedestal Desk, Full MP, 2BF Pedestals, 72" x 36"
3	1	KOD7236H:CGN	KOD7236/N	Aristotle Closed Overhead, 72" x 16"D x 36"H
4	1	KTK72	KTK72	Aristotle Tackboard for 36" Overhead, 68" x 3/4"D x 17"H







Item	Qty.	Model & Options	Tag	Description
1	1	KBR4820.H:FULL	KBR4820FM	Aristotle Bridge Return, Full MP, 48" x 20"
2	1	KCPL7220A.H:FULL	KCPL7220A	Aristotle Single Pedestal Credenza, Left, BF Pedestal, 72" x 20"
3	1	KOD7236.H:CGN	K0D7236/N	Aristotle Closed Overhead, 72" x 16"D x 36"H
4	1	KSPR7236A.H:FULL	KSPR7236A	Aristotle Single Pedestal Desk, full MP, BF Pedestal Right, 72" x 36"
5	1	KTK72	KTK72	Aristotle Tackboard for 36" Overhead, 68 x 3/4"D x 17"H


# ■ Aristotle® Casegoods - Instant Office Planning Guide






Item	Qty.	Model & Options	Tag	Description
1	1	KCPR7224B.H:FULL	KCPR7224B	Aristotle Single Ped Credenza, Right, BBF, Ped, 72" x 24"
2	1	KDC4824.H:FULL:G	KDC4824M	Aristotle Rect Desk Shell, 2 Recessed End Panels, 48" X 24"
3	1	KOD7236.H:CGN	K0D7236/N	Aristotle Closed Overhead, 72" x 16"D x 36"H
4	1	1 KPLM7242.H:PMP KPLM7242PM		Aristotle P-Top with End Panel, Left, MP 72" x 42"
5	1	KSW242465R.H	KSW242465R	Aristotle Storage/Wardrobe Tower, Hinged Right, 24" x 24" x 65"H
6	1	KTK72	KTK72	Aristotle Tackboard for 36" Overhead, 68" x 3/4" x 17"H







Item	Qty.	Model & Options	Tag	Description
1	1	KCDLB7224.H:FULL:CV:G	KCDLB7224FM	Aristotle Ext. Corner Desk, LT, 1 Full & 1 Recess End Panel, 72" x 36" x 24"
2	1	KOD7236.H:CGN	KOD7236/N	Aristotle Closed Overhead, 72" x 16"D x 36"H
3	1	KRR3624A.H:FB	KRR3624A	Aristotle Pedestal Return, Right, Box/File Pedestal 36"x 24"
4	1	KTK72	KTK72	Aristotle Tackboard for 36" Overhead, 68" x 3/4" x 17"H

# ■ Aristotle® Casegoods - Instant Office Planning Guide







Item	Qty.	Model & Options	Tag	Description
1	1	KBR3624.H:FULL	KBR3624FM	Aristotle Bridge Return, Full MP, 36" x 24"
2	1	KCDLB7224.H:FULL:CV:G	KCDLB7224M	Aristotle Ext. Corner Desk, LT.1 Full & 1 Recess End Panel, 72" x 36" x 24"
3	1	KF2BF.H	KF2BF	Aristotle Full Height Pedestal, Box/Box/File, 15.5" x 19" x 28"
4	1	KOD7236.H:CGN	KOD7236/N	Aristotle Closed Overhead, 72" x 16"D x 36"H
5	1	KPRM7242.H:PMP	KPRM7242PM	Aristotle Supported P-Top Right 14"H MP, 72" x 42"
6	1	KTK72	KTK72	Aristotle Tackboard for 36" Overhead, 68" x 3/4" x 17"H



Item	Qty.	Model & Options	Tag	Description
1	1	KBR4824.H:FULL	KBR4824FM	Aristotle Bridge Return, Full MP, 48" x 24"
2	1	KCPL7220A.H:FULL	KCPL7220A	Aristotle Single Pedestal Crdenza, Left, BF Pedestal, 72" x 20"
3	1	KDCM7230.H:FMP	KDCM7230FM	Aristotle Supported D-Top, 14"H MP, 72" x 30"
4	1	KOD7236.H:CGN	KOD7236/N	Aristotle Closed Overhead, 72" x 16"D x 36"H
5	1	KSW362465.H	KSW362465	Aristotle Storage & Wardrobe Tower, 36" x 24" x 65"H
5	1	KTK72	KTK72	Aristotle Tackboard for 36" Overhead, 68" x ¾4"D x 17"H

# ■ Aristotle® Casegoods - Instant Office Planning Guide





Item	Qty.	Model & Options	Tag	Description
1	1	KGDBR7236A.H	KGDBR7236A	Aristotle Bow Front Reception Desk, RT, Full Back Panel, BF Pedestal, 72" x 36"
2	1	KGRL4224A.H	KGRL4224A	Aristotle Reception Return, Left, Full Back Panel, BF Pedestal, 42" x 24"
3	1	KTK72	KTK72	Aristotle Tackboard for 36" Overhead, 68" x 3/4"D x 17"H

Back Panel - Inset	Vertical support panel that is placed inboard of the edge of the worksurface.
Built-in (storage)	Storage elements which are included with the desk or other primary Casegoods specification. Aristotle models that feature built-in storage are shipped fully assembled.
Bookcase	Open storage, with no doors or drawers.
Bow Front	Worksurface that features a curved front, extending beyond the approach-side vertical support at mid-section.
Box (Drawer)	6-inch drawer, usually found on pedestal storage.
Bridge	Combination of worksurface and vertical panel that spans between two other worksurfaces.
Cabinet	Storage featuring one or two doors.
Casegoods	Category of furniture typically found in private, non-cubicle offices; may refer to a wide variety of components.
(Extended) Corner Desk	Desk unit which features a curvilinear or straight extension on either side that accepts a return. A corner is created when the return is added. An example is an Extended Bow Front Corner Desk.
Corner Unit	Desking element intended for placement into a corner, with outer surface not visible from the approach side. A corner unit features a metal support leg in the rear corner to act as support. Corner units may be specified with half or three-quarter height modesty panels, and with recessed leg panels.
Corner - Curvilinear	Inside corner at user side is rounded away from user.
Corner - Straight	Inside corner at user side is a straight line, at 45-degree angle from each perpendicular side.
Credenza	Low storage at worksurface height, not used as primary work area.
D-Top	Worksurface with single support column at rounded end, in the shape of a D.
Desk Shell	Worksurface and supports without any built-in storage elements. Storage elements may be added if desired.
Desktop Acrylic Screen	Mounted divider between users that is placed above the worksurface; may divide space between users or across users.
Double Pedestal	Filing unit usually used in workstation planning that holds roughly the same paper work as a desk or credenza with two pedestals; usually worksurface supporting.
File (Drawer)	12-inch drawer, deep enough to house hanging file folders.
Freestanding Lateral Files	Lateral storage units that are intended for use as file banks; not to be used in workstation planning.  Freestanding lateral files do not feature toe kicks.
Full Depth Drawers/Full Suspension	Drawers sized to maximize storage capacity; considered better than ¾ or similar drawer suspensions.
Grommet	Hole drilled into worksurface to manage cords with decorative cover.
Hanging (Pedestal)	A pedestal unit that is attached to the underside of a work surface and does not touch the floor. Lock location may be in front (when specified apart from a desk) or on the side (when built in to the desk).
Hutch	Small cupboard with open shelves that is placed on top of a secondary worksurface for extra storage space.
Integral Pull	Drawer and door accessibility uses the door design itself for access without any added pulls or handles.
Key Alike	Using locks on units that allow all within the set to be operated with a single key.
Laminate, Thermally Fused	Also known as "low pressure laminate"; laminate that is adhered to substrate with heat activated adhesive at low pressure. Aristotle Casegoods feature high-quality thermally fused laminate.
Lateral	Filing unit is available in a wide variety of heights, widths, and drawer size combinations; generally more wide than tall when configured with three or fewer drawers.

# ■ Aristotle® Casegoods - Terminology Planning Guide

Mobile (Pedestal)	A pedestal unit that features four or five casters and may be rolled from location to location. Locks are placed in the front of the units, and there are no toe kicks.
Overhead	Storage unit typically housing binders, mounted by stanchions on a desk or directly to a wall.
P-Top	Worksurface and single support column at rounded end, roughly shaped like a P.
Panel (Modesty)	Vertical member on approach side that provides visual separation directly under the worksurface, usually ranging from 8" high to full height.
Panel (Back)	Vertical member that supports a worksurface along its length.
Panel (End)	Vertical support member that is intended for use on the left or right side of a user when seated at the workstation.
Pedestal	Personal filing unit featuring a combination of drawers of 6 or 12"; may be hanging, worksurface supporting, or mobile.
Pedestal Desk (Double)	Desk with one pedestal of any type on each side.
Pedestal Desk (Single)	Desk with one pedestal of any type on either side.
Reception Gallery	Workstation typically placed at an entrance for greeting visitors; often features higher supports and one or more transaction counters.
Recessed	Placed inboard from the primary edge location of a unit.
Return	Combination of worksurface and vertical panel that runs perpendicular to a desk or shell.
Shell	See Desk Shell.
Tackboard	Fabric-covered fiberglass with mounting bracket or Velcro attachment, for use with pin tacking; specified separately from panel fabric or overhead storage.
Toe Kick	A design element at the bottom of storage units with built-in storage. All Aristotle storage units feature a toe kick except hanging storage and 2-, 3-, and 4-high freestanding lateral files.
Tower	Freestanding storage unit with doors; may include shelves, cabinets, and/or space for jackets or other personal items.
Transaction Top	Long, narrow worksurface that is used at a reception area, typically at a "stand-up" height.
Transition Leg	Vertical support leg that is more narrow than the depth of its associated worksurface, allowing for greater knee clearance for user.
Transition Notch	Cutout at the top of transition leg that allows for cord management through the support piece.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI is a registered trademark of Krueger International, Inc.

© 2017 Krueger International, Inc. All Rights Reserved Code KI-62534R1/KI/PDF/0617

