
March 28, 2012 Updated May 15, 2019 800-424-2432



Backbone®

Cutout Details



Enclosure

Enclosure shall consist of 3/4" thick 45# particle board with exposed surfaces finished with a minimum of .030" thick high pressure laminate. Access to internal wiring shall be provided by a lockable removable door with minimum dimensions measuring 10" tall by 48" long. Ventilation is provided through openings on each end measuring a minimum 8" x 15" and covered with powder coated perforated steel panels.

The Stationary units will be supported by two 11-gauge formed and welded steel supports containing leveling glides. These powder coated supports are bolted to the lower support cross members. This unit will be topped by a 1-1/8" thick 45# particle heard top

The Mobile units will be supported by four 2.44" diameter casters and contain rare earth ganging magnets on two sides. These unit will be topped with a 3/4" thick 45# particle board top. Mobile tables are avail-

able with three different base styles, (Enlite &Trek). Table tops are either 3/4" or 1-1/8" thick 45# particle board topped with a minimum .030" HPL and backed with .020" HPL backer. All Mobile Tables will have (8) rare earth magnets to provide ganging options. Tables gang to the enclosure and each other in three different configurations.

All tops will be finished with a minimum .030" thick high pressure laminate and banded with 2mm polypropylene edge material and routered for the quantity and size of the chosen switching hardware.

Monitor Support

Monitor support shall consist of 3/4" thick 45# particle board with exposed surfaces finished with a minimum of .030" thick high pressure laminate. Units have T-nuts to attach to both Stationary and Mobile units with (6) botts. For use with Backbone® tables only.



Cutout Patterns for Mobile Units

Size	EXTRON (EX4)	EXTRON (EX5)	EXTRON (EX6)	EXTRON (EX7)	EXTRON (EX8)	FSR (FS1)	FSR (FS2)
23"W x 52"L						0 0 0	
25"W x 64"L						0 0 0 0 0 0	
27"W x 76"L						0 0 0 0 0	

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Backbone® General Information

Cutout Patterns for Stationary Units (Page 1 of 2)

Unit Size	EXTRON 4 (EX4) CABLE CUBBY 202	EXTRON 5 (EX5) CABLE CUBBY 500	EXTRON 6 (EX6) CABLE CUBBY 700	EXTRON 7 (EX7) CABLE CUBBY 1200	EXTRON 8 (EX8) CABLE CUBBY 1400
64"W x 73"L					
66"W x 85"L					
68"W x 97"L					



Cutout Patterns for Stationary Units (Page 2 of 2)

Unit Size	FSR (FS1) T3 TABLE BOXES	FSR 2 (FS2) T6 TABLE BOXES
64"W x 73"L	0 0 0 0	0
66"W x 85"L	0 0 0 0 0	0
68"W x 97"L	0 0 0 0 0	0

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Backbone® Product Color Options

Stationary & Mobile		Castle Oak	DLCO	Cocobala	BLCC
Surface FinishLaminate		Casual Linen	DLCU	Coffee Bean	BLCB
Biltmore Cherry	LBT	Cherry Storm	DLCX	Crisp Linen	BLRI
Black	LBK	Classic Linen	DLCI	Desert Zephyr	BLDZ
Brighton Walnut	LBW	Cloud Zephyr	DLCL	Dove Grey	BLDG
Canyon Zephyr	LCA	Cocobala	DLCC	Fired Steel	BLIL
Castle Oak	LCO	Coffee Bean	DLCB	Flax Linen	BLXF
Casual Linen	LCU	Crisp Linen	DLRI	Florence Walnut	BLFC
Cherry Storm	LCX	Desert Zephyr	DLDZ	Forged Steel	BLOL
Classic Linen	LCI	Dove Grey	DLDG	Frosty White	BLFW
Cloud Zephyr	LCL	Fired Steel	DLIL	Graphite Nebula	BLGN
Cocobala	LCC	Flax Linen	DLXF	Grey	BLGE
Coffee Bean	LCB	Florence Walnut	DLFC	High Rise	BLHE
Crisp Linen	LRI	Forged Steel	DLOL	Hollyberry	BLHY
Desert Zephyr	LDZ	Frosty White	DLFW	Irish Linen	BLIH
Dove Grey	LDG	Graphite Nebula	DLGN	Island	BLID
Fired Steel	LIL	Grey	DLGE	Italian Silver Ash	BLIT
Flax Linen	LXF	High Rise	DLHE	Kensington Maple	BLKM
Florence Walnut	LFC	Hollyberry	DLHY	Lapis Blue	BLLB
Forged Steel	LOL	Irish Linen	DLIH	Markerboard White	BLMK
Frosty White	LFW	Island	DLID	Misted Zephyr	BLMR
Graphite Nebula	LGN	Italian Silver Ash	DLIT	Monticello Maple	BLMT
Grey	LGE	Kensington Maple	DLKM	Nickel Evolv	BLNV
High Rise	LHE	Lapis Blue	DLLB	North Sea	BLNA
Hollyberry	LHY	Markerboard White	DLMK	Ocean	BLON
Irish Linen	LIH	Misted Zephyr	DLMR	Orange Grove	BLOE
Island	LID	Monticello Maple	DLMT	Pearl Bisque	BLPB
Italian Silver Ash	LIT	Nickel Evolv	DLNV	Pearl Silver	BLPS
Kensington Maple	LKM	North Sea	DLNA	Pressed Linen	BLPR
Lapis Blue	LLB	Ocean	DLON	River Cherry	BLRY
Markerboard White	LMK	Orange Grove	DLOE	Rugged Linen	BLRG
Misted Zephyr	LMR	Pearl Bisque	DLPB	Satin Stainless	BLSS
Monticello Maple	LMT	Pearl Silver	DLPS	Shadow Zephyr	BLSR
Nickel Evolv	LNV	Pressed Linen	DLPR	Silicon Evolv	BLSV
North Sea	LNA	River Cherry	DLRY	Sterling Ash	BLAZ
Ocean	LON	Rugged Linen	DLRG	Tailored Linen	BLTL
Orange Grove	LOE	Satin Stainless	DLSS	Titanium Evolv	BLTV
Pearl Bisque	LPB	Shadow Zephyr	DLSR	White Nebula	BLWL
Pearl Silver	LPS	Silicon Evolv	DLSV	White Sand	BLWN
Pressed Linen	LPR	Sterling Ash	DLAZ	Windsor Mahogany	BLWY
River Cherry	LRY	Tailored Linen	DLTL	.	
Rugged Linen	LRG	Titanium Evolv	DLTV	Stationary & Mobile	
Satin Stainless	LSS	White Nebula	DLWL	Edge Color for 74P Edge	
Shadow Zephyr	LSR	White Sand	DLWN	Biltmore Cherry	EBT
Silicon evolv	LSV	Windsor Mahogany	DLWY	Black	EBL
Sterling Ash	LAZ	windsor wanogany	DEWI	Blue Grey	EGR
Tailored Linen	LTL	Stationary & Mobile Dock Base		Brighton Walnut	EBW
Titanium evolv	LTV	Base FinishLaminate		Castle Oak	ECO
White Nebula	LWL	Biltmore Cherry	BLBT	Cayenne	ECY
White Sand	LWN	Black	BLBK	Cherry Storm	ECX
Windsor Mahogany	LWY	Brighton Walnut	BLBW	Chocolate	ECT
Willusor Wallogally	LVVI	Canyon Zephyr	BLCA	Cocobala	ECC
Mobile Dock Top		Castle Oak	BLCO	Cool Grey	ECG
Surface FinishLaminate		Casual Linen	BLCU	Flannel	EFN
Biltmore Cherry	DLBT	Cherry Storm	BLCX	Florence Walnut	EFC
Black	DLBK	Classic Linen	BLCI	Frosty White	EFW
Brighton Walnut	DLBW	Cloud Zephyr	BLCL	Grass Green	EGN
Canyon Zephyr	DLCA	-			

Finish Cards

View color swatches for items listed within this document.

<u>Paints</u> <u>Plastics/Poly</u> Wood/Veneer Laminates Molded Edges Edge Styles Hard Plastics

<u>Glass</u>



Backbone® Product Color Options

<u> </u>					
Italian Silver Ash	EIT	Mobile Dock Edge Color		Purple Haze	PH
Kensington Maple	EKM	Biltmore Cherry	DEBT	Rubber Ducky	RK
Light Tone	ELG	Black	DEBL	Sand	SA
Mardi Gras	EMG	Blue Grey	DEGR	Sky Blue	SK
Misty Brown	EMY	Brighton Walnut	DEBW	Splash	SH
Monticello Maple	EMT	Castle Oak	DECO	Starlight Silver Metallic	SX
Multiplex	EMB	Cayenne	DECY	Surf's Up	SP
Nemo	ENE	Cherry Storm	DECX	Ultra Blue	UB
Nordic	END	Chocolate	DECT	Warm Grey	WG
Poppy Red	EPR	Cocobala	DECC	Wet Sand	WS
Purple Haze	EPH	Cool Grey	DECG	Zesty Lime	ZL
River Cherry	ERY	Flannel	DEFN		
Rubber Ducky	ERK	Frosty White	DEFW		
Sand	ESA	Grass Green	DEGN		
Sky Blue	ESK	Kensington Maple	DEKM		
Splash	ESH	Light Tone	DELG		
Sterling Ash	EAZ	Mardi Gras	DEMG		
Surf's Up	ESP	Misty Brown	DEMY		
Ultra Blue	EUB	Monticello Maple	DEMT		
Warm Grey	EWG	Nemo	DENE		
Wet Sand	EWS	Nordic	DEND		
Windsor Mahogany	EWY				
Zesty Lime	EZL	Poppy Red	DEPR		
Zesty Lille	EZL	Purple Haze	DEPH		
Stationary		River Cherry	DERY		
Edge Color for KN Edge		Rubber Ducky	DERK		
Biltmore Cherry	EBT	Sand	DESA		
Black	EBL	Sky Blue	DESK		
Blue Grey	EGR	Splash	DESH		
Brighton Walnut	EBW	Sterling Ash	DEAZ		
Castle Oak	ECO	Surf's Up	DESP		
Cherry Storm	ECX	Ultra Blue	DEUB		
Chocolate	ECT	Warm Grey	DEWG		
Cool Grey	ECG	Wet Sand	DEWS		
Flannel	EFN	Windsor Mahogany	DEWY		
Florence Walnut	EFC	Zesty Lime	DEZL		
Frosty White	EFW	Stationary & Mobile			
Grass Green	EGN	Leg, Foot and End Panel Color			
Italian Silver Ash	EIT	Antique Vein	AV		
Kensington Maple	EKM	Black	BL		
Light Tone	ELG	Blue Grey	GR		
Mardi Gras	EMG	Bronze Metallic	ZM		
Misty Brown	EMY	Cayenne	CY		
Monticello Maple	EMT	Champagne Metallic	CM		
Nemo	ENE	Chocolate	CT		
Poppy Red	EPR	Cool Grey	CG		
Purple Haze	EPH	Cottonwood	CO		
River Cherry	ERY	Espresso Metallic	EX		
Rubber Ducky	ERK	Flannel	FN		
Sand	ESA	Grass Green	GN		
Sky Blue	ESK	Light Tone	LG		
Splash	ESH	Mardi Gras	MG		
Sterling Ash	EAZ	Misty Brown	MY		
Surf's Up	ESP	Nemo	NE		
Ultra Blue	EUB	Nemo Nickel Vein	NE NK		
Warm Grey	EWG	Nordic	ND		
Zesty Lime	EZL				
ZUOLY LITTE	EZL	Poppy Red	PR		

Backbone®

Stationary Unit

			MODEL N	JMBER					
								Foot	
			Basic	Edge	Edge	Surface	Base	End Panel	Media
	MODEL	OVERALL SIZE	Model	Style	Color	Finish	Laminate	Color	Cutout
The state of the s	Backbone® - Stationary Unit	64"W x 73"L x 29"H	BBNST73						
	All laminate table and baseMedia sharing equipment must be	66"W x 85"L x 29"H	BBNST85						
	purchased separately	68"W x 97"L x 29"H	BBNST97						
- Output State	 Reference diagram for Extron and FSR 								
	grommet locations								
	End panel color is also used for the base feet								
	Support legs match WorkUp® table								
BBNS	• 29" high surface								
	Backbone® - Stationary Unit - Cafe Height	64"W x 73"L x 42"H	BBNSTC73						
l Book		66"W x 85"L x 42"H	BBNSTC85						
	All laminate table and baseMedia sharing equipment must be	68"W x 97"L x 42"H	BBNSTC97						
THE STREET	purchased separately								
	 Reference diagram for Extron and FSR 								
	grommet locations								
BBNS	End panel color is also used for the base feet								
	Support legs match WorkUp® table								
	42" high surface								
			A	ß	Θ	0	(3	a	Э
			w	Ð	G	U	•	U	U

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select top laminate.
Refer to the **Product Color Options** page in this price list.

Select base laminate.

Refer to the **Product Color Options** page in this price list.

Select foot/end panel finish. Refer to the **Product Color Options** page in this price list. GSelect media cutout.

NCO - No cut-out EX4 - Extron 4 EX5 - Extron 5 EX6 - Extron 6 EX7 - Extron 7 EX8 - Extron 8 - FSR (T3) FS2 - FSR (T6)





Approx.		
Packaged Weight	74P Edge (74P)	Knife Edge (KN)
236.0#	\$ 6110	\$ 6361
279.0#	6277	6529
325.0#	6943	7216
236.0#	\$ 7232	\$ 7484
279.0#	7435	7687
325.0#	8171	8443

INFORMATION

Grommet Cutouts by Table Size

Base Length Number of Grommet Cutouts
48" 4
60" 6
72" 6

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Backbone[®]

Stationary Unit with Radius Corners

			MODEL NU	MBER					
	MODEL	OVERALL CIZE	Basic	Edge	Edge	Surface	Base	Foot End Panel	Media
	MODEL	OVERALL SIZE	Model	Style	Color	Finish	Laminate	Color	Cutout
CELLES.	Backbone® - Stationary Unit with Radius Corners	64"W x 73"L x 29"H	BBNSTR73						
	All laminate table and base	66"W x 85"L x 29"H	BBNSTR85						
	Media sharing equipment must be	68"W x 97"L x 29"H	BBNSTR97						
*****	purchased separately								
	Reference diagram for Extron and FSR								
	grommet locations • End panel color is also used for the base								
BBNS	feet								
	Support legs match WorkUp® table								
	29" high surface								
		C404 700 4000	DDMOTDO70						
	Backbone® - Stationary Unit with Radius	64"W x 73"L x 42"H	BBNSTRC73						
•	Corners - Cafe Height • All laminate table and base	66"W x 85"L x 42"H	BBNSTRC85						
<u></u>	Media sharing equipment must be	68"W x 97"L x 42"H	BBNSTRC97						
	purchased separately								
	 Reference diagram for Extron and FSR grommet locations 								
	End panel color is also used for the base								
	feet								
BBNS	Support legs match WorkUp® table A0" bigh conform								
	42" high surface								
			A	•	Θ	O	(3	•	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge - Knife edge

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select top laminate.
Refer to the **Product Color Options** page in this price list.

Select base laminate.

Refer to the **Product Color Options** page in this price list.

Select foot/end panel finish. Refer to the **Product Color Options** page in this price list. GSelect media cutout.

NCO - No cut-out EX4 - Extron 4 EX5 - Extron 5 EX6 - Extron 6 EX7 - Extron 7 EX8 - Extron 8 - FSR (T3) FS2 - FSR (T6)



Backbone®

Stationary Unit with Radius Corners





Approx. Packaged Weight	P Edge 4P)	Kn (Kī	ife Edge V)
236.0#	\$ 6110	\$	6361
279.0#	6277		6529
325.0#	6943		7216

236.0#	\$ 7232	\$ 7484
279.0#	7435	7687
325.0#	8171	8443

INFORMATION

Grommet Cutouts by Table Size

Base Length Number of Grommet Cutouts
48" 4
60" 6
72" 6

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Backbone[®]

		MODEL NU	MBER								
	OVERALL SIZE	Basic Model	Edge Style	Leg Option	Edge Color	Surface Finish	End Panel Table Leg Color	Dock Top Edge Color	Dock Top Laminate	Dock Base Laminate	Media Cutout
	68"Wx76"Lx29"H	BBNMT76	74P								
	70"Wx88"Lx29"H	BBNMT88	74P								
	72"Wx100"Lx29"H	BBNMT100	74P								
BBNM											
Backbone® - Mobile Unit											
Includes three tables to dock against the center spine with magnets BBNMT76 has two 48" and one 60"											
table											
 BBNMT88 has three 60" tables BBNMT100 has two 72" and one 60" table 											
 Media sharing equipment must be purchased separately 											
 Reference cutout diagram for Extron and FSR grommet locations 											
Tables gang to dockPerforated end panel will match table											
base colorCenter unit has hidden caster for											
added mobility • Shown with the Enlite® base											
 Tables have a 5% angle on the short 											
ends											
 Enlite® and Trek® casters come stan- dard - 2 locking and 2 non-locking 											
per table											
		A	•	Θ	0	•	•	О	0	0	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

74P - 74P edge

Select table style.

ENL - Enlite style legs TRK - Trek style legs

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select top laminate.

Refer to the Product Color Options page in this price list.

Select table leg/end panel finish.

Refer to the **Product Color Options** page in this price list.

Select dock edge color.

Refer to the **Product Color Options** page in this price list.

Select dock top laminate.
Refer to the **Product Color Options** page in this price list.

Select dock base laminate.

Refer to the Product Color Options page in this price list.

Select media cutout.

	Julia Juliout.	
NCO	- No cut-out	
EX4	- Extron 4	
EX5	- Extron 5	Ī
EX6	- Extron 6	
EX7	- Extron 7	Ī
EX8	- Extron 8	Ī
FS1	- FSR (T3)	
FS2	- FSR (T6)	Ī





353.0# \$ 8233 \$ 8344 400.0# 8683 8795 451.0# 9492 9603	Approx. Packaged Weight	Enlite Table Bases	Trek Table Bases
	353.0#	\$ 8233	\$ 8344
451.0# 9492 9603	400.0#	8683	8795
	451.0#	9492	9603

INFORMATION

Grommet Cutouts by Table Size
Base Length Number of Grommet Cutouts
48" 4
60" 6
72" 6

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Backbone® Master Key for Lock Core

		MODEL NUMBER			
IV		Basic Model	Approx. Packaged Weight		
HRDPT •	Ackbone - Master Key for Lock Core Allows access to all Backbone® Stationary and Mobile panels with a single key	31.13.0445	1.0#		



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Backbone® Master Key for Lock Core

Delivered Pricing

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Backbone® Monitor Support

			MODEL NUMBER		
	MODEL	OVERALL SIZE	Basic Model	Laminate Color	Approx. Packaged Weight
	Backbone® - Monitor Support For use with Backbone® tables only All laminate construction Must attach to either Mobile or Stationary unit Black grommet cover included Must be ordered separately	38"W x 59"H x 5"D	BBNMS		100.0#
HRDPT • HRDPT	Backbone® - Monitor Support - Cafe Height • For use with Backbone® tables only • All laminate construction • Must attach to either Mobile or Stationary unit • Black grommet cover included • Must be ordered separately	38"W x 72H" x 5"D	BBNMSC		100.0#
HRDPT	Backbone® - Monitor Support-Dual Width For use with Backbone® tables only All laminate construction Must attach to either Mobile or Stationary unit Black grommet cover included Must be ordered separately	60"W x 59"H x 5"D	BBNMD		100.0#
	Backbone® - Monitor Support-Cafe Height-Dual Width For use with Backbone® tables only All laminate construction Must attach to either Mobile or Stationary unit Black grommet cover included Must be ordered separately	60"W x 72"H x 5"D	BBNMDC		100.0#
HRDPT			•	3	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select laminate color. Refer to the **Product Color Options** page in this price list.





Delivered
Pricing
\$ 2216
\$ 2401
V 2.07
\$ 2455
\$ 3311

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2012 KI All Rights Reserved. Litho in USA. Code KI-11586/KI/PDF/312