
Folding Tables Price List

January 3, 2011 Updated July 24, 2019 800-424-2432



1

Contents

14

	Product Color Options	
Jniframe® Rectang	ular Tables with Seating	
	General Information	
Jniframe® Rectang	ular Tables with Seating (Freight Excluded)	
	Rectangular Table with Benches	
	Rectangular Table with Split Benches Rectangular Table with Stool Seats	1
Jniframe® Rectang	ular Tables with Seating (Delivered) Rectangular Table with Benches	1
	Rectangular Table with Split Benches	1
	Rectangular Table with Stool Seats	1
Jniframe® Round T	ables with Seating	
	General Information	2
Jniframe® Round T	ables with Seating (Freight Excluded)	
	Round Table with Split Benches Round Table with Stool Seats	2
		2
Jniframe® Round T	ables with Seating (Delivered)	
	Round Table with Split Benches Round Table with Stool Seats	3
	Round Table with Stool Seats	3
Uniframe® Tables w	0	
	General Information	3
Jniframe® Tables w	vithout Seating (Freight Excluded)	
	Rectangular Table Round Table	3
	Oval Table	4
	Square Table	4
	Hexagonal Table	4
	Octagonal Table	4
	Round Stand-up Height Table	5
Jniframe® Tables w	vithout Seating (Delivered)	
	Rectangular Table Round Table	5
	Oval Table	5
	Square Table	
	Hexagonal Table	5
	Hexagonal Table Octagonal Table	5 6 6
	Hexagonal Table	5 6 6
	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating	8 6 6
Jniframe® Wheelcl	Hexagonal Table Octagonal Table Round Stand-up Height Table	5 6 6 6
	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded)	
	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches	
Jniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats	
Jniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables with Seating (Delivered)	6 6 6 7
Jniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats	6 6 6 7 7 7
Jniframe® Wheelch Jniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table Round Stand-up Height Table Rair Accessible Tables with Seating General Information Rectangular Table with Benches Rectangular Table with Stool Seats Rectangular Table with Benches Rectangular Table with Stool Seats	6 6 6 7 7 7
Jniframe® Wheelch Jniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables with Seating (Delivered) Rectangular Table with Benches	
Jniframe® Wheelch Jniframe® Wheelch Jniframe® Wheelch	Hexagonal Table Octagonal Table Octagonal Table Round Stand-up Height Table Tair Accessible Tables with Seating General Information Tair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats Tair Accessible Tables with Stool Seats Table With Stool Seats T	
Jniframe® Wheelch Jniframe® Wheelch Jniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table Tair Accessible Tables with Seating General Information Tair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats Tair Accessible Tables with Seating (Delivered) Rectangular Table with Stool Seats Tair Accessible Tables with Stool Seats Table With Stool Seats Tab	6 6 7 7 7 7 8
Jniframe® Wheelch Jniframe® Wheelch Jniframe® Wheelch	Hexagonal Table Octagonal Table Octagonal Table Round Stand-up Height Table Tair Accessible Tables with Seating General Information Tair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats Tair Accessible Tables with Seating (Delivered) Rectangular Table with Stool Seats Tair Accessible Tables without Seating General Information Tair Accessible Tables without Seating Rectangular Table Round Table Round Table	5 6 6 7 7 7 7 7 7 8 8 8 8 8 8
Jniframe® Wheelch Jniframe® Wheelch Jniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables with Seating (Delivered) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables without Seating General Information nair Accessible Tables without Seating (Freight Excluded) Rectangular Table Nectangular Table Nectangular Table Rectangular Table Nectangular Ta	
Jniframe® Wheelch Jniframe® Wheelch Jniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables with Seating (Delivered) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables without Seating General Information nair Accessible Tables without Seating Rectangular Table Rectangular Table Netcensplate Tables without Seating General Information nair Accessible Tables without Seating (Freight Excluded) Rectangular Table Year Table <t< td=""><td></td></t<>	
Jniframe® Wheelch Jniframe® Wheelch Jniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables with Seating (Delivered) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables without Seating General Information nair Accessible Tables without Seating (Freight Excluded) Rectangular Table Nectangular Table Nectangular Table Rectangular Table Nectangular Ta	
Jniframe® Wheelch Jniframe® Wheelch Jniframe® Wheelch Jniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables with Seating (Delivered) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables without Seating General Information nair Accessible Tables without Seating General Information nair Accessible Tables without Seating General Information nair Accessible Tables without Seating (Freight Excluded) Rectangular Table Qual Table Square Table Hexagonal Table Octagonal Table Octagonal Table	
Uniframe® Wheelch Uniframe® Wheelch Uniframe® Wheelch Uniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables without Seating General Information nair Accessible Tables without Seating General Information nair Accessible Tables without Seating (Freight Excluded) Rectangular Table Nectangular Table Year Table Year Table Nectangular Table Year Table Rectangular Table R	
Uniframe® Wheelch Uniframe® Wheelch Uniframe® Wheelch Uniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables with Seating (Delivered) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables without Seating General Information nair Accessible Tables without Seating General Information nair Accessible Tables without Seating General Information nair Accessible Tables without Seating (Freight Excluded) Rectangular Table Nectangular Table Round Table Oval Table Square Table Hexagonal Table Octagonal Table Mexagonal Table Nectangular Table Rectangular Table Rectangul	5 6 6 6 7 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8
Uniframe® Wheelch Uniframe® Wheelch Uniframe® Wheelch Uniframe® Wheelch	Hexagonal Table Octagonal Table Round Stand-up Height Table nair Accessible Tables with Seating General Information nair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables with Seating (Delivered) Rectangular Table with Benches Rectangular Table with Stool Seats nair Accessible Tables without Seating General Information nair Accessible Tables without Seating General Information nair Accessible Tables without Seating General Information nair Accessible Tables without Seating (Freight Excluded) Rectangular Table Nectangular Table Round Table Oval Table Square Table Hexagonal Table Octagonal Table Octagonal Table Nectangular Table Rectangular Table Rectangul	

Refer to KI Terms & Conditions document or visit ki.com.

Octagonal Table	104
Uniframe® Convertible Bench	
General Information	106
Product Color Options	108
Uniframe® Convertible Bench (Freight Excluded)	110
Uniframe® Convertible Bench (Delivered)	112
Uniframe® Tables from KI	
General Features and Benefits	114
Premier® Folding Tables	
General Information	116
Product Color Options	118
Premier® Folding Tables (Freight Excluded)	120
Premier® Folding Tables (Delivered)	122
Heritage™ Folding Tables	
General Information	124
Product Color Options	126
Heritage [™] Folding Tables (Freight Excluded)	128
Heritage [™] Folding Tables (Delivered)	130
Emissary® Folding Tables	
General Information	132
Product Color Options	134
Emissary® Folding Tables (Freight Excluded)	136
Emissary® Folding Tables (Delivered)	138
DuraLite® Lightweight Folding Tables	
General Information	140
Product Color Options	142
DuraLite® Lightweight Folding Tables (Freight Excluded)	144
DuraLite® Lightweight Folding Tables (Delivered)	146
ValueLite® Folding Tables	
General Information	148
ValueLite® Folding Tables (Freight Excluded)	150
ValueLite® Folding Tables (Delivered)	152
Folding Table Storage and Accessories	
General Information	154
Product Color Options	156
Folding Table Storage and Accessories (Freight Excluded)	158
Folding Table Storage and Accessories (Delivered)	162
Index	166

² Uniframe[®] Tables

Product Color Options

Surface FinishLaminate		Bench Surface FinishLaminate		Stool Color - Polypropylene (PY)	
Biltmore Cherry	LBT	Biltmore Cherry	BLBT	Black	PBL
Black	LBK	Black	BLBK	Blue Grey	PGR
Brighton Walnut	LBW	Brighton Walnut	BLBW	Cayenne	PCY
Canyon Zephyr	LCA	Canyon Zephyr	BLCA	Cool Grey	PCG
Castle Oak	LCO	Castle Oak	BLCO	Light Tone	PLG
Casual Linen	LCU	Casual Linen	BLCU	Mardi Gras	PMG
Cherry Storm	LCX	Cherry Storm	BLCX	Misty Brown	PMY
Classic Linen	LCI	Classic Linen	BLCI	Nemo	PNE
Cloud Zephyr	LCL	Cloud Zephyr	BLCL	Nordic	PND
Cocobala	LCC	Cocobala	BLCC	Purple Haze	PPH
Coffee Bean	LCB	Coffee Bean	BLCB	Rubber Ducky	PRK
Crisp Linen	LRI	Crisp Linen	BLRI	Sand	PSA
Desert Zephyr	LDZ	Desert Zephyr	BLDZ	Splash	PSH
Dove Grey	LDG	Dove Grey	BLDG	Surf's Up	PSP
Fired Steel	LIL	Fired Steel	BLIL	Ultra Blue	PUB
Flax Linen	LXF	Flax Linen	BLXF	Zesty Lime	PZL
Florence Walnut	LFC	Florence Walnut	BLFC	Zosty Linio	122
Forged Steel	LOL	Forged Steel	BLOL	Stool Color - Thermoset Hard Plast	ic (CX)
Frosty White	LOL	Frosty White	BLFW	Blue	CB
Graphite Nebula	LGN	Graphite Nebula	BLGN	Dark Grey	CD
		•	BLGN	Light Grey	CL
Grey High Biog	LGE LHE	Grey	BLGE	Navy Blue	CN
High Rise		High Rise		Cranberry	CR
Hollyberry	LHY	Hollyberry	BLHY	Beige	MBE
Irish Linen	LIH	Irish Linen	BLIH		
Island	LID	Island	BLID	Frame Color	
Italian Silver Ash	LIT	Italian Silver Ash	BLIT	Antique Vein	AV
Kensington Maple	LKM	Kensington Maple	BLKM	Black	BL
Lapis Blue	LLB	Lapis Blue	BLLB	Blue Grey	GR
Markerboard White	LMK	Markerboard White	BLMK	Bronze Metallic	ZM
Misted Zephyr	LMR	Misted Zephyr	BLMR	Cayenne	CY
Monticello Maple	LMT	Monticello Maple	BLMT	Champagne Metallic	СМ
Nickel Evolv	LNV	Nickel Evolv	BLNV	Chocolate	СТ
North Sea	LNA	North Sea	BLNA	Chrome	СН
Ocean	LON	Ocean	BLON	Cool Grey	CG
Orange Grove	LOE	Orange Grove	BLOE	Cottonwood	CO
Pearl Bisque	LPB	Pearl Bisque	BLPB	Espresso Metallic	EX
Pearl Silver	LPS	Pearl Silver	BLPS	Flannel	FN
Pressed Linen	LPR	Pressed Linen	BLPR	Light Tone	LG
River Cherry	LRY	River Cherry	BLRY	Mardi Gras	MG
Rugged Linen	LRG	Rugged Linen	BLRG	Misty Brown	MY
Satin Stainless	LSS	Satin Stainless	BLSS	Nemo	NE
Shadow Zephyr	LSR	Shadow Zephyr	BLSR	Nickel Vein	NK
Silicon evolv	LSV	Silicon Evolv	BLSV	Nordic	ND
Sterling Ash	LAZ	Sterling Ash	BLAZ	Purple Haze	PH
Tailored Linen	LTL	Tailored Linen	BLTL	Rubber Ducky	RK
Titanium evolv	LTV	Titanium Evolv	BLTV	Sand	SA
White Nebula	LWL	White Nebula	BLWL	Splash	SH
White Sand	LWN	White Sand	BLWN	Starlight Silver Metallic	SX
Windsor Mahogany	LWY	Windsor Mahogany	BLWY	Surf's Up	SP
				Ultra Blue	UB
				Warm Grey	WG
				Wet Sand	WS
				7	71

Finish Cards View color swatches for items listed within this document. <u>Paints</u> <u>Plastics/Poly</u> <u>Wood/Veneer</u> Laminates <u>Molded Edges</u> Edge Styles Hard Plastics

Zesty Lime

ZL

3 Uniframe[®] Tables Product Color Options



Edge Color for PR Edge		Edge Color for
Black	EBL	Biltmore Cherr
Edge Color for BN Edge Black Blue Grey Cayenne Chocolate Cool Grey Flannel Frosty White Grass Green Light Tone Mardi Gras Misty Brown Nemo Nordic Poppy Red Purple Haze Rubber Ducky Sand Sky Blue Splash Surf's Up Ultra Blue Warm Grey Wet Sand Zesty Lime	EBL EGR ECY ECT ECG EFN EFW EGN ELG EMG EMY ENE END EPH ERK ESA ESK ESH ESP EUB EWG EWS EZL	Black Blue Grey Brighton Waln Castle Oak Cayenne Cherry Storm Chocolate Cool Grey Flannel Florence Waln Frosty White Grass Green Italian Silver A Kensington Ma Light Tone Mardi Gras Misty Brown Monticello Ma Multiplex Nemo Nordic Poppy Red Purple Haze River Cherry Rubber Ducky Sand Sky Blue
		Splash

E	dge Color for 73P Edge	
	Biltmore Cherry	EBT
	Black	EBL
	Blue Grey	EGR
	Brighton Walnut	EBW
	Castle Oak	ECO
	Cayenne	ECY
	Cherry Storm	ECX
	Chocolate	ECT
	Cool Grey	ECG
	Flannel	EFN
	Florence Walnut	EFC
	Frosty White	EFW
	Grass Green	EGN
	Italian Silver Ash	EIT
	Kensington Maple	EKM
	Light Tone	ELG
	Mardi Gras	EMG
	Misty Brown	EMY
	Monticello Maple	EMT
	Multiplex	EMB
	Nemo	ENE
	Nordic	END
	Poppy Red	EPR
	Purple Haze	EPH
	River Cherry	ERY
	Rubber Ducky	ERK
	Sand	ESA
	Sky Blue	ESK
	Splash	ESH
	Sterling Ash	EAZ
	Surf's Up	ESP
	Ultra Blue	EUB
	Warm Grey	EWG
	Wet Sand	EWS
	Windsor Mahogany	EWY
	Zesty Lime	EZL

Uniframe[®] Rectangular Tables with Seating

General Information





Rectangular Tables with Benches (UF12BE)

Rectangular Tables with Split Benches (UF12SB)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•



Bullnose Edge



73P Edge



Perfect Edge

Model	Max. Child Capacity	Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity
UF12BE	20	16	16	12
UF10BE	16	12	12	8
UF08BE	12	12	8	8
UF12SB	16	16	16	8
UF128	16	16	16	16
UF126	12	12	12	12
UF106	12	12	12	12
UF084	8	8	8	8

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Benches

Bench supports are robotically welded steel construction of 14-gauge tubular frame steel with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. Each split bench requires two plates. Full benches for 8' tables require two plates; full benches for 10' and 12' tables require three plates. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to rein-

force points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edaes

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Uniframe[®] Rectangular Tables with Seating

General Information



Rectangular Tables with Stool Seats (UF128)

Features	
Solid core top	•
High-pressure laminate surface	•
Bullnose edge	•
73P edge	•
Perfect edge	•
27" height	•
29" height	•

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/ mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of eight per table.

Casters

Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of the table top when in the open position. Tamperresistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed to applicable UL standards and

requirements by Underwriters Laboratories, Inc.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Uniframe[®] Rectangular Tables with Seating (Freight Excluded)

Rectangular Table with Benches

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Surface Edge Color	Bench Surface	Bench Edge Color	Frame Color
\sim	Rectangular Table with Benches	56-1/2 x 96"	UF08BE							
	 Available in 8', 10' and 12' models Unitized all-steel frames provide superior 	56-1/2 x 120"	UF10BE							
	stability and durability	56-1/2 x 139-1/2"	UF12BE							
	• KI's exclusive combination pneumatic									
	lift assist and torsional energy storage									
	system results in a controlled, effortless folding. Also holds tables in a teepee									
JFRCB	position for easy cleaning									
	Storage lock standard for added safety									
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
	tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato-									
	ries, Inc Dimensions include overall depth and 									
	width of table and seating									
			A	6	A	D	Ð	G	G	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

C Select height. 27 - 27" high 29 - 29" high

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select bench surface. Refer to the **Product Color Options** page in this price list.

Select bench edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

 Select frame color.
 Refer to the Product Color Options page in this price list.
 (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

Uniframe[®] Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Benches 4 Chrome Upcharge 3/4" 73P Approx. Flat Vinyl T-Edge Packaged Edge Perfect Edge add to list Weight (BN) (73P) (PR) price 295.0# \$ 1786 \$ 1875 \$ 2132 \$ 144

2343

2424

1939

2078

341.0#

371.0#

1847

1978

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Specifications and prices are subject to change without prior notice.

7

146

Uniframe[®] Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Split Benches

			MODEL NUMBER								
MODEL		D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color	
	ble with Split Benches	59 x 139-1/2"	UF12SB								
Available in 12											
Onitized all-st stability and d	teel frames provide superior turability										
	e combination pneumatic										
	torsional energy storage										
	s in a controlled, effortless holds tables in a teepee										
UFRCS position for ea											
	standard for added safety										
	tabilizes tables in the open eliminates possibility of										
	unexpectedly										
 Listed to appl 	licable UL standards and										
requirements ries, Inc	by Underwriters Laborato-										
	nclude overall depth and										
width of table	and seating										
			Ø	0	Θ	D	Ø	G	C	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style. BN - Flat vinyl T-edge 73P - 3/4" 73P edge PR - Perfect edge

• Select height. 27 - 27" high 29 - 29" high

DSelect surface finish. Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style selections.

ESelect surface edge color. Refer to the Product Color Options page in this price list.

Edge color offerings are based on edge style selections.

 Select bench surface. Refer to the Product Color Options page in this price list.

GSelect bench edge color. Refer to the Product Color Options page in this price list. Edge color offerings are based on edge style selections.

Celect frame color. Refer to the Product Color Options page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

141	Uniframe®	Rectangular	Tables with Seating ($_{Re}$	Freight Excluded)
Approx. Packaged Flat Vinyl T-Edge Weight (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)		Chrome Upcharge add to list price
385.0# \$ 2172	\$ 2280	\$ 2767		\$ 157

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Rectangular Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats

				MODEL N	UMBER					
	MODEL	Features	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color
	Rectangular Table with Stool Seats -	8 Stools	60-1/2 x 96"	UF084/PY						
\sim	Polypropylene	12 Stools	60-1/2 x 120"	UF106/PY						
	Available in 8', 10' and 12' models	12 Stools	60-1/2 x 139-1/2"	UF126/PY						
	 Unitized all-steel frames provide superior stability and durability 	16 Stools	60-1/2 x 139-1/2"	UF128/PY						
	KI's exclusive combination pneumatic									
	lift assist and torsional energy storage									
CP	system results in a controlled, effortless folding. Also holds tables in a teepee									
	position for easy cleaning									
	Storage lock standard for added safety									
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
	tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato- ries, Inc									
	Dimensions include overall depth and									
	width of table and seating									
				A	0	G	O	Ø	G	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

BN

73P

PR

27

29

• Select height.

Select stool color - Polypropylene Basic model includes base no. of table with codes for length of table, edge treat-(PY). ment, frame finish and stool material.

Refer to the Product Color Options page in this price list.

edge style selections.

Edge color offerings are based on

GSelect frame color. Refer to the Product Color Options page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

DSelect surface finish. Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style selections.

- Flat vinyl T-edge

- 3/4" 73P edge

- Perfect edge

- 27" high

- 29" high

ESelect surface edge color. Refer to the Product Color Options page in this price list.



Approx. Packaged Flat Vinyl T-Edge Weight (BN)	3/4° 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
299.0# \$ 2050	\$ 2153	\$ 2267	\$ 137
353.0# 2163	2271	2387	150
377.0# 2268	2381	2503	163
385.0# 2354	2470	2592	157

INFORMATION

6

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Rectangular Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats

				MODEL N	UMBER					
	MODEL	Features	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color
	Rectangular Table with Stools - Thermo-	8 Stools	60-1/2 x 96"	UF084/CX						
	set Hard Plastic	12 Stools	60-1/2 x 120"	UF106/CX						
	 Available in 8', 10' and 12' models Unitized all-steel frames provide superior 	12 Stools	60-1/2 x 139-1/2"	UF126/CX						
	stability and durability	16 Stools	60-1/2 x 139-1/2"	UF128/CX						$\Box\Box$
	KI's exclusive combination pneumatic									
	lift assist and torsional energy storage									
UFRCT	system results in a controlled, effortless folding. Also holds tables in a teepee									
	position for easy cleaning									
	 Storage lock standard for added safety 									
	Gravity lock stabilizes tables in the open									
	position and eliminates possibility of tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato-									
	ries, Inc									
	 Dimensions include overall depth and width of table and seating 									
	man of able and bouing									
				A	•	G	D	Ð	G	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

Belect edge style.

BN- Flat vinyl T-edge73P- 3/4" 73P edgePR- Perfect edge

• Select height. 27 - 27" high 29 - 29" high

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic (CX). Refer to the **Product Color Options** page in this price list.

Gelect frame color. Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION


Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Uniframe[®] Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats



Chrome Upcharge add to list price \$ 137 150 163 157

Approx.		3/4" 73P		
Packaged	Flat Vinyl T-Edge	Edge	Perfect Edge	
Weight	(BN)	(73P)	(PR)	
299.0#	\$ 2189	\$ 2298	\$ 2403	
353.0#	2361	2478	2585	
377.0#	2467	2590	2702	
385.0#	2622	2752	2857	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Rectangular Tables with Seating (Delivered)

Rectangular Table with Benches

			MODEL	NUMBE	R					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Surface Edge Color	Bench Surface	Bench Edge Color	Frame Color
\sim	Rectangular Table with Benches	56-1/2 x 96"	UF08BE							
	Available in 8', 10' and 12' models	56-1/2 x 120"	UF10BE							
	 Unitized all-steel frames provide superior stability and durability 	56-1/2 x 139-1/2"	UF12BE							
	KI's exclusive combination pneumatic									
	lift assist and torsional energy storage									
	system results in a controlled, effortless folding. Also holds tables in a teepee									
RCB	position for easy cleaning									
	Storage lock standard for added safety									
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
	tables folding unexpectedly									
	 Listed to applicable UL standards and 									
	requirements by Underwriters Laborato-									
	ries, Inc Dimensions include overall depth and 									
	width of table and seating									
			A	ß	G	D	Ø	G	Ø	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

C Select height. 27 - 27" high 29 - 29" high

- Oselect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

- Select bench surface. Refer to the **Product Color Options** page in this price list.
- © Select bench edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

 Select frame color.
 Refer to the Product Color Options page in this price list.
 (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

14		Unifra	ame [®] Rectangul	ar Tables with Seating (Delivered) Rectangular Table with Benches
Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
295.0#	\$ 2007	\$ 2108	\$ 2396	\$ 161
341.0#	2077	2179	2634	163
371.0#	2224	2335	2725	160

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Rectangular Tables with Seating (Delivered) Rectangular Table with Split Benches

			MODEL	NUMBE	R	_	_		_	
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color
	Rectangular Table with Split Benches	59 x 139-1/2"	UF12SB							
\searrow	 Available in 12' models Unitized all-steel frames provide superior 									
\sim	stability and durability									
	 KI's exclusive combination pneumatic lift assist and torsional energy storage 									
	system results in a controlled, effortless									
RCS	folding. Also holds tables in a teepee position for easy cleaning									
	 Storage lock standard for added safety 									
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
	tables folding unexpectedly									
	 Listed to applicable UL standards and requirements by Underwriters Laborato- 									
	ries, Inc									
	 Dimensions include overall depth and width of table and seating 									
	with of table and scaling									
			A	ß	0	0	A	ß	G	Ð

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

CSelect height. 27 29 - 27" high - 29" high

- DSelect surface finish. Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the Product Color Options page in this price list. Edge color offerings are based on edge style selections.

- Select bench surface. Refer to the Product Color Options page in this price list.
- GSelect bench edge color. Refer to the Product Color Options page in this price list. Edge color offerings are based on edge style selections.

Celect frame color. Refer to the Product Color Options page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

14		Uniframe	e [®] Rectangular	Tables with	Seating (Deliv Rectangular Table with Spl	' er it Be	ed) enches
Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)		U	nrome ocharg Id to li ice	ge
385.0#	\$ 2440	\$ 2562	\$ 3110			\$	178

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Rectangular Tables with Seating (Delivered)

Rectangular Table with Stool Seats

				MODEL N	UMBER						
	MODEL	Features	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	•
	Rectangular Table with Stool Seats -	8 Stools	60-1/2 x 96"	UF084/PY							
	Polypropylene	12 Stools	60-1/2 x 120"	UF106/PY							
	Available in 8', 10' and 12' models	12 Stools	60-1/2 x 139-1/2"	UF126/PY							
	 Unitized all-steel frames provide superior stability and durability 	16 Stools	60-1/2 x 139-1/2"	UF128/PY							
	KI's exclusive combination pneumatic										
	lift assist and torsional energy storage										
FRCP	system results in a controlled, effortless folding. Also holds tables in a teepee										
	position for easy cleaning										
	Storage lock standard for added safety										
	Gravity lock stabilizes tables in the open position and alignments possibility of										
	position and eliminates possibility of tables folding unexpectedly										
	Listed to applicable UL standards and										
	requirements by Underwriters Laborato-										
	ries, Inc Dimensions include overall depth and 										
	width of table and seating										
				A	6	C	D	A	G	œ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

- 27
 - 27" high

 29
 - 29" high
- Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select stool color - Polypropylene

(PY). Refer to the **Product Color Options** page in this price list.

Select frame color.
 Refer to the **Product Color Options** page in this price list.
 (BL) Std-no upcharge, all other colors
 have \$12 upcharge, see price column
 for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

14		Unifra	ime [®] Rectangi	ular Tables with Seating	(Delivered) r Table with Stool Seats
Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)		Chrome Upcharge add to list price
299.0#	\$ 2304	\$ 2420	\$ 2548		\$ 155
353.0#	2432	2552	2682		168
377.0#	2549	2676	2813		184
385.0#	2645	2776	2913		178

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Rectangular Tables with Seating (Delivered)

Rectangular Table with Stool Seats

				MODEL N	UMBER					
	MODEL	Features	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color
	Rectangular Table with Stools - Thermo-	8 Stools	60-1/2 x 96"	UF084/CX						
\searrow	set Hard Plastic	12 Stools	60-1/2 x 120"	UF106/CX						
	• Available in 8', 10' and 12' models	12 Stools	60-1/2 x 139-1/2"	UF126/CX						
	 Unitized all-steel frames provide superior stability and durability 	16 Stools	60-1/2 x 139-1/2"	UF128/CX						
	 KI's exclusive combination pneumatic 									
	lift assist and torsional energy storage									
RCT	system results in a controlled, effortless folding. Also holds tables in a teepee									
	position for easy cleaning									
	Storage lock standard for added safety									
	Gravity lock stabilizes tables in the open maximum and aliminates passibility of									
	position and eliminates possibility of tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato-									
	ries, Inc Dimensions include overall depth and 									
	width of table and seating									
				•	•	G	D	Ð	ß	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

- 27
 - 27" high

 29
 - 29" high
- Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic (CX).

Refer to the **Product Color Options** page in this price list.

Select frame color.
 Refer to the **Product Color Options** page in this price list.
 (BL) Std-no upcharge, all other colors
 have \$12 upcharge, see price column
 for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Uniframe[®] Rectangular Tables with Seating (Delivered) Rectangular Table with Stool Seats

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chron Upcha add to price	irge
299.0#	\$ 2461	\$ 2582	\$ 2701	\$	155
353.0#	2653	2785	2905		168
377.0#	2773	2911	3037		184
385.0#	2947	3094	3210		178

14

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Round Tables with Seating



Round Tables with Split Benches (UFRD5SB/BN/CH)

Round Tables with Stool Seats (UFRD58/PR/PB)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•
	Seating	Capacity:







Model Capacity C		Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity		
UFRD5SB	12	8	8	4		
UFRD58	8	8	8	8		

Bullnose Edge

73P Edge

Perfect Edge

SPECIFICATIONS	5

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius. Bench supports shall be robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to the uprights. Benches are secured to the steel plates with deep thread screws. There shall be two plates for each split bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that

is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is $1-1/4^{\circ}$ o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are $3/4^{\circ} \times 1-1/2^{\circ}$ 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following: A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/ mar-resistant. Standard finish is black. B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end of the bench unit or outermost stool when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Uniframe[®] Round Tables with Seating (Freight Excluded)

Round Table with Split Benches

			MODEL N	UMBER								
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color	Approx. Packaged Weight	
UFRDS	 Round Table with Split Benches Unitized all-steel frames provide superior stability and durability KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc Dimensions include overall depth and 	81"	UFRD5SB								335.0#	
	width of table and seating; Diameter of top is 60"											
			A	6	G	D	9	J	G	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

C Select height. 27 - 27" high 29 - 29" high

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select bench surface. Refer to the **Product Color Options** page in this price list.

Select bench edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

 Select frame color.
 Refer to the Product Color Options page in this price list.
 (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge


FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Round Tables with Seating (Freight Excluded)

Round Table with Stool Seats

			MODEL NU	MBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Packaged Weight
	Round Table with Stool Seats - Polypro-	86"	UFRD58/PY							331.0#
JFRDP	 pylene Unitized all-steel frames provide superior stability and durability KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Available in 8-stool model only Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc Dimensions include overall depth and width of table and seating Diameter of top is 60" 									
			A	0	Θ	O	Ø	G	G	1

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ment, frame finish and stool material.

- Flat vinyl T-edge

Refer to the Product Color Options page in

Surface finish offerings are based on edge

Refer to the Product Color Options page in

- 3/4" 73P edge

- Perfect edge

- 27" high

- 29" high

A Select basic model.

BSelect edge style.

BN

73P

PR

27

29

• Select height.

DSelect surface finish.

this price list.

style selections. Select surface edge color.

this price list.

Basic model includes base no. of table with codes for length of table, edge treat-(PY).

Refer to the **Product Color Options** page in this price list.

edge style selections.


Edge color offerings are based on

Gelect frame color. Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have\$10 upcharge, see price column for Chrome upcharge

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.



FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Round Tables with Seating (Freight Excluded)

Round Table with Stool Seats

			MODEL NU	MBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Packaged Weight
	Round Table with Stool Seats - Thermoset	86"	UFRD58/CX							331.0#
\frown	Hard Plastic									
	 Unitized all-steel frames provide superior 									
	stability and durability									
	 KI's exclusive combination pneumatic lift assist and torsional energy storage 									
	system results in a controlled, effortless									
DT	folding. Also holds tables in a teepee									
וטי	position for easy cleaning									
	Available in 8-stool model only									
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 									
	position and eliminates possibility of									
	tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato-									
	ries, Inc Dimensions include overall depth and 									
	 Differsions include overall depth and width of table and seating 									
	 Diameter of top is 60" 									
	, .									
				•						1
			A	₿	G	D	Ø	Ð	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

BN- Flat vinyl T-edge73P- 3/4" 73P edgePR- Perfect edge

Select height. 27 - 27" high

ESelect surface edge color.

this price list.

29 - 29" high Select surface finish. Refer to the **Product Color Options** page in

this price list. Surface finish offerings are based on edge style selections.

Refer to the Product Color Options page in

Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic (CX). Refer to the **Product Color Options** page in this price list.

Gelect frame color. Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge


FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Round Tables with Seating (Delivered)

Round Table with Split Benches

			MODEL N	UMBER	ł						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color	Approx. Packaged Weight
\sim	Round Table with Split Benches	81"	UFRD5SB								335.0#
	 Unitized all-steel frames provide superior 										
	stability and durability										
	KI's exclusive combination pneumatic										
	lift assist and torsional energy storage system results in a controlled, effortless										
500	folding. Also holds tables in a teepee										
	position for easy cleaning										
	 Storage lock standard for added safety 										
	Gravity lock stabilizes tables in the open										
	position and eliminates possibility of										
	tables folding unexpectedly										
	 Listed to applicable UL standards and requirements by Underwriters Laborato- 										
	ries, Inc										
	 Dimensions include overall depth and 										
	width of table and seating; Diameter of			L							
	top is 60"										
			A	6	G	D	Ð	Ð	G	0	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

• Select height. 27 - 27" high 29 - 29" high

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select bench surface. Refer to the **Product Color Options** page in this price list.

Select bench edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

 Select frame color.
 Refer to the Product Color Options page in this price list.
 (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

141		Uniframe®	Round Tables with Seating (Delivered) Round Table with Split Benches
	3/4" 73P		Chrome
Flat Vinyl T-Edge (BN)	5/4 73P Edge (73P)	Perfect Edge (PR)	Upcharge add to list price
\$ 2345	\$ 2463	\$ 2988	\$ 150

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Round Tables with Seating (Delivered)

Round Table with Stool Seats

			MODEL NU	MBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Packaged Weight
	iteana iane initi eteet eeate i etjpie	86"	UFRD58/PY							331.0#
\frown	pylene									
	 Unitized all-steel frames provide superior stability and durability 									
	 KI's exclusive combination pneumatic 									
	lift assist and torsional energy storage									
	system results in a controlled, effortless									
RDP	folding. Also holds tables in a teepee position for easy cleaning									
	 Available in 8-stool model only 									
	 Storage lock standard for added safety 									
	Gravity lock stabilizes tables in the open									
	position and eliminates possibility of tables folding unexpectedly									
	 Listed to applicable UL standards and 									
	requirements by Underwriters Laborato-									
	ries, Inc Dimensions include overall depth and 									
	width of table and seating									
	 Diameter of top is 60" 									
			A	6	Θ	O	Ð	G	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

BN

73P

PR

27

29

• Select height.

DSelect surface finish.

Select stool color - Polypropylene Basic model includes base no. of table with codes for length of table, edge treat-(PY). ment, frame finish and stool material.

Refer to the Product Color Options page in this price list.

Edge color offerings are based on

edge style selections.

GSelect frame color. Refer to the Product Color Options page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style selections.

- Flat vinyl T-edge


- 3/4" 73P edge

- Perfect edge

- 27" high

- 29" high

• Select surface edge color. Refer to the Product Color Options page in this price list.



INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Gree

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Round Tables with Seating (Delivered)

Round Table with Stool Seats

		MODEL NU	MBER						
	MODEL DIA		Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Package Weight
	Round Table with Stool Seats - Thermoset $86"$	UFRD58/CX							331.0#
\geq	Hard Plastic								
	 Unitized all-steel frames provide superior stability and durability 								
	 KI's exclusive combination pneumatic 								
	lift assist and torsional energy storage								
5	system results in a controlled, effortless								
	folding. Also holds tables in a teepee position for easy cleaning								
	Available in 8-stool model only								
	Storage lock standard for added safety								
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
	tables folding unexpectedly								
	 Listed to applicable UL standards and 								
	requirements by Underwriters Laborato-								
	ries, Inc Dimensions include overall depth and 								
	width of table and seating								
	Diameter of top is 60"								
		A	6	O	D	Ø	G	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

BN- Flat vinyl T-edge73P- 3/4" 73P edgePR- Perfect edge

• Select height. 27 - 27" high 29 - 29" high

Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic (CX). Refer to the **Product Color Options** page in this price list.

Select frame color. Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

141		Uniframe [®] Rou	Ind Tables with Seating (Delivered) Round Table with Stool Seats
	3/4" 73P		Chrome Upcharge
Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	add to list price
\$ 2190	\$ 2299	\$ 2436	\$ 150

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe[®] Tables without Seating

General Information



Rectangular Table (UFRT12)



Round Table (UFRD5)



Oval Table (UFOV66)

Features			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P edge	•	•	•
Perfect edge	•	•	•
27" height	•	•	•
29" height	•	•	•





Bullnose Edge

73P Edge



Perfect Edge



T-Style Leg

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semiopen position to halt downward movement. Safety lock can be released from either side of the table.

Tops

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 highpressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube. 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round 14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/ mar-resistant. Standard finish is black.

Uniframe[®] Tables without Seating

General Information







Stand-Up Table (UFSU5)



Square Table (UFSQ4)

Hexagonal Table (UFHX4)

Octagonal Table (UFOC5)

Features				
Solid core top	•	•	•	•
High-pressure laminate surface	•	•	•	•
Bullnose edge	•	•	•	•
73P edge	•	•	•	•
Perfect edge	•	•	•	•
27" height	•	•	•	
29" height	•	•	•	
12" height				•

42" height

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of

gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

General

Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Uniframe[®] Tables without Seating (Freight Excluded)

Rectangular 1	Table
---------------	-------

			MODEL	NUMBE	R					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	
	Rectangular Table - Without Seating	30 x 96"	UFRT08						179.0#	
	 Unitized all-steel frames provide superior stability and durability 	30 x 120"	UFRT10						200.0#	
	 KI's exclusive combination pneumatic 	30 x 139-1/2"	UFRT12						225.0#	
	lift assist and torsional energy storage									
· Ja	system results in a controlled, effortless									
a constant and the second seco	folding. Also holds tables in a teepee position for easy cleaning									
UFRCN	Available in 8', 10' and 12' models									
	Storage lock standard for added safety									
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
	tables folding unexpectedly									
	T-leg design furnishes maximum leg									
	 room and seating capacity Listed to applicable UL standards and 									
	requirements by Underwriters Laborato-									
	ries, Inc.									
	Ideal for multi-purpose seating									
			A	0	œ	D	Ø	G		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Belect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	 Perfect edge 	

CSelect he	eight.	
27	- 27" high	
29	- 29" high	

- Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe[®] Tables without Seating (Freight Excluded)

Round Table

			MODEL	NUMB	R					
	MODEL		Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	
	Round Table - Without Seating		UFRD4						98.0#	
	Unitized all-steel frames provide superior	60"	UFRD5						132.0#	
	stability and durabilityKI's exclusive combination pneumatic	72"	UFRD6						158.0#	
	lift assist and torsional energy storage									
-0	system results in a controlled, effortless									
UFRDN	folding. Also holds tables in a teepee									
	position for easy cleaningStorage lock standard for added safety									
	 Gravity lock stabilizes tables in the open 									
	position and eliminates possibility of tables folding unexpectedly									
	 Safety lock engages in a semi-open 									
	position to halt downward opening									
	movement									
	 T-leg design furnishes maximum leg room and seating capacity 									
	Dimensions include overall depth and									
	width of table									
	 Ideal for multi-purpose seating 									
			A	6	Θ	D	Ð	G		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect ed	lge style.
BN	- Flat vinyl T-edge

73P	- 3/4" 73P edge	
PR	- Perfect edge	

CSelect h	eight.	
27	- 27" high	
29	- 29" high	

Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe[®] Tables without Seating (Freight Excluded)

			MODEL	NUMBE	3			
	MODEL	DxL	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color
$\overline{}$	Oval Table - Without Seating	60 x 66"	UFOV66					
$\overline{)}$	 Unitized all-steel frames provide superior stability and durability 	60 x 72"	UF0V72					
	 KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless 							
	folding. Also holds tables in a teepee							
	position for easy cleaningStorage lock standard for added safety							
	 Gravity lock stabilizes tables in the open 							
	position and eliminates possibility of							
	tables folding unexpectedly • Safety lock engages in a semi-open							
	position to halt downward opening							
	movement							
	 T-leg design furnishes maximum leg room and seating capacity 							
	Dimensions include overall depth and							
	width of table							
	Ideal for multi-purpose seating							
			Ø	B	Θ	D	Ø	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style	
--------------------	--

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	 Perfect edge 	

C Select he	eight.	
27	- 27" high	
29	- 29" high	

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe[®] Tables without Seating (Freight Excluded)

Square Table

			MODE	MODEL NUMBER					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
\sim	Square Table - Without Seating	48 x 48"	UFSQ4						108.0#
$\langle \rangle$	 Unitized all-steel frames provide superior 								
	stability and durabilityKI's exclusive combination pneumatic								
	lift assist and torsional energy storage								
	system results in a controlled, effortless								
JFSQN	folding. Also holds tables in a teepee position for easy cleaning								
	 Storage lock standard for added safety 								
	 Gravity lock stabilizes tables in the open 								
	position and eliminates possibility of tables folding unexpectedly								
	 Safety lock engages in a semi-open 								
	position to halt downward opening								
	movement								
	 T-leg design furnishes maximum leg room and seating capacity 								
	Dimensions include overall depth and								
	width of table								
	Ideal for multi-purpose seating								
			A	ß	O	D	Ø	Ð	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect e	dge style.
BN	- Flat vinvl T-edge

	,
73P	- 3/4" 73P edge
PR	- Perfect edge

CSelect he	eight.	
27	- 27" high	
29	- 29" high	

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Gelect frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Specifications and prices are subject to change without prior notice.

45

Uniframe[®] Tables without Seating (Freight Excluded)

		-	MODEL NUMBER					
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color
\sim	Hexagonal Table - Without Seating	48"	UFHX4					
	 Unitized all-steel frames provide superior stability and durability 							
2	 KI's exclusive combination pneumatic 							
JFHXN	lift assist and torsional energy storage system results in a controlled, effortless							
	folding. Also holds tables in a teepee							
	position for easy cleaningStorage lock standard for added safety							
	Gravity lock stabilizes tables in the open							
	position and eliminates possibility of tables folding unexpectedly							
	 Safety lock engages in a semi-open 							
	position to halt downward opening movement							
	• T-leg design furnishes maximum leg							
	room and seating capacityDimensions include overall depth and							
	width of table							
	Ideal for multi-purpose seating							
			A	ß	Θ	O	Ø	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect	edge style.
BN	- Elat vinvi T-edge

(

	, , , , , , , , , , , , , , , , , , , ,	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

CSelect he		
27	- 27" high	
29	- 29" high	

- Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Specifications and prices are subject to change without prior notice.

47

Uniframe[®] Tables without Seating (Freight Excluded)

Octagonal Table

			MODEL NUMBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
$\overline{}$	Octagonal Table - Without Seating	60"	UF0C5						134.0#
	 Unitized all-steel frames provide superior stability and durability 								
	KI's exclusive combination pneumatic								
a line	lift assist and torsional energy storage								
	system results in a controlled, effortless								
CN	folding. Also holds tables in a teepee position for easy cleaning								
	 Storage lock standard for added safety 								
	Gravity lock stabilizes tables in the open								
	position and eliminates possibility of								
	tables folding unexpectedly Safety lock engages in a semi-open 								
	position to halt downward opening								
	movement								
	 T-leg design furnishes maximum leg room and seating capacity 								
	Dimensions include overall depth and								
	width of table								
	Ideal for multi-purpose seating								
			A	6)	G	D	Ģ	G	-
			w	U	U	U	G	U	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect ed	dge style.
BN	 Flat vinyl T-edge

	, ,	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

CSelect he		
27	- 27" high	
29	- 29" high	

DSelect surface finish. Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style selections.

• Select surface edge color. Refer to the Product Color Options page in this price list.

Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the Product Color Options page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe[®] Tables without Seating (Freight Excluded)

Round Stand-up Height Table

		MODEL	MODEL NUMBER					
	MODEL	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
\frown	Round Stand-up Height Table - Without	 UFSU4		42				109.0#
		UFSU5		42				129.0#
TAT	 Unitized all-steel frames provide superior stability and durability 							
9	KI's exclusive combination pneumatic							
9	lift assist and torsional energy storage							
	system results in a controlled, effortless folding. Also holds tables in a teepee							
RDU	position for easy cleaning							
	Storage lock standard for added safety							
	Gravity lock stabilizes tables in the open position and eliminates possibility of							
	tables folding unexpectedly							
	 Safety lock engages in a semi-open 							
	position to halt downward opening movement							
	 T-leg design furnishes maximum leg 							
	room and seating capacity							
		Ø	6	G	D	Ø	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect	edge style.	
DN	Elot vinvi	T odac

DIA	rial villyr r cuyc	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

C Select I	neight.	
42	- 42" high	

- Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge

style selections.

Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe[®] Tables without Seating (Delivered)

Rectangular Table

		MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Rectangular Table - Without Seating	30 x 96"	UFRT08						179.0#
	Unitized all-steel frames provide superior stability and durability	30 x 120"	UFRT10						200.0#
	stability and durabilityKI's exclusive combination pneumatic	30 x 139-1/2"	UFRT12						225.0#
$ \gg \rangle$	lift assist and torsional energy storage								
	system results in a controlled, effortless								
	folding. Also holds tables in a teepee position for easy cleaning								
N	 Available in 8', 10' and 12' models 								
	Storage lock standard for added safety								
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
	tables folding unexpectedly								
	T-leg design furnishes maximum leg								
	room and seating capacityListed to applicable UL standards and								
	requirements by Underwriters Laborato-								
	ries, Inc.								
	Ideal for multi-purpose seating								
			A	0	Θ	D	Ø	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Belect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

C Select he	eight.	
27	- 27" high	
29	- 29" high	

- Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

52

14		Unit	rame [®] Tables without Seating (Delivered) Rectangular Table
	3/4" 73P		Chrome Upcharge
Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	add to list price
\$ 1217	\$ 1278	\$ 1454	\$ 139
1333	1402	1531	78
1466	1540	1670	66

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe[®] Tables without Seating (Delivered)

Round Table

			MODEL NUMBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
\frown	Round Table - Without Seating	48"	UFRD4						98.0#
	 Unitized all-steel frames provide superior stability and durability 	60"	UFRD5						132.0#
	 KI's exclusive combination pneumatic 	72"	UFRD6						158.0#
age the state	lift assist and torsional energy storage								
	system results in a controlled, effortless								
DN	folding. Also holds tables in a teepee position for easy cleaning								
	 Storage lock standard for added safety 								
	 Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening 								
	movement								
	 T-leg design furnishes maximum leg room and seating capacity 								
	 Dimensions include overall depth and 								
	width of table								
	Ideal for multi-purpose seating								
			A	6	G	D	A	ß	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	 Perfect edge 	

CSelect he	eight.	
27	- 27" high	
29	- 29" high	

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

• Select frame color.

Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

141		Unif	frame [®] Tables without Seating (Delivered)
Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
\$ 1022	\$ 1073	\$ 1200	\$ 29
1081	1135	1258	31
1453	1527	1792	32

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe[®] Tables without Seating (Delivered)

			MODEL	NUMBE	R				
	MODEL	DxL	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
\frown	Oval Table - Without Seating	60 x 66"	UFOV66						143.0#
	 Unitized all-steel frames provide superior stability and durability 	60 x 72"	UF0V72						151.0#
\leq	 KI's exclusive combination pneumatic 								
	lift assist and torsional energy storage								
	system results in a controlled, effortless								
l	folding. Also holds tables in a teepee position for easy cleaning								
	 Storage lock standard for added safety 								
	Gravity lock stabilizes tables in the open								
	position and eliminates possibility of								
	tables folding unexpectedly • Safety lock engages in a semi-open								
	position to halt downward opening movement								
	 T-leg design furnishes maximum leg 								
	room and seating capacity								
	Dimensions include overall depth and								
	width of tableIdeal for multi-purpose seating								
	- ideal for multi-pulpose sealing								
			A	6	œ	D	Ð	ß	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	 Perfect edge 	

CSelect he	eight.	
27	- 27" high	
29	- 29" high	

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

• Select frame color.

Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

141		Unifra	me [®] Tables without Seating (Delivered)
Flat Vinyl T-Edge	3/4" 73P Edge	Perfect Edge	Chrome Upcharge add to list
(BN) \$ 1275	(73P) \$ 1338	(PR) \$ 1518	price\$ 29
1325	1393	1601	32

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Specifications and prices are subject to change without prior notice.

57

Uniframe[®] Tables without Seating (Delivered)

Square Table

			MODE	L NUMB	ER				
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
\sim	Square Table - Without Seating	48 x 48"	UFSQ4						108.0#
$\langle \rangle$	 Unitized all-steel frames provide superior stability and durability 								
	 KI's exclusive combination pneumatic 								
a the second sec	lift assist and torsional energy storage								
	system results in a controlled, effortless folding. Also holds tables in a teepee								
FSQN	position for easy cleaning								
	 Storage lock standard for added safety 								
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
	tables folding unexpectedly								
	 Safety lock engages in a semi-open 								
	position to halt downward opening movement								
	 T-leg design furnishes maximum leg 								
	room and seating capacity								
	 Dimensions include overall depth and width of table 								
	 Ideal for multi-purpose seating 								
			A	₿	C	D	Ð	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Belect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	 Perfect edge 	

C Select he	eight.	
27	- 27" high	
29	- 29" high	

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

• Select frame color.

Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

141		Uniframe	e [®] Tables without Seating (Delivere	ed)
Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to lis: price	
\$ 973	\$ 1022	\$ 1151	\$ 3	33

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

			MODE	. NUMB					
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
\sim	 Hexagonal Table - Without Seating Unitized all-steel frames provide superior 	48"	UFHX4						101.0#
	 officized an-steel frames provide superior stability and durability 								
2 10	KI's exclusive combination pneumatic								
9 5	lift assist and torsional energy storage system results in a controlled, effortless								
HXN	folding. Also holds tables in a teepee								
	position for easy cleaning								
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 								
	position and eliminates possibility of								
	tables folding unexpectedly Safety lock engages in a semi-open 								
	position to halt downward opening								
	movement								
	 T-leg design furnishes maximum leg room and seating capacity 								
	Dimensions include overall depth and								
	width of table								
	Ideal for multi-purpose seating								
			A	₿	C	O	Ð	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

CSelect he	eight.	
27	- 27" high	
29	- 29" high	

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select frame color.

Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

141		Unifram	e [®] Tables without Seating (Delivered) Hexagonal Table
Flat Vinyl T-Edge	3/4" 73P Edge	Perfect Edge	Chrome Upcharge add to list
(BN)	(73P)	(PR)	price
\$ 1081	\$ 1135	\$ 1258	\$ 31

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

			MODEL NUMBER						
	MODEL		Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
\frown			UF0C5						134.0#
	 Unitized all-steel frames provide superior stability and durability 								
2	KI's exclusive combination pneumatic								
n	lift assist and torsional energy storage								
	system results in a controlled, effortless folding. Also holds tables in a teepee								
FOCN	position for easy cleaning	_							
	 Storage lock standard for added safety Cravity lock stabilizes tables in the apap 								
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
	tables folding unexpectedly								
	 Safety lock engages in a semi-open position to halt downward opening 								
	movement								
	• T-leg design furnishes maximum leg								
	room and seating capacityDimensions include overall depth and								
	width of table								
	Ideal for multi-purpose seating								
		L	A	6	G	D	A	ß	1
			U	U	U	U.	J	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

🕑 Select e	
BN	- Flat vinyl T-edge

C

73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select h	ieight.	
27	- 27" high	
29	- 29" high	

Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select frame color.

Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

141		Unifram	e [®] Tables without Seating (Deliver	
Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrom Upchar add to price	rge
\$ 1115	\$ 1170	\$ 1301	\$	38

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe[®] Tables without Seating (Delivered)

Round Stand-up Height Table

			MODEL	NUMB	ER				
	MODEL		Basic Model	Edge Style	Height	Surface Finish		Frame Color	Approx. Packaged Weight
\frown	Round Stand-up Height Table - Without	48" I	UFSU4		42				109.0#
	Seating		UFSU5		42				129.0#
Tat	 Unitized all-steel frames provide superior stability and durability 								
2	Kl's exclusive combination pneumatic								
R. C.	lift assist and torsional energy storage								
	system results in a controlled, effortless folding. Also holds tables in a teepee								
RDU	position for easy cleaning								
	Storage lock standard for added safety								
	 Gravity lock stabilizes tables in the open 								
	position and eliminates possibility of tables folding unexpectedly								
	 Safety lock engages in a semi-open 								
	position to halt downward opening								
	movementT-leg design furnishes maximum leg								
	room and seating capacity								
			A	0	C	D	Ø	Ø	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

C Select he	eight.
42	- 42" hiah

- Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge

style selections.

Select frame color.

Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

141		Unifr	ame [®] Tables without Seating (Delivered Round Stand-up Height Tal) ble
	3/4" 73P		Chrome Upcharge	
Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	add to list price	
\$ 1135	\$ 1192	\$ 1306	\$ 29	
1194	1254	1362	27	

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe[®] Wheelchair Accessible Tables with Seating





Wheelchair Accessible Tables w/Benches (WAUF12BE)

Wheelchair Accessible Tables w/Stools (WAUF126)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•

31-3/4" height







Bullnose Edge

73P Edge

Perfect Edge

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced highpressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Benches

Bench supports are robotically welded steel construction of 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. There shall be three plates for each full bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed 'T' design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10° apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that

is chemically bonded to the table or bench core.

C. Perfect edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-sup-porting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4' OD 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/ mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Casters

Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end of the bench unit or outermost stool when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety

(Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Uniframe[®] Wheelchair Accessible Tables with Seating (Freight Excluded)

Rectangular Table with Benches

			MODEL NU	MBER						
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color
	Wheelchair Accessible Rectangular Table	56-1/2 x 139-1/2"	WAUF12BE		31					
	 with Benches Height to top of surface is 31-3/4" 									
\frown	 31" clearance from floor to underside of 									
\searrow	table									
	Full bench Starses look standard for added acfet:									
S.	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 									
	position and eliminates possibility of									
	tables folding unexpectedly									
	 Listed to applicable UL standards and requirements Underwriters Laboratories, 									
	Inc									
	Dimensions include overall depth and									
	width of table and seating									
			A	B	œ	D	Ø	G	G	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

BSelect edge style

001001	bugo bijio.	
BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	Ī
PR	 Perfect edge 	

Select height. 31 - 31" high

- Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

- Select bench surface. Refer to the **Product Color Options** page in this price list.
- Geselect bench edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.
- Select frame color.
 Refer to the Product Color Options page in this price list.
 (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge


FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Uniframe[®] Wheelchair Accessible Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats

			MODEL NUM	BER					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color
	WA Rectangular Table with Stool Seats -	60-1/2 x 139-1/2"	WAUF126/PY		31				
\searrow	Polypropylene	60-1/2 x 139-1/2"	WAUF128/PY		31				
UWRCP	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of table Polypropylene stool seats Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and width of table and seating 								
			A	0	G	D	9	G	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treat-

ment and frame finish. Pricing is "Freight Excluded".

BSelect edge style. BN - Flat vinyl T-edge - 3/4" 73P edge 73P PR - Perfect edge

CSelect height. - 31" high 31

DSelect surface finish. Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style selections.

- Edge color offerings are based on edge style selections.
- Select stool color Polypropylene (PY).

Refer to the Product Color Options page in this price list.


GSelect frame color. Refer to the Product Color Options page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

• Select surface edge color. Refer to the Product Color Options page in this price list.



FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Uniframe[®] Wheelchair Accessible Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats

			MODEL NUM	BER						
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
\sim	WA Rectangular Table w/Stools - Thermo-	60-1/2 x 139-1/2"	WAUF126/CX		31					
\sim	set Hard Plastic	60-1/2 x 139-1/2"	WAUF128/CX		31					
UWRCT	 Height to top of surface is 31-3/4* 31* clearance from floor to underside of table Thermoset Hard Plastic stool seats Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and width of table and seating 									
			۵	₿	C	D	Ø	G	Ø	1

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- - The absence of the 🗆 indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

BN

73P

PR

31

CSelect height.

DSelect surface finish.

Pricing is "Freight Excluded".

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

> Select frame color. Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

Edge color offerings are based on

edge style selections.

page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

this price list. Surface finish offerings are based on edge style selections.

Refer to the Product Color Options page in


- Flat vinyl T-edge

- 3/4" 73P edge

- Perfect edge

- 31" high

Select surface edge color. Refer to the **Product Color Options** page in this price list.



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Uniframe[®] Wheelchair Accessible Tables with Seating (Delivered)

Rectangular Table with Benches

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color
\sim	Wheelchair Accessible Rectangular Table	56-1/2 x 139-1/2"	WAUF12BE		31					
	with Benches									
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 									
\triangleright \triangleright $>$	table									
v Ma	Full bench									
	 Storage lock standard for added safety 									
	Gravity lock stabilizes tables in the open									
СВ	position and eliminates possibility of tables folding unexpectedly									
	 Listed to applicable UL standards and 									
	requirements Underwriters Laboratories,									
	Inc									
	 Dimensions include overall depth and width of table and seating 									
	which of table and seating									
			•	6	•	•	•	A	•	
			A	0	C	D	Ø	G	G	C

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- o. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge 73P - 3/4* 73P edge PR - Perfect edge

Select height. 31 - 31" high

Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select bench surface. Refer to the **Product Color Options** page in this price list.

Select bench edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

 Select frame color.
 Refer to the Product Color Options page in this price list.
 (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

141	Unifrar	ne® Wheelch	nair Accessible	Tables with Seating (Rectangula	(Delivered) ar Table with Benches
Ŭ	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)		Chrome Upcharge add to list price
309.0# \$	\$ 2120	\$ 2226	\$ 2592		\$ 150

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Specifications and prices are subject to change without prior notice.

75

Uniframe[®] Wheelchair Accessible Tables with Seating (Delivered)

Rectangular Table with Stool Seats

			MODEL NUM	BER					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color
\sim	WA Rectangular Table with Stool Seats -	60-1/2 x 139-1/2"	WAUF126/PY		31				
\searrow	Polypropylene	60-1/2 x 139-1/2"	WAUF128/PY		31				
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 								
	table								
	 Polypropylene stool seats 								
¢.	 Storage lock standard for added safety 								
UWRCP	 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
	tables folding unexpectedly								
	Listed to applicable UL standards and								
	requirements Underwriters Laboratories, Inc								
	Dimensions include overall depth and								
	width of table and seating								
			Ø	₿	œ	D	Ø	G	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

ment and frame finish.

BSelect edge style.

BN

73P

PR

31

CSelect height.

DSelect surface finish.

this price list.

Pricing is "Freight Excluded".

- Flat vinyl T-edge

- 3/4" 73P edge

- Perfect edge

- 31" high

Select stool color - Polypropylene Basic model includes base no. of table with codes for length of table, edge treat-(PY).

Refer to the Product Color Options page in this price list.

edge style selections.

Edge color offerings are based on

GSelect frame color. Refer to the Product Color Options page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Surface finish offerings are based on edge style selections. ESelect surface edge color.

Refer to the Product Color Options page in

Refer to the Product Color Options page in this price list.

14	Unifra	me [®] Whee	elchair Accessit	le Tables with Seating (De Rectangular Table v	
(Chrome
Ŭ	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)		Upcharge add to list price
312.0#	\$ 2432	\$ 2552	\$ 2677		\$ 171
316.0#	2518	2644	2772		171

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Specifications and prices are subject to change without prior notice.

77

Uniframe[®] Wheelchair Accessible Tables with Seating (Delivered)

Rectangular Table with Stool Seats

			MODEL NUM	BER					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color
$\overline{\}$	WA Rectangular Table w/Stools - Thermo-	60-1/2 x 139-1/2"	WAUF126/CX		31				
\mathbf{x}	set Hard Plastic	60-1/2 x 139-1/2"	WAUF128/CX		31				
VRCT	 Height to top of surface is 31-3/4" 31' clearance from floor to underside of table Thermoset Hard Plastic stool seats Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and width of table and seating 								
			A	6	G	D	Ð	Ĵ	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

ment and frame finish.

BSelect edge style.

BN

73P

PR

CSelect height.

DSelect surface finish.

this price list.

style selections.

31

Pricing is "Freight Excluded".

- Flat vinyl T-edge

Refer to the Product Color Options page in

Surface finish offerings are based on edge

- 3/4" 73P edge

- Perfect edge

- 31" high

Select stool color - Thermoset Hard Basic model includes base no. of table with codes for length of table, edge treat-Plastic (CX). Refer to the Product Color Options page in this price list.

> GSelect frame color. Refer to the Product Color Options page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

Edge color offerings are based on

edge style selections.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

78

ESelect surface edge color. Refer to the Product Color Options page in this price list.

14	U	niframe [®] Whee	Ichair Accessi	ble Tables with Seating (Delivered) Rectangular Table with Stool Seat	
Approx.		3/4" 73P		Chrome Upcharge	
Packaged Weight	Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	add to list price	
312.0#	\$ 2539	\$ 2666	\$ 2787	\$ 171	-
316.0#	2669	2804	2921	171	

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Specifications and prices are subject to change without prior notice.

79

Uniframe[®] Wheelchair Accessible Tables without Seating

L

WA Rectangular Table (WAUFRT12)



WA Round Table (WAUFRD5)



WA Oval Table (WAUFOV66)

	(WAUFRT12)	(WAUFRD5)	(WAUFOV66)
Features			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge	•	•	•
Perfect Edge	•	•	•
31-3/4" height	•	•	•





Bullnose Edge

73P Edge



Perfect Edge



T-Style Leg

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semiopen position to halt downward movement. Safety lock can be released from either side of the table.

Tops

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 highpressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round 14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/ mar-resistant. Standard finish is black.

Uniframe® Wheelchair Accessible Tables without Seating General Information



WA Square Table





|--|

WA Octagonal Table (WAUFOC5)

	(WAUFSQ4)	(WAUFHX4)	(WAUFOC5)
Features			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge	•	•	•
Perfect Edge	•	•	•
31-3/4" height	•	•	•

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of

gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of ABS plastic material are standard. Set of four per table.

General

Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Uniframe[®] Wheelchair Accessible Tables without Seating (Freight Excluded)

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Rectangular Table	30 x 96"	WAUFRT08		31				170.0#
	- Without Seating	30 x 120"	WAUFRT10		31				193.0#
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 	30 x 139-1/2"	WAUFRT12		31				215.0#
\square	position and eliminates possibility of								
\sim	tables folding unexpectedly								
	Listed to applicable UL standards and								
	requirements Underwriters Laboratories, Inc								
	T-leg design furnishes maximum leg								
	room and seating capacity								
	Height to top of surface is 31-3/4" 21" clearence from floor to underside of								
	 31" clearance from floor to underside of table 								
			A	ß	O	Ø	G	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

-		
C Salact	alute anha	

- Flat vinyl T-edge
- 3/4" 73P edge
- Perfect edge

CSelect height. 31 - 31" high

Oselect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe[®] Wheelchair Accessible Tables without Seating (Freight Excluded)

			MODEL N	JMBER					
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
\frown	Wheelchair Accessible Round Table -	48"	WAUFRD4						89.0#
	Without Seating	60"	WAUFRD5		31				115.0#
a Ta	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 	72"	WAUFRD6		31				149.0#
a contraction of the second seco	position and eliminates possibility of tables folding unexpectedly								
VRDN	Safety lock engages in a semi-open								
	position to halt downward opening movement								
	• T-leg design furnishes maximum leg								
	room and seating capacityHeight to top of surface is 31-3/4"								
	 31" clearance from floor to underside of table 								
	lauie								
			A	6	Θ	O	Ø	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

	odao	ctulo	
DSelect	eaae	stvie.	

BN	- Flat vinyl T-edge
73P	- 3/4" 73P edge
PR	- Perfect edge

CSelect height. 31 - 31" high

- Oselect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe[®] Wheelchair Accessible Tables without Seating (Freight Excluded)

			MODEL NU	MBER					
	MODEL	DxL	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
\frown	Wheelchair Accessible Oval Table -	60 x 66"	WAUFOV66		31				132.0#
	Without Seating	60 x 72"	WAUFOV72		31				140.0#
	 Storage lock standard for added safety 								
2	 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
-10	tables folding unexpectedly								
JWOVN	 Safety lock engages in a semi-open 								
	position to halt downward opening movement								
	 T-leg design furnishes maximum leg 								
	room and seating capacity								
	Height to top of surface is 31-3/4"								
	 31" clearance from floor to underside of table 								
			A	ß	G	D	A	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

-		
Select	edue style	

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	



Oselect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe[®] Wheelchair Accessible Tables without Seating (Freight Excluded)

			MODEL N	UMBER		MODEL NUMBER				
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	
\sim	Wheelchair Accessible Square Table -	48 X 48"	WAUFSQ4		31				102.0#	
$\langle \rangle$	Without Seating									
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 									
a line a	position and eliminates possibility of									
	tables folding unexpectedly									
/SQN	 Safety lock engages in a semi-open position to halt downward opening 									
	movement									
	T-leg design furnishes maximum leg									
	room and seating capacity									
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 									
	table									
			A	6	C	D	Ø	Đ		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

-		
Coloct.	alvts anha	

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	 Perfect edge 	

CSelect he	eight.
31	- 31" hiat

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe[®] Wheelchair Accessible Tables without Seating (Freight Excluded)

		N	NODEL NU	JMBER					
	MODEL		Basic Aodel	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
\sim	Wheelchair Accessible Hexagonal Table -	48" V	VAUFHX4		31				94.0#
	 Without Seating Storage lock standard for added safety 								
1	 Gravity lock stabilizes tables in the open 								
af -	position and eliminates possibility of								
HXN	tables folding unexpectedly								
	 Safety lock engages in a semi-open position to halt downward opening 								
	movement								
	T-leg design furnishes maximum leg								
	room and seating capacityHeight to top of surface is 31-3/4"								
	31" clearance from floor to underside of								
	table								
									1
			A	₿	Θ	D	e	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

-		
Coloct.	alvts anha	

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

CSelect he	eight.
31	- 31" high

Oselect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe[®] Wheelchair Accessible Tables without Seating (Freight Excluded)

			MODEL N	JMBER					
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Octagonal Table -	60"	WAUF0C5		31				140.0#
	Without Seating								
a Ta	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 								
a de la companya de	position and eliminates possibility of								
	tables folding unexpectedly								
CN	 Safety lock engages in a semi-open position to halt downward opening 								
	movement								
	T-leg design furnishes maximum leg								
	room and seating capacity								
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 								
	table								
			A	₿	G	O	Ø	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

~			
BSelect	edue	style	

- Flat vinyl T-edge
- 3/4" 73P edge
- Perfect edge

CSelect height. 31 - 31" high

- Oselect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$53 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe[®] Wheelchair Accessible Tables without Seating (Delivered)

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
$\overline{\}$	Wheelchair Accessible Rectangular Table	30 x 96"	WAUFRT08		31				170.0#
\checkmark	- Without Seating	30 x 120"	WAUFRT10		31				193.0#
	Storage lock standard for added safety	30 x 139-1/2"	WAUFRT12		31				215.0#
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
	tables folding unexpectedly								
	Listed to applicable UL standards and								
WRCN	requirements Underwriters Laboratories,								
	Inc • T-leg design furnishes maximum leg								
	room and seating capacity								
	 Height to top of surface is 31-3/4" 								
	31" clearance from floor to underside of								
	table								
			A	6	G	D	Ð	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

~			
BSelect	edue	style	

BN	- Flat vinyl 1-edge
73P	- 3/4" 73P edge
PR	- Perfect edge

CSelect he	eight.
31	- 31" hiat

 Select surface finish.
 Refer to the Product Color Options page in this price list.
 Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



1681

1560

1485

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Specifications and prices are subject to change without prior notice.

61

Uniframe[®] Wheelchair Accessible Tables without Seating (Delivered)

Round Table

			MODEL N	MODEL NUMBER					
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
\frown	Wheelchair Accessible Round Table -	48"	WAUFRD4		31				89.0#
	Without Seating	60"	WAUFRD5		31				115.0#
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 	72"	WAUFRD6		31				149.0#
er the second	position and eliminates possibility of tables folding unexpectedly								
WRDN	 Safety lock engages in a semi-open position to halt downward opening movement 								
	T-leg design furnishes maximum leg room and seating capacity								
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 								
	table								
			A	0	G	D	9	Ĵ]

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

n	Select		مايطم	
	Select	enne	STVIE	

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	



- **D**Select surface finish. Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the Product Color Options page in this price list.

Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the Product Color Options page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



\$ 1218

1280

1812

\$ 1036

1100

1474

\$ 1086

1156

1548

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Specifications and prices are subject to change without prior notice.

\$ 32

29

27

Uniframe[®] Wheelchair Accessible Tables without Seating (Delivered)

			MODEL NU	MODEL NUMBER					
	MODEL	DxL	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Oval Table -	60 x 66"	WAUFOV66		31				132.0#
	Without Seating	60 x 72"	WAUF0V72		31				140.0#
	Storage lock standard for added safety								
2	 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
-19	tables folding unexpectedly								
UWOVN	 Safety lock engages in a semi-open 								
	position to halt downward opening								
	movementT-leg design furnishes maximum leg								
	room and seating capacity								
	Height to top of surface is 31-3/4"								
	31" clearance from floor to underside of								
	table								
			A	6	G	D	Ð	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

	odao	otulo	
Select	edae	style.	

BN	- Flat Vinyi T-edge	
73P	- 3/4" 73P edge	
PR	 Perfect edge 	
CSelect he	iaht	

Select	height.	
31	- 31"	hiah

Oselect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe[®] Wheelchair Accessible Tables without Seating (Delivered)

			MODEL N	UMBER					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Square Table -	48 X 48"	WAUFSQ4		31				102.0#
$\langle \rangle$	Without SeatingStorage lock standard for added safety								
	 Gravity lock stabilizes tables in the open 								
a line of	position and eliminates possibility of								
	tables folding unexpectedly								
/SQN	 Safety lock engages in a semi-open 								
	position to halt downward opening								
	movementT-leg design furnishes maximum leg								
	room and seating capacity								
	Height to top of surface is 31-3/4"								
	31" clearance from floor to underside of								
	table								
			A	6	O	D	Ø	Ø	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

BSelect	edae	style.	
BSelect	edge	style.	

DIN	- Flat villyr 1-euge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

• Select		
31	- 31"	hial

- Oselect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe[®] Wheelchair Accessible Tables without Seating (Delivered)

			MODEL N	UMBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	
\sim	Wheelchair Accessible Hexagonal Table -	48"	WAUFHX4		31				94.0#	
	Without Seating									
	 Storage lock standard for added safety 									
a line	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
HXN	tables folding unexpectedly									
	Safety lock engages in a semi-open									
	position to halt downward opening									
	movement									
	 T-leg design furnishes maximum leg room and seating capacity 									
	 Height to top of surface is 31-3/4" 									
	31" clearance from floor to underside of									
	table									
			A	ß	G	D	Ð	G		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

_				
n	Select		ماييات	
L D	Select	enne	STVIE	

BN	- Flat vinyl 1-edge
73P	- 3/4" 73P edge
PR	- Perfect edge

CSelect h	eight.
31	- 31" hiah

- Select surface finish.
 Refer to the **Product Color Options** page in this price list.
 Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe[®] Wheelchair Accessible Tables without Seating (Delivered)

			MODEL NUMBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Octagonal Table -	60"	WAUFOC5		31				140.0#
• Sto • Gra pos	Without SeatingStorage lock standard for added safety								
	Gravity lock stabilizes tables in the open								
	position and eliminates possibility of tables folding unexpectedly								
DCN	 Safety lock engages in a semi-open 								
	position to halt downward opening								
	movementT-leg design furnishes maximum leg								
ra • H	room and seating capacity								
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 								
	table								
			A	0	Θ	D	Ø	Ø	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish. Pricing is "Freight Excluded".

n	Select		مايطم	
	Select	enne	STVIE	

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	



- Oselect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- Select surface edge color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

• Select frame color.


Refer to the **Product Color Options** page in this price list. (BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$60 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe[®] Convertible Bench

General Information





Shown as Bench with Worksurface (UCB)

Shown as Bench with Back Support (UCB)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Bench height 17"	•	•
Top height 27"	•	
Top height 29"	•	
Open depth 29-1/2"	•	•



Bullnose Edge

73P Edge

SPECIFICATIONS

Tops/Backs and Benches

Tops/backs and benches are of solid core 3/4" thick warp-resistant construction. Center core is 45 PCF high-density particleboard. A .030 high-pressure laminate face is used for the top surface with a .030 highpressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 2-1/2" radius. Tops measure 14-3/4" wide by 3/4" thick by the length of the bench.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members and the ganging mechanism into a self-supporting unit. The top/back support apron is 18-gauge bent and welded steel tubing, using double tube construction for leg support vertical and leg support bottom cross tube. The main pivot folding action is heavy-duty 14-gauge steel tubing coupled with thick 11-gauge saddles. The lower leg base shall be welded to the leg assembly.

Frame Finish

Painted frame finish is non-chipping electrostatically applied and baked. Finish

is black only.

Ganging Mechanism

Steel ganging mechanism is provided on all tables as standard, allowing two tables to be locked together into a common unit. Mechanism is located on end of foot for ease of operation.

Bench Support Foot Caps

Bench support foot caps are non-marring rubber.

Casters

Large 4" diameter hard rubber swivel casters, two locking and two non-locking, provide easy and safe maneuverability.

General

Convertible benches ship knocked down in two boxes for customer assembly (unassembled). Benches are listed with Underwriters Laboratories in compliance with testing for public safety (Folding Rollaway Tables).

106

Uniframe[®] Convertible Bench

General Information





Shown as 2 Benches Ganged Together (UCB-two units)

Shown as 2 Benches Nested Together (UCB-two units)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Folded height 33-1/4"		•
Folded depth 22"		•
Bench height 17"	•	
Top height 27"	•	
Top height 29"	•	

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Uniframe[®] Convertible Bench Product Color Options


Surface FinishLaminate		Edge Color for BN Edge		Frame Color	
Biltmore Cherry	LBT	Black	EBL	Black	BL
Black	LBK	Blue Grey	EGR		
Brighton Walnut	LBW	Flannel	EFN	Leg Finish	
Canyon Zephyr	LCA	Frosty White	EFW	Black leg finish	BLF
Castle Oak	LCO	Light Tone	ELG	Chrome leg finish	CHF
Casual Linen	LCU	Sand	ESA		
Cherry Storm	LCX	Warm Grey	EWG		
Classic Linen	LCI	Wet Sand	EWS		
Cloud Zephyr	LCL	Zesty Lime	EZL		
Cocobala	LCC	Ultra Blue	EUB		
Coffee Bean	LCB	Surf's Up	ESP		
Crisp Linen	LRI	Rubber Ducky	ERK		
Desert Zephyr	LDZ	Purple Haze	EPH		
Dove Grey	LDG	Nemo	ENE		
Fired Steel	LIL	Misty Brown	EMY		
Flax Linen	LXF	Mardi Gras	EMG		
Florence Walnut	LFC	Cool Grey	ECG		
Forged Steel	LOL				
Frosty White	LFW	Edge Color for 73P Edge			
Graphite Nebula	LGN	Biltmore Cherry	EBT		
Grey	LGE	Black	EBL		
High Rise	LHE	Blue Grey	EGR		
Hollyberry	LHY	Brighton Walnut	EBW		
Irish Linen	LIH	Castle Oak	ECO		
Island	LID	Cherry Storm	ECX		
Italian Silver Ash	LIT	Chocolate	ECT		
Kensington Maple	LKM	Cool Grey	ECG		
Lapis Blue	LLB	Flannel	EFN		
Markerboard White	LMK	Florence Walnut	EFC		
Misted Zephyr	LMR	Frosty White	EFW		
Monticello Maple	LMT	Grass Green	EGN		
Nickel Evolv	LNV	Italian Silver Ash	EIT		
North Sea	LNA	Kensington Maple	EKM		
Ocean	LON	Light Tone	ELG		
Orange Grove	LOE	Mardi Gras	EMG		
Pearl Bisque	LPB	Misty Brown	EMY		
Pearl Silver	LPS	Monticello Maple	EMT		
Pressed Linen	LPR	Multiplex	EMB		
River Cherry	LRY	Nemo	ENE		
Rugged Linen	LRG	Poppy Red	EPR		
Satin Stainless	LSS	Purple Haze	EPH		
Shadow Zephyr	LSR	River Cherry	ERY		
Silicon evolv	LSV	Rubber Ducky	ERK		
Sterling Ash	LAZ	Sand	ESA		
Tailored Linen	LTL	Sky Blue	ESK		
Titanium evolv	LTV	Sterling Ash	EAZ		
White Nebula	LWL	Surf's Up	ESP		
White Sand	LWN	Ultra Blue	EUB		
Windsor Mahogany	LWN	Warm Grey	EWG		
winusul manugally		Wet Sand	EWS		
		Windsor Mahogany	EWY		
		Zesty Lime	EZL		

Finish Cards	<u>Paints</u>	<u>Wood/Veneer</u>	<u>Molded Edges</u>	Hard Plastics
View color swatches for items listed within this document.	Plastics/Poly	<u>Laminates</u>	Edge Styles	<u>Glass</u>

Uniframe[®] Convertible Bench Product Color Options

109

Uniframe[®] Convertible Bench (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.

• The absence of the \Box indicates that no choice is required.

Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes length of bench. Select edge style. BN - Flat vinyl T-edge 73P - 3/4" 73P edge

 73P
 - 3/4" 73P edg

 Height
 27
 - 27" high

 29
 - 29" high

Frame Color BL -


Oselect surface finish. Refer to the **Product Color Options** page in this price list.

Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

- Black

Cup Finish BLF - Black leg finish CHF - Chrome leg finish: a

CHF - Chrome leg finish; add \$18



SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Specifications and prices are subject to change without prior notice.

Uniframe[®] Convertible Bench (Delivered)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Basic model includes length of bench. Belect edge style.
- BN Flat vinyl T-edge 73P - 3/4" 73P edge
- Height 27 - 27" high 29 - 29" high
- Oselect surface finish. Refer to the **Product Color Options** page in this price list.
- Select surface edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

GLeg Finish

BLF - Black leg finish CHF - Chrome leg finish; add \$21

Frame Color BL - Black



\$ 875

\$ 918

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Uniframe[®] Tables from KI


General Features and Benefits



Uniframe tables have ample doorway clearance and can be moved in the safe, closed and locked position through standard door openings.




For safety and convenience, the storage lock engages automatically when the table is folded and can't move out of correct alignment like competitor' tables can. The lock release is easily accessible from either side of the table without a long reach under the unit.



Textured polypropylene stool seats are standard or choose the Thermoset Hard Plastic option. Thermoset Hard Plastic provides the ultimate seat for lasting appearance and cleaning simplicity.



Uniframe rectangular tables provide sufficient clearance between top halves to prevent fingers from being caught or pinched. Pinch-free center hinges also assure safe operation.



Kl's unique design stores stool seats parallel to the tabletop, discouraging children from climbing and minimizing dust build-up during storage.



Split benches have a generous 4-1/2" clearance between seats for greater comfort and easy access.

Uniframe[®] Tables from KI General Features and Benefits

115



T-legs increase knee room and seating capacity around the table and eliminate the need to straddle table leg uprights.



KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding operation. So much so, these tables are the easiest to operate...bar none!



Uniframe rectangular tables automatically stay in a teepee (semi-folded) position for safe, fast and easy floor cleaning. Just lift slightly, clean and push back down.



For non-rectangular units the semi-open safety lock prevents injury from downward opening by keeping the table in a semi-open position until fingers are out of the way.



KI attaches stools to a heavy, 11-gauge, metal plate before shipping. This provides greater strength, durability and stability than the competitors' plastic sleeve and pin style stools that require field installation. With polypropylene stools, white marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool.



The exclusive caster support has a sleek tamperresistant cover that won't trap dust, dirt or food and won't scuff shoes.



Premier[®] Round Leg Table

Features	
Lightweight core	•
High-pressure laminate top	•
Bullnose edge	•
Round legs	•
General Dimensions	
Standard height	29"
Width range	18 - 36"
Length range	60 - 96"

Solid Core (Bench and Round Tables Only) A. 030" thick, high-pressure laminate

- surface.
- B. 1-1/8" thick for benches, 5/8" thick for round tables, high-density, high-strength solid core top.
- C. Standard one-piece, roll-formed, 18-gauge steel apron.
- D. Extruded vinyl bullnose edge.
- Bradded at the joint.

SPECIFICATIONS

Table, Legs and Frames

Legs fold in pairs. Constructed of 18-gauge seam-welded tubular steel. Folding linkage, hinges, locks and fastening hardware of die-formed steel. Aprons are roll-formed for solid, one-piece construction, fastened to top with screws spaced approximately 12" apart.

Rectangular Tables, Round Legs

1-1/8" o.d. steel tubing. Powder coated legs have non-marring polypropylene feet; chrome legs have self-leveling glides.

Wishbone Folding Legs

18" wide tables have 1" o.d. steel tubing with knifelock hinge. 16-gauge, 1-5/8" dieformed steel apron.

Table Tops

Rectangular and square tables feature routed cellular core construction by means of a high-density particleboard substrate.

Extruded vinyl edges are "T" shaped with serrations mechanically locked into table with brads at the joint.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Round Table Legs

1" O.D., 14-gauge steel tubing. 16-gauge, 2 3/8" die-formed steel apron.

Round Tops

Round tops are 5/8" thick solid core. 1 1/8" thick solid core high-density particleboard with .030" high-pressure melamine laminate surface with .030" phenolic backer.

Laminate Surfaces

Premier® series tables are 3/4" thick. Simulated woodgrain tops are .030" high-pressure laminate with .030" laminate backing sheet.

Finish Nonchipping electrostatically applied baked on powder-coating.

Premier[®] Folding Tables



Premier® Round Table

Features		
Solid core top	•	
Lightweight core		
High-pressure laminate top	•	
Bullnose edge	•	
Round legs	•	
General Dimensions		
Standard height	29"	
Width range	60 "	
Length range		
Adjustable beight wanne		

Adjustable height range

4

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Premier[®] Folding Tables Product Color Options

Surface Finish--Laminate

Currate Finnen Eurinnate	
Biltmore Cherry	LBT
Brighton Walnut	LBW
Castle Oak	LCO
Graphite Nebula	LGN
Kensington Maple	LKM
North Sea	LNA
White Nebula	LWL
Edge Color	
Black	EBL
Brown	EBR
Blue Grey	EGR
Sand	ESA
Warm Grey	EWG
Wet Sand	EWS
Frame Color	
Beige	BE
Black	BL
Brown	BR
Blue Grey	GR
Sand	SA
Warm Grey	WG

Note: Apron color will be Brown (BR) on Beige and Brown frame colors. Apron color will be Black (BL) on all other frame colors.

Finish Cards	<u>Paints</u>	Wood/Veneer	Molded Edges	Hard Plastics
View color swatches for items listed within this document.	Plastics/Poly	<u>Laminates</u>	Edge Styles	<u>Glass</u>

14

Premier[®] Folding Tables Product Color Options

119

Certain options referenced within this color addendum may not be available on GSA Schedule.

Premier[®] Folding Tables (Freight Excluded)

			MODEI	NUMBER			_	
	MODEL	SIZE	Basic Model	Laminate Color	Edge Color	Leg Color	Approx. Packaged Weight	
	Fixed Height Folding Table - Lightweight	24 x 72"	TP6				42.0#	
	Core Top	24 x 96"	TP8				53.0#	
	 Lightweight core top High-pressure laminate surface and 	30 x 60"	NP5				47.0#	
	 High-pressure laminate surface and backer with bullnose edge 	30 x 72"	NP6				57.0#	
	 Apron color based on the leg color 	30 x 96"	NP8				71.0#	
	selected, brown goes with brown and	36 x 72"	WP6				64.0#	
RTP	beige legs, all others will get blackLegs equipped with safety lock	36 x 96"	WP8				80.0#	
	 Polyalloner feet 							
	-							
	Round Folding Table - Solid Core Top	60" Diameter	RP5				102.0#	
\frown $ $ $ $	 Top made of a single piece of 5/8" thick particleboard 							
	 High-pressure laminate surface and 							
	backer with bullnose edge							
	 Apron color based on the leg color selected, brown goes with brown and 							
	beige legs, all others will get black							
RDP	 Legs equipped with two-piece lock 							
	Polyalloner feet							
			A	₿	C	D		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect laminate color. Refer to the Product Color Options page in this price list.

Select edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

DSelect leg color. Refer to the Product Color Options page in this price list.

Premier[®] Folding Tables (Freight Excluded)

Fre Exc Pri	ight cluded cing	
\$	312	
	337	
	306	
	312	
	340	
	334	
	367	
\$	461	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 85.

Specifications and prices are subject to change without prior notice.



Premier[®] Folding Tables (Delivered)

			MODE	L NUMBER			
	MODEL	SIZE	Basic Model	Laminate Color	Edge Color	Leg Color	Approx. Packaged Weight
	Fixed Height Folding Table - Lightweight	24 x 72"	TP6				42.0#
	Core Top	24 x 96"	TP8				53.0#
	 Lightweight core top High-pressure laminate surface and 	30 x 60"	NP5				47.0#
	backer with bullnose edge	30 x 72"	NP6				57.0#
	Apron color based on the leg color	30 x 96"	NP8				71.0#
	selected, brown goes with brown and beige legs, all others will get black • Legs equipped with safety lock • Polyalloner feet	36 x 72"	WP6				64.0#
RTP		36 x 96"	WP8				80.0#
	Round Folding Table - Solid Core Top	60" Diameter	RP5				102.0#
\square	 Top made of a single piece of 5/8" thick particleboard 						
	 High-pressure laminate surface and 						
	backer with bullnose edge						
	Apron color based on the leg color						
	selected, brown goes with brown and beige legs, all others will get black						
RDP	 Legs equipped with two-piece lock 						
	Polyalloner feet						
			Ø	0	œ	D	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect laminate color. Refer to the **Product Color Options** page in this price list.

Select edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

DSelect leg color. Refer to the Product Color Options page in this price list.

14

Premier[®] Folding Tables (Delivered)

De Pri	livered cing	
\$	369	
	398	
	365	
	381	
	402	
	390	
	426	
\$	544	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.


Specifications and prices are subject to change without prior notice.

Heritage[™] Folding Tables



Heritage™ Fixed Leg

Features	
Solid core top	•
High-pressure laminate top	•
Bullnose edge	•
Round legs	•
General Dimensions	
Standard height	29"
Width range	18 - 36"
Length range	60 - 96"
Adjustable height range	



Solid Core

- A. High-pressure laminate surface.
- B. 3/4" thick, high-density, high-strength
- Particleboard solid core top. C. Standard one-piece, roll-formed, 18-gauge steel apron.
- D. Extruded vinyl bullnose edge. Bradded at the joint.

SPECIFICATIONS

Table, Legs and Frames

Legs fold in pairs. Constructed of 18-gauge seam-welded tubular steel. Folding linkage, hinges, locks and fastening hardware of die-formed steel. Aprons are roll-formed for solid, one-piece construction, fastened to top with screws.

Rectangular Tables, Round Legs

1-1/8" o.d. steel tubing. Powder coat legs have polypropylene feet.

Wishbone Legs

18" wide tables have 1" o.d., steel tubing with knifelock hinge. 16-gauge, 2-1/4" dieformed steel apron.

Table Tops

3/4" thick particleboard core with highpressure laminate surface. Extruded bullnose edges are "T"-shaped with serrations mechanically locked into table with brads at the joint.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Enamel Finish

Powder coat finish on legs and frame.

14

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Heritage[™] Folding Tables Product Color Options

Surface Finish--Laminate

Biltmore Cherry	LBT
Brighton Walnut	LBW
Castle Oak	LCO
Graphite Nebula	LGN
Kensington Maple	LKM
North Sea	LNA
White Nebula	LWL
Edge Color	
Black	EBL
Brown	EBR
Blue Grey	EGR
Sand	ESA
Warm Grey	EWG
Frame Color	
Beige	BE
Black	BL
Brown	BR
Sand	SA
Warm Grey	WG
Blue Grey	GR

Note: Apron color will be Brown (BR) on Beige and Brown frame colors. Apron color will be Black (BL) on all other frame colors.

Finish Cards	Paints	Wood/Veneer	<u>Molded Edges</u>	Hard Plastics
View color swatches for items listed within this document.	Plastics/Poly	Laminates	Edge Styles	<u>Glass</u>

14

127

Heritage[™] Folding Tables (Freight Excluded)

				NUMBER				
	MODEL	SIZE	Basic Model	Laminate Color	Edge Color	Leg Color	Approx. Packaged Weight	
	Fixed Height Folding Table - Solid Core Top • High-pressure textured plastic laminate surface with bullnose edge • Apron color based on the leg color	24 x 72"	TH6				59.0#	
		24 x 96"	TH8				76.0#	
L N		30 x 60"	NH5				63.0#	
		30 x 72"	NH6				69.0#	
ſ	selected, brown goes with brown and	30 x 96"	NH8				91.0#	
HRT	 beige legs, all others will get black Legs equipped with safety lock Legs fold flat within frame for storage 	36 x 72"	WH6				77.0#	
		36 x 96"	WH8				105.0#	
	 Polypropylene feet 							
			A	₿	G	D		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect laminate color.
- Refer to the **Product Color Options** page in this price list.
- CSelect edge color.

Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

OSelect leg color. Refer to the **Product Color Options** page in this price list.

Heritage[™] Folding Tables (Freight Excluded)

Fre Ex Pri	eight cluded icing	
\$	296	
	312	
	281	
	290	
	312	
	326	
	350	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 85.

Specifications and prices are subject to change without prior notice.

Heritage[™] Folding Tables (Delivered)

	MODEL	SIZE	Basic Model	Laminate Color	Edge Color	Leg Color	Approx. Packaged r Weight
5	Fixed Height Folding Table - Solid Core	24 x 72"	TH6				59.0#
	 Top High-pressure textured plastic laminate surface with bullnose edge 	24 x 96"	TH8				76.0#
HN		30 x 60"	NH5			$\Box\Box$	63.0#
	 Apron color based on the leg color 	30 x 72"	NH6				69.0#
ſ	selected, brown goes with brown and beige legs, all others will get black	30 x 96"	NH8				91.0#
HRT		36 x 72"	WH6				77.0#
	 Legs equipped with safety lock Legs fold flat within frame for storage 	36 x 96"	WH8				105.0#
	 Polypropylene feet 						
			A	0	Θ	D	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect laminate color.
- Refer to the Product Color Options page in this price list.

Select edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

- **D**Select leg color.
- Refer to the **Product Color Options** page in this price list.

14

Heritage[™] Folding Tables (Delivered)

De	livered cing	
Pri	cing	
\$	349	
	368	
	332	
	341	
	374	
	387	
	414	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Emissary[®] Folding Tables





Emissary® (Heritage) Folding Table

Emissary® (Premier) Folding Table

Features		
Solid core top	•	
Lightweight core		•
High-pressure laminate top	•	•
Bullnose edge	•	•
General Dimensions		
Standard height	29"	29"
Width range	18 & 24"	18 & 24"
Length range	60 - 96"	60 - 96"
Adjustable height range		

SPECIFICATIONS

Table, Legs and Frames

Legs fold in pairs. Constructed of 18-gauge seam-welded tubular steel. Folding linkage, hinges, locks and fastening hardware of die-formed steel. Aprons are roll-formed for solid, 1-piece construction, fastened to top with screws.

Legs

1-1/8" O.D. steel tubing. Powder-coated legs with steel self-leveling glides.

Aprons

16-gauge, 2-1/4" die-formed steel. Powdercoated.

Table Tops

Solid Core (Heritage) Style 3/4" thick particleboard core with .030" high-pressure laminate surface and .030" backing sheet. Extruded bullnose edges are "T" shaped with serrations mechanically locked into table

with brads.

Lightweight Core (Premier) Style 5/8" thick particleboard frame with routed cellular core construction. .030" highpressure laminate surface and .030" backing sheet. Extruded bullnose edges are "T" shaped with serrations mechanically locked into table with brads.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

132

14

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Emissary[®] Folding Tables Product Color Options

Surface Finish--Laminate

Biltmore Cherry	LBT
Brighton Walnut	LBW
Castle Oak	LCO
Graphite Nebula	LGN
Kensington Maple	LKM
North Sea	LNA
White Nebula	LWL
Edge Color	
Black	EBL
Brown	EBR
Blue Grey	EGR
Sand	ESA
Warm Grey	EWG
Frame Color	
Beige	BE
Black	BL
Brown	BR
Blue Grey	GR
Sand	SA
Warm Grey	WG

Note: Apron color will be Brown (BR) on Beige and Brown frame colors. Apron color will be Black (BL) on all other frame colors.

Finish Cards	<u>Paints</u>	<u>Wood/Veneer</u>	<u>Molded Edges</u>	Hard Plastics
View color swatches for items listed within this document.	Plastics/Poly	<u>Laminates</u>	Edge Styles	<u>Glass</u>

Emissary[®] Folding Tables Product Color Options

14

Emissary[®] Folding Tables (Freight Excluded)

			MODEL NU	VIBER					
			Basic	Laminate	Edge	Leg	Glide	Approx. Packaged	
	MODEL	SIZE	Model	Color	Color	Color	Option	Weight	
	Heritage [™] Folding Table	18 x 60"	SEMH/1860				SG	40.3#	
	 Solid core tops provide great durability High-pressure plastic laminate surface 	18 x 72"	SEMH/1872				SG	47.8#	
۲ L	with bullnose edge	18 x 96"	SEMH/1896				SG	59.8#	
	 Apron color based on the leg color 	24 x 60"	SEMH/2460				SG	49.6#	
	selected, brown goes with brown and beige legs, all others will get black • Legs equipped with safety lock	24 x 72"	SEMH/2472				SG	60.3#	
SEM		24 x 96"	SEMH/2496				SG	75.8#	
	 Legs fold flat within frame for storage 								
	Steel self-leveling glides								
	Premier [®] Folding Table	18 x 60"	SEMP/1860				SG	34.7#	
	Lightweight core tops provide superior	18 x 72"	SEMP/1872				SG	39.1#	
	strengthHigh-pressure plastic laminate surface	18 x 96"	SEMP/1896				SG	48.2#	
	with bullnose edge	24 x 60"	SEMP/2460				SG	43.1#	
	 Apron color based on the leg color 	24 x 72"	SEMP/2472				SG	48.7#	
SEM	selected, brown goes with brown and	24 x 96"	SEMP/2496				SG	49.8#	
	beige legs, all others will get blackLegs equipped with safety lock								
	 Legs fold flat within frame for storage 								
	Steel self-leveling glides								
				-		-			
			A	₿	C	D	Ð		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select laminate color.
- Refer to the Product Color Options page in this price list.
- CSelect edge color.

Refer to the Product Color Options page in this price list. Edge color offerings are based on edge style selections.

- OSelect leg color. Refer to the **Product Color Options** page in this price list.

Gelect base option. SG - Steel glides

Emissary[®] Folding Tables (Freight Excluded)

Frei	ight Iuded cing	
Exc	luded	
Pric		
\$	300	
	312	
	334	
	331	
	342	
	357	

\$ 329	
341	
362	
352	
374	
400	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 85.

Specifications and prices are subject to change without prior notice.



Emissary[®] Folding Tables (Delivered)

			MODEL NUMBER						
	MODEL	SIZE	Basic Model	Laminate Color	Edge Color	Leg Color	Glide Option	Approx. Packaged Weight	
\sim	Heritage [™] Folding Table	18 x 60"	SEMH/1860				SG	40.3#	
	 Solid core tops provide great durability High-pressure plastic laminate surface with bullnose edge 	18 x 72"	SEMH/1872				SG	47.8#	
		18 x 96"	SEMH/1896				SG	59.8#	
	 Apron color based on the leg color 	24 x 60"	SEMH/2460				SG	49.6#	
	selected, brown goes with brown and beige legs, all others will get black • Legs equipped with safety lock • Legs fold flat within frame for storage • Steel self-leveling glides	24 x 72"	SEMH/2472				SG	60.3#	
SEM		24 x 96"	SEMH/2496				SG	75.8#	
\sim	Premier® Folding Table • Lightweight core tops provide superior strength • High-pressure plastic laminate surface	18 x 60"	SEMP/1860				SG	34.7#	
		18 x 72"	SEMP/1872				SG	39.1#	
		18 x 96"	SEMP/1896				SG	48.2#	
	with bullnose edge	24 x 60"	SEMP/2460				SG	43.1#	
	 Apron color based on the leg color selected, brown goes with brown and 	24 x 72"	SEMP/2472				SG	48.7#	
SEM	beige legs, all others will get black	24 x 96"	SEMP/2496				SG	49.8#	
	Legs equipped with safety lock								
	Legs fold flat within frame for storage								
	Steel self-leveling glides								
			A	0	œ	D	9		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.


Belect laminate color.

Refer to the Product Color Options page in this price list.

Select edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge

style selections. **D**Select leg color.

Refer to the Product Color Options page in this price list.



Emissary[®] Folding Tables (Delivered)

D	elivered ricing	
P	icing	
\$	358	
	372	
	388	
	384	
	398	
	416	

\$ 391	
408	
435	
417	
448	
477	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



DuraLite[®] Lightweight Folding Tables

A

Rectangular Top

Round Top

Honeycomb cellular core••High-impact ABS surface••Corner protection covers••Aluminum framework••
Corner protection covers••Aluminum framework••
Aluminum framework • •
Adjustable legs
General Dimensions
Height range 29" 29"
Width range 30" 60 - 72"
Length range 60 - 96" 60 - 72"



Honeycomb Core

- A. Honeycomb core
- B. Sonically welded edges
- C. Molded corner covers
- D. Aluminum beam structure E. Aluminum leg plate attached to
- aluminum beam
- F. .080" thick co-extruded ABS top shell
- G. .095" thick co-extruded ABS bottom shell
- H. Edge extrusion

SPECIFICATIONS

Table Top

The top is composed of a .080" thick, high impact Lustran 752 ABS top shell, internal core, internal framework and .095' thick high impact Lustran 752 ABS bottom shell, chemically bonded together. Edges of top and bottom shell are ultrasonically welded together to form a fully enclosed unit that cannot separate and is impervious to moisture seepage. Top thickness is 2-3/8". The 3/4" thick table edge accepts standard industry skirt clips and is protected by a polypropylene edge bumper which allows for rigorous use and ensures a smooth, snag-free edge.

ABS top and bottom shells are supplied in a "flatline haircell" texture which provides the optimal combination of concealment to scratches.

The undersurface is clean and smooth for better appearance and discourages collec-

tion of gum or other undesirable materials.

Four black rubber stacking bumpers are attached to the underside of each table top to protect table surfaces when stacked, and to keep loads from shifting on table caddies.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Internal Framework

Extruded aluminum channels create a framework around the entire perimeter of the top and are joined at the corners with a molded, high-impact polycarbonate corner reinforcing bracket. Unique aluminum leg attachment brackets attach directly to the aluminum side channels, creating superior strength.

Internal Core

3/4" thick honeycomb cellular core is chemically bonded under pressure to the top and bottom shells creating excellent rigidity and strength with minimum added weight.

Corner Protection Covers

Rectangular table corners are protected by an exclusive high-impact polycarbonate corner cover. These are field-replaceable to allow table corners to be "freshened up" in case of damage from misuse or abuse.

Table Legs

Fixed height legs are constructed of 18-gauge, 1-1/8" o.d., seam-welded tubular steel with a non-marring polyethylene glide. Folding linkage, hinges, locks and fastening hardware are of heavy-duty die-formed steel. The leg lock is a gravity operated C-shape designed to prevent binding in the leg mechanism during the folding process. Leg uprights are attached to the inverse-U shaped lower section by "fish-mouthing" the uprights to match the curvature of the lower section tubing and are securely welded together. Metal-to-metal leg attachment to table top ensures durability and allows for sure and easy leg replacement, if necessary. Legs and mechanisms are furnished in a

high quality black electrostatically applied and baked on enamel finish.



INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com BL

Top Color - ABS Hard Plastic				
Blue Grey	TGR			
Sand	TSA			
Walnut	TWA			

Walnut available on rectangular only.

Frame Color

Black

Finish Cards	Paints	Wood/Veneer	<u>Molded Edges</u>	Hard Plastics
View color swatches for items listed within this document.	Plastics/Poly	Laminates	Edge Styles	<u>Glass</u>

DuraLite[®] Lightweight Folding Tables Product Color Options

143

DuraLite[®] Lightweight Folding Tables (Freight Excluded)

				MODEL NUMBER			
	MODEL	SIZE	Basic Model	Top Color	Frame Color	Approx. Packaged Weight	
	Rectangular Tables, Fixed Height	30 x 60"	DL3060		BL	41.0#	
	Temp rating for the top is 180 degree F	30 x 72"	DL3072		BL	43.0#	
		30 x 96"	DL3096		BL	52.0#	
r M							
U							
DLT							
	Round Tables, Fixed Height Temp rating for the top is 180 degree F 	60" Diameter	DLR60		BL	58.0#	
		72" Diameter	DLR72		BL	71.0#	
Ŭ							
DLT							
			۵	0	G		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select top color. Includes top and bottom shell and edge band.

Refer to the **Product Color Options** page in this price list.

CSelect frame color.

BL - Black Refer to the **Product Color Options** page in this price list.

Fre Ex Pri	eight cluded icing	
\$	324	
	369	
	447	
\$	558	
	727	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

145

Shipping Ships assembled, FOB Tupelo

Ships assembled, FOB Tupelo, MS 38804, freight excluded. Freight class 85.

DuraLite[®] Lightweight Folding Tables (Delivered)

				MODEL NUMBER			
	MODEL	SIZE	Basic Model	Top Color	Frame Color	Approx. Packaged Weight	
	Rectangular Tables, Fixed Height	30 x 60"	DL3060		BL	41.0#	
	Temp rating for the top is 180 degree F	30 x 72"	DL3072		BL	43.0#	
		30 x 96"	DL3096		BL	52.0#	
R I							
l							
DLT							
	Round Tables, Fixed Height	60" Diameter	DLR60		BL	58.0#	
$\langle \rangle$	• Temp rating for the top is 180 degree F	72" Diameter	DLR72		BL	71.0#	
()))							
Ű							
DLT							
			A	0	œ		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select top color. Includes top and bottom shell and edge band.

Refer to the **Product Color Options** page in this price list.

CSelect frame color.

BL - Black Refer to the **Product Color Options** page in this price list.

DuraLite[®] Lightweight Folding Tables (Delivered)

De Pri	livered cing	
\$	437	
	515	
	549	
\$	650	
	839	

SPECIAL SERVICES

Special Carton Marking

change without prior notice.

With specially marked information N/C

Shipping Ships assembled, FOB Tupelo, MS 38804, freight prepaid. Freight class 85.

Specifications and prices are subject to

ValueLite[®] Folding Tables

General Information



ValueLite® Rectangle Top

ValueLite® Round Top

Features		
Blow molded top	•	•
Folding frames	•	•
Steel framework	•	•
Round legs	•	•
General Dimensions		
Height	29"	29"
Width range	30"	48, 60, 71"
Length range	60 - 96"	48, 60, 71"
Stack height	2-1/8" - 2-1/4"	3-5/8"

SPECIFICATIONS

Table Top

The top is composed of high density polyethylene. The blow molded top is seamless, eliminating the possibility of separation. Added UV inhibitors prevent fading and maintain appearance. The polyethelyne tops are resistent to stains and easy to clean.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Rectangle Table Legs

Fixed height legs are constructed of 19 ga. 1-1/8" tubing O.D., seam-welded tubular steel with non-marring feet. Folding linkage, hinges, locks and fastening hardware are of heavy-duty die-formed steel. The gravity operated chain link leg lock puts 200% more material at the point of stress. Leg brace below the bend is stronger than common u-shaped legs.

Round Table Legs

Fixed height legs are constructed of 19 ga. 1-1/4" tubing O.D., seam-welded tubular steel with non-marring feet with snap lock legs.

Legs and mechanisms are furnished in a high quality, black hammertone powder coat finish.

148

14

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

ValueLite[®] Folding Tables (Freight Excluded)

			MODEL NUMBER		
				Approx.	
	MODEL	SIZE	Basic Model	Packaged Weight	
		30 x 60"	VL.3060.BL.WH	30.0#	
	 For indoor and outdoor use Top constructed of lightweight blow 	30 x 72"	VL.3072.BL.WH	35.0#	
H A	molded high density polyethylene plastic	30 x 96"	VL.3096.BL.WH	48.0#	
Γ '	with added UV inhibitors				
•	 Seam-welded tubular steel legs fold within the frame 				
HRDPT	Safety lock				
	Frame and legs have a black hammer-				
	tone powder coat finishPolypropylene feet				
	 Top thickness is 1-7/8" 				
	Dermit Tables	40" Diamatar		04.0#	
	For the design of stated and the second	48" Diameter	VL.48R.BL.WH	34.0#	
PIVI	 Top constructed of lightweight blow 	60" Diameter	VL.60R.BL.WH VL.71R.BL.WH	53.0#	
	molded high density polyethylene plastic with added UV inhibitors	71" Diameter	VL./IK.BL.Wn	73.0#	
	 Seam-welded tubular steel legs fold 				
HRDPT	within the frame				
ר זטאוו	Snap lock legs Frame and legs have a black hammer				
	 Frame and legs have a black hammer- tone powder coat finish 	/			
	Polypropylene feet				
	Storage caddy KTR9 holds - 12 ea Top thickness is 1 7/8"				
	 Top thickness is 1-7/8" 				
		L	•	1	

0

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

ValueLite[®] Folding Tables (Freight Excluded)

Freight Excluded Pricing	
Excluded	
Pricing	
\$ 146	
166	
223	

14

\$ 202	
313	
436	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Tupelo, MS 38804, freight excluded. Freight class 70.

ValueLite[®] Folding Tables (Delivered)

			MODEL NUMBER		
	MODEL	SIZE	Basic Model	Approx. Packaged Weight	
	Rectangle Tables	30 x 60"	VL.3060.BL.WH	30.0#	
	 For indoor and outdoor use Top constructed of lightweight blow 	30 x 72"	VL.3072.BL.WH	35.0#	
H A	 rop constructed of lightweight blow molded high density polyethylene plastic with added UV inhibitors 	30 x 96"	VL.3096.BL.WH	48.0#	
.)	 Seam-welded tubular steel legs fold within the frame 				
HRDPT	 Safety lock Frame and legs have a black hammer- 				
	tone powder coat finishPolypropylene feet				
	 Top thickness is 1-7/8" 				
		101 Di ster		01.0"	
	 Round Tables For indoor and outdoor use 	48" Diameter	VL.48R.BL.WH	34.0#	
TVTY	 Top constructed of lightweight blow 	60" Diameter	VL.60R.BL.WH	53.0#	
	molded high density polyethylene plastic	71" Diameter	VL.71R.BL.WH	73.0#	
	with added UV inhibitors Seam-welded tubular steel legs fold 				
-	within the frame				
HRDPT	 Snap lock legs Frame and legs have a black hammer- 				
	tone powder coat finish				
	Polypropylene feet Sterrore coddy KTP0 holds 10 cc				
	 Storage caddy KTR9 holds - 12 ea Top thickness is 1-7/8" 				
			•		

Ø

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model. Indicate the following information on order

form: 1. Quantity of each item.

- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: $\hfill \hfill \hfill$ required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

ValueLite[®] Folding Tables (Delivered)

Del Prio	ivered cing	
\$	280	
	309	
	359	

14

359
437
539

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Tupelo, MS 38804, freight prepaid. Freight class 70.

Folding Table Storage and Accessories





Vertical Storage Caddy (KTV68)

Horizontal Storage Caddy (KTH6)

Features		
Rectangular or square table storage	•	•
Standard beige enamel finish	•	•
Stackable for storage	•	•
Capacity	9 (8 for Premier® / 8 for Emissary®)	10 (7 for Emissary®)
General Dimensions		
Length	78"	78"
Width	26-5/8"	26-5/8"
Height from floor	28-1/8"	32"
Casters	4"	4"

SPECIFICATIONS

KTV and KTH Table Caddy Frames

Uni-welded construction with all components welded into an integral unit. 16-gauge, 1-1/2" x 4-1/2" angle steel side members with 2-1/4" x 7" channel steel cross members. 18-gauge, 1-1/8" o.d. tubular removable endposts and sideposts.

KTR9 Table Caddy Frame

14-gauge, 1" x 2" seam-welded tubular steel frame welded into an integral unit. Tubular steel table supports of 1-1/8" o.d., 18-gauge seam-welded tubular steel; removable.

Table Caddy Wheels

Black phenolic wheels with roller bearings; 2 fixed and 2 swivel. KTV and KTH have 4" wheels; KTR9 has 5" wheels. (Not recommended for wood floors.)

Enamel

Nonchipping enamel is electostatically applied, then baked; alkyd urea formula.

Folding Table Storage and Accessories



Horizontal Storage Caddy (KTH8)

Vertical Storage Caddy (KTR9)

Features		
Rectangular or square table storage	•	•
Standard beige enamel finish	•	•
Stackable for storage	•	•
Capacity	10 (7 for Emissary®)	8 (10 for Duralite®)
General Dimensions		
Length	99-3/8"	55-1/4"
Width	26-5/8"	32-5/8"
Height from floor	32"	44-3/4"
Casters	4"	5"

4

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Folding Table Storage and Accessories

Enamel Color			
Beige	BE		
Frame Color			
Beige	BE		
Black	BL		
Brown	BR		
Blue Grey	GR		
Sand	SA		
Warm Grey	WG		

Folding Tables Replacement feet

Finish Cards	<u>Paints</u>	Wood/Veneer	<u>Molded Edges</u>	Hard Plastics
View color swatches for items listed within this document.	Plastics/Poly	Laminates	Edge Styles	<u>Glass</u>

157

Folding Table Storage and Accessories (Freight Excluded)

			MODE	L NUMBE	R	
	MODEL	WxL	Basic Model	Enamel Color	Base	Approx. Packaged Weight
U D D D D D D D D D D D D D D D D D D D	 Folding Table Vertical Storage Caddy Capacity: 9 tables (8 for Premier® / 8 for Emissary®) For 6' or 8' rectangular or square table storage Four 4" wheels: 2 fixed, 2 swivel for maneuverability 28-1/8" high from floor empty Sideposts are removable for stacking empty caddies Beige enamel finish standard (additional colors available at an upcharge) 	26-5/8 x 78"	KTV68	BE		70.0#
 ق ق ر ر TCAD	 Folding Table Horizontal Storage Capacity: 10 tables (7 for Emissary[®]) For 6' or 8' rectangular or square table storage Four 4" wheels: 2 fixed, 2 swivel for maneuverability 32" high from floor empty Endposts are removable for stacking empty caddies Beige enamel finish standard (additional colors available at an upcharge) 	26-5/8 x 78" 26-5/8 x 99-3/8"	KTH6 KTH8	BE		53.0# 68.0#
TCAD	 Folding Table Vertical Storage Caddy Capacity: 8 Tables (10 for DuraLite[®]) For 4', 5' or 6' diameter round table storage Four 5" wheels: 2 fixed, 2 swivel for maneuverability 44-3/4" high from floor empty Endposts are removable for stacking empty caddies Beige enamel finish standard (additional colors available at an upcharge) Maximum weight 880 lbs. 	32-5/8 x 55-1/4*	KTR9	BE		63.0#
			A	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect enamel finish.

BE - Beige Refer to the **Product Color Options** page in this price list.

Celect base option.

C - Standard wheels SC - All swivel wheels; add \$23



Folding Table Storage and Accessories (Freight Excluded)

Freig Excl Prici	nt ded						
Prici	Ig						
\$	516						
•	444						
\$	411 447						
•							
\$	/14						

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight excluded. Freight class 85.

Folding Table Storage and Accessories (Freight Excluded)

			MODEL NU	MBER		
	MODEL	Features	Basic Model	Frame Color	Approx. Packaged Weight	
	Round Folding Legs	30"W and 36"W Solid and Honeycomb	87.0111.P		15.0#	
HRDPT	 1-1/8" round tubular steel Enamel finish 	24"W	87.0126.P		15.0#	
	 Polypropylene feet 					
	Hardware included					
	Wishhong Folding Logs	48", 60" Round	87.0010.P		18.0#	
HRDPT	 Enamel finish 	40,00 nouliu	07.0010.F		10.0#	
	Polypropylene feetHardware included					
HRDPT	Replacement Feet for Tables 1-1/8" diameter Beige is standard color/offered in Black 	Cap Style Foot	NN.06.0001	BE	0.0#	
	also					
	Replacement Feet for Tables		06.0019	BE	0.0#	
HRDPT	 1" diameter polypropylene feet Beige only 					
			۵	6		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is
 - required. ● The absence of the □ indicates that
 - no choice is required. • Alpha-numeric characters in place of
 - □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select frame color. Refer to the Product Color Options page in this price list.



Folding Table Storage and Accessories (Freight Excluded)

Frei	aht
Excl	ght Iuded
Pric	ing
\$	66
	76
\$	154
Ŷ	
\$	1
\$	1

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down_EOB

Ships **knocked down, FOB Bonduel, WI** 54107, freight excluded. Freight class 85.

Folding Table Storage and Accessories (Delivered)

			MODE	NUMBE	R	
						Approx.
	MODEL	WxL	Basic Model	Enamel Color	Base	Packaged Weight
	Folding Table Vertical Storage Caddy	26-5/8 x 78"	KTV68	BE		70.0#
	Capacity: 9 tables (8 for Premier® / 8 for					
	Emissary [®]) • For 6' or 8' rectangular or square table					
ს ნ	storage					
	 Four 4" wheels: 2 fixed, 2 swivel for maneuverability 					
	 28-1/8" high from floor empty 					
TTTT	 Sideposts are removable for stacking 					
	empty caddiesBeige enamel finish standard (additional					
TCAD	colors available at an upcharge)					
	Folding Table Horizontal Storage	26-5/8 x 78"	KTH6	BE		53.0#
	 Capacity: 10 tables (7 for Emissary[®]) 	26-5/8 x 99-3/8"	KTH8	BE		68.0#
	 For 6' or 8' rectangular or square table storage 					
U U	 Four 4" wheels: 2 fixed, 2 swivel for maneuverability 					
	 32" high from floor empty Endposts are removable for stacking					
r r	empty caddies					
	Beige enamel finish standard (additional colors available at an upcharge)					
TCAD	colors available at an aponal goy					
	Folding Table Vertical Storage Caddy	32-5/8 x 55-1/4"	KTR9	BE		63.0#
	 Capacity: 8 Tables (10 for DuraLite[®]) 					
	 For 4', 5' or 6' diameter round table storage 					
	 Four 5" wheels: 2 fixed, 2 swivel for 					
	maneuverability					
TCAD	 44-3/4" high from floor empty Endposts are removable for stacking 					
	empty caddies					
	 Beige enamel finish standard (additional colors available at an upcharge) 					
	 Maximum weight 880 lbs. 					
	-					
						1
			A	•	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect enamel finish.

BE - Beige Refer to the **Product Color Options** page in this price list.

Select base option. C - Standard wheels

C - Standard wheels SC - All swivel wheels; add \$23



Folding Table Storage and Accessories (Delivered)

Deli	vered
Pric	ing
\$	633
\$	522
	571
\$	893

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Folding Table Storage and Accessories (Delivered)

			MODEL NU	MBER		
	MODEL	Features	Basic Model	Frame Color	Approx. Packaged Weight	
	Round Folding Legs	30"W and 36"W Solid and Honeycomb	87.0111.P		15.0#	
HRDPT	 1-1/8" round tubular steel Enamel finish 	24"W	87.0126.P		15.0#	
	 Polypropylene feet 					
	Hardware included					
		101 001 0			10.0%	
	 Wishbone Folding Legs 1" round tubular steel 	48", 60" Round	87.0010.P		18.0#	
HRDPT	Enamel finish			_		
	Polypropylene feetHardware included					
	Replacement Feet for Tables	Cap Style Foot	NN.06.0001	BE	0.0#	
HRDPT	1-1/8" diameterBeige is standard color/offered in Black					
	also					
	Replacement Feet for Tables		06.0019	BE	0.0#	
HRDPT	1" diameter polypropylene feetBeige only					
			A	ß		l

HOW TO ORDER

Indicate the following information on order form:

- form: 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- 5. Any special service required
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select frame color. Refer to the **Product Color Options** page in this price list.



Folding Table Storage and Accessories (Delivered)

Deliv Prici	vered ing
\$	100
	111
\$	198
\$	1
\$	1

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Index

Model No.	Description	Page
06.0019	Replacement Feet for Tables	160
87.0010.P	Wishbone Folding Legs	160
87.0111.P	Round Folding Legs	160
DL3060	Rectangular Tables, Fixed Height	144
DLR60	Round Tables, Fixed Height	144
KTH6	Folding Table Horizontal Storage	158
KTR9	Folding Table Vertical Storage Caddy	158
KTV68	Folding Table Vertical Storage Caddy	158
NN.06.0001	Replacement Feet for Tables	160
RP5	Round Folding Table - Solid Core Top	120
SEMH/1860	Heritage [™] Folding Table	136
SEMP/1860	Premier [®] Folding Table	136
TH6	Fixed Height Folding Table - Solid Core Top	128
TP6	Fixed Height Folding Table - Lightweight Core Top	120
UCB8	Convertible Bench	110
UF084/CX	Rectangular Table with Stool Seats: Rectangular Table with	
	Stools - Thermoset Hard Plastic	12
UF084/PY	Rectangular Table with Stool Seats: Rectangular Table with	
	Stool Seats - Polypropylene	10
UF08BE	Rectangular Table with Benches: Rectangular Table with Benches	6
UF12SB	Rectangular Table with Split Benches: Rectangular Table with	
	Split Benches	8
UFHX4	Hexagonal Table: Hexagonal Table - Without Seating	46
UF0C5	Octagonal Table: Octagonal Table - Without Seating	48
UFOV66	Oval Table: Oval Table - Without Seating	42
UFRD4	Round Table: Round Table - Without Seating	40
UFRD58/CX	Round Table with Stool Seats: Round Table with Stool Seats -	
	Thermoset Hard Plastic	28
UFRD58/PY	Round Table with Stool Seats: Round Table with Stool Seats -	
	Polypropylene	26
UFRD5SB	Round Table with Split Benches: Round Table with Split Benches	24
UFRT08	Rectangular Table: Rectangular Table - Without Seating	38
UFSQ4	Square Table: Square Table - Without Seating	44
UFSU4	Round Stand-up Height Table: Round Stand-up Height Table -	
	Without Seating	50
VL.3060.BL.WH	Rectangle Tables	150
VL.48R.BL.WH	Round Tables	150
WAUF126/CX	Rectangular Table with Stool Seats: WA Rectangular Table w/	
	Stools - Thermoset Hard Plastic	72
WAUF126/PY	Rectangular Table with Stool Seats: WA Rectangular Table with	
	Stool Seats - Polypropylene	70
WAUF12BE	Rectangular Table with Benches: Wheelchair Accessible	
	Rectangular Table with Benches	68
WAUFHX4	Hexagonal Table: Wheelchair Accessible Hexagonal Table -	
	Without Seating	90
WAUFOC5	Octagonal Table: Wheelchair Accessible Octagonal Table -	
	Without Seating	92
WAUFOV66	Oval Table: Wheelchair Accessible Oval Table - Without Seating	86
WAUFRD4	Round Table: Wheelchair Accessible Round Table - Without Seating	84
WAUFRT08	Rectangular Table: Wheelchair Accessible Rectangular Table -	
	Without Seating	82
WAUFSQ4	Square Table: Wheelchair Accessible Square Table - Without Seating	88

ΚI

| 330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 | -800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11487R2/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.