

Prices effective September 3, 2019 Published September 2019

## Canvas Office Landscape®

#### Beam

Introduction	page 2
Canvas Office Landscape Beam	3
Structure	5
Surfaces	25
Screens	33
Indices	41
By Name	41
By Number	43
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Keyed-Alike Information	
Vary Easy Program	
Stain-to-Match Program	
Canvas Office Landscape Connectors and Covers Matrix	
For the latest materials information, refer to the Materials pages on	HermanMiller.com.

#### A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

### Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

#### Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

#### The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

This book is effective September 3, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.

All prices are list prices in US Dollars. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

#### 20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.


Products and options designated by an  $\boxed{\mathbb{A}}$  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

#### Canvas Office Landscape® Beam-Based

Structure

Surfaces

Screens



#### Description

This beam attaches to support components and other beams to create the horizontal structure for supporting surfaces in double-sided beam applications. It has a center trough for routing power and data, back-to-back hinged access doors, and a center accessory channel. The trough accommodates modular or hard-wired electrical components. The doors run the entire length of the beam and provide access to the concealed receptacles and data outlets in the trough. The accessory channel allows attachment of an optional beam-attached screen. Receptacle covers, data outlet covers, surface cantilevers, and surface attachment hardware are included.

#### Notes

Specify 60"-deep option (60) for use with 30"-deep surfaces. Specify 72"-deep option (72) for use with 36"-deep surfaces.


Beam sections of any width can be connected with in-line beam connector (FW123.) to create a run up to 24' long.

48"- and 60"-wide beam sections include 1 surface cantilever per side. 72"- and 96"-wide beam sections include 2 surface cantilevers per side. For hard-wired electrical, components must be customer supplied.

Order the following products separately:

- Beam accessory channel trim strip (FW124.)
- Glass screen, beam-attached (FW410.)
- End Support, open (FW130.)
- In-line beam connector (FW123.)
- Mid-run support, closed (FW132.)
- Mid-run support, open (FW133.)
- Power harness (FW150.)
- ullet Squared-edge rectangular surface, end position (FW210.)
- Squared-edge rectangular surface, middle position (FW211.)

FW12	20. A	
Step	2. Assembled Table Depth	
60	60" deep 🖪	
72	72" deep 🗚	
Step	3. Width	
48	48" wide 🛕	
60	60" wide 🛕	
72	72" wide 🛕	
96	96" wide 🗚	
Sten	4. Power/Data Access	
Step		
A	continuous access doors A	
A		
A	continuous access doors 🛽	A
A Price	continuous access doors 🛽	
A Price	s for Steps 1-4.	\$2420
A Price	s for Steps 1-4.	\$2420 \$2904
A Price	s for Steps 1-4. 20. 60 48 60	\$2420 \$2904 \$3417
A Price	s for Steps 1-4.  20.60 48 60 72	\$2420 \$2904 \$3417 \$4320
A Price	continuous access doors A s for Steps 1-4. 20.60 48 60 72 96	\$2420 \$2904 \$3417 \$4320 \$2548
A Price	continuous access doors A s for Steps 1-4. 20. 60 48 60 72 96 72 48	\$2420 \$2904 \$3417 \$4320 \$2548 \$3031
A Price	continuous access doors A s for Steps 1-4. 20. 60 48 60 72 96 72 48 60	\$2420 \$2904 \$3417 \$4320 \$2548 \$3031 \$3547
A Price	continuous access doors A s for Steps 1-4.  20. 60 48 60 72 96 72 48 60 72	\$2420 \$2904 \$3417 \$4320 \$2548 \$3031 \$3547 \$4450



#### Description

This beam attaches to support components and other beams to create the horizontal structure for supporting surfaces in single-sided beam applications. It has a trough for routing power and data, hinged access doors, and an accessory channel. The trough accommodates modular or hard-wired electrical components. The doors run the entire length of the beam and provide access to the concealed receptacles and data outlets in the trough. The accessory channel allows attachment of an optional beam-attached screen. Receptacle covers, data outlet covers, surface cantilevers, and surface attachment hardware are included.

#### Notes

Specify 30"-deep option (30) for use with 30"-deep surfaces. Specify 36"-deep option (36) for use with 36"-deep surfaces.

Beam sections of any width can be connected to create a run up to 24'

48"- and 60"-wide beam sections include 1 surface cantilever. 72"- and 96"-wide beam sections include 2 surface cantilevers.

For hard-wired electrical, components must be customer supplied.

Order the following products separately:

In-line beam connector (FW123.)

End Support, open (FW130.)

Mid-run support, closed (FW132.)


Mid-run support, open (FW133.)

Power harness (FW150.)


Squared-edge Rectangular Surface, End Position (FW210.)

Squared-edge Rectangular Surface, Middle Position (FW211.)

Beam Accessory Channel Trim Strip (FW124.)



Spec	cification Information	
Step 1.		
FW12	21. A	
Step	2. Assembled Table Depth	
30	30" deep 🛕	
36	36" deep A	
Step	3. Width	
48	48" wide A	
60	60" wide A	
72	72" wide 🛕	
96	96" wide 🖪	
Step	4. Power/Data Access	
Α	continuous access doors A	
Prices	s for Steps 1-4.	
		A
FW12	21.30 48	\$2185
	60	\$2623
	72	\$3088
	96	\$3903
	36 48	\$2248
	60	\$2684
	72	\$3152
	96	\$3964
	5. Access Door/Accessory Channel Finish	
AN	clear anodized aluminum A	+\$0
Step	6. Back Panel Finish	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BK	black 🖪	+\$0
G1	graphite [A]	+\$0
MS	metallic silver A	+\$0
WL	sandstone A	+\$0




#### Description

This connector joins two single-sided or double-sided beam sections in-line to create longer beam lengths. Attachment hardware and a ganging plate for securing adjacent surfaces are included.

#### Notes

Order the following products separately:

- Beam section, double-sided (FW120.)
- Beam section, single-sided (FW121.)




Speci	fication Information	
Step 1		
FW123	3. A	
	_	
Step 2	. Type	
S	for single-sided beam section A	
D	for double-sided beam section [A]	
Prices	for Steps 1-2.	
FW123	3. S	\$202
	D	\$202

# Trim Strip, Beam Accessory Channel

FW124.

Canvas Office Landscape® Structure



#### Product Information

#### Description

This aluminum trim strip can be used to fill an unused section of the beam accessory channel. It can be field cut to the desired length.

#### Notes

Trim strip does not need to match the width of the beam section.

Dimensions




# Step 1. FW124. A Step 2. Length

48 48" long A
60 60" long A
72" long A
96 96" long A

Prices for Steps 1-2.	
FW124.48	\$116
60	\$139
72	\$162
96	\$207
Sten a Surface Finish	

Step 3.	Surface Finish	
AN	clear anodized aluminum A	+\$o




#### Description


This support attaches to either end of a single-sided or double-sided beam run and has glides that provide 2" of leveling adjustment. A power/data trough end cap and attachment hardware are included.

#### Notes

For appropriate planning and stability requirements, see Canvas Planning Guide.

#### Dimensions









#### Specification Information

#### Step 1.

**FW130.** A

#### Step 2. Depth

**30L** 30" deep single-sided, left-hand A

**30R** 30" deep single-sided, right-hand A

**36L** 36" deep single-sided, left-hand A

**36R** 36" deep single-sided, right-hand A

60\$ 60" deep double-sided, non-handed A

72° deep double-sided, non-handed A

#### Step 3. Power/Data Access


A for use with beam with access doors A

Prices for Steps 1-3.	
	A
FW130.30L	\$1477
30R	\$1477
36L	\$1531
36R	\$1531
60\$	\$1559
72S	\$1614

Step 4. Leg Body/Horizontal Cross Bar Finish		
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
BK	black A	+\$o
G1	graphite A	+\$o
MS	metallic silver A	+\$o
WL	sandstone A	+\$o

Step 5	. Leg Face Finish	
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
AN	clear anodized aluminum A	+\$20
BK	black A	+\$o
G2	graphite satin A	<b>+</b> \$o
MS	metallic silver A	<b>+</b> \$o
WL	sandstone A	<b>+</b> \$o

Step 6.	Power/Data Trough End Cap Finish	
AN	clear anodized aluminum A	+\$0



#### Description

This support attaches between end supports on double-sided beam runs greater than 12' long and has glides that provide 2" of leveling adjustment. Attachment hardware is included.


#### Notes

Support can attach to beam sections in 6" intervals.

Power/Data cannot be routed through the support.

For appropriate planning and stability requirements, see Canvas Planning Guide.

#### Dimensions



#### Specification Information

Step 1.

**FW133.** A

#### Step 2. Depth

- **S** for single-sided beam section A
- **D** for double-sided beam section [A]

Prices for Steps 1-2.	
FW133. S	\$1038
D	\$918

Step	3. Support Body Finish	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BK	black 🖪	+\$0
G1	graphite A	+\$0
MS	metallic silver A	+\$0
WL	sandstone A	+\$0
Cton	/ Cunnart Eaca Einich	
Step.	4. Support Face Finish	
80	folkstone grey A	+\$0

Step 2	1. Support race rillish	
8Q	folkstone grey A	<b>+</b> \$o
91	white A	<b>+\$</b> 0
98	studio white A	<b>+\$</b> 0
BK	black A	<b>+</b> \$o
G2	graphite satin A	<b>+</b> \$o
MS	metallic silver 🖪	<b>+</b> \$o
WL	sandstone A	<b>+</b> \$o
AN	clear anodized aluminum 🛕	+\$20

8Q


91

folkstone grey A

white A

**+\$**o

**+\$**o



#### Product Information


#### Description

This support attaches between end supports on double-sided beam runs greater than 12' long. It can be specified with or without the ability to route power/data inside the support from the floor to the beam section. The support has glides that provide 2" of leveling adjustment. Attachment hardware is included.

#### Notes

Support can attach to beam sections in 6" intervals.


For appropriate planning and stability requirements, see Canvas Planning Guide.



Spe	Specification Information		
Step	1.		
FW1	32. A		
Step	2. Depth		
S	for single-sided beam section [A]		
D	for double-sided beam section A		
Step	3. Power		
Р	powered A		
N	nonpowered A		

Prices for Steps 1-3.		
	P	N
FW132. S	\$863	863
D	\$755	755
Step 4. Support Body Finish		

98	studio white A	+\$o
BK	black A	+\$o
G1	graphite A	+\$o
MS	metallic silver A	+\$o
WL	sandstone A	+\$o
Step 5	. Support Face Finish	
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
BK	black A	+\$o
G2	graphite satin A	+\$o
MS	metallic silver A	+\$o
WL	sandstone A	+\$o
AN	clear anodized aluminum A	+\$20



#### Description

This harness converts a nonpowered beam section to a powered beam section. It distributes up to 4 20-amp circuits and provides receptacle locations on both sides. The harness is UL listed and Canadian UL listed.

#### Notes


Match power harness width to beam section width.

48"-, 60"-, and 72"-wide harnesses provide 8 receptacle locations; 4 per side

96"-wide harnesses provide 16 receptacle locations; 8 per side.

#### Dimensions







#### Specification Information

Step 1.

**FW150.** A

#### Step 2. Configuration

**08** 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

#### Step 3. Width


**48** 48" wide A

**60** 60" wide A

**72** 72" wide A

**96** 96" wide A

Prices for Steps 1-3.				
	48	60	72	96
FW150.08	\$251	293	333	456
10	\$289	336	384	524





#### Description


This power jumper is used to connect power harnesses in adjacent beam sections. It connects into the end of each harness without consuming any receptacle locations. The power jumper is UL listed and Canadian UL listed.

#### Notes

Specify 8-wire jumper to connect 8-wire power harnesses. Specify 10-wire jumper to connect 10-wire power harnesses.







#### Description

This power entry connects a building's electrical supply from a wall, floor, or column to a powered beam. It enters through a powered closed mid-run support or a floor power entry cover and routes into the underside of a beam section. The power entry plugs into a receptacle location on a power harness and includes a cable that can be field cut to the appropriate length. It is UL listed and Canadian UL listed.

#### Notes

A licensed electrician must wire the power entry.

#### Dimensions





#### Specification Information

Step 1.

**FW140.** A

#### Step 2. Configuration

**08** 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

#### Step 3. Length

12


**06** 6' long A

12' long A

**18** 18' long A

**24** 24' long A

Prices for Steps 1-3.				
	06	12	18	24
FW140.08	\$191	263	321	380
10	\$219	304	369	437




#### Description

This power entry connects a building's electrical supply from a wall, floor, or column to a powered beam. It includes a junction box and harness. The junction box can be located inside a powered closed mid-run support or a floor power entry cover. The modular harness routes into the underside of a beam section and plugs into a receptacle location on a power harness. It is UL listed and Canadian UL listed.


#### Notes

A licensed electrician must wire the power entry.

#### Dimensions



# Specification Information Step 1. FW141. A Step 2. Configuration 08 8-wire, 4-circuit, shared neutral A 10 10-wire, 4-circuit, separate neutrals A Prices for Steps 1-2. FW141. 08 \$351 10 \$403




#### Description


This cover is used to conceal a floor power entry from the floor to the underside of a beam section. It has a removable panel on 1 side to provide easy access to the interior. Attachment hardware is included.

#### Notes

Cover does not provide support for beam sections.

#### Dimensions





#### Specification Information

Step 1.


FW143. A

#### Step 2. Type

- **S** for single-sided beam section A
- **D** for double-sided beam section [A]

Prices for Steps 1-2.	
FW143. S	\$409
D	\$420

Step	3. Support Body Finish	
8Q	folkstone grey A	+\$0
91	white A	<b>+</b> \$o
98	studio white A	<b>+</b> \$o
BK	black A	<b>+</b> \$o
G1	graphite A	<b>+</b> \$o
MS	metallic silver A	<b>+</b> \$o
WL	sandstone A	+\$0





Description

This receptacle locks into the power harness of a beam. It is UL listed and Canadian UL listed.

Package contains 6 receptacles.

#### Dimensions





#### Specification Information

Step 1.


**FW152.** A

Step 2.	Туре
AN	8-wire duplex, shared neutral, circuit a A
BN	8-wire duplex, shared neutral, circuit b A
CN	8-wire duplex, shared neutral, circuit c A
DN	8-wire duplex, shared neutral, circuit d A
AG	8-wire duplex, shared neutral, circuit a, isolated ground A
BG	8-wire duplex, shared neutral, circuit b, isolated ground A
CG	8-wire duplex, shared neutral, circuit c, isolated ground A
DG	8-wire duplex, shared neutral, circuit d, isolated ground A
1N	10-wire duplex, separate neutrals, circuit 1 A
2N	10-wire duplex, separate neutrals, circuit 2 A
3N	10-wire duplex, separate neutrals, circuit 3 A
4N	10-wire duplex, separate neutrals, circuit 4 A
1G	10-wire duplex, separate neutrals, circuit 1, isolated ground A
2G	10-wire duplex, separate neutrals, circuit 2, isolated ground $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
3G	10-wire duplex, separate neutrals, circuit 3, isolated ground $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
4G	10-wire duplex, separate neutrals, circuit 4, isolated ground $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$

Prices for Steps 1-2.	
FW152. AN	\$158
BN	\$158
CN	\$158
DN	\$158
AG	\$158
BG	\$158
CG	\$158
DG	\$158
1N	\$158
2N	\$158
3N	\$158
4N	\$158
1 <b>G</b>	\$158
2G	\$158
3G	\$158
4G	\$158

Step 3.	Finish	
91	white A	+\$0
BK	black 🗚	+\$0

# Controlled Receptacle, 4-Circuit, FW152M 15 Amp




#### Product Information

#### Description

This receptacle is to be used for ASHRAE90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. The receptacle locks into the power harness of a beam. Package contains 6 receptacles. It is UL listed and Canadian UL listed.

#### Dimensions



#### Specification Information

Step 1.

**FW152M.** A


Step 2	. Туре
AN	8-wire duplex, shared neutral, circuit a A
BN	8-wire duplex, shared neutral, circuit b A
CN	8-wire duplex, shared neutral, circuit c A
DN	8-wire duplex, shared neutral, circuit d A
AG	8-wire duplex, shared neutral, circuit a, isolated ground A
BG	8-wire duplex, shared neutral, circuit b, isolated ground A
CG	8-wire duplex, shared neutral, circuit c, isolated ground A
DG	8-wire duplex, shared neutral, circuit d, isolated ground A
1N	10-wire duplex, separate neutrals, circuit 1 A
2N	10-wire duplex, separate neutrals, circuit 2 A
3N	10-wire duplex, separate neutrals, circuit 3 A

4N 10-wire duplex, separate neutrals, circuit 4 A
 1G 10-wire duplex, separate neutrals, circuit 1, isolated ground A
 2G 10-wire duplex, separate neutrals, circuit 2, isolated ground A
 3G 10-wire duplex, separate neutrals, circuit 3, isolated ground A

46 10-wire duplex, separate neutrals, circuit 4, isolated ground A

Prices for Steps 1-2.	
FW152M. AN	\$158
BN	\$158
CN	\$158
DN	\$158
AG	\$158
BG	\$158
CG	\$158
DG	\$158
1N	\$158
2N	\$158
3N	\$158
4N	\$158
1 <b>G</b>	\$158
2G	\$158
3G	\$158
4G	\$158

Step 3.	Finish		
91	white	A	+\$o
BK	black	A	+\$o



#### Description

This receptacle snaps into a 8-wire, 4-circuit, shared neutral power harness or a 10-wire, 4-circuit, separate neutral power harness to provide power to equipment with a 20-amp standard plug head or cap. It also accepts 15-amp standard plug heads or caps. The receptacle is UL listed; includes 1 receptacle.

#### Notes

Avoid overloading circuit by ensuring total connected load does not exceed 16 amps. If 1 piece of equipment requires all available power, do not use receptacle's second outlet or install additional receptacles on that circuit. In many cases, equipment requiring this receptacle will use all available power.

#### Dimensions





#### Specification Information

Step 1.


**FW153.** A

Step 2	z. Type
AN	8-wire duplex, shared neutral, circuit a A
BN	8-wire duplex, shared neutral, circuit b A
AG	8-wire duplex, shared neutral, circuit a, isolated ground A
BG	8-wire duplex, shared neutral, circuit b, isolated ground A
1N	10-wire duplex, separate neutrals, circuit 1 A
2N	10-wire duplex, separate neutrals, circuit 2 A
1 <b>G</b>	10-wire duplex, separate neutrals, circuit 1, isolated ground A
2G	10-wire duplex, separate neutrals, circuit 2, isolated ground A

FW153. AN	\$42
BN	\$42
AG	\$42
BG	\$42
1N	\$42
2N	\$42
1G	\$42
2G	\$42

Step 3.	Finish	
ВК	black A	+\$0

# Controlled Receptacle, 4-Circuit, FW153M 20 Amp



#### Product Information


#### Description

This receptacle is to be used for ASHRAE90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. This receptacle snaps into an 8-wire, 4-circuit, shared neutral power harness or a 10-wire, 4-circuit, separate neutral power harness to provide power to equipment with a 20-amp standard plug head or cap. It also accepts 15-amp standard plug heads or caps. Package contains 1 receptacle. Receptacle is UL listed.

#### Notes

Avoid overloading circuit by ensuring total connected load does not exceed 16 amps. If 1 piece of equipment requires all available power, do not use receptacles second outlet or install additional receptacles on that circuit. In many cases, equipment requiring this receptacle will use all available power.

#### Dimensions



#### Specification Information

#### Step 1.

2G

**FW153M.** A

#### Step 2. Type

AN	8-wire duplex, shared neutral, circuit a 🔼
BN	8-wire duplex, shared neutral, circuit b
AG	8-wire duplex, shared neutral, circuit a, isolated g

AG 8-wire duplex, shared neutral, circuit a, isolated ground A 8-wire duplex, shared neutral, circuit b, isolated ground A


1N 10 wire, separate neutrals, circuit 1 A
2N 10 wire, separate neutrals, circuit 2 A

16 10-wire duplex, separate neutrals, circuit 1, isolated ground A

10-wire duplex, separate neutrals, circuit 2, isolated ground A


Prices for Steps 1-2.	
FW153M. AN	\$42
BN	\$42
AG	\$42
BG	\$42
1N	\$42
2N	\$42
1G	\$42
2G	\$42

Step 3.	. Finish	
ВК	black A	+\$o




Description

This decal is to be used for ASHRAE90.1 and Title 24 compliance. The decal is used to mark standard receptacles (new or existing) that are under automated control by the energy management system. 1 sheet includes 12 clear decals with white or black print.



Specif	ication Information	
Step 1.		
G9999.	A	
Step 2.	Color	
В	black print A	
W	white print A	
		_
Prices f	or Steps 1-2.	
G9999.	В	\$9
	W	\$9

#### Dual USB Charging Module, 2 Amp



#### Product Information


#### Description


This dual USB charging module locks into the power harness of the Canvas beam. Total output for both USB ports combined is 10 watts. The charging module is powered by circuit a for the 8-wire, and circuit 1 for the 10-wire.

#### Notes

The USB outlets can charge 2 devices at one time, rated 2 amps (10 watts) or less. It can charge 1 tablet and 1 phone, or 2 phones, at once. Maximum rating for both ports combined is 10 watts.

#### Dimensions







#### Specification Information

#### Step 1.

FW15U.

**FW15U.** A

#### Step 2. Configuration


8-wire, 4-circuit, shared neutral A
10-wire, 4-circuit, separate neutrals A

#### Prices for Steps 1-2.

FW15U.08 \$141 10 \$141

#### Step 3. Finish

Sand	Texture Paint	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$o
BK	black 🖪	+\$o
CL	cool grey neutral A	+\$o
G1	graphite [A]	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	<b>+\$</b> o



#### Description


This surface is supported by the beam structure and support components. It is used at the end of a beam run and provides a 3" overhang at the end of the run. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, or veneer top and edge. There is a  $\frac{1}{2}$ " gap at the back of the surface for cord passage into the power/data trough.

Surface supports and attachment hardware are included with beam section (FW120. or FW121.), ordered separately.

Surface width does not need to match beam width.

Actual depth of 30"-deep surface is 24". Actual depth of 36"-deep surface is 30". The actual surface depth accommodates the 6"-deep power/data access doors at the back edge of the surface to create the overall depth of 30" and 36".

#### **Dimensions**





#### Specification Information

Step 1.

FWS10E. A

Step 2	. Depth	
30	30" deep	Α

36

36" deep A

#### Step 3. Width

51" wide 🛕 51

57 57" wide A

63 63" wide A

69 69" wide A

75 75" wide 🛕 81 81" wide A

87 87" wide A

93 93" wide A

99 99" wide 🛕

#### Step 4. Surface Material

For 51" wide (51), 57" wide (57), 63" wide (63), 69" wide (69), 75" wide (75), 81" wide (81), 87" wide (87), or 93" wide (93)

laminate top/thermoplastic edge A

W veneer A

laminate top/universal edge [A]

#### For 99" wide (99)

laminate top/thermoplastic edge A

#### Step 5. Power/Data Access

for use with access door [A]

Prices for Steps 1-5.			
	LA	WA	UA
FWS10E. 30 51	\$295	559	287
57	\$346	641	335
63	\$386	740	375
69	\$417	801	417
75	\$458	879	458
81	\$500	952	500
87	\$554	1025	554
93	\$571	1070	571
99	\$594	_	_

Step 6.


36 51	\$379	707	369
57	\$434	811	434
63	\$494	912	479
69	\$539	1020	539
75	\$597	1126	597
81	\$637	1195	637
87	\$685	1263	685
93	\$723	1325	723
99	\$757	_	_

Top Finish
For laminate top/thermoplastic edge (L) or laminate top/universal edge
(U)

(0)		
8Q	folkstone grey A	+\$0
91	white A	+\$o
98	studio white A	+\$o
CL	cool grey neutral A	+\$o
HF	inner tone light A	+\$o
нт	inner tone A	+\$o
LU	soft white A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o
76	light brown walnut A	+\$o
нм	natural maple A	+\$o
HP	light anigre A	+\$o
нх	aged cherry A	+\$o
HY	walnut on cherry A	+\$o
LA	light ash A	+\$o
LBA	clear on ash A	+\$o
LBR	phantom ecru A	+\$o
LBS	phantom cocoa A	+\$o
LBU	medium matte walnut A	+\$o
LBV	warm grey teak 🛕	+\$o
LBB	oak on ash A	+\$o
LBC	walnut on ash A	+\$o
LBD	dark brown walnut A	+\$o
LBE	medium red walnut A	+\$o
LBF	neutral twill 🖪	+\$o
LBG	sarum twill A	+\$o
LBH	earthen twill A	+\$o
LBJ	graphite twill A	+\$o
LBQ	white twill A	+\$o
LBM	crisp linen A	+\$o
LBN	classic linen A	+\$o
LBP	casual linen 🖪	+\$o

Top/Ed	lge Finish: Wood Veneer	
For ver	neer (W)	
2U	light brown walnut 🖪	+\$85
40	dark brown walnut A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
EW	medium matte walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash 🛕	+\$85
EV	walnut on ash A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Step 7	7. Edge Finish	
For la	minate top/thermoplastic edge (L)	
76	light brown walnut 🛕	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
LA	light ash 🛕	+\$0
LBA	clear on ash 🛕	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBD	dark brown walnut 🛕	+\$0
LBE	medium red walnut 🛕	+\$0
LBF	neutral twill A	<b>+\$</b> 0
LBG	sarum twill 🛕	+\$0
LBH	earthen twill A	<b>+\$</b> 0
LBJ	graphite twill A	<b>+\$</b> 0
LBK	pewter mesh A	<b>+\$</b> 0
LBL	steel mesh 🛕	<b>+\$</b> 0
LBM	crisp linen 🛕	<b>+\$</b> 0
LBN	classic linen 🖪	+\$0
LBP	casual linen 🖪	+\$0
LBQ	white twill A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral 🛕	+\$0
HF	inner tone light 🛕	+\$0
нм	natural maple A	+\$0
HP	light anigre 🛕	+\$0
HT	inner tone A	+\$0
нх	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LU	soft white A	+\$0
For la	minate top/universal edge (U)	
PLY	plywood edge 🛕	+\$50



#### Description

This surface is supported by the beam structure and support components. It is used in a middle position of a beam run. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, or veneer top and edge. There is a  $^{1}/_{2}$ " gap at the back of the surface for cord passage into the power/data trough.

#### Notes

Surface supports and attachment hardware are included with beam section (FW120. or FW121.), ordered separately.

Surface width does not need to match beam width.

Actual depth of 30"-deep surface is 24". Actual depth of 36"-deep surface is 30". The actual surface depth accommodates the 6"-deep power/data access doors at the back edge of the surface to create a combined depth of 30" and 36".

#### Dimensions





#### Specification Information

Step 1.

FWS10M. A

Ste	p 2.	De	nth

**30** 30" deep A

**36** 36" deep A

#### Step 3. Width

**48** 48" wide A

**4** 54" wide 🗚

**60** 60" wide A

**66** 66" wide A

**72** 72" wide A

**78** 78" wide A

**84** 84" wide A

**90** 90" wide A

**96** 96" wide A

#### Step 4. Surface Material

L laminate top/thermoplastic edge A

**W** veneer A

U laminate top/universal edge A

#### Step 5. Power/Data Access


**A** for use with access door A

Prices for Steps 1-5.			
	LA	WA	UA
FWS10M. 30 48	\$285	549	277
54	\$334	630	325
60	\$374	708	364
66	\$418	789	405
72	\$448	868	448
78	\$489	940	489
84	\$544	1014	544
90	\$559	1060	559
96	\$584	1090	584
36 48	\$369	697	358
54	\$423	801	423
60	\$481	902	468
66	\$528	1010	528
72	\$587	1116	587
78	\$626	1184	626
84	\$675	1253	675
90	\$712	1313	712
96	\$747	1375	747

Step t	<b>.</b>	
Top Fi	nish	
For la	minate top/thermoplastic edge (L) or lamina	nte top/universal edge
(U)		
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
CL	cool grey neutral A	+\$o
HF	inner tone light A	+\$o
HT	inner tone A	+\$o
LU	soft white A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral 🛕	+\$o
76	light brown walnut 🛕	+\$o
нм	natural maple A	+\$o
HP	light anigre 🛕	+\$o
нх	aged cherry A	+\$o
HY	walnut on cherry A	+\$o
LA	light ash 🛕	+\$o
LBA	clear on ash 🛕	+\$o
LBR	phantom ecru A	+\$o
LBS	phantom cocoa A	+\$o
LBU	medium matte walnut A	+\$o
LBV	warm grey teak 🛕	+\$o
LBB	oak on ash 🛕	+\$o
LBC	walnut on ash 🛕	+\$o
LBD	dark brown walnut 🛕	+\$o
LBE	medium red walnut 🛕	+\$o
LBF	neutral twill A	+\$o
LBG	sarum twill 🛕	+\$o
LBH	earthen twill A	+\$o
LBJ	graphite twill A	+\$o
LBQ	white twill A	<b>+</b> \$o
LBM	crisp linen 🖪	+\$o
LBN	classic linen 🖪	+\$o
LBP	casual linen 🖪	+\$o

Top/Ed	ge Finish: Wood Veneer	
For ven	eer (W)	
2U	light brown walnut 🛕	+\$85
40	dark brown walnut A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
EW	medium matte walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Step 7	7. Edge Finish	
For la	minate top/thermoplastic edge (L)	
76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
LA	light ash 🖪	+\$c
LBA	clear on ash A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak 🛕	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBD	dark brown walnut A	+\$0
LBE	medium red walnut [A]	+\$0
LBF	neutral twill A	+\$0
LBG	sarum twill 🛕	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh 🛕	+\$0
LBL	steel mesh 🛕	+\$0
LBM	crisp linen 🛕	+\$0
LBN	classic linen 🛕	+\$0
LBP	casual linen 🛕	+\$0
LBQ	white twill A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral 🛕	+\$0
HF	inner tone light A	+\$0
нм	natural maple A	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
нх	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LU	soft white A	+\$0
• • • • • • • • • • • • • • • • • • • •	minate top/universal edge (U)	
PLY	plywood edge 🛕	+\$50




Description

This surface can be attached to the end of a double-sided beam run to support collaboration and provide additional surface space. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, or veneer top and edge.

 $Surface\ supports\ and\ attachment\ hardware\ are\ included.$ 

Dimensions





#### Specification Information Step 1. **FWS37.** A Step 2. Depth 24" deep 🛕 Step 3. Width 60 60" wide A 72 72" wide 🛕

		L	W	U
Prices	for Steps 1-4.			
U	laminate top/universal edge A			

laminate top/thermoplastic edge [A]

Step 4. Surface Material


veneer A

W

Prices for Steps 1-4.			
	L	W	U
FWS37.24 60	\$699	1025	680
72	\$764	1185	764

Step 5	5.	
Top Fi	nish	
For la	minate top/thermoplastic edge (L) or lamir	nate top/universal edge
(U)		
28	canyon A	+\$0
29	misted A	+\$0
38	twilight A	+\$0
39	desert A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light 🛕	+\$0
HT	inner tone A	+\$0
LT	light tone A	+\$0

	LA	light ash A	+\$o	LBB	oak on ash 🛕	+\$o
	LBA	clear on ash A	+\$o	LBC	walnut on ash 🛕	+\$o
	LBR	phantom ecru A	+\$o	LBD	dark brown walnut 🛕	+\$o
	LBS	phantom cocoa A	+\$o	LBE	medium red walnut 🔼	+\$0
	LBU	medium matte walnut A	+\$o	LBF	neutral twill 🖪	+\$0
	LBV	warm grey teak A	+\$0	LBG	sarum twill A	+\$0
	LBB	oak on ash A	+\$0	LBH	earthen twill A	+\$0
	LBC	walnut on ash A	+\$0	LBJ	graphite twill A	+\$0
	LBD	dark brown walnut A	+\$0	LBK	· · · · · · · · · · · · · · · · · · ·	+\$0
	LBE		+\$0	LBL	pewter mesh A	
		medium red walnut A			steel mesh A	+\$0
	OG	honey maple A	+\$0	LBM	crisp linen A	+\$0
	LBF	neutral twill A	+\$o	LBN	classic linen A	+\$o
	LBG	sarum twill A	<b>+\$</b> 0	LBP	casual linen 🖪	+\$0
	LBH	earthen twill A	+\$o	LBQ	white twill A	+\$0
	LBJ	graphite twill A	+\$o	WL	sandstone A	<b>+</b> \$0
	LBQ	white twill A	+\$o	WN	warm grey neutral 🛕	+\$o
	LBM	crisp linen A	+\$o	HF	inner tone light A	+\$o
	LBN	classic linen A	+\$o	HM	natural maple A	+\$o
	LBP	casual linen A	+\$o	HP	light anigre A	+\$o
				HT	inner tone A	+\$o
	Top/Ed	dge Finish: Wood Veneer		нх	aged cherry A	+\$0
		neer (W)		HY	walnut on cherry A	+\$0
	2U	light brown walnut [A]	+\$85	LU	soft white A	+\$0
	40	dark brown walnut A	+\$85	X1	chalk white A	+\$0
	ED	aged cherry A	+\$85	28	canyon A	+\$0
	EK	medium red walnut A	+\$85	29	misted A	+\$0
	EW			BU		
		medium matte walnut A	+\$85		black umber A	+\$0
	ET	clear on ash A	+\$85	MT	medium tone A	+\$0
	EU	oak on ash A	+\$85	LT	light tone A	+\$o
	EV	walnut on ash A	+\$85	38	twilight A	+\$o
	UL	natural maple A	+\$85	39	desert A	+\$0
	UX	walnut on cherry A	+\$85	WA	wheat A	+\$0
,				CO	chamomile A	+\$0
	Step 6.	. Edge Finish		CM	cinnamon A	+\$o
				N3	cool grey A	<b>+</b> \$0
	For lan	ninate top/thermoplastic edge (L)		SG	slate grey A	+\$o
	76	light brown walnut 🛕	+\$o	JB	millwork cherry A	+\$o
	8Q	folkstone grey A	+\$o	G2	graphite satin A	+\$o
	91	white A	+\$o	9V	tapestry beige A	+\$o
	98	studio white A	+\$o	8Z	neutral grey A	+\$o
	CL	cool grey neutral A	+\$o	OG	honey maple A	+\$o
	LA	light ash A	+\$o	LM	mahogany A	+\$0
	LBA	clear on ash 🛕	+\$o			
	LBR	phantom ecru A	+\$0	For lar	ninate top/universal edge (U)	
	LBS	phantom cocoa A	+\$0	PLY	plywood edge A	+\$50
	LBU	medium matte walnut A	+\$0	- <b>-</b> -	1. 1/ · · · · · · · · · · · · · · · · · ·	.400
	LBV	warm grey teak A	+\$0			
	_5 4	main Sicy team [n]	rψO			



#### Description

This tackable fabric screen attaches into the accessory channel of a single- or double-sided beam section to provide visual privacy with a tackable surface. Bayonets attach into the center channel and extend up for attachment. Attachment hardware included.

#### Notes

Screen has concealed attachment method and can attach anywhere along the length of beam section or can span multiple beam sections within a run.

To align screens in a run and fill light gap between screens, order connection hardware (FW416.) separately.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

14-1.17

18-1.43

For horizontal fabric direction (R):

Width-Yardage

30-1.14

36-1.32


48-1.71

60-2.07

72-2.46

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

#### Dimensions



#### Specification Information

Step 1.

**FW415.** A

Step 2. Height

**14** 13<sup>1</sup>/<sub>2</sub>" high A

18 17<sup>1</sup>/<sub>2</sub>" high A

#### Step 3. Width

**30** 30" wide A

**36** 36" wide A

**48** 48" wide A

**60** 60" wide A

**72** 72" wide A

#### Step 4. Surface Material

For 30" wide (30), 36" wide (36), or 48" wide (48)

**R** tackable fabric, horizontal A

T tackable fabric A

D..: - - - f - .. C+ - . -

For 60" wide (60) or 72" wide (72)

**R** tackable fabric, horizontal A

Prices for Steps 1-4.		
	R	Т
FW415.14 30	\$850	850
36	\$855	855
48	\$892	892
60	\$903	_
72	\$971	_
18 30	\$871	871
36	\$882	882
48	\$950	950
60	\$971	_
72	\$1140	_


#### Step 5. Fabric

For 30" wide (30), 36" wide (36), or 48" wi	ide (48)
Price Category C	+\$128
Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$42
Price Category 4	+\$73

For 60" wide (60) or 72" wide (72)	
Price Category C	+\$128
Price Category 1	<b>+\$</b> o
Price Category 2	+\$31
Price Category 3	+\$73
Price Category 4	+\$127
Price Category E	+\$195

#### Connection Hardware, Pari Screen, Beam-Attached


FW416.




#### Product Information

Description

This steel piece slides between 2 beam-attached Pari screens to provide alignment and to fill the light gap at the bottom of the screen connection point. Package of 3.



Spe	cification Information		
Step	1.		
FW41	16. A		
Step	2. Configuration		
1	spacer A		
Step	3. Height		
42	42" high 🖪		
46	46" high A		
Price	s for Steps 1-3.		
		42	46
FW41	16.1	\$82	88
Step	4. Finish		
MS	metallic silver A		+\$o



#### Description

This tackable fabric screen attaches into the accessory channel of a single- or double-sided beam section to provide visual privacy with a tackable surface. Bayonets attach into the center channel and extend up for attachment. Attachment hardware included.

#### Notes

Screen has concealed attachment method and can attach anywhere along the length of beam section or can span multiple beam sections within a run.

To align screens in a run and fill light gap between screens, order connection hardware (FW416.) separately.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

14-1.17

18-1.43

For horizontal fabric direction (R):

Width-Yardage

30-1.14

36-1.32


48-1.71

60-2.07

72-2.46

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

#### Dimensions



#### Specification Information

Step 1.

FW417.

#### Step 2. Height

**14** 13<sup>1</sup>/<sub>2</sub>" high

**18** 17<sup>1</sup>/<sub>2</sub>" high

#### Step 3. Width

**30** 30" wide

36" wide

**48** 48" wide

**60** 60" wide

**72** 72" wide

#### Step 4. Surface Material

#### For 30" wide (30), 36" wide (36), or 48" wide (48)

R tackable fabric, horizontal


T tackable fabric

#### For 60" wide (60) or 72" wide (72)

**R** tackable fabric, horizontal

Prices for Steps 1-4.		
	R	T
FW417.14 30	\$428	428
36	\$453	453
48	\$478	478
60	\$580	_
72	\$654	_
18 30	\$448	448
36	\$479	479
48	\$536	536
60	\$649	_
72	\$823	_

Step 5. Fabric					
	30	36	48	60	72
Price Category C	+\$102	102	102	186	186
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$18	18	18	31	31
Price Category 3	+\$42	42	42	73	73
Price Category 4	+\$73	73	73	127	127
Price Category E	+\$o	0	0	0	0



## Product Information

#### Description


This glass screen attaches into the accessory channel of a single- or double-sided beam section to provide visual privacy. It has a concealed attachment method and can attach anywhere along the length of the beam section, or can span multiple beam sections within a run. Attachment hardware is included.

## Notes

For no infill for customers own insert (NN), custom insert can be 0.221" - 0.26" thick and up to  $17^{1}/_{2}$ " high. Recommended materials are glass, acrylic, laminate, wood or materials that will remain straight over time.

#### Dimensions





# Specification Information

#### Step 1.

**FW410.** A

## Step 2. Height

**14** 13<sup>1</sup>/<sub>2</sub>" high A

18 17<sup>1</sup>/<sub>2</sub>" high A

#### Step 3. Width

**30** 30" wide A

**36** 36" wide A

**48** 48" wide A

**60** 60" wide A

72 72" wide A
96 96" wide A


#### Step 4. Surface Finish

TR clear A

**5A** opal etched A

NN no glass- for customer's own glass A

Prices for Steps 1-4.			
	TR	5A	NN
FW410.14 30	\$338	464	208
36	\$366	526	225
48	\$434	648	251
60	\$502	806	284
72	\$560	922	315
96	\$677	1130	347
18 30	\$362	543	208
36	\$395	615	225
48	\$471	757	251
60	\$560	923	284
72	\$618	1074	315
96	\$751	1344	347



## Product Information

#### Description


This laminate screen attaches into the accessory channel of a single- or double-sided beam section to provide visual privacy. Bayonets attach into the center channel and extend up for attachment. Attachment hardware included.


## Notes

Screen has concealed attachment method and can attach anywhere along the length of beam section or can span multiple beam sections within a run.

To align screens in a run, order connection hardware (Y1121.) separately.

## Dimensions





## Specification Information

Step 1.

FW419.

Ste	n 2.	He	igh	t
Jic	V 2.	110	1511	u

**14** 13<sup>1</sup>/<sub>2</sub>" high

**18** 17<sup>1</sup>/<sub>2</sub>" high

#### Step 3. Width

**30** 30" wide

**36**" wide

**48** 48" wide

**60** 60" wide

**72** 72" wide

## Step 4. Surface Material

L laminate

**U** laminate/universal edge

Prices for Steps 1-4.		
	L	U
FW419.14 30	\$329	329
36	\$360	360
48	\$390	390
60	\$421	421
72	\$452	452
18 30	\$383	383
36	\$413	413
48	\$444	444
60	\$474	474
72	\$556	556

#### Step 5. Grain Direction

For 30	" wide (30), 36" wide (36), 48" wide (48), o	r 60" wide (60)
VTG	vertical grain	<b>+\$</b> 0
HRG	horizontal grain	+\$o
For 72	" wide (72)	
	horizontal grain	+\$o

Step 6. Surface Finish

white

light brown walnut

folkstone grey

76

8Q

91

98	studio white	+\$o
CL	cool grey neutral	+\$o
HM	natural maple	+\$o
HP	light anigre	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	<b>+</b> \$0
LBR	phantom ecru	<b>+</b> \$0
LBS	phantom cocoa	<b>+</b> \$0
LBU	medium matte walnut	<b>+</b> \$0
LBV	warm grey teak	<b>+</b> \$0
LU	soft white	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$0
Step 7	. Edge Finish	
For lar	ninate (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0

**+**\$0

**+**\$o

**+**\$o

ΗY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	<b>+\$</b> o
LBG	sarum twill	<b>+\$</b> o
LBH	earthen twill	<b>+\$</b> o
LBJ	graphite twill	<b>+\$</b> o
LBK	pewter mesh	<b>+\$</b> o
LBL	steel mesh	<b>+\$</b> o
LBM	crisp linen	<b>+\$</b> o
LBN	classic linen	<b>+\$</b> o
LBP	casual linen	<b>+\$</b> o
LBQ	white twill	<b>+\$</b> o
LU	soft white	<b>+\$</b> o
MT	medium tone	<b>+\$</b> o
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	+\$0
For lar	minate/universal edge (U)	
PLY	plywood edge	+\$50

HermanMiller

Canvas Office Landscape® Beam-Based	
Beam Section, Double-Sided	page(s) 5
Beam Section, Single-Sided	7
Connection Hardware, Pari Screen, Beam-Attached	35
Controlled Receptacle, 4-Circuit, 15 Amp	20
Controlled Receptacle, 4-Circuit, 20 Amp	22
Controlled Receptacle Decal (12 per sheet)	23
Dual USB Charging Module, 2 Amp	24
End Support, Open	11
Flat Edge Screen, Beam Attached	36
Floor Power Entry Cover	18
Glass Screen, Beam-Attached	37
Harness-to-Harness Jumper	15
In-Line Beam Connector	9
Laminate Screen, Beam Attached	38
Mid-Run Support, Closed	13
Mid-Run Support, Open	12
Pari Screen, Beam-Attached	33
Power Entry, Internal Direct Connect	16
Power Entry, New York City	17
Power Harness	14
Receptacle, 4-Circuit, 15 Amp	19
Receptacle, 4-Circuit, 20 Amp	21
Rectangular Extension Surface	31
Rectangular Surface, End Position	25
Rectangular Surface, Middle Position	28
Trim Strip, Beam Accessory Channel	10

FW15U.	Dual USB Charging Module, 2 Amp	page(s) 24
FW120.	Beam Section, Double-Sided	5
FW121.	Beam Section, Single-Sided	7
FW123.	In-Line Beam Connector	9
FW124.	Trim Strip, Beam Accessory Channel	10
FW130.	End Support, Open	11
FW132.	Mid-Run Support, Closed	13
FW133.	Mid-Run Support, Open	12
FW140.	Power Entry, Internal Direct Connect	16
FW141.	Power Entry, New York City	17
FW143.	Floor Power Entry Cover	18
FW150.	Power Harness	14
******************	Harness-to-Harness Jumper	15
FW152N	Controlled Receptacle, 4-Circuit, 15 Amp	20
FW152.	Receptacle, 4-Circuit, 15 Amp	19
FW153 <i>N</i>	Controlled Receptacle, 4-Circuit, 20 Amp	22
FW153.	Receptacle, 4-Circuit, 20 Amp	21
FW410.	Glass Screen, Beam-Attached	37
FW415.	Pari Screen, Beam-Attached	33
FW416.	Connection Hardware, Pari Screen, Beam-Attached	35
FW417.	Flat Edge Screen, Beam Attached	36
FW419.	Laminate Screen, Beam Attached	38
FWS10E	Rectangular Surface, End Position	25
FWS10N	Rectangular Surface, Middle Position	28
FWS37.	Rectangular Extension Surface	31
G9999.	Controlled Receptacle Decal (12 per sheet)	23



# 20-Day or Less/Assigned Lead-Time Order Information

## 20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  $\boxed{\mathbb{A}}$  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  $\boxed{\mathbb{A}}$  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

#### **Ordering Procedure**

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

## **Shipments and Delivery**

Per Herman Miller Terms and Conditions.

#### **Changes and Cancellation**

Per Herman Miller Terms and Conditions.

HermanMiller October 2013



#### Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

For Action Office®, Ethospace®, Passage®, Quadrant®, Resolve®, and Supplemental products, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

The following products require a different lock cylinder part number. Specify UKY001-XXX for these products only; select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

A3013.

A3053.

G5180.

G5181.

G5280.

The keys provided in 232092-XXX and UKY001-XXX kits work with either cylinder type, provided the key numbers match.

For Tu<sup>®</sup> Storage, Canvas Office Landscape<sup>®</sup>, 5000 Series, and Meridian<sup>®</sup> Storage, see the following charts.

Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For Canvas overhead and lower storage units, specify as follows:

Specification Code	Part Number	Color	Lock Series	
KA	1B2JK7-XXX <sup>1</sup>	chrome	UM series 226-427	

For Canvas Metal Storage, Meridian Storage, Tu Storage, and 5000 Series desk components with pedestals, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX <sup>1</sup>	black	UM series 226-427
KA	1B2JK7-XXX <sup>1</sup>	chrome	UM series 226-427

For 5000 Series flipper door unit with bezel or credenza storage cabinet with bezel, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX <sup>1</sup>	black	UM series 226-427

#### **Key Number:**

XXX<sup>1</sup> = a key number between 226 and 427 (excluding 408 and 412)

HermanMiller April 2016

## **Program Overview**

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

#### **Accessing and Specifying Vary Easy**

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

May 2015 HermanMiller

#### Stain-to-Match Program

#### **Program Overview**

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

#### **Ordering Products with Stain-to-Match Veneers**

- Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
- 2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
- 3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to:
  - options@hermanmiller.com.
- 4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
- 5. A purchase order can then be placed.

#### Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

STA: Stain-to-Match on Recut Ash STB: Stain-to-Match on Beech STC: Stain-to-Match on Cherry

STD: Stain-to-Match on Oak

STK: Stain-to-Match on Reltech Anigre (Geiger)

STM: Stain-to-Match on Recut Mahogany

STP: Stain-to-Match on Maple

STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

HermanMiller December 2016




# Canvas Office Landscape® Connectors and Covers Matrix

Use the following matrix to confirm your connector, cover, and top cap selection based on the frame heights specified. This matrix represents a subset of the possible frame and connector applications and shows the correct connector, connector cover, and top cap to specify.

For additional applications and information, see the Canvas Office Landscape® Planning Guide.

# Legend Frames Same Height/Tallest 11" Drop in Height 22" Drop in Height Connectors 35" and 46" High Frames .46 57", 68" and 79" High Frames ·57 Covers **One Side** .1 + Required Height (Shown When 2 are Required) **Two Sides** .2 + Required Height **Three Sides** .3 + Required Height

## 2-Way, Equal-Height Frames



# Frames 35/35



# Frames 46/46



# nes 57/57




# Frames 68/68



# Frames 79/79

# 2-Way, 1 Frame 11" Lower




# Frames 46/35



# Frames 57/46




# Frames 68/57



# Frames 79/68



## 2-Way, 1 Frame 22" Lower



# Frames 57/35




# Frames 68/46



# Frames 79/57



## 3-Way, Equal-Height Frames



Frames 35/35/35


Frames 46/46/46

Frames 57/57/57

Frames 68/68/68

Frames 79/79/79

# 3-Way, 1 Frame 11" Higher




Frames 35/46/35



Frames 46/57/46




Frames 57/68/57



Frames 68/79/68



# 3-Way, 1 Frame 22" Higher




Frames 35/57/35




Frames 46/68/46

Frames 57/79/57



## 4-Way, Equal-Height Frames



Frames 35





Frames 46





Frames 57





Frames 68






Frames 79

3



## 4-Way, 2 180° Equal-Height Frames, 2 180° Frames 11" Lower




Frames 46/35/46/35

Frames 57/46/57/46


Frames 68/57/68/57

Frames 79/68/79/68

# 4-Way, 2 180° Equal-Height Frames, 2 180° Frames 22" Lower




Frames 57/35/57/35



Frames 68/46/68/46

Frames 79/57/79/57

# 4-Way, 2 90° Frames 11" Lower, 1 Frame 22" Lower



Frames 57/57/46/35

Frames 68/68/57/46

Frames 79/79/68/57

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis — Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi — Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

HermanMiller, **9**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

<sup>TM</sup> 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cosm, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Lino, Locale, Logic Mini, Logic Power Access Solutions, Live Platform, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Multiscrim, Nelson, Nevi, Overlay, Pari, Pixelated Support, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus, Vista and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 $^{\mbox{\scriptsize SM}}$  Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

 $Chemsurf \hbox{$^{\$}$ is a registered trademark of Wilsonart International.} \\$ 

Corian $\ensuremath{^{\circ}}$  is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

 $\mathsf{DACRON}^{\otimes}$  is a registered trademark of INVISTA S.a r.l.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM  $^{\! \odot}$  is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All $^{\circ}$  is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.