

GSA prices effective April 1, 2019 (based on January 7, 2019, commercial price list) Published September 2019

Workspaces

Canvas Office Landscape® Dock

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!°, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture FSC Group 71, Part 1

Contract Number: GS-03F-036DA

Contract Period: December 21, 2015 — December 20, 2020

Herman Miller, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax www.HermanMiller.com/government

Business Size: Large

1a. Special Item Numbers (SIN)

SIN 71-1

Packaged Offices

SIN 711-1

Furniture Systems

SIN 711-2

Computer Furniture

SIN 711-3

Filing and Storage Cabinets

SIN 711-11

Tables and Accessories

SIN 711-16

Upholstered Seating

SIN 711-18

Multi-Purpose Seating

SIN 711-91

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local Herman Miller representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour Furniture Project Coordinator: \$49.00 per hour Build-Out Project Manager: \$80.00 per hour

SIN 711-93

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour, which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis. This SIN may only be used with the purchase of new product under SIN 711-1.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 711-94

Design/Layout

Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$65 per hour.

SIN 711-95

Installation Services

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions: Installation will be performed during normal weekday working

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

SIN 711-96

Leasing

Contact Herman Miller participating government dealer for current leasing information.

SIN 711-99

New Product Introductions

HermanMiller for Government June 2019

continued

SIN 711-500

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local Herman Miller representative to discuss the appropriate use of this SIN.

1b. Lowest Priced Model

SIN 711-1:	G9999.B	\$9
SIN 711-2:	6-5-D	\$40
SIN 711-3:	L29P.15	\$11
SIN 711-11:	DT9A.	\$39
SIN 711-16:	OA401	\$43
SIN 711-18:	AS90598	\$51
SIN 711-99:	BVP3.S	\$12

1c. Not applicable

2. Maximum Order

SIN 711-1, SIN 711-2

\$500,000 net product value

SIN 711-3, SIN 711-11

\$300,000 net product value

SIN 711-16, SIN 711-18

\$200,000 net product value

SIN 711-93

\$150,000

SIN 711-94

\$150,000

SIN 711-95

\$150,000

SIN 711-96

\$500,000 net product value

SIN 711-99

\$50,000 net product value

SIN 711-500

\$100,000

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan Spring Lake, Ottawa County, Michigan

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 711-1

Product: Selected Action Office 1, Action Office 2, C-Style Overhead Storage, Ethospace System, Quadrant Pedestals, Supplemental Products, Tu Pedestals, and approved Herman Miller Options

Products.

Standard Lead Time	Single Order Net Purchase	Discount From list
	\$100 - 250,000	73.8%
	\$250,001 - 500,000	76.8%

SIN 711-1

Product: Selected Nevi™ Tables, Renew™ Tables, Renew Link and

approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	73.8%

SIN 711-1

Product: Selected Motia® Tables, and approved Herman Miller Options Products

Standard Single Order Discount
Lead Time Net Purchase From List
\$100 - 500,000 73.8%

SIN 711-1

Product: Tu Wood Pedestals and approved Herman Miller Options Products

Standard Single Order Discount Lead Time Net Purchase From List \$100 - 300,000 74.3%

SIN 711-1

Product: Selected Canvas Office Landscape (Beam, Channel, Dock, Group, Metal Storage, Private Office, Vista, Wall, and Wood Storage) and approved Herman Miller Options Products

StandardSingle OrderDiscountLead TimeNet PurchaseFrom List\$100 - 500,00074.8%

June 2019 HermanMiller for Government

continued

SIN 711-1

Product: Selected Layout Studio® and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	60.7%

SIN 711-1

Product: Selected Meridian Pedestals and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	64.2%

SIN 711-1

Product: Selected Thrive Portfolio and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	62%
	\$250,001 - 500,000	66.4%

SIN 711-2

Product: Approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	58.7%

SIN 711-3

Product: Meridian Laterals, Towers, and Storage products and approved Herman Miller Options Products

Standard	Single Order	Discount F	rom List	Towers &
Lead Time	Net Purchase	Laterals	Verticals	Storage
	\$100 - 300,000	67.3%	66.3%	62.7%

SIN 711-3

Product: Tu Lateral Files, Tu Storage, Tu Towers, Tu Wood Cases, Tu Wood Cubbies, Tu Wood Credenzas, Tu Wood Towers, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 300,000	74.3%

SIN 711-11

Product: Selected Tables and Accessories and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Avive® Tables	\$100 - 250,000	72.8%
	\$250,001 - 500,000	74.8%
Herman Miller Eames® Tables	\$100 - 250,000	73.6%
	\$250,001 - 300,000	77.6%
Everywhere™ Tables	\$100 - 300,000	72.8%

SIN 711-16

Product: Swoop upholstered seating products and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Plex® Lounge Furniture	\$100 - 200,000	59.5%
Swoop™	\$100 - 200,000	60.7%

SIN 711-18

Product: Selected Seating and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Aeron [®]	\$100 - 200,000	64.5%
Aside®	\$100 - 200,000	64.2%
Caper®	\$100 - 200,000	61.5%
Celle®	\$100 - 200,000	59.7%
Cosm™	\$100 - 200,000	61.7%
Embody®	\$100 - 200,000	59.7%
Keyn	\$100 - 200,000	57.7%
Lino™	\$100 - 200,000	63.7%
Mirra® 2	\$100 - 200,000	61.7%
Sayl®	\$100 - 200,000	62.2%
Setu®	\$100 - 200,000	59.7%
Verus™	\$100 - 200,000	63.7%

SIN 711-99

Product: Selected Exclave®, Locale®, Public Office Landscape®, Resolve® System, and approved Herman Miller Options Products

Resolve System, and approved	ed Herman Miller Options Froducts				
Standard	Single Order	Discount			
Lead Time	Net Purchase	From List			
Exclave	\$100 - 50,000	61.7%			
Intent Solution	\$100 - 50,000	58.7%			
Locale	\$100 - 50,000	63.7%			
Public Office Landscape	\$100 - 50,000	61.7%			
Resolve System	\$100 - 50,000	69.8%			

HermanMiller for Government June 2019

continued

7. Quantity Discounts

Reference item #6.

8. Payment Term

Net 30 days

Government Commercial Credit Card

- Government commercial credit cards are accepted below the micropurchase threshold.
- Government commercial credit cards are accepted above the micropurchase threshold.

10. Foreign Items

None

11. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact Herman Miller or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

12. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

13. Ordering Address

a. Herman Miller, Inc.,

Government Customer Care 0161

855 East Main Avenue

Zeeland MI 49464.

 For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (www.fss.gsa.gov/schedules).

14. Payment Address.

Herman Miller, Inc. 22764 Network Place Chicago, IL 60673-1227

15. Warranty

Herman Miller, Inc., commercial warranty applies.

16. Export Packing Charge

Prices supplied on request.

17. Terms and Conditions of Government Purchase Card Acceptance

(any thresholds above the micropurchase level)
None.

18. Rental Maintenance and Repair Terms

Not applicable

10. Terms and Conditions of Installation

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

continued

20. Terms and Conditions of Repair Parts

Not applicable

21. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

22. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/government.

23. Preventive Maintenance

Not applicable

24a. Special Attributes.

2018

Herman Miller receives the Corporation of the Year—Consumer Products award from the Michigan Minority Supplier Development Council

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

As one of the top-scoring companies in the industry for the four-teenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and received the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair won the 2018 Best of NeoCon Gold Award in the Ergonomic Seating Category, the Interior Design HiP Award in the Ergonomic Seating Category, and a #MetropolisLikes Award. Cosm also won Mix Interiors "Product of the Year—Task" award.

For the 11th consecutive year, Herman Miller received a perfect score on the Corporate Equality Index and we were designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly their LGBT-related policies and practices.

2017

Herman Miller was named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller has received a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award.

Herman Miller has earned the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller named one of the Best and Brightest in Wellness for the fifth year in a row.

Working Mother magazine has recognized Herman Miller as one of the 2017 Working Mother 100 Best Companies.

Herman Miller earned our tenth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in our industry for the thirteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and received the Bronze Class distinction for our excellent economic, environmental, and social sustainability performance.

Herman Miller has once again earned the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience.

2016

Herman Miller was recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC). This award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (fifth consecutive year) recognized Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability.

Herman Miller has been recognized by the Michigan Minority Supplier Development Council (MMSDC), as a "Corporation of the Year", and we also received a "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council. Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Spot Stools from Herman Miller Collection receive Interior Design HiP Award for Hospitality Seating at NeoCon 2016.

HermanMiller for Government June 2019

continued

Herman Miller has been named a 2020 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for twelfth consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

2015

Herman Miller earns ninth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2016 Corporate Equality Index and we were designated as Best Place to Work for LGBT equality.

This is the fourth consecutive year that Herman Miller was named one of Michigan's Best and Brightest Sustainable Companies.

Herman Miller has received the Best and Brightest in Wellness Award for the third year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller received the Forest Stewardship Council (FSC) Leadership Award for longstanding commitment to manufacturing with wood sourced from responsibly managed forests, which reduces environmental impacts by protecting against deforestation and forest degradation.

Herman Miller accepted its second Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller has once again been recognized for its commitment to best-in-class economic, environmental, and societal sustainability, earning a spot on the prestigious Dow Jones Sustainability Index (DJSI) for the twelfth consecutive year. We are the only contract furniture company recognized globally for its corporate sustainability leadership.

Herman Miller selected for inclusion in the 2015 RobecoSAM Sustainability Yearbook; awarded Bronze Class distinction for excellent sustainability performance for the second consecutive year.

Herman Miller received a Michigan Business Pollution Prevention (MBP3) Certificate – a recognition given by the Michigan Department of Environmental Quality (MDEQ) to organizations committed to environmental stewardship, conservation, and sustainable operations. This basic partnership with the MDEQ, which we've maintained since 1998, makes us eligible for our Clean Corporate Citizen (CCC) status that began in 2004 and our Environmental Leader status, which we received for the first time this past year.

MedAssets named Herman Miller Healthcare as Platinum Suppliers. MedAssets, a large group purchasing organization, helps providers enhance operational and financial performance so they can sustainably serve the needs of their community.

Herman Miller honored with five of 20 spots for the Michigan Environmental Leaders Award by the Michigan Department of Environmental Quality for our outstanding, voluntary environmental stewardship.

Renew Sit-to-Stand tables recognized on Record Products 2014 list by Architectural Record.

Herman Miller was again awarded a perfect score in the 2015 Corporate Equality Index. This is the eighth consecutive year we received a perfect score.

2014

Herman Miller has received the Best and Brightest in Wellness Award for the second year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller's Locale wins International Design Excellence Awards (IDEA) Gold in the Office & Productivity category.

Herman Miller achieves eleventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

2013

Herman Miller achieves tenth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller has received the Best and Brightest in Wellness Award. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller Earns Perfect Score on the Corporate Equality Index. We are one of only 303 major U.S. businesses to receive a perfect score in 2013, an achievement we have now obtained seven years in a row.

Herman Miller is listed in Forbes Magazine inaugural "Platinum List" of America's 400 best managed, large companies.

For the second consecutive year, Herman Miller is honored as one of West Michigan's "101 Best and Brightest Sustainable Companies".

2012

Herman Miller accepted its first Excellence in Reusable Packaging Award from the Reusable Packaging Association.

June 2019 HermanMiller for Government

continued

Herman Miller is named "Corporation of the Year" in the commercial products sector by the Michigan Minority Supplier Development Council.

In July 2012 Herman Miller was inducted into the Made in the USA Hall of Fame. Herman Miller is one of only 20 companies across the nation to receive this distinction.

Herman Miller achieves ninth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller is honored as one of West Michigan's 101 Best and Brightest Sustainable Companies.

The Sustainable Asset Management (SAM) group selected Herman Miller for inclusion in "The Sustainability Yearbook 2012" and has awarded Herman Miller both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller was named one of 16 Section Leaders on Climate Counts 2011-2012 Scorecard Report, making us the industry leader for Home and office Furnishings.

SGS International Certification Services, Inc., recognizes Herman Miller's manufacturing sites, Midwest Distribution Center, and Design Yard for initial certification to the OHSAS 18001 standard as well as re-certification to ISO 14001.

2011

Trust Across America, a company dedicated to unraveling the complexities of trustworthy business behavior, listed Herman Miller as one of their "Top Ten Most Trustworthy Companies in America 2011."

The U.S. Environmental Protection Agency (EPA) selected Herman Miller, as a WasteWise Gold Achievement—Climate Change winner.

Herman Miller achieves eighth consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

The Michigan Minority Supplier Development Council (MMSDC) named Herman Miller as its "Corporation of the Year" in the commercial products sector. This was the fifth time Herman Miller has received this award since 2005.

Herman Miller accepted its third Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

Herman Miller receives the Reader's Choice award from TreeHugger's Best of Green: Design and Architecture category for the SAYL chair.

Herman Miller earns Citibank's Global Environmental Vendor of the Year award.

The SAYL chair from Herman Miller was dubbed the "Product Design of the Year" from the 2010 International Design Awards (IDA) jury.

Herman Miller Healthcare's Compass system was awarded a 2011 Medical Design Excellence Award (MDEA) for its research-based design and ability to be used in a variety of healing spaces, while simultaneously improving the overall delivery of healthcare.

The Sustainable Asset Management (SAM) Group selected Herman Miller for inclusion in the "Sustainability Yearbook 2011" and awarded us both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller has received the top rating for a fourth consecutive year in the Human Rights Campaign (HRC) Foundation's eighth annual Corporate Equality Index. The "Best Places to Work for LGBT Equality" distinction is awarded to businesses that scored 100% on the HRC Foundation's 2011 Corporate Equality Index.

Herman Miller again tops contract furniture industry in FORTUNE's 'Most Admired' Companies survey. For the 23rd time in 25 years.

24b. Section 508 Compliance

Not applicable

25. Data Universal Numbering System (DUNS): 00-601-2801

26. Registered in System for Award Management (www.SAM.gov) Database

27. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

28. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Herman Miller Miscellaneous Information:

Federal ID Number: 38-0837640 Commercial and Government Entity Code (CAGE): 40636 Data Universal Numbering System (DUNS) 00-601-2801 Commercial Entity Code (CEC): 00702290J

HermanMiller for Government June 2019

June 2019 HermanMiller for Government

Introduction	page 2
Canvas Office Landscape® Dock	3
Infrastructure	5
Energy Distribution	18
Work Surfaces	41
Supports and Hardware	61
Cable Management	76
Storage	82
Screens	88
Indices	127
By Name	127
By Number	129
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Stain-to-Match Program	
Proprietary Textiles Application Chart-Workspaces	
Proprietary Textile Colors-Workspaces	
Maharam® Application Chart-Workspaces	
Maharam Colors-Workspaces	
For the latest materials information, refer to the Materials	pages on HermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

This book is effective April 1, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.

All prices are list prices in US Dollars. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.


20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an $\boxed{\mathbb{A}}$ are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Canvas Office Landscape® Dock

Infrastructure **Energy Distribution** Work Surfaces **Supports and Hardware** Cable Management Storage Screens



Description

This structural steel wall defines space and channels power and data to the user. Includes $18^1/8$ "-high frame and top rail. Top rail finish is clear anodized aluminum.

Notes

When finished with cladding, dock structure is 3" thick.


Dock is raised 4" from the floor.

Power can enter from bottom opening using floor power entry (FD144.) or from end of dock with ceiling power entry (FD142.), ordered separately.

Order the following products separately:

- Lower cladding (FD170.)
- Dock foot (FD117.)
- Dock foot, structural (FD119.)
- Dock-to-dock connector (FD128.)
- Dock power harness (FD151.)
- Finished end, architectural, dock (FD16A.)

Dimensions



Specification Information

Step 1.

FD110. A


Step 2	. Width
42	42" wide A
48	48" wide A
60	60" wide A
72	72" wide A
84	84" wide A
96	96" wide A

Prices for Steps 1-2.	
FD110. 42	\$620
48	\$675
60	\$761
72	\$845
84	\$930
96	\$1013

Step 3.	Top Rail Finish		
AN	clear anodized aluminum	Α	+ \$o

Dock Foot, Structural (Support Foot)

FD119.



Product Information

Description

This painted metal individual structural foot supports 1 end of a dock or the attachment point of 2 adjacent docks, and can support a dock wall run. It adjusts up to $1^1/2^n$ for leveling. Attachment hardware included.


Notes


This foot is used in place of the dock foot (FD117.).

Order service kit (U1BDWGL) for additional leveling spacers.


See planning guide for length of run and proper support information.

Dimensions





Spec	cification Information	
Step	1.	
FD11	9. A	\$258
Step	2. Surface Finish	
Sand	Texture Paint	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BK	black A	+\$0
CL	cool grey neutral A	+\$0
G1	graphite A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
Meta	llic Paint	
CN	metallic champagne 🛽 🗚	+\$0
EH	metallic bronze A	+\$0
MS	metallic silver 🖪	+\$0



Description


This painted metal individual foot attaches at 1 end of a dock or at the attachment point of 2 adjacent docks. It adjusts up to 2" for leveling. Attachment hardware included.

Notes

Specify configuration (1A) for end-of-dock applications.

Specify shared configuration (1B) for use where 2 docks come together. See planning guide for length of run and proper support information.


Dimensions



Specification Information Step 1. **FD117.** A Step 2. Configuration end-of-dock A 1B shared A Prices for Steps 1-2. FD117. 1A \$122 \$124 1B Step 3. Surface Finish

Sand Texture Paint 8Q folkstone grey A **+\$**o 91 white A **+\$**o 98 studio white A **+\$**o BK black A **+\$**o CLcool grey neutral A **+\$**o G1 graphite A **+\$**o WL sandstone A +\$o WN warm grey neutral A **+\$**o Metallic Paint metallic champagne 🖪 CN **+\$**o EΗ metallic bronze A **+\$**o MS metallic silver A +\$o

FD128. 1



Product Information


Description

This connecting hardware joins 2 docks together in-line.

Notes

Requires 1 dock foot (FD117.1B) or 1 structural foot (FD119.), ordered separately.

Dimensions




Specification Information Step 1. FD128. A Step 2. Configuration 1 in-line connection A Prices for Steps 1-2.

\$39

\$129

+\$0



Product Information

Description

This bracket attaches a Canvas wood or metal low credenza with 4" foot and thin top and provides structural support to the dock wall run. It allows the credenza unit to be positioned parallel or perpendicular to the dock. Includes 1 bracket and attachment hardware.

Notes


For use with low credenza with 4" foot and thin top.

Bracket attaches with a 1" cable management gap.

2 brackets required for each credenza unit.

For information about properly supporting the dock, see Canvas Dock planning guide. See Canvas Office Landscape® planning guide for specific surface support guidelines when using the Canvas low credenza.


Dimensions



Step 1. FD292. A Step 2. Storage Type M for use with metal low credenza with 4" high foot A W for use with wood low credenza with 4" high foot A Step 3. Storage Attachment Position G 1" gap, for cord drop A Prices for Steps 1-3. G FD292. M \$129

Step 4. Surface Finish

metallic silver A



Description

This spacer attaches a Canvas wood or metal low credenza with 4" foot and thin top to the dock. It creates a uniform 1" cable management gap between the dock and credenza when the low storage to dock bracket is being used to support a dock wall run. Includes 1 spacer.

Notes

2 spacers required for each low credenza.

Spacer does not provide structural support to the dock wall.


For information about properly supporting the dock, see Canvas

Dock planning guide. See Canvas Office Landscape® planning guide


for specific surface support guidelines when using the Canvas low

credenza.

Dimensions




Specification Information Step 1. FD293. A Step 2. Storage Attachment Position G 1" gap, for cord drop A Prices for Steps 1-2. FD293. G \$23 Step 3. Surface Finish MS metallic silver A +\$0




Description

This 181/4"-high painted metal cover finishes 1 end of a single dock. Attachment hardware included.

Dimensions



Spec	cification Information	
Step	1.	
FD16	A. [A]	
Step	2. Height	
22	22" high 🖪	
Step	3. Surface Material	
Р	painted A	
Prices	s for Steps 1-3.	
		P
FD16	A. 22	\$181
Step	4. Surface Finish	
Meta	llic Paint	
CN	metallic champagne 🛕	+\$0
EH	metallic bronze A	+\$0
MS	metallic silver A	+\$0
Sand	Texture Paint	
8Q	folkstone grey A	+\$ 0
91	white A	+\$0
98	studio white A	+\$0
BK	black A	+\$0
CL	cool grey neutral A	+ \$o
G1	graphite A	+ \$o
WL	sandstone A	+ \$o
WN	warm grey neutral A	+\$0



Description

This structural panel stands on the floor and attaches to a dock to provide end of run support and privacy. It is $1^1/4^{\prime\prime}$ thick and has a laminate surface with thermoplastic edge, laminate surface with a thermoplastic backed plywood edge, or veneer surface and edge. Leveling glides and attachment hardware included.

Notes

Gallery panels 24"-72" wide are a single panel construction; 84"-144" wide are a 3 panel construction.

Attachment direction is determined by facing the gallery panel from outside the workstation. Left attachment (L) connects the left side of a gallery panel to the end of a dock. Right attachment (R) connects the right side of a gallery panel to the end of a dock. Mid attachment (M) connects the middle of a gallery panel to the end of a dock.


Mid-attached gallery panels are 3" wider than nominal dimensions. Gallery panels 72" wide and wider require attachment to adjacent surfaces; hardware is included.


Leveling glides provide 2" of adjustment.


Grain direction is vertical on veneer and wood-grain laminate panel.

Dimensions









Specification Information

Step 2. Height 22	Step 1.	
22 22" high	FD113.	A
22 22" high		
29 29" high	Step 2.	Height
42	22	22" high A
Step 3. Width For 22" high (22) 24	29	
Step 3. Width For 22" high (22) 24	42	_
For 22" high (22) 24	46	46" high A
24	Step 3.	Width
30 30" wide A 36 36" wide A 42 42" wide A 48 48" wide A 60 60" wide A 72 72" wide A For 29" high (29), 42" high (42), or 46" high (46) 24 24" wide A 30 30" wide A 36 36" wide A 42 42" wide A 48 48" wide A 49 42" wide A 48 48" wide A 49 48" wide A 40 60 60" wide A 41 42" wide A 42 42" wide A 43" wide A 44 48" wide A 45 48" wide A 46 49 96" wide A 47 72" wide A 48 48" wide A 49 96 96" wide A 110 120" wide A 1144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	For 22"	high (22)
36 36" wide A 42 42" wide A 48 48" wide A 60 60" wide A 72 72" wide A For 29" high (29), 42" high (42), or 46" high (46) 24 24" wide A 30 30" wide A 36" wide A 42 42" wide A 48 48" wide A 60 60" wide A 60 60" wide A 72 72" wide A 84 84" wide A 84 84" wide A 84 84" wide A 85 96 96" wide A 120" wide A 144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	24	24" wide A
42	30	30" wide A
48	36	36" wide A
60 60" wide A 72 72" wide A For 29" high (29), 42" high (42), or 46" high (46) 24 24" wide A 30 30" wide A 36 36" wide A 42 42" wide A 48 48" wide A 60 60" wide A 72 72" wide A 84 84" wide A 96 96" wide A 120 120" wide A 144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	42	42" wide A
72 72" wide A For 29" high (29), 42" high (42), or 46" high (46) 24 24" wide A 30 30" wide A 36 36" wide A 42 42" wide A 48 48" wide A 60 60" wide A 72 72" wide A 84 84" wide A 96 96" wide A 120 120" wide A Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	48	48" wide A
For 29" high (29), 42" high (42), or 46" high (46) 24	60	60" wide A
24 24" wide A 30 30" wide A 36 36" wide A 42 42" wide A 48 48" wide A 60 60" wide A 72 72" wide A 84 84" wide A 96 96" wide A 120 120" wide A 144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	72	72" wide A
24 24" wide A 30 30" wide A 36 36" wide A 42 42" wide A 48 48" wide A 60 60" wide A 72 72" wide A 84 84" wide A 96 96" wide A 120 120" wide A 144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	 For 29"	hiah (29), 42" hiah (42), or 46" hiah (46)
30 30" wide A 36 36" wide A 42 42" wide A 48 48" wide A 60 60" wide A 72 72" wide A 84 84" wide A 96 96" wide A 120 120" wide A 144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	24	
36	30	
42 42" wide A 48 48" wide A 60 60" wide A 72 72" wide A 84 84" wide A 96 96" wide A 120 120" wide A 144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	36	
48	42	_
72 72" wide A 84" wide A 96 96" wide A 120 120" wide A 144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	48	
84 84" wide A 96 96" wide A 120 120" wide A 144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	60	60" wide A
84 84" wide A 96 96" wide A 120 120" wide A 144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	72	72" wide A
96 96" wide A 120 120" wide A 144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A w veneer A	84	
144 144" wide A Step 4. Surface Material L laminate/thermoplastic edge A w veneer A	96	
Step 4. Surface Material L laminate/thermoplastic edge A W veneer A	120	120" wide A
L laminate/thermoplastic edge A w veneer A	144	144" wide A
L laminate/thermoplastic edge A w veneer A	Sten 4.	Surface Material
W veneer A	L	
	W	
	U	
		,

For 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42)

For 4	8" wide (48), 60	" wide (60),	or 72" w	vide (72))							
L	left attachme	ent 🖪										
M	mid attachm	mid attachment A										
R	right attachn	nent 🖪										
For 8	4" wide (84), 96	6" wide (96),	120" wid	de (120),	or 144"	wide (12	(4)					
M	mid attachm	ent 🖪										
Price	s for Steps 1-5.											
		LL	LM	LR	WL	WM	WR					
FD11	3. 22 24	\$290	_	290	615	_	615					
	30	\$342	_	342	847	_	847					
	36	\$395	_	395	963	_	963					
	42	\$474	_	474	1136	_	1136					
	48	\$553	553	553	1309	1296	1309					
	60	\$658	658	658	1540	1525	1540					
	72	\$763	763	763	1772	1754	1772					
	29 24	\$345	_	345	695	_	695					
	30	\$422	_	422	925	_	925					
	36	\$474	_	474	1041	_	1041					
	42	\$554	_	554	1215	_	1215					
	48	\$632	632	632	1389	1389	1389					
	60	\$737	737	737	1620	1620	1620					
	72	\$842	842	842	1850	1850	1850					

\$1286

\$1434

\$1654

\$1394

\$1502

\$1654

\$1874

\$474

\$579

\$632

\$710

\$789

\$895

\$1000

42 24

Step 5. Attachment Method

left attachment A

right attachment A

L

R

46 24	\$527	_	527	1157	_	1157		46 24	\$527	_	527
30	\$632	_	632	1389	_	1389		30	\$632	_	632
36	\$684	_	684	1504	_	1504		36	\$684	_	684
42	\$764	_	764	1677	_	1677		42	\$764	_	764
48	\$842	842	842	1850	1850	1850		48	\$842	842	842
60	\$947	947	947	2081	2081	2081		60	\$947	947	947
72	\$1052	1052	1052	2313	2313	2313		72	\$1052	1052	1052
84	_	\$1502	_	_	3152	_		84	_	\$1434	_
96	_	\$1610	_	_	3395	_		96	_	\$1544	_
120	_	\$1764	_	_	3880	_		120	_	\$1764	_
144	_	\$1984	_	_	4364	_		144	_	\$1984	-
				UL	UM	UR	Step	б.			
D113. 22 24				\$237	_	237					
30				\$342	_	342	Surfa	ce Finish			
36				\$395	_	395	For 24	4" wide (24), 30" wide (30)), 36" wide (36), 42" wide	(42), 48	" wide
42				\$474	_	474	(48),	84" wide (84), 96" wide (9	6), 120" wide (120), or 14	4" wide ((144)
48				\$553	553	553	with l	aminate/thermoplastic edg	ge (L), or laminate/univer	sal edge	(U)
60				\$658	658	658	28	canyon 🗚			+\$o
72				\$763	763	763	29	misted A			+\$o
29 24				\$317	_	317	38	twilight A			+\$o
30				\$422	_	422	39	desert A			+\$o
36				\$474	_	474	76	light brown walnut 🗚			+\$o
42				\$554	_	554	8Q	folkstone grey A			+\$o
48				\$632	632	632	91	white A			+\$0
60				\$737	737	737	98	studio white A			+\$0
72				\$842	842	842	BU	black umber 🔼			+\$o
84				_	\$1103	_	CL	cool grey neutral A			+\$o
96				_	\$1213	_	HF	inner tone light A			+\$0
120				_	\$1434	_	нм	natural maple A			+\$0
144				_	\$1654	_	HP	light anigre A			+\$0
42 24				\$474	-	474	нт	inner tone A			+\$0
30				\$579	_	579	нх	aged cherry A			+\$0
36				\$632	_	632	HY	walnut on cherry A			+\$0
42				\$710	_	710	LA	light ash A			+\$0
48				\$789	789	789	LBA	clear on ash A			+\$0
60				\$895	895	895	LBR	phantom ecru A			+\$0
				_			LBS	phantom cocoa A			+\$0
72 84				\$1000	1000	1000	LBU	medium matte walnut			+\$0 +\$0
				_	\$1323	_			A		+\$0 +\$0
96				_	\$1434	_	LBV	warm grey teak A			
120				_	\$1654	_	LBB	oak on ash			+\$0
144				_	\$1874	_	LBC	walnut on ash A			+\$0
							LBD	dark brown walnut A			+\$o
							LBE	medium red walnut A			+\$o
							LBF	neutral twill A			+\$0
							LBG	sarum twill 🛕			+\$o
							LBH	earthen twill A			+\$o

LBJ	graphite twill A	+\$o	Surfac	ce/Edge Finish: Recut Veneer	
LBM	crisp linen A	+\$o	For ve	neer (W)	
LBN	classic linen A	+\$o	DU	cathedral recut natural maple A	+\$85
LBP	casual linen A	+\$o	HU	cathedral recut light anigre A	+\$85
LBQ	white twill A	+\$o	JU	cathedral recut aged cherry A	+\$85
LT	light tone A	+\$o	VU	cathedral recut light brown walnut 🛕	+\$85
LU	soft white A	+\$o	WU	cathedral recut walnut on cherry A	+\$85
MT	medium tone A	+\$o	XU	cathedral recut medium red cherry A	+\$85
OG	honey maple A	+\$o	ZU	cathedral recut chocolate brown sapele A	+\$85
WL	sandstone A	+\$o			
WN	warm grey neutral A	+\$o	Surfac	ce/Edge Finish: Wood Veneer	
X1	chalk white 🛕	+\$o	For ve	neer (W)	
			2U	light brown walnut 🛕	+\$85
Surfac	ce Finish		3U	medium red cherry A	+\$85
For 60	" wide (60) or 72" wide (72) with laminate/thermoplastic	edge (L),	40	dark brown walnut 🛕	+\$85
or lam	ninate/universal edge (U)		6U	chocolate brown sapele A	+\$85
8Q	folkstone grey A	+\$o	ED	aged cherry A	+\$85
91	white A	+\$o	EK	medium red walnut 🛕	+\$85
98	studio white A	+\$o	EW	medium matte walnut A	+\$85
CL	cool grey neutral A	+\$o	ET	clear on ash 🛕	+\$85
LU	soft white A	+\$o	EU	oak on ash 🛕	+\$85
WL	sandstone A	+\$o	EV	walnut on ash A	+\$85
WN	warm grey neutral A	+\$o	UL	natural maple A	+\$85
			UX	walnut on cherry A	+\$85
Surfac	ce Finish				
For 60	" wide (60) or 72" wide (72) with laminate/thermoplastic	edge (L),	Step 7	7. Edge Finish	
or lam	ninate/universal edge (U)				
LBM	crisp linen 🖪	+\$o	For la	minate/thermoplastic edge (L)	
LBN	classic linen 🖪	+\$o	76	light brown walnut 🛕	+ \$o
LBP	casual linen 🖪	+\$o	8Q	folkstone grey A	+\$o
			91	white A	+\$o
Surfac	ce Finish		98	studio white A	+\$o
For 60	" wide (60) or 72" wide (72) with laminate/thermoplastic	edge (L),	BU	black umber A	+\$o
or lam	ninate/universal edge (U)		CL	cool grey neutral A	+\$o
LBK	pewter mesh A	+\$o	HF	inner tone light A	+\$o
			нм	natural maple A	+ \$o
Surfac	ce Finish		HP	light anigre A	+ \$o
For 60	" wide (60) or 72" wide (72) with laminate/thermoplastic	edge (L),	HT	inner tone A	+\$o
	ninate/universal edge (U)		нх	aged cherry A	+ \$o
28	canyon 🗚	+\$0	HY	walnut on cherry A	+ \$o
29	misted A	+\$0	LA	light ash A	+\$0
38	twilight A	+\$0	LBA	clear on ash A	+\$0
39	desert A	+\$0	LBR	phantom ecru A	+\$o
	_		LBS	phantom cocoa A	+\$o
			LBU	medium matte walnut 🛕	+\$o
			LBV	warm grey teak A	+\$0

LBB

oak on ash 🛕


+\$o

Gallery Panel, Dock Attached

continued

Canvas Office Landscape® Infrastructure

LBC	walnut on ash 🛕	+\$0
LBD	dark brown walnut 🛕	+\$0
LBE	medium red walnut 🛕	+\$o
LBF	neutral twill 🛕	+\$o
LBG	sarum twill 🛕	+\$ 0
LBH	earthen twill A	+\$0
LBJ	graphite twill 🛕	+\$0
LBK	pewter mesh 🛕	+\$0
LBL	steel mesh 🛕	+\$0
LBM	crisp linen 🖪	+\$0
LBN	classic linen 🖪	+\$0
LBP	casual linen 🖪	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
MT	medium tone 🖪	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
For lar	minate/universal edge (U)	
PLY	plywood edge A	+\$50



Description

This one-piece painted metal cladding finishes 1 side of a dock. It includes cladding and attachment hardware for 1 side of frame. Optional knockouts include 2 data face plate perforated knockouts, 1 for each end of the cladding, and knockouts to route power conduit out of the dock to the underside of a work surface when the undersurface power module is used.

Notes


Can be specified with knockouts (K) for power/data or without knockouts (N).

Knockouts are for NEMA data face plates.

Data face plates are field supplied.

For power access below the surface, specify undersurface power module (FD152.) and cable manager dock to surface (FD199.) separately. Specify cladding to match width of dock structure.

Dimensions



Specification Information

Step 1.

FD170. A

Step 2	2. Width	
42	42" wide 🛕	
48	48" wide 🛕	
60	6o" wide 🛕	
72	72" wide 🛕	
84	84" wide 🛕	
96	96" wide 🛕	

Step 3. Surface Material

P painted A

Step 4. Cord Knockouts

K knockouts A


N no knockouts A

Prices for Steps 1-4.		
	K	N
FD170. 42 P	\$204	204
48 P	\$208	208
60 P	\$212	212
72 P	\$224	224
84 P	\$261	261
96 P	\$291	291

Step 5. Surface Finish

Metallic Paint				
CN	metallic champagne 🛽 🗚	+\$o		
EH	metallic bronze 🛕	+ \$o		
MS	metallic silver A	+\$o		

Sand	Texture Paint	
8Q	folkstone grey A	+\$0
91	white A	+ \$o
98	studio white A	+\$0
BK	black A	+\$0
CL	cool grey neutral A	+\$0
G1	graphite 🖪	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$o



Description


This power entry connects a building's electrical supply from a wall, floor or column to the dock. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It connects to the modular connection location on the end of a dock power harness. Power entry is UL listed and Canadian UL listed.

Notes

Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Licensed electrician must wire the power entry.

Dimensions



Specification Information

Step 1.

FD144. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

Step 3. Length

06 6' long A

12 12' long A

18 18' long A


24 24' long A

Prices for Steps 1-3.				
	06	12	18	24
FD144. 08	\$224	310	377	444
10	\$224	310	377	444

\$397

Power Entry, New York - Floor Power Entry

FD141.



Product Information

Description

This floor power entry connects a building's electrical supply from a wall, floor or column to the dock power harness. It connects to the modular connection location on the end of a dock power harness, and includes a junction box. Power entry is UL listed and Canadian UL listed.


Notes

Licensed electrician must wire power entry.

Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).


Dock power harness, internal (FD151.) is required. Order separately.

Dimensions



Step 1. FD141. A Step 2. Configuration 08 8-wire, 4-circuit, shared neutral A 10 10-wire, 4-circuit, separate neutrals A Step 3. Length 30 30" long A Prices for Steps 1-3. 60 FD141. 08 \$397

10



Description

This power entry connects a ceiling electrical supply to the end of a dock run. It distributes up to 4 20-amp circuits. The power entry comes with a 10'-high pole that can be field cut to the appropriate length, ceiling trim, connecting hardware conduit, and factory supplied electrical harness. The power entry plugs into the end of the harness. Power entry is UL listed and Canadian UL listed.

Notes

Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Licensed electrician must wire the power entry.

Dimensions



Specification Information

Step 1.

FD142. A

Step 2. Dock Height

22" high dock 🖪

Step 3. Power Configuration


08 8-wire, 4-circuit, shared neutral

10 10-wire, 4-circuit, separate neutrals A

N nonpowered A

Prices for Steps 1-3.			
	08	10	N
FD142. 22	\$817	817	457

Finish	
exture Paint	
folkstone grey A	+\$0
white A	+\$0
studio white A	+ \$o
black A	+\$ o
cool grey neutral A	+ \$o
graphite A	+\$0
sandstone A	+\$0
warm grey neutral A	+\$0
	exture Paint folkstone grey A white A studio white A black A cool grey neutral A graphite A sandstone A




Description

This power harness distributes power within a dock. It has 2 power blocks with connecting conduit and is suspended from the dock top rail within the interior of the dock. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. Each power block has 3 additional modular connection locations to connect power entries, block to block jumpers, and power modules. Harness is UL listed.

Notes

Specify width of power harness to match width of dock structure.

Dimensions



Specification Information

Step 1.

FD151. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

Step 3. Width

42 42" wide A


48 48" wide A

60 60" wide A

72 72" wide A 84 84" wide A

96 96" wide A

Prices for Steps 1-3.						
	42	48	60	72	84	96
FD151. 08	\$187	214	267	320	373	426
10	\$187	214	267	320	373	426




Description

This power jumper routes power from a dock power harness to an adjacent dock power harness in an in-line connection. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It is UL listed and Canadian UL listed.

Notes

Uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Dimensions



Specification Information

Step 1.

FD154. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A


Step 3. Jumper Application

S for straight dock to dock connections A

Step 4. Length

20 20" long A


Prices for Steps 1-4.	
	20
FD154. 08 S	\$119
10 S	\$119



Description

This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Dimensions




Specification Information

Step 1.


FD150. A

Step 2.	. Туре
AN	8 wire, circuit A, share neutral A
BN	8 wire, circuit B, share neutral A
CN	8 wire, circuit C, share neutral A
DN	8 wire, circuit D, share neutral A
BG	8 wire, circuit B, isolated ground A
CG	8 wire, circuit C, isolated ground A
DG	8 wire, circuit D, isolated ground A
ADN	8 wire, (1) circuit A and (1) circuit D on each side A
BCI	8 wire, (1) circuit B and (1) circuit CG isolated ground on each
	side A
1N	10 wire, separate neutrals, circuit 1 A
2N	10 wire, separate neutrals, circuit 2 A
3N	10 wire, separate neutrals, circuit 3 A
3G	10 wire, separate neutrals, isolated ground, circuit 3 A
4N	10 wire, separate neutrals, circuit 4 A
4G	10 wire, separate neutrals, isolated ground, circuit 4 A
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side A
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each
	side A

Prices for Steps 1-2.	
FD150. AN	\$373
BN	\$373
CN	\$373
DN	\$373
BG	\$373
CG	\$373
DG	\$373
ADN	\$373
BCI	\$373
1N	\$373
2N	\$373
3N	\$373
3G	\$373
4N	\$373
4G	\$373
1N4N	\$373
2N3G	\$373



Power Module - Bottom of Dock - FD156. 20 amp



Product Information


Description


This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Receptacles in this module are rated for 20 amps. Attachment hardware included. Power module is UL listed and Canadian UL listed.


Notes

Receptacles are black. Metal housing is painted.

Dimensions







Specification Information

Step 1.

FD156. A

Step 2.	Туре		
AN	8 wire, shared neutral, circuit A 🔼		
BN	8 wire, shared neutral, circuit B A		
CN	8 wire, shared neutral, circuit C A		
DN	8 wire, shared neutral, circuit D A		
BG	8 wire, shared neutral, circuit B, isolated ground A		
CG	8 wire, shared neutral, circuit C isolated ground A		
DG	8 wire, shared neutral, circuit D, isolated ground A		
ADN	8 wire, shared neutral, (1) circuit A and (1) circuit D on each		
	side A		
BCI	8 wire, shared neutral, (1) circuit B and (1) circuit CG isolated		
	ground on each side A		
3G	10 wire, seperate neutrals, circuit 3, isolated ground A		
4G	10 wire, separate neutrals, isolated ground, circuit 4 A		
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side A		
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each		
	side A		


Prices for Steps 1-2.	
FD156. AN	\$426
BN	\$426
CN	\$426
DN	\$426
BG	\$426
CG	\$426
DG	\$426
ADN	\$426
BCI	\$426
3G	\$426
4G	\$426
1N4N	\$426
2N3G	\$426
Step 3. Finish	

	ic Paint	
MS	metallic silver [A]	+\$0

Power Module - Bottom of Dock - 20 amp continued

Sand 1	Texture Paint	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
ВК	black A	+\$0
G1	graphite A	+\$0
WL	sandstone A	+\$0

Under Surface Power Module - 20 FD157. amp



Product Information


Description

This power module attaches to the underside of a dock-supported work surface or storage unit. The modular plug end connects to a dock power harness. This power module includes 4 simplex receptacles, rated for 20 amps. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

Receptacles are black. Metal housing is painted.

Dimensions



Specification Information

Step 1.

FD157. A

Step 2.	Туре
AN	8 wire, shared neutral, circuit A A
BN	8 wire, shared neutral, circuit B A
CN	8 wire, shared neutral, circuit C A
DN	8 wire, shared neutral, circuit D 🛕
BG	8 wire, shared neutral, circuit B, isolated ground A
CG	8 wire, shared neutral, circuit C isolated ground [A]
DG	8 wire, shared neutral, circuit D, isolated ground A
ADN	8 wire, shared neutral, (1) circuit A and (1) circuit D on each
	side A
BCI	8 wire, shared neutral, (1) circuit B and (1) circuit CG isolated
	ground on each side [A]
3G	10 wire, seperate neutrals, circuit 3, isolated ground 🛕
4G	10 wire, separate neutrals, isolated ground, circuit 4 🖪
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side A
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each
	side A

Step 3. Cord/Conduit Length


03 3' cord/conduit A

Prices for Steps 1-3.	
	03
FD157. AN	\$426
BN	\$426
CN	\$426
DN	\$426
BG	\$426
CG	\$426
DG	\$426
ADN	\$426
BCI	\$426
3G	\$426
4G	\$426
1N4N	\$426
2N3G	\$426

Step 4.	Finish	
 Metalli	c Paint	
MS	metallic silver A	+\$o

Under Surface Power Module - 20 amp *continued*

Sanc	d Texture Paint	
8Q	folkstone grey 🛕	+\$0
91	white A	+\$0
98	studio white A	+\$0
ВК	black A	+\$0
G1	graphite A	+\$0
wı	sandstone A	+\$c



Description

This power module attaches to the Canvas dock top rail. The unit has a modular connection end that attaches to 1 connection point of the internal dock power harness. It has 3 power outlets, 2 USB charging ports, an opening for data module terminations, and an integrated cable manager rated for 15 amps. Mounting hardware included. Product is UL listed.

Notes


Power unit is plastic; vertical wire chase is painted metal. When specifying white (91) or graphite (G1) paint, plastic housing color matches specified painted surface finish. When specifying metallic silver (MS) paint, plastic housing color is cool grey neutral (CL).

USB ports will charge most small electronic devices. Software in each device controls the ability to accept charge via USB. Each USB port supplies 10 watts of power.

When attached to Canvas dock top rail, top of power unit is $25^{1}\!/_{\!4}"$ above the floor.

8 wire, shared neutral product (AN, BN, CN, DN) is a 3+1 configuration.

Dimensions



Specification Information

Step 1.

FD158. A

Step 2. Configuration

3 simplex receptables, 2 powered USB, 1 Data Opening 🖪

Step 3. Circuit Type

AN 8 wire, circuit A, shared neurtral A

BN 8 wire, circuit B, shared neurtral A

8 wire, circuit C, shared neurtral A

DN 8 wire, circuit D, shared neurtral A


for hardwiring-chicago code-conduit with open end A

Prices for Steps 1-3.					
	AN	BN	CN	DN	Н
FD158. H	\$595	595	595	595	616

Step 4	. Surface Finish	
ВК	black A	+\$o
8Q	folkstone grey A	+\$o
91	white A	+ \$o
98	studio white A	+\$o
G1	graphite A	+\$o
MS	metallic silver 🛕	+\$o
WL	sandstone A	+\$o

Controlled Power Module -Bottom of Dock

FD150M



Product Information


Description

This receptacle is to be used for ASHRAE 90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Receptacles in this module are rated for 15 amps. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

For modules with 2 circuits, ensure that the controlled marking is only specified for the circuits that will be under automated control by the energy management system.

Dimensions



Specification Information

Step 1.


FD150M. A

Step 2.	Туре
AN	8 wire, circuit A, share neutral A
BN	8 wire, circuit B, share neutral A
CN	8 wire, circuit C, share neutral A
DN	8 wire, circuit D, share neutral A
BG	8 wire, circuit B, isolated ground A
CG	8 wire, circuit C, isolated ground A
DG	8 wire, circuit D, isolated ground A
ADN	8 wire, (1) circuit A and (1) circuit D on each side A
BCI	8 wire, (1) circuit B and (1) circuit CG isolated ground on each
	side A
ADNA	8 wire, (1) circuit A and (1) circuit D on each side $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
	marking on A circuit A
BCIB	8 wire, (1) circuit B and (1) circuit CG isolated ground on each
	side A controlled marking on B circuit A
ADND	8 wire, (1) circuit A and (1) circuit D on each side $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
	marking on D circuit A
BCIC	8 wire, (1) circuit B and (1) circuit CG isolated ground on each
	side A controlled marking on C circuit A
3G	10 wire, separate neutrals, isolated ground, circuit 3 A
4G	10 wire, separate neutrals, isolated ground, circuit 4 A
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side A
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each
	side A

Prices for Steps 1-2.	
FD150M. AN	\$373
BN	\$373
CN	\$373
DN	\$373
BG	\$373
CG	\$373
DG	\$373
ADN	\$373
BCI	\$373
ADNA	\$373
BCIB	\$373
ADND	\$373
BCIC	\$373
3G	\$373
4G	\$373
1N4N	\$373
2N3G	\$373



Under Surface Controlled Power FD152M Module



Product Information


Description

This receptacle is to be used for ASHRAE 90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. This power module attaches beneath a dock-supported work surface. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, rated for 15 amps. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

For modules with 2 circuits, ensure that the controlled marking is only specified for the circuits that will be under automated control by the energy management system.

Dimensions



Specification Information

8 wire, circuit A, share neutral A

8 wire, circuit B, share neutral A

Step 1.

AN

BN

FD152M. A


Step 2. Type

CN	8 wire, circuit C, share neutral A
DN	8 wire, circuit D, share neutral A
BG	8 wire, circuit B, isolated ground A
CG	8 wire, circuit C, isolated ground A
DG	8 wire, circuit D, isolated ground A
ADN	8 wire, (1) circuit A and (1) circuit D on each side A
BCI	8 wire, (1) circuit B and (1) circuit CG isolated ground on each
	side A
ADNA	8 wire, (1) circuit A and (1) circuit D on each side A controlled
	marking on A circuit A
BCIB	8 wire, (1) circuit B and (1) circuit CG isolated ground on each
	side A controlled marking on B circuit A
ADND	8 wire, (1) circuit A and (1) circuit D on each side A controlled
	marking on D circuit A
BCIC	8 wire, (1) circuit B and (1) circuit CG isolated ground on each
	side A controlled marking on C circuit A
3G	10 wire, separate neutrals, isolated ground, circuit 3 A
4G	10 wire, separate neutrals, isolated ground, circuit 4 A
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side A
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each
	side A

Step 3. Cord/Conduit Length

3' cord/conduit A


Prices	s for Steps 1-3.	
		03
FD15	2M. AN	\$373
	BN	\$373
	CN	\$373
	DN	\$373
	BG	\$373
	CG	\$373
	DG	\$373
	ADN	\$373
	BCI	\$373
	ADNA	\$373
	BCIB	\$373
	ADND	\$373
	BCIC	\$373
	3G	\$373
	4G	\$373
	1N4N	\$373
	2N3G	\$373
Step	4. Finish	
Metal	llic Paint	
MS	metallic silver A	+\$0
Sand	Texture Paint	
8Q	folkstone grey 🛕	+\$0
91	white A	+\$ o
98	studio white A	+\$0
ВК	black A	+\$0
G1	graphite A	+\$0
WL	sandstone A	+\$0



Description

This decal is to be used for ASHRAE90.1 and Title 24 compliance. The decal is used to mark standard receptacles (new or existing) that are under automated control by the energy management system. 1 sheet includes 12 clear decals with white or black print.


Dimensions



Specification Information Step 1. G9999. A Step 2. Color B black print A W white print A Prices for Steps 1-2. G9999. B W \$9

Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB


Refer to Renew[™] Sit-to-Stand Tables and Locale[®] planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.


Dimensions




2 simplex receptacles, 2 powered USB




4 simplex receptacles, 2 powered USB




5 simplex receptacles, 2 powered USB



3 simplex receptacles





Logic G1000 Grommet Mounted Electrical Distributor continued

Y142	
Stan	2. Configuration
A	2 simplex receptacles, 2 powered USB A
c	4 simplex receptacles, 2 powered USB A
D	5 simplex receptacles, 2 powered USB A
E	3 simplex receptacles A
F	5 simplex receptacles A
G	6 simplex receptacles A
Step	3. Power Type
Α	power cord with plug end A
В	conduit with open end, for hard-wiring A
C	IEC connector for Renew Tables A
Step	4. Cord/Conduit Length
	4. Cord/Conduit Length
For p	4. Cord/Conduit Length ower cord with plug end (A)
	4. Cord/Conduit Length ower cord with plug end (A) 3' cord/conduit A
For p	4. Cord/Conduit Length ower cord with plug end (A)
For p 03 06 10	4. Cord/Conduit Length ower cord with plug end (A) 3' cord/conduit A 6' cord/conduit A
For p 03 06 10	4. Cord/Conduit Length ower cord with plug end (A) 3' cord/conduit A 6' cord/conduit A 10' cord/conduit A
For p 03 06 10 For co	4. Cord/Conduit Length ower cord with plug end (A) 3' cord/conduit A 6' cord/conduit A 10' cord/conduit A
For p 03 06 10	4. Cord/Conduit Length ower cord with plug end (A) 3' cord/conduit A 6' cord/conduit A 10' cord/conduit A onduit with open end, for hard-wiring (B) 3' cord/conduit A
For p 03 06 10 For co 03 06 10	4. Cord/Conduit Length ower cord with plug end (A) 3' cord/conduit A 6' cord/conduit A 10' cord/conduit A onduit with open end, for hard-wiring (B) 3' cord/conduit A 6' cord/conduit A

03

\$674

\$727

\$685

\$782

\$834

\$793

\$852

\$904

\$863

\$519

\$570

\$529

06

674

727

782

834

852

519

570

10

685

737

793

846

863

914

529

581

	F A	\$626	626	638
	В	\$679	679	690
	С	\$638	_	_
	G A	\$696	696	706
	В	\$747	747	760
	С	\$706	_	_
Step 5	. Finish			
91	white A			+\$o
98	studio white A			+\$o
BK	black A			+\$o
G1	graphite A			+\$o
MS	metallic silver [A]			+\$o

Y1425. A A

В

C

C

В

C


В

C

СА

D A


E A



Description

These optional cable clips are used to route wires and cables in the 1" cable gap between the face of the dock cladding and the back of a Canvas low credenza with 4" feet and thin top. Clip color is black. Package of 4.


Dimensions



Specification Information	
Step 1.	
FD198. A	\$68
Step 2. Finish	
BK black A	+\$o

+\$o

+\$o



Product Information


Description


This housing mounts on the bottom of the dock or under a work surface and supports face plates with voice/data ports. Attachment hardware included.

Notes

Housing accepts a NEMA data faceplate.

Dimensions








G1

WL

graphite [A]

sandstone A

	100 -11 -1 -0 -11	
Spec	ification Information	
Step 1	1.	
FD159	9. A	
Step 2	2. Application	
01	bottom of the dock A	
02	under work surface A	
Prices	for Steps 1-2.	
FD159	9. 01	\$193
	02	\$193
Step 3	3. Finish	
Metal	lic Paint	
MS	metallic silver 🛕	+\$o
Sand	Texture Paint	
8Q	folkstone grey A	+\$o
91	white A	+ \$o
98	studio white A	+ \$o
ВК	black A	+\$0



Description


This optional cable manager routes power and data from the dock to the underside of a dock-supported work surface. Attachment hardware included.


Notes


Manages data cables and covers conduit, cables and knockout in cladding.

Specify undersurface power module (FD152.) separately. Specify undersurface data module (FD159.02) separately.

Dimensions







Specification Information

Step 1.

FD199. A


Step 2. Height

10 10" high 🗚

Prices for Steps 1-2.

FD199. 10 \$125

Step	3. Finish	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BK	black A	+\$0
CL	cool grey neutral A	+\$0
G1	graphite A	+\$0
WL	sandstone A	+\$o



Description

This surface spans the dock and lower storage on 1 side of the dock. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Laminate surfaces are $1^1/4^n$ thick. Painted Formcoat surfaces are 1^n thick. Stabilizer brackets included.


Notes

Bridge is supported by a low credenza with 4" foot and thin top on one side of dock wall. Specify the following products separately, 1 for each side of the individual bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Power access center cutout option (CAC) accepts the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.

Dimensions



Specification Information

Step 1.

FD A

Step 2. Edge

\$17. squared edge A

T17. thin-edge A

E17. eased-edge A

Step 3. Depth

24 24" deep A

30 30" deep A

Step 4. Width

20 20" wide A

Step 5. Surface Material

For squared edge (S17.)

L laminate top/thermoplastic edge A

W veneer A

P painted Formcoat® top/edge A

U laminate top/universal edge A

For thin-edge (T17.)

L laminate top/thermoplastic edge 🗚

W veneer A

P painted Formcoat® top/edge A

For eased-edge (E17.)

P painted Formcoat® top/edge A

Prices for Steps 1-5.				
	L	W	P	U
FDS17. 24 20	\$265	484	496	265
30 20	\$303	540	518	303


	L	W	Р	U
FDT17. 24 20	\$352	571	496	_
30 20	\$390	611	518	_

		**	г	U
FDE17. 24 20	_	_	\$486	_
30 20	_	_	\$508	_

Step 6	6. Power Access Cutout		Top/E	dge Finish: Wood Veneer	
NNN	no cutout 🖪	+\$o	For ve	eneer (W)	
CAC	center cutout A	+\$75	2U	light brown walnut 🛕	+\$8!
			40	dark brown walnut 🛕	+\$8!
Step 7	7.		ED	aged cherry A	+\$8!
			EK	medium red walnut A	+\$8!
Top Fi	nish		EW	medium matte walnut A	+\$8!
For la	minate top/thermoplastic edge (L) or laminate	top/universal edge	ET	clear on ash A	+\$8!
(U)			EU	oak on ash 🛕	+\$8!
8Q	folkstone grey A	+\$0	EV	walnut on ash [A]	+\$8!
91	white A	+ \$o	UL	natural maple A	+\$8!
98	studio white A	+ \$o	UX	walnut on cherry A	+\$8!
CL	cool grey neutral A	+ \$o			
HF	inner tone light A	+\$o	Top/E	dge Finish: Opaque Formcoat®	
HT	inner tone A	+\$o	For po	ninted Formcoat® top/edge (P)	
LU	soft white A	+\$o	8Q	folkstone grey A	+\$0
WL	sandstone A	+\$o	91	white A	+\$0
WN	warm grey neutral A	+\$o	CL	cool grey neutral A	+\$0
76	light brown walnut 🛕	+\$ 0	LU	soft white A	+\$0
НМ	natural maple A	+\$ 0	WL	sandstone A	+\$0
HP	light anigre A	+\$ 0	WN	warm grey neutral 🛕	+\$0
нх	aged cherry A	+ \$o			
HY	walnut on cherry A	+ \$o	Step 8	3. Edge Finish	
LA	light ash 🛕	+ \$o			
LBA	clear on ash 🛕	+ \$o	For la	minate top/thermoplastic edge (L)	
LBR	phantom ecru A	+ \$o	76	light brown walnut 🛕	+\$0
LBS	phantom cocoa A	+ \$o	8Q	folkstone grey A	+\$0
LBU	medium matte walnut 🛕	+ \$o	91	white A	+\$0
LBV	warm grey teak A	+ \$o	98	studio white A	+\$0
LBB	oak on ash 🛕	+ \$o	CL	cool grey neutral A	+\$0
LBC	walnut on ash A	+ \$o	LA	light ash 🛕	+\$0
LBD	dark brown walnut 🛕	+\$o	LBA	clear on ash 🛕	+\$0
LBE	medium red walnut 🛕	+\$o	LBR	phantom ecru 🛕	+\$0
OG	honey maple A	+\$0	LBS	phantom cocoa 🖪	+\$0
LBF	neutral twill A	+\$o	LBU	medium matte walnut 🛕	+\$0
LBG	sarum twill 🖪	+\$0	LBV	warm grey teak 🛕	+\$0
LBH	earthen twill 🖪	+\$ 0	LBB	oak on ash 🛕	+\$0
LBJ	graphite twill 🖪	+\$o	LBC	walnut on ash A	+\$0
LBQ	white twill A	+\$ 0	LBD	dark brown walnut 🛕	+\$0
LBM	crisp linen 🛕	+\$0	LBE	medium red walnut A	+\$0
LBN	classic linen A	+\$0	LBF	neutral twill A	+\$0
LBP	casual linen 🛕	+\$0	LBG	sarum twill A	+\$0
			LBH	earthen twill A	+\$0
			LBJ	graphite twill A	+\$0
			LBK	pewter mesh A	+\$0
			LBL	steel mesh A	+\$0
			LBM	crisp linen 🛕	+\$0

+\$0

LBN	classic linen [A]	+\$0
LBP	casual linen 🛕	+\$0
LBQ	white twill A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral 🛕	+\$0
HF	inner tone light A	+\$0
нм	natural maple 🛕	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
нх	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LU	soft white A	+\$0
OG	honey maple A	+\$0
For la	minate top/universal edge (U)	
PLY	plywood edge 🛕	+\$50



Description

This surface spans the dock and lower storage on both sides of the dock. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Laminate surfaces are 11/4" thick. Painted Formcoat surfaces are 1" thick. Stabilizer brackets included.


Notes

Bridge is supported by a low credenza with 4" foot and thin top on both sides of the dock wall. Specify the following products separately, 1 for each side of the half bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Power access center cutout option (CAC) accepts the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.

Dimensions



Specification Information

Step 1.

FD A

Step 2. Edge

\$15. squared-edge A

T15. thin-edge A

E15. eased-edge A

Step 3. Depth

24 24" deep A

30 30" deep A

Step 4. Width

45 45" wide A

Step 5. Surface Material

For squared-edge (S15.)

L laminate top/thermoplastic edge A

W veneer A

P painted Formcoat® top/edge A

U laminate top/universal edge A

For thin-edge (T15.)

L laminate top/thermoplastic edge A

W veneer A

P painted Formcoat® top/edge A


For eased-edge (E15.)

P painted Formcoat® top/edge A

Prices for Steps 1-5.				
	L	W	P	U
FDS15. 24 45	\$437	722	540	437
30 45	\$442	787	613	442
	L	W	Р	U
FDT15. 24 45	\$543	756	540	_
30 45	\$595	818	613	_
	L	w	Р	U
FDE15. 24 45	_	_	\$551	_
30 45	_	_	\$626	_

Step 6	. Power Access Cutout		Top/E	Edge Finish: Wood Veneer	
NNN	no cutout A	+\$o	For ve	eneer (W)	
CAC	center cutout A	+\$75	2U	light brown walnut 🛕	+\$85
			40	dark brown walnut 🛕	+\$85
Step 7	·.		ED	aged cherry A	+\$85
			EK	medium red walnut A	+\$85
Top Fi	nish		EW	medium matte walnut A	+\$85
For lar	minate top/thermoplastic edge (L) or laminate top/	⁄universal edge	ET	clear on ash 🛕	+\$85
(U)			EU	oak on ash 🛕	+\$85
8Q	folkstone grey A	+\$0	EV	walnut on ash [A]	+\$85
91	white A	+\$0	UL	natural maple A	+\$85
98	studio white A	+\$o	UX	walnut on cherry A	+\$85
CL	cool grey neutral A	+\$o			
HF	inner tone light A	+\$o	Top/E	Edge Finish: Opaque Formcoat®	
HT	inner tone A	+\$o	For po	ainted Formcoat® top/edge (P)	
LU	soft white A	+\$o	8Q	folkstone grey A	+\$0
WL	sandstone A	+\$o	91	white A	+\$0
WN	warm grey neutral A	+\$ 0	CL	cool grey neutral A	+\$o
76	light brown walnut A	+\$0	LU	soft white A	+ \$o
нм	natural maple A	+\$0	WL	sandstone A	+\$0
HP	light anigre A	+\$ 0	WN	warm grey neutral A	+\$0
нх	aged cherry A	+\$0			
HY	walnut on cherry A	+\$0	Step 8	3. Edge Finish	
LA	light ash 🗚	+\$0			
LBA	clear on ash 🛕	+\$0	For la	minate top/thermoplastic edge (L)	
LBR	phantom ecru A	+\$0	76	light brown walnut 🗚	+\$0
LBS	phantom cocoa A	+\$o	8Q	folkstone grey A	+\$0
LBU	medium matte walnut A	+\$o	91	white A	+\$0
LBV	warm grey teak A	+\$o	98	studio white A	+\$0
LBB	oak on ash 🛕	+\$o	CL	cool grey neutral A	+\$0
LBC	walnut on ash A	+\$o	LA	light ash 🛕	+\$0
LBD	dark brown walnut 🛕	+\$ 0	LBA	clear on ash 🛕	+\$0
LBE	medium red walnut A	+\$o	LBR	phantom ecru A	+\$0
OG	honey maple A	+\$ 0	LBS	phantom cocoa 🖪	+\$0
LBF	neutral twill A	+\$o	LBU	medium matte walnut [A]	+\$0
LBG	sarum twill 🖪	+\$ 0	LBV	warm grey teak A	+\$0
LBH	earthen twill 🖪	+\$ 0	LBB	oak on ash 🛕	+\$0
LBJ	graphite twill A	+\$ 0	LBC	walnut on ash A	+\$0
LBQ	white twill A	+\$ 0	LBD	dark brown walnut 🛕	+\$0
LBM	crisp linen 🖪	+\$ 0	LBE	medium red walnut 🛕	+\$0
LBN	classic linen 🖪	+\$ 0	LBF	neutral twill 🛕	+\$0
LBP	casual linen 🖪	+\$0	LBG	sarum twill 🗚	+\$0
			LBH	earthen twill A	+\$0
			LBJ	graphite twill A	+\$0
			LBK	pewter mesh A	+\$0
			LBL	steel mesh 🛕	+\$0
			LBM	crisp linen A	+\$0

classic linen A	+\$0
casual linen 🛕	+\$ o
white twill A	+\$ o
sandstone A	+\$0
warm grey neutral 🛕	+\$0
inner tone light 🛕	+\$0
natural maple 🛕	+\$0
light anigre A	+\$0
inner tone A	+\$0
aged cherry A	+\$0
walnut on cherry A	+\$0
soft white A	+\$0
honey maple A	+\$0
minate top/universal edge (U)	
plywood edge 🛕	+\$50
	casual linen A white twill A sandstone A warm grey neutral A inner tone light A natural maple A light anigre A inner tone A aged cherry A walnut on cherry A soft white A honey maple A



Description


This surface spans the dock and lower storage on both sides of the dock. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Laminate surfaces are 1¹/₄" thick. Painted Formcoat surfaces are 1" thick. Stabilizer brackets included.

Notes

Bridge is supported by a low credenza with 4'' foot and thin top on both sides of the dock wall. Specify the following products separately, 1 for each side of the team bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Dimensions



Speci Step 1	ification Information				
FD A					
Step 2	e. Edge				
S16.	squared-edge A				
T16.	thin-edge A				
E16.	eased-edge A				
Step 3	g. Depth				
45	45" deep A				
Step 4	. Width				
45	45" wide 🖪				
Step 5	. Surface Material				
For sa	uared-edge (S16.)				
L	laminate top/thermoplastic edge	• A			
w	veneer A				
P.	painted Formcoat® top/edge A				
U	laminate top/universal edge A				
For thi	in-edge (T16.)				
L	laminate top/thermoplastic edge) A			
W	veneer A				
Р	painted Formcoat® top/edge A				
For ea	sed-edge (E16.)				
Р	painted Formcoat® top/edge A				
Prices	for Steps 1-5.				
		L	W	Р	U
FDS16	5. 45 45	\$585	973	886	585
		L	W	Р	U
FDT16	5. 45 45	\$605	1006	903	_
		L	W	Р	U
FDE16	5. 45 45	_	_	\$886	_
Step 6	5. Power Access Cutout				

NNN no cutout A

+\$o

Step 7	7.		Top/I	Edge Finish: Wood Veneer	
			For ve	eneer (W)	
Top Fi	nish		2U	light brown walnut 🛕	+\$8
For la	minate top/thermoplastic edge (L) or laminat	e top/universal edge	40	dark brown walnut 🛕	+\$8
(U)			ED	aged cherry A	+\$85
8Q	folkstone grey 🛕	+\$0	EK	medium red walnut 🖪	+\$8
91	white A	+\$ o	EW	medium matte walnut 🛕	+\$8
98	studio white A	+\$ o	ET	clear on ash 🛕	+\$8
CL	cool grey neutral A	+\$ o	EU	oak on ash 🛕	+\$8
HF	inner tone light A	+\$ o	EV	walnut on ash 🛕	+\$8
HT	inner tone A	+\$ o	UL	natural maple 🛕	+\$8
LU	soft white A	+\$ o	UX	walnut on cherry A	+\$8
WL	sandstone A	+\$ o			
WN	warm grey neutral 🛕	+\$ o	Top/I	Edge Finish: Opaque Formcoat®	
76	light brown walnut 🛕	+\$ o	For p	ainted Formcoat® top/edge (P)	
нм	natural maple 🛕	+\$ o	8Q	folkstone grey A	+\$0
HP	light anigre A	+\$ o	91	white A	+\$0
нх	aged cherry A	+\$ o	CL	cool grey neutral A	+\$0
HY	walnut on cherry 🛕	+\$ o	LU	soft white A	+\$0
LA	light ash 🛕	+\$ o	WL	sandstone A	+\$0
LBA	clear on ash 🛕	+ \$o	WN	warm grey neutral A	+\$0
LBR	phantom ecru 🛕	+\$ o			
LBS	phantom cocoa A	+\$ o	Step	8. Edge Finish	
LBU	medium matte walnut 🛕	+\$ o			
LBV	warm grey teak A	+\$o	For la	minate top/thermoplastic edge (L)	
LBB	oak on ash 🛕	+\$ o	76	light brown walnut 🛕	+\$0
LBC	walnut on ash 🛕	+\$o	8Q	folkstone grey A	+\$0
LBD	dark brown walnut 🛕	+\$o	91	white A	+\$0
LBE	medium red walnut 🛕	+\$o	98	studio white A	+\$0
OG	honey maple A	+\$o	CL	cool grey neutral A	+\$0
LBF	neutral twill A	+\$o	LA	light ash A	+\$0
LBG	sarum twill 🛕	+\$o	LBA	clear on ash 🛕	+\$0
LBH	earthen twill A	+\$o	LBR	phantom ecru A	+\$0
LBJ	graphite twill A	+\$o	LBS	phantom cocoa A	+\$0
LBQ	white twill A	+\$o	LBU	medium matte walnut 🛕	+\$0
LBM	crisp linen 🛕	+\$o	LBV	warm grey teak A	+\$0
LBN	classic linen 🛕	+\$ 0	LBB	oak on ash 🛛	+\$0
LBP	casual linen 🛕	+\$o	LBC	walnut on ash 🛕	+\$0
			LBD	dark brown walnut 🛕	+\$0
			LBE	medium red walnut A	+\$0
			LBF	neutral twill A	+\$0
			LBG	sarum twill A	+\$0
			LBH	earthen twill A	+\$0
			LBJ	graphite twill A	+\$0
			LBK	pewter mesh A	+\$0
			IRI	steel mach [A	 \$(

LBM


crisp linen 🛕

+\$0

LBM	classic linen [A]	+\$0
LBP	casual linen 🛕	+\$0
LBQ	white twill A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral 🛕	+\$0
HF	inner tone light A	+\$0
нм	natural maple 🛕	+\$0
HP	light anigre 🛕	+\$0
HT	inner tone A	+\$0
НΧ	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LU	soft white A	+\$0
OG	honey maple A	+\$0
For la	minate top/universal edge (U)	
PLY	plywood edge 🛕	+\$50

Secondary Surface

FDE10. FDS10. FDT10.



Product Information

Description


This surface spans and is supported by Canvas low storage. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Laminate surfaces are $1^1/4^n$ thick. Painted Formcoat surfaces are 1^n thick.


Notes


Surface is supported by a low credenza with 4" foot and thin top. Specify 2 surface support, low credenza, adjustable height (FT299.), or 2 surface support, low credenza, fixed height (FT298.), 1 for each end of the secondary surface.

Power access cutout options (CAC, LAC, RAC) accept the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.


Dimensions







Right cutout



Speci	fication Information
Step 1.	
FD A	
Step 2.	. Edge
S10.	squared-edge A
T10.	thin-edge A
E10.	eased-edge A
Step 3.	Depth
20	20" deep A
Step 4.	Width
36	36" wide A
72	72" wide A
Step 5.	. Surface Material
***************************************	ıared-edge (S10.)
L	laminate top/thermoplastic edge A
W	veneer A
Р	painted Formcoat® top/edge A
U	laminate top/universal edge A
For thin	n-edge (T10.)
L	laminate top/thermoplastic edge A
W	veneer A
Р	painted Formcoat® top/edge A
For eas	sed-edge (E10.)
P	painted Formcoat® top/edge A
Sten 6	Attachment

LS

\$229

\$452

\$320

\$588

WS

514

1010

545

1102

PS

498

860

518

943

\$518

\$943

US

229

452

Step 7	. Power Access Cutout	
For 36	" wide (36)	
NNN	no cutout A	+\$0
CAC	center cutout A	+\$75
For 72	" wide (72)	
NNN	no cutout 🛕	+\$0
CAC	center cutout A	+\$75
LAC	left cutout 🛕	+\$75
RAC	right cutout A	+\$75

72

Prices for Steps 1-6.

FDS10. 20 36

FDT10. 20 36

FDE10. 20 36

Step 8	3.		Top/I	edge Finish: Wood Veneer	
			For ve	eneer (W)	
Top Fi	nish		2U	light brown walnut 🛕	+\$8
For la	minate top/thermoplastic edge (L) or laminat	e top/universal edge	40	dark brown walnut 🛕	+\$8
(U)			ED	aged cherry A	+\$8
8Q	folkstone grey A	+\$o	EK	medium red walnut 🛕	+\$8
91	white A	+\$o	EW	medium matte walnut 🛕	+\$8
98	studio white A	+\$o	ET	clear on ash 🛕	+\$8
CL	cool grey neutral A	+\$o	EU	oak on ash 🛕	+\$8
HF	inner tone light A	+\$o	EV	walnut on ash 🛕	+\$8
HT	inner tone A	+\$o	UL	natural maple 🛕	+\$8
LU	soft white A	+\$o	UX	walnut on cherry A	+\$8
WL	sandstone A	+\$o			
WN	warm grey neutral A	+\$o	Top/	Edge Finish: Opaque Formcoat®	
76	light brown walnut 🛕	+\$o	For po	ainted Formcoat® top/edge (P)	
HM	natural maple 🛕	+\$o	8Q	folkstone grey A	+\$
HP	light anigre A	+\$o	91	white A	+\$
нх	aged cherry A	+\$o	CL	cool grey neutral A	+\$
HY	walnut on cherry A	+\$o	LU	soft white A	+\$
LA	light ash 🛕	+\$o	WL	sandstone A	+\$
LBA	clear on ash A	+\$o	WN	warm grey neutral 🛕	+\$0
LBR	phantom ecru 🛕	+\$o			
LBS	phantom cocoa 🛕	+\$o	Step	9. Edge Finish	
LBU	medium matte walnut 🛕	+\$o			
LBV	warm grey teak 🛕	+\$o	For la	minate top/thermoplastic edge (L)	
LBB	oak on ash 🛕	+\$o	76	light brown walnut 🛕	+\$
LBC	walnut on ash 🛕	+\$o	8Q	folkstone grey A	+\$0
LBD	dark brown walnut 🛕	+\$o	91	white A	+\$0
LBE	medium red walnut A	+\$o	98	studio white A	+\$
OG	honey maple [A]	+\$o	CL	cool grey neutral A	+\$0
LBF	neutral twill 🛕	+\$o	LA	light ash 🛕	+\$
LBG	sarum twill 🖪	+\$o	LBA	clear on ash 🛕	+\$
LBH	earthen twill 🖪	+\$o	LBR	phantom ecru A	+\$
LBJ	graphite twill A	+ \$0	LBS	phantom cocoa A	+\$0
LBQ	white twill A	+ \$0	LBU	medium matte walnut 🛕	+\$0
LBM	crisp linen 🛕	+\$o	LBV	warm grey teak 🛕	+\$0
LBN	classic linen 🛕	+\$o	LBB	oak on ash 🛕	+\$0
LBP	casual linen 🛕	+\$ o	LBC	walnut on ash 🛕	+\$0
			LBD	dark brown walnut 🛕	+\$0
			LBE	medium red walnut 🛕	+\$0
			LBF	neutral twill A	+\$0
			LBG	sarum twill 🛕	+\$
			LBH	earthen twill 🖪	+\$
			LBJ	graphite twill [A]	+\$0
			LBK	pewter mesh A	+\$0

LBL


LBM

steel mesh 🛕

crisp linen 🛕

+\$0

LBN	classic linen 🛕	+\$0
LBP	casual linen 🛕	+\$0
LBQ	white twill A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral 🛕	+\$0
HF	inner tone light A	+\$0
нм	natural maple 🛕	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
НΧ	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LU	soft white A	+\$0
OG	honey maple A	+\$0
For la	minate top/universal edge (U)	
PLY	plywood edge A	+\$50



Description

This surface hangs from a frame, wall strips, or attaches to various support components to create a freestanding rectangular desk. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. Laminate and veneer surfaces are 1¹/₄" thick. Painted Formcoat® surfaces are 1" thick. When hanging from a frame or wall strips there is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

For surface attachment bracket (D) option:

- Ganging brackets are included for using the surface as a bridge.
- Surface will only attach to front edge of squared-edge surfaces or the transition portion of the thin-edge or eased-edge surfaces.

For Canvas frame attached surface (F) option:

- Order appropriate supports separately; 2 supports are required for each surface (left and right side):
- Open support, tapered foot, frame attached (FT294.)
- Open support, architectural foot, frame attached (FT2A1.)
- Support panel, tapered foot, frame attached (FT291.)
- Universal post leg, frame attached (FT2B1.)
- Surface cantilever (FT290.)
- Surface support rail (FT295.)
- Support pedestal
- Center supports are included for surfaces 54" wide and wider.

For no brackets, for freestanding or use with low credenza (S) option:


- Order the following support products separately:
- Closed support leg (FV2E2.)
- Open support leg, architectural foot (FV2A2.)
- Square open support leg (FV2D2.)
- Support leg, post (FV689.)
- Universal post leg (FT2B2.)
- Surface ganging bracket (FT29B.)
- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)
- Surface-attached pedestal
- When creating a freestanding desk with closed support leg (FV2E2.), a modesty panel (FV697.) is required for stability.

Thin-edge surfaces do not work with the following:

- Surface-attached pedestal
- Support pedestal
- Closed support leg (FV2E2.)
- Square open support leg (FV2D2.)

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions



Laminate, Veneer Painted

Specification Information Step 5. Surface Material Step 1. FT For squared-edge (S10.) laminate top/thermoplastic edge veneer top/veneer edge A Step 2. Edge S10. squared-edge painted Formcoat® top/edge u T10. thin-edge laminate top/universal edge A E10. eased-edge For thin-edge (T10.) Step 3. Depth L laminate top/thermoplastic edge W veneer top/veneer edge A For squared-edge (S10.) painted Formcoat® top/edge 20 20" deep 24 24" deep For eased-edge (E10.) 30 30" deep painted Formcoat® top/edge 36 36" deep Step 6. Attachment Bracket For thin-edge (T10.) or eased-edge (E10.) For 20" deep (20) with 24" wide (24), 30" wide (30), 66" wide (66), 72" 24 24" deep wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96) 30 30" deep 36 36" deep Canvas frame attached surface Step 4. Width For 20" deep (20) with 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60) For 20" deep (20), 24" deep (24), or 30" deep (30) surface attachment bracket 24 Canvas frame attached surface 24" wide 30 30" wide 36 36" wide For 24" deep (24) or 30" deep (30) with 24" wide (24) or 30" wide (30) 42" wide Canvas frame attached surface 42 S no brackets, for freestanding or use with low credenza 48 48" wide 54 54" wide 60 60" wide For 24" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), 66 66" wide 48" wide (48), or 54" wide (54) 72 72" wide surface attachment bracket 78 78" wide Canvas frame attached surface 84 84" wide no brackets, for freestanding or use with low credenza 90 90" wide For 24" deep (24) or 30" deep (30) with 60" wide (60) 96 96" wide D surface attachment bracket For 36" deep (36) F Canvas frame attached surface no brackets, for freestanding or use with low credenza 60 60" wide A 66 66" wide A 72 72" wide A For 24" deep (24) or 30" deep (30) with 66" wide (66), 72" wide (72), 78 78" wide A 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96) 84 84" wide A F Canvas frame attached surface S 90 90" wide A no brackets, for freestanding or use with low credenza

96" wide 🛕

96

For 36" deep (36) with 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

S no brackets, for freestanding or use with low credenza

				ME	14/5	14.0
	LD	LF	LS	WD	WF	WS
FTS10. 20 24	_	\$189	_	_	443	_
30	_	\$212	_	_	497	_
36	\$230	240	_	539	550	-
42	\$254	266	_	592	605	_
48	\$281	292	_	636	650	_
54	\$333	343	_	732	744	-
60	\$374	385	_	824	838	-
66	_	\$428	_	_	933	_
72	_	\$460	_	_	998	-
78	_	\$502	_	_	1080	_
84	_	\$559	_	_	1164	-
90	_	\$575	_	_	1217	-
96	_	\$600	_	_	1252	_
24 24	_	\$189	144	_	443	392
30	_	\$212	169	_	497	447
36	\$230	240	195	539	550	500
42	\$254	266	221	592	605	554
48	\$281	292	248	636	650	600
54	\$333	343	299	732	744	69
60	\$374	385	330	824	838	77!
66	_	\$428	374	_	933	870
72	_	\$460	406	_	998	935
78	_	\$502	459	_	1080	103
84	_	\$559	516	_	1164	1080
90	_	\$575	522	_	1217	112
96	_	\$600	524	_	1252	1168
30 24	_	\$207	164	_	491	442
30	_	\$259	214	_	599	549
36	\$289	300	255	658	670	62
42	\$329	339	294	730	742	692
48	\$368	380	335	812	823	774
54	\$436	447	403	933	945	896
60	\$484	496	439	1042	1066	100
66	_	\$559	503	_	1194	113
72	_	\$603	548	_	1280	1220
78	_	\$644	601	_	1359	131
84	_	\$694	639	_	1437	1388
90	_	\$733	665	_	1508	144
, ,		\$766	20)		- ,00	-44

3	36 60	_	_	\$550	_	_	1230
	66	_	_	\$632	_	_	1391
	72	_	_	\$691	_	_	1503
	78	_	_	\$698	_	_	1545
	84	_	_	\$706	_	_	1587
	90	_	_	\$752	_	_	1674
	96	_	_	\$798	_	_	1758
		PD	PF	PS	UD	UF	US
FTS10. 2	20 24	_	\$227	_	_	189	_
	30	_	\$256	_	_	212	_
	36	\$335	289	_	230	240	_
	42	\$365	319	_	254	266	_
	48	\$399	351	_	281	292	_
	54	\$459	413	_	333	343	_
	60	\$509	462	_	374	385	_
	66	_	\$516	_	_	428	_
	72	_	\$554	_	_	460	_
	78	_	\$604	_	_	502	_
	84	_	\$672	_	_	559	_
	90	_	\$691	_	_	575	_
	96	_	\$720	_	_	600	_
7	24 24	_	\$227	181	_	189	144
	30	_	\$256	209	_	212	169
	36	\$335	289	243	230	240	195
	42	\$365	319	272	254	266	221
	48	\$399	351	304	281	292	248
	54	\$459	413	366	333	343	299
	60	\$509	462	416	374	385	330
	66	_	\$516	470	_	428	374
	72	_	\$554	508	_	460	406
	78	_	\$604	559	_	502	459
	84	_	\$672	627	_	559	516
	90	_	\$691	645	_	575	522
	96	_	\$720	674	_	600	524

30 24	_	\$250	203	_	207	164	30 24	_	\$290	246	_	588	540
30	_	\$312	265	_	259	214	30	_	\$364	320	_	718	668
36	\$407	360	314	289	300	255	36	\$465	420	377	854	805	756
42	\$453	407	360	329	339	294	42	\$519	475	431	941	891	841
48	\$500	454	408	368	380	335	48	\$575	531	487	1037	988	939
54	\$583	535	489	436	447	403	54	\$670	626	581	1184	1135	1085
60	\$641	593	548	484	496	439	60	\$736	692	648	1328	1278	1227
66	_	\$669	624	_	559	503	66	_	\$780	735	_	1432	1382
72	_	\$724	678	_	603	548	72	_	\$842	799	_	1536	1488
78	_	\$773	727	_	644	601	78	_	\$901	857	_	1631	1583
84	_	\$833	787	_	694	639	84	_	\$969	925	_	1725	1677
90	_	\$880	835	_	733	665	90	_	\$1023	979	_	1808	1761
96	_	\$921	876	_	766	692	96	_	\$1073	1030	_	1894	1845
36 60	_	_	\$685	_	_	550	36 60	_	_	\$687	_	_	1508
66	_	_	\$786	_	_	632	66	_	_	\$785	_	_	1700
72	_	_	\$855	_	_	691	72	_	_	\$854	_	_	1833
78	_	_	\$890	_	_	698	78	_	_	\$890	_	_	1913
84	_	_	\$927	_	_	706	84	_	_	\$925	_	_	1992
90	_	_	\$980	_	_	752	90	_	_	\$979	_	_	2095
96	_	_	\$1036	_	_	798	96	_	_	\$1034	_	_	2198
	LD	LF	LS	WD	WF	WS		PD	PF	PS	UD	UF	US
FTT10. 24 24	_	\$264	219	_	529	479	FTT10. 24 24	_	\$243	196	_	_	
30	_	\$297	253	_	596	546	30	_	\$272	226	_	_	_
36	\$381	336	291	710	659	610	36	\$354	307	261	_	_	_
42													_
	\$417	372	329	775	726	676	42	\$385	341	293	_	_	
48	\$417 \$455	372 410	329 364	775 828	726 778	676 729	42 48		341 374	293 329	_	_	_
					-	•		\$385 \$422 \$486			_ _ _	_ _ _	_
48	\$455	410	364	828	778	729	48	\$422	374	329	_ _ _	_ _ _	_ _ _
48 54	\$455 \$525	410 480	364 436	828 944	778 895	729 845	48 54	\$422 \$486	374 439	329 394	_ _ _ _	_ _ _ _	_ _ _ _
48 54 60	\$455 \$525 \$583	410 480 540	364 436 495	828 944 1054	778 895 1005	729 845 956	48 54 60	\$422 \$486 \$538	374 439 492	329 394 445	- - - -	- - - -	- - - -
48 54 60 66	\$455 \$525 \$583	410 480 540 \$602 \$644	364 436 495 557	828 944 1054 —	778 895 1005 1119 1199	729 845 956 1070	48 54 60 66	\$422 \$486 \$538	374 439 492 \$549	329 394 445 502	- - - - -	- - - - -	- - - -
48 54 60 66 72	\$455 \$525 \$583	410 480 540 \$602	364 436 495 557 601	828 944 1054 —	778 895 1005 1119 1199	729 845 956 1070 1149	48 54 60 66 72	\$422 \$486 \$538	374 439 492 \$549 \$589	329 394 445 502 545	- - - - -	_ _ _ _ _	- - - - -
48 54 60 66 72 78	\$455 \$525 \$583	410 480 540 \$602 \$644 \$703	364 436 495 557 601 660	828 944 1054 —	778 895 1005 1119 1199	729 845 956 1070 1149	48 54 60 66 72 78	\$422 \$486 \$538	374 439 492 \$549 \$589 \$643	329 394 445 502 545 597	- - - - - -	- - - - - -	- - - - -

\$265

218

746

30 24

	3 · - ·		4-0)					50 -1		4-/4	/	
	30	_	\$333	287	_	_	_	30	_	\$345	297	
	36	\$430	383	338	_	_	_	36	\$445	397	349	
	42	\$481	434	387	_	_	_	42	\$496	449	401	
	48	\$531	485	438	_	_	_	48	\$549	500	453	
_	54	\$618	572	525	_	_	_	54	\$638	590	542	
ב ני	60	\$679	633	586	_	_	_	60	\$703	655	607	
ar Jac	66	_	\$713	666	_	_	_	66	_	\$738	690	
2	72	_	\$771	725	_	_	_	72	_	\$796	749	
5	78	_	\$823	779	_	_	_	78	_	\$852	805	
Ŋ	84	_	\$886	841	_	_	_	84	_	\$917	871	
בת	90	_	\$936	890	_	_	_	90	_	\$968	921	
į	96	_	\$980	935	_	_	_	96	_	\$1014	967	
1	36 60	_	_	\$731	_	_	_	36 60	_	_	\$757	
<u> </u>	66	_	_	\$835	_	_	_	66	_	_	\$864	
2	72	_	_	\$911	_	_	_	72	_	_	\$943	
	78	_	_	\$949	_	_	_	78	_	_	\$981	
3	84	_	_	\$987	_	_	_	84	_	_	\$1019	
	90	_	_	\$1045	_	_	_	90	_	_	\$1081	
	96	_	_	\$1102	_	_	_	96	_	_	\$1140	
		PD	PF	PS	UD	UF	US					
	FTE10. 24 24	_	\$251	203	_	_	_					
	30	_	\$283	234	_	_	_					
	36	\$366	318	269	_	_	_					
	42	\$400	351	303	_	_	_					
	48	\$436	388	341	_	_	_					
	54	\$502	454	406	_	_	_					
	60	\$557	510	462	_	_	_					
	66	_	\$568	520	_	_	_					
	72	_	\$609	562	_	_	_					
	78	_	\$666	619	_	_	_					
	84	_	\$739	692	_	_	_					
	90	_	\$760	714	_	_	_					
			.	_								

30 24

\$274

227


Step 7	7.		Top/I	Edge Finish: Wood Veneer	
, ,				eneer top/veneer edge (W)	
Top Fi	nish		2U	light brown walnut A	+\$85
For la	minate top/thermoplastic edge (L) or laminate top/u	niversal edge	40	dark brown walnut 🛕	+\$85
(U)	,, , , , , , , , , , , , , , , , , , , ,	J	ED	aged cherry A	+\$85
8Q	folkstone grey	+\$0	EK	medium red walnut 🗚	+\$85
91	white	+\$o	EW	medium matte walnut A	+\$85
98	studio white	+\$o	ET	clear on ash 🛕	+\$85
CL	cool grey neutral	+\$o	EU	oak on ash 🛕	+\$85
HF	inner tone light A	+\$o	EV	walnut on ash [A]	+\$85
HT	inner tone A	+\$o	UL	natural maple A	+\$85
LU	soft white	+\$o	UX	walnut on cherry A	+\$85
WL	sandstone	+\$o			
WN	warm grey neutral	+\$o	Top/I	Edge Finish: Opaque Formcoat®	
76	light brown walnut	+\$o	For p	ainted Formcoat® top/edge (P)	
нм	natural maple	+\$o	8Q	folkstone grey	+\$0
HP	light anigre	+\$o	91	white	+\$0
нх	aged cherry	+\$o	CL	cool grey neutral	+\$0
HY	walnut on cherry	+\$o	LU	soft white	+\$0
LA	light ash A	+\$o	WL	sandstone	+\$0
LBA	clear on ash	+\$o	WN	warm grey neutral	+\$0
LBR	phantom ecru	+\$o			
LBS	phantom cocoa	+\$o	Step	8. Edge Finish	
LBU	medium matte walnut	+\$o			
LBV	warm grey teak	+\$o	For la	minate top/thermoplastic edge (L)	
LBB	oak on ash	+\$o	76	light brown walnut	+\$0
LBC	walnut on ash	+\$o	8Q	folkstone grey	+\$0
LBD	dark brown walnut	+\$o	91	white	+\$0
LBE	medium red walnut	+\$o	98	studio white	+\$0
OG	honey maple A	+\$o	CL	cool grey neutral	+\$0
LBF	neutral twill	+\$o	LA	light ash	+\$0
LBG	sarum twill	+\$o	LBA	clear on ash	+\$0
LBH	earthen twill	+\$o	LBR	phantom ecru	+\$0
LBJ	graphite twill	+\$o	LBS	phantom cocoa	+\$0
LBQ	white twill	+\$o	LBU	medium matte walnut	+\$0
LBM	crisp linen	+\$o	LBV	warm grey teak	+\$0
LBN	classic linen	+\$o	LBB	oak on ash	+\$0
LBP	casual linen	+\$o	LBC	walnut on ash	+\$0
			LBD	dark brown walnut	+\$0
			LBE	medium red walnut	+\$ 0
			LBF	neutral twill	+\$ 0
			LBG	sarum twill	+\$0
			LBH	earthen twill	+\$ 0
			LBJ	graphite twill	+\$ 0
			LBK	pewter mesh	+\$ 0
			LBL	steel mesh	+\$o

LBM

crisp linen

+\$0

LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0
For la	minate top/universal edge (U)	
PLY	plywood edge 🛕	+\$50



Description

This bracket supports and attaches a work surface to the dock and positions the surface at $28^{1}/_{2}$ " high. Surfaces can be placed parallel or perpendicular to the dock. Includes 1 tether and attachment hardware.


Notes


For surfaces up to and including 48" wide, 2 tethers are required.


For surfaces 54" wide and wider, 3 tethers are required.

Dock to surface tethers are always used in conjunction with floor supports such as the universal post leg (FT2B2., FD2B2.), ordered separately.


Dimensions







Specification Information Step 1.		
FD290	. A	\$108
Step 2. Surface Finish		
Metallic Paint		
MS	metallic silver A	+\$0
Sand Texture Paint		
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
BK	black A	+ \$o
G1	graphite A	+\$o
WL	sandstone A	+\$0



Description


This bracket connects one side of a square-edge surface to another square-edge surface in line or at a right angle.

Notes

For freestanding surface applications, when attaching 2 rectangular surfaces perpendicular to each other or when attaching a rectangular surface perpendicular to the squared-edge portion of a rectangular transition surface specify the pair version (FT29B.2).

When attaching freestanding surfaces next to each other in a straight line with a shared leg supporting the back portion of the surfaces, specify the single version (FT29B.1).

Dimensions



Specification Information

Step 1.


FT29B.

Step 2. Type

- 1 single
- 2 pair

Prices for Steps 1-2.

FT29B. 1 \$23 **2** \$43




Description


This leg is available as a single leg to support 1 corner of a surface, or as a pair to support 1 end of a surface. The fixed-height leg has a 2" leveling range, allowing a surface height of $28^{1}/_{2}$ "- $30^{1}/_{2}$ ". The adjustable-height leg is adjustable over a 6" range, allowing a surface height of $25^{1}/_{2}$ "- $31^{1}/_{2}$ ". Attachment hardware included.

Dimensions

Fixed Height



Adjustable Height



Specification Information

Step 1.

FT2B2.

Ste	n 2.	Leg	Tν	ne

F fixed height

A adjustable height

Step 3. Position

L left-hand, single leg

R right-hand, single leg


P left-hand & right-hand, pair

Prices for Steps 1-3.			
	L	R	Р
FT2B2. F	\$401	401	796
Δ	\$428	428	8rr

Sand	Texture Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
Metal	llic Paint	
MS	metallic silver	+\$0


Sand	Texture Paint			
•••••		L	R	P
BK	black	+\$0	0	С
Smoo	th Paint			
		L	R	P
8Q	folkstone grey	+\$0	0	С
91	white	+\$ 0	0	С
98	studio white	+\$ 0	0	С
G2	graphite satin	+\$ 0	0	С
WL	sandstone	+\$o	0	С

Meta	llic Paint			
************		L	R	Р
MS	metallic silver	+\$0	0	0
Anod	ized			
***************************************		L	R	Р
AN	clear anodized aluminum	+\$10	10	20




Description

This single leg supports the front corner edges of 2 adjacent surfaces. It has 2" of leveling adjustment. Attachment hardware included.




Spec	ification Information	
Step :	1.	
FD2B	2. A	
Step :	2. Leg Type	
F	fixed height A	
Step	3. Position	
S	shared, single leg [A]	
Prices	s for Steps 1-3.	
		S
FD2B	2. F	\$505
Step	4. Leg Body Finish	
Metal	lic Paint	
MS	metallic silver 🖪	+\$0
Sand	Texture Paint	
91	white A	+\$ 0
BK	black A	+ \$o
G1	graphite A	+\$0
Step !	5. Leg Face Finish	
Sand	Texture Paint	
BK	black A	+\$0
Smoo	th Paint	
8Q	folkstone grey A	+\$o
91	white A	+\$0
98	studio white A	+\$0
G2	graphite satin 🛕	+\$0
WL	sandstone A	+\$0
Metal	lic Paint	
MS	metallic silver A	+\$0
 Anodi		
AN	clear anodized aluminum A	+\$10




Description

This single painted leg supports a desk or return and includes a glide with $1^1\!/_2$ " leveling range. Specify 2 legs to support one end of a surface. Attachment hardware included.



Spec	ification Information	
Step :	1.	
FV689	9.P	\$160
Step :	2. Surface Finish	
Sand	Texture Paint	
8Q	folkstone grey	+\$0
91	white	+ \$o
98	studio white	+ \$o
BK	black	+ \$o
CL	cool grey neutral	+ \$o
G1	graphite	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$0
Metal	llic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+ \$0
MS	metallic silver	+\$o



Description

This individual leg supports 1 end of a surface or joins 2 surfaces end-toend, providing shared support at the surface joint. It has leveling glides with $1^{1}/2^{n}$ of adjustment. Attachment hardware included.


Notes

When leg is supporting the end of a squared- or eased-edge surface, depth of support leg must match depth of surface. Support leg does not work with thin-edge surfaces in this position.

When leg is supporting the joint between 2 surfaces, specify leg as follows:

Surface Depth—Leg Depth 24" deep surface—12" deep leg 30" deep surface—24" deep leg 36" deep surface—24" deep leg

Dimensions



Specification Information

Step 1.

FV2D2.

Step 2. Surface Edge Type

for squared edge surface

Step 3. Depth

2A 12" deep, shared

2B 24" deep, shared

24 24" deep

30 30" deep

36 36" deep

Step 4. Leg Type

F fixed height

Step 5. Position

For 12" deep, shared (2A) or 24" deep, shared (2B)

S shared

For 24" deep (24), 30" deep (30), or 36" deep (36)

L left

R right


Sten 6 Surface Finish

Prices for Steps 1-5	· •		
	FL	FS	FR
FV2D2. S 2A	_	\$221	_
2B	_	\$341	_
24	\$341	_	341
30	\$350	_	350
36	\$360	_	360

Step	o. Surface Hillsh	
Sand	Texture Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Meta	allic Paint	
CN	metallic champagne	+\$
EH	metallic bronze	+\$
MS	metallic silver	+\$





Description

This individual leg supports 1 end of a surface or joins 2 surfaces end-to-end, providing shared support at the surface joint. The fixed height leg has a 2" leveling range allowing a surface height of $28^{1}/_{2}$ "- $30^{1}/_{2}$ ". The adjustable height leg has a 6" adjustment range in 1" increments allowing a surface height of $25^{1}/_{2}$ "- $31^{1}/_{2}$ ". Attachment hardware included.

Notes

When leg is supporting the end of a surface, depth of support leg must match depth of surface.

When leg is supporting the joint between 2 surfaces, specify leg as follows:


Surface Depth—Leg Depth

24" deep surface—12" deep leg

30" deep surface—24" deep leg

36" deep surface—24" deep leg

Dimensions



Specification Information

Step 1.

36

FV2A2.

Step 2.	Depth
2A	12" deep, shared
2B	24" deep, shared
24	24" deep
30	зо" deep

36" deep

Step 3. Leg TypeF fixed heightA adjustable height

Step 4. Position

For 12" deep, shared (2A) or 24" deep, shared (2B)

S shared

For 24" deep (24), 30" deep (30), or 36" deep (36)


L leftR right

Prices for S	teps 1-4.			
		L	S	R
FV2A2. 2A	F	_	\$265	_
	Α	_	\$350	_
2B	F	_	\$436	_
	Α	_	\$521	_
24	F	\$436	_	436
	Α	\$521	_	521
30	F	\$458	_	458
	Α	\$544	_	544
36	F	\$481	_	481
	Α	\$566	_	566

Open Support Leg, Architectural

Foot continued

Step	5. Surface Finish	
Sand	Texture Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Meta	llic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0



Description

This individual solid panel leg supports 1 end of a surface or joins 2 surfaces end-to-end, providing shared support at the surface joint. It is available as laminate or veneer and has leveling glides with $1^1/2^n$ of adjustment. Attachment hardware included.

Notes

For additional product options, see Vary Easy Program® in Appendices.


Grain direction is vertical on wood-grain laminate and veneer.

When leg is supporting the end of a squared- or eased-edge surface, depth of support leg must match depth of surface. Support leg does not work with thin-edge surfaces in this position.

When leg is supporting the joint between 2 surfaces, specify leg as follows:

Surface Depth—Leg Depth 24" deep surface—12" deep leg 30" deep surface—24" deep leg 36" deep surface—24" deep leg

Dimensions



Specification Information

Step 1.

FV2E2.

Step 2. Surface Edge Type

S for squared edge surface

Step 3.	Step 3. Depth					
2A	12" deep, shared					
2B	24" deep, shared					
24	24" deep					
30	30" deep					
36	36" deep					

Step 4	. Leg	Туре	è					
_								

F fixed height

Sten 6 Surface Finish

Step 5. Surface Material L laminate W veneer A


Prices for S	oteps 1-5.		
		FL	FW
FV2E2. S	2A	\$175	455
	2B	\$288	597
	24	\$288	597
	30	\$293	615
	36	\$298	805

Step c	5. Surface Fillish			
Solid-	Color Laminate			
For la	minate (L)			
8Q	folkstone grey	+\$o		
91	white	+\$o		
98	studio white	+\$o		
CL	cool grey neutral	+\$o		
LU	soft white	+\$o		
MT	medium tone A	+\$o		
WL	sandstone	+\$o		
WN	warm grey neutral	+\$o		
Linen	Laminate			
For la	minate (L)			
LBM	crisp linen	+\$o		
LBN	classic linen	+\$o		
LBP	casual linen +\$0			

Mesh	Laminate				
	minate (L)				
LBK	pewter mesh	+\$0			
LBL	steel mesh	+\$0			
Twill I	aminate				
	ninate (L)				
LBF	neutral twill	+\$0			
LBG	sarum twill	+\$0			
LBH	earthen twill	+\$0			
LBJ	graphite twill	+\$0			
LBQ	white twill	+\$0			
Wood-	-Grain Laminate				
For lar	minate (L)				
нм	natural maple	+\$0			
HP	light anigre	+\$0			
LBA	clear on ash	+\$0			
LBR	phantom ecru	+\$c			
LBS	phantom cocoa	+\$0			
LBU	medium matte walnut	+\$0			
LBV	warm grey teak	+\$0			
LBB	oak on ash	+\$0			
LBC	walnut on ash	+\$0			
LBD	dark brown walnut	+\$0			
LBE	medium red walnut	+\$0			
76	light brown walnut	+\$0			
нх	aged cherry	+\$0			
HY	walnut on cherry	+\$0			
Wood	Veneer				
	neer (W)				
2U	light brown walnut 🛕	+\$85			
40	dark brown walnut 🛕	+\$85			
ED	aged cherry A	+\$85			
EK	medium red walnut 🛕	+\$85			
EW	medium matte walnut 🛕	+\$85 +\$85			
ET clear on ash A					
EU oak on ash A					
EV	walnut on ash A	+\$85			
UL natural maple 🛕					
UX	walnut on cherry A	+\$85			

+\$o

Surface Support, Low Credenza, Fixed Height



Product Information

Description


This support allows a low credenza to support 1 end of a surface and places the surface at 281/2" high. Attachment hardware included.

Notes

Support heights are:

- $5^{1/8}$ " high for storage type (M)
- 67/8" high for storage type (S)
- 6" high for storage type (R)
- \bullet 4 $^{1}/_{4}$ " high for storage type (W)

Dimensions



Specification Information

Step 1.

MS

metallic silver

FT298.


FT298.

Step 2	2. Storage Type
M	for use with thin top low credenza with 4" high foot
S	for use with thin top low credenza with $2^{1}/_{4}$ " high base
R	for use with $1^{1}/_{4}$ " top low credenza with $2^{1}/_{4}$ " high base
W	for use with $1^{1}/_{4}$ " top low credenza with 4" high foot

Prices for Steps 1-2.	
FT298. M	\$195
S	\$195
R	\$195
W	\$195

Step 3	3. Surface Finish	
C I	Tarakana Dailak	
Sand	Texture Paint	
91	white A	+\$0
CL	cool grey neutral A	+\$0
G1	graphite A	+\$0
WN	warm grey neutral A	+\$ o
8Q	folkstone grey A	+\$ o
98	studio white A	+\$ o
WL	sandstone A +	
Metal	lic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0

Surface Support, Low Credenza, FT299. Adjustable Height



Product Information

Description

This height-adjustable support allows a low credenza to support 1 end of a surface, and provides 3" of height adjustment for the surface. Attachment hardware included.

Notes


In lowest position, the height of supports is as follows:

- 35/8" high for storage type (M)
- $5^3/8$ " high for storage type (S)

When used with low credenza with $^3/_8"$ thin top, surface adjustment height range is 27" - 30".

When used with low credenza with 1 $^1/_4$ " thick top, surface adjustment height range is 27 $^5/_8$ " - 30 $^5/_8$ ".

Dimensions



Specification Information

Step 1.

FT299.


Step 2. Storage Type

M for use with low credenza with 4" high foot

S for use with low credenza with 21/4" high base

Prices	s for Steps 1-2.	
FT29	9. M	\$328
	S	\$328
Step	3. Surface Finish	
Sand	Texture Paint	
8Q	folkstone grey	+\$0
91	white	+ \$o
98	studio white	+\$o
CL	cool grey neutral	+ \$o
G1	graphite	+\$0
		and the second s
WL	sandstone	+\$0

Meta	llic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0



Description

This stiffener is used to add additional stiffness to a Canvas freestanding surface, Canvas or Ethospace® surface-attached surface, peninsula or any frame-attached surface when a center cantilever cannot be used. Attachment hardware included.


Notes


Canvas and Ethospace laminate or veneer surfaces 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever require stiffener(s).

See Canvas Office Landscape® Planning Guide or Ethospace Work Surface Planning Guide for specific stiffener guidelines.

Stiffener hangs below surface and is $1^{1}/_{4}$ " high.

Dimensions






Specification Information

Step 1.

FV696.

Step	2. Width	
34	33 ⁷ / ₈ " wide	
39	38 ⁵ / ₈ " wide	
43	431/4" wide	
48	48" wide	
57	57³/8" wide	
62	62 ¹ / ₈ " wide	
67	66³/₄" wide	
71	71 ¹ / ₂ " wide	
81	80 ⁷ / ₈ " wide	

Prices for Steps 1-2.	
FV696. 34	\$70
39	\$72
43	\$72
48	\$72
57	\$72
62	\$72
67	\$72
71	\$72
81	\$72




Description

This cable manager attaches beneath a surface to provide routing of cables and cords at the back edge of a desk or return. Attachment hardware included.

Notes

When using cable manager with privacy panel or screen, specify cable manager width 12" less than privacy panel or screen width.

Dimensions





Specification Information

Step 3. Surface Finish

warm grey neutral

WN

Step 1.

FV695.


Step 2.	Width
18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-2	2.
FV695. 18	\$66
24	\$72
30	\$78
36	\$83
42	\$90
48	\$98

Sand Texture Paint 8Q folkstone grey **+**\$0 91 white **+**\$0 98 studio white **+**\$0 ВК black **+**\$0 CLcool grey neutral **+**\$0 G1 graphite **+**\$0 WL sandstone **+**\$o

Metallic Paint			
CN	metallic champagne	+\$o	
EH	metallic bronze	+\$o	
MS	metallic silver	+\$ 0	


+\$0




Description

This trough attaches along the underside of a Canvas surface to hold and manage power/data cables. It includes two 14"-wide troughs. Finish is black. Attachment hardware is included.

Dimensions			




Specification Information Step 1. FT199. \$70




Description

This channel attaches to the underside of a surface to hold and manage cords and cables. Attachment hardware included.

Dimensions




Specification Information Step 1. FT19C. A Step 2. Width 08 8" wide A 40 40" wide A A Prices for Steps 1-2. FT19C. 08 \$42 \$76 40 \$76 \$76





Description

This cleat attaches to the underside of a work surface or table to manage cords and cables. Finish is cool grey neutral. Package contains 2.











Description

This plastic cable manager adheres with double-sided tape to a desk leg to route cords and cables from the floor to the surface. Package of 6.



Specification Information			
Step 1.			
FV698.	21	\$56	
Step 2.	Surface Finish		
8Q	folkstone grey	+\$o	
91	white	+\$o	
98	studio white	+\$o	
BK	black	+\$o	
CL	cool grey neutral	+\$o	
G2	graphite satin	+\$o	
WL	sandstone	+\$o	
WN	warm grey neutral	+ \$o	





Description

This grommet kit allows cords and cables to be routed through a surface. Includes a template for proper placement. Package of 6.

Notes


Grommet kit requires field-drilling of surface.





Spec	cification Information	
Step	1.	
V982	2.	\$36
Step :	2. Grommet Finish	
3Q	folkstone grey	+\$o
91	white	+ \$o
98	studio white	+ \$o
3K	black	+\$0
CL	cool grey neutral	+\$0
32	graphite satin	+\$0
.U	soft white	+\$0
МT	medium tone	+\$0
NL	sandstone	+\$ o
ΝN	warm grey neutral	+\$ o

Storage Cabinet, Dock Mounted, FD415. Open



Product Information

Description

This cabinet has a laminate or veneer surface and mounts to the top rail of a Canvas dock to provide storage on 1 or both sides.

Notes

Double-sided (D) provides storage access on both sides of the cabinet, allowing half of the storage to be accessed from each side of the dock wall.


Single-sided (S) provides storage access on 1 side only.


Order stanchion support for center mount (FD417.) or offset mount (FD419.) separately.

Order optional accessories separately:

- Marker board (FT492.)
- Tackboard (FT491.)

Dimensions





Specification Information

Step 1.

FD415. A

Step 2. Height

15 15" high A

Step 3. Width

36 36" wide A

42 42" wide A

48 48" wide 🗚

60 60" wide A

72 72" wide A

Step 4. Attachment

C center mount A

F offset A

Step 5. Storage Type

For center mount (C)

D double-sided A

S single-sided A

For offset (F)

S single-sided A

Step 6. Position

For double-sided (D)

L opening left A

R opening right A

For single-sided (S)

S opening left and right A

Step 7. Surface Material

L laminate A

W veneer A

Prices for Steps 1-7.						
	CDLL	CDLW	CDRL	CDRW	CSSL	CSSW
FD415. 15 36	\$903	2123	903	2123	903	2123
42	\$994	2335	994	2335	994	2335
48	\$1084	2818	1084	2818	1084	2818
60	\$1219	3030	1219	3030	1219	3030
72	\$1354	3348	1354	3348	1354	3348


Storage Cabinet, Dock Mounted, Open continued

		FSSL	FSSW
FD415	. 15 36	\$903	2123
	42	\$994	2335
	48	\$1084	2818
	60	\$1219	3030
	72	\$1354	3348
Step 8	3. Top/Edge Finish		
Solid-	Color Laminate		
For lar	ninate (L)		
8Q	folkstone grey A		+\$0
91	white A		+\$0
98	studio white A		+\$0
CL	cool grey neutral A		+\$0
LU	soft white A		+\$0
WL	sandstone A		+\$0
WN	warm grey neutral A		+\$0
For lar	minate (L)		
LBM	crisp linen 🛕		+\$0
LBN	classic linen 🖪		+\$0
LBP	casual linen A		+\$0
For lar	ninate (L)		
LBK	pewter mesh A		+\$0
LBL	steel mesh A		+\$0
For lar	ninate (L)		
LBF	neutral twill A		+\$0
LBG	sarum twill 🛕		+\$0
LBH	earthen twill 🛕		+\$0
LBJ	graphite twill A		+\$0
LBQ	white twill A		+\$0

Wood	-Grain Laminate	
For la	minate (L)	
76	light brown walnut 🛕	+\$0
нм	natural maple A	+\$0
HP	light anigre A	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LBA	clear on ash A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBD	dark brown walnut 🛕	+\$0
LBE	medium red walnut [A]	+\$0
Wood	Veneer	
For ve	neer (W)	
2U	light brown walnut 🛕	+\$0
40	dark brown walnut 🛕	+\$0
ED	aged cherry A	+\$0
EK	medium red walnut 🛕	+\$0
EW	medium matte walnut 🛕	+\$0
ET	clear on ash 🛕	+\$0
EU	oak on ash 🛕	+\$0
EV	walnut on ash 🛕	+\$0
UL	natural maple A	+\$0
UX	walnut on cherry A	+\$0

Tackboard, Storage Cabinet, Frame Top Mounted

FT491.



Product Information

Description

This tackboard attaches to 1 side of a double-sided frame top mounted storage cabinet to provide a tackable surface. Attachment hardware included.

Notes

Specify tackboard width 1/2 the width of the storage cabinet.

Attaches to back of unit or to interior of open storage cabinet (FT415.).

Tackboard accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T)

Width-Yardage

All widths -. 61

For tackable fabric, horizontal (R)

Width—Yardage

18-.72

21-.80


24-.88

30-1.05

36-1.22

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT491. A

Step 2	. Width
36	16 ³ / ₄ " for 36"-wide cabinet A
42	19³/₄" for 42" -wide cabinet 🛕
48	22 ³ / ₄ " for 48" -wide cabinet A
60	28 ³ / ₄ " for 60" -wide cabinet A
72	34³/₄" for 72" -wide cabinet 🛕
84	20" for 84" -wide cabinet 🛕
96	23" for 96" -wide cabinet A

Step 3. Surface Material

T tackable fabric A

R tackable fabric, horizontal A

Prices for Steps 1-3.		
	T	R
FT491. 36	\$133	136
42	\$150	155
48	\$169	174
60	\$196	201
72	\$225	231
84	\$150	155
96	\$169	174

Step 4. Surface Finish


See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+\$o
Price Category 2	+\$19
Price Category 3	+\$33
Price Category 4	+\$51
Price Category B	+\$37
Price Category C	+\$51
Price Category D	+\$64
Price Category E	+\$78

Canvas Office Landscape® Storage

Markerboard, Storage Cabinet, Frame Top Mounted

FT492.



Product Information

Description

This marker board attaches to 1 side of a double-sided frame top mounted storage cabinet to provide a writing surface for dry-erase markers. Attachment hardware included.

Notes

Specify marker board width $^{1}/_{2}$ the width of the storage cabinet. Attaches to back of storage unit (FT415.).

Dimensions



Specification Information


Step 1.

FT492. A

Step 2	. Width
36	16³/₄" for 36"-wide cabinet 🛕
42	19³/₄" for 42" -wide cabinet 🛕
48	$22^3/4''$ for $48''$ -wide cabinet \boxed{A}
60	28 ³ / ₄ " for 60" -wide cabinet A
72	34³/₄" for 72" -wide cabinet A
84	20" for 84" -wide cabinet 🛕
96	23" for 96" -wide cabinet 🛕

Prices for Steps 1-2.	
FT492. 36	\$124
42	\$130
48	\$136
60	\$151
72	\$166
84	\$130
96	\$136

Canvas Office Landscape® Storage



Product Information

Description


This painted metal stanchion attaches 1 end of a dock mounted storage cabinet to the dock top rail in a center mounting position. It can be attached anywhere along the top rail. Package contains 1 stanchion. Attachment hardware included.


Notes

Specify shared stanchion (T) to support 2 adjacent cabinet ends.

Order single-sided or double-sided dock mounted storage cabinet (FD415.) separately.

Dimensions





Specification Information

Step 1.

FD417. A

Step 2. Attachment

D dock A

Step 3. Height

09 9" high A

16 16" high A

20" high A

Step 4. Grouping/Quantity

S single A

T shared A


Prices for Steps 1-4.		
	S	Т
FD417. D 09	\$264	264
16	\$272	272
20	\$281	281

Step 5. Surface Finish

Sand	Texture Paint	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BK	black A	+\$0
CL	cool grey neutral A	+\$0
G1	graphite A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
Meta	llic Paint	
CN	metallic champagne 🛕	+\$0

CN	metallic champagne 🛕	+\$o
EH	metallic bronze 🛕	+\$0
MS	metallic silver A	+\$0

Upper Storage Stanchion - Offset FD419. Mount



Product Information


Description

This painted metal stanchion attaches 1 end of a dock mounted storage cabinet to the dock top rail in an offset mounting position. It can be attached anywhere along the top rail, and is handed. Package contains 1 stanchion. Attachment hardware included.

Notas

Specify single-shared stanchion (T) to support 2 adjacent cabinet ends. Order single-sided or double-sided dock mounted storage cabinet (FD415.) separately.

Dimensions



Specification Information

Step 1.

FD419. A

Step 2. Attachment

D dock A

Step 3. Height

09 9" high A

16 16" high A

20" high A

Step 4. Grouping/Quantity

L single left A

R single right A

T single - shared A


Sand Texture Paint

Prices for S	teps 1-4.			
		L	R	Т
FD419. D	09	\$264	264	264
	16	\$272	272	272
	20	\$281	281	281

Step 5. Surface Finish		

8Q	folkstone grey A	+ \$0
91	white A	+\$o
98	studio white A	+\$o
BK	black A	+\$o
CL	cool grey neutral A	+\$o
G1	graphite A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o
Metalli	c Paint	
CN	metallic champagne A	+\$o
EH	metallic bronze A	+\$o
MS	metallic silver A	+\$o

Screen FV694.



Product Information

Description

This screen attaches to a desk or return. It has a 1"-thick frame with a 1/4"-thick translucent or painted surface. Attachment hardware included.

Notes


When attaching the 12"-high screen to a basic desk or return, specify screen width 6" less than surface width.

When attaching a screen of any height to a single pedestal desk or pedestal return, specify screen width 18" less than surface width. When attaching to a double pedestal desk, specify screen width 30" less than surface width.

When attached to surface, there is a $1^1\!/_2$ " gap between the back edge and the screen.

For translucent plastic (A) surface material, screen frame finish is metallic silver (MS). For painted (P) surface material, screen frame finish will match bracket finish (Step 6.).

For cable management between screen and back edge of surface, specify cable manager (FV695.) separately.



66

72

Step 1.	cation Informat						
F1//01							
FV694.							
Step 2.	Surface Materia	l					
Α	translucent pla	stic					
Р	painted						
Step 3.	Height						
For pair	nted (P)						
12A	12" below work	surface					
For tran	slucent plastic ((A)					
12A	12" below work	surface					
18A	6" above/12" b	elow work s	surface				
18B	12" above/6" b	elow work s	surface				
24A	12" above/12" b	elow work	surface				
Step 4.	Width						
For 12"	below work surj	face (12A)					
30	30" wide						
36	36" wide						
42	42" wide						
48	48" wide						
54	54" wide						
	6o" wide						
60							
	66" wide						
60 66 72	66" wide 72" wide						
66 72		work surfa	rce (18A)	, 12" abo	ove/6" b	elow wo	rk
66 72 For 6" a	72" wide					elow wo	rk
66 72 For 6" a surface	72" wide bove/12" below					elow wo	rk
66 72 For 6" a surface 30	72" wide bove/12" below (18B), or 12" ab					elow wo	rk
66 72 For 6" a	72" wide bove/12" below (18B), or 12" ab 30" wide					elow wo	rk
66 72 For 6" a surface 30 36 42	72" wide bove/12" below (18B), or 12" ab 30" wide 36" wide					elow wo	rk
66 72 For 6" a surface 30 36	72" wide bove/12" below (18B), or 12" ab 30" wide 36" wide 42" wide					elow wo	rk
For 6" a surface 30 36 42 48 54	72" wide bove/12" below (18B), or 12" ab 30" wide 36" wide 42" wide 48" wide					elow wo	rk
For 6" a surface 30 36 42 48 54	72" wide bove/12" below (18B), or 12" ab 30" wide 36" wide 42" wide 48" wide 54" wide	ove/12" be.		k surface		54	6
For 6" a surface 30 36 42 48 54	72" wide bove/12" below (18B), or 12" ab 30" wide 36" wide 42" wide 48" wide 54" wide	ove/12" bei	low worl	k surface	? (24A)		

FV694.	Α	12A	\$868	894
	Р	12A	\$789	813
Step 5.	Sui	face Finish		
Sand To	extı	re Paint		
For pair	nte	d (P)		
8Q	fol	kstone grey		+\$c
91	wh	ite		+\$0
98	stı	idio white		+\$0
BK	bla	ick		+\$0
CL	СО	ol grey neutral		+\$0
G1	gra	aphite		+\$0
WL	sa	ndstone		+\$0
WN	wa	rm grey neutral		+\$0
Metalli	c Pa	int		
For pai	nte	1 (P)		
CN	me	tallic champagne		+\$0
EH	me	tallic bronze		+\$0
MS	me	tallic silver		+\$0
Translu	icen	t Plastic		
For tran	ıslu	cent plastic (A)		
J9	ор	al frosted		+\$0
Step 6.	Bra	cket Finish		
8Q	fol	kstone grey		+\$0
91	wh	ite		+\$0
98	stı	idio white		+\$0
BK	bla	ick		+\$0
CL	СО	ol grey neutral		+\$0
G1	gra	aphite		+\$0
WL	sa	ndstone		+\$0
WN	wa	rm grey neutral		+\$0
Metalli	c Pa	int		
CN	me	tallic champagne		+\$0
EH	me	tallic bronze		+\$0
MS	me	tallic silver		+\$0

18B

24A

P 12A

\$736

\$840

\$637

766

874

661

794

907

686

825

941


713

852

974

738

763



Description


This modesty panel attaches to a closed-leg rectangular or concave rectangular desk to provide partial- or full-height enclosure below the surface and increase stability. The panel can be mounted inset from the back edge of the desk, or flush with the back edge for knee clearance. Available in laminate or veneer. Attachment hardware included.


Notes

Modesty panel spans between 2 closed support legs (FV2E2.24, .30, or .36) and attaches to the closed support legs and underside of a surface. It does not work with shared closed support legs.

Grain direction is vertical on veneer and wood-grain laminate panel. Wood-grain laminate option is only available in 36" - 60" widths.

Dimensions





Full Modesty Panel

Specification Information

Step 1.

FV697.

Step 2. Width							
60	6o" wide						
66	66" wide						
72	72" wide						
84	84" wide						
96	96" wide						

Step 3. Modesty Panel Type

F full modesty panel

H half modesty panel

Step 4. Surface Material

L laminate

W veneer A

Prices for S	teps 1-4.		
		L	W
FV697. 60	F	\$508	1114
	Н	\$356	625
66	F	\$558	1220
	Н	\$390	693
72	F	\$609	1336
	Н	\$424	760
84	F	\$709	1557
	Н	\$438	895
96	F	\$813	1785
	Н	\$451	1035

Step 5. Surface Finish


Solid-Color Laminate

For 60" wide (60), 66" wide (66), 72" wide (72), 84" wide (84), or 96" wide (96) with laminate (L)

******	()0) (2)	
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LU	soft white	+\$o
WL	sandstone	+\$o
WN	warm grev neutral	+\$0

	Laminate	
***************************************	o" wide (60) with laminate (L)	
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
Mesh	Laminate	
For 6c	o" wide (60) with laminate (L)	
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$0
Twill L	Laminate	
For 6c	o" wide (60) with laminate (L)	
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBQ	white twill	+\$0
Wood	-Grain Laminate	
For 60	o" wide (6o) with laminate (L)	
76	light brown walnut	+\$0
нм	natural maple	+\$o
HP	light anigre	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o

Wood	d Veneer	
For v	eneer (W)	
2U	light brown walnut 🛕	+\$50
40	dark brown walnut	+\$50
ED	aged cherry A	+\$50
EK	medium red walnut	+\$50
EW	medium matte walnut	+\$50
ET	clear on ash 🛕	+\$50
EU	oak on ash 🛕	+\$50
EV	walnut on ash 🛕	+\$50
UL	natural maple 🛕	+\$50
UX	walnut on cherry	+\$50



Description

This panel stands on the floor and attaches to a desk or return to provide partial- or full-width privacy. It is $^{3}/_{4}$ " thick, has a laminate or veneer surface, and includes leveling glides. Attachment hardware included.

Notes


For additional product options, see Vary Easy Program in Appendices. Grain direction is vertical on veneer and wood-grain laminate panel. 29"-high panel provides modesty from the floor to the surface. 42"- and 46"-high panels rise above the surface for visual privacy.

When attached to surface, there is a 11/2" gap between the back edge

when attached to surface, there is a $1\frac{1}{2}$ gap between the back edge and the panel.

Wood-grain laminate option is only available in 33" - 60" widths. Specify 2 panels to match the width of surfaces wider than 60".

For cable management between privacy panel and back edge of surface, specify cable manager (FV695.) separately.



+\$o

+\$o

+\$o

+\$o

+\$o

Spe	cification Informa	ation			
Step					
FV69					
Step	2. Height				
29	29" high				
42	42" high				
46	46" high				
Step	3. Width				
For 2	9" high (29)		 	 	
33	33" wide				
36	36" wide				
48	48" wide				
54	54" wide				
60	6o" wide				
66	66" wide				
72	72" wide				
84	84" wide				
For 4	2" high (42) or 46	6" high (46)			
48	48" wide				
54	54" wide				
60	6o" wide				
72	72" wide				
Step	4. Surface Materi	ial			
L	laminate				
W	veneer A				
Price	s for Steps 1-4.				
				L	١

For 33" wide (33), 36" wide (36), 48" (60), 66" wide (66), 72" wide (72), or 8Q folkstone grey 91 white 98 studio white CL cool grey neutral LU soft white WL sandstone WN warm grey neutral Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)	\$645 \$773 vide (48), 54" wide (54), 60" t	1389 154: 1848
T2 Step 5. Surface Finish Solid-Color Laminate For 33" wide (33), 36" wide (36), 48" (60), 66" wide (66), 72" wide (72), or 8Q folkstone grey 91 white 98 studio white CL cool grey neutral LU soft white WL sandstone WN warm grey neutral Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)	\$773 vide (48), 54" wide (54), 60" v	1848
Step 5. Surface Finish Solid-Color Laminate For 33" wide (33), 36" wide (36), 48" (60), 66" wide (66), 72" wide (72), or 8Q folkstone grey 91 white 98 studio white CL cool grey neutral LU soft white WL sandstone WN warm grey neutral Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)	vide (48), 54" wide (54), 60" (
Solid-Color Laminate For 33" wide (33), 36" wide (36), 48" (60), 66" wide (66), 72" wide (72), or 8Q folkstone grey 91 white 98 studio white CL cool grey neutral LU soft white WL sandstone WN warm grey neutral Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		wida
(6o), 66" wide (66), 72" wide (72), or 8Q folkstone grey 91 white 98 studio white CL cool grey neutral LU soft white WL sandstone WN warm grey neutral Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		wida
91 white 98 studio white CL cool grey neutral LU soft white WL sandstone WN warm grey neutral Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		wida
For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (1) Mesh Laminate Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (1) Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (36), 48" wide (36)	34" wide (84) with laminate (L	wide
For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (1) Mesh Laminate Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (1) Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (36), 48" wide (36)		<u>(</u>)
98 studio white CL cool grey neutral LU soft white WL sandstone WN warm grey neutral Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		+\$0
CL cool grey neutral LU soft white WL sandstone WN warm grey neutral Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		+\$0
LU soft white WL sandstone WN warm grey neutral Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		+\$0
WL sandstone WN warm grey neutral Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		+\$0
Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		+\$0
Linen Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		+\$0
For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		+\$0
wide (60) with laminate (L) LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		
LBM crisp linen LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)	vide (48), 54" wide (54), or 60	o"
LBN classic linen LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		
LBP casual linen Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		+\$0
Mesh Laminate For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		+\$0
For 33" wide (33), 36" wide (36), 48" wide (60) with laminate (L)		+\$0
wide (60) with laminate (L)		
	vide (48), 54" wide (54), or 60	o"
LBK pewter mesh		+\$0
LBL steel mesh		+\$0

For 33" wide (33), 36" wide (36), 48" wide (48), 54" wide (54), or 60"

wide (60) with laminate (L)

neutral twill

sarum twill

earthen twill

graphite twill

white twill


LBF

LBG

LBH

LBJ

Wood	-Grain Laminate	
For 33	3" wide (33), 36" wide (36), 48" wide (48), <u>5</u>	54" wide (54), or 60"
wide ((60) with laminate (L)	
76	light brown walnut	+\$
нм	natural maple	+\$
HP	light anigre	+\$
НΧ	aged cherry	+\$
HY	walnut on cherry	+\$
LBA	clear on ash	+\$
LBR	phantom ecru	+\$
LBS	phantom cocoa	+\$
LBU	medium matte walnut	+\$
LBV	warm grey teak	+\$
LBB	oak on ash	+\$
LBC	walnut on ash	+\$
LBD	dark brown walnut	+\$
LBE	medium red walnut	+9
Wood	Veneer	
For ve	neer (W)	
2U	light brown walnut 🛕	+\$8
40	dark brown walnut	+\$8
ED	aged cherry A	+\$8
EK	medium red walnut	+\$8
EW	medium matte walnut	+\$8
ET	clear on ash 🛕	+\$8
EU	oak on ash 🛕	+\$8
EV	walnut on ash 🛕	+\$8
UL	natural maple 🛕	+\$8
UX	walnut on cherry	+\$8
Step 6	5. Support Finish	
Metal	lic Paint	
CN	metallic champagne	+5
EH	metallic bronze	+5
MS	metallic silver	+5
Sand ¹	Texture Paint	
8Q	folkstone grey	+5
91	white	+5
98	studio white	+5
BK	black	+5
CL	cool grey neutral	+5
G1	graphite	+5
WL	sandstone	+5
WN	warm grey neutral	+\$



Description

This acrylic infill fits between 2 stanchions below a dock mounted storage cabinet.

Notes


Infill is used between single or shared stanchions.

Specify infill width to match the width of storage cabinet (FD415.).

An opening is created between infill and stanchion at each end of infill.

- Single stanchion at each end, openings are 3/4"
- \bullet Single stanchion at 1 end and shared stanchion at 1 end, openings are $1^1\!/4^{\prime\prime}$
- \bullet Shared stanchion at each end, openings are 1 $^3/_4$ "

Dimensions



Specification Information

Step 1.

FD430. A

Step 2. Type

A acrylic A

Step 3. Height

16" high for overhead storage at 53" high A

20 20" high for overhead storage at 57" high A

Step 4. Width

36 36" wide A

42 42" wide A

48 48" wide A


60 60" wide A

72 72" wide A

Prices for Steps 1-4.					
	36	42	48	60	72
FD430. A 16	\$426	445	462	488	535
20	\$435	453	471	498	543

Step 5	. Infill Finish	
TR	clear A	+ \$o
J9	opal frosted A	+\$50

Step 6	. Attachment Bracket Finish	
MS	metallic silver 🛕	+\$0



Description

This tackable fabric screen attaches anywhere along the top rail of the 22" high Canvas dock to extend the overall height and to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

20-1.58

24-1.84

31-2.27

35 - 2.53

For horizontal fabric direction (R), for 20" high and 24" high:

Width-Yardage

24-0.95

36-1.32

42-1.51

48-1.71

60-2.07

72-2.46

For horizontal fabric direction (R), for 31" high and 35" high:

Width-Yardage

24-1.90


36 - 2.66

42-3.02

48 - 3.41

60-4.17 72-4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.



Spe	cification Information
Step	1.
FD11	5. A
Step	2. Type
F	fabric A
Step	3. Height
20	20" high (to reach datum of 42"H) A
24	24" high (to reach datum of 46"H) 🛕
31	31" high (to reach datum of 53"H) 🛕
35	35" high (to reach datum of 57"H) A
Step	4. Width
24	24" wide A
36	36" wide A
42	42" wide A
48	48" wide A
60	60" wide A
72	72" wide A
Step	5. Surface Material
For 2	4" wide (24), 36" wide (36), 42" wide (42), or 48" wide (48)
Т	tackable fabric A
R	tackable fabric, horizontal 🛕
For 6	o" wide (60) or 72" wide (72)
R	tackable fabric, horizontal 🛕

Step 6. Fabric					
	2024	2036	2042	2048	2060
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$13	18	20	23	28
Price Category 3	+\$31	43	49	55	67
Price Category 4	+\$53	74	85	96	117
	2072	2424	2436	2442	2448
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$33	13	18	20	23
Price Category 3	+\$80	31	43	49	55
Price Category 4	+\$138	53	74	85	96
	2460	2472	3124	3136	3142
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$28	33	26	36	41
Price Category 3	+\$67	80	61	86	98
Price Category 4	+\$117	138	107	150	170
	3148	3160	3172	3524	3536
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$46	57	67	26	36
Price Category 3	+\$110	135	159	61	86
Price Category 4	+\$192	235	277	107	150
		3542	3548	3560	3572
Price Category 1	*********	+\$0	0	0	0
Price Category 2		+\$41	46	57	67
Price Category 3		+\$98	110	135	159
Price Category 4		+\$170	192	235	277

24R

36T

\$1170

\$1260

36R

1170

1260

42T

1305

1395

42R


1395

24T

31

35

Prices for Steps 1-5.



Description

This tackable fabric screen fits between 2 stanchions below a dock mounted storage cabinet. Attachment hardware included.


Notes

Fabric infill is used between single or shared stanchions.

Fabric infill can be installed and removed with storage cabinet (FD₄₁₅.) installed.

Specify fabric infill width to match the width of storage cabinet (FD415.). When installed, there is a $^{3}/_{4}$ " gap around all edges of fabric infill.

Dimensions



Specification Information

Step 1.

FD435. A

Step 2. Height

16" high for overhead storage at 53" high A

20 20" high for overhead storage at 57" high A

Step 3. Width

36 36" wide A

42 42" wide A

48 48" wide A

60 60" wide A

72 72" wide A

Step 4. Surface Material

For 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal A


T tackable fabric A

For 60" wide (60) or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-4.		
	R	Т
FD435. 16 36	\$758	758
42	\$852	852
48	\$946	946
60	\$994	_
72	\$1040	_
20 36	\$804	804
42	\$899	899
48	\$994	994
60	\$1135	_
72	\$1183	_
72	\$1183	

Step 5. Fabric					
	36	42	48	60	72
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$18	18	18	31	31
Price Category 3	+\$42	42	42	73	73



Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 4" below surface to hide attachment hardware.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42-1.49

46-1.73

53-2.18

For horizontal fabric direction (R):

Width-Yardage

40-1.34

42-1.51

46-1.62

48-1.71

52-1.81

54-1.90


60-2.07

66 - 2.27

72-2.46

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT351. A

Step 2. Attachment

C Canvas surface attached

Step 3. Height

42 42" high A

46 46" high A

53 53" high A

Step 4. Width

40 39¹/₂" wide A

42 42" wide A

46 45¹/₂" wide A

48 48" wide A

52 51¹/₂" wide A

54 54" wide A

60 60" wide A

66 66" wide A

72 72" wide A

Step 5. Surface Material

For 39¹/₂" wide (40), 42" wide (42), 45¹/₂" wide (46), or 48" wide (48)

R tackable fabric, horizontal 🖪

T tackable fabric A

For 51¹/₂" wide (52)

R tackable fabric, horizontal A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)


R tackable fabric, horizontal A

Prices for S	Steps 1-5.						
		40R	40T	42R	42T	46R	46T
FT351. C	42	\$773	773	799	799	809	809
	46	\$835	835	866	866	909	909
	53	\$1010	1010	1091	1091	1137	1137
		60D	60T	F2D	F4D	60 D	((D
		48R	48T	52R	54R	60R	66R
FT351. C	42	\$824	824	891	912	975	1046
	46	\$955	955	1020	1046	1122	1182
	53	\$1152	1152	1202	1218	1238	1273

						72R
FT351.	C 42					\$1101
	46					\$1228
	53					\$1298
Step 6.	Bracket Finish					
G2	graphite satin A					+ \$0
Step 7.	Fabric					
		40	42	46	48	52
Price Ca	ategory 1	+\$0	0	0	0	0
Price Ca	ategory 2	+\$23	23	23	23	27
Price Ca	ategory 3	+\$54	54	54	54	65
Price Ca	ategory 4	+\$94	94	94	94	113
			54	60	66	72
Price Ca	ategory 1		+\$o	0	0	0
Price Ca	ategory 2		+\$27	27	33	33
Price Ca	ategory 3		+\$65	65	78	78
Price Ca	ategory 4		+\$113	113	135	135

Pari Screen, Surface Attached with Modesty

FT353.



Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 10" below surface for modesty.

Screen can be flush with back edge of surface, or provide a 1 $\!\!\!^{"}$ gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42-1.90

46 - 2.14

53-2.59

For horizontal fabric direction (R):

Width-Yardage

40-2.87

42-3.02

46-3.22

48 - 3.41

52-3.63


54 - 3.78

60 - 4.17

66 - 4.54

72-4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.




C+	- Attl
	2. Attachment Canvas surface attached A
С	Canvas surface attached [A]
Step :	3. Height
A42	42" high/10" below surface A
A46	46" high/10" below surface A
A53	53" high/10" below surface A
Step 4	4. Width
40	39¹/₂" wide 🛕
42	42" wide A
46	45 ¹ / ₂ " wide A
48	48" wide A
52	51 ¹ / ₂ " wide A
54	54" wide 🛕
60	60" wide A
66	66" wide A
72	72" wide A
Step !	5. Surface Material
For 30	0 ¹ / ₂ " wide (40), 42" wide (42), 45 ¹ / ₂ " wide (46), or 48" wide (48)
R	tackable fabric, horizontal A
Т	tackable fabric A
 For 51	i¹/₂" wide (52)
R	tackable fabric, horizontal 🛕

72R						
\$1288	:				. C A42	FT353
\$1371					A46	
\$1507	:				A53	
					. Cable Trough	Step 6
+\$0					no cable way 🛕	NC
+\$25					cable way A	CW
					. Cable Trough Finish	Step 7
+\$0					graphite satin A	G2
					. Bracket Finish	Step 8
+\$0					graphite satin A	G2
					. Fabric	Step 9
52	48	46	42	40		
C	0	0	0	+\$o	Category 1	Price C
52	36	36	36	+\$36	Category 2	Price C
123	86	86	86	+\$86	Category 3	Price C
214	150	150	150	+\$150	Category 4	Price C
72	66	60	54			
C	0	0	+\$o		Category 1	Price C
64	64	52	+\$52		Category 2	Price C
154	154	123	+\$123		Category 3	Price C
			+\$214		Category 4	

tackable fabric, horizontal A

Pari Screen, Height Adjustable Tables

Y1116.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width. Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8'' and require $2^1/2''$ of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

A-1.51

B-1.89

C-1.76

D-2.14

E-2.21

F-2.58

For horizontal fabric direction (R):

Width-Yardage

For heights A/B:

24-0.88

30-1.07

36-1.26

42-1.45

48-1.64

54-1.83

60-2.02 66-2.21

72-2.39

For heights C/D/E/F:

24-1.76

30-2.14

36 - 2.52

42-2.90

48-3.28


54 - 3.65

60-4.03

66-4.41

72 — 4.79

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.






Specif	ication Information			В	24	\$524	52
Step 1.	ication information				30	\$560	56
/1116.	A				36	\$595	59
					42	\$631	63
Step 2.	Height				48	\$700	70
4	privacy (42" high) A]			54	\$788	-
3		.2" high/10" below surface) 🛽			60	\$808	
-	privacy (46" high) A				66	\$870	_
)		.6" high/10" below surface) 🔼			72	\$892	
	privacy (53" high) A		-	•	24	\$492	49
		3" high/10" below surface) 🗚			30	\$528	52
	, , , , , , , , , , , , , ,	J 6, 1 1444 144 144 1			36	\$564	56
tep 3.	Width				42	\$599	59
4	24" wide A				48	\$661	60
0	30" wide A				54	\$727	
6	36" wide A				60	\$811	
2	42" wide A				66	\$850	
8	48" wide A				72	\$885	
4	54" wide A			• · · · · · · · · · · · · · · · · · · ·	24	\$633	63
0	60" wide A				30	\$668	66
6	66" wide A				36	\$703	70
2	72" wide A				42	\$739	73
-	/2 wide A				48	\$794	79
ten /	Surface Material				54	\$834	- 79
тер 4.	Surface Material				60	\$883	
or 24"	wide (24) 20" wide (30), 36" wide (36), 42" wide (42), or 4	. Q"		66	\$928	
o, 24 vide (4		50), 50 wide (50), 42 wide (42), 01 4	.0		72	\$951	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	tackable fabric, horiz	ontal 🛕		•	24	\$648	64
	tackable fabric A	ontat [A]			30	\$684	68
	tuckable labile A				36	\$719	71
or - 4"	wida (F4) 60" wida (60), 66" wide (66), or 72" wide (72)			42	\$719 \$776	77
01 54 !	tackable fabric, horiz				48	\$798	77 79
`	tackable labile, nonz	ontat [A]			54	\$790 \$844	/5
ricoc f	for Steps 1-4.				60	\$860	
iices i	or Steps 1-4.	R	T		66	\$882	
1116	A 24				72		
1110.		\$433 \$503	433	• · · · · · · · · · · · · · · · · · · ·		\$902 \$712	
	30 36	\$503 \$533	503		24 30	\$713 \$740	71
	42	\$523 \$557	523		36	\$749 \$785	74
		\$554 \$577	554			\$785 \$231	78 0.
	48	\$574	574		42	\$821	82
	54	\$631	_		48	\$884	88
		* • •			F /-		
	60	\$678	_		54	\$915	
	60 66	\$725	_		60	\$948	
	60		- - -				-

Pari Screen, Height Adjustable Tables continued

Step 5. Cable Trough					
For privacy & modesty (42" high/10" below surface) (B), privacy &					
modesty (46" high/10" below surface) (D), or privacy &	modesty (53"				
high/10" below surface) (F)					
NC no cable way A	+\$o				
CW cable way A	+\$25				
Step 6. Fabric					
Price Category 1	+\$o				
Price Category 2	+\$19				
Price Category 3	+\$41				
Price Category 4	+\$80				
Price Category E	+\$152				



Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is $13^{1/2}$ " or $17^{1/2}$ " above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge. $\,$

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines. Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42-1.19

46-1.45

For horizontal fabric direction (R):


Width-Yardage

24-0.90

30-1.10

36-1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.



Specification Information

Step 1.

FT354. A

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed A

CR Canvas Surface Attached, End of Run Right Handed A

Step 3. Height

42 42" high A

46 46" high A

Step 4. Width

24 24" wide A

30 30" wide A

36 36" wide A

Step 5. Surface Material


R tackable fabric, horizontal A

T tackable fabric A

Prices for Steps 1-5.						
	24R	24T	30R	30T	36R	36T
FT354. CL 42	\$849	849	879	879	904	904
46	\$894	894	930	930	965	965
CR 42	\$849	849	879	879	904	904
46	\$894	894	930	930	965	965

Step 6	. Bracket Finish	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BK	black A	+\$0
G1	graphite A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 7. Fabric	
Price Category 1	+\$o
Price Category 2	+\$17
Price Category 3	+\$40
Price Category 4	+\$70



Description

This tackable fabric screen attaches to a Canvas low credenza using the thin top and provides boundary with a tackable surface. Attachment hardware included.

Notes

Order credenza thin top separately:

- Credenza top for wood credenza (FF889.)
- Credenza top for metal credenza (FM889.)

Predrilled holes near back edge of credenza thin top allow for bayonets to extend up to support the screen.

Works with standard and powered Canvas credenzas.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

24-0.95

30-1.14

36-1.32

For horizontal fabric direction (R), for 42" high:

Width—Yardage

24-0.95

30-1.14

36-1.32

42-1.51

48-1.71

60-2.07

66-2.27

72-2.46

For horizontal fabric direction (R), for 46" high and 53" high:

Width-Yardage

24-1.90

30-2.27

36-2.66

42-3.02


48 - 3.41

60-4.17

66-4.54

72-4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.



Spec	ification Information
Step :	1.
FV360	0. A
Cı	Au I
	2. Attachment
CS	Canvas credenza attached, single A
CB	Canvas credenza attached, back to back A
Step :	3. Height
42	42" high 🖪
46	46" high A
53	53" high A
Step	4. Width
30	30" wide A
36	36" wide A
42	42" wide A
48	48" wide A

Step 6. Fabric					
	30	36	42	48	60
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$38	38	38	31	31
Price Category 3	+\$90	90	90	74	74
Price Category 4	+\$156	156	156	127	127
				66	72
Price Category 1				+\$o	0
Price Category 2				+\$38	38
Price Category 3				+\$90	90
Price Category 4				+\$156	156
Price Calegory 4				+\$156	156

Step 5. Surface Material

60" wide A 66" wide A

72" wide 🛕

60

66 72

For 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal A


T tackable fabric A

For 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal A

Prices for St	teps 1-5.						
		30R	30T	36R	36T	42R	42T
FV360. CS	42	\$743	743	773	773	819	819
	46	\$773	773	864	864	909	909
	53	\$909	909	955	955	1106	1106
СВ	42	\$743	743	773	773	819	819
	46	\$773	773	864	864	909	909
	53	\$909	909	955	955	1106	1106
			48R	48T	60R	66R	72R
FV360. CS	42		\$955	955	1091	1111	1137
	46		\$1000	1000	1137	1202	1228
	53		\$1182	1182	1319	1384	1409
СВ	42		\$955	955	1091	1111	1137
	46		\$1000	1000	1137	1202	1228
	53		\$1182	1182	1319	1384	1409

Pari Screen, Freestanding/Surface FD300. Attached



Product Information

Description

This tackable fabric screen is 42" or 46" high. It has an all fabric surface and a frameless edge. Includes 2 adjustable glides for leveling.

Notes


Screen can be freestanding when connected in 90° or 120° configurations. See planning guide for more information.

Screen can be connected inline (180°). See planning guide for connection rules.

Screen can be attached to:

- Canvas dock
- Table or surface
- Canvas low storage

Dimensions



Specification Information

Step 1.

FD300. A

Step 2. Type

F fabric/fabric A

Step 3. Height

42 42" high A

46 46" high A

Step 4. Width

For 42" high (42)

15 15" wide A

20 20" wide A

24" wide A

30 30" wide A

36" wide A

42 42" wide 🗚

48 48" wide A

54 54" wide A60 60" wide A

66 66" wide A

72 72" wide A

For 46" high (46)

15 uide A

20 20" wide A

24" wide A

30 30" wide 🗚

30 Wide A

36" wide A

42 42" wide A

48 48" wide A

60 60" wide A72" wide A

Step 5. Surface Material

For 15" wide (15), 20" wide (20), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

T tackable fabric A


R tackable fabric, horizontal A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal A

Pari Screen, Freestanding/Surface Attached continued

Prices for Steps 1-5.						
	15T	15R	20T	20R	24T	24R
FD300. F 42	\$808	808	859	859	1010	1010
46	\$869	869	930	930	1061	1061
	30T	30R	36T	36R	42T	42R
FD300. F 42	\$1061	1061	1111	1111	1162	1162
46	\$1137	1137	1212	1212	1288	1288
	48T	48R	54R	60R	66R	72R
FD300. F 42	\$1212	1212	1288	1364	1515	1616
46	\$1288	1515	_	1743	_	1869
Step 6. Fabric						
		4215	4220	4224	4230	4236
Price Category 1		+\$o	0	0	0	0
Price Category 2		+\$24	24	24	38	38
Price Category 3		+\$57	57	57	90	90
Price Category 4		+\$99	99	99	156	156
		4242	4248	4254	4260	4272
Price Category 1		+\$o	0	0	0	0
Price Category 2		+\$38	52	52	52	52
Price Category 3		+\$90	124	124	124	124
Price Category 4		+\$156	215	215	215	215
		4266	4615	4620	4624	4630
Price Category 1						+\$0
Price Category 2						+\$52
Price Category 3						+\$124
Price Category 4						+\$215




Description

This painted metal hardware connects multiple freestanding screens in 90° , 120° , and 180° configurations.


Notes

Order Pari screen, freestanding/surface attached (FD300.) separately. See planning guide for planning rules.





90 Degree 2 way

180 Degree 2 way



120 Degree 2 way






90 Degree 4 way

Connection Hardware, Screens

continued

Specification Information

Step 1	1.		
FD31	1. A		
<u> </u>			
	2. Configuration		
1	90° connection - 2 screens A		
2	120° connection - 2 screens A		
3	3-way connection - 90° A		
4	4-way connection - 90° A		
5	180° connection - inline - 2 screens A		
Step 3	3. Height		
42	42" high 🖪		
46	46" high 🔼		
Prices	s for Steps 1-3.		
	3	42	4
FD31:	1. 1	\$44	5
	2	\$44	5
	3	\$108	11
	4	\$140	15
	5	\$75	8
Step 2	4. Finish		
Metal	lic Paint		
MS	metallic silver 🖪		+\$
Sand	Texture Paint		
ВК	black 🖪		+\$
G1	graphite A		+\$
WN	warm grey neutral A		+\$
Smoo	th Paint		
8Q	folkstone grey A		+\$
91	white A		+\$
98	studio white A		+\$
WL	sandstone A		+\$



Description

This metal hardware attaches Canvas freestanding screens to a work surface or Canvas low storage. Package of 2 brackets.


Notes


Used with fixed height surfaces.

Provides 1" cable management gap between screen and back of surface or storage.

See planning guide for connection and support rules.

Dimensions





Specification Information

Step 1.

BK

FD312. A

Step 2. Configuration

- 1 connection hardware to surface pair A
- **3** connection hardware to low storage A

Prices for Steps 1-2. FD312. 1

1 \$150 3 \$150

Step 3. Finish

black 🗚

Metal	lic Paint					
MS	metallic silver 🛕	+\$0				
Sand	Sand Texture Paint					

Smooth Paint

8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
G1	graphite A	+ \$o

 WL
 sandstone A
 +\$0

 WN
 warm grey neutral A
 +\$0

+\$0

98

BK

WL

studio white A


sandstone A

warm grey neutral A

black A graphite A

+\$o

+\$o



Product Information


Description

This bracket connects the Canvas freestanding screen to a Canvas dock


Notes

Bracket attaches on left or right end of dock. Handedness determined when user is facing the dock.

See planning guide for planning rules.



Spec Step 1	ification Information		
FD313			
Step 2	2. Configuration		
1	connection hardware to Canvas Dock A		
Step 3	3. Position		
L	left A		
R	right A		
Prices	for Steps 1-3.		
		L	R
FD313	3. 1	\$75	75
Step 2	4. Finish		
Metal	lic Paint		
MS	metallic silver 🖪		+\$0
Sand	Texture Paint		
8Q	folkstone grey 🛕		+\$0
	white A		+\$0



Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 9" below surface for modesty.

Screen can be flush with back edge of surface, or provide a 1" gap. Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

42-1.90

46-2.14

53-2.59

For horizontal fabric direction (R):

Width—Yardage

40-2.87

42-3.02

46-3.22

48 - 3.41

52-3.63


54-3.78

60-4.17

66-4.54

72-4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.



72R

Flat Edge Screen, Surface Attached with Modesty continued

Step 2	2. Attachment
c	Canvas surface attached
Step 3	3. Height
A42	42" high/9" below surface
A46	46" high/ 9" below surface
A53	53" high/ 9" below surface
Step 2	ı. Width
40	39 ¹ / ₂ " wide
42	42" wide
46	45 ¹ / ₂ " wide
48	48" wide
52	51 ¹ / ₂ " wide
54	54" wide
60	6o" wide
66	66" wide
72	72" wide
Step 5	;. Surface Material
For 30	n ¹ / ₂ " wide (40), 42" wide (42), 45 ¹ / ₂ " wide (46), or 48" wide (48)
R	tackable fabric, horizontal
т	tackable fabric

						/ 21
FT357	7. C A42					\$909
	A46					\$984
	A53					\$1109
Step 6	6. Cable Trough					
NC	no cable way					+\$0
CW	cable way					+\$25
Step 7	7. Cable Trough Finish					
G2	graphite satin					+\$0
Step 8	3. Bracket Finish					
G2	graphite satin					+\$0
Step	9. Fabric					
		40	42	46	48	52
Price	Category 1	+\$ o	0	0	0	(
Price	Category 2	+\$36	36	36	36	52
Price	Category 3	+\$86	86	86	86	123
Price	Category 4	+\$150	150	150	150	21/
Price	Category E	+\$169	169	169	169	169
			54	60	66	72
Price	Category 1		+\$o	0	0	(
Price	Category 2		+\$52	52	52	52
Price	Category 3		+\$123	123	123	123
Price	Category 4		+\$214	214	214	21/
D	Category E		+\$169	169	169	169


tackable fabric, horizontal

Prices for	Steps 1-5.						
		40R	40T	42R	42T	46R	46T
FT357. C	A42	\$647	647	677	677	704	704
	A46	\$778	778	830	830	833	833
	A53	\$930	930	950	950	955	955
		48R	48T	52R	54R	60R	66R
FT357. C	A42	\$715	715	748	752	827	849
	A46	\$842	842	871	914	926	952
	A53	\$963	963	969	976	990	1075

wide (72)

Surface-Attached Screen, Flat Edge





Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width. Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 33/4" below work surface.

Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8'' and require $2^1/2''$ of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

A/C/E-1.51

B/D/F-1.84

For horizontal fabric direction (R):

Width—Yardage

24-0.89

30-1.08

36-1.25

42-1.45

48-1.64


54-1.84

60 - 2.01

66 - 2.20

72-2.40

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.




Surface-Attached Screen, Flat Edge continued

Spec Step 1							
Step 1	ification Information			B 2	-	\$374	374
					30	\$404	404
11116	8. A				36	\$433	433
`+	a Haimht				42 48	\$463	463
step	2. Height privacy (42" high) A				40 54	\$488 \$513	488
٠ 3		aolow curfaco)			60	\$513 \$544	_
-	privacy & modesty (42" high/ 9" l	Jelow Surface) [A]			66	\$566	_
)	privacy (46" high) A privacy & modesty (46" high/ 9" l	anlow curface)			72	\$581 \$635	_
, E	privacy & modesty (46 mgm/ 9 mgm/ 9 mgm/ 9 mgm/ 10 mgm/ 9 mgm/ 10 mgm/	Delow Surface) [A]		C 2		\$625 \$375	275
-	privacy & modesty (53" high/ 9" l	aelow surface)			30	\$375 \$413	375
	privacy & modesty (53 mgm/ 9 m	Delow Surface) [A]			36	\$413 \$446	413 446
Ston	3. Width				42		
24	24" wide A				48	\$490 \$550	490
24 30	30" wide A				40 54	\$550 \$579	550
86	36" wide A				60	₹579 \$648	_
12	42" wide A				66	\$682	
18	48" wide A				72	\$731	_
64	54" wide A			D 2		\$473	472
50	60" wide A				30	\$528	473 528
6	66" wide A				36	\$589	589
2	72" wide A				42	\$602	602
_	/2 wide A				48	\$627	
ten /	Surface Material						627
Step 2	4. Surface Material			5	54	\$643	_
,		e (36) 42" wide (42) or 1	(8"	5	54 60	\$643 \$712	_
or 24	4" wide (24), 30" wide (30), 36" wid	e (36), 42" wide (42), or 4	48"	<u>.</u> 6	54 60 66	\$643 \$712 \$773	_
or 24 vide (4" wide (24), 30" wide (30), 36" wid (48)	e (36), 42" wide (42), or 4	48"	5 6 7	54 60 66 72	\$643 \$712 \$773 \$803	- - -
or 24 vide (4" wide (24), 30" wide (30), 36" wid (48) tackable fabric, horizontal 🛕	e (36), 42" wide (42), or <u>4</u>	48"	5 6 7 E 2	54 60 66 72 24	\$643 \$712 \$773 \$803 \$511	_ _ _ _ _ 511
or 24 vide (4" wide (24), 30" wide (30), 36" wid (48)	e (36), 42" wide (42), or 4	48"	5 6 7 E 2	54 60 66 72 24	\$643 \$712 \$773 \$803 \$511 \$520	_ _ _ _ 511 520
or 24 vide (4" wide (24), 30" wide (30), 36" wid (48) tackable fabric, horizontal A tackable fabric A		48"	5 6 7 E 2 3	54 60 66 72 24 30	\$643 \$712 \$773 \$803 \$511 \$520 \$534	
or 24 vide (!	4" wide (24), 30" wide (30), 36" wid (48) tackable fabric, horizontal A tackable fabric A		48"	5 6 7 E 2 3	54 60 66 72 24 30 36	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629	
or 24 vide (!	4" wide (24), 30" wide (30), 36" wid (48) tackable fabric, horizontal A tackable fabric A		48"	5 6 7 E 2 3 3	54 60 66 72 24 30 36 42	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650	511 520 534 629
or 24 vide (R or 54	4" wide (24), 30" wide (30), 36" wid (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wid tackable fabric, horizontal A		48"	5 6 7 8 2 3 4 4	54 60 66 72 24 30 36 42	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667	
or 24 vide (4" wide (24), 30" wide (30), 36" wid (48) tackable fabric, horizontal A tackable fabric A	e (66), or 72" wide (72)		E 2 3 3 4 4 5 6 6	54 60 66 72 24 30 36 42 48 54	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697	511 520 534 629
or 24 vide (4" wide (24), 30" wide (30), 36" wid (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wid tackable fabric, horizontal A	e (66), or 72" wide (72) R		E 2 3 3 4 4 4 5 6 6 6 6	54 60 66 72 24 30 36 42	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697	511 520 534 629
or 24 vide (4" wide (24), 30" wide (30), 36" wide (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide tackable fabric, horizontal A 5 for Steps 1-4.	e (66), or 72" wide (72) R \$300		E 2 3 3 4 4 4 5 6 6 6 6	54 60 66 72 24 30 36 42 48 54 60 66	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697	511 520 534 629
or 24 vide (4" wide (24), 30" wide (30), 36" wide (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide tackable fabric, horizontal A 5 for Steps 1-4.	e (66), or 72" wide (72) R \$300 \$325	T 300 325	5 6 7 8 2 3 3 4 4 5 6	54 60 66 72 24 30 36 42 48 54 60 66	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809	- - 511 520 534 629 650 - - -
or 24 vide (4" wide (24), 30" wide (30), 36" wide (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide tackable fabric, horizontal A 5 for Steps 1-4. 8. A 24 30 36	R \$300 \$325 \$388	T 300 325 388	5 6 7 8 3 3 4 4 5 6 6 7	54 60 66 72 24 30 36 42 48 54 60 66 72 24	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809 \$622 \$629	511 520 534 629 650 — — — 622 629
For 24 vide (R For 54	4" wide (24), 30" wide (30), 36" wide (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide tackable fabric, horizontal A 5 for Steps 1-4. 8. A 24 30 36 42	R \$300 \$325 \$388 \$417	T 300 325 388 417	5 6 6 7 7 2 5 6 6 6 7 7 2 3 3 3 3 3 3 3 3	54 60 66 72 24 30 36 42 48 54 60 66 72 24 30	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809 \$622 \$629 \$640	511 520 534 629 650 — — — 622 629 640
For 24 vide (R For 54	4" wide (24), 30" wide (30), 36" wide (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide tackable fabric, horizontal A 5 for Steps 1-4. 8. A 24 30 36 42 48	R \$300 \$325 \$388 \$417 \$447	T 300 325 388	E 2 3 3 4 4 5 5 6 6 6 7 7 3 3 4 4 4 4 5 5 6 6 6 6 7 7 8 5 6 6 6 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	54 60 66 72 24 30 36 42 48 54 60 66 72 24 30 36	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809 \$622 \$629 \$640 \$650	
For 24 vide (R For 54	4" wide (24), 30" wide (30), 36" wide (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide tackable fabric, horizontal A 5 for Steps 1-4. 8. A 24 30 36 42	R \$300 \$325 \$388 \$417 \$447 \$475	T 300 325 388 417 447	E 2 3 3 4 4 5 5 6 6 6 7 7 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	54 60 66 72 24 30 36 42 48 54 60 66 72 24 30 36 42 48	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809 \$622 \$629 \$640 \$650 \$650	511 520 534 629 650 — — — 622 629 640
For 24 vide (R For 54	4" wide (24), 30" wide (30), 36" wide (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide tackable fabric, horizontal A 5 for Steps 1-4. 8. A 24 30 36 42 48 54 60	R \$300 \$325 \$388 \$417 \$447 \$475 \$515	T 300 325 388 417 447	5 6 6 7 7 5 2 3 3 4 4 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	54 60 66 72 24 30 36 42 48 54 60 66 67 72 24 30 36 42 48 54	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809 \$622 \$629 \$640 \$650 \$650 \$650	
For 24	4" wide (24), 30" wide (30), 36" wide (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide tackable fabric, horizontal A 5 for Steps 1-4. 8. A 24 30 36 42 48 54	R \$300 \$325 \$388 \$417 \$447 \$475	T 300 325 388 417 447	5 6 6 7 7 F 2 3 3 4 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	54 60 66 72 24 30 36 42 48 54 60 66 72 24 30 36 42 48	\$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809 \$622 \$629 \$640 \$650 \$650	

Surface-Attached Screen, Flat Edge continued

Step 5	5. Cable Trough	
For pr	ivacy & modesty (42" high/9" below :	surface) (B), privacy &
mode.	sty (46" high/9" below surface) (D), c	or privacy & modesty (53"
high/	9" below surface) (F)	
NC	no cable way 🖪	+\$o
CW	cable way A	+\$25
Step 6	6. Fabric	
Price (Category 1	+\$ o
Price (Category 2	+\$21
Price (Category 3	+\$49
Price (Category 4	+\$93
Price (Category E	+\$152
For ta	ckable fabric, horizontal (R)	
Price (Category 1	+\$0
Price (Category 2	+\$21
Price (Category 3	+\$49
Price (Category 4	+\$93



Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is $13^{1/2}$ " or $17^{1/2}$ " above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge. $\,$

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines. Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42-1.19

46-1.45

For horizontal fabric direction (R):


Width-Yardage

24-0.90

30-1.10

36-1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.



Specification Information

Step 1.

FT358.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material


R tackable fabric, horizontal

T tackable fabric


Prices for Steps 1-5.						
	24R	24T	30R	30T	36R	36T
FT358. CL 42	\$526	526	556	556	566	566
46	\$571	571	606	606	627	627
CR 42	\$526	526	556	556	566	566
46	\$571	571	606	606	627	627

Step	6. Bracket Finish	
8Q	folkstone grey	+\$0
91	white	+ \$o
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 7. Fabric	
Price Category 1	+\$0
Price Category 2	+\$17
Price Category 3	+\$40
Price Category 4	+\$70
Price Category E	+\$169



+\$o



Product Information

Description

This magnetic metal board overlays an existing Pari™ or flat-edge fabric screen. It has a frameless, all-metal design with a straight edge. It accepts magnets and can be dry-erase marker writable when specified as a marker board.

Notes

Order Pari or flat edge profile fabric screen separately.

Metal board hangs on top edge of Pari or flat edge fabric screen.

When specifying marker board (Y1123.M) option, the marker board is an included applique magnetically applied in the field.


Board with tray (Y1123.xxxxxT) option comes with an angled $^3/_4$ " lip at bottom of board.


For optimal use, pair with dark fabric screens.

Order the following accessories separately:

- Magnetic document clip (YT400.)
- Magnetic name tag (YT410.05M)
- Pari screen, height adjustable table (Y1116.)
- Surface attached screen, flat edge (Y1118.)

Dimensions





28 3/4" -



Specification Information

Step 1.

Y1123. A

Step 2. Type

P painted metal A

M marker board A

Step 3. Height

11 11" high A

Step 4. Width

24 24" wide A

30 30" wide A

Step 5. Tray

N no tray A

T tray A

G1


graphite A

Prices for Steps 1-5.				
	24N	24T	30N	30T
Y1123. P 11	\$129	129	139	139
M 11	\$182	182	202	202

Metal	llic Paint	
MS	metallic silver 🛕	+\$0

Laminate Screen, Surface Attached

Y1120.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 111/8" below work surface.


Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite. Attachment brackets are inset from edge of screen by approximately 8'' and require $2^1/2''$ of work surface for attachment.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

13A privacy (13¹/₂" above worksurface)

13B privacy & modesty (13¹/₂" above worksurface/11¹/₈" below worksurface)

Step 4. Surface Material

66" wide

72" wide

L laminate

66

72

U laminate/universal edge

Prices for Steps 1-4.		
	L	U
Y1120. 13A 24	\$184	184
30	\$194	194
36	\$204	204
42	\$214	214
48	\$225	225
54	\$234	234
60	\$242	242
66	\$250	250
72	\$260	260
13B 24	\$227	227
30	\$239	239
36	\$251	251
42	\$264	264
48	\$276	276
54	\$288	288
60	\$299	299
66	\$309	309
72	\$319	319

Laminate Screen, Surface Attached *continued*

Step 5	. Grain Direction	
For 24	" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 2	48" wide
(48), 5	54" wide (54), or 60" wide (60)	
VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0
For 66	" wide (66) or 72" wide (72)	
HRG	horizontal grain	+\$0
Step 6	. Cable Trough	
For pri	ivacy (13½" above worksurface) (13A)	
NC	no cable way	+\$0
For pri	ivacy & modesty (13½" above worksurface/11½" below	
works	urface) (13B)	
NC	no cable way	+\$0
CW	cable way	+\$25

Step 7	. Surface Finish	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+ \$0
нм	natural maple	+\$o
HP	light anigre	+\$o
НΧ	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+ \$0
LBL	steel mesh	+ \$0
LBM	crisp linen	+ \$0
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For laminate (L) light brown walnut +\$o 76 8Q folkstone grey **+\$**o 91 white **+\$**o studio white 98 **+\$**o BU black umber **+\$**o CLcool grey neutral **+\$**o HF inner tone light **+\$**o нм natural maple **+\$**o ΗP light anigre **+\$**o НΧ aged cherry **+\$**0

Step 8. Edge Finish

PLY

For laminate/universal edge (U)

plywood edge

HY	walnut on cherry	+\$o
LA	light ash	+ \$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+ \$o
LBS	phantom cocoa	+ \$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$0
WN	warm grey neutral	+\$o

+\$50

Canvas Office Landscape® Dock	
Bracket Hardware, Work Surface/Low Storage	page(s) 114
Cable Clips	38
Cable Management Channel	78
Cable Management Trough	77
Cable Manager	76
Cable Manager - Dock to Surface	40
Ceiling Power Entry	20
Closed Support Leg	71
Connection Hardware, Screens	112
Controlled Power Module - Bottom of Dock	31
Controlled Receptacle Decal (12 per sheet)	35
Cord Cleat	79
Data Housing	
Dock Foot	39
Dock Foot, Structural (Support Foot)	7
Dock Power Harness	
Dock Structure	21
	5
Dock-to-Dock Connector	8
Dock to Screen Bracket, Screens	115
Dock to Surface Tethers	61
Finished End, Architectural, Dock	11
Flat Edge Screen, Delineation	121
Flat Edge Screen, Surface Attached with Modesty	116
Gallery Panel, Dock Attached	12
Grommet Kit, Surface	81
Half Bridge	44
Individual Bridge	41
Laminate Screen, Surface Attached	124
Logic G1000 Grommet Mounted Electrical Distributor	36
Lower Cladding	17
Low Storage to Dock Bracket	9
Low Storage to Dock Spacer	10
Markerboard, Storage Cabinet, Frame Top Mounted	85
Metal Marker Board, Fabric Screen Attached	123
Modesty Panel	90
Open Support Leg, Architectural Foot	69
Pari Screen, Delineation	106
Pari Screen, Dock Mounted	96
Pari Screen, Freestanding/Surface Attached	110
Pari Screen, Height Adjustable Tables	103
Pari Screen, Stanchion Infill Fabric	98
Pari Screen, Storage Attached	108
Pari Screen, Surface Attached	99
Pari Screen, Surface Attached with Modesty	101
Power, Block to Block Jumper	22
Power Entry, Internal Direct Connect - Floor	18

Power Entry, New York - Floor Power Entry	19
Power Module - Bottom of Dock	23
Power Module - Bottom of Dock - 20 amp	25
Power Module-Top of Dock	29
Privacy Panel	92
Rectangular Surface	54
Screen	88
Secondary Surface	50
Square Open Support Leg	67
Stanchion Infill, Acrylic	95
Stiffener	75
Storage Cabinet, Dock Mounted, Open	82
Support Leg, Post	66
Surface-Attached Screen, Flat Edge	118
Surface Ganging Bracket	62
Surface Support, Low Credenza, Adjustable Height	74
Surface Support, Low Credenza, Fixed Height	73
Tackboard, Storage Cabinet, Frame Top Mounted	84
Team Bridge	47
Under Surface Controlled Power Module	33
Under Surface Power Module - 20 amp	27
Universal Post Leg	63
Universal Post Leg, Shared	65
Upper Storage Stanchion - Center Mount	86
Upper Storage Stanchion - Offset Mount	87
Vertical Cable Manager	80

FD2B2.	Universal Post Leg, Shared	page(s) 65
FD16A.	Finished End, Architectural, Dock	11
FD110.	Dock Structure	5
FD113.	Gallery Panel, Dock Attached	12
FD115.	Pari Screen, Dock Mounted	96
FD117.	Dock Foot	7
FD119.	Dock Foot, Structural (Support Foot)	6
FD128.	Dock-to-Dock Connector	8
FD141.	Power Entry, New York - Floor Power Entry	19
FD142.	Ceiling Power Entry	20
FD144.	Power Entry, Internal Direct Connect - Floor	18
FD150M	Controlled Power Module - Bottom of Dock	31
FD150.	Power Module - Bottom of Dock	23
FD151.	Dock Power Harness	21
FD152M	Under Surface Controlled Power Module	33
FD154.	Power, Block to Block Jumper	22
FD156.	Power Module - Bottom of Dock - 20 amp	25
FD157.	Under Surface Power Module - 20 amp	27
FD158.	Power Module-Top of Dock	29
FD159.	Data Housing	39
FD170.	Lower Cladding	17
FD198.	Cable Clips	38
FD199.	Cable Manager - Dock to Surface	40
FD290.	Dock to Surface Tethers	61
FD292.	Low Storage to Dock Bracket	9
FD293.	Low Storage to Dock Spacer	10
FD300.	Pari Screen, Freestanding/Surface Attached	110
FD311.	Connection Hardware, Screens	112
FD312.	Bracket Hardware, Work Surface/Low Storage	114
FD313.	Dock to Screen Bracket, Screens	115
FD415.	Storage Cabinet, Dock Mounted, Open	82
FD417.	Upper Storage Stanchion - Center Mount	86
FD419.	Upper Storage Stanchion - Offset Mount	87
FD430.	Stanchion Infill, Acrylic	95
FD435.	Pari Screen, Stanchion Infill Fabric	98
FDE10.	Secondary Surface	50
FDE15.	Half Bridge	44
FDE16.	Team Bridge	47
FDE17.	Individual Bridge	41
FDS10.	Secondary Surface	50
FDS15.	Half Bridge	44
FDS16.	Team Bridge	47
FDS17.	Individual Bridge	41
FDT10.	Secondary Surface	50
FDT15.	Half Bridge	44
FDT16.	Team Bridge	47
FDT17.	Individual Bridge	41

FT19C. Cable Management Channel FT29B. Surface Ganging Bracket FT199. Cable Management Trough FT298. Surface Support, Low Credenza, Fixed Height FT299. Surface Support, Low Credenza, Adjustable Height FT351. Pari Screen, Surface Attached FT353. Pari Screen, Surface Attached with Modesty FT354. Pari Screen, Delineation FT357. Flat Edge Screen, Surface Attached with Modesty FT358. Flat Edge Screen, Surface Attached with Modesty FT358. Flat Edge Screen, Delineation FT491. Tackboard, Storage Cabinet, Frame Top Mounted FT491. Markerboard, Storage Cabinet, Frame Top Mounted FT510. Rectangular Surface FT510. FTT10. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV2E2. Closed Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV6999. Controlled Receptacle Decal (12 per sheet) FV1116. Pari Screen, Height Adjustable Tables FV1118. Surface-Attached Screen, Flat Edge FV1120. Laminate Screen, Surface Attached FV1123. Metal Marker Board, Fabric Screen Attached			
FT29B. Surface Ganging Bracket FT199. Cable Management Trough FT298. Surface Support, Low Credenza, Fixed Height FT299. Surface Support, Low Credenza, Adjustable Height FT351. Pari Screen, Surface Attached FT353. Pari Screen, Surface Attached with Modesty 10 FT354. Pari Screen, Delineation FT357. Flat Edge Screen, Surface Attached with Modesty 11 FT358. Flat Edge Screen, Delineation 12 FT491. Tackboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FT510. FTT10. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV699. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables 10 Y1118. Surface-Attached Screen, Flat Edge 11 Y1120. Laminate Screen, Surface Attached 12 Y11213. Metal Marker Board, Fabric Screen Attached 12 Y1123. Metal Marker Board, Fabric Screen Attached	FT2B2.	Universal Post Leg	63
FT199. Cable Management Trough FT298. Surface Support, Low Credenza, Fixed Height FT299. Surface Support, Low Credenza, Adjustable Height FT351. Pari Screen, Surface Attached FT353. Pari Screen, Surface Attached with Modesty FT354. Pari Screen, Delineation FT357. Flat Edge Screen, Surface Attached with Modesty FT358. Flat Edge Screen, Delineation FT491. Tackboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FT610. Rectangular Surface FT510. FT710. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV699. Controlled Receptacle Decal (12 per sheet) FV1116. Pari Screen, Height Adjustable Tables FV1118. Surface-Attached Screen, Flat Edge FV1120. Laminate Screen, Surface Attached FV11213. Metal Marker Board, Fabric Screen Attached	FT19C.	Cable Management Channel	78
FT298. Surface Support, Low Credenza, Fixed Height FT299. Surface Support, Low Credenza, Adjustable Height FT351. Pari Screen, Surface Attached FT353. Pari Screen, Surface Attached with Modesty FT354. Pari Screen, Delineation FT357. Flat Edge Screen, Surface Attached with Modesty FT358. Flat Edge Screen, Delineation FT491. Tackboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FT510. Rectangular Surface FT510. FT720. Square Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV898. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables 10 Y1118. Surface-Attached Screen, Flat Edge 11 Y1120. Laminate Screen, Surface Attached 12 Y11213. Metal Marker Board, Fabric Screen Attached 12	FT29B.	Surface Ganging Bracket	62
FT299. Surface Support, Low Credenza, Adjustable Height FT351. Pari Screen, Surface Attached FT353. Pari Screen, Surface Attached with Modesty FT354. Pari Screen, Delineation FT357. Flat Edge Screen, Surface Attached with Modesty FT358. Flat Edge Screen, Delineation FT491. Tackboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FT510. Rectangular Surface FT510. FT710. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV898. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables 10 Y1118. Surface-Attached Screen, Flat Edge T1120. Laminate Screen, Surface Attached T120 Y11213. Metal Marker Board, Fabric Screen Attached T1312. Metal Marker Board, Fabric Screen Attached	FT199.	Cable Management Trough	77
FT299. Surface Support, Low Credenza, Adjustable Height FT351. Pari Screen, Surface Attached FT353. Pari Screen, Surface Attached with Modesty FT354. Pari Screen, Delineation FT357. Flat Edge Screen, Surface Attached with Modesty FT358. Flat Edge Screen, Delineation FT491. Tackboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FT6492. Markerboard, Storage Cabinet, Frame Top Mounted FT6493. Rectangular Surface FT510. FT710. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV2E2. Closed Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV696. Stiffener FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV898. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) FV1116. Pari Screen, Height Adjustable Tables FV1118. Surface-Attached Screen, Flat Edge FV1120. Laminate Screen, Surface Attached FV11213. Metal Marker Board, Fabric Screen Attached	FT298.	Surface Support, Low Credenza, Fixed Height	73
FT353. Pari Screen, Surface Attached with Modesty FT354. Pari Screen, Delineation FT357. Flat Edge Screen, Surface Attached with Modesty FT358. Flat Edge Screen, Delineation FT491. Tackboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FT510. Rectangular Surface FT510. FT710. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV2E2. Closed Support Leg FV360. Pari Screen, Storage Attached FV699. Support Leg, Post FV693. Privacy Panel FV694. Screen FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV898. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge 12 Y1120. Laminate Screen, Surface Attached 12 Y11213. Metal Marker Board, Fabric Screen Attached 12	FT299.	Surface Support, Low Credenza, Adjustable Height	74
FT354. Pari Screen, Delineation FT357. Flat Edge Screen, Surface Attached with Modesty FT358. Flat Edge Screen, Delineation FT491. Tackboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FTE10. Rectangular Surface FT510. FT710. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV2E2. Closed Support Leg FV360. Pari Screen, Storage Attached FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV982. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge 12 Y1120. Laminate Screen, Surface Attached 12 Y1123. Metal Marker Board, Fabric Screen Attached	FT351.	Pari Screen, Surface Attached	99
FT357. Flat Edge Screen, Surface Attached with Modesty FT358. Flat Edge Screen, Delineation FT491. Tackboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FTE10. Rectangular Surface FT510. FTT10. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV699. Controlled Receptacle Decal (12 per sheet) FV1116. Pari Screen, Height Adjustable Tables FV1118. Surface-Attached Screen, Flat Edge FV1120. Laminate Screen, Surface Attached FV11213. Metal Marker Board, Fabric Screen Attached	FT353.	Pari Screen, Surface Attached with Modesty	101
FT358. Flat Edge Screen, Delineation FT491. Tackboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FTE10. Rectangular Surface FTS10. FTT10. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV898. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge 12 Y1120. Laminate Screen, Surface Attached 12 Y1123. Metal Marker Board, Fabric Screen Attached	FT354.	Pari Screen, Delineation	106
FT491. Tackboard, Storage Cabinet, Frame Top Mounted FT492. Markerboard, Storage Cabinet, Frame Top Mounted FTE10. Rectangular Surface FTS10. FTT10. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV2E2. Closed Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV699. Controlled Receptacle Decal (12 per sheet) FV1116. Pari Screen, Height Adjustable Tables FV1118. Surface-Attached Screen, Flat Edge FV1120. Laminate Screen, Surface Attached FV1123. Metal Marker Board, Fabric Screen Attached	FT357.	Flat Edge Screen, Surface Attached with Modesty	116
FT492. Markerboard, Storage Cabinet, Frame Top Mounted FTE10. Rectangular Surface FTS10. FTT10. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV2E2. Closed Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV699. Controlled Receptacle Decal (12 per sheet) FV1116. Pari Screen, Height Adjustable Tables FV1118. Surface-Attached Screen, Flat Edge FV1120. Laminate Screen, Surface Attached FV1123. Metal Marker Board, Fabric Screen Attached	FT358.	Flat Edge Screen, Delineation	121
FTE10. Rectangular Surface FTS10. FTT10. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV699. Controlled Receptacle Decal (12 per sheet) FV1116. Pari Screen, Height Adjustable Tables FV1118. Surface-Attached Screen, Flat Edge FV1120. Laminate Screen, Surface Attached FV11213. Metal Marker Board, Fabric Screen Attached	FT491.	Tackboard, Storage Cabinet, Frame Top Mounted	84
FTS10. FTT10. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV3E2. Closed Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV699. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FT492.	Markerboard, Storage Cabinet, Frame Top Mounted	85
FTT10. FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV2E2. Closed Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV699. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FTE10.	Rectangular Surface	54
FV2A2. Open Support Leg, Architectural Foot FV2D2. Square Open Support Leg FV2E2. Closed Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV982. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FTS10.		
FV2D2. Square Open Support Leg FV2E2. Closed Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV898. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FTT10.		
FV2E2. Closed Support Leg FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV898. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) FV1116. Pari Screen, Height Adjustable Tables FV1118. Surface-Attached Screen, Flat Edge FV1120. Laminate Screen, Surface Attached FV1123. Metal Marker Board, Fabric Screen Attached	FV2A2.	Open Support Leg, Architectural Foot	69
FV360. Pari Screen, Storage Attached FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV982. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FV2D2.	Square Open Support Leg	67
FV689. Support Leg, Post FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV698. Vertical Cable Manager FV982. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FV2E2.	Closed Support Leg	71
FV693. Privacy Panel FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV982. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FV360.	Pari Screen, Storage Attached	108
FV694. Screen FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV982. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FV689.	Support Leg, Post	66
FV695. Cable Manager FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV982. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FV693.	Privacy Panel	92
FV696. Stiffener FV697. Modesty Panel FV698. Vertical Cable Manager FV982. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge 1 Y1120. Laminate Screen, Surface Attached 12 Y1123. Metal Marker Board, Fabric Screen Attached 12	FV694.	Screen	88
FV697. Modesty Panel FV698. Vertical Cable Manager FV982. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FV695.	Cable Manager	76
FV698. Vertical Cable Manager FV982. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FV696.	Stiffener	75
FV982. Grommet Kit, Surface G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FV697.	Modesty Panel	90
G1331. Cord Cleat G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached	FV698.	Vertical Cable Manager	80
G9999. Controlled Receptacle Decal (12 per sheet) Y1116. Pari Screen, Height Adjustable Tables Y1118. Surface-Attached Screen, Flat Edge Y1120. Laminate Screen, Surface Attached Y1123. Metal Marker Board, Fabric Screen Attached 12	FV982.	Grommet Kit, Surface	81
Y1116. Pari Screen, Height Adjustable Tables 10 Y1118. Surface-Attached Screen, Flat Edge 1 Y1120. Laminate Screen, Surface Attached 12 Y1123. Metal Marker Board, Fabric Screen Attached 12	G1331.	Cord Cleat	79
Y1118. Surface-Attached Screen, Flat Edge 1 Y1120. Laminate Screen, Surface Attached 1 Y1123. Metal Marker Board, Fabric Screen Attached 1:	G9999.	Controlled Receptacle Decal (12 per sheet)	35
Y1120. Laminate Screen, Surface Attached 12 Y1123. Metal Marker Board, Fabric Screen Attached 12	Y1116.	Pari Screen, Height Adjustable Tables	103
Y1123. Metal Marker Board, Fabric Screen Attached 12	Y1118.	Surface-Attached Screen, Flat Edge	118
	Y1120.	Laminate Screen, Surface Attached	124
	Y1123.	Metal Marker Board, Fabric Screen Attached	123
	Y1425.	Logic G1000 Grommet Mounted Electrical Distributor	36



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon $\boxed{\mathbb{A}}$ will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an $\boxed{\mathbb{A}}$ are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller for Government March 2009



Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

Ordering Products with Stain-to-Match Veneers

- Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
- Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
- 3. If the sample meets the customers approval, sign the reverse side of the sample, scan and email the approval to:
 - options@hermanmiller.com.
- 4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
- 5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

STA: Stain-to-Match on Recut Ash STB: Stain-to-Match on Beech STC: Stain-to-Match on Cherry STD: Stain-to-Match on Oak

STK: Stain-to-Match on Reltech Anigre (Geiger)

STM: Stain-to-Match on Recut Mahogany

STP: Stain-to-Match on Maple

STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

HermanMiller for Government November 2018



Proprietary Textiles Application Chart — Workspaces • Available A Assigned lead-time textile. See following page for exception notes.	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Storage	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace Work Surface-Attached Screens	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Channel Tiles	Canvas B-/E-Style Storage	Canvas Standing Screen and Team Wall Infill	Canvas Tackboards	Canvas Vista" Movable Insert and Display Unit	Layout Studio® Framed Screen	Locale® Display Tackboard	Locale Freestanding Screen and Workbase Screen	Locale L-Desk/D-Desk Screens	Pari" Screens/Flat Edge Screens/Channel Screens	Public Office Landscape® Screen/Desk Top Divider	Renew" Link Screens	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave® Tackable Boards and Stowage Tackable Backdrop	Exclave Video-Friendly Tackable Boards and Stowage Tackable Backdrop	Thrive® Personal Side Screen	Tu® Wood Storage Cubby Tackboard	Seating
Price Category 1	_	_	_	_						_		_	_	_	_	_			_	_	_	_					-
COM Customeis Own Material A	1	1	1	1	1		1	1	1	1	•		1	1	1		1	1	1	1				П	1	\Box	1
8A Bubbletack™																					•			\sqcap			
2V_ Chain	•	•	•	•	•		•	22	•	•	•	•	•	•	•		•	•	•					\sqcap	•	•	
8T Crossing (85)	2	2	2	•	•		•	•	2	•	•		•		•	•	•	•	•				•	8	•	•	18
95 Gem	2	2	2	•	•		•	•	2	•	•		•	•		•								\sqcap	•	•	•
2l Grasscloth	•	•	•	•	•		•	•	•	•	•	•		•	•		•	•	•					П	•	•	
8B Multiscrim™						•														•		•		П	П		
5T Resonance	•	•	•	•	•		•	•	•	•	•	•	•	•										П	•	•	
8C Scrim Trim																						•		П	П		
2M Silkworm	•	•	•	•	•		•	•	•	•	•	•	•	•											•	•	
22F Slant	6		•		•		•	•		•	•	•	•	•										П	П	•	
Price Category 2																											
51 Cord	•	•	•	•	•		•	•	•	•	•	•	•	•												•	
92 Crepe	2	•	•	•	•		•	•	•	•	•	•	•	•									•	8	•		•
57 Frost	•	•	•	•	•		•	•	•	•	•	•	•	•	•		•	•	•						•	•	
84 Grosgrain	4			•	•		•	8	•	•	•	•	•											Ш	19	•	
4N Horizon	2	2	2	•	•		•	•	•	•	•	•	•	•										Ш		•	
1LMLoom	2	2	2	•	•		•	•	•		•		•	•	•		•	•	•				•	Ш	•	_	•
1HA Medley	2	2	2	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•				•	8		_	•
3A Moiré		2	2	•	•		•	22	2	•	•	•	•	•	•		•	•	•					\vdash	•	•	_
3SLSequel		G2		G2					G2						_	_								\vdash	\vdash	\dashv	_
8R Twist (5S)	5	2	2	•	٠		٠	•	2	•	•	•	•		•	•	٠	٠	•					Ш	•	•	18
Price Category 3																											
70 Bento	2	2	2	•			•	•	2	•	•	•		•	•	\dashv	•	•	•					$\vdash\vdash$	•	•	-
1FB _ Connection	•	•	•	•	•		•	•	•	•	•	•	•	•	•									Н	•	•	-
1FC _ Current 8Z Glaze	•	•	•	•	•		•	•	•	•	•	•	•	•	•			•						\vdash	•	•	_
	•	•	•	•	•		•	•	•	•	•	•	•	•	•		_	•	_	4.					•	•	-
47 Ground Cloth® 5D Kira 2				•	•		-	•	_		•	•			-		•	_	•	14			•	8	•		-
8L_ Savannah	2	20	2		•		•	•	2	•	•	•	•	•	•		•	•	•	14				\vdash	•	•	-
8W Strands	•	•	•	•	•		•	•	_	•	•	•	•	•	•		•	•	•	14				\dashv	•	•	-
<u>-</u>					-										-												!

continued on next page

HermanMiller for Government July 2019 1

Proprietary Textiles Application Chart — Workspaces continued	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Storage		Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace Work Surface-Attached Screens	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Channel Tiles	Canvas B-/E-Style Storage	Canvas Standing Screen and Team Wall Infill	Canvas Tackboards	Canvas Vista" Movable Insert and Display Unit	Layout Studio® Framed Screen	Locale® Display Tackboard	Locale Freestanding Screen and Workbase Screen	Locale L-Desk/D-Desk Screens	Pari" Screens/Flat Edge Screens/Channel Screens	Public Office Landscape® Screen/Desk Top Divider	Renew" Link Screens	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave® Tackable Boards and Stowage Tackable Backdrop	Exclave Video-Friendly Tackable Boards and Stowage Tackable Backdrop	Thrive® Personal Side Screen	Tu® Wood Storage Cubby Tackboard	Seating
Price Category 4																											
2X Glisten	•	•	•	•	•		•	•	•	•	•	•	•	•					•	Ш			Ш			•	
6S Quilty	2	2	2	•	•		•	•	2	•			•	•													•
Price Category 5																											
No fabrics available at this time.																											
Price Category 6 No fabrics available at this time.																											

- G2 Sequel fabric only available on flipper doors.
- 1 Refer to price book appendices and Omni for COM information.
- 2 Available on all products except 54" and 60" wide.
- 4 Not available on Action Office (AO°) acoustical panels.
- $(8R_)$, $(8T_)$, $(85_)$, and $(5S_)$ not available on AO acoustical panels and not available on 54"- or 60"-wide products.
- 6 Not available on Action Office (AO*) connectors, cable management, and spacers.
- 8 Available in select colors. See the "Proprietary Textile Colors Workspaces" appendix.
- 14 Not available on Resolve flags.
- 18 Available on seating products in select colors. See the "Proprietary Textile Colors Seating" appendix.
- 19 Not available in Grosgrain (84_ _) fabric colors 8401, 8405, and 8413.
- 20 Available only on Ethospace B-Style.
- 22 Not available as railroaded application option for Chain and Moire on Canvas extended width tiles.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.

2 July 2019 HermanMiller for Government

Customer's Own Material

See Order Information in Appendices.

Assigned lead-time textile. A

Bubblet	ack™
100% pc	•
8A01	Seashell White
8A02	
8A19	Spa Blue
8A24	,
8A27	Summer White
8A28	Moth Grey
8A30	Blue Grey
8A31	Dusty Bronze
8A32	Slate Blue
8A35	Studio White
8A36	Blush Grey
8A37	Shale
8A38	Slate
8A39	Eggnog
8A40	Persimmon
8A41	Bud

66" wide 100% recycled polyester 2V01 Pearl 2V02 Oyster 2V03 Wheat 2V04 Linen 2V05 Wicker 2V06 Bamboo
2V01 Pearl 2V02 Oyster 2V03 Wheat 2V04 Linen 2V05 Wicker
2V02 Oyster 2V03 Wheat 2V04 Linen 2V05 Wicker
2V03 Wheat 2V04 Linen 2V05 Wicker
2V04 Linen 2V05 Wicker
2V05 Wicker
2V06 Bamboo
2V07 Sage
2V08 Spring Wood
2V09 Iceberg

Crossin	g
54" wid	e
86% ant	imony-free polyester
14% pol	
8T03	Wicker *
8T04	Porcelain *
8T05	Porcelain * Warm Grey *
8T06	Sepia
8T07	Pumpkin
8T08	Copper
8T09	Cranberry
8T10	Tomato
8T11	Mulberry
8T12	Plum
8T13	Green Apple
8T14	Loden
8T15	Spruce
8T16	Periwinkle
8T17	Cerulean
8T18	Indigo
8T19	Shale *
8T20	Brownstone
8T21	Bark
8T22	Tin *
8T23	Graphite
8T24	Black

Crossing	:				
For systems products only.					
54" wide					
86% antimony-free polyester					
14% polyester					
8501	lvory *				
8502	Oyster *				

^{*} Crossing colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop

Gem	
54" wide	
100% anti	imony-free polyester
9502	Tangerine
9503	Red
9507	Twilight
9508	Bayou
9510	Berry Blue
9511	Aqua Green
9512	Green Apple
9514	Black
9515	Slate Grey
9516	Fog

Grasscl	oth
66" wide	e
100% re	cycled polyester
2101	Silver Birch
2102	Pampas
2103	Sedge
2107	Lea
2108	Taro
2109	Steam Grey
2110	Cayenne
2 11	Bottle Green
2 12	Surf
2 13	Gravel

Multisc	rim™					
60" wide	9					
100% polyester						
8B01	Seashell White					
8B02	Pearl Grey					
8B19	Spa Blue					
8B24						
8B27	Summer White					
8B28	Moth Grey					
8B30	Blue Grey					
	Dusty Bronze					
8B32	Slate Blue					
8B35	Studio White					
8B36	Blush Grey					
8B37	Shale					
8B38	Slate					
8B39	Eggnog					
8B40	Persimmon					
8B41	Bud					

Price category 1 continued on next page

HermanMiller for Government July 2019 1

continued

Price Category 2

Resona	nce
66" wide	e
100% po	
5T04	Greige
5T05	Porcelain
	Alabaster
	Iris
	Sugar
5T47	Tobacco
	Saltbush
	Seed
	Sepia
5T60	Iceberg
	Red
5T67	Boysenberry
5T68	Pistachio
5T69	Green Apple
5T71	Jade
5T72	Blue Green
	Twilight

Scrim Tri	m					
61" wide						
82% polyester						
18% spandex						
8C01	Seashell White					
8C02	Pearl Grey					
8C22	Winter Grey					
8C24	Sable Grey					

Silkworm							
	66" wide						
	58% recyc	eled polyester					
	42% polye	ester					
	2M01	Cocoon					
	2M02						
	2M03						
	2M04						
	2M05						
	2M06						
	2M07						
	2M08						

Cord	
66" wide	
51% anti	mony-free polyester
49% pol	yester
5101	lvory
5102	White Ash
5103	Linen
5104	Bamboo
5105	Sepia
5106	Wicker
5107	Sesame
5108	Kiwi Green
5109	Bayou
5110	Shade
5111	Spring Wood
5112	Summer White

Crepe	
54" wide	
100% rec	ycled polyester
9201	Licorice
9203	Smoke
9207	Cherry
9209	Claret
9212	Raisin
9218	Aquamarine
9223	Cadet
9241	Beachglass
9243	Midnight
9244	Artichoke
9248	Warm White *
9249	Stone *
9250	Earth
9251	Fog *
9252	Slate Grey
9253	Yellow Dark
9254	Coral
9255	Blush Grey *
9256	Wild Berry
9257	Clover
9258	Caribbean
9259	Cerulean
9260	Brownstone
9261	Shale
9262	Graphite
9263	Tomato
9264	Green Apple

^{*} Crepe colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop

Price category 2 continued on next page

July 2019 HermanMiller for Government

continued

Frost	
66" wide	
100% recy	ycled polyester
5703	Porcelain
5704	Honey
5705	Iceberg
5706	Sage
5710	Sable Grey

Grosgrain	
66" wide	
100% recycled polyester	
8401	Pearl * **
8402	White Ash
8403	Warm Grey
8404	Khaki
8405	Oyster *
8406	Celadon
8407	Chamois
8408	Spa Blue
8409	Bud
8410	Kiwi Green
8411	Bayou
8412	Tin
8413	Iceberg *

- * Grosgrain colors not available on Canvas Dock Mounted Screens, Locale® Workbase Screen, Public Office Landscape® Screen/Desk Top Divider, and Thrive® Personal Side Screen.
- ** Color not available on Canvas tiles.

Horizon	
54" wide	
65% anti	mony-free polyester
35% poly	vester
4N01	Rye Grass
4N02	Sugar Pine
4N03	Silver Pine
4N04	White Ash
4N05	Spring Wood

Horizon continued	
4N06	Tamarack
4N07	Mushroom
4N08	Haystack
4N09	Oat Grass
4N10	Forest Moss
4N11	Hickory
4N12	Beech Nut
4N13	
4N14	Poplar
4N15	Elderberry

Loom	
54" wide	
100% po	lyester
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM05	Black
1LM06	
1LM07	
1LM08	
1LM09	Loden
1LM10	
1LM11	Deep Sea

Medley	
54" wide	
100% pol	lyester
1HA01	Stone *
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA05	Citrus
	Papaya
1HA07	Chutney
1HA08	Tundra
1HA09	Feather Grey *
1HA10	Chartreuse
1HA11	
1HA12	Peacock
1HA13	Bayou *
1HA14	Blue Grotto
1HA15	Blueberry

Medley continued	
Khaki	
Pewter	
Yellow Oxide	
Vintage Rose	
Raspberry	
Acai Berry	

* Colors available on Exclave® Stowage Video-friendly Tackable Backdrop

Moiré	
54" wide	
100% red	ycled polyester
3A01	Concrete
3A02	Biscotti
3A03	Rattan
3A04	Chambray
3A05	Fern
3A08	Violet
3A09	Zin
3A10	Curry
3A11	Spice
3A12	Cork

Sequel	
54" wide	
100% vin	yl
100% polyester knit backing	
Resilience	e® finish
3SL01	White
3SL02	Pebble
3SL03	Mushroom
3SL04	Stone
3SL05	Chestnut
3SL06	Rattan
3SL07	Black Cherry
3SL08	Tundra
3SL09	Seal
3SL10	Blue Fog
3SL11	Folkstone
3SL12	Shale
3SL13	Slate Grey
3SL14	Charcoal
3SL15	Carbon Dark

Twist	
54" wide	
80% antim	nony-free polyester
13% recyc	led polyester
7% polye	ster
8R05	Wicker
	Рорру
8R14	Tin
8R15	
	Graphite
	Birch
8R18	
	Blueberry
	Green Apple
	Gunmetal
	Cinder
	Citrus
	Pekoe
	Tangerine
8R31	Red Plum
8R32	Wisteria
	Forest
	Jade Dark
	Waterfall
	Midnight Blue
8R37	

Twist				
For systems products only.				
54" wide				
80% anti	mony-free polyester			
13% recycled polyester				
7% polyester				
5S01	Pearl			
5S02	lvory			
5S03	Oyster			

HermanMiller for Government

Bento	
54" wide	
100% ant	imony-free polyester
7001	Frost
7002	Linen
7003	Khaki
7004	Truffle
7005	Grey Black
7006	Pumpkin
7007	Cranberry
7008	Everglade
7009	Cobalt

Connec	tion
66" wid	
100% aı	ntimony-free polyester
1FB1	Oyster
1FB2	Linen
1FB3	Iceberg
1FB4	Silver Pine
1FB5	Apricot
1FB6	Cumin
1FB7	Green Apple
1FB8	Slate Blue
1FB9	Metal

Current	
66" wide	
100% ant	imony-free polyester
1FC1	Oyster
1FC2	Linen
1FC3	Iceberg
1FC4	Silver Pine
1FC5	Apricot
1FC6	Cumin
1FC7	Green Apple
1FC8	Slate Blue
1FC9	Metal

cled polyester
Wicker
Honey
Porcelain
Celadon
Spearmint
Rye
Frost
Silver Birch

Ground	Cloth®
66" wide	2
100% pc	olyester
4701	Vapor Grey
4721	Warm White *
4722	Fog *
4723	Straw *
4724	Red Orange *
4725	Wild Berry *
4726	Green Apple *
4727	Caribbean *
4728	Midnight *
4729	Cappuccino *

* Colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop

Kira 2	
54" wide	
100% rec	ycled polyester
5D11	Flaxen
5D12	Papyrus
5D13	Oasis
5D14	Incense
5D15	Ash
5D16	Falcon

Savannal	1
66" wide	
76% recyc	cled polyester
24% poly _l	oropylene
8L01	Pearl
8L02	Oyster
8L03	Wheat
8L04	
8L05	Bamboo
8L06	Metal
8L07	Linen
8L08	
8L09	Moss
8L10	Frost
8L11	
8L12	Pewter

Strands	
66" wide	
100% recy	cled polyester
8W01	Pebble
8W02	
8W03	Taupe
8W04	Honey
8W05	Khaki
8W06	Rye
8W07	Wicker
8W08	Tin
8W09	

July 2019 HermanMiller for Government

Proprietary Textile Colors — Workspaces

continued

Price Category 4

Price Category 5-6

Glisten	
66" wide	
84% polye	ester
16% recyc	led polyester
2X02	Rye
2X05	Iceberg
2X07	Celadon
2X09	Pewter
2X10	Ash

No fabrics available at this time.

Quilty 56" wide 100% antimony-free polyester GreenShield 6S03 Khaki 6S04 Straw 6S07 Brick 6S10 Mink Green Apple 6S11 6S13 Indigo Zinc 6S14 6S15 Slate 6S16 Beachwood Paprika 6S17 6S18 Plum 6S19 Juniper 6S20 **Grey Black**

HermanMiller for Government July 2019 5



Maharam Application Chart — Workspaces *Available Maharam textiles are on assigned lead times. See below for exception notes.	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Flipper Doors	Action Office/Ethospace B-Style Tackboards	Action Office/Ethospace E-Style Flipper Doors	Ethospace Tiles/Connectors	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Channel Tiles Canvas B-/E-Style Flipper Doors	Canvas Tackboards	Canvas Metal Desk Hutch Back Panel	Canvas Vista" Movable Insert and Display Unit
Price Category 1-2										
No fabrics available at this time.				il						
Price Category 3										
No fabrics available at this time.										
Price Category 4-9										
No fabrics available at this time.				il						
Price Category A										
No fabrics available at this time.				il						
Price Category B										
VQ Crisp - Maharam	5	•	•	•	12		• •	•	•	•
TL Messenger - Maharam *		2	2	•	12	•	• 2	•	•	•
Price Category C										
Z27 Manner - Maharam	2	2	2	2	•		• 2	•	•	•
Z ₃ Metric - Maharam	2		2	Ш		_	•	•	•	•
TT Parallel - Maharam	7	•	•	Ш	•	•	• 18	8 •	•	•
Price Category D										
Z ₃₄ Unit - Maharam	•			Ш			•	•	•	•
Price Category E										
Z32Skein - Maharam	2	2	2	2	•		• 2	•	•	•
Price Category F-K										
No fabrics available at this time.				i l						

Refer to "Maharam Colors - Workspaces" for 20-day colors.

- 2 Available on all products except 54" and 60" wide.
- 5 Not available on AO partial-glazed panels.
- 7 Not available on AO or Prospects acoustical panels; not available on AO2 cable management panel face.
- 12 Not available on Ethospace tackable tiles.
- 18 Not available on Canvas E-style flipper doors.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.

HermanMiller for Government January 2020

^{*} Available in select colors on 20-day lead-time.



Price Category 1-2	Price Category 3	Price Category 4-9	Price Category A
No fabrics available at this time.			

HermanMiller for Government October 2019 1

Maharam textiles are on assigned lead times. A
 Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Price Category C

Crisp – Maharam	
66" wide	
100% polyester	
VQ02/901420-002	Oyster
VQ04/901420-004	Driftwood
VQ05/901420-005	Quahaug
VQ13/901420-013	Admiral
VQ14/901420-014	Thunder
VQ21/901420-021	Graphite
VQ22/901420-022	Lychee
VQ23/901420-023	Persimmon
VQ24/901420-024	Kimchi
VQ25/901420-025	Marigold
VQ26/901420-026	Brut
VQ27/901420-027	Chartreuse
VQ28/901420-028	Celadon
VQ29/901420-029	Surf
VQ30/901420-030	Marble
VQ31/901420-031	Boulder
VQ32/901420-032	Bell
VQ33/901420-033	Ferry
VQ34/901420-034	Sapphire
VQ35/901420-035	Carbon
VQ36/901420-036	Owl
VQ37/901420-037	Agate

Messenger — Maharam		
54" wide		
78% recycled polyester		
15% polyester		
7% nylon		
TI07/458640-007	Shadow	
TI08/458640-008	Bayou *	
TI24/458640-024	Рорру	
Tl25/458640-025	Mao	
Tl29/458640-029	Onyx *	
Tl31/458640-031	Cloud *	
TI38/458640-038	Depth *	
TI40/458640-040	Nile *	
TI41/458640-041	Azure *	
TI45/458640-045	Cactus *	

Messenger continu	ued
TI46/458640-046	Ice *
TI48/458640-048	Neon
TI50/458640-050	Hydrangea
TI53/458640-053	Tangelo
TI54/458640-054	Lumine *
TI58/458640-058	Snow
TI60/458640-060	Peridot
TI61/458640-061	Capri *
TI62/458640-062	Ultramarine
TI63/458640-063	Squall
TI66/458640-066	Cassis
TI67/458640-067	Aster
TI69/458640-069	Cherry
TI70/458640-070	Vibrant
TI71/458640-071	Satsuma *
TI72/458640-072	Maize
TI76/458640-076	Fossil
TI77/458640-077	Ash
TI78/458640-078	Tusk
TI79/458640-079	Oyster
TI81/458640-081	Husk
TI84/458640-084	Robust
TI85/458640-085	Beyond
TI86/458640-086	Voyage *
TI87/458640-087	Everglade
TI89/458640-089	Blanch
TI90/458640-090	Longspur
TI91/458640-091	Vireo
TI92/458640-092	Dipper
TI93/458640-093	Gale
TI94/458640-094	Hunter
TI95/458640-095	Lime
TI96/458640-096	Apple
TI97/458640-097	Krill
TI98/458640-098	Catalyst

^{*} Colors available on 20-day lead time.

Manner - Maharam	
54" wide	-4
100% recycled polye	
Z2701/466177-001	Magic
Z2702/466177-002	Carob
Z2703/466177-003	Porpoise
Z2704/466177-004	Flint
Z2705/466177-005	Hush
Z2706/466177-006	Nuance
Z2711/466177-011	Ember
Z2712/466177-012	Wagon
Z2713/466177-013	Ablaze
Z2714/466177-014	Peel
Z2716/466177-016	Butterscotch
Z2717/466177-017	Harvest
Z2720/466177-020	Parakeet
Z2722/466177-022	Aquatic
Z2723/466177-023	Cottage
Z2724/466177-024	Dahlia
Z2725/466177-025	Vivid
Z2726/466177-026	Basin
Z2727/466177-027	Schooner
Z2728/466177-028	Slope
Z2729/466177-029	Silverpoint
Z2730/466177-030	Lattice
Z2731/466177-031	Smoky
Z2732/466177-032	Magnetic
Z2733/466177-033	Woad
Z2734/466177-034	Resolute
Z2735/466177-035	Cruise
Z2736/466177-036	Atmospheric
Z2737/466177-037	Cloudburst
Z2738/466177-038	Tidewater
Z2739/466177-039	Firth
Z2740/466177-040	Oceanside
Z2741/466177-041	Grandeur
Z2742/466177-042	Comfort
Z2743/466177-043	Dill
Z2744/466177-044	Poplar
Z2745/466177-045	Citronella
22143/4001/1-043	Citionella

Z2746/466177-046 Passerine

Manner continued	
Z2747/466177-047	Southwest
Z2748/466177-048	Roseate
Z2749/466177-049	Charisma
Z2750/466177-050	Siltstone
Z2751/466177-051	Kimono
Z2752/466177-052	Valiant
Z2753/466177-053	Baroness

Metric – Maharam			
54" wide			
51% recycled polyester			
49% polyester			
7302/466014-002	Fog		
Z303/466014-003	Fleece		
7312/466014-012	Cardinal		
Z313/466014-013	Lava		
7318/466014-018	Pollen		
7320/466014-020	Alligator		
7323/466014-023	Tar		
7324/466014-024	Anchor		
7326/466014-026	Admiral		
7327/466014-027	Seaport		
7328/466014-028	Scuba		
7329/466014-029	Skate		
Z330/466014-030	Hopscotch		
Z331/466014-031	Film		
7332/466014-032	Whale		
Z333/466014-033	Downpour		
Z334/466014-034	Midday		
Z335/466014-035	Talisman		
Z336/466014-036	Hedgerow		
Z337/466014-037	Snorkel		
Z338/466014-038	Highway		
Z339/466014-039	Canary		
7340/466014-040	Sunny		
Z341/466014-041	Aztec		
7342/466014-042	Fruit		
7343/466014-043	Galah		
Z344/466014-044	Kiln		
Z345/466014-045	Moth		

October 2019 HermanMiller for Government

[•] Maharam textiles are on assigned lead times. A

[•] Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Price Category F-K

Price Category C continued

Price Category D

Price Category E

Parallel — Maharam

66" wide

100% recycled polyester

TT01/901180-001 Chalk

TT02/901180-002 Argent

TT03/901180-003 Fog

TT17/901180-017 Sourdough

TT22/901180-022 Sterling

TT23/901180-023 Linen

TT24/901180-024 Pea

TT27/901180-027 Boulder

TT28/901180-028 Stream

TT29/901180-029 Shiitake

TT30/901180-030 Wafer

TT31/901180-031 Plank TT32/901180-032 Brandy TT33/901180-033 Crater TT36/901180-036 Quail Unit - Maharam 66" wide 100% recycled polyester Z3401/901889-001 Seawall Limestone Z3402/901889-002 Z3403/901889-003 Aluminum Z3404/901889-004 Snow Z3405/901889-005 Tusk Z3406/901889-006 Nautilus Z3407/901889-007 Beech Z3408/901889-008 Driftwood Z3409/901889-009 Cocoa

Skein - Maharam 54" wide 56% recycled polyester 44% polyester Z3201/466170-001 Burrow Z3202/466170-002 Thatch Z3204/466170-004 Sumac Z3205/466170-005 Pomegranate Z3206/466170-006 Cavern Z3208/466170-008 Cinder Z3209/466170-009 Dock Z3210/466170-010 Cadet Z3211/466170-011 Marsh

No fabrics available at this time.

Appendix: Maharam Colors — Workspaces

[•] Maharam textiles are on assigned lead times. A

[•] Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi — Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

HermanMiller, Action Office, Aeron, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Quadrant, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

MireWeave, Bubbletack, Cellular Suspension, Compass, Connect, Cosm, DOT, Durawrap, Everywhere, Flex-Edge, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lino, Lyris 2, Mora, Multiscrim, Nelson, Nevi, Pedastools, Renew, Stackable, Swoop, TriFlex, Twist, Verus and Vista are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 ${}^{\rm S}{\rm Chemsurf}^{\rm 0}$ is a registered trademark of Wilsonart International.

Corian $^{\circ}$ is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

 $\mathsf{FLEXNET}^{\scriptscriptstyle\mathsf{TM}}$ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.