



# fold

Steel Leg Table



## About Fold

Strong and elegant, the Fold range is carefully proportioned to provide a simple and customisable surface. Taking its name from the folded steel frame, Fold is a low statement product that can be used with any chair or bench.

## Compliance

- SCS Indoor Advantage™ Gold Certificate
- naughtone is FSC® certified
- naughtone is FISP and ISO14001 certified
- Our tables are designed to meet or exceed all EN performance requirements per BS EN 15372:2016

## Sizes

All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch



**NOFTN100**  
Fold 650 Circular Coffee Table  
mm Dia 650 H 350  
inch Dia 25.5 H 14



**NOFTN120**  
Fold 650 Square Coffee Table  
mm W 650 D 650 H 350  
inch W 25.5 D 25.5 H 14



**NOFTN110**  
Fold 850 Circular Coffee Table  
mm Dia 850 H 350  
inch Dia 33.5 H 14



**NOFTN130**  
Fold 850 Square Coffee Table  
mm W 850 D 850 H 350  
inch W 33.5 D 33.5 H 14



**NOFTN140**  
Fold Rectangular Coffee Table  
mm W 1100 D 550 H 350  
inch W 43.5 D 21.5 H 14



**NOFTN220**  
Fold 650 Square Cafe Table  
mm W 650 D 650 H 750  
inch W 25.5 D 25.5 H 29.5



**NOFTN210**  
Fold 850 Circular Cafe Table  
mm Dia 850 H 750  
inch Dia 33.5 H 29.5



**NOFTN230**  
Fold 850 Square Cafe Table  
mm W 850 D 850 H 750  
inch W 33.5 D 33.5 H 29.5



**NOFTN300**  
Fold Bench1250  
mm W 1250 D 275 H 450  
inch W 49 D 11 H 17.5



**NOFTN310**  
Fold Bench1450  
mm W 1450 D 275 H 450  
inch W 57 D 11 H 17.5



**NOFTN320**  
Fold Bench1650  
mm W 1650 D 275 H 450  
inch W 65 D 11 H 17.5

## Base Finishes



White Powder Coated Frame Standard



Black Powder Coated Frame Standard



RAL Powder Coated Frame naughtone Colors

## Table Top Options



White / Black MFMDF edge banded



White / Black MFMDF with reverse chamfer, polished MDF edge



Forbo Lino with reverse chamfer edge 8 colors available



Oak Veneer with reverse chamfer, polished MDF edge



Walnut Veneer with reverse chamfer, polished MDF edge

## Bench Top Options



White / Black MFMDF with square edge band



Oak / Walnut Veneer with square edge band



Forbo Lino with square polished edge 8 colors available



# fold

## Steel Leg Table



### About Fold

Strong and elegant, the Fold range is carefully proportioned to provide a simple and customisable surface. Taking its name from the folded steel frame, Fold is a low statement product that can be used with any chair or bench.

### Compliance


- SCS Indoor Advantage™ Gold Certificate
- naughtone is FSC® certified
- naughtone is FISP and ISO14001 certified
- Our tables are designed to meet or exceed all EN performance requirements per BS EN 15372:2016

### Sizes


All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch

 <b>NOFTN500</b> Fold 1200 Circular Table mm Dia 1200 H 750 inch Dia 47.5 H 29.5	 <b>NOFTN510</b> Fold 1400 Circular Table mm Dia 1400 H 750 inch Dia 55 H 29.5	 <b>NOFTN520</b> Fold 1600 Circular Table mm Dia 1600 H 750 inch Dia 63 H 29.5
 <b>NOFTN600</b> Fold 1600 x 800 Table mm W 1600 D 800 H 750 inch W 63 D 31.5 H 29.5	 <b>NOFTN610</b> Fold 1800 x 800 Table mm W 1800 D 800 H 750 inch W 71 D 31.5 H 29.5	 <b>NOFTN620</b> Fold 2000 x 900 Table mm W 2000 D 900 H 750 inch W 79 D 35.5 H 29.5
 <b>NOFTN630</b> Fold 2200 x 900 Table mm W 2200 D 900 H 750 inch W 87 D 35.5 H 29.5	 <b>NOFTN640</b> Fold 2400 x 1000 Table mm W 2400 D 1000 H 750 inch W 94.5 D 39 H 29.5	 <b>NOFTN650</b> Fold 2400 x 1200 Table mm W 2400 D 1200 H 750 inch W 94.5 D 47.5 H 29.5
 <b>NOFTN700</b> Fold 6 Leg Bar Height Table 1600 mm W 1600 D 800 H 1000 inch W 63 D 31.5 H 39	 <b>NOFTN710</b> Fold 6 Leg Bar Height Table 1800 mm W 1800 D 800 H 1000 inch W 71 D 31.5 H 39	 <b>NOFTN720</b> Fold 6 Leg Bar Height Table 2000 mm W 2000 D 900 H 1000 inch W 79 D 35.5 H 39
 <b>NOFTN730</b> Fold 6 Leg Bar Height Table 2200 mm W 2200 D 900 H 1000 inch W 87 D 35.5 H 39	 <b>NOFTN820</b> Fold 6 Leg Bar Height Table 2800 mm W 2800 D 1200 H 1000 inch W 110 D 47.5 H 39	 <b>NOFTN830</b> Fold 6 Leg Bar Height Table 3200 mm W 3200 D 1200 H 1000 inch W 126 D 47.5 H 39

### Base Finishes



### Top Options



### Additional Options



### naughtone RAL Colors











## Fold Table Technical Specifications

### Testing

Our tables are designed to meet or exceed all EN performance requirements per **EN 15372:2008**, which includes the following tests:

- Edges of top rounded or chamfered, no burrs or sharp edges
- Shall not be possible for load bearing parts to come loose unintentionally
- Shear and squeeze points during use
- Stability under vertical force – Main surface
- Horizontal static load – High
- Vertical static load
- Horizontal fatigue
- Vertical impact for tables without glass

### Structural Testing Certifications

**NOFTN210**  
Fold 850dia cafe table  
**BS EN 15372:2008, Level 2**  
Static load 120kg

### Servicing




If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

### Warranty




naughtone offers a **7 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at [naughtone.com/warranty](http://naughtone.com/warranty)

## Fold Coffee and Cafe Table Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D From Floor to Beam	E Distance between Legs (front)	F Distance between Legs (side)	G Weight
<b>1</b> NOFTN100 Fold 650 Circular Coffee Table	650 mm 25.5 in	650 mm 25.5 in	350 mm 14 in	675 mm 26.5 in			14.8 kg 32.6 lbs
<b>2</b> NOFTN120 Fold 650 Square Coffee Table	650 mm 25.5 in	650 mm 25.5 in	350 mm 14 in	675 mm 26.5 in			16.2 kg 35.7 lbs
<b>3</b> NOFTN110 Fold 850 Circular Coffee Table	850 mm 33.5 in	850 mm 33.5 in	350 mm 14 in	675 mm 26.5 in			19 kg 41.9 lbs
<b>4</b> NOFTN130 Fold 850 Square Coffee Table	850 mm 33.5 in	850 mm 33.5 in	350 mm 14 in	675 mm 26.5 in			19 kg 41.9 lbs
<b>5</b> NOFTN140 Fold Rectangular Coffee Table	1100 mm 43.5 in	550 mm 21.5 in	350 mm 14 in	325 mm 13 in			17.3 kg 38.1 lbs
<b>6</b> NOFTN220 Fold 650 Square Café Table	650 mm 25.5 in	650 mm 25.5 in	750 mm 29.5 in	875 mm 34.5 in	460 mm 18 in	460 mm 18 in	22 kg 48.5 lbs
<b>7</b> NOFTN210 Fold 850 Circular Café Table	850 mm 33.5 in	850 mm 33.5 in	750 mm 29.5 in	325 mm 13 in	660 mm 26 in	660 mm 26 in	27.4 kg 60.4 lbs
<b>8</b> NOFTN230 Fold 850 Square Café Table	850 mm 33.5 in	850 mm 33.5 in	750 mm 29.5 in	325 mm 13 in	660 mm 26 in	660 mm 26 in	27.4 kg 60.4 lbs

### Measuring Guide




# Fold Bench Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D From Floor to Beam	E Distance between Legs (front)	F Distance between Legs (side)	G Weight
9 <b>NOFTN300</b> Fold Bench 1250	1250 mm 49 in	275 mm 11 in	450 mm 17.5 in	120 mm 4.5 in	1070 mm 42 in	120 mm 4.5 in	21.5 kg 47.4 lbs
10 <b>NOFTN310</b> Fold Bench 1450	1450 mm 57 in	275 mm 11 in	450 mm 17.5 in	120 mm 4.5 in	1270 mm 50 in	120 mm 4.5 in	24.4 kg 53.8 lbs
11 <b>NOFTN320</b> Fold Bench 1650	1650 mm 65 in	275 mm 11 in	450 mm 17.5 in	120 mm 4.5 in	1470 mm 58 in	120 mm 4.5 in	51 kg 112.4 lbs

## Measuring Guide




## Fold Standard Table Technical Specifications




Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D From Floor to Beam	E Distance between Legs (front)	F Distance between Legs (side)	G Weight
<b>12</b> NOFTN500 Fold Table 1200 Circular	1200 mm 47.5 in	1200 mm 47.5 in	750 mm 29.5 in	625 mm 24.5 in	670 mm 26.5 in	670 mm 26.5 in	54.3 kg 119.7 lbs
<b>13</b> NOFTN510 Fold Table 1400 Circular	1400 mm 55 in	1400 mm 55 in	750 mm 29.5 in	625 mm 24.5 in	870 mm 34.5 in	870 mm 34.5 in	65.8 kg 145.1 lbs
<b>14</b> NOFTN520 Fold Table 1600 Circular	1600 mm 63 in	1600 mm 63 in	750 mm 29.5 in	625 mm 24.5 in	1070 mm 42.5 in	1070 mm 42.5 in	74.5 kg 164 lbs
<b>15</b> NOFTN600 Fold Table 1600 x 800	1600 mm 63 in	800 mm 31.5 in	750 mm 29.5 in	625 mm 24.5 in	505 mm 20 in	1330 mm 52.5 in	62.3 kg 137.3 lbs
<b>16</b> NOFTN610 Fold Table 1800 x 800	1800 mm 71 in	800 mm 31.5 in	750 mm 29.5 in	625 mm 24.5 in	505 mm 20 in	1530 mm 60 in	66.5 kg 146.6 lbs
<b>17</b> NOFTN620 Fold Table 2000 x 900	2000 mm 79 in	900 mm 35.5 in	750 mm 29.5 in	625 mm 24.5 in	605 mm 24 in	1730 mm 68 in	80.5 kg 177.5 kg
<b>18</b> NOFTN630 Fold Table 2200 x 900	2200 mm 87 in	900 mm 35.5 in	750 mm 29.5 in	625 mm 24.5 in	905 mm 35.5 in	1730 mm 68 in	85 kg 187.4 lbs
<b>19</b> NOFTN640 Fold Table 2400 x 1000	2400 mm 95 in	1000 mm 39 in	750 mm 29.5 in	625 mm 24.5 in	705 mm 28 in	2130 mm 84 in	98 kg 216.1 lbs
<b>20</b> NOFTN650 Fold Table 2400 x 1200	2400 mm 95 in	1200 mm 47.5 in	750 mm 29.5 in	625 mm 24.5 in	905 mm 35.5 in	2130 mm 84 in	105.4 kg 232.4 lbs

### Measuring Guide




## Fold Multi-leg and Bar height Table Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D From Floor to Beam	E Distance between Legs (front)	F Distance between Legs (side)	G Weight
<b>21</b> NOFTN800 Fold 6 Leg Table 2800	2800 mm 110 in	1200 mm 47.5 in	750 mm 29.5 in	505 mm 20 in	905 mm 35.5 in	2520 mm 99 in	126 kg 277 lb
<b>22</b> NOFTN810 Fold 6 Leg Table 3200	3200 mm 126 in	1200 mm 47.5 in	750 mm 29.5 in	505 mm 20 in	905 mm 35.5 in	3020 mm 115 in	183 kg 425 lb
<b>23</b> NOFTN700 Fold Bar Height Table 1600	1600 mm 63 in	800 mm 31.5 in	1000 mm 39 in	875 mm 34.5 in	505 mm 20 in	1330 mm 52.5 in	70 kg 154.5 lbs
<b>24</b> NOFTN710 Fold Bar Height Table 1800	1800 mm 71 in	800 mm 31.5 in	1000 mm 39 in	875 mm 34.5 in	505 mm 20 in	1530 mm 60 in	74 kg 163 lbs
<b>25</b> NOFTN720 Fold Bar Height Table 2000	2000 mm 79 in	900 mm 35.5 in	1000 mm 39 in	625 mm 24.5 in	505 mm 20 in	1530 mm 60 in	88.1 kg 194 lbs
<b>26</b> NOFTN730 Fold Bar Height Table 2200	2200 mm 87 in	900 mm 35.5 in	1000 mm 39 in	875 mm 34.5 in	605 mm 24 in	1730 mm 68 in	92.7 kg 204.5 lbs
<b>27</b> NOFTN820 Fold 6 Leg Bar Height Table 2800	2800 mm 110 in	1200 mm 47.5 in	1000 mm 39 in	875 mm 34.5 in	905 mm 35.5 in	2520 mm 99 in	132 kg 291.0 lbs
<b>28</b> NOFTN830 Fold 6 Leg Bar Height Table 3200	3200 mm 126 in	1200 mm 47.5 in	1000 mm 39 in	875 mm 34.5 in	905 mm 35.5 in	3020 mm 115 in	189 kg 416.5 lbs

### Measuring Guide



# Fold Table Environmental Product Summary



## Environment attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone is **FSC®** certified
- **62.3kg** total weight (Fold table 1600x800)
- **33.6% Recyclable**(frame, fixings and feet)
- **66.4% Resuable** (top)
- **37% Post Consumer Recycled content** (top, frame and fixings)
- Packaging: **83.5%** recycled cardboard 16.5% virgin fibre and protective biodegradable bubble wrap
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)


These attributes can help you to achieve criteria towards **LEED, BREEAM, Ska** and **WELL** building certifications




# Fold Table Environmental Product Summary

## Material Percentage Split


- 66.42% MF MDF
- 32.91% Mild Steel
- 0.19% Mild Steel Zinc Plated
- 0.15% Polypropylene
- 0.32% Stainless Steel



## Post Consumer Recycled Content



## Recyclable Content



## Product Specific Design Statement

The Fold table and bench is available in a range of sizes and finishes but for this document we have a specific example from the range:

### Fold Table 1600x800 with a white MF MDF top

The Fold table frame is made from laser cut, folded mild steel with the individual laser cut components being folded allowing for minimal additional welding. The frame is supplied un-assembled for bolt together construction.

The top and frame are assembled together by hand using minimal fixings and can be easily disassembled if necessary.

The frame components are finished with a zinc primed polyester powder coat.

The table top is CNC cut from white Melamine Faced Medium-density fibreboard, with the raw edge polished and finished with a hard-wearing spray lacquer.

## CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud to be able to offer **FSC®certified** upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.





### 1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colors allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

### 2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

### 3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

### 4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

### 5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

### 6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

#### UK Showroom

6 Bakers Yard  
Clerkenwell  
London EC1R3DD  
T: +44 (0)20 389 22 788

#### US Showroom

Suite 10-110  
222 Merchandise Mart Plaza  
Floor 10  
Chicago IL 60654

#### naughtone HQ

Knaresborough Tech Park  
Manse Lane  
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500  
E: sales@naughtone.com

[www.naughtone.com](http://www.naughtone.com)