

GSA prices effective April 1, 2019 (based on January 7, 2019, commercial price list) Published September 2019

## Workspaces

Action Office® System with Meridian® and Tu® Pedestals 10-Day or Less

## **General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List**

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!", a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture FSC Group 71, Part 1

Contract Number: GS-03F-036DA

Contract Period: December 21, 2015 — December 20, 2020

Herman Miller, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax www.HermanMiller.com/government

Business Size: Large

#### 1a. Special Item Numbers (SIN)

SIN 71-1

**Packaged Offices** 

SIN 711-1

Furniture Systems

SIN 711-2

Computer Furniture

SIN 711-3

Filing and Storage Cabinets

SIN 711-11

Tables and Accessories

SIN 711-16

**Upholstered Seating** 

SIN 711-18

Multi-Purpose Seating

SIN 711-91

**Project Management** 

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local Herman Miller representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour Furniture Project Coordinator: \$49.00 per hour Build-Out Project Manager: \$80.00 per hour

#### SIN 711-93

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour, which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis. This SIN may only be used with the purchase of new product under SIN 711-1.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 711-94

Design/Layout

Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$65 per hour.

SIN 711-95

Installation Services

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

\* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions: Installation will be performed during normal weekday working

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

SIN 711-96

Leasing

Contact Herman Miller participating government dealer for current leasing information.

SIN 711-99

**New Product Introductions** 

HermanMiller for Government June 2019

continued

SIN 711-500

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local Herman Miller representative to discuss the appropriate use of this SIN.

#### 1b. Lowest Priced Model

SIN 711-1:	G9999.B	\$9
SIN 711-2:	6-5-D	\$40
SIN 711-3:	L29P.15	\$11
SIN 711-11:	DT9A.	\$39
SIN 711-16:	OA401	\$43
SIN 711-18:	AS90598	\$51
SIN 711-99:	BVP3.S	\$12

#### 1c. Not applicable

#### 2. Maximum Order

SIN 711-1, SIN 711-2

\$500,000 net product value

SIN 711-3, SIN 711-11

\$300,000 net product value

SIN 711-16, SIN 711-18

\$200,000 net product value

SIN 711-93

\$150,000

SIN 711-94

\$150,000

SIN 711-95

\$150,000

SIN 711-96

\$500,000 net product value

SIN 711-99

\$50,000 net product value

SIN 711-500

\$100,000

#### 3. Minimum Order

\$100 net

#### 4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

#### 5. Point of Production

Zeeland, Ottawa County, Michigan Spring Lake, Ottawa County, Michigan

#### 6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 711-1

Product: Selected Action Office 1, Action Office 2, C-Style Overhead Storage, Ethospace System, Quadrant Pedestals, Supplemental Products, Tu Pedestals, and approved Herman Miller Options

Products.

Standard Lead Time	Single Order Net Purchase	Discount From list
	\$100 - 250,000	73.8%
	\$250,001 - 500,000	76.8%

SIN 711-1

Product: Selected Nevi™ Tables, Renew™ Tables, Renew Link and

approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	73.8%

SIN 711-1

Product: Selected Motia® Tables, and approved Herman Miller Options Products

Standard Single Order Discount
Lead Time Net Purchase From List
\$100 - 500,000 73.8%

SIN 711-1

Product: Tu Wood Pedestals and approved Herman Miller Options Products

Standard Single Order Discount Lead Time Net Purchase From List \$100 - 300,000 74.3%

SIN 711-1

Product: Selected Canvas Office Landscape (Beam, Channel, Dock, Group, Metal Storage, Private Office, Vista, Wall, and Wood Storage) and approved Herman Miller Options Products

StandardSingle OrderDiscountLead TimeNet PurchaseFrom List\$100 - 500,00074.8%

June 2019 HermanMiller for Government

continued

SIN 711-1

Product: Selected Layout Studio® and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	60.7%

SIN 711-1

Product: Selected Meridian Pedestals and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	64.2%

SIN 711-1

Product: Selected Thrive Portfolio and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	62%
	\$250,001 - 500,000	66.4%

SIN 711-2

Product: Approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	58.7%

SIN 711-3

Product: Meridian Laterals, Towers, and Storage products and approved Herman Miller Options Products

Standard	Single Order	Discount F	rom List	Towers &
Lead Time	Net Purchase	Laterals	Verticals	Storage
	\$100 - 300,000	67.3%	66.3%	62.7%

SIN 711-3

Product: Tu Lateral Files, Tu Storage, Tu Towers, Tu Wood Cases, Tu Wood Cubbies, Tu Wood Credenzas, Tu Wood Towers, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 300,000	74.3%

SIN 711-11

Product: Selected Tables and Accessories and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Avive® Tables	\$100 - 250,000	72.8%
	\$250,001 - 500,000	74.8%
Herman Miller Eames® Tables	\$100 - 250,000	73.6%
	\$250,001 - 300,000	77.6%
Everywhere™ Tables	\$100 - 300,000	72.8%

SIN 711-16

Product: Swoop upholstered seating products and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Plex® Lounge Furniture	\$100 - 200,000	59.5%
Swoop™	\$100 - 200,000	60.7%

SIN 711-18

Product: Selected Seating and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Aeron <sup>®</sup>	\$100 - 200,000	64.5%
Aside®	\$100 - 200,000	64.2%
Caper®	\$100 - 200,000	61.5%
Celle®	\$100 - 200,000	59.7%
Cosm™	\$100 - 200,000	61.7%
Embody®	\$100 - 200,000	59.7%
Keyn	\$100 - 200,000	57.7%
Lino™	\$100 - 200,000	63.7%
Mirra® 2	\$100 - 200,000	61.7%
Sayl®	\$100 - 200,000	62.2%
Setu®	\$100 - 200,000	59.7%
Verus™	\$100 - 200,000	63.7%

SIN 711-99

Product: Selected Exclave®, Locale®, Public Office Landscape®, Resolve® System, and approved Herman Miller Options Products

	Resolve System, and approved	a Herman Miller Options i	Touucis	
Standard		Single Order	Discount	
	Lead Time	Net Purchase	From List	
	Exclave	\$100 - 50,000	61.7%	
	Intent Solution	\$100 - 50,000	58.7%	
	Locale	\$100 - 50,000	63.7%	
	Public Office Landscape	\$100 - 50,000	61.7%	
	Resolve System	\$100 - 50,000	69.8%	

HermanMiller for Government June 2019

continued

#### 7. Quantity Discounts

Reference item #6.

#### 8. Payment Term

Net 30 days

#### Government Commercial Credit Card

- Government commercial credit cards are accepted below the micropurchase threshold.
- Government commercial credit cards are accepted above the micropurchase threshold.

#### 10. Foreign Items

None

#### 11. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact Herman Miller or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

#### 12. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

#### 13. Ordering Address

a. Herman Miller, Inc.,

Government Customer Care 0161

855 East Main Avenue

Zeeland MI 49464.

 For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (www.fss.gsa.gov/schedules).

#### 14. Payment Address.

Herman Miller, Inc. 22764 Network Place Chicago, IL 60673-1227

#### 15. Warranty

Herman Miller, Inc., commercial warranty applies.

#### 16. Export Packing Charge

Prices supplied on request.

#### 17. Terms and Conditions of Government Purchase Card Acceptance

(any thresholds above the micropurchase level)
None.

#### 18. Rental Maintenance and Repair Terms

Not applicable

#### 10. Terms and Conditions of Installation

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

continued

#### 20. Terms and Conditions of Repair Parts

Not applicable

#### 21. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

#### 22. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/government.

#### 23. Preventive Maintenance

Not applicable

#### 24a. Special Attributes.

2018

Herman Miller receives the Corporation of the Year—Consumer Products award from the Michigan Minority Supplier Development Council

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

As one of the top-scoring companies in the industry for the four-teenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and received the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair won the 2018 Best of NeoCon Gold Award in the Ergonomic Seating Category, the Interior Design HiP Award in the Ergonomic Seating Category, and a #MetropolisLikes Award. Cosm also won Mix Interiors "Product of the Year—Task" award.

For the 11th consecutive year, Herman Miller received a perfect score on the Corporate Equality Index and we were designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly their LGBT-related policies and practices.

#### 2017

Herman Miller was named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller has received a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award.

Herman Miller has earned the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller named one of the Best and Brightest in Wellness for the fifth year in a row.

Working Mother magazine has recognized Herman Miller as one of the 2017 Working Mother 100 Best Companies.

Herman Miller earned our tenth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in our industry for the thirteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and received the Bronze Class distinction for our excellent economic, environmental, and social sustainability performance.

Herman Miller has once again earned the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience.

#### 2016

Herman Miller was recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC). This award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (fifth consecutive year) recognized Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability.

Herman Miller has been recognized by the Michigan Minority Supplier Development Council (MMSDC), as a "Corporation of the Year", and we also received a "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council. Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Spot Stools from Herman Miller Collection receive Interior Design HiP Award for Hospitality Seating at NeoCon 2016.

HermanMiller for Government June 2019

continued

Herman Miller has been named a 2020 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for twelfth consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

#### 2015

Herman Miller earns ninth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2016 Corporate Equality Index and we were designated as Best Place to Work for LGBT equality.

This is the fourth consecutive year that Herman Miller was named one of Michigan's Best and Brightest Sustainable Companies.

Herman Miller has received the Best and Brightest in Wellness Award for the third year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller received the Forest Stewardship Council (FSC) Leadership Award for longstanding commitment to manufacturing with wood sourced from responsibly managed forests, which reduces environmental impacts by protecting against deforestation and forest degradation.

Herman Miller accepted its second Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller has once again been recognized for its commitment to best-in-class economic, environmental, and societal sustainability, earning a spot on the prestigious Dow Jones Sustainability Index (DJSI) for the twelfth consecutive year. We are the only contract furniture company recognized globally for its corporate sustainability leadership.

Herman Miller selected for inclusion in the 2015 RobecoSAM Sustainability Yearbook; awarded Bronze Class distinction for excellent sustainability performance for the second consecutive year.

Herman Miller received a Michigan Business Pollution Prevention (MBP3) Certificate – a recognition given by the Michigan Department of Environmental Quality (MDEQ) to organizations committed to environmental stewardship, conservation, and sustainable operations. This basic partnership with the MDEQ, which we've maintained since 1998, makes us eligible for our Clean Corporate Citizen (CCC) status that began in 2004 and our Environmental Leader status, which we received for the first time this past year.

MedAssets named Herman Miller Healthcare as Platinum Suppliers. MedAssets, a large group purchasing organization, helps providers enhance operational and financial performance so they can sustainably serve the needs of their community.

Herman Miller honored with five of 20 spots for the Michigan Environmental Leaders Award by the Michigan Department of Environmental Quality for our outstanding, voluntary environmental stewardship.

Renew Sit-to-Stand tables recognized on Record Products 2014 list by Architectural Record.

Herman Miller was again awarded a perfect score in the 2015 Corporate Equality Index. This is the eighth consecutive year we received a perfect score.

#### 2014

Herman Miller has received the Best and Brightest in Wellness Award for the second year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller's Locale wins International Design Excellence Awards (IDEA) Gold in the Office & Productivity category.

Herman Miller achieves eleventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

#### 2013

Herman Miller achieves tenth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller has received the Best and Brightest in Wellness Award. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller Earns Perfect Score on the Corporate Equality Index. We are one of only 303 major U.S. businesses to receive a perfect score in 2013, an achievement we have now obtained seven years in a row.

Herman Miller is listed in Forbes Magazine inaugural "Platinum List" of America's 400 best managed, large companies.

For the second consecutive year, Herman Miller is honored as one of West Michigan's "101 Best and Brightest Sustainable Companies".

#### 2012

Herman Miller accepted its first Excellence in Reusable Packaging Award from the Reusable Packaging Association.

June 2019 HermanMiller for Government

continued

Herman Miller is named "Corporation of the Year" in the commercial products sector by the Michigan Minority Supplier Development Council.

In July 2012 Herman Miller was inducted into the Made in the USA Hall of Fame. Herman Miller is one of only 20 companies across the nation to receive this distinction.

Herman Miller achieves ninth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller is honored as one of West Michigan's 101 Best and Brightest Sustainable Companies.

The Sustainable Asset Management (SAM) group selected Herman Miller for inclusion in "The Sustainability Yearbook 2012" and has awarded Herman Miller both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller was named one of 16 Section Leaders on Climate Counts 2011-2012 Scorecard Report, making us the industry leader for Home and office Furnishings.

SGS International Certification Services, Inc., recognizes Herman Miller's manufacturing sites, Midwest Distribution Center, and Design Yard for initial certification to the OHSAS 18001 standard as well as re-certification to ISO 14001.

#### 2011

Trust Across America, a company dedicated to unraveling the complexities of trustworthy business behavior, listed Herman Miller as one of their "Top Ten Most Trustworthy Companies in America 2011."

The U.S. Environmental Protection Agency (EPA) selected Herman Miller, as a WasteWise Gold Achievement—Climate Change winner.

Herman Miller achieves eighth consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

The Michigan Minority Supplier Development Council (MMSDC) named Herman Miller as its "Corporation of the Year" in the commercial products sector. This was the fifth time Herman Miller has received this award since 2005.

Herman Miller accepted its third Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

Herman Miller receives the Reader's Choice award from TreeHugger's Best of Green: Design and Architecture category for the SAYL chair.

Herman Miller earns Citibank's Global Environmental Vendor of the Year award.

The SAYL chair from Herman Miller was dubbed the "Product Design of the Year" from the 2010 International Design Awards (IDA) jury.

Herman Miller Healthcare's Compass system was awarded a 2011 Medical Design Excellence Award (MDEA) for its research-based design and ability to be used in a variety of healing spaces, while simultaneously improving the overall delivery of healthcare.

The Sustainable Asset Management (SAM) Group selected Herman Miller for inclusion in the "Sustainability Yearbook 2011" and awarded us both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller has received the top rating for a fourth consecutive year in the Human Rights Campaign (HRC) Foundation's eighth annual Corporate Equality Index. The "Best Places to Work for LGBT Equality" distinction is awarded to businesses that scored 100% on the HRC Foundation's 2011 Corporate Equality Index.

Herman Miller again tops contract furniture industry in FORTUNE's 'Most Admired' Companies survey. For the 23rd time in 25 years.

#### 24b. Section 508 Compliance

Not applicable

#### 25. Data Universal Numbering System (DUNS): 00-601-2801

## 26. Registered in System for Award Management (www.SAM.gov) Database

#### 27. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

## 28. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

#### **Herman Miller Miscellaneous Information:**

Federal ID Number: 38-0837640 Commercial and Government Entity Code (CAGE): 40636 Data Universal Numbering System (DUNS) 00-601-2801 Commercial Entity Code (CEC): 00702290J

HermanMiller for Government June 2019

June 2019 HermanMiller for Government

Introduction	page 2
Action Office® System 10-Day or Less	3
Series 2 Walls	5
Work Surfaces	39
Wall-Attached Storage	55
Display Components	67
Lighting	68
Work Organizers	69
Meridian® Pedestals 10-Day or Less	71
Tu® Storage 10-Day or Less	79
Metal Pedestals	81
Metal Pedestal Accessories	89
Indices	93
By Name	93
By Number	95
Appendices	
10-Day or Less Order Information	
10-Day Keyed-Alike Information	
Stain-to-Match Program	
Proprietary Textiles Application Chart - 10-Day Workspaces	
Proprietary Textile Colors - 10-Day Workspaces	
For the latest materials information, refer to the Materials pages on	HermanMiller.com.

#### A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

## Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

#### Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

## The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

#### **General Information**


This book is effective April 1, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as demensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.





	1.
A112	0.
Step	2. Height
32	32" high
39	39" high
47	47" high
53	53" high
62	62" high
67	67" high
85	85" high
Step	3. Width
12	12" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	6o" wide
Step	4. Power
For 1.	2" wide (12)
For 1.	2" wide (12)  (N) nonpowered with no receptacle locations
• • • • • • • • • • • • • • • • • • • •	
N G	(N) nonpowered with no receptacle locations (G) 4-circuit power with no receptacle locations
N G For 2	(N) nonpowered with no receptacle locations (G) 4-circuit power with no receptacle locations
N G For 2	(N) nonpowered with no receptacle locations (G) 4-circuit power with no receptacle locations  4" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide
N G For 2 (48),	(N) nonpowered with no receptacle locations (G) 4-circuit power with no receptacle locations  4" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide or 60" wide (60)
N G For 2 (48), N	(N) nonpowered with no receptacle locations (G) 4-circuit power with no receptacle locations  4" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide or 60" wide (60)  (N) nonpowered with no receptacle locations
N G For 2 (48), N	(N) nonpowered with no receptacle locations (G) 4-circuit power with no receptacle locations  4" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide or 60" wide (60)  (N) nonpowered with no receptacle locations (R) nonpowered with 2 receptacle locations per side (meets
N G For 2 (48), N R	(N) nonpowered with no receptacle locations (G) 4-circuit power with no receptacle locations  4" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide or 60" wide (60)  (N) nonpowered with no receptacle locations (R) nonpowered with 2 receptacle locations per side (meets Chicago electrical code requirements)
N G For 2 (48), N R	(N) nonpowered with no receptacle locations (G) 4-circuit power with no receptacle locations  4" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide or 60" wide (60)  (N) nonpowered with no receptacle locations (R) nonpowered with 2 receptacle locations per side (meets Chicago electrical code requirements) (J) nonpowered with 2 receptacle and 1 communication port

Prices for Steps 1-4.				
	N	R	J	G
A1120. 32 12	\$410	_	_	592
24	\$440	440	440	622
30	\$480	480	480	664
36	\$542	542	542	724
42	\$571	571	571	755
48	\$598	598	598	786
60	\$743	743	743	928

39	12	\$424	_	_	609
	24	\$458	458	458	639
	30	\$500	500	500	683
	36	\$566	566	566	746
	42	\$594	594	594	778
	48	\$626	626	626	808
	60	\$773	773	773	956
47	12	\$452	_	_	635
	24	\$483	483	483	666
	30	\$541	541	541	722
	36	\$618	618	618	800
	42	\$684	684	684	866
	48	\$708	708	708	887
	60	\$869	869	869	1050
53	12	\$461	_	_	645
	24	\$495	495	495	677
	30	\$562	562	562	743
	36	\$655	655	655	840
	42	\$710	710	710	892
	48	\$755	755	755	935
	60	\$929	929	929	1110
62	12	\$479	_	_	660
	24	\$566	566	566	746
	30	\$635	635	635	816
	36	\$736	736	736	918
	42	\$786	786	786	967
	48	\$840	840	840	1022
	60	\$1039	1039	1039	1222
6/	12	\$492			673
	24	\$574	574	574	757
	30 36	\$645	645	645	828
		\$745	745	745	929
	42	\$795	795	795	975
	48 60	\$846	846	846	1028
OF	12	\$1044	1044	1044	1227
65	24	\$562 \$678	- 678	- 678	743 860
	30		-	-	
	36	\$753 \$870	753 870	753 870	934
	42	\$927	870	870	1051
	48	\$927 \$983	927	927	1107 1167
	60	\$903 \$1214	983	983	-
	00	<b>Ф1214</b>	1214	1214	1396

Step 5	. Trim/Top Cap Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	<b>+</b> \$o

Step 6	5. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$0

Step 7. Surface Finish Side 1

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 12" wide (12), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)


	32	39	47	53	62
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
Price Category 4	+\$54	54	60	64	65
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49
Price Category 4				+\$72	79
For 60" wide (60)					
	32	39	47	53	62
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49

## Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 12" wide (12), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

(42) AND 48" wide (48)					
	32	39	47	53	62
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
Price Category 4	+\$54	54	60	64	65
				67	85
Price Category 1	••••			+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49
Price Category 4				+\$72	79
For 60" wide (60)					
	32	39	47	53	62
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49



Specification Information	
Step 1.	
A1125.	

Step 2. Height						
39	39" high					
47	47" high					
53	53" high					
62	62" high					
67	67" high					
85	85" high					

Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Step	4. Power
N	(N) nonpowered with no receptacle locations
R	(R) nonpowered with 2 receptacle locations per side (meets
	Chicago electrical code requirements)
J	(J) nonpowered with 2 receptacle and 1 communication port
	locations per side
G	(G) 4-circuit power with 2 receptacle and 1 communication port
	locations per side

Prices for Steps 1-4.				
	N	R	J	G
A1125. 39 24	\$612	612	612	801
30	\$669	669	669	861
36	\$723	723	723	914
42	\$738	738	738	928
48	\$764	764	764	951
60	\$928	928	928	1120
47 24	\$647	647	647	838
30	\$726	726	726	917
36	\$790	790	790	979
42	\$846	846	846	1037
48	\$860	860	860	1050
60	\$1041	1041	1041	1232

53	3 24	\$696	696	696	886
	30	\$756	756	756	947
	36	\$843	843	843	1033
	42	\$884	884	884	1076
	48	\$935	935	935	1127
	60	\$1142	1142	1142	1332
62	. 24	\$699	699	699	889
	30	\$762	762	762	950
	36	\$857	857	857	1046
	42	\$893	893	893	1087
	48	\$946	946	946	1136
	60	\$1149	1149	1149	1340
67	' 24	\$726	726	726	917
	30	\$785	785	785	975
	36	\$878	878	878	1069
	42	\$918	918	918	1107
	48	\$970	970	970	1162
	60	\$1168	1168	1168	1359
85	5 24	\$835	835	835	1026
	30	\$903	903	903	1092
	36	\$1019	1019	1019	1213
	42	\$1073	1073	1073	1264
	48	\$1142	1142	1142	1332
	60	\$1399	1399	1399	1590

Step 5	5. Trim/Top Cap Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+\$</b> 0
HF	inner tone light	<b>+\$</b> 0
LT	light tone	<b>+\$</b> 0
LU	soft white	<b>+\$</b> 0
MT	medium tone	<b>+\$</b> 0
WL	sandstone	<b>+\$</b> 0
WN	warm grey neutral	<b>+\$</b> 0

Step 6	6. Cable Management Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Step 7	7. Surface	Finish	Side 1

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

	39	47	53	62	67
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
Price Category 4	+\$54	60	64	65	72
					85
Price Category 1					+\$o
Price Category 2					+\$19
Price Category 3					+\$49
Price Category 4					+\$79
For 60" wide (60)					

•••••	39	47	53	62	67
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
••••••					85
Price Category 1	•				+\$o
Price Category 2					+\$19
Price Category 3					+\$49
<b>G</b> ,					+\$4


## Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

Wac (40)					
	39	47	53	62	67
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
Price Category 4	+\$54	60	64	65	72
					85
Price Category 1					+\$o
Price Category 2					+\$19
Price Category 3					+\$49
Price Category 4					+\$79

For 60" wide (60)					
	39	47	53	62	67
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
					85
Price Category 1					+\$0
Price Category 2					+\$19
Price Category 3					+\$49



Specification Information	
Step 1.	
A1131.	

Step	2. Height			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

Step	3. Width			
12	12" wide			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Step 2	Step 4. Power					
For 12	" wide (12)					
N	(N) nonpowered with no receptacle locations					
G	(G) 4-circuit power with no receptacle locations					

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)

N	(N) nonpowered with no receptacle locations
R	(R) nonpowered with 2 receptacle locations per side (meets
	Chicago electrical code requirements)

(J) nonpowered with 2 receptacle and 1 communication port locations per side


G (G) 4-circuit power with 2 receptacle and 1 communication port locations per side

Prices for Steps 1-4.				
	N	R	J	G
A1131. 53 12	\$604	_	_	792
24	\$685	685	685	872
30	\$743	743	743	930
36	\$832	832	832	1014
42	\$873	873	873	1055
48	\$920	920	920	1103
60	\$1125	1125	1125	1308

62 12	\$632	_	_	815
24	\$690	690	690	875
30	\$750	750	750	935
36	\$844	844	844	1026
42	\$880	880	880	1064
48	\$930	930	930	1111
60	\$1134	1134	1134	1317
67 12	\$646	_	_	833
24	\$715	715	715	897
30	\$772	772	772	958
36	\$862	862	862	1047
42	\$903	903	903	1089
48	\$957	957	957	1139
60	\$1148	1148	1148	1334
85 12	\$742	_	_	926
24	\$813	813	813	1000
30	\$888	888	888	1074
36	\$1002	1002	1002	1183
42	\$1055	1055	1055	1240
48	\$1125	1125	1125	1308
60	\$1377	1377	1377	1560

Step 5	. Trim/Top Cap Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	+\$0

Cable Management Finish	
folkstone grey	+\$o
black umber	<b>+</b> \$o
inner tone light	<b>+</b> \$o
soft white	<b>+</b> \$o
medium tone	<b>+</b> \$o
sandstone	<b>+</b> \$o
warm grey neutral	<b>+</b> \$o
	folkstone grey black umber inner tone light soft white medium tone sandstone



#### Step 7. Surface Finish Side 1

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 12" wide (12), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

53	62	67	85
+\$o	0	0	0
+\$16	17	18	19
+\$39	40	46	49
+\$64	65	72	79
	+\$0 +\$16 +\$39	+\$0 0 +\$16 17 +\$39 40	+\$0 0 0 +\$16 17 18 +\$39 40 46

For 60" wide (60)				
	53	62	67	85
Price Category 1	+\$o	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49

## Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 12" wide (12), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

53

62

67

BU

HF

LT

MT

WL

WN

8Q

BU

HF

MT

WL

black umber

light tone

sandstone

inner tone light

medium tone

warm grey neutral

Step 7. Cable Management Finish

folkstone grey

inner tone light

warm grey neutral

black umber

medium tone

sandstone

Price Category 1	+\$0	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49
Price Category 4	+\$64	65	72	79
For 60" wide (60)				
	53	62	67	85
Price Category 1	+\$0	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49

Spec	ification Information	
Step:	1.	
A119	1.8548	\$3320
Step:	2. Frame Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
MT	medium tone	+\$0
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	+\$0
Step	3. Door Finish	
Solid-	Color Laminate	
8Q	folkstone grey	+\$0
HF	inner tone light	+\$0
HT	inner tone	+\$0
LT	light tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step	4. Knob Handle	
NN	none	+\$0
LV	lever - silver	+\$400
Step	5. Side Panel Acrylic Finish	
TR	clear	+\$0
Step	6. Trim/Top Cap Finish	
8Q	folkstone grey	+\$0

+\$0

**+**\$0

**+**\$0

**+**\$0

+\$0

**+**\$0

**+**\$0


+\$0

**+**\$0

+\$0

**+**\$o

**+**\$0



Specification Information	
Step 1.	
A8120.	

Step	2. Height			
32	32" high			
39	39" high			
47	47" high			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Step 4.	Power
N	(N) nonpowered with no receptacle locations
R	(R) nonpowered with 2 receptacle locations per side (meets
	Chicago electrical code requirements)
J	(J) nonpowered with 2 receptacle and 1 communication port
	locations per side
G	(G) 4-circuit power with 2 receptacle and 1 communication port
	locations per side

Prices for Steps 1-4.				
	N	R	J	G
A8120. 32 24	\$440	440	440	622
30	\$480	480	480	664
36	\$542	542	542	724
42	\$571	571	571	755
48	\$598	598	598	786
60	\$743	743	743	928
39 24	\$458	458	458	639
30	\$500	500	500	683
36	\$566	566	566	746
42	\$594	594	594	778
48	\$626	626	626	808
60	\$773	773	773	956

47	24	\$483	483	483	666
	30	\$541	541	541	722
	36	\$618	618	618	800
	42	\$684	684	684	866
	48	\$708	708	708	887
	60	\$869	869	869	1050
53	24	\$495	495	495	677
	30	\$562	562	562	743
	36	\$655	655	655	840
	42	\$710	710	710	892
	48	\$755	755	755	935
	60	\$929	929	929	1110
62	24	\$566	566	566	746
	30	\$635	635	635	816
	36	\$736	736	736	918
	42	\$786	786	786	967
	48	\$840	840	840	1022
	60	\$1039	1039	1039	1222
67	24	\$574	574	574	757
	30	\$645	645	645	828
	36	\$745	745	745	929
	42	\$795	795	795	975
	48	\$846	846	846	1028
	60	\$1044	1044	1044	1227
85	24	\$678	678	678	860
	30	\$753	753	753	934
	36	\$870	870	870	1062
	42	\$927	927	927	1107
	48	\$983	983	983	1167
	60	\$1214	1214	1214	1396

Step 5	. Trim/Top Cap Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	<b>+</b> \$0
LT	light tone	<b>+</b> \$0
LU	soft white	<b>+</b> \$0
MT	medium tone	<b>+</b> \$0
WL	sandstone	<b>+</b> \$0
WN	warm grey neutral	<b>+</b> \$0

Step 6	. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

## Step 7. Surface Finish Side 1

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

	32	39	47	53	62
Price Category 1	+\$0	0	0	0	С
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
Price Category 4	+\$54	54	60	64	65
				67	85
Price Category 1	•••••			+\$o	С
Price Category 2				+\$18	19
Price Category 3				+\$46	49
Price Category 4				+\$72	79

32	39	47	53	62
+\$o	0	0	0	0
+\$10	11	15	16	17
+\$24	25	35	39	40
			67	85
			+\$o	0
			+\$18	19
			+\$46	49
	+\$0 +\$10	+\$0 0 +\$10 11	+\$0 0 0 +\$10 11 15	+\$0 0 0 0 +\$10 11 15 16 +\$24 25 35 39 


## Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

Wide (40)					
	32	39	47	53	62
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
Price Category 4	+\$54	54	60	64	65
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49
Price Category 4				+\$72	79
For 60" wide (60)					
	32	39	47	53	62
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$10	11	15	16	17
Price Category 3	+\$24	25	35	39	40
				67	85
Price Category 1				+\$o	0
Price Category 2				+\$18	19
Price Category 3				+\$46	49

#### Tackable Acoustical-Barrier Panel, A8125. Thin Base



Specification Information	
Step 1.	
A8125.	

Step	2. Height			
39	39" high			
47	47" high			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

Step 3. Width						
24	24" wide					
30	30" wide					
36	36" wide					
42	42" wide					
48	48" wide					
60	6o" wide					

Step 4.	Power
N	(N) nonpowered with no receptacle locations
R	(R) nonpowered with 2 receptacle locations per side (meets
	Chicago electrical code requirements)
J	(J) nonpowered with 2 receptacle and 1 communication port
	locations per side
G	(G) 4-circuit power with 2 receptacle and 1 communication port
	locations per side

A8125. 39 24 30	\$612 \$669 \$723	R 612 669	612	<b>G</b> 801
30	\$669			801
	. ,	669	((-	
•	\$722		669	861
36	4/23	723	723	914
42	\$738	738	738	928
48	\$764	764	764	951
60	\$928	928	928	1120
47 24	\$647	647	647	838
30	\$726	726	726	917
36	\$790	790	790	979
42	\$846	846	846	1037
48	\$860	860	860	1050
60	\$1041	1002	1041	1232

886 947 1033 1076 1127 1332 889 950 1046 1087 1136 1340
1033 1076 1127 1332 889 950 1046 1087 1136
1076 1127 1332 889 950 1046 1087 1136
1127 1332 889 950 1046 1087 1136
1332 889 950 1046 1087 1136
889 950 1046 1087 1136
950 1046 1087 1136
1046 1087 1136
1087 1136
1136
-
1340
917
975
1069
1107
1162
1359
1026
1092
1213
1264
1332

Step	5. Trim/Top Cap Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	+\$0
MT	medium tone	<b>+</b> \$o
WL	sandstone	+\$0
WN	warm grey neutral	<b>+</b> \$o

Step	6. Cable Management Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

# Tackable Acoustical-Barrier Panel, Thin Base *continued*

Sten	7	Surface	Finish	Side	1
JUL	<i>/</i> •	Juliace	1 1111311	Jiuc	-

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

	39	47	53	62	67
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
Price Category 4	+\$54	60	64	65	72
					85
Price Category 1					+\$o
Price Category 2					+\$19
Price Category 3					+\$49
Price Category 4					+\$79

For 60" wide (60)					
	39	47	53	62	67
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
					85
Price Category 1	•••••				+\$0
Price Category 2					+\$19
Price Category 3					+\$49


## Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

(7-)					
	39	47	53	62	67
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
Price Category 4	+\$54	60	64	65	72
					85
Price Category 1					+\$o
Price Category 2					+\$19
Price Category 3					+\$49
Price Category 4					+\$79

For 60" wide (60)					
	39	47	53	62	67
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$11	15	16	17	18
Price Category 3	+\$25	35	39	40	46
					85
Price Category 1					+\$o
Price Category 2					+\$19
Price Category 3					+\$49



Specification Information	
Step 1.	
A8131.	

Step	2. Height				
53	53" high				
62	62" high				
67	67" high				
85	85" high				

Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Step	4. Power
N	(N) nonpowered with no receptacle locations
R	(R) nonpowered with 2 receptacle locations per side (meets
	Chicago electrical code requirements)
J	(J) nonpowered with 2 receptacle and 1 communication port
	locations per side
G	(G) 4-circuit power with 2 receptacle and 1 communication port
	locations per side

Prices for Steps 1-4.				
	N	R	J	G
A8131. 53 24	\$685	685	685	872
30	\$743	743	743	930
36	\$832	832	832	1014
42	\$873	873	873	1055
48	\$920	920	920	1103
60	\$1125	1125	1125	1308
62 24	\$690	690	690	875
30	\$750	750	750	935
36	\$844	844	844	1026
42	\$880	880	880	1064
48	\$930	930	930	1111
60	\$1134	1134	1134	1317
67 24	\$715	715	715	897
30	\$772	772	772	958
36	\$862	862	862	1047
42	\$903	903	903	1089
48	\$957	957	957	1139
60	\$1148	1148	1148	1334

85 24	\$813	813	813	1000
30	\$888	888	888	1074
36	\$1002	1002	1002	1183
42	\$1055	1055	1055	1240
48	\$1125	1125	1125	1308
60	\$1377	1377	1377	1560

Step 5.	. Trim/Top Cap Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Step	6. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	+\$o

## Step 7. Surface Finish Side 1

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)


53

62

67

85

Price Category 1	+\$0	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49
Price Category 4	+\$64	65	72	79
For 60" wide (60)				
	53	62	67	85
Price Category 1	+\$0	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49



## Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)


	53	62	67	85
Price Category 1	+\$0	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49
Price Category 4	+\$64	65	72	79

For 60" wide (60)				
	53	62	67	85
Price Category 1	+\$0	0	0	0
Price Category 2	+\$16	17	18	19
Price Category 3	+\$39	40	46	49

Spec	cification Information	
Step 1		
A819:	1.8548	\$3258
Step 2	2. Frame Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
MT	medium tone	<b>+\$</b> 0
WL	sandstone	+\$o
WN	warm grey neutral	+\$0
Step 3	3. Door Finish	
	-Color Laminate	
8Q	folkstone grey	+\$0
HF ···-	inner tone light	+\$0
HT ·-	inner tone	+\$0
LT	light tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step 2	4. Knob Handle	
NN	none	+\$o
LV	lever - silver	+\$400
Step <u>s</u>	5. Side Panel Acrylic Finish	
TR	clear	+\$0
Step 6	6. Trim/Top Cap Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	<b>+</b> \$0
MT	medium tone	+\$0
WL	sandstone	<b>+</b> \$0
WN	warm grey neutral	<b>+</b> \$0
	7. Cable Management Finish	
8Q	folkstone grey	<b>+\$</b> 0
BU	black umber	<b>+\$</b> 0
HF	inner tone light	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
AA/AI		<b>*</b>

warm grey neutral

**+**\$o



## Specification Information


Step 1.

A0213.

Step:	p 2. Height				
60	6o" high				
72	72" high				
84	84" high				

Prices for Steps 1-2.	
AO213. 60	\$66
72	\$71
84	\$75

Step	3. Surface Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0



## Specification Information


Step 1.

X1192.

Step 2. Size				
1	no. 10, $1^1/2^{"}$ sheet metal screw			
2	no. 10, 3" sheet metal screw			
3	no. 10, 3" machine screw			

Prices for Steps 1-2.	
X1192. 1	\$34
2	\$34
3	\$58

Action Office® Series 2 Walls




<b>Specification Information</b>	
Step 1.	
AO210.	

Step 2. Height		
27	27" high	
34	34" high	
42	42" high	
48	48" high	
57	57" high	
62	62" high	
80	8o" high	

Prices for Steps 1-2.	
AO210. 27	\$74
34	\$79
42	\$79
48	\$79
57	\$85
62	\$85
80	\$93

Step 3. Surface Finish			
8Q	folkstone grey	+\$o	
BU	black umber	<b>+</b> \$o	
HF	inner tone light	<b>+</b> \$o	
LT	light tone	<b>+</b> \$o	
LU	soft white	<b>+</b> \$o	
MT	medium tone	<b>+</b> \$o	
WL	sandstone	<b>+</b> \$o	
WN	warm grey neutral	+\$o	




Specification Information	
Step 1.	
AO212.	\$196

Draw Rod

AO215.

Draw Rod, Change of Height

A0219.




## Specification Information

Step 1.

AO215.

Step	2. Height			
27	27" high			
34	34" high			
42	42" high			
48	48" high			
57	57" high			
62	62" high			
80	8o" high			

Prices for Steps 1-2.	
AO215. 27	\$27
34	\$28
42	\$28
48	\$29
57	\$29
62	\$29
80	\$33




## Specification Information

Step 1.

AO219.

Step	2. Height			
27	27" high			
34	34" high			
42	42" high			
48	48" high			
57	57" high			
62	62" high			

Prices for Steps 1-2.	
AO219. 27	\$30
34	\$33
42	\$33
48	\$34
57	\$34
62	\$34



Speci	fication Information		
Step 1.			
A1220	A1220.		
Step 2	. Height		
32	32" high		
39	39" high		
47	47" high		
53	53" high		
62	62" high		
67	67" high		
85	85" high		


Step 3	. Surface Material
Н	hard surfaced
F	fabric

Prices for Steps 1-3.		
	Н	F
A1220. 32	\$129	185
39	\$133	191
47	\$149	206
53	\$158	222
62	\$169	226
67	\$171	230
85	\$193	261

+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0

<del></del>			
	Top Cap Finish		
	bric (F)		. ¢ -
8Q	folkstone grey black umber		+\$0
BU			+\$0
HF	inner tone light		+\$0
LT	light tone soft white		+\$0
LU			+\$0
MT	medium tone		+\$0
WL	sandstone .		+\$0
WN	warm grey neutr	aı	+\$0
Sten	5. Cable Manageme	ent Finish	
8Q	folkstone grey	THE FIRMSH	+\$0
BU	black umber		+\$0
HF	inner tone light		+\$0
LU	soft white		+\$0
MT	medium tone		+\$0
WL	sandstone		+\$0
WN		al	+\$0
WIN	warm grey neutr	aı	+40
Step	6. Surface Finish		
For fa	bric (F)		
See a	pplication chart an	d textiles list for fabric usage and numb	ers.
First 2	digits of number i	ndicate fabric line; remaining digit(s) in	dicate
fabric	color.		
Price	Category 1		+\$0
Price	Category 2		+\$17
Price	Category 3		+\$22
Price	Category 4		+\$29

Spacer A1260.



## Specification Information Step 1. A1260.


Step 2. Height					
32	32" high				
39	39" high				
47	47" high				
53	53" high				
62	62" high				
67	67" high				
85	85" high				

Step	3. Surface Material		
Н	hard surfaced		
F	fabric		

Prices for Steps 1-3.		
	Н	F
A1260. 32	\$164	210
39	\$169	218
47	\$176	239
53	\$185	251
62	\$205	256
67	\$207	259
85	\$229	298

Step 2	4.	
Surfac	ce Finish	
For ho	ard surfaced (H)	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	+\$0
WN	warm grey neutral	<b>+</b> \$o

Trim/T	op Cap Finish		
For fab	ric (F)		
8Q	folkstone grey	+\$0	
BU	black umber	+\$o	
HF	inner tone light	+\$o	
LT	light tone	+\$o	
MT	medium tone	+\$o	
WL	sandstone	+\$o	
WN	warm grey neutral	+\$o	
Step 5	. Cable Management Finish		
8Q	folkstone grey	+\$o	
BU	black umber	+\$o	
HF	inner tone light	+\$o	
MT	medium tone	+\$o	
WL	sandstone	+\$o	
WN	warm grey neutral	+\$o	
Step 6	. Surface Finish		
For fab	ric (F)		
See ap	plication chart and textiles list for fabric usage and numb	ers.	
First 2	digits of number indicate fabric line; remaining digit(s) in	dicate	
fabric (	color.		
Price C	ategory 1	+\$o	
Price C	ategory 2	+\$17	
Price C	Price Category 3 +\$:		
Price C	Price Category 4 +\$2		




Spec	ification Info	mation			
Step 1					
A1230	).				
Step 2	2. Height				
32	32" high				
39	39" high				
47	47" high				
53	53" high				
62	62" high				
67	67" high				
85	85" high				

Step 3	. Surface Material
Н	hard surfaced
F	fabric

Prices for Steps 1-3.		
	Н	F
A1230. 32	\$224	281
39	\$233	293
47	\$247	315
53	\$265	328
62	\$285	336
67	\$287	340
85	\$326	390

Step	4.	
Surfa	ce Finish	
For h	ard surfaced (H)	
8Q	folkstone grey	+\$0
BU	black umber	<b>+\$</b> o
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

T /	Tan Can Finish		
	Top Cap Finish		
	bric (F)		
8Q	folkstone grey		+\$0
BU	black umber		+\$0
HF	inner tone light		+\$0
LT	light tone		+\$0
LU	soft white		+\$0
MT	medium tone		+\$0
WL	sandstone		+\$0
WN	warm grey neutral		+\$0
Step	5. Cable Management Fini	sh	
8Q	folkstone grey		+\$0
BU	black umber		+\$0
HF	inner tone light		+\$o
LU	soft white		+\$o
MT	medium tone		+\$o
WL	sandstone		<b>+</b> \$o
WN	warm grey neutral		+\$0
Step	6. Surface Finish		
For fa	bric (F)		
See a	pplication chart and textil	les list for fabric usage and	d numbers.
First 2	digits of number indicate	e fabric line; remaining di	git(s) indicate
fabric	color.		
Price	Category 1		+\$o
Price	Category 2		+\$17
Price	Category 3		+\$22
Price	Category 4		+\$29



## Specification Information


Step 1.

A1240.

Step 2	. Height		
32H	32" high		
39H	39" high		
47H	47" high		
53H	53" high		
62H	62" high		
67H	67" high		
85H	85" high		

Prices for Steps 1-2.	
A1240. 32H	\$278
39H	\$288
47H	\$309
53H	\$335
62H	\$366
67H	\$369
85H	\$413

Step 3	. Top Cap Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	<b>+\$</b> o



## Specification Information

Step 1.

A1271.

Step 2.	Height				
32	32" high				
39	39" high				
47	47" high				
53	53" high				
62	62" high				
67	67" high				
85	85" high				

## Step 3. Configuration

Т with transaction surface end support

Prices for Steps 1-3.		
	Н	Т
A1271. 32	\$61	110
39	\$65	112
47	\$68	117
53	\$70	124
62	\$72	129
67	\$72	129
85	\$78	132

Step 2	4. Surface Finish	
8Q	folkstone grey	<b>+\$</b> o
BU	black umber	<b>+\$</b> o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+\$</b> o


Step 5	. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

# Finished End, Change of Height, Panel/Panel


AO272.

# Finished End, Change of Height, Panel/Connector

AO259.



Action Office® Series 2 Walls



Specification Information


Specification Information	
Step 1.	
A0272.	\$35
Step 2. Surface Finish	

Step	1.	
A0259.		\$33
Step	2. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grev neutral	+\$0

AU21		422
Step	2. Surface Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	+\$0
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	+\$0

**+\$**o

**+\$**o



Specification Information	
Step 1.	
A8220.	

Step	2. Height			
32	32" high			
39	39" high			
47	47" high			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

Step 3. Surface Material		
Н	hard surfaced	
F	fabric	

	Н	F
A8220. 32	\$133	185
39	\$139	191
47	\$154	206
53	\$162	222
62	\$174	226
67	\$176	230
85	\$200	261

Surfa	ce Finish	
For h	ard surfaced (H)	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Trim/	Top Cap Finish	
For fa	bric (F)	
8Q	folkstone grey	+\$0
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
Step 5	5. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	<b>+</b> \$o
LU	soft white	<b>+</b> \$o


WN	warm grey neutral	<b>+</b> \$o
Step 6.	Surface Finish	
For fab	ric (F)	
See ap	plication chart and textiles list for fabric usage and numb	ers.
First 2	digits of number indicate fabric line; remaining digit(s) in	dicate
fabric c	color.	
Price C	ategory 1	+\$o
Price C	ategory 2	+\$17
Price C	ategory 3	+\$22
Price C	ategory 4	+\$29

medium tone

sandstone

WL

Step 4.



Spec	ification Info	mation			
Step	1.				
A826	A8260.				
Step	2. Height				
32	32" high				
39	39" high				

	JJ 111511
47	47" high
53	53" high
62	62" high
67	67" high
85	85" high

Step 3. Surface Material			
Н	hard surfaced		
F	fabric		

Prices for Steps 1-3.		
	Н	F
A8260. 32	\$160	212
39	\$164	219
47	\$172	240
53	\$182	252
62	\$201	257
67	\$204	261
85	\$224	300

Step 4.				
Surface Finish				
For h	ard surfaced (H)			
8Q	folkstone grey	+\$o		
BU	black umber	<b>+</b> \$o		
HF	inner tone light	<b>+</b> \$o		
LT	light tone	<b>+</b> \$o		
MT	medium tone	<b>+</b> \$o		
WL	sandstone	<b>+</b> \$o		
WN	warm grey neutral	<b>+</b> \$o		
AAIA	wann grey neutrat	+\$0		

Trim/T	op Cap Finish			
For fab	ric (F)			
8Q	folkstone grey	<b>+\$</b> 0		
BU	black umber	<b>+</b> \$o		
HF	inner tone light	<b>+\$</b> o		
LT	light tone	<b>+\$</b> o		
MT	medium tone	+\$o		
WL	sandstone	+\$o		
WN	warm grey neutral	+\$o		
Step 5.	Cable Management Finish			
8Q	folkstone grey	+\$o		
BU	black umber	+\$o		
HF	inner tone light	+\$o		
MT	medium tone	+\$o		
WL	sandstone	+\$o		
WN	warm grey neutral	+\$o		
Step 6.	Surface Finish			
For fab	ric (F)			
See application chart and textiles list for fabric usage and numbers.				
First 2 digits of number indicate fabric line; remaining digit(s) indicate				
fabric c	rolor.			
Price Category 1 +\$0				
Price C	Price Category 2 +\$			
Price C	Price Category 3 +\$			
Price C	Price Category 4 +\$2			

MT

WL

WN

medium tone


warm grey neutral

sandstone

**+\$**o

**+\$**o

**+\$**o



Specification Information	
Step 1.	
A8230.	

Step	2. Height			
32	32" high			
39	39" high			
47	47" high			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

Step 3. Surface Material				
Н	hard surfaced			
F	fabric			


Prices for Steps 1-3.		
	Н	F
A8230. 32	\$225	282
39	\$234	294
47	\$248	317
53	\$266	330
62	\$286	338
67	\$288	341
85	\$328	392

Surfa	ce Finish	
For h	ard surfaced (H)	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Trim/	/Top Cap Finish	
For fo	abric (F)	
8Q	folkstone grey	+\$0
BU	black umber	<b>+\$</b> o
HF	inner tone light	<b>+\$</b> o
LT	light tone	<b>+\$</b> o
LU	soft white	<b>+\$</b> o
MT	medium tone	<b>+\$</b> o
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	+\$0
Step	5. Cable Management Finish	
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	<b>+\$</b> 0
HF	inner tone light	<b>+\$</b> 0
LU	soft white	+\$0

Step 6. Surface Finish	
For fabric (F)	
See application chart and textiles list for fabric usage and	d numbers.
First 2 digits of number indicate fabric line; remaining dig	git(s) indicate
fabric color.	
Price Category 1	<b>+</b> \$0
Price Category 2	+\$17
Price Category 3	+\$22
Price Category 4	+\$29

Step 4.



Specification	Information
---------------	-------------

Step 1.


A8240.

Step 2	. Height			
32H	32" high			
39H	39" high			
47H	47" high			
53H	53" high			
62H	62" high			
67H	67" high			
85H	85" high			

Prices for Steps 1-2.	
A8240. 32H	\$278
39H	\$288
47H	\$309
53H	\$335
62H	\$366
67H	\$369
85H	\$413

Step 3	. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Step 2	4. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



# Specification Information

Step 1.

A8271.

Step	2. Height			
32	32" high			
39	39" high			
47	47" high			
53	53" high			
62	62" high			
67	67" high			
85	85" high			

Step 3.	Configu	ratior
---------	---------	--------

**H** standard

T with transaction surface end support


Prices for Steps 1-3.		
	Н	Т
A8271. 32	\$54	101
39	\$56	103
47	\$60	106
53	\$61	113
62	\$63	118
67	\$63	118
85	\$68	121

Step 2	4. Surface Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o

Step 5.	Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

# Action Office® Series 2 Walls

# Base Power Entry, Direct Connect, 4 Circuit



Sn	ecifi	cati	on I	nfo	ma	tion
-2101	4 <b>011</b>	or III	on i	11111	111171	


Step 1.

A1322.

Step 2.	Length
06E	6' long
24E	24' long

Prices for Steps 1-2.	
A1322. 06E	\$194
24E	\$398

## Base Power Entry, Junction Box, 4 A1323. Circuit



# Specification Information

Step 1.

A1322.

A1323.

Step 2.	2. Width	
24E	24" wide	
30E	30" wide	
36E	36" wide	
42E	42" wide	
48E	48" wide	
60E	6o" wide	

Prices for Steps 1-2.	
A1323. 24E	\$563
30E	\$563
36E	\$584
42E	\$609
48E	\$628
60E	\$674

Step 3	. Cable Management Finish	
BU	black umber	+\$0
MT	medium tone	+\$0

# Specification Information

Step 1.


A8323.

Step 2. Width			
24E	24" wide		
30E	30" wide		
36E	36" wide		
42E	42" wide		
48E	48" wide		
60E	6o" wide		

Prices for Steps 1-2.	
A8323. 24E	\$510
30E	\$510
36E	\$527
42E	\$551
48E	\$567
60E	\$610

Step	Step 3. Cable Management Finish			
8Q	folkstone grey	+\$o		
BU	black umber	<b>+</b> \$o		
HF	inner tone light	<b>+</b> \$o		
LU	soft white	<b>+</b> \$o		
MT	medium tone	<b>+</b> \$o		
WL	sandstone	<b>+</b> \$o		
WN	warm grey neutral	<b>+</b> \$o		

# Ceiling Power Entry, Internal Direct Connect



# Specification Information

Step 1.

A1325.

Step 2. Height							
39	39" high						
47	47" high						
53	53" high						
62	62" high						
67	67" high						
85	85" high						

Step 3	. Power
N	(N) nonpowered
Ε	(E) powered

rices for Steps 1-3.		
	N	E
1325. 39	\$299	589
47	\$305	594
53	\$317	601
62	\$354	642
67	\$354	642
85	\$370	656
85	\$370	1

•	4. Surface Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+\$</b> o
HF	inner tone light	+\$0
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	+\$0
Cton	Cable Management Finish	


Step 5.	Cable Management Finish	
8Q	folkstone grey	<b>+\$</b> 0
BU	black umber	<b>+\$</b> 0
HF	inner tone light	<b>+\$</b> o
LU	soft white	<b>+\$</b> o
MT	medium tone	<b>+\$</b> o
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	<b>+\$</b> o

# Ceiling Power Entry, Internal Direct Connect, Thin Base

A8325.

Base Power Adapter, 4 Circuit

A1354. A1355.



# Specification Information

Step 1.

A8325.


Step	Step 2. Height				
39	39" high				
47	47" high				
53	53" high				
62	62" high				
67	67" high				
85	85" high				

Step 3.	Power
N	(N) nonpowered
E	(E) powered

Prices for Steps 1-3.		
	N	E
A8325. 39	\$264	499
47	\$270	503
53	\$279	508
62	\$314	544
67	\$314	544
85	\$327	557

Step 4	. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	+\$0
LU	soft white	<b>+\$</b> 0
MT	medium tone	<b>+\$</b> 0
WL	sandstone	<b>+\$</b> 0
WN	warm grey neutral	<b>+\$</b> 0

Step 5	. Cable Management Finish	
8Q	folkstone grey	+\$o
BU	black umber	<b>+\$</b> o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



Specification Info	ormation

Step 1.

A135

Step 2.	Side Covers
5.	no side covers

4. side covers

Step 3. Width

## For no side covers (5.)

06	6" wide
12	12" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	6o" wide

## For side covers (4.)

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	6o" wide

# Step 4. Power

For n	o side covers (5.) with 6" wide (06)
E	(E) 4-circuit power

(E) 4-circuit power

For no side covers (5.) with 12" wide (12), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)


(E) 4-circuit power

For side covers (4.)

(G) 4-circuit power with 2 receptacle and 1 communication port locations per side

# Base Power Adapter, 4 Circuit, Thin Base

A8354. A8355.



rices fo	or Steps 1-4.			Spe	cification Information	
		E	G	Step	1.	
1355.	06	\$197		A835	5	
	12	\$197	_			
	24	\$197	_	Step	2. Side Covers	
	30	\$197	_	5.	no side covers	
	36	\$197	_	4.	side covers	
	42	\$197	_			
	48	\$197	_	Step	3. Width	
	60	\$197	_			
				For n	no side covers (5.)	
1354.	24	_	\$251	06	6" wide	
	30	_	\$251	24	24" wide	
	36	_	\$251	30	30" wide	
	42	_	\$251	36	36" wide	
	48	_	\$251	42	42" wide	
	60	_	\$251	48	48" wide	
				60	6o" wide	
itep 5.	Cable Management Finish					
or side	covers (4.)			For si	ide covers (4.)	
Q	folkstone grey		+\$o	24	24" wide	
U	black umber		+\$o	30	30" wide	
IF	inner tone light		+\$o	36	36" wide	
U	soft white		+\$o	42	42" wide	
ΛТ	medium tone		+\$o	48	48" wide	
٧L	sandstone		+\$o	60	6o" wide	
VN	warm grey neutral		+\$o			
VL	sandstone		+\$0	60		ide

		covers			
*****	 		 	 	

**E** (E) 4-circuit power

For no side covers (5.) with 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)

**E** (E) 4-circuit power


# For side covers (4.)

**G** (G) 4-circuit power with 2 receptacle and 1 communication port locations per side

# A1342.

# Base Power Adapter, 4 Circuit, Thin Base continued

# Panel Pass-Through Power Jumper



|--|

Specification Information		
Step 1.		
A1342.		

Step 2	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Prices for Steps 1-2.	
A1342. 24	\$119
30	\$128
36	\$133
42	\$142
48	\$155
60	\$170

	E	G
A8355. 06	\$197	
24	\$197	_
30	\$197	_
36	\$197	_
42	\$197	_
48	\$197	_
60	\$197	-
A8354. 24		\$251
30	_	\$251
36	_	\$251
42	_	\$251
48	_	\$251
60	_	\$251


Step 5. Cable Management Finish			
For sid	e covers (4.)		
8Q	folkstone grey	<b>+</b> \$o	
BU	black umber	<b>+</b> \$o	
HF	inner tone light	<b>+</b> \$o	
LU	soft white	<b>+</b> \$o	
MT	medium tone	<b>+</b> \$o	
WL	sandstone	<b>+</b> \$o	
WN	warm grey neutral	<b>+</b> \$o	

# Power Harness Extender, Thin Base

A8342.

# Receptacle, 4 Circuit, 15 Amp (package of 6)


A1311.



# Specification Information

Action Office® Series 2 Walls

A8342. \$34



# Specification Information

Step 1.


A1311.

Step 2.	Step 2. Type				
Α	duplex, circuit a				
В	duplex, circuit b				
C	duplex, circuit c				
DN	duplex, circuit d				
D	duplex, circuit d, isolated ground				

Prices for Steps 1-2.	
A1311. A	\$218
В	\$218
С	\$218
DN	\$218
D	\$218

Step 3	3. Receptacle Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
SG	slate grey	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	+\$o






# Specification Information

Step 1.

**NP289** \$112



# Specification Information

Step 1.

Y1323.

## Step 2. Configuration

- 3 2 simplex receptacles, 2 data openings
- 4 3 simplex receptacles, 3 data openings
- 5 2 simplex receptacles, 1 data opening, 1 charging USB port
- 6 3 simplex receptacles, 2 data opening, 1 charging USB port

# Step 3. Power Type

- A power cord with plug end
- **B** conduit with open end, for hard-wiring

## Step 4. Cord/Conduit Length

03 3' cord/conduit

6' cord/conduit

10 10' cord/conduit

20 20' cord/conduit

# Step 5. Attachment

**G** grommet mount

**S** surface clamp


Prices for	Steps 1-5.						
		03G	035	06G	06 <b>S</b>	10G	105
Y1323. 3	Α	\$290	290	290	290	300	300
	В	\$345	345	345	345	355	355
4	A	\$361	361	361	361	370	370
	В	\$418	418	418	418	428	428
5	A	\$406	406	406	406	416	416
	В	\$462	462	462	462	471	471
6	A	\$477	477	477	477	488	488
	В	\$534	534	534	534	544	544

		20G	205
Y1323. 3	Α	\$350	350
	В	\$404	404
4	Α	\$423	423
	В	\$477	477
5	Α	\$467	467
	В	\$542	542
6	Α	\$538	538
	В	\$616	616

# $Connect^{\mathsf{TM}}\text{-}S300 \ \mathit{continued}$

# Receptacle, 4 Circuit, 15 Amp (package of 6)

K1311.



3- 3-	
Specification Inform	ation

+\$o

**+\$**0

+\$o

Specification Information	
Step 1.	
K1311.	

Step 2.	Step 2. Type				
Α	duplex, circuit a				
В	duplex, circuit b				
C	duplex, circuit c				
DN	duplex, circuit d				
ВІ	duplex, circuit b, isolated ground				
CI	duplex, circuit c, isolated ground				
D	duplex, circuit d, isolated ground				

Prices for Steps 1-2.	
K1311. A	\$226
В	\$226
С	\$226
DN	\$226
ВІ	\$226
CI	\$226
D	\$226

Step 3	3. Receptacle Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Step 6. Finish

black

silver

white


οн

01

0J

# G1189.

# Cable Management Trough, Work Surface Suspended A0382.



40

Specification Information
Step 1.
A0382.

Step	2. Width				
30	30" wide				
40	40" wide				
Prices	s for Steps 1-2.				
A0382. 30					

Step :	3. Surface Finish	
BU	black umber	+\$0
MT	medium tone	+\$o

\$81

\$100

# Communication Port Faceplate Reducer





Specification Information	
Step 1.	
G1189.A	\$54

Action Office® Series 2 Walls

# Communication Port Faceplate Extender








# Squared-Edge Rectangular Work Surface

A2310.



Step 2. Depth

96

96" wide

Specification Information	
Step 1.	
A2310.	

24	24" deep			
30	30" deep			
Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
54	54" wide			
60	6o" wide			
66	66" wide			
72	72" wide			

Step 4. Surface Material	

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 60" wide (60), 66" wide (66), 72" wide (72), or 96" wide (96)

laminate top/thermoplastic edge U laminate top/universal edge

For 5	54" wide (54)
L	laminate top/thermoplastic edge
U	laminate top/universal edge

Prices for Steps 1-4.		
	L	U
A2310. 24 24	\$267	259
30	\$295	288
36	\$339	331
42	\$362	353
48	\$382	372
54	\$446	435
60	\$489	476
66	\$503	491
72	\$555	542
96	\$746	726


3	0 24	 	 \$295	288
	30		\$351	342
	36		\$419	408
	42		\$454	442
	48		\$471	460
	54		\$552	539
	60		\$603	587
	66		\$627	611
	72		\$693	674
	96		\$884	863

Step 5	. Top Finish	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$c
91	white	+\$0
98	studio white	+\$c
CL	cool grey neutral	+\$0
HF	inner tone light	+\$c
нм	natural maple	+\$c
HP	light anigre	+\$c
HT	inner tone	+\$c
HX	aged cherry	+\$c
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$c
LBC	walnut on ash	+\$c
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$c
LBF	neutral twill	+\$c
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBM	crisp linen	+\$c
LBN	classic linen	+\$0
LBP	casual linen	+\$c
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 6. Edge Finish

For la	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
8Z	neutral grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
JB	millwork cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 7.	Support Finish	
3Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
.T	light tone	+\$0
.U	soft white	+\$0
MT	medium tone	+\$0
<b>N</b> L	sandstone	+\$0
٧N	warm grey neutral	+\$0



# Specification Information Step 1. A2332.

Step 2	. Size
2436	24" deep x 36" wide
2442	24" deep x 42" wide
2448	24" deep x 48" wide
3036	30" deep x 36" wide
3042	30" deep x 42" wide
3048	30" deep x 48" wide

# Step 3. Surface Material

For 24" deep x 36" wide (2436), 30" deep x 36" wide (3036), or 30" deep x 42" wide (3042)

L laminate top/thermoplastic edgeU laminate top/universal edge

For 24" deep x 42" wide (2442), 24" deep x 48" wide (2448), or 30" deep x 48" wide (3048)

L laminate top/thermoplastic edge

Prices for Steps 1-3.		
	L	U
A2332. 2436	\$529	516
2442	\$576	_
2448	\$622	_
3036	\$627	611
3042	\$623	607
3048	\$728	_

Step 4.	Top Finish	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o

LBS	phantom cocoa	<b>+</b> \$0
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	<b>+</b> \$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	<b>+</b> \$0
LBM	crisp linen	<b>+</b> \$0
LBN	classic linen	<b>+</b> \$0
LBP	casual linen	<b>+\$</b> 0
LBQ	white twill	+\$o
LT	light tone	<b>+</b> \$0
LU	soft white	<b>+</b> \$0
MT	medium tone	<b>+</b> \$0
WL	sandstone	<b>+</b> \$0
WN	warm grey neutral	<b>+\$</b> 0

# Step 5. Edge Finish

ninate top/thermoplastic edge (L)	
light brown walnut	+\$o
folkstone grey	+\$o
neutral grey	+\$o
white	+\$o
studio white	+\$o
black umber	+\$o
cool grey neutral	+\$o
inner tone light	+\$o
natural maple	+\$o
light anigre	+\$o
inner tone	+\$o
aged cherry	+\$o
walnut on cherry	+\$o
millwork cherry	+\$o
light ash	+\$o
clear on ash	<b>+\$</b> 0
phantom ecru	+\$o
phantom cocoa	+\$o
medium matte walnut	+\$o
warm grey teak	+\$o
oak on ash	+\$o
walnut on ash	+\$o
dark brown walnut	+\$o
	light brown walnut folkstone grey neutral grey white studio white black umber cool grey neutral inner tone light natural maple light anigre inner tone aged cherry walnut on cherry millwork cherry light ash clear on ash phantom ecru phantom cocoa medium matte walnut warm grey teak oak on ash walnut on ash

# Action Office® Work Surfaces

## LBE medium red walnut +\$o LBF neutral twill +\$o LBG sarum twill +\$o LBH earthen twill +\$o LBJ graphite twill +\$o LBK pewter mesh +\$o LBL steel mesh +\$o LBM crisp linen +\$o LBN classic linen +\$o LBP casual linen **+**\$o LBQ white twill +\$o LU soft white +\$o MT medium tone +\$o $\mathbf{W}\mathbf{L}$ sandstone +\$o WN warm grey neutral +\$o

Step 6	6. Support Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+</b> \$o
HF	inner tone light	+\$0
LT	light tone	<b>+</b> \$o
LU	soft white	+\$0
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	+\$o

# 0

Spec	ification Information	
Step :	l.	
A233	3.	
Step :	2. Depth	
24	24" deep	
30	30" deep	
Step :	3. Width	
36	36" wide	
42	42" wide	
48	48" wide	
Step	4. Surface Material	
L	laminate top/thermoplastic edge	

Prices for Steps 1-4.	
	L
A2333. 24 36	\$529
42	\$576
48	\$622
30 36	\$627
42	\$623
48	\$728


Step 5	Step 5. Top Finish		
76	light brown walnut	<b>+\$</b> o	
8Q	folkstone grey	<b>+\$</b> o	
91	white	+\$o	
98	studio white	+\$o	
CL	cool grey neutral	<b>+</b> \$o	
HF	inner tone light	+\$o	
нм	natural maple	+\$o	
HP	light anigre	+\$o	
HT	inner tone	+\$o	
нх	aged cherry	+\$o	
HY	walnut on cherry	+\$o	
LA	light ash	+\$0	
LBA	clear on ash	+\$o	
LBR	phantom ecru	+\$o	
LBS	phantom cocoa	+\$o	
LBU	medium matte walnut	+\$o	
LBV	warm grey teak	+\$o	
LBB	oak on ash	+\$o	
LBC	walnut on ash	+\$0	
LBD	dark brown walnut	+\$0	
LBE	medium red walnut	+\$0	

+\$0 +\$0 +\$0

+\$0 +\$0 +\$0

+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0

LBF	neutral twill	+\$0	LRL	casual linen
LBG	sarum twill	+\$o	LBQ	white twill
LBH	earthen twill	+\$o	LU	soft white
LBJ	graphite twill	+\$o	MT	medium tone
LBM	crisp linen	+\$o	WL	sandstone
LBN	classic linen	+\$o	WN	warm grey neutral
LBP	casual linen	+\$o		
LBQ	white twill	+\$o	Step 7	. Support Finish
LT	light tone	+\$o	8Q	folkstone grey
LU	soft white	+\$o	BU	black umber
MT	medium tone	<b>+</b> \$o	HF	inner tone light
WL	sandstone	+\$o	LT	light tone
WN	warm grey neutral	+\$o	LU	soft white
			MT	medium tone
Step 6.	. Edge Finish		WL	sandstone
76	light brown walnut	+\$o	WN	warm grey neutral
8Q	folkstone grey	+\$o		
8Z	neutral grey	+\$o		
91	white	+\$o		
98	studio white	+\$o		
BU	black umber	+\$o		
CL	cool grey neutral	+\$o		
HF	inner tone light	+\$o		
нм	natural maple	+\$o		
HP	light anigre	+\$o		
HT	inner tone	+\$o		
нх	aged cherry	+\$o		
HY	walnut on cherry	+\$o		
JB	millwork cherry	+\$o		
LA	light ash	+\$o		
LBA	clear on ash	+\$o		
LBR	phantom ecru	+\$o		
LBS	phantom cocoa	<b>+</b> \$o		
LBU	medium matte walnut	<b>+</b> \$o		
LBV	warm grey teak	<b>+</b> \$o		
LBB	oak on ash	+\$o		
LBC	walnut on ash	+\$o		
LBD	dark brown walnut	+\$o		
LBE	medium red walnut	+\$o		
LBF	neutral twill	+\$o		
LBG	sarum twill	+\$o		
LBH	earthen twill	+\$o		
LBJ	graphite twill	+\$o		
LBK	pewter mesh	+\$o		
LBL	steel mesh	+\$o		
LBM	crisp linen	<b>+</b> \$0		
IDN	classic linen	. \$0		



Spe	Specification Information		
Step	1.		
A235	0.		
Step	2. Depth		
24	24" deep		
30	30" deep		
Step	3. Width		
For 2	4" deep (24)		
48	48" wide		
60	60" wide		
For 3	o" deep (30)		
48	48" wide		
60	6o" wide		
72	72" wide		
Step	4. Surface Material		
L	laminate top/thermoplastic edge		

Price	s for Steps 1-4.	
		L
A235	0. 24 48	\$717
	60	\$784
	30 48	\$750
	60	\$802
	72	\$854
Step	5. Top Finish	
29	misted	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0

	Ste
	76
	8Q
L	8Z
\$717	91
784	98
750	BU
802	CL
854	HF
	НМ
	HP
+\$0	HT
<b>+</b> \$0	НХ
<b>+</b> \$0	HY
<b>+</b> \$0	JB
<b>+</b> \$0	LA
<b>+</b> \$0	LBA
<b>+</b> \$0	LBR
<b>+</b> \$0	LBS
<b>+</b> \$0	LBU
<b>+</b> \$0	LBV
<b>+</b> \$0	LBB
<b>+</b> \$0	LBC
<b>+</b> \$o	LBD
<b>+</b> \$o	LBE
<b>+</b> \$o	LBF
<b>+</b> \$o	LBG

LBU	medium matte walnut	<b>+</b> \$o
LBV	warm grey teak	+\$o
LBB	oak on ash	<b>+\$</b> o
LBC	walnut on ash	<b>+\$</b> o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBM	crisp linen	<b>+\$</b> o
LBN	classic linen	<b>+\$</b> o
LBP	casual linen	<b>+\$</b> o
LBQ	white twill	<b>+\$</b> o
LT	light tone	<b>+\$</b> o
LU	soft white	<b>+\$</b> o
MT	medium tone	+\$o
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	+\$o

Step 6	. Edge Finish	
76	light brown walnut	+\$o
8Q	folkstone grey	<b>+\$</b> 0
8Z	neutral grey	+\$o
91	white	+\$o
98	studio white	+\$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
HX	aged cherry	+\$o
HY	walnut on cherry	+\$o
JB	millwork cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$0

 $\mathsf{CL}$ 

HF

нм

HP

HT

HX

HY

LA

LBA

LBR

LBS

cool grey neutral

inner tone light

natural maple

light anigre

inner tone

light ash

aged cherry

clear on ash

phantom ecru

phantom cocoa


walnut on cherry

# Action Office® Work Surfaces

A2355.

# Squared-Edge Round-End Peninsula continued

# Squared-Edge D-Shaped Work Surface




Specification Information

LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Step	7. Leg Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

ыср I.		
A2355.50L		\$670
Step 2	2. Top Finish	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
НР	light anigre	+\$0
нт	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$0
Step 3	3. Edge Finish	
76	light brown walnut	+\$0
8Q	folkstone grey	<b>+</b> \$o
8Z	neutral grey	<b>+</b> \$o
91	white	<b>+</b> \$o
98	studio white	+\$o

# Surface continued




CL	cool grey neutral	+\$o	Speci	fication Information	
HF	inner tone light	+\$o	Step 1.		
нм	natural maple	+\$o	Y2091	•	
HP	light anigre	+\$o			
HT	inner tone	+\$o	Step 2.	. Surface Material	
нх	aged cherry	+\$o	L	laminate top/thermoplastic edge	
HY	walnut on cherry	+\$o	U	laminate top/universal edge	
JB	millwork cherry	+\$o			
LA	light ash	+\$o	Prices	for Steps 1-2.	
LBA	clear on ash	+\$o	Y2091	. L	\$118
LBR	phantom ecru	+\$o		U	\$114
LBS	phantom cocoa	+\$o			
LBU	medium matte walnut	+\$o	Step 3.	. Top Finish	
LBV	warm grey teak	+\$o	76	light brown walnut	+\$o
LBB	oak on ash	+\$o	8Q	folkstone grey	+\$o
LBC	walnut on ash	+\$o	91	white	+\$o
LBD	dark brown walnut	+\$o	98	studio white	+\$o
LBE	medium red walnut	+\$o	CL	cool grey neutral	+\$o
LBF	neutral twill	+\$o	HF	inner tone light	+\$o
LBG	sarum twill	+\$o	нм	natural maple	+\$o
LBH	earthen twill	+\$o	HP	light anigre	+\$o
LBJ	graphite twill	+\$o	HT	inner tone	+\$o
LBK	pewter mesh	+\$o	нх	aged cherry	+\$o
LBL	steel mesh	+\$o	HY	walnut on cherry	+\$o
LBM	crisp linen	+\$o	LA	light ash	+\$o
LBN	classic linen	+\$o	LBA	clear on ash	+\$o
LBP	casual linen	+\$o	LBR	phantom ecru	+\$o
LBQ	white twill	+\$o	LBS	phantom cocoa	+\$o
LU	soft white	+\$o	LBU	medium matte walnut	+\$o
MT	medium tone	+\$o	LBV	warm grey teak	+\$o
WL	sandstone	+\$o	LBB	oak on ash	+\$o
WN	warm grey neutral	+\$o	LBC	walnut on ash	+\$o
			LBD	dark brown walnut	+\$o
Step 4.	Leg Finish		LBE	medium red walnut	+\$o
8Q	folkstone grey	+\$o	LBF	neutral twill	+\$o
BU	black umber	+\$o	LBG	sarum twill	+\$o
HF	inner tone light	+\$o	LBH	earthen twill	+\$o
LT	light tone	+\$o	LBJ	graphite twill	+\$o
LU	soft white	+\$o	LBM	crisp linen	+\$o
MT	medium tone	+\$o	LBN	classic linen	+\$o
WL	sandstone	+\$o	LBP	casual linen	+\$o
WN	warm grey neutral	<b>+</b> \$o	LBQ	white twill	+\$o
			LT	light tone	+\$o
			LU	soft white	+\$o
			MT	medium tone	+\$o
			OG	honey maple	+\$o

 $\mathbf{WL}$ 

sandstone

**+**\$0

continued



Step 2. Work Surface Depth


WN	warm grey neutral	+\$0
Step 4	. Edge Finish	
For lar	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
8Z	neutral grey	+\$o
91	white	+\$o
98	studio white	+\$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
JB	millwork cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	<b>+</b> \$o
LBS	phantom cocoa	<b>+</b> \$o
LBU	medium matte walnut	<b>+</b> \$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	<b>+</b> \$o
LBE	medium red walnut	<b>+</b> \$o
LBF	neutral twill	<b>+</b> \$o
LBG	sarum twill	<b>+</b> \$o
LBH	earthen twill	<b>+</b> \$o
LBJ	graphite twill	<b>+</b> \$o
LBK	pewter mesh	<b>+</b> \$o
LBL	steel mesh	+\$o
LBM	crisp linen	<b>+</b> \$o
LBN	classic linen	<b>+</b> \$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LU	soft white	+\$o
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$o

Specification Information	
Step 1.	
A2393.	

24	24" deep			
30	30" deep			
Step 3	3. Position			
L	left			
R	right			

Prices for Steps 1-3.		
	L	R
A2393. 24	\$36	36
30	\$56	56

Step	4. Surface Finish	
RS	ironstone	-\$3
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



# Specification Information

Step 1.

A2390.


Step 2. Position

L left

R right

Prices for Steps 1-2.

**A2390. L** \$51 **R** \$51



# Specification Information

Step 1.

A2380.

Step 2. Depth

24" deep

**30** 30" deep

# Step 3. Surface Material

L laminate

Prices for Steps 1-3.

L
A2380. 24 \$298
30 \$337


# Step 4. Surface Finish

Solid-	-Color Laminate	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

# AO432.

# Work Surface Support Panel

# Work Surface Support Panel, End, A8380. Thin Base



# Specification Information

Step 1.

A8380.

Step 2. Deptil		
24	24" deep	
30	30" deep	


# Step 3. Surface Material

L laminate

Prices for Steps 1-3.	
	L
A8380. 24	\$312
30	\$351

Step 4.	Sur	face	Finisl	1

Solid-Color Laminate				
8Q	folkstone grey	+\$0		
BU	black umber	<b>+</b> \$o		
HF	inner tone light	<b>+</b> \$o		
LT	light tone	<b>+</b> \$o		
LU	soft white	<b>+</b> \$o		
MT	medium tone	<b>+</b> \$o		
WL	sandstone	+\$0		
WN	warm grey neutral	+\$0		



# Specification Information

Step 1.

AO432.


Step	2. Depth			
24	24" deep			
30	30" deep			

# Prices for Steps 1-2.

**A0432. 24** \$318 **30** \$358


Step 3	. Surface Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
LT	light tone	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

C-Leg




Spe	Specification Information				
Step	Step 1.				
A083	32.				
Step	2. Depth				
24	24" deep				
30	30" deep				
Price	s for Steps 1-2.				
A083	32. 24	\$318			
	30	\$358			
<u></u>	C ( F::1				
Step	3. Surface Finish				


	30	\$358
Step	3. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	+\$o
WN	warm grey neutral	<b>+\$</b> o



Specification Information		
Step	1.	
A238	1.29	\$473
Step	2. Leg Finish	
8Q	folkstone grey	<b>+\$</b> o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



Specification Information		
Step 1.		
G1331.	\$22	



Specification Information	
Step 1.	
2830.14	

Step 2	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			
72	72" wide			

Step 3.	Step 3. Surface Material		
L	laminate top/thermoplastic edge		
U	laminate top/universal edge		

Prices for Steps 1-3.		
	L	U
A2830.14 24	\$173	169
30	\$181	175
36	\$201	195
42	\$210	205
48	\$219	213
60	\$276	268
72	\$324	316

Step 4	. Top Finish	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	<b>+</b> \$0
98	studio white	+\$o
CL	cool grey neutral	<b>+</b> \$0
HF	inner tone light	<b>+</b> \$0
нм	natural maple	<b>+</b> \$0
HP	light anigre	+\$0
HT	inner tone	<b>+</b> \$0
нх	aged cherry	<b>+</b> \$0
HY	walnut on cherry	<b>+</b> \$0
LA	light ash	<b>+</b> \$0
LBA	clear on ash	<b>+</b> \$0
LBR	phantom ecru	<b>+</b> \$0
LBS	phantom cocoa	<b>+</b> \$0
LBU	medium matte walnut	<b>+</b> \$0
LBV	warm grey teak	<b>+</b> \$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0

dark brown walnut	+\$o	LBJ	graphite twill
medium red walnut	+\$o	LBK	pewter mesh
neutral twill	+\$o	LBL	steel mesh
sarum twill	+\$o	LBM	crisp linen
earthen twill	+\$o	LBN	classic linen
graphite twill	+\$o	LBP	casual linen
crisp linen	+\$o	LBQ	white twill
classic linen	+\$o	LU	soft white
casual linen	+\$o	MT	medium tone
white twill	+\$o	OG	honey maple
light tone	<b>+\$</b> o	WL	sandstone
soft white	+\$o	WN	warm grey neutral
medium tone	+\$o		
honey maple	+\$o		
sandstone	+\$o		
warm grey neutral	+\$o		
	medium red walnut neutral twill sarum twill earthen twill graphite twill crisp linen classic linen casual linen white twill light tone soft white medium tone honey maple sandstone	medium red walnut neutral twill sarum twill earthen twill graphite twill crisp linen classic linen casual linen white twill light tone soft white medium tone honey maple sandstone  +\$0  +\$0  +\$0  +\$0  +\$0  +\$0  +\$0  +\$	medium red walnut neutral twill sarum twill earthen twill graphite twill crisp linen classic linen casual linen white twill soft white medium tone honey maple sandstone  +\$0 LBR LBN LBN LBP LBQ LBQ LU LU LU LBQ LU LU LU LBQ LU LU LU LBQ LU LU LU LBQ LU LU LU LBQ LU LU LBQ LU LU LBQ LU LBC LBN MT MT WI LBQ LU LU LBQ LU LU LBQ LU LU LBQ LU LU LBQ LBN LBN LBQ LBN LBN LBQ LBN


# Step 5. Edge Finish

For la	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
8Z	neutral grey	+\$0
91	white	+\$o
98	studio white	<b>+</b> \$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
нт	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
JB	millwork cherry	+\$o
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0

+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0

# Action Office® Work Surfaces

# Squared-Edge Corner Transaction Surface A2840.



# Specification Information

Step 1.

A2840.

Step 2. Surface Material			
L	L laminate top/thermoplastic edge		
U	laminate top/universal edge		

Prices for Steps 1-2.	
A2840. L	\$291
U	\$284

Step 3	. Top Finish	
76	light brown walnut	+\$
8Q	folkstone grey	+\$
91	white	+\$
98	studio white	+\$
CL	cool grey neutral	+\$
HF	inner tone light	+\$
нм	natural maple	+\$
HP	light anigre	+\$
HT	inner tone	+\$
НΧ	aged cherry	+\$
HY	walnut on cherry	+\$
LA	light ash	+\$
LBA	clear on ash	+\$
LBR	phantom ecru	+\$
LBS	phantom cocoa	+\$
LBU	medium matte walnut	+\$
LBV	warm grey teak	+\$
LBB	oak on ash	+\$
LBC	walnut on ash	+\$
LBD	dark brown walnut	+\$
LBE	medium red walnut	+\$
LBF	neutral twill	+\$
LBG	sarum twill	+\$
LBH	earthen twill	+\$
LBJ	graphite twill	+\$
LBM	crisp linen	+\$
LBN	classic linen	+\$
LBP	casual linen	+\$
LBQ	white twill	+\$
LT	light tone	+\$
LU	soft white	+\$
MT	medium tone	+\$
WL	sandstone	+\$
WN	warm grey neutral	+\$


# Step 4. Edge Finish

For lar	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	<b>+</b> \$0
8Z	neutral grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	<b>+</b> \$o
CL	cool grey neutral	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
JB	millwork cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	<b>+\$</b> 0
LBR	phantom ecru	<b>+\$</b> 0
LBS	phantom cocoa	<b>+\$</b> 0
LBU	medium matte walnut	<b>+\$</b> 0
LBV	warm grey teak	<b>+\$</b> 0
LBB	oak on ash	<b>+\$</b> o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	<b>+\$</b> o
LBF	neutral twill	+\$o
LBG	sarum twill	<b>+\$</b> o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$o
MT	medium tone	+\$0
WL	sandstone	+\$o
WN	warm grey neutral	+\$0

\$44

\$43


\$43



Specification Information	
Step 1.	
A046	

Step  O.	2. Position center			
1.	end			
3.	mid-end			
Price	s for Steps 1-2.			

Step 3	3. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o




Specification Information

Step 1		
A0464	A0464.	
0.		
Step 2	. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

AO460. A0461.

A0463.



Specification Information
Step 1.
A335

Step 2.	Door Material
3.	painted door
2	fabric door

**2.** fabric door

Step 3.	. Depth		
13	13" deep		
16	16" deep		

Step	4. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Step 5.	Lock
For loc	k (*), skip this step.
N	no lock

	N	*
A3353. 13 24	\$441	455
30	\$468	480
36	\$505	520
42	\$545	557
48	\$576	590
60	\$708	719
16 24	\$469	482
30	\$501	512
36	\$578	591
42	\$601	614
48	\$628	639
60	\$772	784
	N	*
A3352. 13 24	\$456	470
30	\$480	496
36	\$520	533
42	\$558	572
48	\$590	603
60	\$719	733

16 2	4	\$482	499
3	0	\$512	527
3	6	\$591	604
4	2	\$614	630
4	8	\$642	655
6	0	\$785	801

For loc	rK	
KA	keyed alike	-\$10
KD	keyed differently	+\$o
Step 7	. Case Finish	
8Q	folkstone grey	+\$o
BU	black umber	<b>+\$</b> 0
HF	inner tone light	<b>+\$</b> 0
LT	light tone	<b>+\$</b> 0
LU	soft white	<b>+\$</b> 0
MT	medium tone	<b>+\$</b> 0
WL	sandstone	<b>+\$</b> 0
WN	warm grey neutral	+\$o


# Step 8. Door Finish


Step 6. Lock Option

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Paint	ed	
For po	ainted door (3.)	
8Q	folkstone grey	+\$0
BU	black umber	<b>+</b> \$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

For fabric door (2.) with 24" wide (24), 30" wide (30), 36" wide (36), or		
42" wide (42), or 48" wide (48)		
Price Category 1	+\$0	
Price Category 2	+\$18	
Price Category 3	+\$37	
Price Category 4	+\$54	





Specification Information	
Step 1.	
A331	

# Step 2. Door Materialpainted doorfabric door

Step 3. Depth

13 13" deep16" deep

Step	4. Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				
60	6o" wide				

Step 5. Lock
For lock (*), skip this step.

N no lock

Duisses for Character		
Prices for Steps 1-5.		
	N	*
A3313. 13 24	\$276	290
30	\$296	313
36	\$326	339
42	\$351	368
48	\$378	391
60	\$477	492
16 24	\$286	296
30	\$295	308
36	\$340	355
42	\$360	373
48	\$379	394
60	\$484	498
	-	
	N	*
A3312. 13 24	\$290	301
30	\$314	326
36	\$339	351
42	\$368	380
48	\$394	406
60	\$494	505

16 24	\$296	313
30	\$313	324
36	\$356	370
42	\$373	387
48	\$395	407
60	\$499	513

For fabric door (2.) with 60" wide (60)	
Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$37

Step 6. Lock Option			
For lo	ck		
KA	keyed alike	-\$10	
KD	keyed differently	+\$o	


Step 7	7. Top Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

# Step 8. Door Finish

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

_	: , , , , , , ,	
For po	ainted door (3.)	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

10, Justic 400, (2.) Will 24 Wide (24), 30 Wide (30), 30	, mac (50), or
42" wide (42), or 48" wide (48)	
Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$37
Price Category 4	+\$54



# Specification Information

Step 1.

A32

Step 2	. Height		
10.	15 <sup>1</sup> / <sub>2</sub> " high		

# Step 3. Depth


13 13" deep16" deep

# Step 4. Width

24 24" wide
30 30" wide
36" wide
42" wide
48" wide
60" wide

Prices for Steps 1-4.						
	24	30	36	42	48	60
A3210. 13	\$189	195	204	215	223	259
16	\$208	226	258	263	269	306

Step 5	5. Case Finish	
8Q	folkstone grey	+\$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o



# Specification Information


Step 1.

A3220.13

Step 2	2. Width	
24	24" wide	
30	30" wide	
36	36" wide	
42	42" wide	
48	48" wide	
60	6o" wide	

Prices for :	Steps 1-2.	
A3220.13	24	\$175
	30	\$184
	36	\$194
	42	\$209
	48	\$216
	60	\$267

Step 3	. Case Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



Specification Information	
Step 1.	
X3750.	

Step	Step 2. Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				

Step 3. Mechanism	
SP	standard mechanism

Step 4.	Lift Handle
N	no lift handle


Prices for Steps 1-4.	
	N
X3750. 24 SP	\$668
30 SP	\$710
36 SP	\$753
42 SP	\$806
48 SP	\$864

Step 5.	Lock Option	
KA	keyed alike	-\$10
KD	keyed differently	+\$o

Step	6. Attachment Bracket					
AO	of for Action Office® system					
E1	for Ethospace® System	+\$o				
F8	for Canvas	+\$o				
OM	for Ethospace® off module	+\$o				

Step ;	7. Case/Lift Handle Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
BU	black umber	+\$o
CN	metallic champagne	+\$o
EH	metallic bronze	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Step 8.	Door Finish	
or Act	tion Office® system (AO), Ethospace® System (E1), Canva	ıs (F8),
or Etho	ospace® off module (OM)	
3Q	folkstone grey	+\$o
91	white	+\$o
BU	black umber	+\$o
CN	metallic champagne	+\$o
H	metallic bronze	+\$o
HF.	inner tone light	+\$o
.T	light tone	<b>+</b> \$0
.U	soft white	<b>+</b> \$0
MT	medium tone	<b>+</b> \$0
<b>N</b> L	sandstone	<b>+</b> \$0
٧N	warm grey neutral	+\$o




no lift handle

Specification Information					
Step 1.					
X3710.					
Step 2.	Width				
24SP	24" wide				
30SP	30" wide				
36SP	36" wide				
42SP	42" wide				
48SP	48" wide				
Step 3.	Lift Handle				

	s for Steps 1-3.	
		!
X371	0. 24SP	\$417
	30SP	\$44
	36SP	\$480
	42SP	\$52
	48SP	\$56:
Step	4. Lock Option	
KA	keyed alike	-\$10
KD	keyed differently	+\$0
Step	5. Top/Lift Handle Finish	
8Q	folkstone grey	+\$0
91	white	+\$0
BU	black umber	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 6.	Door Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
BU	black umber	+\$o
EH	metallic bronze	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o



# Specification Information

Step 1.


X3730.

Step	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			

Prices for Steps 1-2.	
X3730. 24	\$275
30	\$285
36	\$299
42	\$316
48	\$330

Step 3	Step 3. Attachment Bracket					
AO	for Action Office® system	<b>+</b> \$o				
E1	for Ethospace® System	+\$o				
F8	for Canvas	+\$o				
OM	for Ethospace® off module	<b>+</b> \$o				

Step	4. Surface Finish	
8Q	folkstone grey	<b>+</b> \$o
91	white	<b>+</b> \$o
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
MT	medium tone	<b>+</b> \$o
EH	metallic bronze	<b>+</b> \$o
CN	metallic champagne	<b>+</b> \$o
WL	sandstone	<b>+</b> \$o
LU	soft white	<b>+\$</b> o
WN	warm grey neutral	+\$o



# Specification Information

Step 1.

A3810.

Step 2	. Height			
1	15" high			

Step 3. Width							
24	24" wide						
30	30" wide						
36	36" wide						
42	42" wide						
48	48" wide						

# Step 4. Door Material P painted door

Step 5. Lock		
N	no lock	
L	lock	


Prices for	Steps 1-5.		
		PN	PL
A3810. 1	24	\$391	402
	30	\$415	426
	36	\$447	460
	42	\$481	494
	48	\$509	520

Step	6. Lock Option	
For lo	ock (L)	
KA	keyed alike	-\$10
KD	keyed differently, black	+\$0
Step	7. Case Finish	
8Q	folkstone grey	+\$0
BU	black umber	<b>+</b> \$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	<b>+</b> \$o
WN	warm grey neutral	+\$o

## Step 8. Door Finish 8Q folkstone grey +\$o BU black umber +\$o HF inner tone light +\$o LU soft white +\$o MT medium tone +\$o $\mathbf{W}\mathbf{L}$ sandstone +\$o $\mathbf{W}\mathbf{N}$ warm grey neutral +\$o Step 9. Pull Finish CL cool grey neutral +\$o $\mathbf{W}\mathbf{N}$ warm grey neutral **+\$**0

# F-Style Upmount Sliding Door Storage Unit





Spe	cification Informatio	n
Step	1.	
A381	14.	
Step	2. Width	
24	24" wide	
30	30" wide	
36	36" wide	
42	42" wide	
48	48" wide	
Step	3. Door Material	
P	painted door	
Step	4. Lock	
N	no lock	

Step 4. Lock		
N	no lock	
L	lock	
Drices for Stans 1-4		

riices ioi sieps 1-4.		
	N	L
A3814. 24 P	\$602	613
30 P	\$641	652
36 P	\$683	696
42 P	\$727	739
48 P	\$770	782


Step	5. Lock Option	
For lo	ock (L)	
KA	keyed alike	-\$10
KD	keyed differently, black	+\$o
Step	6. Case Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
	15. 1 4.4	<b>*</b>


	stack amber	. 40
HF	inner tone light	+\$o
LT	light tone	<b>+\$</b> o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

A3811.

# F-Style Shelf

# F-Style Upmount Sliding Door Storage Unit continued






Specification Information	
Step 1.	
A3811.	

Step 2.	Step 2. Width		
24	24" wide		
30	30" wide		
36	36" wide		
42	42" wide		
48	48" wide		

Prices for Steps 1-2.	
A3811. 24	\$150
30	\$158
36	\$167
42	\$182
48	\$187

Step 3. Surface Finish		
8Q	folkstone grey	<b>+</b> \$o
BU	black umber	+\$o
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0




Specification Information


Step 1.					
A3812.	A3812.				
Step 2.	Height				
15	15" high				
Step 3.	Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				

Prices for Steps 1-3.					
	24	30	36	42	48
A3812. 15	\$144	149	156	167	179

Step 4. Surface Finish		
8Q	folkstone grey	+\$o
BU	black umber	<b>+\$</b> 0
HF	inner tone light	<b>+</b> \$o
LU	soft white	+\$o
MT	medium tone	<b>+</b> \$o
SG	slate grey	<b>+\$</b> o
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	<b>+\$</b> o




Spe	cification information	
Step	1.	
A3910.		\$60
Step	2. Surface Finish	
8Q	folkstone grey	<b>+</b> \$0
BU	black umber	<b>+</b> \$0
HF	inner tone light	<b>+</b> \$0
LT	light tone	<b>+</b> \$0
MT	medium tone	<b>+</b> \$0
WL	sandstone	<b>+</b> \$0
WN	warm grey neutral	<b>+</b> \$0



Step 2. Usage

Specification Information	
Step 1.	
X3910.	

1	for C-/E-style flipper unit/shelf	
2	<b>2</b> for utility shelf (E <sub>3234</sub> .)	
Drice	es for Steps 1-2.	
	•	<b>*</b>
X3910. 1		\$49
	2	\$49
Step	3. Surface Finish	
For (	C-/E-style flipper unit/shelf (1)	
98	studio white	+\$o
BU	black umber	+\$0




Specification Information


metallic bronze

EΗ

G7330.		\$268
Step	2. Surface Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
CN	metallic champagne	+\$o



Specification Information	
Step 1.	
AO535.	\$40



# Specification Information

Step 1.

A3410.

Step	2. Height			
12	12" high			
16	16" high			


Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Prices for Steps 1-3.						
	24	30	36	42	48	60
A3410. 12	\$139	143	152	162	174	219
16	\$181	189	202	210	224	289

Step 4. Surface Finish
See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42) AND 48" wide (48)

	12	16
Price Category 1	+\$0	0
Price Category 2	+\$8	10
Price Category 3	+\$41	54
Price Category 4	+\$71	93
For 60" wide (60)		
	12	16
Price Category 1	+\$0	0
Price Category 2	+\$8	10
Price Category 3	+\$41	54



# Specification Information

Step 1.

A3510.

Step 2.	Height
24	24" high
48	48" high

Step 3	. Width			
48	48" wide			


Prices for Steps 1-3.	
	48
A3510. 24	\$427
48	\$595

Trim Finish	
folkstone grey	<b>+\$</b> o
black umber	<b>+</b> \$o
inner tone light	<b>+</b> \$o
light tone	<b>+</b> \$o
soft white	<b>+</b> \$o
medium tone	<b>+</b> \$o
sandstone	<b>+</b> \$o
warm grey neutral	+\$o
	folkstone grey black umber inner tone light light tone soft white medium tone sandstone

# **Energy-Efficient Task Light**

G6120. G6121.

G6123.



# Specification Information Step 1. G612

# Step 2. Code Requirements

**0.** meets local codes including Canada

1. meets Chicago codes

3. meets New York City codes

Step 3	3. Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				
60	6o" wide				
Step 2	4. Dimmer				

F - T.	-·····
For 24"	wide (24)
N	no dimmer

For 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)

N no dimmer

# Step 5. Bracket Option

**S** for Action Office® or Ethospace® Systems or Canvas

**Q** for C-style storage or E3234.

P for Passage® Desking System


Prices for S	Steps 1-5.			
		S	Q	P
G6120. 24	N	\$353	353	353
30	N	\$366	366	366
36	N	\$376	376	376
42	N	\$393	393	393
48	N	\$400	400	400
60	N	\$436	436	436
		S	Q	Р
G6121. 24	N	\$405	405	405
30	N	\$424	424	424
36	N	\$432	432	
				432
42	N	\$446	446	432 446
42 48		\$446 \$454	446 454	432 446 454

	S	Q	Р
G6123. 24 N	\$350	350	350
30 N	\$380	380	380
36 N	\$391	391	391
42 N	\$400	400	400
48 N	\$412	412	412
60 N	\$452	452	452

# Step 6. Surface Finish

For A	ction Office® or Ethospace® Systems or Can	vas (S) or C-style
storag	ge or E3234. (Q)	
8Q	folkstone grey	+\$0
91	white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For Pa	ssage® Desking System (P)	
BU	black umber +	<b>\$</b> 0



# Specification Information


Step 1.

A3610.

Step	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

\$93
\$102
\$108
\$116
\$126
\$159

Step	3. Surface Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



# Specification Information

Step 1.

A3615.16


<ul> <li>24 24" wide</li> <li>30" wide</li> <li>36" wide</li> </ul>	
36 26" wide	
30 wide	
<b>42</b> 42" wide	
<b>48</b> 48" wide	

Prices for S	Steps 1-2.	
A3615.16	24	\$201
	30	\$222
	36	\$240
	42	\$260
	48	\$281

Step 3.	Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Meridian® Pedestals 10-Day or Less

Pedestals



F16-			
Step 2	2. Width		
15	15" wide		
Step 3	3. Depth		
18-	18" deep		
22-	22" deep		
28-	28" deep		
Step 2	4. Configuration		
FF	file/file		
BBF	box/box/file		
Prices	s for Steps 1-4.		
		FF	BB
	F 40	654	68
F16-1	5 18-	~J <del>~</del>	
F16-1	22- \$	679	
F16-1	22- \$		707
	22- \$	679	707
	22- 28- \$	679	70; 73! +\$20
Step 5	22- \$ 28- \$ 5. Paint/Steel Type	679	70; 73!
Step 5	22- 28- \$ 5. Paint/Steel Type smooth paint on textured steel	679	70; 73!
Step 5  Step 6	22- 28- \$ 5. Paint/Steel Type smooth paint on textured steel 6. Surface Finish	679	70; 73!
Step 5  Step 6	22- 28- \$ 5. Paint/Steel Type smooth paint on textured steel 6. Surface Finish	679	70 73 +\$2
Step 6 Step 6 Nonm	22- 28- \$ 5. Paint/Steel Type smooth paint on textured steel 6. Surface Finish netallic Paint mooth paint on textured steel (TS)	679	70 73 +\$2
Step 6 Step 6 Nonm For sn	22- 28- \$ 5. Paint/Steel Type smooth paint on textured steel 6. Surface Finish  metallic Paint mooth paint on textured steel (TS) studio white	679	70; 73!
Step 6  Step 6  Nonm For sn  98  BU	22- 28- \$ 5. Paint/Steel Type smooth paint on textured steel 6. Surface Finish  metallic Paint mooth paint on textured steel (TS) studio white black umber	679	+\$20 +\$20
Step 6  Step 6  Nonm For sn  98  BU  G2	22- 28- \$ 5. Paint/Steel Type smooth paint on textured steel 6. Surface Finish  metallic Paint mooth paint on textured steel (TS) studio white black umber graphite satin	679	+\$2 +\$2 +\$ +\$ +\$ +\$
Step 6  Step 6  Nonm For sn  98  BU  G2  HF	22- 28- \$ 5. Paint/Steel Type smooth paint on textured steel 6. Surface Finish  The tallic Paint mooth paint on textured steel (TS) studio white black umber graphite satin inner tone light	679	+\$20 +\$20 +\$6 +\$6
Step 9 Step 6 Nonm For sn Bu G2 HF	22- 28-  5. Paint/Steel Type smooth paint on textured steel  6. Surface Finish  The tallic Paint  The mooth paint on textured steel (TS)  Studio white black umber graphite satin inner tone light inner tone	679	70° 733
Step 6  Nonm For sn  98  BU G2 HF HT LT	22- 28-  5. Paint/Steel Type smooth paint on textured steel  6. Surface Finish  mooth paint on textured steel (TS) studio white black umber graphite satin inner tone light inner tone light tone	679	70° 733 +\$22° +\$4\$ +\$5 +\$5 +\$5 +\$6

Step	8. Lock	
For 18	8" deep (18-) AND 22" deep (22-)	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0
Step	9. Base Height	
B1	1"-high base	+\$0
B2	$1^{1}/_{2}$ "-high base	+\$o
В3	2 <sup>1</sup> / <sub>4</sub> "-high base	+\$0
B4	3 <sup>1</sup> / <sub>4</sub> "-high base	+\$0
Step	10. Counterweight	
NO	no counterweight	+\$o
СВ	counterweight	+\$88
Step	11. Compressor	
c	standard compressor	+\$o

1"-high painted metal top with squared edge


 $1^{1}/_{4}$ "-high painted metal top with squared edge

**+**\$o

**+**\$o

**T1** 

T2



Speci	fication Information
Step 1	
M16-	
Ctono	Width
Step 2	. Width
15	15" wide

18- 18" deep  22- 22" deep  28- 28" deep	Step :	3. Depth			
•	18-	18" deep			
<b>28-</b> 28" deen	22-	22" deep			
20 ασερ	28-	28" deep			

Step 4.	. Configuration
BF	box/file
FF	file/file
BBF	box/box/file

BF	FF	BBF
\$696	798	827
\$713	820	851
\$739	857	877
	\$696 \$713	\$696 798 \$713 820

Step	5. Paint/Steel Type	
TS	smooth paint on textured steel	+\$20
Step	6. Surface Finish	
Nonm	netallic Paint	
For sr	nooth paint on textured steel (TS)	
98	studio white	+\$o
BU	black umber	<b>+</b> \$o
G2	graphite satin	+\$o
HF	inner tone light	+\$o
HT	inner tone	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
ΜT	medium tone	+\$o
SG	slate grey	+\$0
Step	7. Top	
T1	1"-high painted metal top with squared edge	+\$o

Step	8. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$o
KD	keyed differently, black	+\$0
Step	9. Handle	
HN	no hand grip or transit handle	+\$0
Step	10. Compressor	
C	standard compressor	+\$o

 $1^{1}/_{4}$ "-high painted metal top with squared edge

+\$o


T2

# Standard-Pull Suspended Pedestal

S16-1

# Sloped-Pull Freestanding Pedestal

F19P-



Specification	Information	
Step 1. <b>S16-</b>		
S16-		

Step 2.	Width	
15	15" wide	

Step 3	3. Depth			
22-	22" deep			
28-	28" deep			

Step 4	. Configuration
BF	box/file

BF
\$508
\$523


Step 5	5. Paint/Steel Type	
TS	smooth paint on textured steel	+\$20

Nonm	netallic Paint	
For sr	mooth paint on textured steel (TS)	
98	studio white	+\$0
BU	black umber	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
HT	inner tone	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0

Step	7. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0
Step	8. Base Height	

NB	no base	+\$0
Step 9	. Compressor	
For 22	" deep (22-) or 28" deep (28-) with box/file (BF)	

+\$o



Specif	ication Information
Step 1.	
F19	
Step 2.	Front Material
P-15	painted metal front
Step 3.	Depth
18-	18" deep
22-	22" deep
Step 4.	Configuration
FF	file/file
BBF	box/box/file

Prices for Steps 1-4.		
	FF	BBF
F19P-15 18-	\$719	752
22-	\$747	778

ooth paint on textured steel	+\$20
face Finish	
iace rillisii	
	rface Finish

BU	mooth paint on textured steel (15)  black umber	+\$o
		·
G2	graphite satin	+\$o
HF	inner tone light	+\$o
HT	inner tone	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o

Step	7. Top	
Ethos	space® Pedestal Top (TE3) available only on 15"-wide, 22"- or	
28"-a	leep pedestals.	
T1	1"-high painted metal top with squared edge	+\$o
T2	11/4"-high painted metal top with squared edge	+\$o

standard compressor

Step 6. Surface Finish

# Sloped-Pull Freestanding Pedestal continued

# Meridian® Pedestals

### Step 8. Lock For 1"-high painted metal top with squared edge (T1) or 11/4"-high painted metal top with squared edge (T2) KA keyed alike -\$10 KC keyed differently, chrome +\$o KD keyed differently, black +\$o Step 9. Pull Finish G2 graphite satin +\$o Step 10. Base Height **B**1 1"-high base +\$o **B2** 11/2"-high base +\$o **B3** 21/4"-high base +\$o **B**4 31/4"-high base +\$o Step 11. Counterweight NO **+**\$0 no counterweight CB counterweight +\$88 Step 12. Compressor C standard compressor +\$o

	ification Information			
Step 1	l.			
M19				
Step 2	2. Front Material			
P-15	painted metal front			
Step 3	3. Depth			
18-	18" deep			
22-	22" deep			
Step 2	4. Configuration			
FF	file/file			
BF	box/file			
BBF	box/box/file			
Prices	for Steps 1-4.			
		FF	BF	
M19P	-15 18-	\$878	766	
	22-	\$903	785	
Step 5	5. Paint/Steel Type			
TS	smooth paint on textured steel			+.
Step 6	6. Surface Finish			
Nonm	etallic Paint			
For sn	nooth paint on textured steel (TS)	)		
BU	black umber			-
G2	graphite satin			
HF	inner tone light			
HT	inner tone			-
LT	light tone			
LU	soft white			
MT	medium tone			
SG	slate grey			
Step 7	7. Top			
T1	1"-high painted metal top with	squared edge		
	$1^{1}/_{4}$ "-high painted metal top wit			

KA

KC

KD

keyed alike

keyed differently, chrome

keyed differently, black

-\$10

+\$0

**+**\$o

# 73-15

# Sloped-Pull Mobile Pedestal

no hand grip or transit handle

continued

Step 9. Handle


Step 10. Pull Finish

Step 11. Compressor

graphite satin

standard compressor

# Pencil Tray for Box Drawer, Meridian® Pedestal



Sn	ecification In	formation	

	Specif
<b>+</b> \$0	Step 1.
	73-
<b>+</b>	C+

Step 2. Width

**1516-PT** for 15"-wide drawer (for Meridian® pedestals and 5000 Series furniture)

Prices for Steps 1-2.	
73-1516-PT	\$21




+\$o

# Drawer Divider for Box Drawer, Meridian® Pedestal

73-15

# File Drawer Organizer

LG901



# Specification Information

Step 1.

73-


Meridian® Pedestals

Step 2. Width

**1567-D** for 15"-wide drawer (for Meridian® pedestals and 5000 Series furniture)

Prices for Steps 1-2.

73-1567-D



# Specification Information


Step 1.

\$15

**LG901** \$84

Tu® Storage 10-Day or Less

Metal Pedestals



Specification Information	
Step 1.	
LW100.	

Step	2. Depth			
20	20" deep			
24	24" deep			
28	28" deep			

Step 3. Configuration			
BBF	box/box/file		
FF	file/file		

Prices for Steps 1-3.		
	BBF	FF
LW100. 20	\$568	520
24	\$581	535
28	\$652	602

Step	4. Slides	
For b	ox/box/file (BBF)	
SR	<sup>3</sup> / <sub>4</sub> -extension roller slides on box drawer, full-extension ball bearing on file drawer	+\$0


For fi	ile/file (FF)	
SB	full-extension ball-bearing	+\$0
Step	5. Paint/Steel Type	
SS	smooth paint on smooth steel	+\$0
XS	textured paint on smooth steel	+\$o

Step 6. Surface Finish		
Fors	smooth paint on smooth steel (SS)	
8Q	folkstone grey	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0

Sand	Texture Paint	
For te	xtured paint on smooth steel (XS)	
91	white	+\$0
98	studio white	+\$0
ВК	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0
Step	7. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0
Step	8. Base Height	
1F	standard height	+\$0
2F	raised height	+\$0
Step	9. Drawer Interior	
For be	px/box/file (BBF)	
NN	none	+\$0
3M	drawer divider in one box drawer, pencil tray in one	+\$25
	box drawer, 2 file converters in file drawer	
For fil	e/file (FF)	
NN	none	+\$0
1M	2 file converters in each file drawer	+\$25

**+**\$o

**+**\$o



	ication Information		
Step 1.			
LV100.			
Step 2.	Depth		
20	20" deep		
24	24" deep		
28	28" deep		
Step 3.	Configuration		
BBF	box/box/file		
FF	file/file		
Prices	for Steps 1-3.		
		BBF	FF
LV100.	20	\$583	537
	24	\$601	550
	28	\$673	617
Step 4.	Slides		
For 20'	deep (20) with box/box/file (BBF)		
SR	³/₄-extension roller slides on box drawer, full-exter	ision	+\$o
	ball bearing on file drawer		
SB	full-extension ball-bearing		+\$50
For 24'	deep (24) or 28" deep (28) with box/box/file (BBF)		
SR	³/₄-extension roller slides on box drawer, full-exter	nsion	+\$o
	ball bearing on file drawer		
For file	/file (FF)		
SB	full-extension ball-bearing		+\$0
Step 5.	Paint/Steel Type		


Step	6. Surface Finish	
For sr	mooth paint on smooth steel (SS)	
BQ	folkstone grey	+\$o
98	studio white	+\$o
BU	black umber	+\$o
CN	metallic champagne	+\$o
EH	metallic bronze	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MS	metallic silver	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
Step	7. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$o
KD	keyed differently, black	<b>+\$</b> o
Step	8. Base Height	
1F	standard height	+\$o
2F	raised height	+\$o
Step	9. Drawer Interior	
For b	ox/box/file (BBF)	
NN	none	+\$o
3M	drawer divider in one box drawer, pencil tray in one	+\$25
	box drawer, 2 file converters in file drawer	
For fil	le/file (FF)	
NN	none	+\$o
1M	2 file converters in each file drawer	+\$25

smooth paint on smooth steel

textured paint on smooth steel

SS

XS



Specification Information


Step 2. De				
Ston a Do				
Step 2. De	pth			
	" deep			
<b>24</b> 24	" deep			
Step 3. Co	nfiguration			
For 20" de	ep (20)			
***************************************	x/box/file			
	x/file			
	e/file			
For 24" de	ер (24)			
<b>BBF</b> bo	x/box/file			
FF file	e/file			
Prices for S	Steps 1-3.			
		BBF	BF	FF
LW110.20		\$618	520	562
24		\$623	_	570
Step 4. Sli	des			
For box/bo	x/file (BBF)			
SR 3/4-	extension roller slides on box drawer, fu	ıll-exten	sion	+\$0
ba	ll bearing on file drawer			
<b>SB</b> ful	l-extension ball-bearing			+\$50
For box/file	? (BF)			
SR <sup>3</sup> / <sub>4</sub> -	extension roller slides on box drawer, fu	ıll-exten	sion	+\$0
ba	ll bearing on file drawer			
For file/file	(FF)			
<b>SB</b> ful	l-extension ball-bearing			+\$0
, -	nt/Steel Type			
	ooth paint on smooth steel			+\$0
XS tex	ctured paint on smooth steel			+\$0

Step	6. Surface Finish	
For sr	nooth paint on smooth steel (SS)	
BQ	folkstone grey	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
	Texture Paint	
	xtured paint on smooth steel (XS)	
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0
Step	7. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0
Step 8	3. Drawer Interior	
For bo	px/box/file (BBF)	
NN	none	+\$0
3M	drawer divider in one box drawer, pencil tray in one	+\$2
	box drawer, 2 file converters in file drawer	
For bo	ox/file (BF)	
NN	none	+\$0
5M	pencil tray in box drawer, 2 file converters in file	+\$20
	drawer	
For fil	e/file (FF)	
NN	none	+\$0

2 file converters in each file drawer

1M

+\$25





Step 9. Handle			
HN	no hand grip	+\$0	
H1	hand grip only	+\$48	

Specification Information


Step 1.					
LV110.					
Step 2.	Depth				
20	20" deep				
24	24" deep				
Step 3.	Configuration				
For 20"	deep (20)				
BBF	box/box/file	 			
BF	box/file				
FF	file/file				
For 24"	deep (24)				
BBF	box/box/file				
FF	file/file				
Prices f	or Steps 1-3.				
			BBF	BF	FF
LV110.	20		\$637	537	578
	24		\$642	_	585


C+- :-	. 61.1	
Step	4. Slides	
For b	ox/box/file (BBF) or box/file (BF)	
SR	<sup>3</sup> / <sub>4</sub> -extension roller slides on box drawer, full-extension	+\$c
	ball bearing on file drawer	
For fi	le/file (FF)	
SB	full-extension ball-bearing	+\$0
Step	5. Paint/Steel Type	
SS	smooth paint on smooth steel	+\$0
XS	textured paint on smooth steel	+\$0







Snec	ification Information				
Step :					
LW14					
Step :	2. Depth				
24	24" deep				
28	28" deep				
Step :	3. Configuration				
BBF	box/box/file				
FF	file/file				
Prices	s for Steps 1-3.				
				BBF	FF
LW14	0. 24			\$542	495
	28			\$633	582
Step	4. Slides				
		24BBF		28BBF	28FF
SB	full-extension ball-bearing	+\$50	50	0	0
Step	5. Paint/Steel Type				
SS	smooth paint on smooth steel				<b>+\$</b> o
XS	textured paint on smooth steel				+\$0
Step	6. Surface Finish				
For sr	mooth paint on smooth steel (SS)				
8Q	folkstone grey				+\$o
98	studio white				+\$o
BU	black umber				+\$o
CN	metallic champagne				+\$o
EH	metallic bronze				+\$o
HF	inner tone light				+\$o
LT	light tone				+\$o
LU	soft white				<b>+</b> \$o
MS	metallic silver				<b>+</b> \$o
MT	medium tone				+\$o
WL	sandstone				+\$o





Spec	ification Information	
Step 1		
LW15	0.	
Step 2	2. Depth	
20	20" deep	
24	24" deep	
28	28" deep	
Step 3	3. Configuration	
BBF	box/box/file	
FF	file/file	
Prices	for Steps 1-3.	
	BBF	FF
LW15	<b>0.20</b> \$605	562
	<b>24</b> \$633	603
	<b>28</b> \$668	639
Step 4	4. Slides	
For bo	ox/box/file (BBF)	
SR	³/₄-extension roller slides on box drawer, full-extension	+\$0
	ball bearing on file drawer	
For file	e/file (FF)	
SB	full-extension ball-bearing	+\$0
Step 5	5. Paint/Steel Type	
SS	smooth paint on smooth steel	+\$o
XS	textured paint on smooth steel	+\$0
Step 6	6. Surface Finish	
For sn	nooth paint on smooth steel (SS)	
8Q	folkstone grey	+\$0
98	studio white	+\$0
BU	black umber	+\$o
CN	metallic champagne	+\$o
EH	metallic bronze	+\$o
HF	inner tone light	+\$0
LT	light tone	+\$0
	soft white	+\$0
LU		
LU MS	metallic silver	+\$o
	metallic silver medium tone	+\$0 +\$0





Spec	ification Information	
Step 1	1.	
LV150	<b>).</b>	
Step 2	2. Depth	
20	20" deep	
24	24" deep	
28	28" deep	
Step 3	3. Configuration	
BBF	box/box/file	
FF	file/file	
Prices	s for Steps 1-3.	
	BBF	FF
LV150	• • • • • • • • • • • • • • • • • • • •	557
	<b>24</b> \$628	598
	<b>28</b> \$663	632
Step	4. Slides	
	1 (CL (DDF)	
For bo	ox/box/file (BBF)	. ¢ -
3K	<sup>3</sup> / <sub>4</sub> -extension roller slides on box drawer, full-extension ball bearing on file drawer	+\$0
	but bearing on me drawer	
For fil	e/file (FF)	
SB	full-extension ball-bearing	+\$0
Step <u>!</u>	5. Paint/Steel Type	
SS	smooth paint on smooth steel	+\$0
XS	textured paint on smooth steel	+\$0
Step 6	6. Surface Finish	
For sn	nooth paint on smooth steel (SS)	
8Q	folkstone grey	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0

MT


WL


medium tone

sandstone


+\$o

+\$o






Step 1.	fication Information	
LW130	.20BF	\$383
Step 2.	Slides	
SR	$^{3}\!/_{\!4}\text{-extension}$ roller slides on box drawer, full-extension	+\$0
	ball bearing on file drawer	
Step 3.	Paint/Steel Type	
SS	smooth paint on smooth steel	+\$0
XS	textured paint on smooth steel	+\$0
Step 4.	Surface Finish	
For sm	ooth paint on smooth steel (SS)	
8Q	folkstone grey	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
Sand T	exture Paint	
For tex	tured paint on smooth steel (XS)	
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0
Step 5.		
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0
Step 6.	Drawer Interior	
NN	none	+\$0
5M	pencil tray in box drawer, 2 file converters in file	+\$20
	drawer	



Spec	ification Information	
Step	1.	
LV13	0.20BF	\$412
	z. Slides	
SR	<sup>3</sup> / <sub>4</sub> -extension roller slides on box drawer, full-extension	+\$0
	ball bearing on file drawer	
Step	3. Paint/Steel Type	
SS	smooth paint on smooth steel	+\$o
XS	textured paint on smooth steel	+\$o
Step	4. Surface Finish	
For si	nooth paint on smooth steel (SS)	
8Q	folkstone grey	+\$0
98	studio white	+\$o
BU	black umber	+\$o
CN	metallic champagne	+\$o
EH	metallic bronze	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MS	metallic silver	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
Step	5. Lock	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$o
KD	keyed differently, black	+\$0
Step	6. Drawer Interior	
NN	none	<b>+</b> \$o
5M	pencil tray in box drawer, 2 file converters in file	+\$20
	drawer	



Specification Information	
Step 1.	
LG901	\$84


Drawer Divider, Tu® Pedestal

LG903.

Stationery Divider, Tu® Pedestal

LG905

\$56



# Specification Information

Step 1.


LG903.


Tu® Metal Pedestals

Step 2. Usage

3 for pencil drawer

6 for box drawer







# Specification Information

Step 1.


LG905



Specification Information	
Step 1.	
LG906	\$20



Specification Information	
Step 1.	
LG907	\$28



# Specification Information Step 1. LG908 \$46

Action Office® System 10-Day or Less		
2-Way 90° Connector	page(s) :	20
2-Way 90° Connector, Thin Base		25
3-Way 90° Connector	-	22
3-Way 90° Connector, Thin Base	2	27
4-Way 90° Connector	2	23
4-Way 90° Connector, Thin Base		28
Acoustical Panel		9
Acoustical Panel, Thin Base		15
Base Power Adapter, 4 Circuit		31
Base Power Adapter, 4 Circuit, Thin Base		32
Base Power Entry, Direct Connect, 4 Circuit		29
Base Power Entry, Junction Box, 4 Circuit		29
Base Power Entry, Junction Box, 4 Circuit, Thin Base		30
B-Style Flipper Door	!	56
B-Style Flipper Door Unit	!	55
B-Style Marker Board		67
B-Style Shelf		58
B-Style Storage/Display Shelf		58
B-Style Tackboard		67
Cable Management Trough, Work Surface Suspended		37
Ceiling Power Entry, Internal Direct Connect		30
Ceiling Power Entry, Internal Direct Connect, Thin Base		31
C-Leg		50
Coat Hook		66
Communication Port Faceplate Extender		38
Communication Port Faceplate Reducer		37
Component Brace	65,0	64
Connect™-S300		35
Cord Cleat		51
C-Style Flipper Door		60
C-Style Flipper Door Unit	!	59
C-Style Shelf		61
Door Panel		10
Door Panel, Thin Base		16
Draw Rod		19
Draw Rod, Change of Height		19
Electrical Distributor, Multi-Outlet		35
Energy-Efficient Task Light		68
Fabric-Covered Panel		5
Fabric-Covered Panel, Thin Base		11
Finished End		23
Finished End, Change of Height, Panel/Connector		24
Finished End, Change of Height, Panel/Panel		24
Finished End, Thin Base		28
F-Style Shelf		63
F-Style Sliding Door Storage Unit		61

F-Style Storage Unit Back Panel	62
F-Style Upmount Sliding Door Storage Unit	62
Panel Pass-Through Power Jumper	33
Power Harness Extender, Thin Base	34
Rail Tile	69
Receptacle, 4 Circuit, 15 Amp (package of 6)	36, 34
Shelf Divider, Angled	65
Spacer	21
Spacer, Thin Base	26
Squared-Edge Concave Corner Work Surface	42
Squared-Edge Corner Transaction Surface	53
Squared-Edge Corner Wedge	46
Squared-Edge Corner Work Surface	41
Squared-Edge D-Shaped Work Surface	45
Squared-Edge Rectangular Work Surface	39
Squared-Edge Round-End Peninsula	44
Squared-Edge Transaction Surface, Rectangular End	51
Tackable Acoustical-Barrier Panel	7
Tackable Acoustical-Barrier Panel, Thin Base	13
Tool Bar	69
Transaction Surface Support	54
Transaction Surface Support, Change of Height	54
Wall Fastener	17
Wall Filler Strip	18
Wall Start	18
Wall Strip	17
Work Surface Bracket	48
Work Surface Support Panel	49
Work Surface Support Panel, End	48
Work Surface Support Panel, End, Thin Base	49
Work Surface Support Panel, Thin Base	50
Work Surface Support, Single	47
Meridian® Pedestals 10-Day or Less	
Drawer Divider for Box Drawer, Meridian® Pedestal	page(s) 78
File Drawer Organizer	78
Pencil Tray for Box Drawer, Meridian® Pedestal	77
Sloped-Pull Freestanding Pedestal	75
Sloped-Pull Mobile Pedestal	76
Standard-Pull Freestanding Pedestal	73
Standard-Pull Mobile Pedestal	74
Standard-Pull Suspended Pedestal	75
Tu <sup>®</sup> Storage 10-Day or Less	
Drawer Divider, Tu® Pedestal	page(s) 90
File Compressor, Tu®	92
File Converter, Tu®	91
File Drawer Organizer	89
Stationery Divider, Tu® Pedestal	90

Utility Tray, Tu® Pedestal	91
V-Pull Freestanding Pedestal	82
V-Pull Mobile Pedestal	84
V-Pull Support Pedestal	87
V-Pull Suspended Pedestal	89
W-Pull Freestanding Pedestal	81
W-Pull Mobile Pedestal	83
W-Pull Support Pedestal	86
W-Pull Surface-Attached Pedestal	85
W-Pull Suspended Pedestal	88

73-15	Drawer Divider for Box Drawer, Meridian® Pedestal	page(s) 78
73-15	Pencil Tray for Box Drawer, Meridian® Pedestal	77
A1120.	Fabric-Covered Panel	5
A1125.	Tackable Acoustical-Barrier Panel	7
A1131.	Acoustical Panel	9
A1191.	Door Panel	10
A1220.	2-Way 90° Connector	20
A1230.	3-Way 90° Connector	22
A1240.	4-Way 90° Connector	23
A1260.	Spacer	21
A1271.	Finished End	23
A1311.	Receptacle, 4 Circuit, 15 Amp (package of 6)	34
A1322.	Base Power Entry, Direct Connect, 4 Circuit	29
A1323.	Base Power Entry, Junction Box, 4 Circuit	29
A1325.	Ceiling Power Entry, Internal Direct Connect	30
A1342.	Panel Pass-Through Power Jumper	33
A1354.	Base Power Adapter, 4 Circuit	31
A1355.		
A2310.	Squared-Edge Rectangular Work Surface	39
A2332.	Squared-Edge Corner Work Surface	41
A2333.	Squared-Edge Concave Corner Work Surface	42
A2350.	Squared-Edge Round-End Peninsula	44
A2355.	Squared-Edge D-Shaped Work Surface	45
A2380.	Work Surface Support Panel, End	48
A2381.	C-Leg	50
A2390.	Work Surface Bracket	48
A2393.	Work Surface Support, Single	47
A2830.	Squared-Edge Transaction Surface, Rectangular End	
A2840.	Squared-Edge Corner Transaction Surface	53
A3210.	B-Style Shelf	58
A3220.	B-Style Storage/Display Shelf	58
A3312.	B-Style Flipper Door	56
A3313.		
A3352.	B-Style Flipper Door Unit	55
A3353.		
A3410.	B-Style Tackboard	67
A3510.	B-Style Marker Board	67
A3610.	Tool Bar	69
A3615.	Rail Tile	69
A3810.	F-Style Sliding Door Storage Unit	61
A3811.	F-Style Shelf	63
A3812.	F-Style Storage Unit Back Panel	64
A3814.	F-Style Upmount Sliding Door Storage Unit	62
A3910.	Component Brace	64
A8120.	Fabric-Covered Panel, Thin Base	11
A8125.	Tackable Acoustical-Barrier Panel, Thin Base	13
A8131.	Acoustical Panel, Thin Base	15

A8191.	Door Panel, Thin Base	16
A8220.	2-Way 90° Connector, Thin Base	2
A8230.	3-Way 90° Connector, Thin Base	27
A8240.	4-Way 90° Connector, Thin Base	28
A8260.	Spacer, Thin Base	26
A8271.	Finished End, Thin Base	28
A8323.	Base Power Entry, Junction Box, 4 Circuit, Thin Base	30
A8325.	Ceiling Power Entry, Internal Direct Connect, Thin Base	3
A8342.	Power Harness Extender, Thin Base	34
A8354.	Base Power Adapter, 4 Circuit, Thin Base	32
A8355.		
A8380.	Work Surface Support Panel, End, Thin Base	49
AO210.	Wall Start	18
AO212.	Wall Filler Strip	18
AO213.	Wall Strip	17
AO215.	Draw Rod	19
AO219.	Draw Rod, Change of Height	19
AO259.	Finished End, Change of Height, Panel/Connector	2/
AO272.	Finished End, Change of Height, Panel/Panel	2/
A0382.	Cable Management Trough, Work Surface Suspended	37
AO432.	Work Surface Support Panel	49
A0460.	Transaction Surface Support	54
A0461.		
AO463.		
A0464.	Transaction Surface Support, Change of Height	54
AO535.	Coat Hook	66
A0832.	Work Surface Support Panel, Thin Base	50
F16-1	Standard-Pull Freestanding Pedestal	73
F19P-	Sloped-Pull Freestanding Pedestal	75
G1189.	Communication Port Faceplate Extender	38
G1189.	Communication Port Faceplate Reducer	37
G1331.	Cord Cleat	5
G6120.	Energy-Efficient Task Light	68
G6121.		
G6123.		
G7330.	Shelf Divider, Angled	6
K1311.	Receptacle, 4 Circuit, 15 Amp (package of 6)	36
LG901	File Drawer Organizer	89, 78
LG903.	Drawer Divider, Tu® Pedestal	90
LG905	Stationery Divider, Tu® Pedestal	90
LG906	Utility Tray, Tu® Pedestal	9
LG907	File Converter, Tu®	9
LG908	File Compressor, Tu®	92
LV100.	V-Pull Freestanding Pedestal	82
LV110.	V-Pull Mobile Pedestal	82
LV130.	V-Pull Suspended Pedestal	89
LV150.	V-Pull Support Pedestal	87

LW100.	W-Pull Freestanding Pedestal	81
LW110.	W-Pull Mobile Pedestal	83
LW130.	W-Pull Suspended Pedestal	88
LW140.	W-Pull Surface-Attached Pedestal	85
LW150.	W-Pull Support Pedestal	86
M16-1	Standard-Pull Mobile Pedestal	74
M19P-	Sloped-Pull Mobile Pedestal	76
NP289	Electrical Distributor, Multi-Outlet	35
S16-1	Standard-Pull Suspended Pedestal	75
X1192.	Wall Fastener	17
X3710.	C-Style Flipper Door	60
X3730.	C-Style Shelf	61
X3750.	C-Style Flipper Door Unit	59
X3910.	Component Brace	65
Y1323.	Connect™-S300	35
Y2091	Squared-Edge Corner Wedge	46

# 10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

# **Ordering Procedures**

- Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
  - Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.
  - Order Entry fax number for all other products: (616) 654 3085.
- 2. Orders must be clearly marked "10-day or less program" and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
- Only fabrics and finishes listed with each product are available through the 10-day or less program.
- 4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
- For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

# **Shipments and Delivery**

Per Herman Miller Terms and Conditions.

# **Changes and Cancellation**

Per Herman Miller Terms and Conditions.

HermanMiller for Government March 2009



# **Keyed-Alike Locks**

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc. will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

**For Action Office®**, **Ethospace®**, **and Passage® products**, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

For Meridian® Storage or 5000 Series, see the following charts. Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For Meridian Storage or 5000 Series desk components with pedestals, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX <sup>1</sup>	black	UM series 226-427
KA	1B2JK7-XXX <sup>1</sup>	chrome	UM series 226-427

For 5000 Series flipper door unit with bezel or credenza storage cabinet with bezel, specify as follows:

Specification Code	Key Number Color Lock Se		Lock Series
KA	232092-XXX <sup>1</sup>	black	UM series 226-427

### Key Number:

XXX<sup>1</sup> = a key number between 226 and 427 (excluding 408 and 412)

HermanMiller for Government April 2016



# Stain-to-Match Program

# **Program Overview**

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

# **Ordering Products with Stain-to-Match Veneers**

- Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
- 2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
- 3. If the sample meets the customers approval, sign the reverse side of the sample, scan and email the approval to:
  - options@hermanmiller.com.
- 4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
- 5. A purchase order can then be placed.

# Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

STA: Stain-to-Match on Recut Ash STB: Stain-to-Match on Beech STC: Stain-to-Match on Cherry STD: Stain-to-Match on Oak

STK: Stain-to-Match on Reltech Anigre (Geiger)

STM: Stain-to-Match on Recut Mahogany

STP: Stain-to-Match on Maple

STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

HermanMiller for Government November 2018



Proprietary Textiles Application Chart — 10-Day Workspaces  • Available  Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.	Action Office® Panels/Connectors	B-Style Flipper Doors	B-Style Tackboards	E-Style Flipper Doors	Ethospace® Tiles/Connectors	Ethospace Attaching Screens	Canvas Office Landscape" Tiles	Resolve® Boundary Screens	Seating
Price Category 1									
8A Bubbletack	$\perp$		$\bigsqcup$		Ш	$\sqcup$	_	•	_
2V Chain	•	•	•	•	•	$\dashv$	22	$\perp$	_
8T Crossing (85)	5	2	2	•	Ш	$\vdash$	•	-	6
95 Gem	2	2	2	•	•	$\vdash$	•	+	•
2l_ Grasscloth	•	•	•	•	•		•	$\pm$	-
8B Multiscrim™	•	•	•	•	•	•	•	•	_
5T Resonance	•	•	•	•	$\vdash$	$\vdash$	•	+	-
8C Scrim Trim 2M Silkworm	•	•	•	•	•	$\vdash$	•	•	-
	_	_	_	_	ت	$\dashv$	_	_	
Price Category 2									
51 Cord	•	•	•	•	•	$\vdash$	•	+	_
92 Crepe	2	•	•	•	•	$\vdash$	•	4	•
57 Frost	•	•	•	•	•	$\vdash$	•	+	-
84 Grosgrain	5	_	<u> </u>	•	•	$\dashv$	•	+	-
4N_ Horizon	2	2	2	•	•	$\dashv$	•	+	-
1LMLoom 3A Moiré	<u> </u>		$\vdash$	•	•	$\dashv$	$\rightarrow$	+	-
3A Moiré 8R Twist (5S )	_	2	2	•	•	$\vdash$	22	+	6
	4			_	Ľ	$\dashv$	_		-
Price Category 3				ı					
70 Bento	2	2	2	•	Н	$\vdash$	•	+	•
8Z Glaze 47 Ground Cloth®	•	•	•	•	•	$\vdash$	•	+	-
	$\vdash$			_	•	$\dashv$		+	-
5D_ Kira 2 8L Savannah	2	2	2	•	•	$\vdash$	•	•	-
8U_ Stitches (5Z_)	+	20	الم	•	$\vdash$	$\vdash$	-	_	6
8W Strands	•	•	•	•	•	$\dashv$	•	+	-
	Ţ	_	_	L	ŭ				
Price Category 4		_				I	.	T	
65 Quilty	2	2	2	•	•	$\vdash$	•	+	_

2 Available on all products except 54" and 60" wide.

Sironetta

- 4 Not available on Action Office acoustical panels and not available on 54" and 60" wide products.
- 5 Not available on Action Office acoustical panels.
- 6 Available on seating products in select colors. See the "Proprietary Textile Colors–10-Day Seating" appendix.
- 10 Not available on Action Office connectors, cable management, and spacers.
- 20 Available only on Ethospace B-Style.
- 22 Not available as railroaded application option for Chain (2V\_\_) and Moiré (3A\_\_).

HermanMiller for Government July 2019



# Price Category 1

# Price Category 2

Bubbletack				
100% po	lyester			
8A01	Seashell White			
8A02	Pearl Grey			
8A07	Pebble Beige			
8A19	Spa Blue			

Chain			
66" wide			
100% recy	cled polyester		
2V01	Pearl		
2V02			
2V03			
2V04	Linen		
2V05	Wicker		
2V06	Bamboo		
2V07	Sage		
2V08	Spring Wood		
2V09	Iceberg		

Crossing	3
54" wide	•
86% anti	imony-free polyester
14% pol	yester
8T03	Wicker
	Porcelain
	Warm Grey
8T06	Sepia
8T07	Pumpkin
8T08	Copper
	Cranberry
	Tomato
	Mulberry
8T12	
	Green Apple
	Loden
	Spruce
8T16	Periwinkle
8T17	Cerulean
8T18	Indigo
	Shale
	Brownstone
	Bark
8T22	Tin
	Graphite
8T24	

Crossing				
For systems products only.				
54" wide				
86% antimony-free polyester				
14% polye	ester			
8501	lvory			
8502	Ovster			

Gem	
54" wide	
100% ant	imony-free polyester
9502	Tangerine
9503	Red
9510	Berry Blue
9512	Green Apple
9514	Black
9515	Slate Grey
9516	Fog

Grasscloth			
66" wide	66" wide		
100% rec	ycled polyester		
2101	Silver Birch		
2102	Pampas		
2103	Sedge		
2107	Lea		
2108	Taro		
2109	Steam Grey		
2110	Cayenne		
2111	Bottle Green		
2112	Surf		
2l13	Gravel		

Multiscrim™		
60" wide		
100% poly	/ester	
8B01	Seashell White	
8B02	Pearl Grey	
8B07	Pebble Beige	
8B19	Spa Blue	

Resonar	ıce	
66" wide		
100% po	lyester	
5T04	Greige	
5T05	Porcelain	
5T06	Alabaster	
5T15	Iris	
5T28	Sugar	
5T54	Saltbush	

Scrim 1	[rim
61" wid	e
82% po	lyester
18% sp	andex
8C01	Seashell White
8C02	Pearl Grey
•••••	
Silkwo	rm
66" wid	0

Silkwor	m	
66" wide		
58% recy	cled polyester	
42% pol	yester	
2M01	Cocoon	
2M02	Pongee	
2M03	Saffron	
2M04	Tussah	
2M05		
2M06	Jasmine	
2M07		
2M08	Monsoon	

Cord		
66" wide		
52% antimony-free polyester		
48% polye	ester	
5101	lvory	
5102	White Ash	
5103		
5104	Bamboo	
5105	Sepia	
5106		
5107	Sesame	
5108	Kiwi Green	
5109	Bayou	
5110	Shade	
5111	Spring Wood	
5112	Summer White	

Crepe	
54" wide	
100% rec	ycled polyester
9201	Licorice
9203	Smoke
9209	Claret
9223	Cadet
9241	Beachglass
9243	Midnight
9244	Artichoke
9251	Fog
9252	Slate Grey
9260	Brownstone
9261	Shale
9262	Graphite
9263	Tomato
9264	Green Apple

Frost		
66" wid	le	
100% r	ecycled polyeste	er
5703	Porcelain	
5704	Honey	
5706	Sage	
5710	Sable Grey	

Price category 2 continued on next page

HermanMiller for Government July 2019 1

# Appendix: Proprietary Textile Colors —10-Day Workspaces

# Price Category 2

continued

# Price Category 3

Grosgrain	
ycled polyester	
Pearl	
White Ash	
Warm Grey	
Khaki	
Oyster	
Celedon	
Tin	

Horizon	1
54" wide	e
65% ant	imony-free polyester
35% pol	yester
4N01	Rye Grass
4N02	Sugar Pine
4N04	White Ash
4N05	Spring Wood
4N09	Oat Grass

Loom	
54" wide	
100% poly	yester
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM07	Рорру
1LM09	Loden
1LM11	Deep Sea

Moiré	
54" wide	
100% rec	ycled polyester
3A01	Concrete
3A03	Rattan
3A04	Chambray
3A12	Cork

Sequel	
54" wide	
100% viny	ıl.
100% pol	ester knit backing
Resilience® finish	
3SL13	Slate Grey
3SL15	Carbon Dark
	54" wide 100% viny 100% poly Resilience 3SL13

Twist	
54" wide	
80% anti	mony-free polyester
13% recy	cled polyester
7% poly	ester
8R05	Wicker
8R10	Рорру
8R14	
	Shale
8R16	Graphite
8R17	Birch
8R18	Sepia
8R22	Blueberry
	Green Apple
	Gunmetal
	Citrus
8R30	Tangerine
8R32	Wisteria
8R35	Waterfall
	Carbon Dark

Twist	
For systems products only.	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
5S01 Pearl	
5S02 lvory	
5S03 Oyster	

Bento			
	54" wide		
	100% antimony-free polyester		
	7001	Frost	
	7003	Khaki	
	7004	Truffle	

Glaze		
66" wide		
100% recycled polyester		
8Z01	Wicker	
8Z03	Porcelain	
8Z06	Rye	
8Z07	Frost	
8Z08	Silver Birch	

Ground Cloth®	
66" wide	
100% po	lyester
4701	Vapor Grey
4721	Warm White
4722	Fog
4723	Straw
4724	Red Orange
4725	Wild Berry
4726	Green Apple
4727	Caribbean
4728	Midnight
4729	Cappuccino

Kira 2	
54" wide	
100% recycled polyester	
5D13	Oasis
5D15	Ash
5D16	Falcon

Savannah	
66" wide	
76% recycled polyester	
24% polypropelene	
Pearl	
Linen	
Frost	

Strands	
66" wide	
100% recy	cled polyester
8W01	Pebble
8W02	Porcelain
8W03	Taupe
8W05	Khaki
8W08	Tin

July 2019 HermanMiller for Government

Price Category 4

Quilty	
56" wid	e
100% a	ntimony-free polyester
GreenShield	
6S04	Straw
6S07	Brick
6S10	Mink
6S11	Green Apple
6S13	Indigo

Appendix: Proprietary Textile Colors — 10-Day Workspaces

HermanMiller for Government

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

**Distribution Rights** 

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi — Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

HermanMiller, Action Office, Aeron, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Quadrant, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

MireWeave, Bubbletack, Cellular Suspension, Compass, Connect, Cosm, DOT, Durawrap, Everywhere, Flex-Edge, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lino, Lyris 2, Mora, Multiscrim, Nelson, Nevi, Pedastools, Renew, Stackable, Swoop, TriFlex, Twist, Verus and Vista are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 ${}^{\rm S}{\rm Chemsurf}^{\rm 0}$  is a registered trademark of Wilsonart International.

Corian $^{\circ}$  is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

 $\mathsf{FLEXNET}^{\scriptscriptstyle\mathsf{TM}}$  is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.