



Prices effective September 3, 2019

Published September 2019

Overlay™

Introduction	page 2
Overlay™	3
Structure	5
Cladding/Infills	17
Accessories	37
Power	46
Indices	67
By Name	67
By Number	69
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Proprietary Textiles Application Chart-Workspaces	
Proprietary Textile Colors-Workspaces	
Maharam Application Chart-Workspaces	
Maharam Colors-Workspaces	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective September 3, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $\frac{1}{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.


Structure

Cladding/Infills

Accessories

Power





Product Information

Description

This structural steel frame holds cladding on both sides. It includes feet with self-leveling glides and has no base option. Structure includes necessary hardware, stiffeners, frame-to-frame connector kits, and wall start hardware when specified.

Notes

Performance wall structure must be clad the entire length with

performance wall cladding (MN210.).

Structure frames must be supported with a performance column

(MN300.) at each end, or at a single end when using a wall start.

Structure feet are not typically visible on level floors; cladding runs $\frac{1}{2}$ "

above finished floor. Optional light seal (MN930.) is available.

When specifying wall start (YWS) option, order wall fasteners (X1192.)

and toggle wall strip anchors (X1191.) separately.




Order the following products separately:

- Performance wall cladding (MN210.)
- Performance wall column (MN300.)

Order the following optional products separately:

- Performance wall cap (MN220.)
- Seismic Anchor (MN230.)
- Light seal (MN930.)

Dimensions



Specification Information

Step 1.

MN200. ☐ A

Step 2. Performance Wall Length

- 06 6' long ☐ A
- 07 7' long ☐ A
- 08 8' long ☐ A
- 09 9' long ☐ A
- 10 10' long ☐ A
- 11 11' long ☐ A
- 12 12' long ☐ A
- 13 13' long ☐ A
- 14 14' long ☐ A
- 15 15' long ☐ A
- 16 16' long ☐ A

Step 3. Wall Start

NWS no wall start ☐ A


YWS wall start ☐ A

Prices for Steps 1-3.


	NWS	YWS
MN200.06	\$772	827
07	\$832	887
08	\$891	946
09	\$1299	1354
10	\$1368	1423
11	\$1425	1480
12	\$1481	1535
13	\$1566	1620
14	\$1650	1705
15	\$1735	1790
16	\$1819	1874

Performance Wall Cap

MN220.




Product Information
Description
This optional component rests between the cladding at the top of the performance wall.
Notes
Cap is not visible unless viewing the configuration from above.
Cap length is 8' and can be field cut. For walls longer than 8', specify 2 or more caps.
Dimensions




Specification Information
Step 1.
MN220. A
Step 2. 8' Performance Wall Top Cap Section
08 8' long A
Prices for Steps 1-2.
MN220.08 \$50

Overlay™ Structure

Performance Wall Seismic Anchor Bracket MN230.




Product Information
Description
These performance wall seismic anchor brackets attach the performance wall structure to the floor. Brackets are required for walls longer than 12’ and are to be installed at the center of the wall. Anchor bolts not included.
Notes
Required seismic anchor bolts must be field supplied.
Anchor can be installed during standard installation.
Anchor is an optional component for most geographic locations. Refer to local codes and regulations.
Additional column anchors (MN240.) are required. Order separately.
Dimensions




Specification Information
Step 1.
MN230. A
Step 2. Anchor Bracket
01 performance wall anchor A
Prices for Steps 1-2.
MN230.01 \$361


Column Seismic Anchor Bracket MN240.



Product Information
Description
This column seismic anchor bracket attaches a performance wall column to the floor. Anchor bolts not included.
Notes
Required seismic anchor bolts must be field supplied.
All freestanding configurations require at least 8 column anchor brackets.
The number of column seismic anchor brackets is determined by the type of column per the setting configuration.
Column Type—Anchors
• 2-way, 90° connection (MN300.2L or .2R)—2 • 3-way, shared performance wall (MN300.3P)—1 • 3-way, shared spanner zone (MN300.3S)—1 • Return spanner (MN400.R)—2
The return spanner (MN400.R) has 3 surfaces on which anchors can be mounted; however, only 2 anchors are needed. Install the 2 anchors on surfaces on the outside of the full unit configuration.
Dimensions



Specification Information
Step 1.
MN240. A
Step 2. Column Type
2 2-way column (2 column brackets) A
3 3-way column (1 column bracket) A
R return spanner column (2 column brackets) A
Prices for Steps 1-2.
MN240.2 \$280
3 \$140
R \$280
Step 3. Finish
8Q folkstone grey A +\$0
91 white A +\$0
98 studio white A +\$0
BK black A +\$0
G1 graphite A +\$0
MS metallic silver A +\$0
SNC satin carbon A +\$0



Overlay™ Structure

Product Information

Description

This steel column supports the performance wall structure and attaches it to spanner zone structure in several configurations. Attachment hardware included for connection to performance wall structure and spanner zone structure.


Notes

Column configurations:

- 2-way column (2L, 2R) connects performance wall structure (MN200.) with spanner zone structure (MN500.).
- 3-way column (3S) connects performance wall structure with 2 spanner zone structures.
- 3-way, shared performance wall column (3P) connects 2 performance wall structures with 1 spanner zone structure.
- 4-way column (4W) connects 2 performance wall structures with 2 spanner zone structures.

Column engagement refers to the connection of performance wall column to spanner zone structure or infill. When specifying column with engagement (Y, L, R, B, E), the column comes predrilled with necessary attachment holes. When specifying column with no engagement (N), the column does not have predrilled attachment holes.

Dimensions



Specification Information

Step 1.

MN300. **Step 2. Column Configuration****2L** 2-way, column left **2R** 2-way, column right **3S** 3-way column **3P** 3-way, shared performance wall column **4W** 4-way column **Step 3. Column Engagement***For 2-way, column left (2L), 2-way, column right (2R), or 3-way, shared performance wall column (3P)***N** no engagement **Y** engagement *For 3-way column (3S)***B** both left and right engagement **L** left engagement **N** no engagement **R** right engagement *For 4-way column (4W)***B** both left and right engagement **E** one side engagement **N** no engagement **Prices for Steps 1-3.**


	B	E	L	N	R	Y
MN300.2L	—	—	—	\$739	—	739
2R	—	—	—	\$739	—	739
3S	\$800	—	800	800	800	—
3P	—	—	—	\$800	—	800
4W	\$854	854	—	854	—	—

Step 4. Column and Spanner Finish

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
MS	metallic silver	+\$0
SNC	satin carbon	+\$0

Spanner

MN400.



Overlay™ Structure

Product Information

Description

These extruded steel horizontal components connect to performance wall structure at a 90° angle to support the performance wall with return spanner or to connect 2 performance walls.

Notes

When specified as a return spanner (R), a vertical support column and all hardware and bracketry to connect to the performance wall column (MN300.) are included.


Return spanner (R) requires spanner zone structure (MN500.) and cladding (MN510.) or wood slat (MN520.) or perforated metal (MN560.).

When specified as a column spanner (P), all hardware and bracketry to connect the 2 performance wall columns (MN300.) is included. When column spanner is specified with an intermediate open door column (OD), glass door column (GG), or middle column (HO), the vertical support column is included.

When specified as an intermediate spanner (W), all hardware and bracketry to connect to the performance wall structure (MN200.) is included.

Order wall fasteners (X1192.) and toggle wall strip anchors (X1191.) separately.

Dimensions



Specification Information

Step 1.

MN400. ☐

Step 2. Type

P column spanner ☐

R return spanner ☐

W intermediate spanner ☐

Step 3. Wall Start

For return spanner (R) or intermediate spanner (W)

NWS no wall start ☐

For column spanner (P)

NWS no wall start ☐

YWS wall start ☐

Step 4. Length

For return spanner (R) with no wall start (NWS)

04 4' long ☐

06 6' long ☐

For column spanner (P) with no wall start (NWS) or wall start (YWS)

06 6' long ☐

07 7' long ☐

08 8' long ☐

10 10' long ☐

11 11' long ☐

12 12' long ☐

14 14' long ☐

15 15' long ☐

16 16' long ☐

For intermediate spanner (W) with no wall start (NWS)

08 8' long ☐

10 10' long ☐

11 11' long ☐

12 12' long ☐

14 14' long ☐

15 15' long ☐

16 16' long ☐

Step 5. Intermediate Support Column

For return spanner (R) with no wall start (NWS) with 4' long (04) or 6' long (06)

RP return ☐

For column spanner (P) with no wall start (NWS) or wall start (YWS) with 6' long (06)

NP no column ☐

For column spanner (P) with no wall start (NWS) or wall start (YWS) with 7' long (07), 8' long (08), 10' long (10), or 11' long (11)

GG glass door column ☐

NP no column ☐

OD open door column ☐

For column spanner (P) with no wall start (NWS) or wall start (YWS) with 12' long (12), 14' long (14), 15' long (15), or 16' long (16)

GG glass door column ☐

HO middle column ☐

NP no column ☐

OD open door column ☐

For intermediate spanner (W) with no wall start (NWS) with 8' long (08), 10' long (10), 11' long (11), 12' long (12), 14' long (14), 15' long (15), or 16' long (16)

NP no column ☐

Step 6. Spanner Engagement with Infill

NBE no spanner engagement ☐

Step 7. Column Engagement with Infill

For return spanner (R) with no wall start (NWS) with return (RP)

NPE no column engagement ☐

YPE column engagement ☐

For column spanner (P) with no wall start (NWS) with glass door column (GG), middle column (HO), or open door column (OD)

NPE no column engagement ☐

YPE column engagement ☐

For column spanner (P) with wall start (YWS) with glass door column (GG), middle column (HO), or open door column (OD)


YPE column engagement ☐

Prices for Steps 1-7.						
		04RPNBENPE	04RPNBEYPE	06NPNBE	06RPNBENPE	06RPNBEYPE
MN400.P	NWS	—	—	\$517	—	—
	YWS	—	—	\$1225	—	—
R	NWS	\$909	909	—	970	970
		07GGNBEYPE	07NPNBE	07ODNBENPE	07ODNBEYPE	08GGNBEYPE
MN400.P	NWS	\$1285	542	1285	1285	1296
	YWS	\$1993	1251	—	1993	—
		08NP	08NPNBE	08ODNBENPE	08ODNBEYPE	10GGNBEYPE
MN400.P	NWS	—	\$553	1296	1296	1959
	YWS	—	\$1262	—	2005	—
W	NWS	\$1188	—	—	—	—
		10NP	10NPNBE	10ODNBENPE	10ODNBEYPE	11GGNBEYPE
MN400.P	NWS	—	\$1216	1959	1959	1984
	YWS	—	\$1924	—	2667	—
W	NWS	\$1472	—	—	—	—
		11NP	11NPNBE	11ODNBENPE	11ODNBEYPE	12GGNBEYPE
MN400.P	NWS	—	\$1241	1984	1984	2010
	YWS	—	\$1950	—	2693	—
W	NWS	\$1531	—	—	—	—
		12HONBENPE	12HONBEYPE	12NP	12NPNBE	12ODNBENPE
MN400.P	NWS	\$1630	1630	—	1267	2010
	YWS	—	\$2338	—	1975	—
W	NWS	—	—	\$1590	—	—
		14GGNBEYPE	14GGNBEYPE	14HONBENPE	14HONBEYPE	14NP
MN400.P	NWS	\$2036	2036	1681	1681	—
	YWS	—	\$2744	—	2363	—
W	NWS	—	—	—	—	\$1649
		14ODNBENPE	14ODNBEYPE	15GGNBEYPE	15GGNBEYPE	15HONBENPE
MN400.P	NWS	\$2036	2036	2061	2061	1707
	YWS	—	\$2744	—	2770	—
W	NWS	—	—	—	—	—
		15NP	15NPNBE	15ODNBENPE	15ODNBEYPE	16GGNBEYPE
MN400.P	NWS	—	\$1318	2061	2061	2087
	YWS	—	\$2027	—	2770	—
W	NWS	\$1708	—	—	—	—
		16HONBENPE	16HONBEYPE	16NP	16NPNBE	16ODNBENPE
MN400.P	NWS	\$1732	1732	—	1344	2087
	YWS	—	\$2415	—	2052	—
W	NWS	—	—	—	—	—

W NWS		—	—	\$1766	—	—	—
Step 8. Column and Spanner Finish							
8Q	folkstone grey	A					+\$0
91	white	A					+\$0
98	studio white	A					+\$0
BK	black	A					+\$0
G1	graphite	A					+\$0
MS	metallic silver	A					+\$0
SNC	satin carbon	A					+\$0

Toggle Wall Strip Anchor


X1191.



Product Information
Description
This anchor provides extra support for a wall hanger strip. Package contains 100.
Notes
Recommended for use in all drywall installations. Use with wall fastener (X1192.3).
Dimensions


Specification Information
Step 1.
X1191.
\$402

Overlay™ Structure



Wall Fastener

X1192.



Overlay™ Structure

Product Information

Description
This black pan head fastener attaches a wall strip to a wall. Package contains 100.


Notes
Specify fastener based on wall construction:

- 1½"-long #10 pan head sheet metal screw (X1192.1) fastens into anchors in cement blocks, poured walls, and brick
- 3"-long #10 pan head sheet metal screw (X1192.2) fastens into studs or TC toggles in drywall
- 3"-long #10 pan head machine screw (X1192.3) fastens into toggle wall strip anchor (X1191.) or wing toggle in drywall.

For drywall applications using X1192.3 wall fasteners, toggle wall strip anchors (X1191.) or equivalent fasteners are recommended; order separately.

Specification Information

Step 1.		
X1192.		
Step 2. Size		
1	no. 10, 1½"	sheet metal screw
2	no. 10, 3"	sheet metal screw
3	no. 10, 3"	machine screw
Prices for Steps 1-2.		
X1192. 1		\$34
2		\$34
3		\$59



Product Information

Description

This cladding attaches to one side of the performance wall structure and extends to the floor, concealing the structure. Surface options are tackable fabric, laminate, or markerboard. Cladding is UL Listed and NFPA classified. Hardware and backer rails included.

Notes

Specify length of cladding to match length of performance wall structure.

When specifying cladding with light switch (RL, LL), cladding comes with cutouts for light switch. Requires use of light switch that comes with linear light (MN100.) or a field supplied light switch. Order linear light separately.

When specifying cladding with lite rail mounting (YR), cladding comes with cutouts for mounting lite rail. Order lite rail (MN900.) separately.

When specifying cladding with monitor mount (YM), cladding comes with cutouts for mounting media components (MN910.) and media structure (MN915.), ordered separately.

When specifying cladding with power cutouts (22, 32, 33, 42, 44), cladding comes with cutouts for power access. Order power components separately.

For tackable fabric (F), fabric direction is vertical.

Fabric cladding accepts Customer's Own Material (COM). Yardage is estimated for vertical direction, 54"- and 66"-wide fabrics. All cladding panels are 86" high.

COM yardage requirements:

- 2 cladding panel sections (performance walls 6'-8' long)—5.7 yards
- 3 cladding panel sections (performance walls 9'-12' long)—8.55 yards
- 4 cladding panel sections (performance walls 13'-16' long)—11.4 yards

Order optional products separately:


- Lite rail (MN920.)
- Media structure (MN915.)
- Media components (MN910.)
- Cutout cover (MN151.)

Electrical components

Service part required for 8' performance walls that accommodate a monitor mount and a light switch within the same wall, whether the switch and monitor are on the same side or opposite sides of the wall.

Order service part U1BN5Co, Media Kit 8 ft w Light Switch, through Service Parts.

Dimensions



Overlay™ Cladding/Infills

Specification Information
Step 1.
MN210. ☐ A

Step 2. Performance Wall Length

06	6' long	☐ A
07	7' long	☐ A
08	8' long	☐ A
09	9' long	☐ A
10	10' long	☐ A
11	11' long	☐ A
12	12' long	☐ A
13	13' long	☐ A
14	14' long	☐ A
15	15' long	☐ A
16	16' long	☐ A

Step 3. Cladding Material

F	fabric	☐ A
L	laminate/thermoplastic edge	☐ A
M	marker board	☐ A

Step 4. Light Switch

LL	light switch on left side of wall	☐ A
NL	no light switch	☐ A
RL	light switch on right side of wall	☐ A

Step 5. Lite Rail Mounting

NR	no lite rail	☐ A
YR	lite rail	☐ A

Step 6. Monitor Mount

NM	no monitor mount	☐ A
YM	monitor mount	☐ A

Step 7. Power Access (Cutout)

NP	no power access	☐ A
YP	power access	☐ A

Step 8. Number of Power Cutouts
For no power access (NP)
NP no power cutout ☐ A

For 6' long (06), 7' long (07), or 8' long (08) with power access (YP)
22 2 duplex cutout ☐ A

For 9' long (09), 10' long (10), 11' long (11), or 12' long (12) with power access (YP)
32 2 duplex cutout ☐ A

33 3 duplex cutout ☐ A

For 13' long (13), 14' long (14), 15' long (15), or 16' long (16) with power access (YP)
42 2 duplex cutout ☐ A

44 4 duplex cutout ☐ A

Prices for Steps 1-8.

		LLNRNMNP	LLNRNMP22	LLNRNMP32	LLNRNMP33	LLNRNMP42	LLNRNMP44
MN210.06 F							
		\$851	910	—	—	—	—
	L	\$1303	1333	—	—	—	—
	M	\$1675	1705	—	—	—	—
07 F							
		\$937	996	—	—	—	—
	L	\$1437	1466	—	—	—	—
	M	\$1730	1759	—	—	—	—
08 F							
		\$968	1027	—	—	—	—
	L	\$1624	1654	—	—	—	—
	M	\$1784	1813	—	—	—	—
09 F							
		\$1263	—	1292	1292	—	—
	L	\$2268	—	2297	2297	—	—
	M	\$2492	—	2521	2521	—	—
10 F							
		\$1320	—	1350	1350	—	—
	L	\$2224	—	2254	2254	—	—
	M	\$2443	—	2473	2473	—	—
11 F							
		\$1348	—	1377	1377	—	—
	L	\$2271	—	2300	2300	—	—
	M	\$2495	—	2524	2524	—	—
12 F							
		\$1367	—	1396	1396	—	—
	L	\$2421	—	2450	2450	—	—
	M	\$2660	—	2690	2690	—	—
13 F							
		\$1456	—	—	—	1486	1486
	L	\$2669	—	—	—	2699	2699
	M	\$2933	—	—	—	2962	2962
14 F							
		\$1545	—	—	—	1575	1575
	L	\$2834	—	—	—	2864	2864
	M	\$3114	—	—	—	3144	3144
15 F							
		\$1635	—	—	—	1664	1664
	L	\$2999	—	—	—	3028	3028
	M	\$3296	—	—	—	3325	3325
16 F							
		\$1727	—	—	—	1756	1756
	L	\$3438	—	—	—	3468	3468
	M	\$3727	—	—	—	3757	3757

Performance Wall Cladding *continued*

	LLRYMNP	LLRYMYP22	LLRYMYP32	LLRYMYP33	LLRYMYP42	LLRYMYP44
MN210.06 F	\$881	910	—	—	—	—
L	\$1333	1362	—	—	—	—
M	\$1705	1734	—	—	—	—
07 F	\$967	996	—	—	—	—
L	\$1466	1496	—	—	—	—
M	\$1759	1789	—	—	—	—
08 F	\$997	1027	—	—	—	—
L	\$1654	1683	—	—	—	—
M	\$1813	1842	—	—	—	—
09 F	\$1292	—	1321	1321	—	—
L	\$2297	—	2327	2327	—	—
M	\$2521	—	2551	2551	—	—
10 F	\$1350	—	1379	1379	—	—
L	\$2254	—	2283	2283	—	—
M	\$2473	—	2502	2502	—	—
11 F	\$1377	—	1407	1407	—	—
L	\$2300	—	2330	2330	—	—
M	\$2524	—	2554	2554	—	—
12 F	\$1396	—	1426	1426	—	—
L	\$2450	—	2480	2480	—	—
M	\$2690	—	2719	2719	—	—
13 F	\$1486	—	—	—	1515	1515
L	\$2699	—	—	—	2728	2728
M	\$2962	—	—	—	2992	2992
14 F	\$1575	—	—	—	1604	1604
L	\$2864	—	—	—	2893	2893
M	\$3144	—	—	—	3173	3173
15 F	\$1664	—	—	—	1693	1693
L	\$3028	—	—	—	3057	3057
M	\$3325	—	—	—	3354	3354
16 F	\$1756	—	—	—	1786	1786
L	\$3468	—	—	—	3497	3497
M	\$3757	—	—	—	3786	3786
	LLRYMNP	LLRYMYP22	LLRYMYP32	LLRYMYP33	LLRYMYP42	LLRYMYP44
MN210.06 F	\$881	910	—	—	—	—
L	\$1333	1362	—	—	—	—
M	\$1705	1734	—	—	—	—
07 F	\$967	996	—	—	—	—
L	\$1466	1496	—	—	—	—
M	\$1759	1789	—	—	—	—
08 F	\$997	1027	—	—	—	—
L	\$1654	1683	—	—	—	—
M	\$1813	1842	—	—	—	—

09 F	\$1292	—	1321	1321	—	—
L	\$2297	—	2327	2327	—	—
M	\$2521	—	2551	2551	—	—
10 F	\$1350	—	1379	1379	—	—
L	\$2254	—	2283	2283	—	—
M	\$2473	—	2502	2502	—	—
11 F	\$1377	—	1407	1407	—	—
L	\$2300	—	2330	2330	—	—
M	\$2524	—	2554	2554	—	—
12 F	\$1396	—	1426	1426	—	—
L	\$2450	—	2480	2480	—	—
M	\$2690	—	2719	2719	—	—
13 F	\$1486	—	—	—	1515	1515
L	\$2699	—	—	—	2728	2728
M	\$2962	—	—	—	2992	2992
14 F	\$1575	—	—	—	1604	1604
L	\$2864	—	—	—	2893	2893
M	\$3144	—	—	—	3173	3173
15 F	\$1664	—	—	—	1693	1693
L	\$3028	—	—	—	3057	3057
M	\$3325	—	—	—	3354	3354
16 F	\$1756	—	—	—	1786	1786
L	\$3468	—	—	—	3497	3497
M	\$3757	—	—	—	3786	3786
	LLRYMNP	LLRYMYP22	LLRYMYP32	LLRYMYP33	LLRYMYP42	LLRYMYP44
MN210.06 F	\$910	939	—	—	—	—
L	\$1362	1391	—	—	—	—
M	\$1734	1763	—	—	—	—
07 F	\$996	1026	—	—	—	—
L	\$1496	1525	—	—	—	—
M	\$1789	1818	—	—	—	—
08 F	\$1027	1056	—	—	—	—
L	\$1683	1713	—	—	—	—
M	\$1842	1872	—	—	—	—
09 F	\$1321	—	1351	1351	—	—
L	\$2327	—	2356	2356	—	—
M	\$2551	—	2580	2580	—	—
10 F	\$1379	—	1409	1409	—	—
L	\$2283	—	2313	2313	—	—
M	\$2502	—	2531	2531	—	—
11 F	\$1407	—	1436	1436	—	—
L	\$2330	—	2359	2359	—	—
M	\$2554	—	2583	2583	—	—
12 F	\$1426	—	1455	1455	—	—
L	\$2480	—	2509	2509	—	—
M	\$2719	—	2748	2748	—	—

Overlay™ Cladding/Infills

Performance Wall Cladding *continued*

Overlay™ Cladding/Infills

13 F	\$1515	—	—	—	1544	1544
L	\$2728	—	—	—	2757	2757
M	\$2992	—	—	—	3021	3021
14 F	\$1604	—	—	—	1634	1634
L	\$2893	—	—	—	2923	2923
M	\$3173	—	—	—	3202	3202
15 F	\$1693	—	—	—	1723	1723
L	\$3057	—	—	—	3087	3087
M	\$3354	—	—	—	3384	3384
16 F	\$1786	—	—	—	1815	1815
L	\$3497	—	—	—	3527	3527
M	\$3786	—	—	—	3815	3815

	NLNRNMPNP	NLNRNMP22	NLNRNMP32	NLNRNMP33	NLNRNMP42	NLNRNMP44
MN210.06 F	\$822	851	—	—	—	—
L	\$1274	1303	—	—	—	—
M	\$1646	1675	—	—	—	—
07 F	\$908	937	—	—	—	—
L	\$1408	1437	—	—	—	—
M	\$1700	1730	—	—	—	—
08 F	\$938	968	—	—	—	—
L	\$1595	1624	—	—	—	—
M	\$1754	1784	—	—	—	—
09 F	\$1233	—	1263	1263	—	—
L	\$2239	—	2268	2268	—	—
M	\$2463	—	2492	2492	—	—
10 F	\$1291	—	1320	1320	—	—
L	\$2195	—	2224	2224	—	—
M	\$2414	—	2443	2443	—	—
11 F	\$1318	—	1348	1348	—	—
L	\$2242	—	2271	2271	—	—
M	\$2466	—	2495	2495	—	—
12 F	\$1338	—	1367	1367	—	—
L	\$2392	—	2421	2421	—	—
M	\$2631	—	2660	2660	—	—
13 F	\$1427	—	—	—	1456	1456
L	\$2640	—	—	—	2669	2669
M	\$2903	—	—	—	2933	2933
14 F	\$1516	—	—	—	1545	1545
L	\$2805	—	—	—	2834	2834
M	\$3085	—	—	—	3114	3114
15 F	\$1605	—	—	—	1635	1635
L	\$2969	—	—	—	2999	2999
M	\$3266	—	—	—	3296	3296
16 F	\$1697	—	—	—	1727	1727
L	\$3409	—	—	—	3438	3438
M	\$3698	—	—	—	3727	3727

	NLNRNMPNP	NLNRNMP22	NLNRNMP32	NLNRNMP33	NLNRNMP42	NLNRNMP44
MN210.06 F	\$851	881	—	—	—	—
L	\$1303	1333	—	—	—	—
M	\$1675	1705	—	—	—	—
07 F	\$937	967	—	—	—	—
L	\$1437	1466	—	—	—	—
M	\$1730	1759	—	—	—	—
08 F	\$968	997	—	—	—	—
L	\$1624	1654	—	—	—	—
M	\$1784	1813	—	—	—	—
09 F	\$1263	—	1292	1292	—	—
L	\$2268	—	2297	2297	—	—
M	\$2492	—	2521	2521	—	—
10 F	\$1320	—	1350	1350	—	—
L	\$2224	—	2254	2254	—	—
M	\$2443	—	2473	2473	—	—
11 F	\$1348	—	1377	1377	—	—
L	\$2271	—	2300	2300	—	—
M	\$2495	—	2524	2524	—	—
12 F	\$1367	—	1396	1396	—	—
L	\$2421	—	2450	2450	—	—
M	\$2660	—	2690	2690	—	—
13 F	\$1456	—	—	—	1486	1486
L	\$2669	—	—	—	2699	2699
M	\$2933	—	—	—	2962	2962
14 F	\$1545	—	—	—	1575	1575
L	\$2834	—	—	—	2864	2864
M	\$3114	—	—	—	3144	3144
15 F	\$1635	—	—	—	1664	1664
L	\$2999	—	—	—	3028	3028
M	\$3296	—	—	—	3325	3325
16 F	\$1727	—	—	—	1756	1756
L	\$3438	—	—	—	3468	3468
M	\$3727	—	—	—	3757	3757

	NLNRNMPNP	NLNRNMP22	NLNRNMP32	NLNRNMP33	NLNRNMP42	NLNRNMP44
MN210.06 F	\$822	851	—	—	—	—
L	\$1303	1333	—	—	—	—
M	\$1675	1705	—	—	—	—
07 F	\$908	937	—	—	—	—
L	\$1437	1466	—	—	—	—
M	\$1730	1759	—	—	—	—
08 F	\$938	968	—	—	—	—
L	\$1624	1654	—	—	—	—
M	\$1784	1813	—	—	—	—

Performance Wall Cladding *continued*

09 F	\$1263	—	1292	1292	—	—
L	\$2268	—	2297	2297	—	—
M	\$2492	—	2521	2521	—	—
10 F	\$1320	—	1350	1350	—	—
L	\$2224	—	2254	2254	—	—
M	\$2443	—	2473	2473	—	—
11 F	\$1348	—	1377	1377	—	—
L	\$2271	—	2300	2300	—	—
M	\$2495	—	2524	2524	—	—
12 F	\$1367	—	1396	1396	—	—
L	\$2421	—	2450	2450	—	—
M	\$2660	—	2690	2690	—	—
13 F	\$1456	—	—	—	1486	1486
L	\$2669	—	—	—	2699	2699
M	\$2933	—	—	—	2962	2962
14 F	\$1545	—	—	—	1575	1575
L	\$2834	—	—	—	2864	2864
M	\$3114	—	—	—	3144	3144
15 F	\$1635	—	—	—	1664	1664
L	\$2999	—	—	—	3028	3028
M	\$3296	—	—	—	3325	3325
16 F	\$1727	—	—	—	1756	1756
L	\$3438	—	—	—	3468	3468
M	\$3727	—	—	—	3757	3757
NLYRYMNP P NLYRYMYP22 NLYRYMYP32 NLYRYMYP33 NLYRYMYP42 NLYRYMYP44						
MN210.06 F	\$881	910	—	—	—	—
L	\$1333	1362	—	—	—	—
M	\$1705	1734	—	—	—	—
07 F	\$967	996	—	—	—	—
L	\$1466	1496	—	—	—	—
M	\$1759	1789	—	—	—	—
08 F	\$997	1027	—	—	—	—
L	\$1654	1683	—	—	—	—
M	\$1813	1842	—	—	—	—
09 F	\$1292	—	1321	1321	—	—
L	\$2297	—	2327	2327	—	—
M	\$2521	—	2551	2551	—	—
10 F	\$1350	—	1379	1379	—	—
L	\$2254	—	2283	2283	—	—
M	\$2473	—	2502	2502	—	—
11 F	\$1377	—	1407	1407	—	—
L	\$2300	—	2330	2330	—	—
M	\$2524	—	2554	2554	—	—
12 F	\$1396	—	1426	1426	—	—
L	\$2450	—	2480	2480	—	—
M	\$2690	—	2719	2719	—	—

13 F	\$1486	—	—	—	1515	1515
L	\$2699	—	—	—	2728	2728
M	\$2962	—	—	—	2992	2992
14 F	\$1575	—	—	—	1604	1604
L	\$2864	—	—	—	2893	2893
M	\$3144	—	—	—	3173	3173
15 F	\$1664	—	—	—	1693	1693
L	\$3028	—	—	—	3057	3057
M	\$3325	—	—	—	3354	3354
16 F	\$1756	—	—	—	1786	1786
L	\$3468	—	—	—	3497	3497
M	\$3757	—	—	—	3786	3786
RLNRNMP P RLNRNMP22 RLNRNMP32 RLNRNMP33 RLNRNMP42 RLNRNMP44						
MN210.06 F	\$851	881	—	—	—	—
L	\$1303	1333	—	—	—	—
M	\$1675	1705	—	—	—	—
07 F	\$937	967	—	—	—	—
L	\$1437	1466	—	—	—	—
M	\$1730	1759	—	—	—	—
08 F	\$968	997	—	—	—	—
L	\$1624	1654	—	—	—	—
M	\$1784	1813	—	—	—	—
09 F	\$1263	—	1292	1292	—	—
L	\$2268	—	2297	2297	—	—
M	\$2492	—	2521	2521	—	—
10 F	\$1320	—	1350	1350	—	—
L	\$2224	—	2254	2254	—	—
M	\$2443	—	2473	2473	—	—
11 F	\$1348	—	1377	1377	—	—
L	\$2271	—	2300	2300	—	—
M	\$2495	—	2524	2524	—	—
12 F	\$1367	—	1396	1396	—	—
L	\$2421	—	2450	2450	—	—
M	\$2660	—	2690	2690	—	—
13 F	\$1456	—	—	—	1486	1486
L	\$2669	—	—	—	2699	2699
M	\$2933	—	—	—	2962	2962
14 F	\$1545	—	—	—	1575	1575
L	\$2834	—	—	—	2864	2864
M	\$3114	—	—	—	3144	3144
15 F	\$1635	—	—	—	1664	1664
L	\$2999	—	—	—	3028	3028
M	\$3296	—	—	—	3325	3325
16 F	\$1727	—	—	—	1756	1756
L	\$3438	—	—	—	3468	3468
M	\$3727	—	—	—	3757	3757

Overlay™ Cladding/Infills

		RLNRYMNP	RLNRYMYP22	RLNRYMYP32	RLNRYMYP33	RLNRYMYP42	RLNRYMYP44
Overlay™ Cladding/Infills	MN210.06 F	\$881	910	—	—	—	—
	L	\$1303	1333	—	—	—	—
	M	\$1705	1734	—	—	—	—
	07 F	\$967	996	—	—	—	—
	L	\$1437	1466	—	—	—	—
	M	\$1759	1789	—	—	—	—
	08 F	\$997	1027	—	—	—	—
	L	\$1624	1654	—	—	—	—
	M	\$1813	1842	—	—	—	—
	09 F	\$1292	—	1321	1321	—	—
	L	\$2297	—	2327	2327	—	—
	M	\$2521	—	2551	2551	—	—
	10 F	\$1350	—	1379	1379	—	—
	L	\$2254	—	2283	2283	—	—
	M	\$2473	—	2502	2502	—	—
	11 F	\$1377	—	1407	1407	—	—
	L	\$2300	—	2330	2330	—	—
	M	\$2524	—	2554	2554	—	—
	12 F	\$1396	—	1426	1426	—	—
	L	\$2450	—	2480	2480	—	—
	M	\$2690	—	2719	2719	—	—
	13 F	\$1486	—	—	1515	1515	—
	L	\$2699	—	—	2728	2728	—
	M	\$2962	—	—	2992	2992	—
	14 F	\$1575	—	—	1604	1604	—
	L	\$2864	—	—	2893	2893	—
	M	\$3144	—	—	3173	3173	—
	15 F	\$1664	—	—	1693	1693	—
	L	\$3028	—	—	3057	3057	—
	M	\$3325	—	—	3354	3354	—
	16 F	\$1756	—	—	1786	1786	—
	L	\$3468	—	—	3497	3497	—
	M	\$3757	—	—	3786	3786	—

		RLYRMNP	RLYRMYP22	RLYRMYP32	RLYRMYP33	RLYRMYP42	RLYRMYP44
Overlay™ Cladding/Infills	MN210.06 F	\$881	910	—	—	—	—
	L	\$1333	1362	—	—	—	—
	M	\$1705	1675	—	—	—	—
	07 F	\$967	996	—	—	—	—
	L	\$1466	1496	—	—	—	—
	M	\$1759	1730	—	—	—	—
	08 F	\$997	1027	—	—	—	—
	L	\$1654	1683	—	—	—	—
	M	\$1813	1784	—	—	—	—

09 F	\$1292	—	1321	1321	—	—
L	\$2297	—	2327	2327	—	—
M	\$2521	—	2551	2551	—	—
10 F	\$1350	—	1379	1379	—	—
L	\$2254	—	2283	2283	—	—
M	\$2473	—	2502	2502	—	—
11 F	\$1377	—	1407	1407	—	—
L	\$2300	—	2330	2330	—	—
M	\$2524	—	2554	2554	—	—
12 F	\$1396	—	1426	1426	—	—
L	\$2450	—	2480	2480	—	—
M	\$2690	—	2719	2719	—	—
13 F	\$1486	—	—	—	1515	1515
L	\$2699	—	—	—	2728	2728
M	\$2962	—	—	—	2992	2992
14 F	\$1575	—	—	—	1604	1604
L	\$2864	—	—	—	2893	2893
M	\$3144	—	—	—	3173	3173
15 F	\$1664	—	—	—	1693	1693
L	\$3028	—	—	—	3057	3057
M	\$3325	—	—	—	3354	3354
16 F	\$1756	—	—	—	1786	1786
L	\$3468	—	—	—	3497	3497
M	\$3757	—	—	—	3786	3786

		RLYRMNP	RLYRMYP22	RLYRMYP32	RLYRMYP33	RLYRMYP42	RLYRMYP44
Overlay™ Cladding/Infills	MN210.06 F	\$910	939	—	—	—	—
	L	\$1362	1391	—	—	—	—
	M	\$1705	1763	—	—	—	—
	07 F	\$996	1026	—	—	—	—
	L	\$1496	1525	—	—	—	—
	M	\$1759	1818	—	—	—	—
	08 F	\$1027	1056	—	—	—	—
	L	\$1683	1713	—	—	—	—
	M	\$1813	1872	—	—	—	—
	09 F	\$1321	—	1351	1351	—	—
	L	\$2327	—	2356	2356	—	—
	M	\$2551	—	2580	2580	—	—
	10 F	\$1379	—	1409	1409	—	—
	L	\$2283	—	2313	2313	—	—
	M	\$2502	—	2531	2531	—	—
	11 F	\$1407	—	1436	1436	—	—
	L	\$2330	—	2359	2359	—	—
	M	\$2554	—	2583	2583	—	—
	12 F	\$1426	—	1455	1455	—	—
	L	\$2480	—	2509	2509	—	—
	M	\$2719	—	2748	2748	—	—

Performance Wall Cladding *continued*

13 F	\$1515	—	—	—	1544	1544
L	\$2728	—	—	—	2757	2757
M	\$2992	—	—	—	3021	3021
14 F	\$1604	—	—	—	1634	1634
L	\$2893	—	—	—	2923	2923
M	\$3173	—	—	—	3202	3202
15 F	\$1693	—	—	—	1723	1723
L	\$3057	—	—	—	3087	3087
M	\$3354	—	—	—	3384	3384
16 F	\$1786	—	—	—	1815	1815
L	\$3497	—	—	—	3527	3527
M	\$3786	—	—	—	3815	3815

Step 9. Cladding Finish

For fabric (F)

	06	07	08	09	10
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$54	54	54	81	81
Price Category 3	+\$122	122	122	183	183
Price Category 4	+\$208	208	208	312	312
Price Category 5	+\$344	344	344	516	516
Price Category B	+\$214	214	214	321	321
Price Category C	+\$292	292	292	438	438
Price Category D	+\$368	368	368	552	552
Price Category E	+\$444	444	444	666	666
Price Category F	+\$572	572	572	858	858
Price Category G	+\$744	744	744	1116	1116
	11	12	13	14	15
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$81	81	108	108	108
Price Category 3	+\$183	183	244	244	244
Price Category 4	+\$312	312	416	416	416
Price Category 5	+\$516	516	688	688	688
Price Category B	+\$321	321	428	428	428
Price Category C	+\$438	438	584	584	584
Price Category D	+\$552	552	736	736	736
Price Category E	+\$666	666	888	888	888
Price Category F	+\$858	858	1144	1144	1144
Price Category G	+\$1116	1116	1488	1488	1488

	16
Price Category 1	+\$0
Price Category 2	+\$108
Price Category 3	+\$244
Price Category 4	+\$416
Price Category 5	+\$688
Price Category B	+\$428
Price Category C	+\$584
Price Category D	+\$736
Price Category E	+\$888
Price Category F	+\$1144
Price Category G	+\$1488

For 13' long (13) or 14' long (14), or 15' long (15), or 16' long (16), or laminate/thermoplastic edge (L), or power access (YP)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LM	mahogany 	+\$0
LT	light tone 	+\$0
LU	soft white 	+\$0

MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 10. Edge

For laminate/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
8Z	neutral grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
9V	tapestry beige ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
JB	millwork cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0


Step 11. Bezel Finish

For monitor mount (YM) with power access (YP)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Spanner Zone Structure

MN500.



Product Information

Description

This steel frame holds cladding on both sides. Configuration options are full-length structure, structure with door column, and structure with middle column. Includes hardware and frame-to-frame connector kits.

Notes


Spanner zone structure is required when specifying spanner zone cladding (MN510.). Order cladding separately.

Spanner zone structure is required to be cladded for its entire length.

Spanner zone cannot support media components (MN910.), media structure (MN915.), or electrical components.

For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN500. ☐

Step 2. Spanner Length

- 04** 4' long ☐
- 06** 6' long ☐
- 07** 7' long ☐
- 08** 8' long ☐
- 10** 10' long ☐
- 11** 11' long ☐
- 12** 12' long ☐
- 14** 14' long ☐
- 15** 15' long ☐
- 16** 16' long ☐

Step 3. Configuration

For 4' long (04) or 6' long (06)

FL full length structure ☐

For 7' long (07), 8' long (08), 10' long (10), or 11' long (11)

DP structure with door column ☐

FL full length structure ☐

For 12' long (12), 14' long (14), 15' long (15), or 16' long (16)


DP structure with door column ☐

FL full length structure ☐

HO structure with middle column ☐

Prices for Steps 1-3.

	DP	FL	HO
MN500.04	—	\$479	—
06	—	\$984	—
07	\$479	1004	—
08	\$601	1080	—
10	\$984	1515	—
11	\$1138	1623	—
12	\$1080	1733	984
14	\$1515	1841	1004
15	\$1623	1951	1045
16	\$1733	2059	1080



Product Information


Description

This cladding attaches to one side of the spanner zone structure and extends to the floor, concealing the structure. Surface options are tackable fabric, laminate, or markerboard. Cladding is UL Listed and NFPA classified. Hardware and backer rails included.

Notes

- Specify length of cladding to match length of spanner zone structure.
- When specifying cladding with lite rail mounting (YR), cladding comes with cutouts for mounting. Order lite rail (MN920.) separately.
- When spanner zone structure and cladding are used with sliding glass door, lite rail cannot be used on the spanner zone cladding.
- Spanner zone cannot support media components (MN910.), media structure (MN915.), or electrical components.
- For tackable fabric (F), fabric direction is vertical.
- Fabric cladding accepts Customer's Own Material (COM). Yardage is estimated for vertical direction, 54"- and 66"-wide fabrics. All cladding panels are 86" high.
- COM yardage requirements:
- 1 cladding panel section (spanner return 4' wide) — 2.85 yards
 - 2 cladding panel sections (spanner zone 6'-8' long) — 5.7 yards
 - 3 cladding panel sections (spanner zone 10'-12' long) — 8.55 yards
 - 4 cladding panel sections (spanner zone 14'-16' long) — 11.4 yards
- Order optional products separately:
- Lite rail (MN920.)
 - Light seal (MN930.)

Dimensions



Overlay™ Cladding/Infills

Spanner Zone Cladding *continued*

Specification Information

Step 1.

MN510. [A](#)

Step 2. Spanner Length

04	4' long	A
06	6' long	A
07	7' long	A
08	8' long	A
10	10' long	A
11	11' long	A
12	12' long	A
14	14' long	A
15	15' long	A
16	16' long	A

Step 3. Cladding Material

F	fabric	A
L	laminate/thermoplastic edge	A
M	marker board	A

Step 4. Configuration

For 4' long (04) or 6' long (06)

FL full length cladding [A](#)

For 7' long (07), 8' long (08), 10' long (10), or 11' long (11)

DP cladding with door column [A](#)

FL full length cladding [A](#)

For 12' long (12), 14' long (14), 15' long (15), or 16' long (16)

DP cladding with door column [A](#)

FL full length cladding [A](#)

HO cladding with middle column [A](#)

Step 5. Lite Rail Mounting

NR no lite rail [A](#)

YR lite rail [A](#)

Prices for Steps 1-5.

	DPNR	DPYR	FLNR	FLYR	HONR	HOYR
MN510.04 F	—	—	\$449	478	—	—
L	—	—	\$776	806	—	—
M	—	—	\$852	882	—	—
06 F	—	—	\$779	809	—	—
L	—	—	\$1450	1480	—	—
M	—	—	\$1595	1624	—	—

07 F	\$388	418	837	866	—	—
L	\$725	754	1501	1530	—	—
M	\$799	828	1651	1680	—	—
08 F	\$446	475	895	924	—	—
L	\$775	805	1552	1581	—	—
M	\$854	884	1707	1736	—	—
10 F	\$817	846	1266	1295	—	—
L	\$1163	1193	1940	1969	—	—
M	\$1281	1310	2133	2163	—	—
11 F	\$886	915	1335	1364	—	—
L	\$1396	1426	2173	2202	—	—
M	\$1281	1310	2133	2163	—	—
12 F	\$955	984	1404	1433	779	809
L	\$1630	1659	2406	2435	1450	1480
M	\$1794	1823	2646	2675	1595	1624
14 F	\$1024	1053	1472	1502	837	866
L	\$1863	1892	2639	2668	1501	1530
M	\$2050	2079	2902	2932	1651	1680
15 F	\$1092	1122	1541	1571	862	892
L	\$2096	2125	2872	2901	1526	1556
M	\$2306	2336	3159	3188	1679	1709
16 F	\$1161	1191	1610	1640	895	924
L	\$2328	2357	3104	3133	1552	1581
M	\$2562	2591	3414	3444	1707	1736

Step 6. Cladding Finish

For fabric (F)

	04	06	07	08	10
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$27	54	54	54	81
Price Category 3	+\$61	122	122	122	183
Price Category 4	+\$104	208	208	208	312
Price Category 5	+\$172	344	344	344	516
Price Category B	+\$107	214	214	214	321
Price Category C	+\$146	292	292	292	438
Price Category D	+\$184	368	368	368	552
Price Category E	+\$222	444	444	444	666
Price Category F	+\$286	572	572	572	858
Price Category G	+\$372	744	744	744	1116

Overlay™ Cladding/Infills

	11	12	14	15	16
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$81	81	108	108	108
Price Category 3	+\$183	183	244	244	244
Price Category 4	+\$312	312	416	416	416
Price Category 5	+\$516	516	688	688	688
Price Category B	+\$321	321	428	428	428
Price Category C	+\$438	438	584	584	584
Price Category D	+\$552	552	736	736	736
Price Category E	+\$666	666	888	888	888
Price Category F	+\$858	858	1144	1144	1144
Price Category G	+\$1116	1116	1488	1488	1488

For laminate/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LM	mahogany ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0

WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0


Step 7. Edge

For laminate/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
8Z	neutral grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
9V	tapestry beige ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
JB	millwork cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0

Wood Slat

MN520.



Product Information

Description

This wood slat connects to a column and a return spanner or column spanner. Hardwood slats vary in both grain character and color due to natural characteristics of wood. Mounting hardware included.


Notes

Wood slat is used in the spanner zone and can be specified for use with return spanner (MN400.R) or column spanner (MN400.P), ordered separately.

Specify wood slat by spanner length and spanner zone configuration.

For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN520. [A]

Step 2. Spanner Length

04	4' long	[A]
06	6' long	[A]
07	7' long	[A]
08	8' long	[A]
10	10' long	[A]
12	12' long	[A]
16	16' long	[A]

Step 3. Configuration

For 4' long (04) or 6' long (06)

FL full length wood slat [A]

For 7' long (07)

DP wood slat with door column [A]

For 8' long (08)

DP wood slat with door column [A]

FL full length wood slat [A]

For 10' long (10)

DP wood slat with door column [A]

For 12' long (12)

DP wood slat with door column [A]

HO wood slat with middle column [A]

For 16' long (16)

HO wood slat with middle column [A]

Prices for Steps 1-3.

	DP	FL	HO
MN520.04	— \$6873	—	—
06	— \$11791	—	—
07	\$5828	—	—
08	\$6873	14433	—
10	\$11791	—	—
12	\$14433	—	11791
16	—	—	\$14433

Step 4. Finish

For 4' long (04) with full length wood slat (FL)

BHD	birch hardwood	A	+\$0
WHD	walnut hardwood	A	+\$1302

For 6' long (06) with full length wood slat (FL)

BHD	birch hardwood	A	+\$0
WHD	walnut hardwood	A	+\$2242

For 7' long (07) with wood slat with door column (DP)

BHD	birch hardwood	A	+\$0
WHD	walnut hardwood	A	+\$1110

For 8' long (08) with wood slat with door column (DP)

BHD	birch hardwood	A	+\$0
WHD	walnut hardwood	A	+\$1302

For 8' long (08) with full length wood slat (FL)

BHD	birch hardwood	A	+\$0
WHD	walnut hardwood	A	+\$2717

For 10' long (10) with wood slat with door column (DP)

BHD	birch hardwood	A	+\$0
WHD	walnut hardwood	A	+\$2242

For 12' long (12) with wood slat with door column (DP)

BHD	birch hardwood	A	+\$0
WHD	walnut hardwood	A	+\$2717

For 12' long (12) with wood slat with middle column (HO)


BHD	birch hardwood	A	+\$0
WHD	walnut hardwood	A	+\$2242

For 16' long (16) with wood slat with middle column (HO)


BHD	birch hardwood	A	+\$0
WHD	walnut hardwood	A	+\$2717

Glass Mount


MN530.



Product Information
Description
This mount attaches to the underside of a column spanner and is for use only with the column spanner. It includes a top channel, bottom channel, and all hardware and gaskets. Glass not included.
Notes
Glass mount is offered in 2 lengths. For spanner up to 8' long, specify 8' long glass mount (01). For spanner longer than 8', specify 16' long glass mount (02).
Glass mount is for use with a column spanner (MN400.P) only.
Glass must be supplied locally. This mount comes with extrusions and hardware only.
Glass installer necessary for installation.
For appropriate planning applications, see Overlay™ planning guide.
Dimensions



Specification Information
Step 1.
MN530. A
Step 2. Glass Mount Length
01 8' long glass mount A
02 16' long glass mount A
Prices for Steps 1-2.
MN530.01 \$1720
02 \$3010
Step 3. Finish
AN anodized A +\$0




Overlay™ Cladding/Infills

Product Information

Description
This hardware provides for the addition of a sliding glass door to a spanner with a glass door column. Package includes hardware, track, and shroud to conceal track. Door handle optional. Glass not included.

Notes
When sliding glass door is used with spanner zone structure and cladding, lite rail (MN920.) cannot be used on the spanner zone cladding.
Glass must be supplied locally. This mount comes with extrusions and mounting hardware only.
Glass installer necessary for installation.
For appropriate planning applications, see Overlay™ planning guide.

Dimensions




Sliding Glass Door Hardware

continued

Specification Information		
Step 1.		
MN540.	☐ A	
Step 2. Door Handle		
NDH	no door handle ☐ A	
YDH	door handle ☐ A	
Prices for Steps 1-2.		
MN540.NDH		\$3459
YDH		\$4686
Step 3. Column and Spanner Finish		
8Q	folkstone grey ☐ A	+\$0
91	white ☐ A	+\$0
98	studio white ☐ A	+\$0
BK	black ☐ A	+\$0
G1	graphite ☐ A	+\$0
MS	metallic silver ☐ A	+\$0
SNC	satin carbon ☐ A	+\$0
Step 4. Handle Finish		
For door handle (YDH)		
BRS	brushed stainless ☐ A	+\$0

Curtain Track

MN550.



Product Information


Description

This track attaches to the underside of a column spanner to allow use of a fabric curtain. It includes track and hardware. Fabric and clips not included.

Notes

Curtain track to be used with column spanner with no intermediate support column specified.
Curtain track may come in 1 or 2 tracks. Number and length of tracks is predetermined based on overall spanner length.
For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN550. A

Step 2. Spanner Length

06	6' long	A
07	7' long	A
08	8' long	A
10	10' long	A
11	11' long	A
12	12' long	A
14	14' long	A
15	15' long	A
16	16' long	A

Prices for Steps 1-2.


MN550.06	\$368
07	\$371
08	\$374
10	\$538
11	\$538
12	\$538
14	\$538
15	\$538
16	\$591

Step 3. Curtain Track Finish


8Q	folkstone grey	A	+\$0
91	white	A	+\$0
98	studio white	A	+\$0
BK	black	A	+\$0
G1	graphite	A	+\$0
MS	metallic silver	A	+\$0
SNC	satin carbon	A	+\$0

Perforated Metal

MN560.



Product Information
Description This perforated aluminum infill connects to a column and a return spanner or column spanner. Mounting hardware included.
Notes Perforated metal is used in the spanner zone and can be specified for use with return spanner (MN400.R) or column spanner (MN400.P), ordered separately. Specify perforated metal by spanner length and spanner zone configuration. For appropriate planning applications, see Overlay™ planning guide.
Dimensions



Specification Information
Step 1. MN560. A
Step 2. Spanner Length
04 4' long A 06 6' long A 07 7' long A 08 8' long A 10 10' long A 12 12' long A 16 16' long A
Step 3. Configuration
<i>For 4' long (04) or 6' long (06)</i> FL full length perforated metal A
<i>For 7' long (07)</i> DP perforated metal with door column A
<i>For 8' long (08)</i> DP perforated metal with door column A FL full length perforated metal A
<i>For 10' long (10)</i> DP perforated metal with door column A
<i>For 12' long (12)</i> DP perforated metal with door column A HO perforated metal with middle column A
<i>For 16' long (16)</i> HO perforated metal with middle column A


Prices for Steps 1-3.			
	DP	FL	HO
MN560.04	—	\$4680	—
06	—	\$6850	—
07	\$4325	—	—
08	\$4680	7475	—
10	\$6850	—	—
12	\$7475	—	6850
16	—	—	\$7475

Overlay™ Cladding/Infills

Step 4. Finish			
8Q	folkstone grey	☐ A	+\$0
91	white	☐ A	+\$0
98	studio white	☐ A	+\$0
BK	black	☐ A	+\$0
G1	graphite	☐ A	+\$0
MS	metallic silver	☐ A	+\$0
SNC	satin carbon	☐ A	+\$0

Trellis

MN900.



Product Information

Description

This set of components sit atop 2 adjacent column spanners parallel to the performance walls. Trellis is made of PET material. Color is cool heathered grey.


Notes

Trellis is for use only in an Overlay™ configuration that has 2 performance wall structures (MN200.) and 2 spanners (MN400.) that connect the 2 performance walls.

For a performance wall longer than 8', an intermediate spanner (MN400.W) is needed to accept the Trellis. Order separately.

For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN900. ☐

Step 2. Performance Wall Length

06	performance wall length 6' long	☐
07	performance wall length 7' long	☐
08	performance wall length 8' long	☐
09	performance wall length 9' long	☐
10	performance wall length 10' long	☐
11	performance wall length 11' long	☐
12	performance wall length 12' long	☐
13	performance wall length 13' long	☐
14	performance wall length 14' long	☐
15	performance wall length 15' long	☐
16	performance wall length 16' long	☐

Step 3. Spanner Zone Length

06	spanner zone length 6' long	☐
07	spanner zone length 7' long	☐
08	spanner zone length 8' long	☐
10	spanner zone length 10' long	☐
11	spanner zone length 11' long	☐
12	spanner zone length 12' long	☐
14	spanner zone length 14' long	☐
15	spanner zone length 15' long	☐
16	spanner zone length 16' long	☐

Step 4. Intermediate Spanner

For performance wall length 6' long (06) or performance wall length 7' long (07)

NIS no intermediate spanner ☐

For performance wall length 8' long (08)

NIS no intermediate spanner ☐

YIS intermediate spanner ☐

For performance wall length 9' long (09), performance wall length 10' long (10), performance wall length 11' long (11), performance wall length 12' long (12), performance wall length 13' long (13), performance wall length 14' long (14), performance wall length 15' long (15), or performance wall length 16' long (16)

YIS intermediate spanner ☐

Step 5. Sliding Glass Door

For spanner zone length 6' long (06)

NSG no sliding glass door **A**

For spanner zone length 7' long (07), spanner zone length 8' long (08), spanner zone length 10' long (10), spanner zone length 11' long (11), spanner zone length 12' long (12), spanner zone length 14' long (14), spanner zone length 15' long (15), or spanner zone length 16' long (16)

NSG no sliding glass door **A****YSG** sliding glass door **A**

Step 6. Room Configuration

01 single room configuration **A****02** dual room configuration **A**

Prices for Steps 1-6.

	NISNSG01	NISNSG02	NISYSG01	NISYSG02	YISNSG01	YISNSG02
MN900.06 06	\$2229	2229	—	—	—	—
07	\$2625	2625	2625	2625	—	—
08	\$3119	3119	3119	3119	—	—
10	\$3900	3900	3900	3900	—	—
11	\$4290	4290	4290	4290	—	—
12	\$4680	4680	4680	4680	—	—
14	\$5459	5459	5459	5459	—	—
15	\$5849	5849	5849	5849	—	—
16	\$6240	6240	6240	6240	—	—
07 06	\$2229	2229	—	—	—	—
07	\$2625	2625	2625	2625	—	—
08	\$3119	3119	3119	3119	—	—
10	\$3900	3900	3900	3900	—	—
11	\$4290	4290	4290	4290	—	—
12	\$4680	4680	4680	4680	—	—
14	\$5459	5459	5459	5459	—	—
15	\$5849	5849	5849	5849	—	—
16	\$6240	6240	6240	6240	—	—
08 06	\$3566	3566	—	—	2250	2250
07	\$4160	4160	4160	4160	2625	2625
08	\$4755	4755	4755	4755	3119	3119
10	\$5944	5944	5944	5944	3900	3900
11	\$6537	6537	6537	6537	4290	4290
12	\$7131	7131	7131	7131	4680	4680
14	\$8320	8320	8320	8320	5459	5459
15	\$8915	8915	8915	8915	5849	5849
16	\$9509	9509	9509	9509	6240	6240


09 06	—	—	—	—	\$2250	2250
07	—	—	—	—	\$2625	2625
08	—	—	—	—	\$3119	3119
10	—	—	—	—	\$3900	3900
11	—	—	—	—	\$4290	4290
12	—	—	—	—	\$4680	4680
14	—	—	—	—	\$5459	5459
15	—	—	—	—	\$5849	5849
16	—	—	—	—	\$6240	6240
10 06	—	—	—	—	\$4680	4680
07	—	—	—	—	\$5459	5459
08	—	—	—	—	\$6240	6240
10	—	—	—	—	\$7799	7799
11	—	—	—	—	\$8579	8579
12	—	—	—	—	\$9359	9359
14	—	—	—	—	\$10918	10918
15	—	—	—	—	\$11811	11811
16	—	—	—	—	\$12599	12599
11 06	—	—	—	—	\$4680	4680
07	—	—	—	—	\$5459	5459
08	—	—	—	—	\$6240	6240
10	—	—	—	—	\$7799	7799
11	—	—	—	—	\$8579	8579
12	—	—	—	—	\$9359	9359
14	—	—	—	—	\$10918	10918
15	—	—	—	—	\$11811	11811
16	—	—	—	—	\$12599	12599
12 06	—	—	—	—	\$4680	4680
07	—	—	—	—	\$5459	5459
08	—	—	—	—	\$6240	6240
10	—	—	—	—	\$7799	7799
11	—	—	—	—	\$8579	8579
12	—	—	—	—	\$9359	9359
14	—	—	—	—	\$10918	10918
15	—	—	—	—	\$11811	11811
16	—	—	—	—	\$12599	12599
13 06	—	—	—	—	\$4680	4680
07	—	—	—	—	\$5459	5459
08	—	—	—	—	\$6240	6240
10	—	—	—	—	\$7799	7799
11	—	—	—	—	\$8579	8579
12	—	—	—	—	\$9359	9359
14	—	—	—	—	\$10918	10918
15	—	—	—	—	\$11811	11811
16	—	—	—	—	\$12599	12599

[illegible]

Overlay™ Accessories

15	07	\$8320	8320
08		\$9509	9509
10		\$11886	11886
11		\$13075	13075
12		\$14264	14264
14		\$16641	16641
15		\$17830	17830
16		\$19017	19017
16	07	\$8320	8320
08		\$9509	9509
10		\$11886	11886
11		\$13075	13075
12		\$14264	14264
14		\$16641	16641
15		\$17830	17830
16		\$19017	19017

Step 7. Finish			
PLG	cool heathered grey	A	+\$0



Product Information

Description

Media mounting components include mounting board(s) and electrical housing to accommodate the mounting of 1 screen or monitor. Electrical housing includes 1 duplex to be used for system power, and wire management for data infeed.

Notes

For use with performance wall structure (MN200.) only. Order structure separately.


Order performance wall cladding with monitor mount (MN210. xxxxxxYM) separately.

Order media structure (MN915.) separately.

For appropriate planning applications, see Overlay™ planning guide.

Service part required for 8' performance walls that accommodate a monitor mount and a light switch within the same wall, whether the switch and monitor are on the same side or opposite sides of the wall. Order service part U1BN5Co, Media Kit 8 ft w Light Switch, through Service Parts.

Dimensions



Specification Information

Step 1.

MN910. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

Step 3. Performance Wall Length

06 6' long A

07 7' long A

08 8' long A

09 9' long A

10 10' long A

11 11' long A

12 12' long A


13 13' long A

14 14' long A

15 15' long A

16 16' long A

Prices for Steps 1-3.						
	06	07	08	09	10	11
MN910.08	\$1005	1005	1005	800	800	800
10	\$1005	1005	1005	800	800	800
	12	13	14	15	16	
MN910.08	\$800	1005	1005	1005	1005	
10	\$800	1005	1005	1005	1005	




Product Information

Description
This structure mounts to the performance wall structure to create a substrate for a monitor mounting bracket. Media structure includes rails, substrate, and all hardware.

Notes
Monitor mounting bracket must be field supplied.
For use with performance wall structure (MN200.) only. Order structure separately.
Order performance wall cladding with monitor mount (MN210. xxxxxxYM) separately.
Order media components (MN910.) separately.
For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.
MN915. ☐

Step 2. Performance Wall Length


- 06** 6' long ☐
- 07** 7' long ☐
- 08** 8' long ☐
- 09** 9' long ☐
- 10** 10' long ☐
- 11** 11' long ☐
- 12** 12' long ☐
- 13** 13' long ☐
- 14** 14' long ☐
- 15** 15' long ☐
- 16** 16' long ☐

Prices for Steps 1-2.

MN915.06	\$2571
07	\$2571
08	\$2571
09	\$1508
10	\$1508
11	\$1508
12	\$1508
13	\$2571
14	\$2571
15	\$2571
16	\$2571

Lite Rail

MN920.



Product Information


Description

This rail mounts to performance wall cladding and spanner zone cladding to support Exclave™ small boards and large boards. Rail comes with cleats and end caps.

Notes

Order Exclave small and large boards separately.
Specify performance wall cladding (MN210.) and spanner zone cladding (MN510.) for use with lite rail.
Lite rail attaches to cladding in predetermined locations and spans full length of cladding configuration specified.
For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN920. ☐

Step 2. Wall Type

PW performance wall ☐
SZ spanner zone ☐

Step 3. Overall Length

For performance wall (PW)

06	6' long	☐
07	7' long	☐
08	8' long	☐
09	9' long	☐
10	10' long	☐
11	11' long	☐
12	12' long	☐
13	13' long	☐
14	14' long	☐
15	15' long	☐
16	16' long	☐

For spanner zone (SZ)

06	6' long	☐
07	7' long	☐
08	8' long	☐
10	10' long	☐
11	11' long	☐
12	12' long	☐
14	14' long	☐
15	15' long	☐
16	16' long	☐

Step 4. Configuration Options

For spanner zone (SZ) with 6' long (06), 7' long (07), or 8' long (08)

FL full length spanner zone ☐

For spanner zone (SZ) with 10' long (10) or 11' long (11)

FL full length spanner zone ☐
DD spanner zone with door column ☐

For spanner zone (SZ) with 12' long (12), 14' long (14), 15' long (15), or 16' long (16)	
FL	full length spanner zone ☐
DD	spanner zone with door column ☐
HO	spanner zone with middle column ☐


For performance wall (PW)	
FP	full length performance wall ☐

Prices for Steps 1-4.		FP	FL	DD	HO
MN920.PW	06	\$406	—	—	—
	07	\$406	—	—	—
	08	\$406	—	—	—
	09	\$528	—	—	—
	10	\$528	—	—	—
	11	\$528	—	—	—
	12	\$528	—	—	—
	13	\$663	—	—	—
	14	\$663	—	—	—
	15	\$663	—	—	—
	16	\$663	—	—	—
SZ	06	—	\$406	—	—
	07	—	\$406	—	—
	08	—	\$406	—	—
	10	—	\$528	406	—
	11	—	\$528	406	—
	12	—	\$528	406	406
	14	—	\$663	528	406
	15	—	\$663	528	406
	16	—	\$663	528	406

Step 5. Finish	
SNC	satin carbon ☐ +\$37
AN	anodized ☐ +\$0

10. *Journal of the American Medical Association*, 2000; 284: 1039-1044.

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26



Product Information	
Description	


Description

This light seal is optional and can be specified for the performance wall or the spanner zone. Seals are installed horizontally below the cladding. Color is black.

Notes

Lengths are 8' and can be field cut to fit. For wall longer than 8', specify 2 or more light seals.

Dimensions



Specification Information

Step 1.

MN930. A

Step 2. Wall Type

PW performance wall **A**

SZ spanner zone

Step 3. Overall Length


08 8' long

Prices for Steps 1-3.

08

MN930.PW	\$33
----------	------

SZ	\$28
-----------	------




Product Information

Description
This light suspends from an intermediate spanner. Light comes with power jumper from light to switch, hardware pack, mounting kit, light switch, and switch bracket. Linear light is UL Listed and Canadian UL Listed.

Notes

- Licensed electrician must wire linear light.
- Linear light must route to powered performance wall.
- Order performance wall cladding with light switch option (MN210.xxxRL, MN210.xxxLL) separately.

Dimensions



Linear Light *continued*

Specification Information

Step 1.

MN100.

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral

10 10-wire, 4-circuit, separate neutrals

Step 3. Performance Wall Length

08 8' long

09 9' long

10 10' long

11 11' long

12 12' long

13 13' long

14 14' long

15 15' long

16 16' long

Prices for Steps 1-3.

	08	09	10	11	12	13
MN100.08	\$4390	4390	4390	4390	4390	4390
10	\$4477	4477	4477	4477	4477	4477
				14	15	16
MN100.08				\$4390	4390	4390
10				\$4477	4477	4477

Step 4. Light Finish

0H black +\$114

0J white +\$0


Step 5. Light Switch Faceplate Finish

0H black +\$0

0J white +\$0

Power Entry, Floor

MN140.



Product Information


Description

This power entry connects a building’s electrical supply from the floor to any powered performance wall structure. Power entry takes the place of a receptacle location in the performance wall. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It is available in 4 lengths and can be field cut to appropriate length. Power entry is UL Listed and Canadian UL Listed.

Notes

- Receptacle cutout locations to be specified within performance wall cladding (MN210).
- Licensed electrician must wire power entry.
- Power entry uses 1 modular connection location on adjacent power harness (MN150).

Dimensions



Specification Information

Step 1.

MN140. ☐

Step 2. Configuration


- 08 8-wire, 4-circuit, shared neutral ☐
- 10 10-wire, 4-circuit, separate neutrals ☐

Step 3. Power Entry Whip Length

- 06 6' long ☐
- 12 12' long ☐
- 18 18' long ☐
- 24 24' long ☐

Prices for Steps 1-3.

	06	12	18	24
MN140.08	\$237	395	554	710
10	\$257	430	602	772



Product Information

Description

This power entry connects a floor infeed from a building's electrical supply to the base of the performance wall structure. It connects to the modular connection location on the end of a power harness and includes a junction box. Power entry is designed to be compliant with New York infeed requirements. Power entry is UL Listed and Canadian UL Listed.


Notes

Licensed electrician must wire power entry.

The performance wall cladding (MN210.) panel that has power entry cannot have cutouts for receptacles.

Power entry uses 1 modular connection location on 1 end of adjacent power harness (MN150.).

Dimensions



Specification Information

Step 1.

MN141. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

Step 3. Performance Wall Length

06 6' long A

07 7' long A

08 8' long A

09 9' long A

10 10' long A

11 11' long A

12 12' long A

13 13' long A

14 14' long A

15 15' long A

16 16' long A

Step 4. Power Entry Whip Length

06 6' long A

12 12' long A

18 18' long A

24 24' long A

Prices for Steps 1-4.

	06	12	18	24
MN141.08 06	\$531	609	687	765
07	\$588	666	744	822
08	\$645	723	801	879
09	\$531	609	687	765
10	\$588	666	744	822
11	\$588	666	744	822
12	\$645	723	801	879
13	\$531	609	687	1218
14	\$588	666	744	822
15	\$588	666	744	822
16	\$645	723	801	879

Power Entry, New York - Floor


continued

Overlay™ Power

10 06	\$577	654	732	810
07	\$638	716	795	873
08	\$701	779	857	935
09	\$577	654	732	810
10	\$638	716	795	873
11	\$638	716	795	873
12	\$701	779	857	935
13	\$577	654	732	810
14	\$638	716	795	873
15	\$638	716	795	873
16	\$701	779	857	935

Power Entry, Ceiling

MN143.



Product Information

Description

This power entry connects a building’s electrical supply from the ceiling to a performance wall column. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. Includes black or white nylon sleeve to bundle wires and conduit. Power entry is UL Listed and Canadian UL Listed.


Notes

Performance wall column must be connected to a powered performance wall.

Licensed electrician must wire power entry.

Order appropriate performance wall jumper (MN155.) separately.

Dimensions



Specification Information

Step 1.

MN143. [A]

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral [A]

10 10-wire, 4-circuit, separate neutrals [A]

Step 3. Power Entry Whip Length

06 6' long [A]

12 12' long [A]

18 18' long [A]

24 24' long [A]


Prices for Steps 1-3.

	06	12	18	24
MN143.08	\$360	541	739	917
10	\$370	553	754	932

Step 4. Wire Management Sleeve

0H black [A] +\$0

0J white [A] +\$0




Product Information

Description
This power entry connects a building’s electrical supply from ceiling to a performance wall column. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. Power entry is designed to be compliant with New York infeed requirements. Power entry is UL Listed and Canadian UL Listed.

Notes
Licensed electrician must wire power entry.
Performance wall column must be connected to a powered performance wall.
Power entry uses 1 modular connection location on 1 end of adjacent power harness (MN150.).

Overlay™ Power


Dimensions



Power Entry, New York - Ceiling

continued

Specification Information					
Step 1.					
MN144. A					
Step 2. Configuration					
08	8-wire, 4-circuit, shared neutral	A			
10	10-wire, 4-circuit, separate neutrals	A			
Step 3. Power Entry Whip Length					
06	6' long	A			
12	12' long	A			
18	18' long	A			
24	24' long	A			
Prices for Steps 1-3.					
		06	12	18	24
MN144.08		\$427	565	704	843
10		\$453	592	731	869
Step 4. Wire Management Sleeve					
0H	black	A			+\$0
0J	white	A			+\$0



Product Information

Description


This power harness distributes power within performance wall structure. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It provides 2 receptacle locations, 1 on each side of the performance wall. Harness is suspended from the bottom of the performance wall structure within the interior of the frame. Performance wall length determines how many harnesses can be used. Harness is UL Listed and Canadian UL Listed.

Notes

Order these products separately:

- Power jumper (MN155.)
- Receptacles (MN152., MN152M., MN153., MN153M.)

Dimensions



Specification Information

Step 1.

MN150. A

Step 2. Configuration

- 08** 8-wire, 4-circuit, shared neutral A
- 10** 10-wire, 4-circuit, separate neutrals A

Step 3. Performance Wall Length

- 06** 6' long A
- 07** 7' long A
- 08** 8' long A
- 09** 9' long A
- 10** 10' long A
- 11** 11' long A
- 12** 12' long A
- 13** 13' long A
- 14** 14' long A
- 15** 15' long A
- 16** 16' long A

Step 4. Power Cutout

For 6' long (06), 7' long (07), or 8' long (08)

- 22** 2 duplex cutout A

For 9' long (09), 10' long (10), 11' long (11), or 12' long (12)

- 32** 2 duplex cutout A
- 33** 3 duplex cutout A

For 13' long (13), 14' long (14), 15' long (15), or 16' long (16)

- 42** 2 duplex cutout A
- 44** 4 duplex cutout A


Prices for Steps 1-4.

	22	32	33	42	44
MN150.08 06	\$255	—	—	—	—
07	\$268	—	—	—	—
08	\$279	—	—	—	—
09	—	\$255	383	—	—
10	—	\$268	395	—	—
11	—	\$268	407	—	—
12	—	\$280	420	—	—
13	—	—	—	\$268	522
14	—	—	—	\$268	535
15	—	—	—	\$280	549
16	—	—	—	\$280	559

10 06	\$280	—	—	—	—
07	\$293	—	—	—	—
08	\$306	—	—	—	—
09	—	\$280	419	—	—
10	—	\$293	433	—	—
11	—	\$293	446	—	—
12	—	\$306	460	—	—
13	—	—	—	\$293	573
14	—	—	—	\$293	586
15	—	—	—	\$306	599
16	—	—	—	\$306	613

Cutout Cover

MN151.




Product Information

Description

This cover is used in performance walls where cladding cutout is present and no power access is needed. Package contains 6 covers.

Dimensions

Overlay™ Power



Specification Information

Step 1.


MN151. A \$20

Step 2. Finish


8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BK	black A	+\$0
CL	cool grey neutral A	+\$0
G1	graphite A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Receptacle, 4-Circuit, 15 amp

MN152.



Product Information
Description
This receptacle locks into the power harness of a frame. It is UL Listed and Canadian UL Listed. Package contains 6 receptacles.
Notes
Receptacles can be placed on each side of the performance wall structure in standard locations.
Dimensions



Specification Information
Step 1.
MN152. A
Step 2. Type
AN 8-wire duplex, shared neutral, circuit a A
BN 8-wire duplex, shared neutral, circuit b A
CN 8-wire duplex, shared neutral, circuit c A
DN 8-wire duplex, shared neutral, circuit d A
1G 10-wire duplex, separate neutrals, circuit a, isolated ground A
2G 10-wire duplex, separate neutrals, circuit b, isolated ground A
3G 10-wire duplex, separate neutrals, circuit c, isolated ground A
4G 10-wire duplex, separate neutrals, circuit d, isolated ground A
1N 10-wire duplex, separate neutrals, circuit a A
2N 10-wire duplex, separate neutrals, circuit b A
3N 10-wire duplex, separate neutrals, circuit c A
4N 10-wire duplex, separate neutrals, circuit d A
AG 8-wire duplex, shared neutral, circuit a, isolated ground A
BG 8-wire duplex, shared neutral, circuit b, isolated ground A
CG 8-wire duplex, shared neutral, circuit c, isolated ground A
DG 8-wire duplex, shared neutral, circuit d, isolated ground A
Prices for Steps 1-2.
MN152.AN \$155
BN \$155
CN \$155
DN \$155
1G \$155
2G \$155
3G \$155
4G \$155
1N \$155
2N \$155
3N \$155
4N \$155
AG \$155
BG \$155
CG \$155
DG \$155


Receptacle, 4-Circuit, 15 amp

continued


Step 3. Finish		
8Q	folkstone grey ☐ A	+\$0
91	white ☐ A	+\$0
98	studio white ☐ A	+\$0
BK	black ☐ A	+\$0
CL	cool grey neutral ☐ A	+\$0
G1	graphite ☐ A	+\$0
WL	sandstone ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0

Overlay™ Power

Controlled Receptacle, 4-Circuit, MN152M
15 amp



Product Information
Description
This receptacle is to be used for ASHRAE90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacle that is automatically controlled by the energy management system. Receptacle locks into the power harness of a frame. It is UL Listed and Canadian UL Listed. Package contains 6 receptacles.
Notes
Receptacles can be placed on each side of the performance wall structure in standard locations.
Dimensions



Specification Information
Step 1.
MN152M. ☐
Step 2. Type
AN 8-wire duplex, shared neutral, circuit a ☐
BN 8-wire duplex, shared neutral, circuit b ☐
CN 8-wire duplex, shared neutral, circuit c ☐
DN 8-wire duplex, shared neutral, circuit d ☐
1G 10-wire duplex, separate neutrals, circuit a, isolated ground ☐
2G 10-wire duplex, separate neutrals, circuit b, isolated ground ☐
3G 10-wire duplex, separate neutrals, circuit c, isolated ground ☐
4G 10-wire duplex, separate neutrals, circuit d, isolated ground ☐
1N 10-wire duplex, separate neutrals, circuit a ☐
2N 10-wire duplex, separate neutrals, circuit b ☐
3N 10-wire duplex, separate neutrals, circuit c ☐
4N 10-wire duplex, separate neutrals, circuit d ☐
AG 8-wire duplex, shared neutral, circuit a, isolated ground ☐
BG 8-wire duplex, shared neutral, circuit b, isolated ground ☐
CG 8-wire duplex, shared neutral, circuit c, isolated ground ☐
DG 8-wire duplex, shared neutral, circuit d, isolated ground ☐

Prices for Steps 1-2.	
MN152M. AN	\$155
BN	\$155
CN	\$155
DN	\$155
1G	\$155
2G	\$155
3G	\$155
4G	\$155
1N	\$155
2N	\$155
3N	\$155
4N	\$155
AG	\$155
BG	\$155
CG	\$155
DG	\$155


Controlled Receptacle, 4-Circuit,
15 amp *continued*

Step 3. Finish		
8Q	folkstone grey ☐ A	+\$0
91	white ☐ A	+\$0
98	studio white ☐ A	+\$0
BK	black ☐ A	+\$0
CL	cool grey neutral ☐ A	+\$0
G1	graphite ☐ A	+\$0
WL	sandstone ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0


Overlay™ Power

Receptacle, 4-Circuit, 20 amp

MN153.




Product Information
Description
This receptacle locks into the power harness of a frame. It is UL Listed and Canadian UL Listed. Single-pack unit includes 1 receptacle.
Notes
Receptacles can be placed on each side of the performance wall structure in standard locations.
Dimensions



Specification Information
Step 1.
MN153. ☐
Step 2. Type
AN 8-wire duplex, shared neutral, circuit a ☐
BN 8-wire duplex, shared neutral, circuit b ☐
1G 10-wire duplex, separate neutrals, circuit a, isolated ground ☐
2G 10-wire duplex, separate neutrals, circuit b, isolated ground ☐
1N 10-wire duplex, separate neutrals, circuit a ☐
2N 10-wire duplex, separate neutrals, circuit b ☐
AG 8-wire duplex, shared neutral, circuit a, isolated ground ☐
BG 8-wire duplex, shared neutral, circuit b, isolated ground ☐
Prices for Steps 1-2.
MN153.AN \$41
BN \$41
1G \$41
2G \$41
1N \$41
2N \$41
AG \$41
BG \$41
Step 3. Finish
8Q folkstone grey ☐ +\$0
91 white ☐ +\$0
98 studio white ☐ +\$0
BK black ☐ +\$0
CL cool grey neutral ☐ +\$0
G1 graphite ☐ +\$0
WL sandstone ☐ +\$0
WN warm grey neutral ☐ +\$0

Controlled Receptacle, 4-Circuit, MN153M
20 amp



Product Information


Description

This receptacle snaps into an 8-wire, 4-circuit, shared neutral power harness or a 10-wire, 4-circuit, separate neutral power harness to provide power to equipment with a 20-amp standard plug head or cap. It also accepts 15-amp standard plug heads or caps. Receptacle is UL Listed. Single-pack unit includes 1 receptacle.

Notes

Avoid overloading circuit by ensuring total connected load does not exceed 16 amps. If 1 piece of equipment requires all available power, do not use receptacle's second outlet or install additional receptacles on that circuit. In many cases, equipment requiring this receptacle will use all available power.

Dimensions



Specification Information

Step 1.

MN153M. ☐

Step 2. Type

- AN** 8-wire duplex, shared neutral, circuit a ☐
- BN** 8-wire duplex, shared neutral, circuit b ☐
- 1G** 10-wire duplex, separate neutrals, circuit a, isolated ground ☐
- 2G** 10-wire duplex, separate neutrals, circuit b, isolated ground ☐
- 1N** 10-wire duplex, separate neutrals, circuit a ☐
- 2N** 10-wire duplex, separate neutrals, circuit b ☐
- AG** 8-wire duplex, shared neutral, circuit a, isolated ground ☐
- BG** 8-wire duplex, shared neutral, circuit b, isolated ground ☐


Prices for Steps 1-2.

MN153M. AN	\$41
BN	\$41
1G	\$41
2G	\$41
1N	\$41
2N	\$41
AG	\$41
BG	\$41

Step 3. Finish

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Performance Wall Power Jumper MN155.




Product Information

Description
This power jumper connects power horizontally from one power harness to another. It connects power between adjacent frames. Power jumper connects into the end of a harness; it does not connect into a receptacle location. Power jumper is UL Listed and Canadian UL Listed.

Notes
For ceiling, floor or no infeed locations (CL, FL, NO), appropriate jumper will be supplied to reach from base power to infeed.
When using linear light (MN100.), specify yes light switch (YL) option for a jumper that connects power harness to light switch. Linear light comes with jumper from switch to light.
Jumper uses 1 of 4 modular connections on each end of adjacent power harness (MN150).
For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.
MN155. ☐

Step 2. Configuration
08 8-wire, 4-circuit, shared neutral ☐
10 10-wire, 4-circuit, separate neutrals ☐

Step 3. Performance Wall Length
06 6' long ☐
07 7' long ☐
08 8' long ☐
09 9' long ☐
10 10' long ☐
11 11' long ☐
12 12' long ☐
13 13' long ☐
14 14' long ☐
15 15' long ☐
16 16' long ☐

Step 4. Power Cutout

For 6' long (06), 7' long (07), or 8' long (08)
22 2 duplex cutout ☐

For 9' long (09), 10' long (10), 11' long (11), or 12' long (12)
32 2 duplex cutout ☐
33 3 duplex cutout ☐

For 13' long (13), 14' long (14), 15' long (15), or 16' long (16)
42 2 duplex cutout ☐
44 4 duplex cutout ☐

Step 5. Infeed Location

CL ceiling infeed location ☐
FL floor infeed location ☐
NO no infeed (for when infeed comes from a different performance wall) ☐

Step 6. Light Switch Infeed

NL no light switch ☐
YL light switch ☐

Performance Wall Power Jumper

continued

Overlay™ Power

Prices for Steps 1-6.						
	22CLNL	22CLYL	22FLNL	22FLYL	22NONL	22NOYL
MN155.08 06	\$316	316	134	134	134	134
07	\$316	316	134	134	134	134
08	\$316	316	134	134	134	134
10 06	\$407	407	134	134	134	134
07	\$407	407	134	134	134	134
08	\$407	407	134	134	134	134

	32CLNL	32CLYL	32FLNL	32FLYL	32NONL	32NOYL
MN155.08 09	\$354	354	170	170	170	170
10	\$354	354	170	170	170	170
11	\$354	354	170	170	170	170
12	\$354	354	170	170	170	170
10 09	\$392	392	190	190	190	190
10	\$392	392	190	190	190	190
11	\$392	392	190	190	190	190
12	\$392	392	190	190	190	190

	33CLNL	33CLYL	33FLNL	33FLYL	33NONL	33NOYL
MN155.08 09	\$450	450	268	268	268	268
10	\$450	450	268	268	268	268
11	\$450	450	268	268	268	268
12	\$450	450	268	268	268	268
10 09	\$500	500	298	298	298	298
10	\$500	500	298	298	298	298
11	\$500	500	298	298	298	298
12	\$500	500	298	298	298	298


	42CLNL	42CLYL	42FLNL	42FLYL	42NONL	42NOYL
MN155.08 13	\$316	316	134	134	134	134
14	\$316	316	134	134	134	134
15	\$316	316	134	134	134	134
16	\$316	316	134	134	134	134
10 13	\$407	407	134	134	134	134
14	\$407	407	134	134	134	134
15	\$407	407	134	134	134	134
16	\$407	407	134	134	134	134

	44CLNL	44CLYL	44FLNL	44FLYL	44NONL	44NOYL
MN155.08 13	\$613	613	401	401	401	401
14	\$613	613	401	401	401	401
15	\$613	613	401	401	401	401
16	\$613	613	401	401	401	401

10 13	\$649	649	446	446	446	446
14	\$649	649	446	446	446	446
15	\$649	649	446	446	446	446
16	\$649	649	446	446	446	446

Spanner Zone Jumper

MN156.



Product Information


Description

This power jumper connects power horizontally from one performance wall power harness to another performance wall power harness through the column spanner. Spanner power jumper connects into the end of a harness; it does not connect into a receptacle location. Power jumper is UL Listed and Canadian UL Listed.

Notes

For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN156. A

Step 2. Configuration

08

8-wire, 4-circuit, shared neutral A

10

10-wire, 4-circuit, separate neutrals A

Step 3. Spanner Zone Length

06

6' long A

07

7' long A

08

8' long A

10

10' long A

11

11' long A

12

12' long A

14

14' long A

15

15' long A

16

16' long A

Prices for Steps 1-3.

	06	07	08	10	11	12
MN156.08	\$666	666	666	666	758	758
10	\$746	746	746	746	853	853
				14	15	16
MN156.08				\$758	758	758
10				\$853	853	853

Index by Product Name

Overlay™	
Column Seismic Anchor Bracket	page(s) 9
Controlled Receptacle, 4-Circuit, 15 amp	59
Controlled Receptacle, 4-Circuit, 20 amp	62
Curtain Track	34
Cutout Cover	56
Glass Mount	31
Light Seal	45
Linear Light	46
Lite Rail	43
Media Mounting Components	41
Media Structure	42
Perforated Metal	35
Performance Wall Cap	7
Performance Wall Cladding	17
Performance Wall Column	10
Performance Wall Power Jumper	63
Performance Wall Seismic Anchor Bracket	8
Performance Wall Structure	5
Power Entry, Ceiling	51
Power Entry, Floor	48
Power Entry, New York - Ceiling	52
Power Entry, New York - Floor	49
Power Harness	54
Receptacle, 4-Circuit, 15 amp	57
Receptacle, 4-Circuit, 20 amp	61
Sliding Glass Door Hardware	32
Spanner	12
Spanner Zone Cladding	26
Spanner Zone Jumper	65
Spanner Zone Structure	25
Toggle Wall Strip Anchor	15
Trellis	37
Wall Fastener	16
Wood Slat	29



Index by Product Number

MN100. Linear Light	page(s) 46
MN140. Power Entry, Floor	48
MN141. Power Entry, New York - Floor	49
MN143. Power Entry, Ceiling	51
MN144. Power Entry, New York - Ceiling	52
MN150. Power Harness	54
MN151. Cutout Cover	56
MN152M Controlled Receptacle, 4-Circuit, 15 amp	59
MN152. Receptacle, 4-Circuit, 15 amp	57
MN153M Controlled Receptacle, 4-Circuit, 20 amp	62
MN153. Receptacle, 4-Circuit, 20 amp	61
MN155. Performance Wall Power Jumper	63
MN156. Spanner Zone Jumper	65
MN200. Performance Wall Structure	5
MN210. Performance Wall Cladding	17
MN220. Performance Wall Cap	7
MN230. Performance Wall Seismic Anchor Bracket	8
MN240. Column Seismic Anchor Bracket	9
MN300. Performance Wall Column	10
MN400. Spanner	12
MN500. Spanner Zone Structure	25
MN510. Spanner Zone Cladding	26
MN520. Wood Slat	29
MN530. Glass Mount	31
MN540. Sliding Glass Door Hardware	32
MN550. Curtain Track	34
MN560. Perforated Metal	35
MN900. Trellis	37
MN910. Media Mounting Components	41
MN915. Media Structure	42
MN920. Lite Rail	43
MN930. Light Seal	45
X1191. Toggle Wall Strip Anchor	15
X1192. Wall Fastener	16



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



• Available

A Assigned lead-time textile.

See page 3 for exception notes.

Appendix: Proprietary Textiles Application Chart – Workspaces

continued on next page

Proprietary Textiles Application Chart — Workspaces

continued

Proprietary Textiles Application Chart — Workspaces <i>continued</i>	Action Office® Panels/Connectors																																
	Action Office/Ethospace® B-Style Storage																																
	Action Office B-Style Tackboards																																
	Action Office/Ethospace E-Style Storage																																
	Ethospace Tiles/Connectors																																
	Ethospace Work Surface-Attached Screens																																
	Ethospace/Canvas Office Landscape® Privacy Doors																																
	Canvas Tiles/Extended Width Tiles/Channel Tiles																																
	Canvas B-/E-Style Storage																																
	Canvas Standing Screen and Team Wall Infill																																
	Canvas Tackboards																																
	Canvas Vista™ Movable Insert and Display Unit																																
	Layout Studio® Framed Screen																																
	Locale® Display Tackboard																																
	Locale Freestanding Screen and Workbase Screen																																
	Locale L-Desk/D-Desk Screens																																
	Overlay™ Performance Wall Cladding																																
	Pari™ Screens/Flat Edge Screens/Channel Screens																																
	Prospect™ Exterior Acoustic Pad																																
	Public Office Landscape® Screen/Desktop Top Divider																																
Renew™ Link Screens																																	
Resolve® Boundary Screens/Flags																																	
Resolve Display Screens																																	
Resolve Rolling Screens/Canopies																																	
Exclave® Tackable Boards and Stowage Tackable Backdrop																																	
Exclave Video-Friendly Tackable Boards and Stowage Tackable Backdrop																																	
Intersect® Screens																																	
Personal Side Screen																																	
Tu® Wood Storage Cubby Tackboard																																	
Seating																																	
Price Category 3																																	
70__ Bento	2	2	2	•				•	2	•	•	•		•	•		•	•		•	•						•		•	•	•		
1FB__ Connection	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•				•							•	•	•	•	•		
1FC__ Current	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•				•							•	•	•	•	•		
8Z__ Glaze	•	•	•	•	•		•	•	•	•	•	•	•	•	•		•										•	•	•	•	•		
47__ Ground Cloth®	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•	•		•	•	14			•	8	•	•	•			
5D__ Kira 2	2	2	2	•	•		•	•	2	•	•	•	•	•	•	•		•	•		•	•	14				•	•	•	•			
22R__ Pins and Needles	2	2		•	•		•	•	2	•	•	•	•	•	•	•		•									•	•	•	•			
8L__ Savannah	•	20	•	•	•		•	•	•	•	•	•	•	•	•		•		•			14					•	•	•	•			
8W__ Strands	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•	•		•	•					•	•	•	•			
22V__ String Plaid	2	2	2	•			•	•	2	•	•	•	•	•	•	•		•	•		•	•					•	•	•	•			
Price Category 4																																	
2X__ Glisten	•	•	•	•	•		•	•	•	•	•	•	•	•	•		•					•					•	•	•	•			
22L__ Loft A		2	2	•	•		•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•				•	8	•	•	•	•		
6S__ Quilty	2	2	2	•	•		•	•	2				•	•	•			•									•	•	•	•			
Price Category 5																																	
14A__ Hopsak	2	2	2	•	•			•	2	•	•	•	•	•	•		•									•		•	•	•	•		
Price Category 6																																	
No fabrics available at this time.																																	

- 1 Refer to price book appendices and Omni for COM information.
- 2 Available on all products except 54" and 60" wide.
- 4 Not available on Action Office (AO) acoustical panels.
- 5 (8R__), (8T__), (85__), and (5S__) not available on AO acoustical panels and not available on 54"- or 60"-wide products.
- 6 Not available on Action Office (AO) connectors, cable management, and spacers.
- 8 Available in select colors. See the "Proprietary Textile Colors — Workspaces" appendix.
- 14 Not available on Resolve flags.
- 18 Available on seating products in select colors. See the "Proprietary Textile Colors — Seating" appendix.
- 19 Not available in Grosgrain (84__) fabric colors 8401, 8405, and 8413.
- 20 Available only on Ethospace B-Style.
- 22 Not available as railroaded application option for Chain (2Voo) and Moiré (3Aoo) on Canvas Extended Width Tiles.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.

Proprietary Textile Colors — Workspaces

Price Category 1

Customer's Own Material	
See Order Information in Appendices.	
Assigned lead-time textile. A	

Bubbletack™	
100% polyester	
8A01	Seashell White
8A02	Pearl Grey
8A19	Spa Blue
8A24	Sable Grey
8A27	Summer White
8A28	Moth Grey
8A30	Blue Grey
8A31	Dusty Bronze
8A32	Slate Blue
8A35	Studio White
8A36	Blush Grey
8A37	Shale
8A38	Slate
8A39	Eggnog
8A40	Persimmon
8A41	Bud

Chain	
66" wide	
100% recycled polyester	
2V01	Pearl
2V02	Oyster
2V03	Wheat
2V04	Linen
2V05	Wicker
2V06	Bamboo
2V07	Sage
2V08	Spring Wood
2V09	Iceberg

Crossing	
54" wide	
86% antimony-free polyester	
14% polyester	
8T03	Wicker *
8T04	Porcelain *
8T05	Warm Grey *
8T06	Sepia
8T07	Pumpkin
8T08	Copper
8T09	Cranberry
8T10	Tomato
8T11	Mulberry
8T12	Plum
8T13	Green Apple
8T14	Loden
8T15	Spruce
8T16	Periwinkle
8T17	Cerulean
8T18	Indigo
8T19	Shale *
8T20	Brownstone
8T21	Bark
8T22	Tin *
8T23	Graphite
8T24	Black

Crossing	
For workspaces products only.	
54" wide	
86% antimony-free polyester	
14% polyester	
8501	Ivory *
8502	Oyster *

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop

Dex	
54" wide	
50% recycled polyester	
50% polyester	
3DE01	Frost
3DE02	Silver Pine
3DE03	Stone
3DE04	Shale
3DE05	Charcoal

Gem	
54" wide	
100% antimony-free polyester	
9502	Tangerine
9503	Red
9507	Twilight
9508	Bayou
9510	Berry Blue
9511	Aqua Green
9512	Green Apple
9514	Black
9515	Slate Grey
9516	Fog

Grasscloth	
66" wide	
100% recycled polyester	
2I01	Silver Birch
2I02	Pampas
2I03	Sedge
2I07	Lea
2I08	Taro
2I09	Steam Grey
2I10	Cayenne
2I11	Bottle Green
2I12	Surf
2I13	Gravel

Monologue	
54" wide	
56% recycled polyester	
44% polyester	
1MN01	Linen
1MN02	Alabaster
1MN03	Truffle
1MN04	Folkstone
1MN05	Silver Pine
1MN06	Slate
1MN07	Seed
1MN08	Yellow Oxide
1MN09	Persimmon
1MN10	Tundra
1MN11	Meadow
1MN12	Blue Sky
1MN13	Blue Spruce
1MN14	Deep Sea

Multiscrim™	
60" wide	
100% polyester	
8B01	Seashell White
8B02	Pearl Grey
8B19	Spa Blue
8B24	Sable Grey
8B27	Summer White
8B28	Moth Grey
8B30	Blue Grey
8B31	Dusty Bronze
8B32	Slate Blue
8B35	Studio White
8B36	Blush Grey
8B37	Shale
8B38	Slate
8B39	Eggnog
8B40	Persimmon
8B41	Bud

Price category 1 continued on next page

Proprietary Textile Colors — Workspaces

continued

Price Category 1

continued

Resonance	
66" wide	
100% polyester	
5T04	Greige
5T05	Porcelain
5T06	Alabaster
5T15	Iris
5T28	Sugar
5T47	Tobacco
5T54	Saltbush
5T57	Seed
5T58	Sepia
5T60	Iceberg
5T65	Red
5T67	Boysenberry
5T68	Pistachio
5T69	Green Apple
5T71	Jade
5T72	Blue Green
5T74	Twilight

Scrim Trim	
61" wide	
82% polyester	
18% spandex	
8C01	Seashell White
8C02	Pearl Grey
8C22	Winter Grey
8C24	Sable Grey

Silkworm	
66" wide	
58% recycled polyester	
42% polyester	
2M01	Cocoon
2M02	Pongee
2M03	Saffron
2M04	Tussah
2M05	Ceylon
2M06	Jasmine
2M07	Shale
2M08	Monsoon

Slant	
66" wide	
51% polyester	
49% recycled polyester	
22F04	Pesto
22F06	Neptune
22F07	Blueberry
22F10	Pumpkin
22F12	Silver Birch
22F13	Bluestone
22F15	Shale

Tailored	
Assigned lead-time textile. A	
54" wide	
56% polyester	
44% recycled polyester	
23501	Studio White *
23502	Sugar
23503	Tomato
23504	Orchid
23505	Boysenberry
23506	Chive
23507	Bluegrass
23508	Cobalt
23509	Cadet
23510	Fog
23511	Graphite
23512	Black
23513	Coffee

* Color not available on Canvas Tiles.

Whisper	
54" wide	
73% recycled polyester	
27% polyester	
1WS01	Sand Dollar
1WS02	Pebble
1WS03	Silver Birch
1WS04	Iceberg
1WS05	Silver Pine
1WS06	Carbon
1WS07	Cumin
1WS08	Adobe
1WS09	Strawberry
1WS10	Blush
1WS11	Eggplant
1WS12	Willow
1WS13	Sea Grass
1WS14	Pool
1WS15	Blueberry

Price Category 2

Aristo	
54" wide	
88% recycled polyester	
12% polyester	
Acrylic backing	
3AR01	Forest Moss
3AR02	Light Brindle
3AR03	Mink
3AR04	Copper
3AR05	Adobe
3AR06	Cherry
3AR07	Lilac
3AR08	Green Apple
3AR09	Surf
3AR10	Waterfall
3AR11	Cadet
3AR12	Tin
3AR13	Pewter
3AR14	Grey Brindle
3AR15	Grey Black

Code	
66" wide	
100% Repreve recycled polyester	
1CD01	Linen
1CD02	Khaki
1CD03	Iceberg
1CD04	Zinc
1CD05	Blue Black

Price category 2 continued on next page

Proprietary Textile Colors — Workspaces

continued

Price Category 2

continued

Cord	
66" wide	
51% antimony-free polyester	
49% polyester	
5101	Ivory
5102	White Ash
5103	Linen
5104	Bamboo
5105	Sepia
5106	Wicker
5107	Sesame
5108	Kiwi Green
5109	Bayou
5110	Shade
5111	Spring Wood
5112	Summer White

Crepe	
54" wide	
100% recycled polyester	
9201	Licorice
9203	Smoke
9207	Cherry
9209	Claret
9212	Raisin
9218	Aquamarine
9223	Cadet
9241	Beachglass
9243	Midnight
9244	Artichoke
9248	Warm White *
9249	Stone *
9250	Earth
9251	Fog *
9252	Slate Grey
9253	Yellow Dark
9254	Coral
9255	Blush Grey *
9256	Wild Berry
9257	Clover
9258	Caribbean
9259	Cerulean
9260	Brownstone
9261	Shale
9262	Graphite
9263	Tomato
9264	Green Apple

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop.

Epic	
54" wide	
56% recycled polyester	
44% polyester	
Acrylic backing	
3EP01	Alabaster
3EP02	Smoke
3EP03	Falcon
3EP04	Citrus Spring
3EP05	Copper
3EP06	Urban Orange
3EP07	Poppy
3EP08	Wild Plum
3EP09	Sugar Plum
3EP10	Clover
3EP11	Loden
3EP12	Everglade
3EP13	Mist
3EP14	Peacock
3EP15	Cadet
3EP16	Indigo
3EP17	Spring Wood
3EP18	Grey Brindle
3EP19	Seed
3EP20	Carbon Dark

Fish Net	
55" wide	
100% recycled polyester	
22Q01	Oyster
22Q02	Stone
22Q03	Citrus
22Q04	Curry
22Q05	Chipotle
22Q06	Cherry
22Q07	Fuschia
22Q08	Claret
22Q09	Purple
22Q10	Clover
22Q11	Pesto
22Q12	Peacock
22Q13	Lagoon
22Q14	Twilight
22Q15	Bluestone
22Q16	Storm
22Q17	Black
22Q18	Cocoa

Frost	
66" wide	
100% recycled polyester	
5703	Porcelain
5704	Honey
5705	Iceberg
5706	Sage
5710	Sable Grey

Price category 2 continued on
next page

Proprietary Textile Colors — Workspaces

continued

Price Category 2

continued

Grosgrain	
66" wide	
100% recycled polyester	
8401	Pearl * **
8402	White Ash
8403	Warm Grey
8404	Khaki
8405	Oyster *
8406	Celadon
8408	Spa Blue
8409	Bud
8410	Kiwi Green
8411	Bayou
8412	Tin
8413	Iceberg *

* Colors not available on Canvas Dock Mounted Screens, Locale® Workbase Screen, Public Office Landscape® Screen/Desk Top Divider, and Thrive® Personal Side Screen.

** Color not available on Canvas Tiles.

Horizon	
54" wide	
65% antimony-free polyester	
35% polyester	
4N01	Rye Grass
4N02	Sugar Pine
4N03	Silver Pine
4N04	White Ash
4N05	Spring Wood
4N06	Tamarack
4N07	Mushroom
4N08	Haystack
4N09	Oat Grass
4N10	Forest Moss
4N11	Hickory
4N12	Beech Nut
4N13	Pine Cone
4N14	Poplar
4N15	Elderberry

Loom	
54" wide	
100% polyester	
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM05	Black
1LM06	Lemongrass
1LM07	Poppy
1LM08	Wild Berry
1LM09	Loden
1LM10	Jade
1LM11	Deep Sea

Medley	
54" wide	
100% polyester	
1HA01	Stone *
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA05	Citrus
1HA06	Papaya
1HA07	Chutney
1HA08	Tundra
1HA09	Feather Grey *
1HA10	Chartreuse
1HA11	Loden
1HA12	Peacock
1HA13	Bayou *
1HA14	Blue Grotto
1HA15	Blueberry
1HA22	Khaki
1HA23	Pewter
1HA24	Yellow Oxide
1HA25	Vintage Rose
1HA26	Raspberry
1HA27	Acai Berry

* Colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop

Moiré	
54" wide	
100% recycled polyester	
3A01	Concrete
3A02	Biscotti
3A03	Rattan
3A04	Chambray
3A05	Fern
3A08	Violet
3A09	Zin
3A10	Curry
3A11	Spice
3A12	Cork

Rivet	
54" wide	
100% recycled polyester	
1RV01	Twig
1RV02	Deep Clay
1RV03	Woodrose
1RV04	Otter
1RV05	Hemlock
1RV06	Olive
1RV07	Lagoon
1RV08	Deep Sea
1RV09	Charcoal
1RV10	Grey Brindle

Sequel	
54" wide	
100% vinyl	
100% polyester knit backing	
Resilience® finish	
3SL01	White
3SL02	Pebble
3SL03	Mushroom
3SL04	Stone
3SL05	Chestnut
3SL06	Rattan
3SL07	Black Cherry
3SL08	Tundra
3SL09	Seal
3SL10	Blue Fog
3SL11	Folkstone
3SL12	Shale
3SL13	Slate Grey
3SL14	Charcoal
3SL15	Carbon Dark

Twist	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
8R05	Wicker
8R10	Poppy
8R14	Tin
8R15	Shale
8R16	Graphite
8R17	Birch
8R18	Sepia
8R22	Blueberry
8R23	Green Apple
8R26	Gunmetal
8R27	Cinder
8R28	Citrus
8R29	Pekoe
8R30	Tangerine
8R31	Red Plum
8R32	Wisteria
8R33	Forest
8R34	Jade Dark
8R35	Waterfall
8R36	Midnight Blue
8R37	Carbon Dark

Twist	
For workspaces products only.	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
5S01	Pearl
5S02	Ivory
5S03	Oyster

Price category 2 continued on next page

Proprietary Textile Colors — Workspaces

continued

Price Category 2

continued

Well Suited	
55" wide	
79% polyester	
21% recycled polyester	
22T01	Oyster
22T02	Raffia
22T03	Peppermint
22T08	Cool Grey
22T16	Jade
22T17	Peacock
22T18	Blueberry

Price Category 3

Bento	
54" wide	
100% antimony-free polyester	
7001	Frost
7002	Linen
7003	Khaki
7004	Truffle
7005	Grey Black
7006	Pumpkin
7007	Cranberry
7008	Everglade
7009	Cobalt

Connection	
66" wide	
100% antimony-free polyester	
1FB1	Oyster
1FB2	Linen
1FB3	Iceberg
1FB4	Silver Pine
1FB5	Apricot
1FB6	Cumin
1FB7	Green Apple
1FB8	Slate Blue
1FB9	Metal

Current	
66" wide	
100% antimony-free polyester	
1FC1	Oyster
1FC2	Linen
1FC3	Iceberg
1FC4	Silver Pine
1FC5	Apricot
1FC6	Cumin
1FC7	Green Apple
1FC8	Slate Blue
1FC9	Metal

Glaze	
66" wide	
100% recycled polyester	
8Z01	Wicker
8Z02	Honey
8Z03	Porcelain
8Z04	Celadon
8Z06	Rye
8Z07	Frost
8Z08	Silver Birch

Ground Cloth®	
66" wide	
100% polyester	
4701	Vapor Grey
4721	Warm White *
4722	Fog *
4723	Straw *
4724	Red Orange *
4725	Wild Berry *
4726	Green Apple *
4727	Caribbean *
4728	Midnight *
4729	Cappuccino *

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop

Kira 2	
54" wide	
100% recycled polyester	
5D11	Flaxen
5D12	Papyrus
5D13	Oasis
5D14	Incense
5D15	Ash
5D16	Falcon

Pins and Needles	
58" wide	
76% recycled polyester	
24% polyester	
22R01	Day and Night
22R02	Night and Day

Savannah	
66" wide	
76% recycled polyester	
24% polypropylene	
8L01	Pearl
8L02	Oyster
8L03	Wheat
8L04	Jute
8L05	Bamboo
8L06	Metal
8L07	Linen
8L08	Celadon
8L09	Moss
8L10	Frost
8L11	Shale
8L12	Pewter

Price category 3 continued on next page

Proprietary Textile Colors — Workspaces

continued

Price Category 3

continued

Strands	
66" wide	
100% recycled polyester	
8W01	Pebble
8W02	Porcelain
8W03	Taupe
8W04	Honey
8W05	Khaki
8W06	Rye
8W07	Wicker
8W08	Tin
8W09	Cool Grey
String Plaid	
54" wide	
100% recycled polyester	
22V01	Warm White on Khaki
22V02	Mint on Yellow Green
22V03	Mist on Blue Grey
22V04	Sky Blue on Red
22V05	Lime on Magenta
22V06	Bright Green on Green
22V07	Aqua Blue on Cerulean
22V08	Ivory on Black

Price Category 4

Glisten	
66" wide	
84% polyester	
16% recycled polyester	
2X02	Rye
2X05	Iceberg
2X09	Pewter
2X10	Ash
Loft	
Assigned lead-time textile. A	
54" wide	
100% wool	
22L01	Heathered Light Green
22L02	Heathered Dark Green
22L03	Heathered Turquoise
22L04	Heathered Navy
22L08	Heathered Grey *
22L09	Heathered Blue *
22L11	Heathered Dark Grey

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop

Price Category 5

Hopsak	
56" wide	
100% recycled polyester	
14A20	Black
14A22	Raw Umber Dark
14A26	Grey Blue Dark
14A30	Sepia Dark
14A38	Emerald Dark
14A39	Yellow Dark
14A40	Orange
14A41	Sienna
14A42	Olive Green Dark
14A43	Crimson
14A44	Crimson Dark Dark
14A45	Violet Dark
14A46	Pink Dark Dark
14A47	Ultramarine Dark
14A48	Cobalt Blue
14A49	Terra Cotta
14A50	Ochre Dark

Maharam® Application Chart — Workspaces

•Available

See below for exception notes.

Maharam textiles are on assigned lead times. A

	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Storage	Action Office/Ethospace B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Channel Tiles	Canvas B-/E-Style Storage	Canvas Tackboards	Canvas Vista™ Movable Insert and Display Unit	Locale® Freestanding Screen and Workbase Screen	Overlay™ Performance Wall Cladding	Par™ Screens/Flat Edge Screens/Channel Screens	Prospect™ Exterior Acoustic Pad	Public Office Landscape® Screen/Desk Top Divider	Renew™ Link Screens	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave® Tackable Boards and Stowage Tackable Backdrop	Intersect® Screens	Personal Side Screen	Seating
Price Category 1-2																							
No fabrics available at this time.																							
Price Category 3																							
ZM2__Meld - Maharam *	2	2	2	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	
Price Category 4-9																							
No fabrics available at this time.																							
Price Category A																							
No fabrics available at this time.																							
Price Category B																							
VQ__Crisp - Maharam	5	•	•	•	12		•	•	•	•		•									•		
VM__Medium - Maharam		2	2				•	20	•	•		•									•		•
TI__Messenger - Maharam *		2	2	•	12	•	•	2	•	•		•		•									•
Price Category C																							
Z27__Manner - Maharam	2	2	2	2	•		•	2	•	•		•		•									•
Z3__Metric - Maharam	2		2			•	•		•	•		•									•		•
ZML__Milestone - Maharam	2	2	2	2	•	•	•	2	•		•		•		•					•	•	•	•
TT__Parallel - Maharam	7	•	•		•	•	•	18	•	•		•									•		
Price Category D																							
ZMD__Mode - Maharam	2																			•			•
Z2R__Reply - Maharam	•	•	•	•		•	•			•											•		
ZS3__Spiral - Maharam	•	•	•	•	•		•	•	•	•		•											
Z34__Unit - Maharam	•						•		•	•		•											
Price Category E																							
ZF3__Flock - Maharam											•		•		•	•							
ZGT__Glint - Maharam	2	2	2	2	2		•	2	•	•		•											
Z25__Hum - Maharam	11	2		2	•		•	2		•		•											
ZM1__Morse - Maharam	•	•	•	•	•		•	•	•	•		•											
Z32__Skein - Maharam	2	2	2	2	•		•	2	•	•		•											•
ZSC__Sketch - Maharam	•	•	•	•	•		•	•	•	•		•											
Price Category F																							
ZA1__Adjourn - Maharam	•	•	•	•	•			•	•														
VS__Crush - Maharam			2	•				19													•		•
8EX__Emit	2	2	2	2	•	•	•	2	•														
Z29__Plait - Maharam	2	2	2	2	•		•	2	•	•		•											•
ZS2__Sharkskin 2 - Maharam	2	2	2	2	2							•											
Price Category G																							
ZT4__Ticker - Maharam	2	2	2	2	2		•	2	•	•		•											•
Price Category H-Z																							
No fabrics available at this time.																							

* Available in select colors on 20-day lead-time. Refer to “Maharam Colors - Workspaces” for 20-day colors.

- 2 Available on all products except 54” and 60” wide.
- 5 Not available on AO partial-glazed panels.
- 7 Not available on AO acoustical panels; not available on AO2 cable management panel face.
- 11 Available on AO products except 54” wide and 60” wide; not available on AO connectors.

- 12 Not available on Ethospace tackable tiles.
- 18 Not available on Canvas E-style storage.
- 19 Not available on Canvas B-style storage.
- 20 Not available on Canvas E-style storage or 60”-wide B-style storage.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric’s pattern may not align from one screen to the next, or from one panel to the next.



Price Category 1-2

No fabrics available at this time.

Price Category 3

Meld – Maharam

54" wide
68% post-consumer recycled polyester
32% polyester
PFOA-Free stain resistant
ZM201/466387-201 Vast
ZM202/466387-202 Panda *
ZM203/466387-203 Skyline *
ZM204/466387-204 Knight *
ZM205/466387-205 Quill *
ZM206/466387-206 Pipe
ZM207/466387-207 Grate *
ZM208/466387-208 Gloss
ZM209/466387-209 Bulb
ZM210/466387-210 Bride
ZM211/466387-211 Stark
ZM212/466387-212 Seashell
ZM213/466387-213 Antler
ZM214/466387-214 Crater *
ZM215/466387-215 Perennial
ZM216/466387-216 Mulberry
ZM217/466387-217 Fuchsia *
ZM218/466387-218 Amethyst *
ZM219/466387-219 Merlot
ZM220/466387-220 Magma *
ZM221/466387-221 Rooster
ZM222/466387-222 Heat *
ZM223/466387-223 Clementine
ZM224/466387-224 Fox
ZM225/466387-225 Kiss *
ZM226/466387-226 Bare
ZM227/466387-227 Blonde
ZM228/466387-228 Mimosa
ZM229/466387-229 Comet *
ZM230/466387-230 Honeydew
ZM231/466387-231 Wild *
ZM232/466387-232 Vine
ZM233/466387-233 Seed
ZM234/466387-234 Kale *

* Colors available on
20-day lead time.

Meld continued

ZM235/466387-235 Waterfall *
ZM236/466387-236 Nordic *
ZM237/466387-237 Reef *
ZM238/466387-238 Wave
ZM239/466387-239 Isle
ZM240/466387-240 Creek
ZM241/466387-241 Mariner *
ZM242/466387-242 Globe
ZM243/466387-243 Spa

Price Category 4-9

No fabrics available at this time.

- Maharam textiles are on assigned lead times [\[A\]](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Price Category A

No fabrics available at this time.

Price Category B

Crisp – Maharam	
66" wide	
100% polyester	
VQ02/901420-002	Oyster
VQ05/901420-005	Quahaug
VQ13/901420-013	Admiral
VQ14/901420-014	Thunder
VQ21/901420-021	Graphite
VQ22/901420-022	Lychee
VQ23/901420-023	Persimmon
VQ24/901420-024	Kimchi
VQ25/901420-025	Marigold
VQ26/901420-026	Brut
VQ27/901420-027	Chartreuse
VQ28/901420-028	Celadon
VQ29/901420-029	Surf
VQ30/901420-030	Marble
VQ31/901420-031	Boulder
VQ32/901420-032	Bell
VQ33/901420-033	Ferry
VQ34/901420-034	Sapphire
VQ35/901420-035	Carbon
VQ36/901420-036	Owl
VQ37/901420-037	Agate

Medium – Maharam	
54" wide	
100% polyester	
VM01/463490-001	Raven
VM02/463490-002	Smoke
VM03/463490-003	Alloy
VM04/463490-004	Flax
VM06/463490-006	Bark
VM07/463490-007	Espresso
VM08/463490-008	Pecan
VM12/463490-012	Pumpkin
VM13/463490-013	Persimmon
VM14/463490-014	Laser
VM16/463490-016	Port
VM22/463490-022	Marina
VM29/463490-029	Pistachio
VM32/463490-032	Prospect
VM36/463490-036	Delight
VM39/463490-039	Nautical
VM40/463490-040	Pool
VM44/463490-044	Washed
VM45/463490-045	Sculpture
VM46/463490-046	Thatched
VM47/463490-047	Hike
VM48/463490-048	Tangle
VM49/463490-049	Pacific
VM50/463490-050	Cosmic
VM51/463490-051	Cascade
VM52/463490-052	Blackberry
VM53/463490-053	Nasturtium
VM54/463490-054	Wooded

Messenger – Maharam	
54" wide	
78% recycled polyester	
15% polyester, 7% nylon	
TI07/458640-007	Shadow
TI08/458640-008	Bayou *
TI24/458640-024	Poppy
TI25/458640-025	Mao
TI29/458640-029	Onyx *
TI31/458640-031	Cloud *
TI38/458640-038	Depth *

Messenger continued	
TI40/458640-040	Nile *
TI41/458640-041	Azure *
TI45/458640-045	Cactus *
TI46/458640-046	Ice *
TI48/458640-048	Neon
TI50/458640-050	Hydrangea
TI53/458640-053	Tangelo
TI54/458640-054	Lumine *
TI58/458640-058	Snow
TI60/458640-060	Peridot
TI61/458640-061	Capri *
TI62/458640-062	Ultramarine
TI63/458640-063	Squall
TI66/458640-066	Cassis
TI67/458640-067	Aster
TI69/458640-069	Cherry
TI70/458640-070	Vibrant
TI71/458640-071	Satsuma *
TI72/458640-072	Maize
TI76/458640-076	Fossil
TI77/458640-077	Ash
TI78/458640-078	Tusk
TI79/458640-079	Oyster
TI81/458640-081	Husk
TI84/458640-084	Robust
TI85/458640-085	Beyond
TI86/458640-086	Voyage *
TI87/458640-087	Everglade
TI89/458640-089	Blanch
TI90/458640-090	Longspur
TI91/458640-091	Vireo
TI92/458640-092	Dipper
TI93/458640-093	Gale
TI94/458640-094	Hunter
TI95/458640-095	Lime
TI96/458640-096	Apple
TI97/458640-097	Krill
TI98/458640-098	Catalyst

* Colors available on
20-day lead time.

- Maharam textiles are on assigned lead times [\[A\]](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Maharam® Colors — Workspaces

continued

Price Category C

Manner - Maharam	
54" wide	
100% recycled polyester	
Z2701/466177-001	Magic
Z2702/466177-002	Carob
Z2703/466177-003	Porpoise
Z2704/466177-004	Flint
Z2705/466177-005	Hush
Z2706/466177-006	Nuance
Z2711/466177-011	Ember
Z2712/466177-012	Wagon
Z2713/466177-013	Ablaze
Z2714/466177-014	Peel
Z2716/466177-016	Butterscotch
Z2717/466177-017	Harvest
Z2720/466177-020	Parakeet
Z2722/466177-022	Aquatic
Z2723/466177-023	Cottage
Z2724/466177-024	Dahlia
Z2725/466177-025	Vivid
Z2726/466177-026	Basin
Z2727/466177-027	Schooner
Z2728/466177-028	Slope
Z2729/466177-029	Silverpoint
Z2730/466177-030	Lattice
Z2731/466177-031	Smoky
Z2732/466177-032	Magnetic
Z2733/466177-033	Woad
Z2734/466177-034	Resolute
Z2735/466177-035	Cruise
Z2736/466177-036	Atmospheric
Z2737/466177-037	Cloudburst
Z2738/466177-038	Tidewater
Z2739/466177-039	Firth
Z2740/466177-040	Oceanside
Z2741/466177-041	Grandeur
Z2742/466177-042	Comfort
Z2743/466177-043	Dill
Z2744/466177-044	Poplar
Z2745/466177-045	Citronella
Z2746/466177-046	Passerine
Z2747/466177-047	Southwest
Z2748/466177-048	Roseate

Manner continued

Z2749/466177-049	Charisma
Z2750/466177-050	Siltstone
Z2751/466177-051	Kimono
Z2752/466177-052	Valiant
Z2753/466177-053	Baroness

Metric – Maharam

54" wide	
51% recycled polyester	
49% polyester	
Z302/466014-002	Fog
Z303/466014-003	Fleece
Z312/466014-012	Cardinal
Z313/466014-013	Lava
Z318/466014-018	Pollen
Z320/466014-020	Alligator
Z323/466014-023	Tar
Z324/466014-024	Anchor
Z326/466014-026	Admiral
Z327/466014-027	Seaport
Z328/466014-028	Scuba
Z329/466014-029	Skate
Z330/466014-030	Hopscotch
Z331/466014-031	Film
Z332/466014-032	Whale
Z333/466014-033	Downpour
Z334/466014-034	Middy
Z335/466014-035	Talisman
Z336/466014-036	Hedgerow
Z337/466014-037	Snorkel
Z338/466014-038	Highway
Z339/466014-039	Canary
Z340/466014-040	Sunny
Z341/466014-041	Aztec
Z342/466014-042	Fruit
Z343/466014-043	Galah
Z344/466014-044	Kiln
Z345/466014-045	Moth

Milestone – Maharam

54" wide	
78% post-industrial recycled polyester	
15% polyester	
7% nylon	
ZML22/403901-022	Pewter
ZML25/403901-025	Charcoal
ZML26/403901-026	Ebony
ZML29/403901-029	Medium Grey
ZML31/403901-031	Ground
ZML46/403901-046	Tortoise
ZML47/403901-047	Rush
ZML54/403901-054	Linger
ZML55/403901-055	Embrace
ZML57/403901-057	Coffee
ZML58/403901-058	Bison
ZML61/403901-061	Tiger Lily
ZML62/403901-062	Aurora
ZML69/403901-069	Lychee
ZML71/403901-071	Daffodil
ZML72/403901-072	Ecru
ZML77/403901-077	Basil
ZML78/403901-078	Spruce
ZML79/403901-079	Fountain
ZML80/403901-080	Mykonos

Parallel — Maharam

66" wide	
100% recycled polyester	
TT01/901180-001	Chalk
TT02/901180-002	Argent
TT03/901180-003	Fog
TT17/901180-017	Sourdough
TT22/901180-022	Sterling
TT23/901180-023	Linen
TT24/901180-024	Pea
TT27/901180-027	Boulder
TT28/901180-028	Stream
TT29/901180-029	Shiitake
TT30/901180-030	Wafer
TT31/901180-031	Plank
TT32/901180-032	Brandy
TT33/901180-033	Crater
TT36/901180-036	Quail

Price Category D

Mode – Maharam

54" wide	
80% post-consumer recycled polyester	
20% polyester	
PFOA-Free stain resistant finish	
ZMD01/466337-001	Stroll
ZMD02/466337-002	Intaglio
ZMD03/466337-003	Ominous
ZMD04/466337-004	Machine
ZMD05/466337-005	Talus
ZMD06/466337-006	Marsh
ZMD07/466337-007	Hollow
ZMD08/466337-008	Sycamore
ZMD09/466337-009	Clavicle
ZMD10/466337-010	Billygoat
ZMD11/466337-011	Spindle
ZMD12/466337-012	Lemon
ZMD13/466337-013	Oxeye
ZMD14/466337-014	Henge
ZMD15/466337-015	Goldenrod
ZMD16/466337-016	Cottontail
ZMD17/466337-017	Lioness
ZMD18/466337-018	Oriole
ZMD19/466337-019	Rust
ZMD20/466337-020	Carotene
ZMD21/466337-021	Blush
ZMD22/466337-022	Vermilion
ZMD23/466337-023	Alder
ZMD24/466337-024	Kermes
ZMD25/466337-025	Barberry
ZMD26/466337-026	Petal
ZMD27/466337-027	Valley
ZMD28/466337-028	Odyssey
ZMD29/466337-029	Ballpoint
ZMD30/466337-030	Toile
ZMD31/466337-031	Paradise
ZMD32/466337-032	Angelfish
ZMD33/466337-033	Denim
ZMD34/466337-034	Crush
ZMD35/466337-035	Jetty
ZMD36/466337-036	Saltwater
ZMD37/466337-037	Mallard
ZMD38/466337-038	Celtic
ZMD39/466337-039	Eucalyptus

Price Category D continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Maharam® Colors — Workspaces

continued

Price Category D

continued

Mode continued

ZMD40/466337-040	Bonsai
ZMD41/466337-041	Sassafras
ZMD42/466337-042	Yucca
ZMD43/466337-043	Lichen

Reply - Maharam

66" wide	
100% polyester	
Z2R1/901880-001	Canvas
Z2R6/901880-006	Lapis
Z2RB/901880-011	Adobe
Z2RD/901880-013	Beacon

Spiral - Maharam

66" wide	
100% polyester	
ZS301/901882-001	Chalk
ZS302/901882-002	Birch
ZS303/901882-003	Wheat
ZS304/901882-004	Mica
ZS305/901882-005	Pavement
ZS306/901882-006	Graphite

Unit - Maharam

66" wide

100% recycled polyester

Z3401/901889-001	Seawall
Z3402/901889-002	Limestone
Z3403/901889-003	Aluminum
Z3404/901889-004	Snow
Z3405/901889-005	Tusk
Z3406/901889-006	Nautilus
Z3407/901889-007	Beech
Z3408/901889-008	Driftwood
Z3409/901889-009	Cocoa

Price Category E

Flock - Maharam

63" wide	
100% polyester	
ZF301/901892-001	Calm
ZF302/901892-002	Course
ZF303/901892-003	Highlight
ZF304/901892-004	Roe
ZF305/901892-005	Poppy
ZF306/901892-006	Briefcase
ZF307/901892-007	Monkstrap
ZF308/901892-008	Quag
ZF309/901892-009	Pistachio
ZF310/901892-010	Froth
ZF311/901892-011	Celadon
ZF312/901892-012	Highsea
ZF313/901892-013	China
ZF314/901892-014	Victorian
ZF315/901892-015	Commander
ZF316/901892-016	Raven
ZF317/901892-017	Aluminum

Glint - Maharam

54" wide
59% polyolefin
32% post-industrial recycled polyester
9% post-consumer recycled polyester
PFOA-Free stain resistant finish
Acrylic backing

ZGT01/901380-001	Ice
ZGT02/901380-002	Oyster
ZGT03/901380-003	Aluminum
ZGT04/901380-004	Placid
ZGT06/901380-006	Midas
ZGT07/901380-007	Medal

Hum - Maharam

54" wide	
73% polyester	
27% recycled polyester	
Z2501/901890-001	Ash
Z2502/901890-002	Birch
Z2503/901890-003	Sandbar
Z2507/901890-007	Caledon
Z2508/901890-008	Tide
Z2509/901890-009	Hearth
Z2511/901890-011	Briar

Morse - Maharam

66" wide
100% post-industrial recycled polyester
ZM101/901720-001 Talc
ZM104/901720-004 Cliff

Skein - Maharam

54" wide	
56% recycled polyester	
44% polyester	
Z3201/466170-001	Burrow
Z3202/466170-002	Thatch
Z3204/466170-004	Sumac
Z3205/466170-005	Pomegranate
Z3206/466170-006	Cavern
Z3208/466170-008	Cinder
Z3209/466170-009	Dock
Z3210/466170-010	Cadet
Z3211/466170-011	Marsh

Sketch - Maharam

66" wide

52% post-consumer recycled polyester

48% post-industrial recycled polyester

ZSC01/901780-001 Macaroon

ZSC03/901780-003 Toffee

ZSC07/901780-007 Pewter

ZSC08/901780-008 Flue

ZSC09/901780-009 Abyss

ZSC12/901780-012 Zinc

Price Category F

Adjourn - Maharam

72" wide	
57% polyester	
43% Trevira CS polyester	
ZA102/511350-002	Guava
ZA103/511350-003	Bran
ZA104/511350-004	Flax
ZA105/511350-005	Oatmeal
ZA109/511350-009	Terrain

Crush - Maharam

54" wide	
88% nylon	
6% acrylic	
6% polyolefin	
VS01/464780-001	001
VS02/464780-002	002
VS05/464780-005	005
VS08/464780-008	008
VS13/464780-013	013
VS16/464780-016	016
VS17/464780-017	017
VS18/464780-018	018
VS19/464780-019	019
VS20/464780-020	020
VS22/464780-022	022
VS23/464780-023	023
VS26/464780-026	026
VS27/464780-027	027

Price Category F continued
on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Maharam® Colors — Workspaces

continued

Price Category F

continued

Emit – Maharam	
54" wide	
55% post-industrial recycled polyester	
45% post-consumer recycled polyester	
PFOA-free stain resistant	
8EX01/466378-001	Wed
8EX02/466378-002	Zebra
8EX03/466378-003	Chiffon
8EX04/466378-004	Scallop
8EX05/466378-005	Nectar
8EX06/466378-006	Elk
8EX07/466378-007	Carat
8EX08/466378-008	Goldenrod
8EX09/466378-009	Beached
8EX10/466378-010	Samba
8EX11/466378-011	Nest
8EX12/466378-012	Ravishing
8EX13/466378-013	Tassel
8EX14/466378-014	Groove
8EX15/466378-015	Tailor
8EX16/466378-016	Duo
8EX17/466378-017	Haiku
8EX18/466378-018	Bluefin
8EX19/466378-019	Flow
8EX20/466378-020	Xenon
8EX21/466378-021	Artem
8EX22/466378-022	Zen
8EX23/466378-023	Sprinkle
8EX24/466378-024	Camp
8EX25/466378-025	Limeade

Plait - Maharam	
58" wide	
68% recycled polyester	
32% polyester	
Z2901/466052-001	Cobblestone
Z2902/466052-002	Sachet
Z2904/466052-004	Tavern
Z2905/466052-005	Sequoia
Z2906/466052-006	Rhubarb
Z2907/466052-007	Sangria
Z2908/466052-008	Reef
Z2909/466052-009	Stormy
Z2910/466052-010	Dapper
Sharkskin 2 - Maharam	
54" wide	
89% polyester	
11% solution-dyed polyester	
PFOA-Free stain resistant finish	
Acrylic backing	
ZS201/901650-033	Harmony
ZS202/901650-034	Suggestion
ZS203/901650-039	Lyric
ZS204/901650-040	Clarify
ZS205/901650-041	Remain
ZS206/901650-046	Sphere
ZS207/901650-051	Restore
ZS208/901650-054	Tawny
ZS209/901650-056	Frosted
ZS211/901650-058	Wash
ZS212/901650-059	Navy

Price Category G

Ticker - Maharam	
54" wide	
47% polyester	
31% post-industrial recycled polyester	
22% post-consumer recycled polyester	
Crypton green finish and backing	
ZT401/466304-001	Calm
ZT402/466304-002	Millet
ZT403/466304-003	Sow
ZT404/466304-004	Beaver
ZT405/466304-005	Patch
ZT406/466304-006	Balloon
ZT407/466304-007	Squad
ZT408/466304-008	Bale
ZT409/466304-009	Fecund
ZT410/466304-010	Aquarium
ZT411/466304-011	Drink
ZT412/466304-012	Depth
ZT413/466304-013	Far

Price Category H-Z

No fabrics available at this time.

Appendix: Maharam Colors — Workspaces

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.



For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi—Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

® **HermanMiller**, ●, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisiyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cosm, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Lino, Locale, Logic Mini, Logic Power Access Solutions, Live Platform, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Multiscrim, Nelson, Nevi, Overlay, Pari, Pixelated Support, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus, Vista and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsur® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.