

Prices effective September 3, 2019 Published September 2019

Co/Struc® System

ntroduction	page 2
Co/Struc® System	3
Structure	5
Nork Surfaces	74
Storage	119
Mobile Technology Carts	220
Fransport	225
ndices	227
By Name	227
By Number	229
Appendices	
20-Day or Less/Assigned Lead-Time Order Information-Healt	hcare
Packaging/Keyed-Alike Information-Co/Struc System	
For the latest materials information, refer to the Materials page	es on HermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective September 3, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $^{1}/_{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon <a> a will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.


Structure

Work Surfaces

Storage

Mobile Technology Carts

Transport



Description


This assembly attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 25 stand-offs, and 5 spacers.

Notes


To attach assembly to wall, order rail hardware (CO28441, or CO28541) separately.

To finish end, order end cap for standard or seismic rail (CO338) separately.

When seismic components are required, order seismic wall rail (CO479) instead of standard rail (CO282).



Speci	fication Information	
Step 1.		
CO282	FF	\$300
Step 2	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$0 +\$0
LU	soft white	+\$o +\$o
WN	warm grey neutral	+\$o



Description

This package contains enough fasteners to install 12' of standard rail. Package contains 300 fastener sets.

The 3" sheet metal screws with plastic anchors are #14, flat-head, Phillips-drive screws with $1^3/8$ "-long plastic anchors. The 4" toggle bolts with wall bushings are 1/4-20, flat-head, Phillips-drive toggle bolts.

Specification Information

Step 1.


CO28

Step 2. Hardware

441 3" sheet metal screws with plastic anchors

541 4" toggle bolts with wall bushings


Prices for Steps 1-2.	
CO28441	\$239
CO28541	\$720



Description

This rail attaches to a panel, a module, or wall strips to support Co/ Struc® hanging components or a storage case in a straight-line configuration. It does not hang directly on a wall. 2 rails are required to hang a locker from an open panel frame or glazed panel.

Dimensions



Specification Information


Step 1.

C1610.

Step:	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

\$195
\$203
\$212
\$232
\$247
\$275

Step 3	3. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$ o
LU	soft white	+\$ o
WN	warm grey neutral	+ \$o



Description

This aluminum rail attaches to an architectural wall. It holds work tools or accessories and can be field cut to the appropriate width. The rail includes plastic end caps to accommodate 2 field-cut rail sections.

Notes

Customer must supply attachment hardware for wall conditions.

Order rail-mounted accessories separately:

- Chart holder (CT730.)
- Chest tube rack (CT737.)
- Glove box holder (CT726.)
- Sharps container holder (CT734.)
- Supply basket (CT720. or CT722.)
- Suture basket (CT723.)
- Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.)
- Utility hook (CT776.)
- Wastebasket and holder (CT728.)

Order work tools separately:

- Diagonal tray (Y7218.)
- Mini-shelf (Y7310.)
- Organizer tray (Y7210.)
- Paper tray (Y7216.)
- Rail divider (Y7320.)
- Vertical tray (Y7217.)

To mount customer-supplied accessories, order rail clamp (CT729.) separately.

Dimensions



Specification Information

Step 1.

C1170.

Step 2.	Width	
24	24" wide	
30	30" wide	
36	36" wide	
42	42" wide	
48	48" wide	
60	60" wide	


Prices for Steps 1-2.	
C1170. 24	\$98
30	\$119
36	\$137
42	\$147
48	\$160
60	\$182

Step 3	. End Cap Finish	
LU	soft white	+ \$o
WN	warm grey neutral	+ \$o

Equipment Rail, Systems Mounted

C1172.





Product Information

Description

This aluminum rail attaches to a panel, freestanding module, or wall strips and holds work tools or accessories. It includes steel end caps. Attachment hardware is included.

Notes

Order rail-mounted accessories separately:


- Chart holder (CT730.)
- Chest tube rack (CT737.)
- Glove box holder (CT726.)
- Sharps container holder (CT734.)
- Supply basket (CT720. or CT722.)
- Suture basket (CT723.)
- Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.)
- Utility hook (CT776.)
- Wastebasket and holder (CT728.)

Order work tools separately:

- Diagonal tray (Y7218.)
- Mini-shelf (Y7310.)
- Organizer tray (Y7210.)
- Paper tray (Y7216.)
- Rail divider (Y7320.)
- Vertical tray (Y7217.)

To mount customer-supplied accessories, order rail clamp (CT729.) separately.

Dimensions



Specification Information


Step 1.

C1172.

Step :	2. Width				
24	24" wide				
30	30" wide				
36	36" wide				
48	48" wide				

Prices for Steps 1-2.	
C1172. 24	\$144
30	\$152
36	\$165
48	\$207

Step 3.	End Cap Finish	
LU	soft white	+\$o
WN	warm grey neutral	+\$o




Description

This end cap provides a finished end for a standard or seismic wall rail and a positive stop for a locker.


Notes

For areas requiring seismic components, order 1 end cap for each end of rail, and order seismic wall rail (CO479) separately.

For areas not requiring seismic components, order 1 end cap for each end of rail, and order standard rail (CO282) separately.



Specification Information			
Step 1.			
CO338FF		\$55	
Step 2.	Surface Finish		
HF	inner tone light	+\$o	
LT	light tone	+\$o	
LU	soft white	+\$o	
WN	warm grey neutral	+\$o	



Description

This aluminum rail attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 26 stand-offs, and 5 spacers.

Notes


Order rail for areas requiring seismic components, when attaching to studs 16" on center, or when attaching to plaster in accordance with OPA-0117 in California.

To meet the conditions of appropriate OPA, refer to the OPA document for specific hardware. For other applications, order rail hardware (CO28441, or CO28541) separately.


Order additional seismic components separately:

• End cap for standard or seismic rail (CO338)

Field drilling is required for proper installation.



Spec	cification Information	
Step	1.	
CO479FF \$		
Step	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+ \$o
LU	soft white	+ \$o
WN	warm grey neutral	+\$0




Description

This bracket secures Co/Struc rail-hanging components to an architectural wall. It is designed to be used in areas requiring seismic components. Finish is soft white. Package contains 10.

Notes


Customer must supply required fasteners.

Dimensions




SIDE

FRONT



Step 1.

C0569. \$232



Description

This draw rod connects Action Office® Series 1 or 2 panels or Co/Struc® support panels in a straight line. It has a threaded hole in the draw block for attachment to a seismic floor anchor bracket.

Notes

For Action Office Series 1 panels or Co/Struc support panels, specify height of draw rod to match height of panel.

For Action Office Series 2 panels, specify draw rod as follows:

- 32"-high panel, CO215.27
- 39"-high panel, CO215.34
- 47"-high panel, CO215.42
- \bullet 53"-high panel, CO215.48
- 62"-high panel, CO215.57
- 67"-high panel, CO215.62
- 85"-high panel, CO215.80

Order floor anchor bracket, Action Office Series 1 (CO481.) or floor anchor bracket, Action Office Series 2 (CO485.) separately.

Dimensions



Specification Information


Step 1.

CO215.

Step	2. Height			
27	27" high			
34	34" high			
42	42" high			
48	48" high			
57	57" high			
62	62" high			
80	80" high			

Prices for Steps 1-2.	
CO215. 27	\$27
34	\$28
42	\$28
48	\$29
57	\$29
62	\$30
80	\$33

Floor Anchor Bracket, Co/Struc® CO568 Lab Module



Product Information

Description

This bracket fastens both sides of a module frame to the floor. Each anchor location requires 1 bracket. Finish is light tone. Package contains 10. Hardware to attach module is included. Floor anchor and bolt must be customer supplied.


Notes

Co/Struc® Structure

Order bracket for areas requiring seismic components.

Lab modules need to be mounted flush for anchor to install.

Dimensions



Specification Information

Step 1.


CO568FF

\$1049

Co/Struc® System Price Book (9/19)

Floor Anchor Bracket, Action Office® Series 1

CO481



Product Information

Description

This bracket fastens both sides of an Action Office® Series 1 panel to the floor and is designed for use in areas requiring seismic components. Package contains 10.

Notes


Order the following products separately:


- Draw rod (CO215.)
- Floor anchor adapter kit (CO552.)
- Seismic finished end (A1250.) when using only Action Office Series 2 components
- Seismic hingeable end (AO258.) when using Action Office Series 1 or Co/Struc® components

Customer must supply required bolts and concrete anchors.










Specification Information			
Step	1.		
CO48	1	\$387	
Step :	2. Finish		
HF	inner tone light	+\$0 +\$0	
LT	light tone	+\$0	
LU	soft white	+\$o +\$o	
WN	warm grey neutral	+\$ o	



Description


This bracket fastens both sides of an Action Office® Series 2 panel to the floor and is designed for use in areas requiring seismic components. Package contains 10.

Notes


Order the following products separately:

- Draw rod (CO215.)
- Floor anchor adapter kit (CO552.)
- Seismic finished end (A1250.)

Customer must supply required concrete anchors.



Specification Information			
Step 1.			
CO485 \$8			
Step 2.	Finish		
•		. ¢ -	
HF	inner tone light	+\$o	
LT	light tone	+\$o	
LU	soft white	+\$o	
WN	warm grey neutral	+ \$o	




Description

This seismic cover finishes the exposed end of a panel. It has a draw block that accepts a seismic bracket to meet the state of California seismic codes, and includes a cable management end cover.

Notes

Order floor anchor bracket, Action Office Series 2 (CO485.) separately.

Dimensions



Specification Information

Step 1.


A1250.

Step 2. Height						
395	39" high					
47S	47" high					
53 S	53" high					
62 S	62" high					
67 S	67" high					
85S	85" high					

Prices for Steps 1-2.	
A1250. 39S	\$120
47S	\$128
53 S	\$132
625	\$137
67S	\$137
85S	\$142

Step 3	. Surface Finish	
HF	inner tone light	+ \$0
LT	light tone	+\$ 0
LU	soft white	+\$ 0
MT	medium tone	+\$ 0
WL	sandstone	+\$ 0
WN	warm grey neutral	+\$o

Step 4.	Cable Management Finish	
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$ o




Description

This kit replaces the bottom block of an Action Office® Series 1 or 2 spacer or 2-way, 3-way, or 4-way connector. It is designed to be used in areas requiring seismic components and has a threaded hole in the draw block for attachment to a seismic floor anchor bracket. Package contains 10.

Notes

Order floor anchor bracket, Action Office Series 1 (CO481.) or floor anchor bracket, Action Office Series 2 (CO485.) separately.

Dimensions




Specification Information

Step 1.


CO552

\$214




Description

This top cap fits over a standard top cap and spans multiple Action Office® Series 1 or 2 panels. It provides extra rigidity along the panel run. The 12'-long top cap can be field cut to the appropriate length. Attachment hardware is included.



Spe	cification Information	
Step	1.	
CO5	53FF	\$562
Step	2. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$0 +\$0 +\$0 +\$0 +\$0
LU	soft white	+\$o
MT	medium tone	+\$o
WN	warm grey neutral	+\$o




Description


This plastic cover snaps onto a wall strip to cover the slots. It helps with infection control in healthcare environments by preventing bacteria and germs from growing in these slots. It is 84" and must be field cut to match the wall strip height. Package contains 6 covers.

Notos

Order wall strips (AO213. or E1130.) separately.



Spe	Specification Information			
Step	1.			
CO487.		\$471		
Step	2. Finish			
BU	black umber	+ \$o		
HF	inner tone light	+\$o		
LU	soft white	+\$o		
мт	medium tone	+\$0		



Description


This open panel has hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately. To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.


To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.

To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.



Co/Struc® Structure

Specification Information						
Step 1.						
C115	0.					
Step	2. Height					
48	48" high					
80	8o" high					
Step	3. Width					
12	12" wide					
24	24" wide					
30	30" wide					
36	36" wide					
48	48" wide					
Price	s for Steps 1-3.					
		12	24	30	36	48
C115	0. 48	\$513	533	572	616	667
	80	\$708	753	792	842	917
Step	4. Surface Finish					
HF	inner tone light					+\$o
LT	light tone					+\$o
LU	soft white					+\$o
WN	warm grey neutral					+ \$o



Description


This panel has a 48"-high recessed filler and hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately. To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.

To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.




Specification Information

WN

warm grey neutral

Step 1.						
C1151.						
Step 2.	Height					
48	48" high					
80	8o" high					
Step 3.	Width					
12	12" wide					
24	24" wide					
30	30" wide					
36	36" wide					
48	48" wide					
Prices f	for Steps 1-3.					
		12	24	30	36	48
C1151.	48	\$684	847	939	1020	1147
	80	\$915	1032	1139	1280	1415
Step 4.	Surface Finish					
HF	inner tone light					+\$o
LT	light tone					+\$o
LU	soft white					+\$o

+\$o



Description

This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the floor and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes


To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.

For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately. To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.


To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.



Co/Struc® Structure

Specification Information

C1155. 48 \$1204 1332 158 80 \$1419 1505 176 Step 4. Surface Finish HF inner tone light +\$ LT light tone +\$ LU soft white +\$	Step 1.				
48	C1155.				
48	Cton a	Haight			
80 80" high Step 3. Width 24 24" wide 30 30" wide 48 48" wide Prices for Steps 1-3. 24 30 4 C1155. 48 \$1204 1332 158 80 \$1419 1505 176 Step 4. Surface Finish HF inner tone light LT light tone +\$ LU soft white		_			
Step 3. Width 24		. =			
24 24" wide 30 30" wide 48 48" wide Prices for Steps 1-3. 24 30 48 \$1204 1332 158 80 \$1419 1505 176 Step 4. Surface Finish HF inner tone light +9 LT light tone +9 LU soft white +9	80	8o" high			
30 30" wide 48 48" wide Prices for Steps 1-3. 24 30 4 C1155. 48 \$1204 1332 158 80 \$1419 1505 176 Step 4. Surface Finish HF inner tone light +\$ LT light tone +\$ LU soft white +\$	Step 3.	Width			
### 48 ### wide Prices for Steps 1-3. 24 30 4	24	24" wide			
Prices for Steps 1-3. 24 30 4	30	30" wide			
Z4 30 4 C1155. 48 \$1204 1332 158 80 \$1419 1505 176 Step 4. Surface Finish HF inner tone light +9 LT light tone +9 LU soft white +9	48	48" wide			
C1155. 48 \$1204 1332 158 80 \$1419 1505 176 Step 4. Surface Finish HF inner tone light +9 LT light tone +9 LU soft white +9	Prices f	or Steps 1-3.			
80 \$1419 1505 176 Step 4. Surface Finish HF inner tone light +\$ LT light tone +\$ LU soft white +\$			24	30	48
Step 4. Surface Finish HF inner tone light +4 LT light tone +5 LU soft white +5	C1155.	48	\$1204	1332	1587
HF inner tone light +\$ LT light tone +\$ LU soft white +\$		80	\$1419	1505	1769
LT light tone +5 LU soft white +5	Step 4.	Surface Finish			
LU soft white +\$	HF	inner tone light			+\$o
	LT	light tone			+\$o
	LU	soft white			+\$o
	WN	warm grey neutral			+\$o



Description

This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the ceiling and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

To carry different types of electrical power (e.g. regular and emergency power) or to carry electrical power and low-voltage cables, vertical raceway can be divided into separate internal raceways; contact local contractor.


To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.

For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.


Order draw rods (AO215.) or seismic draw rods (CO215.) separately. To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.

To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.



Specii	ication information			
Step 1.				
C1156.				
Step 2.	Height			
48	48" high			
80	8o" high			
Step 3.	Width			
24	24" wide			
30	30" wide			
48	48" wide			
Prices f	For Steps 1-3.			
		24	30	48
C1156.	48	\$2919	3160	3177
	80	\$3195	3337	3456
Step 4.	Surface Finish			
HF	inner tone light			+\$0
LT	light tone			+\$0
LU	soft white			+\$0
WN	warm grey neutral			+\$0



Description


The center point of this 60"-wide panel attaches at a 90° angle to other panels and provides support to a panel run. Each panel has adjustable glides, finished ends, and a 48"-high recessed filler and hanger frames at 1" intervals to support components. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes.


The panel is available in 2 heights. The 80"-high panel supports a locker; 48"- and 80"-high panels support work surfaces and other 60"-wide components.


Notes

To support locker, order 2 adapter rails (C1610.) separately.

To connect to panel at 90° angle, order draw rod (AO215.) separately. Order draw rods (AO215.) or seismic draw rods (CO215.) separately.








Speci	iication imormation	
Step 1.		
C1161	•	
Ctono	Hainht	
Step 2	. Height	
4860	48" high	
8060	8o" high	
Dricos	for Stone 4 2	
	for Steps 1-2.	
C1161	. 4860	\$1855
	8060	\$2281
Step 3	. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$ 0
LU	soft white	+\$ 0
WN	warm grey neutral	+\$ o

\$325

+\$o



Product Information

Description


This connector attaches a support panel to a wall or column for a peninsula configuration.


Notes

Order draw rod (AO215.) separately.

Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install.

Dimensions





SIDE FRONT

Specification Information

Step 1.

C1211.

Step 2. Height

48 48" high

80 80" high


Prices for Steps 1-2.	
C1211. 48	

80 \$389

Step 3. Surface Finish HF inner tone light

LT light tone +\$0 LU soft white +\$0

WN warm grey neutral +\$o



Description

This connector joins 2 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.


Notes


Order support panels (C1150., C1151., C1155., C1156.) separately.

Order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.

When connecting panels of unequal heights, specify height of connector to match height of higher panel.

Dimensions





Specification Information

Step 1.

C1221.


Step 2.	Height
40	, 0" his

48 48" high **80** 80" high

Prices for Steps 1-2. C1221. 48 \$3

E1221. 48 \$325 **80** \$390

Step	3. Surface Finish	
HF	inner tone light	+ \$o
LT	light tone	+ \$o
LU	soft white	+ \$o
WN	warm grev neutral	+\$0



Description

This connector joins 3 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.


Notes


Order support panels (C1150., C1151., C1155., C1156.) separately.

Order 3 draw rods (AO215.) or 3 seismic draw rods (CO215.) separately.

When connecting panels of unequal heights, specify height of connector to match height of higher panel.

Dimensions





Specification Information

Step 1.

C1231.


Step 2. Height

48 48" high

80 80" high

Prices for Steps 1-2.	
C1231. 48	\$343
80	\$421

Step 3	3. Surface Finish	
HF	inner tone light	+ \$o
LT	light tone	+\$ o
LU	soft white	+\$ o
WN	warm grey neutral	+\$0



Description

This 11"-wide connector joins a module to a support panel. It has a removable cover strip that conceals predrilled holes used for attaching connectors.

Notes


To complete shelf surface at end of module run, order shelf end cap (C1510.E or C1511.E) separately.


Order panel connector (C1281.) and 3 draw rods (AO215. or CO215.) separately.

To attach support panel to interface connector (C1261.) of unequal height, order the following products separately:

- Panel connector (C1281.)
- Change of height draw rod (AO219.)
- Change of height panel/panel finished end (AO272.)

Dimensions





Specification Information

Step 1.

C1261.

eight

4812 48" high


8012 8o" high

Prices for Steps 1-2.

C1261. 4812 \$832 **8012** \$1014

Step 3. Surface Finish

HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o



Description


This connector attaches a support panel to an interface connector.

Notes

Specify connector height to match panel height.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions



FRONT

Specification InformationStep 1.


C1281.

Step 2. Height

48 48" high 80 80" high

Prices for Steps 1-2. C1281. 48 \$74 80 \$95

Step 3. Surface Finish				
łF	inner tone light	+\$0		
т.	light tone	+\$0		
.U	soft white	+\$0		
ΝN	warm grev neutral	+\$0		



Description


This brace provides additional support to a straight panel run that has components hanging on 1 side. It includes a leveling glide.


Notes

To support 24"-deep work surface, specify 21"-wide mid-run support; to support 30"-deep work surface, specify 27"-wide mid-run support.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions





Specification Information

Step 1.

C1272.


Step 2. Height		
48	48" high	
80	8o" high	

Step 3.	Width
---------	-------

21 21" wide27" wide

Prices for Steps 1-3.		
	21	27
C1272. 48	\$592	654
80	\$740	771

Step	4. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+ \$o
LU	soft white	+ \$o
WN	warm grey neutral	+\$o



Description

This brace provides additional support to a straight panel run that has components hanging on both sides. It includes leveling glides.

Notes


To support 24"-deep work surface, specify 41"-wide mid-run support; to support 30"-deep work surface, specify 53"-wide mid-run support. To support 24"-deep work surface on 1 side and 30"-deep work surface on other side, specify 53"-wide mid-run support.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions



TOP



23" (584) 23" (584) 40-5/8" 52-5/8" (1337)(1032)41" WIDE 53" WIDE SIDE SIDE

Specification Information

Step 1.

C1273.

Step 2. Height

48 48" high 80

80" high


Step 3. Width

41 41" wide

53 53" wide


Prices for Steps 1-3.			
	41	53	
C1273. 48	\$648	753	
80	\$882	983	

Step 4.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o




Description

This 20"-wide aluminum top cap attaches to 2 support panels in a straight connection. It provides additional support for a panel run.



Specif	ication Information	
Step 1.		
C1274.20		\$138
Step 2.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o



Description

This 48"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services. The module includes a top shelf and 4 adjustable glides. It has hanger frames at 1" intervals to support components.

Notes

Order access panels separately.

For L, T, or X configuration, order module corner connector separately:


- 2-way connector (C1220.)
- 3-way connector (C1230.)


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach modules of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the end of a module when a terminal panel (C1122.) is not used, order the end closure assembly (C1451.) separately.

Dimensions





Specification Information


Step 1.

C1112.48

Step 2.	Width
24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for S	Steps 1-2.	
C1112.48	24	\$1305
	30	\$1536
	36	\$1567
	48	\$1710

Step 3.	Surface Finish	
JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$ 0
KR	inner tone light Chemsurf®	+\$ 0
LE	soft white Chemsurf®	+\$0



Description

This 80"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services and provides pass-through access. The module includes an interior shelf that is field adjustable to 30", 36", or 48" high. It has hanger frames at 1" intervals to support components and 4 adjustable glides.

Notes

Order access panels separately.

For L, T, or X configuration, order module corner connector separately:


- 2-way connector (C1220.)
- 3-way connector (C1230.)

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach modules of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the top section of a pass-through module, order the end closure panel (C1450.) and 2 change of height panel/panel finished ends (A0272.) separately.

To enclose the end of a module when a terminal panel (C1122., C1124.) is not used, order the end closure assembly (C1451. or C1452.) separately.



Specification Information

48


Step 1.

C1114.80

Step	2. Width	
24	24" wide	
30	30" wide	
36	36" wide	
48	48" wide	
Prices	s for Steps 1-2.	
C111	4.80 24	\$1745
	30	\$1931
	36	\$2049

Step	3. Surface Finish	
JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$o

\$2175



Description


This 48"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel includes a top shelf end cap, adjustable glides, and finished ends, and comes in 3 widths.

The 60"- and 72"-wide panel supports hanging components.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions



Specification Information

Step 1.

C1122.48

Cton a	Width	/Position
Steb 2.	wiatii	/ POSILIOII

36L 36" wide and left-hand panel36R 36" wide and right-hand panel

60 6o" wide72 72" wide

Prices for Steps 1-2.


C1122.48	36L	\$1774
	36R	\$1774
	60	\$2173
	72	\$3208

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$o

Pass-Through Module Terminal Panel

C1122. C1124.




Product Information


Description


This 80"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel is available in 3 widths. The 60"- and 72"-wide, full-height panel supports hanging components. Each panel has an interior shelf end cap, adjustable glides, and finished ends.

Notes

To attach terminal panel to module, order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.








FULL-HEIGHT INSIDE

œ.
-
3
+
0
3
~
*
S
- "
⊚ .
0
3
~
-
S
<'
~
. •
\sim

Spec	ification Information	
Step 1		
C112		
Step 2	. Height	
2.80	full-height	
4.80	half-height	
Step 3	. Width/Position	
For ful	ll-height (2.80)	
60	6o" wide	
72	72" wide	
For ha	lf-height (4.80)	
36L	36" wide and left-hand panel	
36R	36" wide and right-hand panel	
60	6o" wide	
72	72" wide	
Prices	for Steps 1-3.	
C1122	2.80 60	\$277
	72	\$332
C1124	s.80 36L	\$188
	36R	\$188
	60	\$260
	72	\$320
Step 4	. Surface Finish	
JD	warm grey neutral Chemsurf®	+\$
KH	light tone Chemsurf®	+\$
KR	inner tone light Chemsurf®	+\$
LE	soft white Chemsurf®	+\$




Description


This 48"-high, 48"-wide laminate panel can be field cut to fit a non-modular space in a run of freestanding modules. It includes 3 top shelf brackets, 2 floor base brackets, and 2 wall-attached wall start connectors. The panel cannot support components.

Notes


To cover both sides of a freestanding module run, specify 2 diplomat panels.

For diplomat panel used with low or pass-through module, order top shelf (C1510.) separately; shelf must be field modified.





Spe	cification Information	
Step	1.	
C114	6.	\$780
Step	2. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+ \$o
LU	soft white	+\$0 +\$0 +\$0 +\$0
WN	warm grey neutral	+\$0



Description


This 72"-high tower encloses services between the ceiling and the top shelf of a low module, the interior shelf of a pass-through module, or a 2- or 3-way module corner connector. It includes a ceiling trim plate. The cover cannot be used with a 4-way module corner connector.

Notes


Order module or connector separately:

- 2-way module corner connector (C1220.)
- 3-way module corner connector (C1230.)
- Low module (C1112.)
- Pass-through module (C1114.)


Dimensions



TOP



Specif	ication Information	
Step 1.		
C1460.		\$789
Step 2.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+ \$o



Description


This connector starts a peninsula configuration by attaching a low or pass-through module to a wall or column. It includes a shelf end cap.

Notes

For low module, specify 48"-high wall start; for pass-through module, specify 8o"-high wall start.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately. Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install.

Dimensions



Specification Information

Step 1.

C1212.

Step 2. Height


48 48" high 80 80" high

Prices for Steps 1-2.

C1212. 48 \$556 80 \$629

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+ \$o
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Description


This connector joins 2 modules of equal or unequal heights at a 90° angle. It includes a top shelf and filler panels to enclose the utility chase.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

Dimensions



Specification Information

Step 1.

C1220.

Step 2. Height

48 48" high


80 80" high

Prices for Steps 1-2.

C1220. 48	\$1356
80	\$1627

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$0



Description


This connector joins 3 modules of equal or unequal heights at 90° angles. It includes a top shelf and filler panels to enclose the utility chase.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

Dimensions



Specification Information

Step 1.

C1230.


Step 2. Height

48 48" high

80 80" high


Prices for Steps 1-2.	
C1230. 48	\$1356
80	\$1627


Step 3. Surface Finish			
JD	warm grey neutral Chemsurf®	+\$o	
KH	light tone Chemsurf®	+\$o	
KR	inner tone light Chemsurf®	+\$o	
LE	soft white Chemsurf®	+\$o	




Description

This leg provides additional support for normal loading on a low or pass-through module. It has a leveling glide.





Speci	fication Information	
Step 1		
C1275.		\$562
Step 2	. Surface Finish	
HF	inner tone light	+ \$0
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$0




Description

This kit fastens a module to the floor. It includes a bolt, spacer, and plate. Package contains 10.


Notes

Anchor support kit is not acceptable for seismic anchoring. Source anchor component separately.

Dimensions








Specification Information

Step 1.

C1276.


\$308



Description

This 11"-deep shelf encloses the top of a low module service chase and provides a storage shelf. It has a Chemsurf® surface. The shelf can be drilled for fixtures or piping. It cannot attach to a pass-through module.

Dimensions



Specification Information


Step 1.

C1510.12

Step 2. Width					
12	12" wide				
24	24" wide				
30	30" wide				
36	36" wide				
48	48" wide				
Price	s for Steps 1-2.				

Prices for S	Steps 1-2.	
C1510.12	12	\$243
	24	\$325
	30	\$408
	36	\$429
	48	\$440

Step 3.	Surface Finish	
JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$o




Description

This 11"-deep shelf fits inside a pass-through module. It encloses the top of a 48"-high service chase and provides a storage shelf. The shelf has a Chemsurf® surface. It can be drilled for fixtures or piping. Attachment hardware is included.

Notes

To install shelf higher than 48", order interior shelf and support kit (C1515.) separately.

Dimensions



Specification Information


Step 1.

C1511.12

Step 2	. Width			
24	24" wide			
30	30" wide			
36	36" wide			
48	48" wide			

87
32
58
84


Step 3.	Surface Finish	
JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$o



Description

This cap finishes the end of an interior or top shelf at the connection of a low or pass-through module and an interface connector. It has a Chemsurf® surface. Attachment hardware is included.

Dimensions



Specification Information

Step 1.

C151


Step 2. Depth/Usage

1.E 7" deep for interior shelf

0.E 12" deep for top shelf

Prices for Steps 1-2.	
C1511.E	\$214
C1510.E	\$209


Step	3. Surface Finish	
JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$0



Description

This 11"-deep interior shelf is installed within a pass-through module. Attachment hardware is included.


Dimensions



Specification Information Step 1. C1515.12

63
24
916
46
32

Step 3.	Surface Finish	
JD	warm grey neutral Chemsurf®	+ \$o
KH	light tone Chemsurf®	+\$ 0
KR	inner tone light Chemsurf®	+\$ 0
LE	soft white Chemsurf®	+ \$0




Description


This plastic barrier attaches to the back of a top shelf and creates a backsplash. It is used with a module that sits against a wall. The barrier can also compensate for variations in a wall surface. Package contains 4.

Notes

For use with interior shelf, field modify shelf backsplash.

Dimensions





Specification Information


Step 1.

C1520.

Step	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
48	48" wide			

Prices for Steps 1-2.	
C1520. 24	\$91
30	\$114
36	\$123
48	\$162


Step 3.	Surface Finish	
HF	inner tone light	+ \$o
LT	light tone	+\$0
LU	soft white	+ \$0
WN	warm grey neutral	+ \$0



Description

This component fills the space between a work surface and the interior shelf for a pass-through module. It creates a continuous work area. Attachment hardware is included.

Dimensions



Specification Information

Step 1.

C153

Step 2. Usage

for top shelf

1. for interior shelf

Step 3.	Width
24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for Steps 1-3.	
C1530. 24	\$62
30	\$78
36	\$93
48	\$103
C1531. 24	\$64
30	\$64 \$92
36	\$104
48	\$121

Step 4. Surface Finish			
HF	inner tone light	+\$0	
LT	light tone	+\$o	
LU	soft white	+\$o	
WN	warm grey neutral	+ \$o	



Description


This assembly of 2 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts for standard duplex electrical outlets. Brackets and mounting hardware are included. Shipped knocked down.

The assembly has 2 30"- or 2 42"-high access panels.

Notes

Order low module (C1112.) or pass-through module (C1114.) separately. For interior shelf mounted at 36" on pass-through module, specify 30"-high assembly.

For interior shelf mounted at 48'' on pass-through module, specify 42''-high assembly.





FRONT



FRONT

Specification Information

Step 1.

C1412.

Step 2. Height

30" high

42" high 42

Step 3. Width

19 191/4" wide


251/4" wide 25

31 311/4" wide

431/4" wide 43

Prices for Steps 1-3.				
	19	25	31	43
C1412. 30	\$585	682	711	735
42	\$656	765	837	922

Step 2	4. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o




Description

This assembly of 4 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts (4 per module side) for standard duplex electrical outlets. Brackets and mounting hardware are included. Shipped knocked down. The 24"-high assembly has 4 12"-high access panels; the 42"-high assembly has 2 12"- and 2 30"-high access panels.

Notes


Order low module (C1112.) or pass-through module (C1114.) separately. For interior shelf mounted 30" high on pass-through module, specify 24"-high assembly.

For interior shelf mounted 48" high on pass-through module, specify 42"-high assembly.





FRONT



Combination Access Panel Assembly continued

Specification Information

Step 1.

C1422.

Step 2. Height

24 24" high

42 42" high

Step 3. Width

19 19¹/₄" wide

25 25¹/₄" wide

31 31¹/₄" wide

43 43¹/₄" wide

Prices for Steps 1-3.				
	19	25	31	43
C1422. 24	\$1232	1293	1353	1403
42	\$1310	1455	1616	1706

Step 2	4. Surface Finish	
HF	inner tone light	+ \$o
LT	light tone	+ \$o
LU	soft white	+ \$o
WN	warm grey neutral	+ \$o



Description


This assembly attaches to a pass-through module and creates a low cup sink assembly in the lower service chase. It encloses both sides of the service chase and has removable panels for service access. The assembly includes 4 12"-high access panels, 1 shelf support frame, 1 interior shelf, 1 bottom chase cover, and attachment hardware. Each 12"-high panel has 2 knockouts for standard duplex electrical outlets. The assembly has a 15^{1} /4" space for a cup sink; this divides the service chase into 2 12" segments. Shipped knocked down.


Notes

Order pass-through module (C1114.) separately.

To enclose service chase of adjacent module, order center closure panel (C1455.1607) separately.

Customer must order sink and fixtures separately and field cut interior shelf to hold sink.





Low Cup Sink Access Panel Assembly continued

Specification Information


Step 1.

C1432.42

Step 2. Width		
19	19 ¹ / ₄ " wide	
25	25 ¹ / ₄ " wide	
43	43 ¹ / ₄ " wide	

Prices for Steps 1-2.	
C1432.42 19	\$1898
25	\$2071
43	\$2289

Step 3. Surface Finish			
JD	warm grey neutral Chemsurf®	+\$o	
KH	light tone Chemsurf®	+\$o	
KR	inner tone light Chemsurf®	+\$o	
LE	soft white Chemsurf®	+\$0	




Description

This 32"-high, 11"-wide panel encloses the top section of a pass-through module.


Notes

Order pass-through module (C1114.) separately.

Order 2 panel/panel change-of-height finished ends (AO272.) separately.



Specification Information			
Step 1			
C1450.3211			
Step 2	. Surface Finish		
HF	inner tone light	+\$o	
LT	light tone	+\$o	
LU	soft white	+\$o	
WN	warm grey neutral	+\$o	



Description


This assembly encloses the end of a module when a terminal panel is not used.

The end closure for a low module has a 48"-high panel and 2 48"-high end caps. The full-height end closure for a pass-through module has an 80"-high panel and 2 80"-high end caps. The half-height end closure for a pass-through module has a 48"-high panel and 2 80"-high end caps.


Notes

Order low module (C1112.) or pass-through module (C1114.) separately.


Dimensions



FOR LOW MODULE



FULL-HEIGHT END CLOSURE FOR PASS-THROUGH MODULE




HALF-HEIGHT END CLOSURE FOR PASS-THROUGH MODULE

SIDE FRONT

Specification Information

Step 1.				
C145				
Step 2.	Туре			
1.4811	end closure for low module			
1.8011	full-height end closure for pass-through module			
2.8011	half-height end closure for pass-through module			
Prices f	or Steps 1-2.			
C1451.4	C1451.4811 \$27			
C1451.8011				
C1452.8011				
Step 3.	Surface Finish			
HF	inner tone light	+\$0		
LT	light tone	+\$0		
LU	soft white	+\$0		
WN	warm grey neutral	+ \$0		

Co/Struc® System Price Book (9/19)



Description

This panel attaches to the inside of a module run and encloses the end of a service chase. Attachment hardware is included.

Notes


To enclose service chase on either end of cup sink opening or 14"-high openings created by partial chases at panel connections, order 16"-high panel.

To enclose lower interior module chase, order 43"-high panel.

To enclose upper section of pass-through module, order 32"-high panel.

Dimensions





Specification Information


Step 1.

C1455.

Step 2. Height					
1607	16" high				
3207	32" high				
4307	43" high				

Prices for Steps 1-2.	
C1455. 1607	\$646
3207	\$654
4307	\$658

Step 3	3. Surface Finish	
HF	inner tone light	+ \$o
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$o



Description

This aluminum rail attaches to 1 side of an equal-width module or support panel and provides 1 or 2 cable management channels. It cannot be used with an Action Office® Series 1 or 2 connector.

Notes


Order connection components separately:

- Wire chase rail bridge (C1326. or C1327.) to connect across mid-run support panel or back side of 3-way connector
- \bullet 90° inside corner wire chase rail (C1321. or C1322.) to connect around 90° inside corner

Order wire chase rail covers (C1315., C1316., C1317., or C1318.) and rail end cap (C1331. or C1332.) separately.

Receptacles must be customer supplied.

Dimensions



Specification Information

Step 1.

C131

Step 2. Type

- 3. double channel
- 4. single channel

Step 3. Width

- 24" wide
- **30** 30" wide
- **36** 36" wide
- **42** 42" wide A
- **48** 48" wide
- **60** 6o" wide
- **72** 72" wide

96

96" wide


\$112
\$144
\$183
\$212
\$224
\$282
\$335
\$446
\$57
\$74
\$94
\$104
\$112
\$142
\$166
\$224

Step 4. Surface Finish

AN clear anodized aluminum

+\$o

Wire Chase Rail, 90° Inside Corner C1321. C1322.



Product Information


Description

This aluminum rail attaches to 2 modules or support panels at a 90° inside corner. It cannot be used with an Action Office® Series 1 or 2 connector.

Notes

Rail includes 2 6" mitered corner covers. Order wire chase rail covers to cover the remaining length of each rail (C1315., C1316., C1317., or C1318.) separately.

Dimensions



Specification Information

Step 1.

C132

Step 2. Type

1. double channel

2. single channel

Ste	n :	١. ١	۷i	d:	tŀ	1

24 24" wide

30 30" wide

48 48" wide

Step 4. Depth

For 2	4" wide (24)			
24	24" deep			
30	30" deep			
48	48" deen			

	wide (30)
30	30" deep


48 48" deep

For 48" wide (48)

48 48" deep

24 \$391	30 421	48 501
\$391	•	501
_	\$445	527
_	_	\$609
\$261	282	322
_	\$295	335
_	_	\$378
	\$261 —	\$261 282

Step	5. Surface Finish	
AN	clear anodized aluminum	+\$0



Description


This bridge joins wire chase rails across a mid-run support panel or on the back side of a 3-way 90° connector. It allows the continuation of a cable management channel and includes a blank cover. The bridge cannot be used with an Action Office® Series 1 or 2 connector.

Notes

Order 1 of the following products separately:

- 3-way 90° connector (C1231.)
- Mid-run support (C1272. or C1273.)

Dimensions



Specification Information

Step 1.


C132

Step 2. Type

- 6. double channel
- 7. single channel


Prices for Steps 1-2.	
C1326.	\$102
C1327.	\$102

Step 3	3. Surface Finish	
AN	clear anodized aluminum	+\$0



Description

This end cap finishes the exposed end of a wire chase rail. Package




Spec	ification Information	
Step 1	l.	
C133		
Step 2	2. Type	
1.	double channel	
2.	single channel	
Prices	for Steps 1-2.	
C1331	1.	\$93
C1332	2.	\$93
Step 3	3. Surface Finish	
AN	clear anodized aluminum	+\$o

Wire Chase Rail Cover

C1315. C1316.

C1317. C1318.



Product Information


Description

This cover encloses a wire chase rail.

Notes

Specify type to cover wire chase rail's power and/or data outlets. Specify covers in 6"- or 12"-wide increments to match rail width.

Dimensions



Specification Information

Step 1.

C131

Step 2. Type

5.06 6"-wide plain cover5.12 12"-wide plain cover

6. duplex cutout cover

7. GFI cutout cover


8. gang cover

Prices for Steps 1-2.	
C1315.06	\$21
C1315.12	\$26
C1316.	\$29
C1317.	\$31
C1318.	\$31

Step 3.	Surface Finish	
AN	clear anodized aluminum	+\$0

C1358. D

\$29 \$44



Product Information


Description

This $1^{1}/2^{"}$ -wide cover wraps around the outside of a wire chase channel to cover gaps between adjoining channels and covers.


Notes

Order wire chase and covers separately.

Dimensions



Specification Information Step 1. C1358. Step 2. Type double channel Т triple channel Prices for Steps 1-2.



Description

This work surface hangs from a panel, module, or wall strips and is available as laminate or solid surface. The work surface, when supported by work surface supports has a top-loading capacity of up to 200 pounds. The solid surface option, when supported by sink products has a top-loading capacity of 250 pounds. Appropriate sink products and work surface supports must be specified and ordered separately.

Notes

For laminate option (L), order standard duty work surface supports (C2140.S) separately.

For solid surface option (K), order 1 of the following products separately:

- ADA sink support, systems mounted (C2520.)
- Sink module (C2512.)
- Sink unit for storage (C2513.)
- Work surface support, standard duty (C2140.S)

Work surface with solid surface option (K) will not accept a storage case (C5040.) without storage case leg (C5050.).

To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order separately.


Work surface with solid surface option (K) has a matte gloss level and includes a backsplash.

When hanging work surface with laminate option (L) from wall strips, order recommended backsplash (C2910.) separately.

Order optional products separately:

- Drawer bearer package (CO228)
- Gripper package (CO266), for laminate (L) option only
- Keyboard/Mouse Support, Adjustable (Y7710.)
- Lockable drawer bearer (CO396)

Dimensions



Specification Information

Step 1.

C2142.

Step 2.	Depth
24	24" deep
30	30" deep

Step 3	3. Width		
24	24" wide		
30	30" wide		
36	36" wide		
48	48" wide		
60	6o" wide		
72	72" wide		
96	96" wide		

Step 4. Material

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), or 60" wide (60)


L laminateK solid surface

For 72" wide (72) or 96" wide (96)

L laminate

Prices for Steps 1-4.		
	L	K
C2142. 24 24	\$121	1511
30	\$150	1754
36	\$201	2201
48	\$270	2491
60	\$393	2982
72	\$494	_
96	\$634	_
30 24	\$129	1692
30	\$186	1964
36	\$235	2461
48	\$376	2775
60	\$534	3318
72	\$656	_
96	\$785	_

Step	5. Finish	
 For la	minate (L)	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
For so	olid surface (K)	
1N	canyon	+\$0
CQ	glacier white	+\$ o
QB	bisque	+\$o
1E	flint	+\$50
15	savannah	+\$50
1U	sahara	+\$50
31	mojave	+\$50
41	sandstone	+\$50
IQ	aurora	+\$50
0Q	silt	+\$50
Q1	vanilla	+\$50
7I	raffia	+\$200
BLP	blue pebble	+\$200



Description

This work surface is supported by heavy duty work surface supports, allowing it to hang from a panel, module, or wall strips. It has a top-loading capacity of up to 400 pounds. It can hold drawers and includes drawer bearers. Appropriate heavy duty work surface supports must be specified and ordered separately.

The work surface can be specified as laminate, Chemsurf®, stainless steel, Corian®, or phenolic resin. A 51"-wide surface has a 3" overhang on the left or right side to fill the gap created by a mid-run support, C-series 3-way connector, or interface connector. A 96"-wide surface includes 1 additional support bracket. The 24"-wide surface cannot accept components.

Notes

Order heavy duty work surface supports (C2140.H, C2140.W, C214.R) separately.

For stainless steel option (S), order 1 of the following products separately:

- Heavy duty work surface support, with component adapter (C2140.W)
- Heavy duty work surface support, component adapter ready (C2140.R) Work surface with phenolic resin option (P) or Corian option (K) must use work surface supports (C2140.) heavy duty, with component adaptor (W) or heavy duty, component adaptor ready (R) options. Finish color on phenolic resin option (P) is black.

Work surface with solid surface option (K) has a matte gloss level.

Work surface with phenolic resin option (P) or Corian option (K) includes a backsplash.

Work surface with phenolic resin option (P) is 1" thick and includes spacers for transitioning to adjacent, non-resin surfaces.

To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order separately.

When hanging a work surface with laminate option (L) or Chemsurf® option (C) from wall strips, order recommended backsplash (C2910.) separately.

Work surface supports the following quantities of drawers, C frames, or storage cabinets:


- 24" wide: 1 drawer
- 30", 36" wide: 1 drawer, 1 C frame or 1 storage cabinet
- 48", 51", and 60" wide: 2 drawers, 2 C frames, or 2 storage cabinets
- 72" wide: 3 drawers, 3 C frames, or 3 storage cabinets
- 96" wide: 4 drawers, 4 C frames, or 4 storage cabinets

24"-wide work surface will not accept a storage case (C5040.) or storage unit (C5010.) or C frame (C0205).

Work surface with phenolic resin option (P) or stainless steel option (S) will not accept a keyboard/mouse support, adjustable (Y7710.).

Order optional products separately:

- Drawer (CO207, CO208, or CO209)
- Keyboard tray (Y7710.), except for stainless steel (S) and phenolic resin (P) surfaces
- Pencil drawer (Ao48o.)
- Storage case (C5040.) and adapter rail (C1610.), except for phenolic resin (P) surfaces
- Storage unit (C5010.) and component adaptor (C2193.)




Spe	cification Information
Step	
C214	
Step	2. Depth
24	24" deep
30	3o" deep
Step	3. Width
24	24" wide
30	30" wide
36	36" wide
48	48" wide
5L	51" wide, left overhang
5R	51" wide, right overhang
60	60" wide
72	72" wide
96	96" wide
	4. Material
Step For 2	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide
Step For 2 (60),	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72)
Step For 2 (60),	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate
Step For 2 (60), L C	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf®
Step For 2 (60), L C S	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf® stainless steel A
Step For 2 (60),	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf®
For 2 (60), L C S P	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf® stainless steel A phenolic resin corian
Step For 2 (60), L C S P K	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf® stainless steel A phenolic resin corian 1" wide, left overhang (5L) or 51" wide, right overhang (5R)
For 2 (60), L C S P K	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf® stainless steel A phenolic resin corian 1" wide, left overhang (5L) or 51" wide, right overhang (5R) laminate
For 2 (60), L C S P K For 5	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf® stainless steel A phenolic resin corian 4" wide, left overhang (5L) or 51" wide, right overhang (5R) laminate Chemsurf®
For 2 (60), L C S P K For 5 L C S	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf® stainless steel A phenolic resin corian 1" wide, left overhang (5L) or 51" wide, right overhang (5R) laminate Chemsurf® stainless steel A
Step For 2 ((60), L C S P K For 5 L C S P	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf® stainless steel A phenolic resin corian 1" wide, left overhang (5L) or 51" wide, right overhang (5R) laminate Chemsurf® stainless steel A phenolic resin
For 2 (60), L C S P K	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf® stainless steel A phenolic resin corian 1" wide, left overhang (5L) or 51" wide, right overhang (5R) laminate Chemsurf® stainless steel A
Step For 2 (60), L C S P K For 5 L C S P K	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf® stainless steel A phenolic resin corian 1" wide, left overhang (5L) or 51" wide, right overhang (5R) laminate Chemsurf® stainless steel A phenolic resin
Step For 2 (60), L C S P K For 5 L C S P K	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate Chemsurf® stainless steel A phenolic resin corian 4" wide, left overhang (5L) or 51" wide, right overhang (5R) laminate Chemsurf® stainless steel A phenolic resin corian

Prices for Steps 1-4.					
	L	C	S	Р	K
C2141. 24 24	\$165	223	2259	800	1326
30	\$176	262	2430	946	1483
36	\$230	333	2902	1090	1807
48	\$314	421	3467	1379	2438
5L	\$375	485	3776	1525	2768
5R	\$375	485	3776	1525	2768
60	\$437	541	4519	1598	2770
72	\$541	659	5156	1816	3422
96	\$690	825	5775	_	_
30 24	\$213	252	2543	871	1512
30	\$223	343	2869	1090	1695
36	\$304	455	3650	1237	2051
48	\$409	579	4295	1598	2728
5L	\$427	585	4645	1816	3105
5R	\$427	597	4645	1816	3105
60	\$563	733	5514	1888	3098
72	\$690	877	6350	2178	3847
96	\$847	1071	6779	_	_

Step	5. Finish	
For la	minate (L)	
HF	inner tone light	+\$0
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$0
For Cl	nemsurf® (C)	
JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$o

stainless steel A

For co	rian (K)	
CQ	glacier white	+\$0
Q1	vanilla	+ \$o
QB	bisque	+ \$o
1N	canyon	+\$370
15	savannah	+\$370
1U	sahara	+\$370
31	mojave	+\$370
41	sandstone	+\$370
IQ	aurora	+\$370
0Q	silt	+\$370
1E	flint	+\$740
7I	raffia	+\$740
BLP	blue pebble	+\$740



Description

This set of supports allows a standard- or heavy duty work surface to hang from a panel, module, or wall strips.

Notes

Supports for standard duty surfaces include the following:

Surface Width—Supports

24"-60" wide - 2 supports (1 left and 1 right)

72" wide — 3 supports (1 left, 1 middle, and 1 right)

96" wide - 4 supports (1 left, 2 middle, and 1 right)

Supports for heavy duty surfaces include the following:

 $Surface\ Width-Supports$


24"-72" wide — 2 supports (1 left and 1 right)

96" wide — 3 supports (1 left, 1 middle, and 1 right)

For standard duty option (S), order standard duty work surface (C2142.) separately.

For heavy duty options (H,W, or R), order appropriate heavy duty work surface (C2141.) separately.

Dimensions



Specification Information

Step 1.

C2140.

Step 2. Type

S standard duty

H heavy duty

W heavy duty, with component adaptor

R heavy duty, component adaptor ready

Step 3. Depth

24 for 24"-deep work surface

30 for 30"-deep work surface

Step 4. Width

24 24" wide

30 30" wide

36 36" wide48 48" wide

60 60" wide


72 72" wide

96 96" wide

Prices for S	steps 1-4.						
		24	30	36	48	60	72
C2140. S	24	\$172	172	172	172	172	258
	30	\$172	172	172	172	172	258
Н	24	\$240	240	240	240	240	240
	30	\$257	257	257	257	257	257
W	24	\$435	462	487	512	559	609
	30	\$477	507	529	555	602	651
R	24	\$312	312	312	312	312	344
	30	\$354	354	354	354	354	391

		96
C2140. S	24	\$344
	30	\$344
Н	24	\$360
	30	\$385
W	24	\$843
	30	\$907
R	24	\$513
	30	\$584

Step 5.	Finish	
HF	inner tone light	+\$
LT	light tone	+\$
LU	soft white	+\$
WN	warm grey neutral	+\$



Description


This 24"-deep rectangular work surface hangs on a standard rail. It has predrilled holes for hanging drawers, suspended pedestals, or keyboard trays. The work surface can be installed, relocated, or removed without tools and without disturbing other rail components. The support arm finish matches the surface finish.

Notes

Order optional work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.

Dimensions




Specification Information Step 1.

C2410.24

Step	2. Width			
48	48" wide			
72	72" wide			
Price	s for Steps 1-2.			

C2410.24	48		\$1031
	72	9	1277


Step 3	3. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$ o
LU	soft white	+\$ o
WN	warm grev neutral	+\$0




Description

This cover provides a continuous surface for 2 back-to-back squarededge work surfaces hung on an open panel frame. It is 48" wide but can be field cut to fit a narrower opening.

|--|



Speci	fication Information	
Step 1		
C2399	.48	\$85
Step 2	. Finish	
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o



Description

This assembly attaches to a support panel, a module, or wall strips and provides support for a C frame and components hanging on the C frame. Attachment hardware is included. Shipped knocked down.


The assembly holds the following quantities of C frames:

- 24" and 30" wide: 1 C frame
- 48" and 60" wide: 2 C frames
- 72" wide: 3 C frames

Notes

For 51"-wide work surface, order 48"-wide C frame support.

Dimensions



Specification Information

Step 1.

C2192.

Step 2. Worl	Surface Depth
--------------	---------------

for 24"-deep work surface

30 for 30"-deep work surface

Step 3. Width

24 24" wide

30 30" wide

36 36" wide


48 48" wide

60 6o" wide

72 72" wide

Prices for Steps 1-3.						
	24	30	36	48	60	72
C2192. 24	\$610	627	641	672	677	689
30	\$672	715	748	761	769	805

Step 4	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+ \$o



Description

This kit attaches to a heavy-duty work surface support and allows C frames to hang below the work surface. Attachment hardware is included.

The kit holds the following quantities of C frames or storage units:

- 30" wide: 1 C frame or storage unit
- 48" and 60" wide: 2 C frames or storage units
- 72" wide: 3 C frames or storage units
- 96" wide: 4 C frames or storage units

Notes


The kit attaches to a work surface support (C2140.) with heavy duty, component adapter ready option (R).

For 51"-wide work surface, order 48"-wide kit.
96"-wide kit is shipped in 2 pieces.

Order storage components separately:

- C frame (CO205)
- Storage unit (C5010.)

Dimensions



Specification Information

Ctom a Curfosa Finish

Step 1.

C2193.

Step 2	Step 2. Width				
24	24" wide				
30	30" wide				
48	48" wide				
60	6o" wide				
72	72" wide				
96	96" wide				


Prices for Steps 1-2.	
C2193. 24	\$174
30	\$209
48	\$247
60	\$299
72	\$370
96	\$473

Steb.	3. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$o

WN

warm grey neutral

+\$o




Product Information


Description

This plastic barrier attaches to the back edge of a C-series rectangular or corner work surface or to a process table and creates a backsplash. Package contains 6.

Dimensions



Specification Information Step 1. C2910. Step 2. Width 72" wide Prices for Steps 1-2. C2910. 72 \$389 Step 3. Surface Finish For 72" wide (72) black **+\$**o HF inner tone light +\$o LT light tone **+\$**o soft white LU **+\$**o




Description

This component attaches to a Casework work surface. It fills the gap created when Casework base cabinets are placed against terminal panels or wall strips. Package contains 6. Attachment hardware is included.

Notes


Order work surface (CG211. or CG212.) or corner work surface (CG218. or CG219.) separately.



Speci	ication Information	
Step 1.		
C2920	96	\$164
Step 2.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+ \$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o

30

\$392




Product Information

Description


This side splash attaches to a Co/Struc phenolic resin work surface. It is used at the end of a run or at a corner. The finish is available in black only.

Notes

Order phenolic work surface (C2141) separately.



Spe Step	cification Information	
C293		
Step	2. Depth	
24	24" deep	
30	30" deep	
Step	3. Material	
Р	phenolic resin	
Price	s for Steps 1-3.	
		P
C293	0. 24	\$365



Description


This 48"-wide work surface hangs from modules, C-series support panels, or wall strips and provides additional top-loading capacity. It includes 1 drawer bearer package. The work surface cannot attach to Action Office® Series 1 or Series 2 connectors. Attachment hardware is included.

The work surface has a laminate or Chemsurf® top. The support arm finish matches the surface finish.


Notes

When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.



TOP




12-1/4" (311)

FRONT

Speci	fication Information		
Step 1			
C2215	. A		
Step 2	. Depth		
2448	24" deep 🗚		
3048	30" deep A		
Prices	for Steps 1-2.		
C2215	. 2448		\$830
	3048		\$961
Step 3	. Surface Finish		
Lamin	ate Top		
		2448	3048
HF	inner tone light A	+\$o	0
LT	light tone A	+\$o	0
LU	soft white A	+\$o	0
WN	warm grey neutral A	+\$0	0
Chems	surf® Top		
		2448	3048
JD	warm grey neutral Chemsurf® A	+\$167	194
KH	light tone Chemsurf® A	+\$167	194
KR	inner tone light Chemsurf® 🛕	+\$167	194
LE	soft white Chemsurf® A	+\$167	194

Heavy-Duty Corner Work Surface, C2216. Action Office® Series 1 or 2 90° Corner Connector



Product Information

Description


This 48"-wide work surface hangs from panels or wall strips connected by an Action Office® Series 1 or 2 90° corner connector. It provides additional top-loading capacity and includes 1 drawer bearer package. The support arm finish matches the surface finish. The work surface cannot attach to a C-series 90° corner connector. Attachment hardware is included.


The work surface has a laminate or Chemsurf® top.


Notes

When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.








Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2 90° Corner Connector continued

	ification Information		
Step 1			
C2216	. A		
Step 2	. Depth		
2448	24" deep 🖪		
3048	30" deep A		
Prices	for Steps 1-2.		
C2216	. 2448		\$845
	3048		\$979
Step 3	. Surface Finish		
Lamin	ate Top		
		2448	3048
HF	inner tone light A	+\$0	0
LT	light tone A	+\$0	0
LU	soft white A	+\$0	0
WN	warm grey neutral A	+\$0	0
Chems	surf® Top		
		2448	3048
JD	warm grey neutral Chemsurf® A	+\$167	194
KH	light tone Chemsurf® A	+\$167	194
KR	inner tone light Chemsurf® 🗚	+\$167	194
LE	soft white Chemsurf® A	+\$167	194



Description

This 30"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from $26^1/_2$ " to $41^1/_2$ ". The table base is equipped with a motor, height-control box, and $8^1/_2$ ' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The 48"-wide workstation has 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (CO₅21.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

Order workstation storage components separately:

Reagent shelf (C4327.)


Order overhead components (to hang on riser frame) separately:

- B-style shelf (C3011.)
- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)
- Shelf unit (C5020. or C5021.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.


When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.



Workstation, Electric Height Adjustment continued

Step 1. C4310.30 Step 2. Width 48	Spec	ification Information		
Step 2. Width 48	Step :	l.		
48 48" wide 60 60" wide 72 72" wide Step 3. Surface Material L laminate C Chemsurf® Prices for Steps 1-3. L C4310.30 48 \$6812 60 \$6902 72 \$7216 Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KR inner tone light Chemsurf® KR inner tone light Chemsurf®	C4310	0.30		
48 48" wide 60 60" wide 72 72" wide Step 3. Surface Material L laminate C Chemsurf® Prices for Steps 1-3. L C4310.30 48 \$6812 60 \$6902 72 \$7216 Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KR inner tone light Chemsurf® KR inner tone light Chemsurf®	Step :	2. Width		
60 60" wide 72 72" wide Step 3. Surface Material L laminate C Chemsurf® Prices for Steps 1-3. L C4310.30 48 \$6812 60 \$6902 72 \$7216 Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf® KR inner tone light Chemsurf®				
72 72" wide Step 3. Surface Material L laminate C Chemsurf® Prices for Steps 1-3. L C4310.30 48 \$6812 60 \$6902 72 \$7216 Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf® KR inner tone light Chemsurf®	60	·		
L laminate C Chemsurf® Prices for Steps 1-3. L C4310.30 48 \$6812 60 \$6902 72 \$7216 Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	72			
C Chemsurf® Prices for Steps 1-3. L C4310.30 48 \$6812 60 \$6902 72 \$7216 Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	Step	3. Surface Material		
Prices for Steps 1-3. C4310.30 48 \$6812 60 \$6902 72 \$7216 Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	L	laminate		
L C4310.30 48 \$6812 60 \$6902 72 \$7216 Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	C	Chemsurf®		
C4310.30 48 \$6812 60 \$6902 72 \$7216 Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	Prices	for Steps 1-3.		
\$60 \$6902 \$7216 Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®				
\$7216 Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	C4310	0.30 48		713
Step 4. Casters/Glides GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®		60		722
GA glides CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®		72	\$7216	753
CA casters + Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	Step	4. Casters/Glides		
Step 5. Top/Frame Finish For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	GA	glides		+\$
For laminate (L) HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	CA	casters		+\$37
HF inner tone light LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	Step !	5. Top/Frame Finish		
LT light tone LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	For la	minate (L)		
LU soft white WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	HF	inner tone light		+\$
WN warm grey neutral For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	LT	light tone		+\$
For Chemsurf® (C) JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	LU	soft white		+\$
JD warm grey neutral Chemsurf® KH light tone Chemsurf® KR inner tone light Chemsurf®	WN	warm grey neutral		+\$
KH light tone Chemsurf® KR inner tone light Chemsurf®	For Cl	nemsurf® (C)		
KR inner tone light Chemsurf®	JD	warm grey neutral Chemsurf®		+\$
_	KH	light tone Chemsurf®		+\$
LE soft white Chemsurf®	KR	inner tone light Chemsurf®		+\$
	LE	soft white Chemsurf®		+\$



Description

This 30"-deep height-adjustable work station has a laminate or Chemsurf® top. It is pin adjustable in 1" increments and has a 15" travel range from $26^1/_2$ " to $41^1/_2$ ". The table has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The 48"-wide workstation has 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

Order workstation storage components separately:

• Reagent shelf (C4327.)


Order overhead components (to hang on riser frame) separately:

- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.


When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.



Workstation, Manual Height Adjustment continued

Step : C431 :			
C431.	1.50		
Step :	2. Width		
48	48" wide		
60	6o" wide		
72	72" wide		
Step :	3. Surface Material		
L	laminate		
C	Chemsurf®		
Prices	s for Steps 1-3.		
		L	
C431	1.30 48	\$5059	539
	60	\$5175	551
	72	\$5416	585.
Step	4. Casters/Glides		
GA	glides		+\$0
CA	casters		+\$370
Step !	5. Top/Frame Finish		
For la	minate (L)		
HF	inner tone light		+\$0
LT	light tone		+\$
LU	soft white		+\$0
WN	warm grey neutral		+\$0
For Cl	nemsurf® (C)		
JD	warm grey neutral Chemsurf®		+\$0
KH	light tone Chemsurf®		+\$0
KR	inner tone light Chemsurf®		+\$0
LE	soft white Chemsurf®		+\$0



Description

This 2-sided, 42"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26^1l_2 " to 41^1l_2 ". The table base is equipped with a motor, height-control box, and 8^1l_2 power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

The table includes 2 stretchers (one on each side) to support C frames and/or storage units. 48"- and 60"-wide tables have 4 sets of drawer bearers.


Notes


Order storage components separately:


- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.








Work Table, Electric Height Adjustment continued

Spec	ification information		
Step 1			
C4312	2.42		
•	2. Width		
48	48" wide		
60	6o" wide		
Step 3	3. Surface Material		
L	laminate		
С	Chemsurf®		
Prices	for Steps 1-3.		
		L	C
C4312	2.42 48	\$6333	6666
	60	\$6532	6866
Step 2	. Casters/Glides		
GA	glides		+\$0
CA	casters		+\$370
Step 5	;. Top/Frame Finish		
For la	minate (L)		
HF	inner tone light		+\$0
LT	light tone		+\$0
LU	soft white		+\$0
WN	warm grey neutral		+\$0
For Ch	nemsurf® (C)		
JD	warm grey neutral Chemsurf®		+\$c
KH	light tone Chemsurf®		+\$0
KR	inner tone light Chemsurf®		+\$0
LE	soft white Chemsurf®		+\$0

Process Table, Electric Height Adjustment

C4313.



Product Information

Description

This height-adjustable process table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from $26^{1}/_{2}$ " to $41^{1}/_{2}$ ". The table base is equipped with a motor, height-control box, and $8^{1}/_{2}$ ' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 3" locking casters. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

The table includes 1 stretcher to support a C frame or storage unit.

Notes


Order storage components separately:


- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Reagent shelf (C4326.)
- Storage unit (C5010.)


When specifying a Chemsurf® finish, the corresponding frame finish is

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions







Specification Information

Step 1.

C4313.

Step 2.	Depth
24	24" deep
30	зо" deer

Step 3.	Width
48	48" wide

60 60" wide72 72" wide

Step 4. Surface Material


Step 6. Top/Frame Finish

L laminateC Chemsurf®

Prices for Steps 1-4.		
	L	C
C4313. 24 48	\$6074	6405
60	\$6273	6602
72	\$6537	6867
30 48	\$6188	6517
60	\$6318	6648
72	\$6577	6908

Step	5. Casters/Glides	
GA	glides	+\$0
CA	casters	+\$310

For la	minate (L)	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
For Ci	hemsurf® (C)	
JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Description


This metal shelf attaches to a workstation or process table to provide storage for reagents below the surface.

Notes

Order workstation (C4310. or 4311.) separately.

Order process table (C4313.) separately.

Dimensions



Specification Information

Step 1.

C432

Step 2. Type

6. for electric process table

7. for workstation

Step 3. Depth

For electric process table (6.)

16" deep

For workstation (7.)

18 18" deep

Step 4. Width


48 48" wide

60 60" wide

72 72" wide

Prices for Steps 1-4.			
	48	60	72
C4326. 16	\$793	826	881
C4327. 18	\$808	898	905

Step 5.	Finish	
HF	inner tone light	+\$o
LT	light tone	+\$ o
LU	soft white	+\$ o
WN	warm grey neutral	+\$ o



Description

This freestanding table base is available at seated height (29" high) and standing height (36" high), has 2 C-legs, a steel modesty panel, and 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is 283/4" for a 29" seated-height table base and 353/4" for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base. Order casters as a service part.

Clearance from front of table to modesty panel is 241/4" for a 30"-deep work surface and 181/4" for a 24"-deep work surface.

Order work table surface (C4700.) separately:


- 24" and 30" depths, and 48", 51" (left and right), and 60" widths are compatible with table bases 24" deep \times 48" wide.
- 60" wide work table surface overhangs on center of a 48"-wide table base.
- 51" wide (left and right) work table surfaces overhang left or right of a 48"-wide table base.
- Order drawer bearers separately, with work table surface.

Order separately:


- Work table reagent shelf (C4900.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).

To accommodate a refrigerator, a 36"-high table base is recommended. Refrigerators 21.34" wide or less can be used with 1 set of adjacent drawer bearers for a 3" or 6" drawer (CO207, CO208) only.

Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.



Spec	ification Information		
Step 1	1.		
C460	Α		
Step 2	2. Glides		
G.	glides A		
Step 3	3. Depth		
24	24" deep A		
Step	4. Width		
48	48" wide A		
Step	5. Height		
29	29" high 🖪		
36	36" high A		
Prices	for Steps 1-5.		
		29	36
C4600	G. 24 48	\$1018	1074
Step 6	6. Base/Modesty Panel Finish		
HF	inner tone light 🛕		+\$0
LT	light tone 🛕		+\$0
LU	soft white A		+\$0
WN	warm grey neutral 🛕		+\$0
CN	metallic champagne A		+\$0
MS	metallic silver A		+\$0



Description

This freestanding table base is available at seated height (29" high) and standing height (36" high) and has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is $28^3/4$ " for a 29" seated-height table base and $35^3/4$ " for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base.

Order work table surface (C4700.) separately:

- 24" deep \times 36" wide base is only compatible with a 24" deep \times 36" wide work table surface.
- 24" deep \times 48" wide base is compatible with a 24" deep \times 48", 51" (left and right), 60" wide work table surface.
- 24" deep × 72" wide base is only compatible with a 24" deep × 72" wide work table surface.
- 30" deep \times 36" wide base is only compatible with a 30" deep \times 36" wide work table surface.
- 30" deep \times 48" wide base is compatible with a 30" deep \times 48", 51" (left and right), 60" wide work table surface.
- 30" deep × 485" wide base is only compatible with a 36" deep × 72" wide work table surface.
- 30" deep \times 72" wide base is only compatible with a 30" deep \times 72" wide work table surface.

60" wide work table surface (C4700.) overhangs on center of a 48"-wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48"-wide table base.

Order drawer bearers separately, with work table surface (C₄700.). Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order storage components separately:

- Drawer (CO207, CO208, CO209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (CO205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:

- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 48S"-wide × 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.
- For 72"-wide base: 6 C frames or 3 storage units.

Order technology support and cord management accessories separately:

- Connect[™] S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Flo plus monitor arm assembly (Y91174.xCM).
- Tablet support (Y91173.).
- Laptop mount (Y91177.).
- LE series keyboard solutions (Y7710.1).
- JAW[™] adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).
- Cable trough (Y1200.).

Order Y1200.30 for a C461G.3036; order Y1200.42 for a C461G.3048.


Dimensions

	ification Information
Step :	
C461	A
Step :	2. Glides
G.	glides A
Step :	3. Depth
24	24" deep A
30	30" deep A
Step 4	4. Width
For 2	4" deep (24)
36	36" wide A
48	48" wide A
72	72" wide A
, _	/2 wide [A]
For 30	o" deep (30)
36	36" wide A
48	48" wide A
72	72" wide A
485	48" wide, symmetrical support A
Step !	5. Height
29	29" high 🖪
36	36" high A
Step	6. Number of Stretchers
For 29	9" high (29)
A	upper placement only A
 For 36	5" high (36)
A	upper placement only A
В	upper and lower placement A
Prices	s for Steps 1-6.
	29A 36A 36I

Prices for S	iteps 1-6.			
		29A	36A	36B
C461G. 24	36	\$1189	1260	1465
	48	\$1201	1273	1477
	72	\$1302	1373	1669
30	36	\$1217	1285	1492
	48	\$1231	1299	1504
	72	\$1331	1402	1696
	485	\$1493	1615	1868

Step	7. Base/Stretcher Finish	
HF	inner tone light A	+\$0
LT	light tone 🛕	+\$0
LU	soft white A	+\$0
WN	warm grey neutral 🛕	+\$0
CN	metallic champagne 🛕	+\$0
MS	metallic silver [A]	+\$0

Co/Struc® System Price Book (9/19)



Description

This freestanding 1" pin-adjustable table base has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides or 4" locking casters. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

Table with glides and work surface adjusts from 27" high to 36" high. Table with casters adjusts from 30" high to 38" high.

Order work table surface (C4700.) separately:

- 24" deep x 36" wide base is only compatible with a 24" deep x 36" wide work table surface.
- 24" deep × 48" wide base is compatible with a 24" deep × 48", 51" (left and right), 60" wide work table surface.
- 24" deep \times 72" wide base is only compatible with a 24" deep \times 72" wide work table surface.
- 30" deep × 36" wide base is only compatible with a 30" deep × 36" wide work table surface.
- 30" deep \times 48" wide base is compatible with a 30" deep \times 48", 51" (left and right), 60" wide work table surface.
- 30" deep \times 48S" wide base is only compatible with a 36" deep \times 72" wide work table surface.
- 30" deep \times 72" wide base is only compatible with a 30" deep \times 72" wide work table surface.

 60° wide work table surface (C4700.) overhangs on center of a 48° -wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48"-wide table base.

Order drawer bearers separately, with work table surface (C4700.).

Order storage components separately:

- Drawer (CO207, CO208, CO209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (CO205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:

- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 485"-wide × 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.
- For 72"-wide base: 6 C frames or 3 storage units.


For tables adjusted below 32" high, C frames hang from top stretcher only, and storage units cannot mount.

Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order technology support and cord management accessories separately:

- Connect™ S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Flo plus monitor arm assembly (Y91174.xCM).
- Tablet support (Y91173.).
- Laptop mount (Y91177.).
- LE series keyboard solutions (Y7710.1).
- JAW™ adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).
- Cable trough (Y1200.).

Order Y1200.30 for a C462x.3036; order Y1200.42 for a C462x.3048.



Specification Information

Step 1	l.
C462	A
Step 2	2. Casters/Glides
G.	glides A
C.	casters A
Step 3	3. Depth
24	24" deep A
30	30" deep A
Step 2	4. Width
• • • • • • • • • • • • • • • • • • • •	4" deep (24)
	36" wide A
	48" wide A
72	72" wide 🖪
For 30	o" deep (30)
36	36" wide 🛕
48	48" wide A
72	72" wide 🛕
485	48" wide, symmetrical support A
Step	5. Number of Stretchers
Α	upper placement only A
В	upper and lower placement A

В	
2039	
2053	
2248	
2055	
2069	
2264 2394	
2394	
В	
2112	
2125	
2321	
2126	
2141	
2336	

\$1833

\$1845

\$1949

\$1851

\$1863

\$1966

\$2130

\$1905

\$1917

\$2022

\$1921

\$1935

\$2038

\$2201 2465

Step 6. Base Finish

HF LT LU WN CN WS	inner tone light A light tone A soft white A warm grey neutral A metallic champagne A metallic silver A	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0

Prices for Steps 1-5.

48

72

48

72

485

48

72

48

72


485

30 36

30 36

C462G. 24 36

C462C. 24 36



Description

This work table surface attaches to work table bases (C460G., C461G., C462G., C462C.). Predrilled holes accept drawer bearers ordered with the work surface. Surface material is available in laminate, Chemsurf®, Corian®, or phenolic resin.

Notes

Drawer bearers must be field installed.


Only used on work table bases C460G., C461G., C462G., C462C., ordered separately. See table base information for work surface compatibilities and top load weight capacities.

Work table surface supports the following maximum pairs of drawer bearers (each pair has 1 left and 1 right bearer):

- For 36"-wide table: 1 pair.
- For 48"-wide table: 2 pair.
- For 485"-wide table: 4 pair (2 pair on either side).
- For 60"-wide table: 2 pair.
- For 72"-wide table: 3 pair.

Phenolic resin is 1" thick. When ordering adjustable work table base (C462C.) with phenolic resin top (C4700.xxxxP) that needs to be level with tables (C462C.) using laminate, Chemsurf, or Corian tops (C4700.L, C4700.K, C4700.C), order phenolic shim service part.

See Co/Struc® System planning guide for capacity information.



Step 1. **C4700.** A

Specification Information

Stona	. Depth				
3tep 2 24	24" deep 🖪				
-	_				
30	30" deep A				
36	36" deep A				
Step 3	. Width				
For 24	" deep (24)				
36	36" wide 🛕				
48	48" wide 🖪				
51L	51" wide, left overhang 🛕				
51R	51" wide, right overhang A				
60	60" wide 🛕				
72	72" wide A				
For 30'	" deep (30)				
36	36" wide 🗚				
48	48" wide 🗚				
51L	51" wide, left overhang [A]				
51R	51" wide, right overhang A				
60	60" wide A				
72	72" wide A				
For 36'	" deep (36)				
72	72" wide A				
Step 4	. Surface Material				
L	laminate A				
C	Chemsurf® A				
K	corian 🖪				
P	phenolic resin A				
	phenolic resin A for Steps 1-4.				
	<u> </u>	L	C	K	
Prices	<u> </u>	L \$239	C 320	K	
Prices	for Steps 1-4.				101
Prices	for Steps 1-4.	\$239	320	812	101 134
Prices	for Steps 1-4. . 24 36 48	\$239 \$260	320 349	812 1015	101 134 162
Prices	for Steps 1-4. . 24 36 48 51L	\$239 \$260 \$329	320 349 411	812 1015 1220	101 134 162 162

	30 36	\$268	344	958	1246
	48	\$301	375	1193	1653
	51L	\$370	469	1437	2009
	51R	\$370	469	1437	2009
	60	\$366	515	1429	2001
	72	\$413	578	1669	2412
	36 72	\$548	854	1950	3686
0.	_ /- / /- /				
Step !	5. Top/Edge Finish				
For la	minate (L)				
HF	inner tone light 🛕				+\$0
LT	light tone 🛕				+ \$o
LU	soft white A				+ \$o
WN	warm grey neutral A				+ \$0
For la	minate (L)				
28	canyon A				+\$o
29	misted A				+\$0
•	nemsurf® (C)				
JD	warm grey neutral Chemsurf®				+\$0
KH	light tone Chemsurf® 🗚				+\$0
KR	inner tone light Chemsurf® 🗚				+\$0
LE	soft white Chemsurf® A				+\$0
For co	orian (K)				
CQ	glacier white 🛕				+\$o
Q1	vanilla 🖪				+\$o
QB	bisque A				+\$o

1N

1S

1U

31

41

canyon A

sahara 🗚

mojave 🖪

sandstone A

savannah 🗚


+\$400 +\$400

+\$400

+\$400

+\$400

Step	6. Pairs of Drawer Bearers	
For 36	(" wide (36)	
NB	without drawer bearers A	+\$o
1D	1 pair drawer bearers A	+\$15
	" wide (48), 51" wide, left overhang (51L), 51" wide, right	
overh	ang (51R), or 60" wide (60)	
NB	without drawer bearers A	+\$o
1D	1 pair drawer bearers A	+\$15
2D	2 pair drawer bearers A	+\$30
For 22	" deep (24) or 30" deep (30) with 72" wide (72)	
NB	without drawer bearers A	+\$o
1D	1 pair drawer bearers A	+\$15
2D	2 pair drawer bearers A	+\$30
3D	3 pair drawer bearers A	+\$45
For 36	" deep (36) with 72" wide (72)	
NB	without drawer bearers A	+\$o
1D	1 pair drawer bearers A	+\$15
2D	2 pair drawer bearers A	+\$30
3D	3 pair drawer bearers A	+\$45
4D	4 pair drawer bearers A	+\$60



Description

This high-pressure laminate shelf attaches to work table bases to provide storage below the surface.

Notes


Compatible with basic work table base (C460G.), standard work table base (C461G.xxxxxxxxA), and adjustable work table base with upper stretcher placement only (C462x.xxxxxxA).

Compatible only with 36 "-high table bases, due to installation clearance needed.

16" deep shelf (C4900.16) is compatible with 24"- and 30"-deep table bases. 18" deep shelf (C4900.18) is compatible with only 30"-deep table bases.

Order warm grey neutral (WN) reagent shelf finish to complement a metallic champagne (CN) table base. Order cool grey neutral (CL) reagent shelf finish to complement a metallic silver (MS) table base. Reagent shelf (C4900.) rests on table base legs and is not height adjustable.

Dimensions



Specification Information

Step 1.

C4900. A

Step 2. Depth

16 16" deep A

18 18" deep A

Step 3. Width

36 36" wide A

48 48" wide A


72 72" wide A

Step 4. Surface Material

L laminate A

Prices for Steps 1-4.	
	L
C4900. 16 36	\$407
48	\$459
72	\$665
18 36	\$428
48	\$479
72	\$687

Step	5. Top/Edge Finish	
HF	inner tone light A	+\$0
LT	light tone A	+\$ 0
LU	soft white A	+\$ 0
WN	warm grey neutral A	+\$ 0
CL	cool grey neutral A	+\$0




Description


This piece divides a workstation riser frame into smaller sections and provides upright riser support for hanging components. The dividers bolt to the riser frame at predrilled attachment locations. Finish is black.

Notes

Order workstation (C4310. or C4311.) separately.







Description


This metal cover finishes the exposed hardware on the end of a riser frame

V١	\sim	+	^	_	


Specify 2 end covers per riser frame.

Specify end cover finish to match the corresponding finish of workstation (C4310. or C4311.) to which cover will be attached.

Order workstation (C4310. or C4311.) separately.



Specif	ication Information	
Step 1.		
C4321.		\$97
Step 2.	Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$0



Description

This power strip mounts horizontally on hanger clips and provides single-circuit, 15-amp, 100-volt outlets on a riser frame. It has a lighted on/off switch with circuit breaker and an 8' cord. It is UL listed. Mounting hardware is included.

Power strips have the following number of outlets:

Width-Outlets

24"-4 outlets

30"-5 outlets

36"−6 outlets

48"-8 outlets

60"-10 outlets

72"—12 outlets

Notes


To mount power strip inside riser frame (vertically), specify 36" width. Specify power strip finish to match the corresponding finish of workstation (C4310. or C4311.) to which it will be attached.

Order workstation (C4310. or C4311.) separately.

For lab modules (C1112., C1114.) and support panels (C1150., C1151.), power strip can be specified as part of the product.

Dimensions





Specification Information


Step 1.

C4322.

Step	2. Width		
24	24" wide		
30	30" wide		
36	36" wide		
48	48" wide		
60	6o" wide		
72	72" wide		

Prices for Steps 1-2.	
C4322. 24	\$433
30	\$464
36	\$499
48	\$514
60	\$580
72	\$613

Step 3.	Finish	
HF	inner tone light	+\$ 0
LT	light tone	+\$ 0
LU	soft white	+\$ 0
WN	warm grey neutral	+\$ 0




Description

This 2-sided white board mounts between 2 riser frame dividers or a riser frame and a riser frame divider. Both sides are magnetic with white erasable writing surfaces. Includes a black-texture marker tray on one side only. Mounting hardware is included.

Notes

Order workstation (C4310. or C4311.) separately.

Dimensions



Specification Information


Step 1.

C4323.

Step 2. Width				
24	24" wide			
30	30" wide			
36	36" wide			

Prices for Steps 1-2.	
C4323. 24	\$385
30	\$427
36	\$454

\$554



Product Information


Description


This arm mounts to a workstation riser frame and holds a flat panel display monitor. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards) with a 100 mm or 75 mm mounting pattern. It provides 360° monitor rotation and 60° horizontal and vertical tilt range. Finish is black. Mounting hardware is included. Finish is black.

Notes

Order workstation (C4310. or C4311.) separately.

Dimensions






Specification Information

Step 1.

C4324.



Description

This component hangs from a module, a support panel, or wall strips and holds a 12"-high sink. It includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down.

The module accepts the following cutout dimensions:

Depth:


- 24": 181/4"-deep maximum cutout
- 30": $24^{1/4}$ "-deep maximum cutout Width:
- 24": 19⁵/₈"-wide maximum cutout
- 30": 25⁵/₈"-wide maximum cutout
- 48": 435/8"-wide maximum cutout
- 60": 55⁵/₈"-wide maximum cutout

Notes

Sink must be customer supplied and field installed.

Order standard duty work surface (C2142.) with solid surface option (K) separately.

Dimensions



Specification Information

Step 1.

C2512.

C+-		D -	41-
Ste	р2.	υe	ptn

24" deep

30 30" deep

Step 3. Width

24" wide

30 30" wide


36 36" wide

48 48" wide

60 60" wide

Prices for Steps 1-3.					
	24	30	36	48	60
C2512. 24	\$576	671	705	738	803
30	\$685	803	846	884	990

C+	Confere Finish	
Step 2	4. Surface Finish	
91	white	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o
нм	natural maple	+\$o
76	light brown walnut	+\$o
нх	aged cherry	+\$o



Description

This 24"-deep, 48"-wide structure hangs from 2 24"-wide panels or freestanding modules or from 3 wall strips. It supports drawer storage on the left or right side and a sink unit on the other side. The maximum cutout for the sink is 18^{1} /4" deep × 19^{5} /8" wide. The surface includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down.

Notes


Order storage components for open space opposite sink unit separately:

- Drawer bearers (CO228 or CO396)
- Drawer caddy with casters (CO692. or CO693.)
- Gripper package (CO266) and C frame (CO205) for Co/Struc® drawers
- L cart (CO212) and single counter top (CO555) for C frames and drawers when surface is mounted 38" above floor
- Storage case (C5040.2422) and 24"-wide Co/Struc adapter rail (C1610.24)


Sink must be customer supplied and field installed.

Storage unit (C5010.) cannot mount under sink unit.

Order standard duty work surface (C2142.) with solid surface option (K) separately.



Spe	cification Information	
Step	1.	
C2513.24		\$689
Step	2. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$0 +\$0
LU	soft white	+\$o
WN	warm grey neutral	+\$0 +\$75
91	white	+\$75



Description


This sink support hangs from a module or wall strips. It supports a $5^{1}/2$ "-deep sink and a solid surface or alternative material top. The sink support has a 4"-high laminate front trim and a removable front panel to allow access to plumbing. Attachment hardware is included. Shipped knocked down.

Notes

Order standard duty work surface (C2142.) with solid surface option (K) separately.

Sink must be customer supplied and field installed. A Just SL-ADA-1921-A-GR sink, with drain located in rear center, fits in a 24" \times 24" sink support.

Dimensions



Specification Information

Step 1.

C2520.

Step	2.	De	pt	h

24 24" deep

30 30" deep

Step 3. Width

24 24" wide

30 30" wide

48 48" wide

60 60" wide

Prices for Steps 1-3.				
	24	30	48	60
C2520. 24	\$1046	1177	1306	1437
30	\$1111	1240	1437	1568

Step 4	4. Surface Finish	
91	white	+\$120
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
нм	natural maple	+\$120
76	light brown walnut	+\$120
нх	aged cherry	+\$120
OG	honey maple	+\$180

WN

76

91

нм

НΧ

OG

warm grey neutral

light brown walnut

natural maple

aged cherry

honey maple

white


+\$60

+\$60

+\$60

+\$60

+\$90



Product Information

Description

This cabinet hangs below a heavy-duty work surface or process table. It has 2 side panels, a back panel, and a top and bottom panel.


Notes

Order heavy-duty work surface (C2141.), process table (C4313.), standard work table base (C461G.), adjustable lab work table base (C462G., C462C.), work table (C4312.), or workstation (C4310. or C4311.) separately.


Order shelves (C5015.1622) separately; shelves adjust in $1^1\!/_a{}^n$ increments.

Order A-size drawers (CO207) or B-size drawers (CO208) and lockable drawer bearer (C5048.) separately.

Order storage unit door (C5016. or C5017.) separately.



Spe	cification Information	
Step	1.	
C501	0.1622	\$688
Step	2. Surface Finish	
HF	inner tone light	+ \$0
LT	light tone	+\$o
LU	soft white	+\$0




Description


This shelf mounts inside a storage unit and adjusts in 1¹/₄" increments.

Notes

Order storage unit (C5010.) separately.



Spe	cification Information	
Step	1.	
C5015.1622		\$192
Step	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+ \$o
LU	soft white	+ \$o
WN	warm grey neutral	+ \$o
76	light brown walnut	+\$15
91	white	+\$15
нм	natural maple	+\$15
НΧ	aged cherry	+\$15
OG	honey maple	+\$25



Description

This door attaches to the front of a storage unit. Attachment hardware is included.


Notes

Co/Struc® drawers cannot be specified behind doors.

When specifying 19"- or 22"-high lockable door that has drawers above it, specify interior filler (C5009.) to prevent access to cabinet below.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C501

Step	2.	Hinge	Location
JICP	~ •	1111150	Location

6. left-hand hinges

7. right-hand hinges

Step 3. Height

1922 19" high

2222 22" high

2522 25" high

Step 4. Lock

N no lock


L keyed differently

K keyed alike

Prices for Steps 1-4.			
	N	L	K
C5016. 1922	\$247	307	307
2222	\$284	345	345
2522	\$330	390	390
C5017. 1922	\$247	307	307
2222	\$284	345	345
2522	\$330	390	390

Step 5	5. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o
76	light brown walnut	+\$30
91	white	+\$30
нм	natural maple	+\$30
нх	aged cherry	+\$30
OG	honey maple	+\$45

Step 6	6. Pull Option/Finish	
NN	none	+ \$o
BK	black	+\$ o
NH	brushed nickel	+\$o





Description

This filler mounts inside a storage unit and provides closure to the cabinet below when Co/Struc drawers are installed. It mounts at either 19" or 22" high.

Notes
Order storage unit (C5010.) separately.
Filler is used with A-size drawers (CO207) or B-size drawers (CO208).

Specification Information			
Step 1			
C5009	.1622	\$192	
Stan 2	. Surface Finish		
HF	inner tone light	+\$o	
	<u> </u>		
LT	light tone	+\$0	
LU	soft white	+\$o	
WN	warm grey neutral	+\$0	
76	light brown walnut	+\$15	
91	white	+\$15	
нм	natural maple	+\$15	
нх	aged cherry	+\$15	
OG	honey maple	+\$25	





Description


These drawer bearers attach Co/Struc® A-, B-, or C-size drawers in a storage unit. They have integral stops to prevent drawers from falling when pulled out. Mounting hardware is included. Finish is black. Package contains 1 pair.

Notes

Order A-size drawers (CO207), B-size drawers (CO208), or C-size drawers (CO209) separately.

Can be used with locking or non-locking drawers.


Dimensions



Specification Information

Step 1.

C5048. \$81



Description

This case mounts under a heavy-duty rectangular or corner work surface. It has 2 side panels, a back panel, and a top and bottom panel. Interior components can be height adjusted in $1^{1}/_{4}$ " increments.

Notes

Order heavy-duty work surface (C2141.) or heavy-duty corner work surface (C2215. or C2216.) separately.

To support case mounted under rectangular work surface, order adapter rail (C1610.). To support case mounted under corner work surface, order corner storage case rail (C1611.) separately.

Order optional products separately:

- Storage case bottle drawer (C5045.)
- Storage case door (C5052. or C5053.)
- Storage case drawer (C5043. or C5044.)
- Storage case pullout shelf (C5042.)
- Storage case shelf (C5041.)

For top slot of case, specify 16"-deep drawer or shelf to clear support beam under heavy-duty work surface.

Dimensions



Step 1.

C5040.


Step 2.	Depth
---------	-------


2422 23" deep

3022 29" deep

Prices for Steps 1-2.	
C5040. 2422	\$754
3022	\$830

Step	3. Surface Finish	
HF	inner tone light	+ \$o
LT	light tone	+ \$o
LU	soft white	+ \$o
WN	warm grey neutral	+ \$o
76	light brown walnut	+\$70
91	white	+\$70
нм	natural maple	+\$70
нх	aged cherry	+\$70
OG	honey maple	+\$105






Description

This shelf mounts inside a storage case and adjusts in $1^{1}/_{4}$ " increments.

Notes

To clear support beam on heavy-duty work surface, shelf must be positioned at least $2^1\!/2^n$ below the surface.

Dimensions



Specification Information


Step 1.

C5041.

Step 2	. Depth	
2422	23" deep	
3022	29" deep	
Dricoc	for Ctons 4 o	

Prices for Steps 1-2.	
C5041. 2422	\$217
3022	\$228

Step 3	. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+ \$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o
76	light brown walnut	+\$20
91	white	+\$20
нм	natural maple	+\$20
НΧ	aged cherry	+\$20
OG	honey maple	+\$30




Description


This pullout shelf is $21^1/_4$ " deep and mounts inside a storage case. It adjusts in $1^1/_4$ " increments.

Notes

To clear support beam on heavy-duty work surface, shelf must be positioned at least $2^1\!/2^n$ below the surface.



Speci	Specification Information			
Step 1.				
C5042	2422	\$323		
Step 2.	Surface Finish			
HF	inner tone light	+\$o		
LT	light tone	+\$o		
LU	soft white	+\$o		
WN	warm grey neutral	+\$o		
76	light brown walnut	+\$30		
91	white	+\$30		
нм	natural maple	+\$30		
НХ	aged cherry	+\$30		
OG	honey maple	+\$45		




Description


This drawer mounts inside a storage case and is available with or without a lock. The 22"-deep drawer cannot be used in the top position of a storage case.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions





Specification Information

Step 1.

C504

Step 2. Depth

3. 16" deep

4. 22" deep

Step 3. Height

For 16" deep (3.)

0422 small, 5" high

0822 medium, 7¹/₂" high

For 22" deep (4.)

0422 small, 5" high

0822 medium, 7¹/₂" high

1222 large, 10" high

Step 4. Lock

N no lock

L keyed differently

K keyed alike


Prices for Steps 1-4.			
	N	L	K
C5043. 0422	\$289	478	478
0822	\$363	546	546
C5044. 0422	\$317	418	418
0822	\$379	563	563
1222	\$400	584	584

Step 5	5. Surface Finish	
HF	inner tone light	+\$ c
LT	light tone	+\$ c
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$40
91	white	+\$40
нм	natural maple	+\$40
нх	aged cherry	+\$40
OG	honey maple	+\$60

Storage Case Drawer continued




Step	6. Pull Option/Finish	
NN	none	+\$0
BK	black	+\$0
NH	hrushed nickel	+\$0



Description

This pullout drawer mounts in a storage case and has a partial-height front for easy access to contents. It includes 3 dividers.

Dimensions



Specification Information

Step 1.


C5045.

Step 2.	Height			
0822	5" high			
1222	7¹/2" high			

Prices for Steps 1-2.	
C5045. 0822	\$658
1222	\$702

Step 3.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o
76	light brown walnut	+\$60
91	white	+\$60
HM	natural maple	+\$60
нх	aged cherry	+\$60
OG	honey maple	+\$90


Step 4	Pull Option/Finish	
NN	none	+\$0
BK	black	+ \$o
NH	brushed nickel	+\$0



Description

This plastic divider fits inside a storage case bottle drawer. Finish is soft white. Package contains 3.

Dimensions



Specification Information

Step 1.

C5049.

Step 2. Height

0824 5¹/₄" high


1224 9¹/₈" high

Prices for Steps 1-2.

C5049. 0824 1224

\$104

\$86



Description

This door attaches to the front of a storage case. Attachment hardware is included.


Notes

Co/Struc® storage case drawers and storage case bottle drawers cannot be specified behind doors.

When specifying 17"- or 20"-high lockable door that has drawers above it, specify storage case shelf (C5041.) to prevent access to cabinet below.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C505

Step	2.	Hinge	Locat	ion

2. left-hand hinges

3. right-hand hinges

Step 3. Height

1722 17" high

2022 20" high

2522 25" high

Step 4. Lock

N no lock


L keyed differently

K keyed alike

Prices for Steps 1-4.			
	N	L	K
C5052. 1722	\$234	293	293
2022	\$252	312	312
2522	\$318	379	379
C5053. 1722	\$241	302	302
2022	\$260	323	323
2522	\$329	391	391

Step 5	. Surface Finish	
91	white	+\$30
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o
нм	natural maple	+\$30
76	light brown walnut	+\$30
НХ	aged cherry	+\$30
OG	honey maple	+\$45

Step 6	Pull Option/Finish	
NN	none	+ \$o
BK	black	+\$0
NH	brushed nickel	+\$0




Description


This leg supports a storage case mounted under a heavy-duty work surface. It provides support when the work surface holds heavy loads. The legs adjust in 1/2" increments to allow a work surface height of 34" to 38". Leg finish is medium tone.

Notes

Order storage case (C5040.) separately.

Dimensions






Specification Information

Step 1.

C5050.

\$190





Description

This support rail attaches to wall strips or to 24"-wide panels or modules joined by an Action Office® Series 1 or 2 corner connector or a C-series corner connector. It supports a storage case hung from a 48"-wide, 24"-or 30"-deep heavy-duty corner work surface.


Notes

Order storage case (C5040.) separately.





ication Information	
Step 1. C1611.48	
Surface Finish	
inner tone light	+\$o
light tone	+\$0
soft white	+\$0
warm grey neutral	+\$o
	Surface Finish inner tone light light tone soft white



Description


This unit hangs on a module, support panel, or wall strips above a work surface. It has sliding glass doors. Shipped knocked down.

Notes

Order optional task light separately:

• Utility task light (G6136.)

Dimensions



Specification Information


Step 1.

C5014.16

Step :	2. Width			
30	30" wide			
48	48" wide			

Prices for Steps 1-2.	
C5014.16 30	\$1310
48	\$1531

Step 3	. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+ \$o
LU	soft white	+ \$o
WN	warm grey neutral	+ \$o
76	light brown walnut	+\$110
91	white	+\$110
нм	natural maple	+\$110
нх	aged cherry	+\$110
OG	honey maple	+\$160



Description

This 3- or 5-shelf unit hangs from a module, panel, or wall strips. It has $9^{\prime\prime}$ - or $16^{\prime\prime}$ -deep shelves that adjust in $2^{1}/_{2}^{\prime\prime}$ increments. Shelves are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.

Notes

For additional shelf, order add-on shelf (C5025.) separately.

To cover shelf unit with dust cover, order add-on shelf (C5025.) and place in top position of unit.

To enclose back of unit, order back panel (C5026.) separately.

To hang unit on architectural wall and enclose back of unit, order shelf unit wall attachment panel (C5036.) separately.

To enclose front of unit, order shelf unit door (C5027., C5028., C5032., C5037., or C5038.) separately.


To ease cleaning and prevent the stacking of materials on top of shelf unit, order sloped shelf unit top (CO397.) separately.

Order optional task light for 16"-deep unit separately:


- Utility task light (G6136.)
- Energy-efficient task light (G6120.)

To attach task light to slanted shelf, order light bracket (C5051.) separately.





3 Shelves



5 Shelves

Specification Information

Step 1.

C502

Step 2. Shelves/Height

0. 3 shelves and 24" high

1. 5 shelves and 34" high

Step 3. Depth

09 9" deep

16" deep

Step 4. Width

24 24" wide


30 30" wide

36 36" wide

48 48" wide

Prices for Steps 1-4.				
	24	30	36	48
C5020. 09	\$489	517	527	556
16	\$613	645	682	763
C5021. 09	\$674	696	727	774
16	\$809	864	915	1014

Step 5	. Side Panel/Shelf Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o
91	white	+\$60



Description

This unit hangs from 24"-wide panels connected by an Action Office® 2-way 90° connector or wall strips used in a corner position. Shelves adjust in $2^1/2^n$ increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.


Notes


For additional shelf in center section, order 24"-wide add-on shelf (C5025.1624). For additional shelf in side section, order 14"-wide add-on shelf (C5025.1614).

To cover back of center unit, order back panel (C5026.) separately. Order optional 24"-wide task light for center section separately:


- Utility task light (G6136.24)
- Energy-efficient task light (G6120.24)

To attach task light to slanted center shelf, order light bracket (C5051.) separately.





3 Shelves



5 Shelves

Specification Information

Step 1.

C502

Step 2. Shelves/Height

2.1648 3 shelves and 24" high


3.1648 5 shelves and 34" high

Prices for Steps 1-2.

C5022.1648 \$1883

C5023.1648 \$2529

Step 3. Side Panel/Shelf Finish				
91	white	+\$160		
HF	inner tone light	+ \$o		
LT	light tone	+ \$o		
LU	soft white	+ \$o		
WN	warm grey neutral	+\$o		




Description


This 72"-high shelf unit hangs from 24"- or 48"-wide panels connected by 1 or 2 Action Office® 2-way 90° connectors or hangs from wall strips used in 1 or 2 90° corners. Shelves adjust in $2^1/_2$ " increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.

Notes

For additional shelf, order add-on shelf (C5025.1631) separately.


To cover shelf unit with dust cover, order add-on shelf (C5025.1631) and place in top position of unit.





Specification Information				
Step 1.				
C5024	.1648	\$3443		
Step 2	. Side Panel/Shelf Finish			
HF	inner tone light	+\$o		
LT	light tone	+ \$o		
LU	soft white	+\$o		
WN	warm grey neutral	+\$0 +\$300		
91	white	+\$300		






Description

This shelf fits inside a shelf unit, diagonal corner shelf unit, or 90° corner shelf unit. It is used as an additional shelf or dust cover.

Dimensions



Specification Information

Step 1.

C5025.

Step 2. Depth

09 9" deep

16 16" deep

Step 3. Width

For 9" deep (09)

24 22³/₄" wide

30 28³/₄" wide

36 34³/₄" wide

48 46³/₄" wide

For 16" deep (16)

14 13¹/₂" wide

24 22³/₄" wide

30 28³/₄" wide


31 30¹/₂" wide

36 34³/₄" wide

48 46³/₄" wide

Prices for Steps 1-3.						
	14	24	30	31	36	48
C5025. 09	_	\$95	101	_	106	122
16	\$98	121	124	120	131	1/1

Step	4. Shelf Finish	
91	white	+\$10
HF	inner tone light	+\$ o
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$o





Description

This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips.










Description

This panel attaches to a 3- or 5-shelf unit or diagonal corner shelf unit and closes the back. The shelf unit's top and bottom shelves must be flat.

Notes

Order shelf unit (C5020. or C5021.) or diagonal corner shelf unit (C5022. or C5023.) separately.

Dimensions



Specification Information

Step 1.

C5026.

Step	2.	He	ight

24 24" high

34 34" high

Step 3. Width

24 22³/₄" wide


30 28³/₄" wide

36 34³/₄" wide

48 46³/₄" wide

Prices for Steps 1-3.				
	24	30	36	48
C5026. 24	\$184	200	214	255
34	\$222	243	262	304

Step 2	4. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+ \$o
LU	soft white	+ \$o
WN	warm grey neutral	+\$0



Description

These brackets fasten a task light to the bottom of an overhead cabinet, a flat or slanted shelf in a 3- or 5-shelf unit, or a center shelf in a diagonal corner shelf unit. Package contains 1 pair. Finish is black.

Notes

For 16"-deep shelf, order energy-efficient task light (G6120.) separately.

Dimensions



Step 1.


C5051.


Step 2. Usage

16 for 16"-deep shelf

Prices for Steps 1-2.

C5051. 16 \$119





Description


This 24"-wide door encloses a shelf unit. Attachment hardware is included.

Notes

For 24"-high door, order 3-shelf unit (C5020.) separately. For 34"-high door, order 5-shelf unit (C5021.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C502

Step 2. Hinge Location

7. left-hand hinges

8. right-hand hinges

Step 3. Height

2424 24" high

3424 34" high

Step 4. Lock

N no lock


L keyed differently

K keyed alike

Prices for Steps 1-4.			
	N	L	K
C5027. 2424	\$368	476	476
3424	\$485	592	592
C5028. 2424	\$379	491	491
3424	\$502	612	612

Step 5	5. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o
76	light brown walnut	+\$40
91	white	+\$40
нм	natural maple	+\$40
HX	aged cherry	+\$40
OG	honey maple	+\$60

Step 6.	. Pull Option/Finish	
NN	none	+\$0
ВК	black	+\$0
NH	brushed nickel	+\$0



Description

These doors enclose a shelf unit. The doors are available with or without a lock. Attachment hardware is included.


Notes

For 24"-high doors, order 3-shelf unit (C5020.) separately.

For 34"-high doors, order 5-shelf unit (C5021.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C5032.

Step :	2. Height			
24	24" high			
34	34" high			
Step	3. Width			
30	30" wide			
36	36" wide			

Step 4. Lock

48

N no lock

L keyed differently


48" wide

K keyed alike

N	L	K
\$399	512	512
\$468	580	580
\$575	686	686
\$519	630	630
\$610	722	722
\$800	911	911
	\$399 \$468 \$575 \$519 \$610	\$399 512 \$468 580 \$575 686 \$519 630 \$610 722

Step	5. Surface Finish	
HF	inner tone light	+ \$o
LT	light tone	+\$ o
LU	soft white	+\$ o
WN	warm grey neutral	+\$ o
76	light brown walnut	+\$50
91	white	+\$50
нм	natural maple	+\$50
нх	aged cherry	+\$50
OG	honey maple	+\$75

Step 6.	Pull Option/Finish	
NN	none	+\$o
BK	black	+\$o
NH	brushed nickel	+ \$o




Description


This top attaches to a shelf unit. It is sloped to ease cleaning and prevent the stacking of materials on top of the cabinet.

Notes

Order shelf unit (C5020. or C5021.) separately.

Dimensions





FRONT

Specification Information

Step 1.

CO397.

Ste	n 2.	Der	oth
JIC	$\nu \sim$	שכו	JULI

09 10¹/₂" deep

16 17" deep

Step 3. Width

24 24" wide


30 30" wide

36" wide

48 48" wide

Prices for Steps 1-3.				
	24	30	36	48
CO397. 09	\$288	321	348	381
16	\$321	344	381	454

Step	4. Surface Finish	
HF	inner tone light	+ \$o
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$o




Description

This panel encloses the back of a 3- or 5-shelf unit and allows the shelf unit to hang on an architectural wall.

Notes

Order 3-shelf unit (C5020.) or 5-shelf unit (C5021.) separately.

Dimensions



Specification Information

Step 1.


C5036.

Step 2	. Height			
24	24" high			
34	34" high			
Step 3	. Width			
24	24" wide			
30	ao" wide			

30	30" wide		
36	36" wide		
48	48" wide		

	24	30	36	48
C5036. 24	\$208	231	279	325
34	\$224	240	285	341

Step 4	. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o
76	light brown walnut	+\$25
91	white	+\$25
HM	natural maple	+\$25
нх	aged cherry	+\$25
OG	honey maple	+\$40



Description

This $15^{1}/2$ "-high shelf with a lip hangs from a standard rail or adapter rail. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes

For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.


For fully enclosed storage, order A-/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately. Order optional add-on shelves of equal depth and width separately:

- Add-on shelf (AO521.1524 or AO521.1548)
- Add-on shelf with lip (C3019.)

Order optional task light separately:

- Utility task light (G6136.)
- Energy-efficient task light (G6120.)

Dimensions



Specification Information

Step 1.

CO521.

Ste	n 2.	De	nth
Jic	P 2.		Pu

13 13" deep

16 16" deep

Step 3. Width

24" wide

30 30" wide


36 36" wide

42 42" wide

48 48" wide

Prices for Steps 1-3.					
	24	30	36	42	48
C0521. 13	\$441	453	472	483	510
16	\$611	624	656	672	729

Step 4	Step 4. Surface Finish				
HF	inner tone light	+\$o			
LT	light tone	+\$o			
LU	soft white	+\$o			
WN	warm grey neutral	+\$o			



Description

This $15^{1}/2$ "-high shelf with a lip hangs from a panel, a freestanding module, or wall strips. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes

For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

For fully enclosed storage of 24"- to 48"-wide shelf, order A-/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately.


Order optional add-on shelves of equal depth and width separately:


- Add-on shelf (AO521.1524 or AO521.1548)
- Add-on shelf with lip (C3019.)


For 60"-wide shelf, order 60"-wide task light.

Order optional task light separately:

- Utility task light (G6136.)
- Energy-efficient task light (G6120.)







FRONT

Specification Information

Step 1.

C3011.

Step 2. Depth					
13	13" deep				
16	16" doon				

16" deep

Step 3. Width

24 24" wide30 30" wide


36 36" wide42 42" wide

42 42 wide 48 48" wide

60 60" wide

Prices for Steps 1-3.						
	24	30	36	42	48	60
C3011. 13	\$249	261	277	288	304	336
16	\$356	370	389	403	443	533

Step 2	Step 4. Surface Finish				
HF	inner tone light	+\$0			
LT	light tone	+\$0			
LU	soft white	+\$0			
WN	warm grey neutral	+\$0			



Description

This 16"-deep shelf hangs from a panel, a freestanding module, or wall strips and has a sloped metal top. A filler piece is included for enclosed storage applications. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Note:


For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.


To enclose back of shelf, order A-/B-style flipper door back panel (A3390.) separately.


Order optional task light separately:

- Utility task light (G6136.)
- Energy-efficient task light (G6120.)

Dimensions







Specification Information


Step 1.

C3091.16

Step 2	2. Width				
24	24" wide				
30	30" wide				
42	42" wide				
48	48" wide				

Prices for S	Steps 1-2.	
C3091.16	24	\$496
	30	\$519
	42	\$604
	48	\$633

Step 3	Step 3. Surface Finish				
HF	inner tone light	+\$o			
LT	light tone	+\$o			
LU	soft white	+\$o			
WN	warm grey neutral	+\$ o			



Description


This shelf fits into a B-style shelf or B-style rail-hanging shelf to add a second shelf. Attachment hardware is included.


Notes

Order support components separately:

- B-style (C3011.) shelf
- B-style (CO521.) rail-hanging shelf

Dimensions





Specification Information

Step 1.

C3019.

Step	2.	De	p	th

13 13" deep

16 16" deep

Step 3. Width

24 24" wide30 30" wide

36 36" wide

42 42" wide48 48" wide


60 60" wide

Prices for Steps 1-3.

	24	30	36	42	48	60
C3019. 13	\$144	151	168	179	194	217
16	\$211	225	244	256	298	374

Step 4. Surface Finish

HF	inner tone light	+\$o
LT	light tone	+ \$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o





Description

This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips.









Description

This enclosed storage unit hangs on rails for stationary storage, or it is used with the TR $_3$ cart for mobile storage. The locker has 20 drawer slots in $_3$ " increments and holds interchangeable components.

The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock and has 89 potential user codes and 11 potential supervisor codes. The keyless lock is shipped with 6 AA batteries.

Notes


Order rail components separately:


• Standard rail assembly (CO282)

Order transport/storage components separately:

- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO₅6₅)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)
- TR3 cart (CO342)


For general information on locks, see Keyed-Alike Information in Appendices.





	ification Information		17	key number 17	+\$o
Step 1			18	key number 18	+\$0
CO56	1		19	key number 19	+\$0
Cı			20	key number 20	+\$0
	2. Lock		21	key number 21	+\$0
FF	no lock		22	key number 22	+\$0
FL	keyed lock, keyed differently		23	key number 23	+\$0
KA	keyed lock, keyed alike		24	key number 24	+\$0
Drices	for Change o		25 26	key number 25 key number 26	+\$0
CO56:	for Steps 1-2.	¢4767		,	+\$0
CU56.	rr FL	\$1767	27	key number 27	+\$0
	KA	\$1925 \$1925	28 29	key number 28	+\$0 +\$0
	KA	\$1925	30	key number 29	+\$0 +\$0
Ston	3. Locker Finish		31	key number 30 key number 31	+\$0 +\$0
HF	inner tone light	+\$o	32	key number 32	+\$0
LT	light tone	+\$0 +\$0	33	key number 33	+\$0 +\$0
LU	soft white	+\$0	34	key number 34	+\$0
WN	warm grey neutral	+\$0	35	key number 35	+\$0
••••	warm grey neather	140	36	key number 36	+\$0
Step /	4. Door Finish		37	key number 37	+\$0
3B	beachglass	+\$0	38	key number 38	+\$0
DA	deep blue	+\$0	39	key number 39	+\$0
HF	inner tone light	+\$0	40	key number 40	+\$0
LT	light tone	+\$0	41	key number 41	+\$0
LU	soft white	+\$0	42	key number 42	+\$ 0
TR	clear	+\$0	43	key number 43	+ \$o
WN	warm grey neutral	+\$0	44	key number 44	+ \$o
			45	key number 45	+ \$o
Step 5	5. Key Number		46	key number 46	+\$0
For ke	eyed lock, keyed alike (KA)		47	key number 47	+\$0
01	key number 01	+\$0	48	key number 48	+\$o
02	key number 02	+\$0	49	key number 49	+\$o
03	key number 03	+\$0	50	key number 50	+\$o
04	key number 04	+\$ 0	51	key number 51	+\$o
05	key number 05	+\$ 0	52	key number 52	+\$o
06	key number o6	+\$0	53	key number 53	+ \$o
07	key number 07	+\$0	54	key number 54	+\$0
80	key number o8	+\$0	55	key number 55	+\$0
09	key number 09	+\$0	56	key number 56	+\$0
10	key number 10	+\$0	57	key number 57	+\$0
11	key number 11	+\$0	58	key number 58	+\$0
12	key number 12	+\$0	59	key number 59	+\$0
13	key number 13	+\$0	60	key number 60	+\$0
14	key number 14	+\$0	61	key number 61	+\$0
15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+\$0

64	key number 64	+\$o
65	key number 65	+\$o
66	key number 66	+\$o
67	key number 67	+\$o
68	key number 68	+\$o
69	key number 69	+\$o
70	key number 70	+\$o
71	key number 71	+\$o
72	key number 72	+\$o
73	key number 73	+\$o
74	key number 74	+\$o
75	key number 75	+\$o
76	key number 76	+\$o
77	key number 77	+\$o
78	key number 78	+\$o
79	key number 79	+\$o
80	key number 80	+\$o
81	key number 81	+\$o
82	key number 82	+\$o
83	key number 83	+\$o
84	key number 84	+\$o
85	key number 85	+\$ 0
86	key number 86	+\$ 0
87	key number 87	+\$o
88	key number 88	+\$o
89	key number 89	+\$0
90	key number 90	+\$ 0
91	key number 91	+\$0
92	key number 92	+\$0
93	key number 93	+\$0
94	key number 94	+\$0
95	key number 95	+\$0
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0



Description

This enclosed storage unit hangs on rails for stationary storage, or it is used with the TR3 cart for mobile storage. The locker has 20 drawer slots in 3'' increments and holds interchangeable components. Door is hinged at the right.

Available with no lock, keyed lock, keyless lock, or RFID lock.

Notes

Door frame color matches locker color.

Order rail components separately:


• Standard rail assembly (CO₂82)


Order transport/storage components separately:

- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO₅6₅)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)
- TR3 cart (CO342)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions





Specification Information


Step 1.

Step 2.	. Lock	
FF	no lock	
FL		
KA	keyed lock, keyed alike	
KP	keyless lock	
RF	RFID lock	
Prices 1	for Steps 1-2.	
CO570	FF	\$2281
	FL	\$2460
	KA	\$2460
	KP	\$2843
	RF	\$3538
Step 3.	. Locker Finish	
HF	inner tone light	+ \$o
LT	light tone	+\$0
LU	soft white	+\$ 0
WN	warm grey neutral	+\$0

Step	4. Door Insert Finish	
HF	inner tone light	+\$o
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$ o

Stan	5. Key Number	
	reyed lock, keyed alike (KA)	
01	key number o1	+\$0
02	,	+\$0
	key number 02	
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number o6	+\$0
07	key number 07	+\$0
80	key number o8	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0

15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$o	63	key number 63	+\$0
17	key number 17	+\$o	64	key number 64	+\$0
18	key number 18	+\$o	65	key number 65	+\$o
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$o	70	key number 70	+\$0
24	key number 24	+\$o	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+ \$o
27	key number 27	+\$ 0	74	key number 74	+\$0
28	key number 28	+\$o	75	key number 75	+\$0
29	key number 29	+\$o	76	key number 76	+\$0
30	key number 30	+\$o	77	key number 77	+\$o
31	key number 31	+\$o	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37		+\$0 +\$0			+\$0
	key number 37		84	key number 84	
38	key number 38	+\$o	85	key number 85	+\$0
39	key number 39	+\$o	86	key number 86	+\$0
40	key number 40	+\$o	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+ \$o
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$ 0	91	key number 91	+\$0
45	key number 45	+\$o	92	key number 92	+\$0
46	key number 46	+\$o	93	key number 93	+\$o
47	key number 47	+\$o	94	key number 94	+\$o
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0	"	key number 99	+40
54	key number 54	+\$0			
55	key number 55	+\$o			
56	key number 56	+\$o			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+ \$o			



Description

This storage unit hangs on rails for stationary storage, or it is used with the TR $_3$ cart for mobile storage. The locker has 20 drawer slots in $_3$ " increments and holds interchangeable components.

Notes


Order rail components separately:


• Standard rail assembly (CO₂82)

Order transport/storage components separately:


- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO₅6₅)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)
- TR3 cart (CO342)

Order optional locker tambour door (CO219) separately.





Specification Information				
Step 1	1.			
CO562FF		\$1559		
Stan	2. Surface Finish			
•				
HF	inner tone light	+\$o		
LT	light tone	+ \$0		
LU	soft white	+\$0		
WN	warm grey neutral	+\$0		



Description

This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The tambour door slides vertically for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.


The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock and has 89 potential user codes and 11 potential supervisor codes. The keyless lock is shipped with 6 AA batteries.

Notes

Order internal storage components separately:

- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO₅6₅)
- Pullout catheter rack (CO469.)

For general information on locks, see Keyed-Alike Information in Appendices.




Speci	ification Information		17	key num
ep 1			18	key number
0564	4		19	key number 1
			20	key number 20
Step 2	. Lock		21	key number 21
FF	no lock		22	key number 22
FL	keyed lock, keyed differently		23	key number 23
KA	keyed lock, keyed alike		24	key number 24
			25	key number 25
Prices	for Steps 1-2.		26	key number 26
CO564	4 FF	\$2467	27	key number 27
	FL	\$2664	28	key number 28
	KA	\$2588	29	key number 29
			30	key number 30
Step 3	. Locker Finish		31	key number 31
HF	inner tone light	+\$o	32	key number 32
LT	light tone	+\$ 0	33	key number 33
LU	soft white	+\$ 0	34	key number 34
WN	warm grey neutral	+\$ 0	35	key number 35
			36	key number 36
Step 4	. Door Finish		37	key number 37
3B	beachglass	+\$0	38	key number 38
DA	deep blue	+\$o	39	key number 39
HF	inner tone light	+\$o	40	key number 40
LT	light tone	+\$o	41	key number 41
LU	soft white	+\$o	42	key number 42
TR	clear	+\$o	43	key number 43
WN	warm grey neutral	+\$o	44	key number 44
			45	key number 45
Step 5	. Key Number		46	key number 46
For ke	yed lock, keyed alike (KA)		47	key number 47
01	key number 01	+\$o	48	key number 48
02	key number 02	+\$o	49	key number 49
03	key number 03	+\$o	50	key number 50
04	key number 04	+\$o	51	key number 51
05	key number 05	+\$o	52	key number 52
06	key number o6	+\$0	53	key number 53
07	key number 07	+\$0	54	key number 54
08	key number o8	+\$0	55	key number 55
09	key number 09	+\$0	56	key number 56
10	key number 10	+\$0	57	key number 57
11	key number 11	+\$0	58	key number 58
12	key number 12	+\$0	59	key number 59
13	key number 13	+\$0	60	key number 60
14	key number 14	+\$0	61	key number 61
15	key number 15	+\$0	62	key number 62
16	key number 16	+\$0	63	key number 63
10	KCy Hullibel 10	+ \$ U	05	key number 63

64	key number 64	+ \$0
65	key number 65	+\$o
66	key number 66	+ \$0
67	key number 67	+\$o
68	key number 68	+\$o
69	key number 69	+ \$0
70	key number 70	+\$o
71	key number 71	+ \$0
72	key number 72	+ \$0
73	key number 73	+\$o
74	key number 74	+ \$0
75	key number 75	+ \$0
76	key number 76	+ \$0
77	key number 77	+ \$0
78	key number 78	+ \$0
79	key number 79	+\$0
80	key number 80	+\$o
81	key number 81	+\$o
82	key number 82	+\$o
83	key number 83	+\$o
84	key number 84	+\$o
85	key number 85	+\$o
86	key number 86	+\$o
87	key number 87	+ \$0
88	key number 88	+\$0
89	key number 89	+\$0
90	key number 90	+\$o
91	key number 91	+\$o
92	key number 92	+\$o
93	key number 93	+\$o
94	key number 94	+\$o
95	key number 95	+\$o
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0

Locker on Wheel Base, with Hinged Door

CO574



Product Information

Description

This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The door is hinged at the right and swings open for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

Available with no lock, keyed lock, keyless lock, or RFID lock.

Notes


Door frame color matches locker color.

Order internal storage components separately:

- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO₅6₅)
- Pullout catheter rack (CO469.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

07

80

09

10

11

12

13

14

key number 07

key number o8

key number 09

key number 10

key number 11

key number 12

key number 13

key number 14

CO574

Step 2.	Lock	
FF	no lock	
FL	keyed lock, keyed differently	
KA	keyed lock, keyed alike	
KP	keyless lock	
RF	RFID lock	
Prices f	or Steps 1-2.	
CO574	•	\$3124
	FL	\$3301
	KA	\$3301
	KP	\$3686
	RF	\$4348
	Locker Finish	
HF	inner tone light	+\$ o
LT	light tone	+\$o
LU	soft white	+\$0
WN	warm grey neutral	+\$0
Step 4.	Door Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
TR	clear	+\$o
WN	warm grey neutral	+\$0
Ctons	Voy Number	
	Key Number	
-	ed lock, keyed alike (KA)	
01	key number of	+\$0 +\$0
02	key number oz	, -
03	key number 03	+\$0
04	key number 04	+\$o
05	key number 05	+\$0
06	key number o6	+\$ 0

+\$o

+\$o

+\$o

+\$0


+\$0

+\$o

+\$0

+\$o

15	key number 15	+\$o	62	key number 62	+\$o
16	key number 16	+\$o	63	key number 63	+ \$o
17	key number 17	+\$o	64	key number 64	+\$0
18	key number 18	+\$o	65	key number 65	+\$0
19	key number 19	+\$o	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21		+\$0	68		+\$0
	key number 21			key number 68	
22	key number 22	+\$o	69	key number 69	+\$0
23	key number 23	+\$o	70	key number 70	+\$0
24	key number 24	+\$ o	71	key number 71	+\$0
25	key number 25	+\$ o	72	key number 72	+\$ 0
26	key number 26	+\$ o	73	key number 73	+\$0
27	key number 27	+\$o	74	key number 74	+\$0
28	key number 28	+\$o	75	key number 75	+\$ 0
29	key number 29	+\$o	76	key number 76	+\$o
30	key number 30	+\$o	77	key number 77	+\$o
31	key number 31	+\$o	78	key number 78	+\$0
32	key number 32	+\$o	79	key number 79	+\$0
33	key number 33	+\$o	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
		+\$0 +\$0			+\$0
37	key number 37		84	key number 84	
38	key number 38	+\$o	85	key number 85	+\$o
39	key number 39	+\$o	86	key number 86	+\$0
40	key number 40	+\$o	87	key number 87	+\$0
41	key number 41	+\$ o	88	key number 88	+\$0
42	key number 42	+\$ o	89	key number 89	+\$ o
43	key number 43	+\$ o	90	key number 90	+\$ 0
44	key number 44	+\$ o	91	key number 91	+\$0
45	key number 45	+\$o	92	key number 92	+\$0
46	key number 46	+\$o	93	key number 93	+\$0
47	key number 47	+\$o	94	key number 94	+ \$o
48	key number 48	+\$o	95	key number 95	+ \$o
49	key number 49	+\$o	96	key number 96	+\$0
50	key number 50	+\$o	97	key number 97	+\$0
51	key number 51	+\$o	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0		,	
54	key number 54	+\$0			
55	key number 55	+\$0			
	,	+\$0 +\$0			
56 57	key number 56				
57	key number 57	+\$o			
58	key number 58	+\$o			
59	key number 59	+\$o			
60	key number 60	+\$0			
61	key number 61	+\$ o			



Description

This mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.


Notes

Order internal storage components separately:


- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Pullout catheter rack (CO469.)

Order optional locker tambour door (CO219) and locker lock kit (CO277) separately.

Order optional locker hinged door (CO290) separately.




Spec	ification Information	
Step 1	l.	
CO56	3FF	\$2439
Step 2	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$ 0
LU	soft white	+\$o
WN	warm grey neutral	+\$ 0




Description

This vertical door provides closure on a locker. It opens by sliding into the locker bottom.



Specification Information				
Step 1.	Step 1.			
CO219FF		\$249		
Step 2.	Surface Finish			
3B	beachglass	+\$o		
DA	deep blue	+\$o		
HF	inner tone light	+\$o		
LT	light tone	+\$o		
LU	soft white	+\$o		
TR	clear	+\$o		
WN	warm grey neutral	+ \$o		




Description

This door provides closure on a locker. It is hinged at the right.

Attachment hardware included.

Available with no lock, keyed lock, keyless lock or RFID lock.

Dimensions




Specification Information

Step 1.

CO290

Step 2	2. Lock	
FF	no lock	
FL	keyed lock, keyed differently	
KA	keyed lock, keyed alike	
KP	keyless lock	
RF	RFID lock	
Prices	for Steps 1-2.	
CO290		\$722
	FL	\$906
	KA	\$906
	KP	\$1293
	RF	\$2024
Step 3	3. Door Finish	
HF	inner tone light	+\$0
LT	light tone	+ \$o
LU	soft white	+ \$o
WN	warm grey neutral	+\$o
Step 4	. Insert Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0
Step 5	. Key Number	
For ke	yed lock, keyed alike (KA)	
01	key number 01	+\$o
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number o6	+\$0
07	key number 07	+\$0
80	key number o8	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0

15	key number 15	+\$o	62	key number 62	+\$o
16	key number 16	+\$o	63	key number 63	+\$0
17	key number 17	+\$o	64	key number 64	+ \$0
18	key number 18	+\$0	65	key number 65	+\$0
19		+\$0	66	· -	+\$0
	key number 19			key number 66	
20	key number 20	+\$o	67	key number 67	+\$0
21	key number 21	+\$o	68	key number 68	+ \$o
22	key number 22	+\$ 0	69	key number 69	+\$o
23	key number 23	+\$o	70	key number 70	+\$o
24	key number 24	+\$o	71	key number 71	+ \$0
25	key number 25	+\$o	72	key number 72	+\$o
26	key number 26	+\$o	73	key number 73	+\$o
27	key number 27	+\$o	74	key number 74	+ \$0
28	key number 28	+\$o	75	key number 75	+ \$0
29	key number 29	+\$0	76	key number 76	+\$0
30		+\$0			+\$0
	key number 30		77	key number 77	
31	key number 31	+\$o	78	key number 78	+\$0
32	key number 32	+\$o	79	key number 79	+\$o
33	key number 33	+\$o	80	key number 80	+ \$o
34	key number 34	+\$ 0	81	key number 81	+\$0
35	key number 35	+\$o	82	key number 82	+\$o
36	key number 36	+\$o	83	key number 83	+\$ 0
37	key number 37	+\$o	84	key number 84	+\$o
38	key number 38	+\$o	85	key number 85	+\$o
39	key number 39	+\$o	86	key number 86	+ \$0
40	key number 40	+\$o	87	key number 87	+ \$0
41	key number 41	+\$0	88	key number 88	+\$0
42		+\$0	89	key number 89	+\$0
	key number 42				
43	key number 43	+\$o	90	key number 90	+\$o
44	key number 44	+\$o	91	key number 91	+\$0
45	key number 45	+\$o	92	key number 92	+\$o
46	key number 46	+\$o	93	key number 93	+ \$o
47	key number 47	+\$ 0	94	key number 94	+\$0
48	key number 48	+\$o	95	key number 95	+\$o
49	key number 49	+\$o	96	key number 96	+\$o
50	key number 50	+\$o	97	key number 97	+\$o
51	key number 51	+\$o	98	key number 98	+\$0
52	key number 52	+\$o	99	key number 99	+ \$0
53	key number 53	+\$0		, , , , , , , , , , , , , , , , , , , ,	
54	key number 54	+\$0			
55	key number 55	+\$0			
	•				
56	key number 56	+\$o			
57	key number 57	+\$o			
58	key number 58	+\$0			
59	key number 59	+\$o			
60	key number 60	+ \$o			
61	key number 61	+\$o			



Description


This kit includes a lock and converts a locker with tambour door to a lockable storage unit.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Kit must be field installed.

Dimensions




Specification Information

Step 1.

CO277

Step 2.	Lock	
FF	keyed differently	
KA	keyed alike	
Prices	for Steps 1-2.	
CO277	FF	\$166
	КА	\$166
Step 3.	Surface Finish	
HF	inner tone light	+\$ o
LT	light tone	+ \$o
LU	soft white	+\$ 0
WN	warm grey neutral	+\$0
Step 4.	Key Number	
For key	red alike (KA)	
01	key number 01	+ \$o
02	key number 02	+ \$o
03	key number 03	+\$ o
04	key number 04	+ \$o
05	key number 05	+ \$o
06	key number o6	+\$0
07	key number 07	+\$0
80	key number o8	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$ 0
16	key number 16	+\$ 0
17	key number 17	+\$ 0
18	key number 18	+\$ 0
19	key number 19	+\$0
20	key number 20	+\$ 0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0

28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+ \$o	76	key number 76	+ \$o
30	key number 30	+ \$o	77	key number 77	+ \$o
31	key number 31	+\$o	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+ \$o
33	key number 33	+\$0	80	key number 80	+ \$o
34	key number 34	+\$0	81	key number 81	+ \$o
35	key number 35	+\$o	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+ \$o
37	key number 37	+\$o	84	key number 84	+\$0
38	key number 38	+\$o	85	key number 85	+\$0
39	key number 39	+\$o	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+ \$o
41	key number 41	+\$0	88	key number 88	+ \$o
42	key number 42	+\$o	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+ \$o
45	key number 45	+\$0	92	key number 92	+ \$o
46	key number 46	+\$0	93	key number 93	+ \$o
47	key number 47	+\$0	94	key number 94	+ \$o
48	key number 48	+\$o	95	key number 95	+\$0
49	key number 49	+\$o	96	key number 96	+\$0
50	key number 50	+\$o	97	key number 97	+\$0
51	key number 51	+\$o	98	key number 98	+\$0
52	key number 52	+\$o	99	key number 99	+\$0
53	key number 53	+\$o			
54	key number 54	+\$o			
55	key number 55	+\$o			
56	key number 56	+\$o			
57	key number 57	+\$o			
58	key number 58	+\$o			
59	key number 59	+\$o			
60	key number 60	+\$o			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$ 0			



Description

This 92"-high, enclosed cabinet attaches to an architectural wall and must stand on the floor. It has a tambour door that slides vertically for access to cabinet materials. The cabinet is available with or without a lock and holds components that support endoscopes and catheters. Attachment hardware is included.


Notes

Order interior components separately:

- Cabinet floor (CV314.)
- Shelf support kit (CV317.)
- Distal tube bracket (CV311.)
- Endoscope bracket (CV310.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CV300.9214

Step 2. Lock

For no lock (*), skip this step.

L keyed differently

K keyed alike

Prices for Steps 1-2.

CV300.9214 \$2816

CV300.9214 L \$2990

K \$2990

Step 3	3. Surface/Door Finish	
HF	inner tone light A	+ \$o
LT	light tone A	+\$o
LU	soft white	+\$o
WN	warm grey neutral A	+ \$o


Step	4. Key Number	
For k	eyed alike (K)	
01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$ 0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number o6	+\$0
07	key number 07	+\$0
80	key number o8	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0

Endoscopy/Catheter Cabinet

continued

o/Struc® Storage

26	key number 26	+\$ 0	73	key number 73	+\$o
27	key number 27	+ \$o	74	key number 74	+\$o
28	key number 28	+\$o	75	key number 75	+\$0
29	key number 29	+\$o	76	key number 76	+\$0
30	key number 30	+\$o	77	key number 77	+\$0
31	key number 31	+\$o	78	key number 78	+\$0
32	key number 32	+\$o	79	key number 79	+\$0
33	key number 33	+\$o	80	key number 80	+\$0
34	key number 34	+\$o	81	key number 81	+\$0
35	key number 35	+\$o	82	key number 82	+\$o
36	key number 36	+\$o	83	key number 83	+\$o
37	key number 37	+\$o	84	key number 84	+\$o
38	key number 38	+\$o	85	key number 85	+\$0
39	key number 39	+\$o	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$o	89	key number 89	+\$0
43	key number 43	+\$o	90	key number 90	+\$0
44	key number 44	+\$o	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46 47	key number 46	+\$0 +\$0	93	key number 93	+\$0 +\$0
47 49	key number 47 key number 48	+\$0 +\$0	94	key number 94	+\$0 +\$0
48 49	key number 49	+\$0 +\$0	95 96	key number 95 key number 96	+\$0 +\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0	"	key number 99	+40
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$o			
60	key number 60	+\$o			
61	key number 61	+\$o			
62	key number 62	+\$o			
63	key number 63	+\$o			
64	key number 64	+\$o			
65	key number 65	+\$o			
66	key number 66	+\$o			
67	key number 67	+\$o			
68	key number 68	+\$o			
69	key number 69	+\$o			
70	key number 70	+\$o			
71	key number 71	+\$o			
72	key number 72	+ \$o			



Description


This bracket mounts at any height in a cabinet. It has 5 slots and adjustable cradles for vertical storage of endoscopes. Each slot is $3^3/4^{\prime\prime}$ deep. Mounting hardware is included.


Notes


Order following products separately:


- Cabinet (CV300.)
- Distal tube bracket (CV311.)

Recommended installation height is $5^{1}/_{4}"$ below top of cabinet back panel.









Description


This bracket mounts at any height in a cabinet. It has 5 slots for vertical storage of an endoscope distal tube. Each slot is $^7/_8$ " deep. Mounting hardware is included.

Notes


Order following products separately:

- Cabinet (CV300.)
- Endoscope bracket (CV310.)

Recommended installation height is $44^{1}\!/_{\!4}"$ below top of cabinet back panel.



Spec	ification Information	
Step:	1.	
CV31	1.	\$224
Step :	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$ 0
LU	soft white	+\$ 0
WN	warm grey neutral	+\$0



Description


This kit allows the use of shelves inside the endoscopy/catheter cabinet. It includes a pair of bearers and spacers.

Notes

Order shelves separately:

- CS tray/shelf (CO204)
- CS wire shelf (CO253)

Dimensions




Specification Information

Step 1.

CV317.

\$209




Description

This component provides storage in an endoscopy/catheter cabinet. It has 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage.

Notes


Order shelf support kit (CV317.) separately.

Tray/shelf surface with raised edges can be configured with subcontainers; order subcontainers separately.





Spe	cification Information	
Step	1.	
CO20	04FF	\$84
Step	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+ \$o
LU	soft white	+ \$o
WN	warm grey neutral	+\$o




Description


This metal floor encloses the bottom of an endoscopy/catheter cabinet. Attachment hardware is included.

Notes

Order cabinet (CV300.) separately.

Speci	ication Information	
Step 1.		
CV314.		\$88
Step 2.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+ \$o





Description

This frame hangs on a standard rail or adapter rail, or it is supported by an L cart, process table, counter top, or heavy-duty storage work surface. It has 4 slots at 3" intervals to enclose and support storage components and accessories. The C frame cannot mount under a 24"-wide work surface and it is not recommended for overhead storage.


Notes


Order support components separately:


- Adapter rail (C1610.)
- Counter top (CO555, or CO556)
- L cart (CO212)
- Process table (C4115., C4215., or C4313.)
- Lab work table (C461G., C462G., or C462C.)
- Standard rail (CO282)
- Work table (C4312.)
- Workstation (C4310. or C4311.)


Order storage components separately:

- C tray/shelf (CO203)
- Drawer (CO207, CO208, or CO209)










Description


This surface mounts on a C frame to provide a work surface or storage surface. It includes a gripper package for attaching the top to a C frame. The single or extended counter top fits on 1 C frame. The extended counter top extends 4" past each C frame side.


Notas

Order C frame (CO205) separately.

Dimensions








Specification Information

Step 1.

CO

Step 2. Configuration/Width	
555FF single	
556FF extended	
Prices for Steps 1-2.	
CO555FF	\$172
CO556FF	\$204

Step 3. Surface Finish		
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$∩




Description

This lid provides a top for a C frame. It has raised side edges to keep items from sliding off.

Notes


Use lid when storing L cart below 38"-high process table or cantilevered work surface; existing drawer bearers must be removed.





FRONT

Specification Information		
Step 1.		
CO201FF		\$160
Step 2.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$0



Description

This component provides storage within a C frame, locker, or interior cabinet adapter. It is designed with 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage.


Notes


Order support component separately:

- C frame (CO205)
- Interior cabinet adapter (CG591.)
- Locker or locker on wheel base (CO₅61, CO₅62, CO₅63, or CO₅64) Tray/shelf surface with raised edges can be configured with

subcontainers or subdivider vane. Order subdivider vane (CO242) or subcontainers separately.


Dimensions






FRONT


Spec	Specification Information			
Step 1	l.			
CO203FF		\$107		
Step 2	2. Surface Finish			
HF	inner tone light	+ \$o		
LT	light tone	+\$ 0		
LU	soft white	+\$0		
WN	warm grey neutral	+\$o		





Description

This component organizes IV bags, forms, tape rolls, and other small items within a drawer or C tray/shelf.










Description

This wire shelf fits into the slots of a C frame, locker, or interior cabinet adapter and stores items requiring air circulation. It cannot be used with a subdivider vane or subdivider.

Notes

Order support component separately:


- C frame (CO205)
- Interior cabinet adapter (CG591.)
- Locker or locker on wheel base (CO561, CO562, CO563, or CO564)






FRONT









Description

This hardware package mounts a C frame under a work surface. 1 gripper package is required to mount each C frame to a work surface. Attachment screws are included.

Notes


C frame cannot mount with grippers under heavy-duty work surface.





FRONT

Specif	ication Information	
Step 1.		
CO266	FF .	\$65
Step 2.	Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Description

This mobile caddy fits below a hanging or freestanding work surface. It has full-width pulls, casters, 2 3"-high drawers, 1 6"-high drawer, and 1 9"-high drawer. The drawers can be removed and reconfigured within the caddy or used in other products that accept 20"-wide plastic drawers.


The 9"-high drawer is available with a lock.

Notes

For caddy without drawers, order drawers separately.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C069

Step 2	. Configuration
2.20	no drawers
3.20	drawers

Step 3. Lock

For no lock (*), skip this step.

For no drawers (2.20), skip this step.

For drawers (3.20)

L 9"-high drawer keyed differently

K 9"-high drawer keyed alike


Prices for Steps 1-3.	
C0692.20	\$1464
C0693.20	\$1950
CO693.20 L	\$2058
К	\$2058

Step 4	Step 4. Surface Finish			
HF	inner tone light	+\$o		
LT	light tone	+\$o		
LU	soft white	+\$o		
WN	warm grey neutral	+ \$o		

Step 5	. Drawer Finish	
For dr	awers (3.20)	
1B	khaki	+\$o
2B	juniper	+\$o
3B	beachglass	+\$o
4B	plum	+\$o
5B	java	+\$o
5E	aquamarine	+\$o
6F	midnight	+\$o
DA	deep blue	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
VR	vivid red	+\$o
WN	warm grey neutral	+\$o
YT	yellow	+\$o
ZP	terra cotta	+\$o

	6. Key Number		46	key number 46	4
or 9	"-high drawer keyed alike (K)		47	key number 47	4
1	key number 01	+\$0	48	key number 48	4
2	key number 02	+\$0	49	key number 49	4
3	key number 03	+\$0	50	key number 50	4
4	key number 04	+\$0	51	key number 51	4
5	key number 05	+\$0	52	key number 52	4
6	key number o6	+\$0	53	key number 53	4
7	key number 07	+\$0	54	key number 54	4
8	key number o8	+\$o	55	key number 55	-
9	key number 09	+\$o	56	key number 56	-
0	key number 10	+\$o	57	key number 57	4
1	key number 11	+\$o	58	key number 58	-
2	key number 12	+\$o	59	key number 59	4
3	key number 13	+\$o	60	key number 60	-
4	key number 14	+\$o	61	key number 61	
5	key number 15	+\$0	62	key number 62	
5	key number 16	+\$o	63	key number 63	
7	key number 17	+\$o	64	key number 64	
3	key number 18	+\$o	65	key number 65	
)	key number 19	+\$o	66	key number 66	
	key number 20	+\$0	67	key number 67	
	key number 21	+\$0	68	key number 68	
	key number 22	+\$0	69	key number 69	
	key number 23	+\$0	70	key number 70	
	key number 24	+\$0	71	key number 71	
	key number 25	+\$0	72	key number 72	
	key number 26	+\$0	73	key number 73	
	key number 27	+\$0	74	key number 74	
	key number 28	+\$0	75	key number 75	
)	key number 29	+\$0	76	key number 76	
)	key number 30	+\$0	77	key number 77	
	key number 31	+\$0	78	key number 78	
2	key number 32	+\$0	79	key number 79	
	key number 33	+\$0	80	key number 80	
	key number 34	+\$0	81	key number 81	
	key number 35	+ \$0	82	key number 82	
•	key number 36	+\$0	83	key number 83	
,	key number 37	+\$0	84	key number 84	
	key number 38	+ \$0	85	key number 85	
	key number 39	+\$0	86	key number 86	
	key number 40	+\$0	87	key number 87	
	key number 41	+\$0	88	key number 88	
2	key number 42	+\$0	89	key number 89	
3	key number 43	+\$0	90	key number 90	
4	key number 44	+ \$0	91	key number 91	
5	key number 45	+ \$0	92	key number 92	

93	key number 93	+\$0
94	key number 94	+\$o
95	key number 95	+\$o
96	key number 96	+\$o
97	key number 97	+\$o
98	key number 98	+\$o
99	key number 99	+\$0



Description

This drawer fits into a locker or C frame and has stops to prevent accidental removal. It can also be mounted under a work surface using drawer bearers, ordered separately. The drawer is available with no lock, keyed lock, keyless lock or RFID lock.

Notes


To mount drawer under table or work surface, order drawer bearer package (CO228) or lockable drawer bearer (CO396) separately.

Order optional A-size subcontainer (CO231, CO232, CO233, CO234, CO235, or CO369) or B-size subcontainer (CO236, CO238, or CO240) separately.

Drawer with keyless lock (KP) or RFID (RF) option cannot be used in locker with tambour door.

Keyed lock is located on right side; keyless lock and RFID lock are located on left side.

For general information on locks, see Keyed-Alike Information in Appendices.



Specif	ication Information	
Step 1.		
CO20		
Stan 2	Size/Height	
7	a size	
8	b size	
_		
9	c size	
Step 3.	Lock	
FF	no lock	
FL	keyed differently	
KA	keyed alike	
KP	keyless lock	
RF	RFID lock	
Prices f	or Steps 1-3.	
CO207	FF	\$98
	FL	\$206
	KA	\$206
	KP	\$664
	RF	\$1442
C0208	FF	\$127
	FL	\$235
	KA	\$235
	KP	\$691
	RF	\$1468
C0209	FF	\$160
	FL	\$269
	КА	\$269
	KP	\$725
	RF	\$1501


Step 4	. Surface Finish	
1B	khaki	+\$0
2B	juniper	+\$0
3B	beachglass	+\$0
4B	plum	+\$0
5B	java	+\$0
5E	aquamarine	+\$0
6F	midnight	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
VR	vivid red	+\$0
WN	warm grey neutral	+\$0
ΥT	yellow	+\$0
ZP	terra cotta	+\$0
	. Key Number	
	yed alike (KA)	
01	key number 01	+\$0
02	key number 02	+\$(
03	key number 03	+\$(
04	key number 04	+\$(
05	key number 05	+\$(
06	key number o6	+\$(
07	key number 07	+\$(
80	key number o8	+\$(
09	key number 09	+\$(
10	key number 10	+\$(
11	key number 11	+\$(
12	key number 12	+\$(
13	key number 13	+\$(
14 15	key number 14	+\$(
15 16	key number 15 key number 16	+\$0 +\$0
17	key number 17	+\$(
17 18	key number 18	+\$(
19	key number 19	+\$(
20	key number 20	+\$(
20 21	key number 21	+\$(
22	key number 22	+\$(
23	key number 23	+\$(
25 24	key number 24	+\$(
25	key number 25	+\$(
26	key number 26	+\$(
27	key number 27	+\$(

28

key number 28

+\$0

29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$o	78	key number 78	+\$o
32	key number 32	+\$o	79	key number 79	+\$o
33	key number 33	+\$o	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45		+\$0	92		+\$0
	key number 45			key number 92	
46 47	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$o	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			
75	key number 75	+\$0			
	· · · · · · · · ·	•			



Description


This drawer has a hinged steel lid that can be locked. The lid can open when the drawer is pulled out to a stop position; the lid cannot be removed.


The drawer is 3", 6", or 9" high.


Notes


For B-size drawer with lockable lid, order A-size subcontainer only. For C-size drawer with lockable lid, order A- or B-size subcontainers only. For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions









Specification Information

Step 1.

CO37

Step 2	. Size/Height	
0	a size	
2	b size	
4	c size	
Step 3	. Lid Lock	
FF	keyed differently	
KA	keyed alike	
Prices	for Steps 1-3.	
CO370	FF	\$341
	КА	\$341 \$341

	KA	\$341
C0372	FF	\$370
	КА	\$370
CO374	FF	\$404
	KA	\$404

Step 2	. Drawer Finish	
1B	khaki	+\$0
2B	juniper	+\$o
3B	beachglass	+\$0
4B	plum	+ \$o
5B	java	+\$0
5E	aquamarine	+\$0
6F	midnight	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
VR	vivid red	+\$o
WN	warm grey neutral	+\$o
YT	yellow	+\$o
ZP	terra cotta	+\$0


LU	soft white	+\$0
	. Key Number yed alike (KA)	
01	key number 01	+\$0
02	key number 02	+\$0

Step 5. Lid Finish

03	key number 03	+\$0	50	key number 50	+\$0
04	key number 04	+\$0	51	key number 51	+\$0
05	key number 05	+\$0	52	key number 52	+\$0
06	key number o6	+\$0	53	key number 53	+\$0
07	key number 07	+\$0	54	key number 54	+\$0
80	key number o8	+\$ 0	55	key number 55	+\$0
09	key number 09	+\$ 0	56	key number 56	+\$0
10	key number 10	+\$ 0	57	key number 57	+\$0
11	key number 11	+\$ 0	58	key number 58	+\$0
12	key number 12	+\$0	59	key number 59	+\$0
13	key number 13	+\$ 0	60	key number 60	+\$0
14	key number 14	+\$0	61	key number 61	+\$0
15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$ 0	68	key number 68	+\$0
22	key number 22	+\$ 0	69	key number 69	+\$0
23	key number 23	+\$ 0	70	key number 70	+\$0
24	key number 24	+\$ 0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$ 0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$ 0	75	key number 75	+\$0
29	key number 29	+\$ 0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$ 0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0

Drawer with Lockable Lid continued

97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0



Description

This drawer fits into a locker and has stops to prevent accidental removal. It has a non-removable lid that can open when the drawer is pulled out. The drawer is available with a keyed lock, keyless lock or RFID lock.

Notes


Locked drawer with lid cannot be used with a C frame.

Drawer with keyless lock (KP) or RFID lock (RF) option cannot be used in locker with tambour door.


Keyed lock is located on right side; keyless lock and RFID lock are located on left side.


For general information on locks, see Keyed-Alike Information in Appendices.


Dimensions



TOP








	ication Information			5. Drawer Key Number	
Step 1.				eyed alike (KA)	
CO5)1	key number 01	+\$0
)2	key number 02	+\$0
Step 2.	Size/Height)3	key number 03	+\$0
49	a size)4	key number 04	+\$0
50	b size	0)5	key number 05	+\$0
51	c size	0)6	key number o6	+\$0
		0)7	key number 07	+\$0
Step 3.	Drawer Lock	0	8	key number o8	+\$0
FL	keyed differently	0)9	key number 09	+\$0
KA	keyed alike	1	10	key number 10	+\$0
KP	keyless lock	1	1	key number 11	+\$0
RF	RFID lock	1	12	key number 12	+\$0
		1	13	key number 13	+\$0
Prices f	or Steps 1-3.	1	4	key number 14	+\$0
CO549	FL	\$345 1	15	key number 15	+\$0
	КА	\$345 1	16	key number 16	+\$0
	KP	\$805 1	17	key number 17	+\$0
	RF	\$1578 1	18	key number 18	+\$0
		1	19	key number 19	+\$0
CO550	FL	\$ ₃₇₂ 2	20	key number 20	+\$0
	KA	\$372 2	21	key number 21	+\$0
	KP	\$8 ₃₂ 2	22	key number 22	+\$ 0
	RF	\$1604 2	23	key number 23	+\$0
		2	24	key number 24	+\$0
CO551	FL	\$406 2	25	key number 25	+\$0
	KA	\$406 2	26	key number 26	+\$0
	KP	\$866 2	27	key number 27	+\$ o
	RF	\$1638 2	28	key number 28	+\$0
		2	29	key number 29	+\$0
Step 4.	Drawer Finish	3	30	key number 30	+\$0
1B	khaki	+\$o 3	31	key number 31	+\$0
2B	juniper	+\$o 3	32	key number 32	+\$0
3B	beachglass	+\$o 3	33	key number 33	+\$0
4B	plum	+\$o 3	34	key number 34	+\$0
5B	java	+\$o 3	35	key number 35	+\$0
5E	aquamarine		36	key number 36	+\$0
6F	midnight	+\$o 3	37	key number 37	+\$0
DA	deep blue	+\$o 3	88	key number 38	+\$0
HF	inner tone light	+\$o 3	39	key number 39	+\$0
LT	light tone	+\$o 4	10	key number 40	+\$0
LU	soft white	+\$o 4	1	key number 41	+\$0
VR	vivid red	+\$o 4	12	key number 42	+\$0
WN	warm grey neutral		13	key number 43	+\$0
ΥT	yellow		14	key number 44	+\$0
• •					

46	key number 46	+\$o	93	key number 93	+\$o
47	key number 47	+\$o	94	key number 94	+\$o
48	key number 48	+\$o	95	key number 95	+\$o
49	key number 49	+\$o	96	key number 96	+\$o
50	key number 50	+\$o	97	key number 97	+\$o
51	key number 51	+\$o	98	key number 98	+\$o
52	key number 52	+\$o	99	key number 99	+\$o
53	key number 53	+\$o			
54	key number 54	+\$o	Step	6. Lid Finish	
55	key number 55	+\$o	LU	soft white	+\$o
56	key number 56	+\$o			
57	key number 57	+\$o			
58	key number 58	+ \$0			
59	key number 59	+\$o			
60	key number 60	+ \$0			
61	key number 61	+ \$0			
62	key number 62	+ \$0			
63	key number 63	+\$o			
64	key number 64	+\$o			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$o			
69	key number 69	+\$o			
70	key number 70	+\$o			
71	key number 71	+\$o			
72	key number 72	+\$o			
73	key number 73	+\$o			
74	key number 74	+\$o			
75 74	key number 75	+\$0			
76	key number 76	+\$0			
77	key number 77	+\$0			
78 70	key number 78	+\$0			
79 80	key number 79	+\$0 +\$0			
81	key number 80 key number 81	+\$0 +\$0			
	key number 82				
82 83	key number 83	+\$o +\$o			
84	key number 84	+\$0			
85	key number 85	+\$0			
86	key number 86	+\$0			
87	key number 87	+\$0			
88	key number 88	+\$0			
89	key number 89	+\$0			
90	key number 90	+\$0			
91	key number 91	+\$0			
92	key number 92	+\$0			
	,	. 40			

Locked Drawer with Lockable Lid

CO371 CO373 CO375



Product Information

Description

This drawer fits into a locker and has stops to prevent accidental removal. It has a lockable, non-removable lid that can open when the drawer is pulled out. The drawer is available with a keyed lock, keyless lock or RFID lock.

Notes


Locked drawer with lockable lid cannot be used with a C frame.

Drawer with keyless lock (KP) or RFID lock (RF) option cannot be used in locker with tambour door.


Keyed lock is located on right side; keyless lock and RFID lock are located on left side.


For general information on locks, see Keyed-Alike Information in Appendices.


Dimensions



TOP







Speci	fication Information		Step	5. Drawer Key Number	
Step 1.			For k	eyed alike (KA)	
CO37			01	key number 01	+\$0
			02	key number 02	+\$ 0
Step 2	. Size/Height		03	key number 03	+\$ 0
1	a size		04	key number 04	+ \$o
3	b size		05	key number 05	+ \$o
5	c size		06	key number o6	+\$0
			07	key number 07	+\$0
	. Drawer/Lid Lock		08	key number o8	+\$0
FF	keyed differently		09	key number 09	+\$0
KA	keyed alike		10	key number 10	+\$0
KP	keyless lock		11	key number 11	+\$0
RF	RFID lock		12	key number 12	+\$0
Drings	for Chang to		13	key number 13	+\$0
CO371	for Steps 1-3.	\$441	14 15	key number 14 key number 15	+\$0 +\$0
CO3/1	rr KA	\$441 \$441	16	key number 15	+\$0
	KP	\$903	17	key number 17	+\$0
	RF	\$1672	18	key number 18	+\$0
	N.	Ψ10/2	19	key number 19	+\$0
C0373	FF	\$469	20	key number 20	+\$0
003,3	KA	\$469	21	key number 21	+\$0
	KP	\$931	22	key number 22	+\$0
	RF	\$1699	23	key number 23	+ \$0
			24	key number 24	+\$o
CO375	FF	\$504	25	key number 25	+ \$0
	KA	\$518	26	key number 26	+ \$o
	KP	\$964	27	key number 27	+ \$0
	RF	\$1731	28	key number 28	+\$ 0
			29	key number 29	+\$ 0
Step 4	. Drawer Finish		30	key number 30	+ \$o
1B	khaki	+\$o	31	key number 31	+ \$o
2B	juniper	+\$o	32	key number 32	+ \$0
3B	beachglass	+\$o	33	key number 33	+\$0
4B	plum	+\$o	34	key number 34	+\$ 0
5B	java	+ \$o	35	key number 35	+\$ 0
5E	aquamarine	+\$o	36	key number 36	+ \$o
6F	midnight	+\$0	37	key number 37	+ \$o
DA	deep blue	+\$0	38	key number 38	+\$0
HF	inner tone light	+\$0	39	key number 39	+\$0
LT	light tone	+\$o	40	key number 40	+\$0
LU	soft white	+\$o	41	key number 41	+\$0
VR	vivid red	+\$o	42	key number 42	+\$0
WN	warm grey neutral	+\$o	43	key number 43	+\$0
YT	yellow	+\$0	44	key number 44	+\$o
ZP	terra cotta	+\$0	45	key number 45	+\$0


46	key number 46	+\$o	93	key number 93	+\$o
47	key number 47	+\$o	94	key number 94	+\$o
48	key number 48	+\$o	95	key number 95	+\$o
49	key number 49	+\$o	96	key number 96	+\$o
50	key number 50	+\$o	97	key number 97	+\$o
51	key number 51	+\$o	98	key number 98	+\$0
52	key number 52	+\$o	99	key number 99	+\$o
53	key number 53	+ \$0		-,	, -
54	key number 54	+ \$0	Step 6	5. Lid Finish	
55	key number 55	+\$0	LU	soft white	+\$o
56	key number 56	+\$0		soit illine	. 40
57	key number 57	+\$0	Sten 7	z. Lid Key Number	
58	key number 58	+\$0		yed alike (KA) or keyless lock (KP)	
59	key number 59	+\$0	01	key number o1	+\$o
60	key number 60	+\$0	02	key number 02	+\$0
61	key number 61	+\$0	03	key number 03	+\$0
62			04	-	
	key number 62	+\$0		key number 04	+\$0
63	key number 63	+\$0	05	key number 05	+\$0
64	key number 64	+\$0	06	key number o6	+\$0
65	key number 65	+\$0	07	key number 07	+\$0
66	key number 66	+\$o	08	key number o8	+\$0
67	key number 67	+\$o	09	key number 09	+\$o
68	key number 68	+\$o	10	key number 10	+\$o
69	key number 69	+\$o	11	key number 11	+\$o
70	key number 70	+\$o	12	key number 12	+\$o
71	key number 71	+ \$0	13	key number 13	+\$o
72	key number 72	+ \$0	14	key number 14	+\$o
73	key number 73	+ \$0	15	key number 15	+\$o
74	key number 74	+ \$0	16	key number 16	+\$o
75	key number 75	+\$o	17	key number 17	+\$o
76	key number 76	+\$o	18	key number 18	+\$o
77	key number 77	+\$o	19	key number 19	+\$o
78	key number 78	+\$ 0	20	key number 20	+\$0
79	key number 79	+\$ 0	21	key number 21	+\$o
80	key number 80	+\$ 0	22	key number 22	+\$o
81	key number 81	+\$o	23	key number 23	+\$o
82	key number 82	+\$o	24	key number 24	+\$o
83	key number 83	+\$o	25	key number 25	+\$o
84	key number 84	+\$o	26	key number 26	+\$o
85	key number 85	+\$o	27	key number 27	+\$o
86	key number 86	+\$o	28	key number 28	+\$o
87	key number 87	+\$o	29	key number 29	+\$o
88	key number 88	+\$o	30	key number 30	+\$o
89	key number 89	+\$o	31	key number 31	+\$o
90	key number 90	+\$o	32	key number 32	+\$o
91	key number 91	+\$o	33	key number 33	+\$0
92	key number 92	+\$o	34	key number 34	+\$0
		•			

Locked Drawer with Lockable Lid

continued

o/Struc® Storage

35	key number 35	+\$o	82	key number 82	+\$0
36	key number 36	+ \$o	83	key number 83	+\$0
37	key number 37	+\$o	84	key number 84	+\$o
38	key number 38	+ \$o	85	key number 85	+\$0
39	key number 39	+\$o	86	key number 86	+\$0
40	key number 40	+\$o	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
		+\$0			
43	key number 43		90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$o	94	key number 94	+ \$0
48	key number 48	+\$o	95	key number 95	+\$0
49	key number 49	+ \$0	96	key number 96	+\$o
50	key number 50	+\$o	97	key number 97	+\$o
51	key number 51	+\$o	98	key number 98	+\$o
52	key number 52	+\$o	99	key number 99	+\$0
53	key number 53	+ \$o			
54	key number 54	+\$0			
55	key number 55	+\$o			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60		+\$0			
	key number 60	+\$0			
61	key number 61				
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$o			
65	key number 65	+\$0			
66	key number 66	+ \$o			
67	key number 67	+\$o			
68	key number 68	+\$o			
69	key number 69	+\$o			
70	key number 70	+ \$0			
71	key number 71	+ \$o			
72	key number 72	+\$o			
73	key number 73	+\$o			
74	key number 74	+\$o			
75	key number 75	+\$o			
76	key number 76	+\$0			
77	key number 77	+\$0			
78	key number 78	+\$0			
79	key number 79	+\$0			
80	key number 80	+\$0			
81	key number 81	+\$0 +\$0			
01	key number of	+\$0			




Description


This clear lid fits on a Co/Struc drawer and provides top closure.

Notes

Order drawer (CO207, CO208, or CO209) separately.

Dimensions






Specification Information

Step 1.


CO508.20


\$147




Description

This package is used to mount a nonlocking drawer under a work surface. The drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included.








ВК


black




Product Information

Description


This component is used to mount a drawer with lock under a work surface. The lockable drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included.





Specification Information	
Step 1.	
CO396FF	\$79
Step 2. Surface Finish	






Description

This assembly holds drawers in place on an L cart and indicates that the drawers are unaltered. It must be used with 2 C frames.

Notes

Order breakaway tabs (CT709.) separately.


Speci	ication Information	
Step 1.		
0473	FF	\$326
Step 2.	Surface Finish	
_U	soft white	+\$o




Description

This clip snaps onto a drawer, tray/shelf, or flipper to hold content labels. The clip accepts pressure-sensitive labels from the front or slide-in labels from the back. Finish is clear. Package contains 12 clips; labels not included.

Dimensions



Specification Information Step 1. CO Step 2. Width 27427 6" wide 462 19" wide 50 Prices for Steps 1-2. \$30 CO27427 \$30 CO462 \$56





Description

This assembly fits inside a locker or C frame or fits below a work surface with a drawer bearer. It has a wire cassette, cassette bins, and subdividers. The assembly fills 2 slots in a locker or C frame.

Notes


Order optional cassette cover (CO₅66) separately.







Spe	cification Information		
Step	Step 1.		
CO565FF		\$510	
Step	2. Surface Finish		
LU	soft white	+\$o	




Description

This cover fits on a cassette assembly and provides top closure.


Notes

Order cassette assembly (CO_56_5) separately.

Dimensions




TOP





Step 2. Surface Finish

LU soft white +\$0





Description


This bin fits inside a cassette assembly. Package contains 10 bins, 20 dividers, and 10 label clips.

Notes

Order cassette assembly (CO_56_5) separately.








Dispensing Rail

CO365 CO366 CO367 CO368



Product Information

Description

This rail attaches to a panel, a freestanding module, or wall strips to support subcontainers at a 15° angle for gravity-feed dispensing. Package contains 2.

The A-size rail holds A-size subcontainers; the B-size rail holds B-size subcontainers.


Notes

Dispensing rails hold the following number of subcontainers:

A-Size Rail Width—Number of Subcontainers

B-Size Rail Width—Number of Subcontainers

Order optional A-size subcontainer (CO231, CO232, CO233, CO234, CO235, or CO369) or B-size subcontainer (CO236, CO238, or CO240) separately.



Step 3. Surface Finish **LU** soft white

Specification Information Step 1. C036 Step 2. Size/Width a size and 24" wide a size and 48" wide 6FF 7FF b size and 24" wide 8FF b size and 48" wide Prices for Steps 1-2. CO365FF \$372 CO366FF \$475 CO367FF \$401 CO368FF \$480

+\$o

Subcontainer C0231
C0232
C0233
C0234
C0235
C0236
C0238
C0240
C0369

Product Information

Description

This storage container fits into a drawer or onto a dispensing rail to organize and store small items. Package contains 12.

The A-size subcontainer is used with an A-size drawer (without lid) or A-size dispensing rail. It is $2^3/_{16}$ " high; depth and width dimensions are: Type—Depth—Width

$$A-2-9^3/_{16}"-4^9/_{16}"$$

A-4-
$$18^{7}/_{16}$$
"- $4^{9}/_{16}$ "

$$A-5-9^3/_{16}"-9^3/_{16}"$$

The B-size subcontainer is used with a B-size drawer (without lid), B-size dispensing rail, or C-size drawer. It is $5^3/_{16}$ " high; depth and width dimensions are:

Type-Depth-Width


B-1-
$$4^9/_{16}$$
"- $4^9/_{16}$ "


$$B-5-9^3/_{16}"-9^3/_{16}"$$

Notes

Order following products separately:


- Drawer (CO207, CO208, or CO209)
- Dispensing rail (CO365, CO366, CO367, or CO368)





Specification Information	
Step 1.	
СО	
Step 2. Size	
231FF a-1	
232FF a-2	
233FF a-3	
234FF a-4	
235FF a-5	
369FF a-8	
236FF b-1	
238FF b-3	
240FF b-5	
Prices for Steps 1-2.	Φ.
C0231FF	\$79
C0232FF	\$79
C0233FF	\$86
C0234FF	\$86
C0235FF	\$86
C0369FF	\$81
C0236FF	\$86
C0238FF	\$119
CO240FF	\$119
Character Finish	
Step 3. Surface Finish	*
LU soft white	+\$ 0





Description

This kit fits inside an A-size drawer (without lid) and has 6 combinations of subcontainers and subcontainer dividers.

A-size subcontainer is $2^3/_{16}$ " high. Width and depth dimensions are:

Type-Width-Depth

$$A-1-4^9/_{16}"-4^9/_{16}"$$

$$A-2-4^9/_{16}"-9^3/_{16}"$$


$$A-3-4^9/_{16}"-13^{13}/_{16}"$$

$$A-4-4^9/_{16}"-18^7/_{16}"$$

$$A-5-9^3/_{16}"-9^3/_{16}"$$

$$A-8-2^{1/4}$$
" $-13^{13/16}$ "

Dimensions



Specification Information

Step 2. Components

Step 1.

CO544 CO545

CO54

0FF	4 a-3 subcontainers, 6 a-3 dividers
1FF	1 a-3 subcontainer, 6 a-8 subcontainers, 2 a-3 dividers, 7 a-8
	dividers
2FF	2 a-1 subcontainers, 2 a-2 subcontainers, 1 a-3 subcontainer
	a Q subsantainars , a a dividars a a Q dividars

a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers


3FF 3 a-3 subcontainers, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers

4FF 4 a-2 subcontainers, 1 a-4 subcontainer, 8 a-3 dividers

5FF 2 a-1 subcontainers, 2 a-3 subcontainers, 1 a-5 subcontainer, 4

Prices for Steps 1-2.	
CO540FF	\$72
CO541FF	\$76
CO542FF	\$76
CO543FF	\$72
CO544FF	\$72
CO545FF	\$72

Step 3.	Surface Finish	
LU	soft white	+ \$0



Description

This kit fits inside a B-size drawer (without lid) or C-size drawer and has 2 combinations of subcontainers and subcontainer dividers.

The B-size subcontainer is $5^3/_{16}"$ high. Width and depth dimensions are:


 $\mathsf{Type}\!-\!\mathsf{Width}\!-\!\mathsf{Depth}$


B-1-4⁹/₁₆"-4⁹/₁₆"

 $B-3-4^9/_{16}"-13^{13}/_{16}"$

 $B-5-9^3/_{16}"-9^3/_{16}"$

Dimensions





Specification Information

Step 1.

CO54

Step 2. Components

6FF 4 b-3 subcontainers, 4 b-3 dividers

7FF 2 b-1 subcontainers, 2 b-3 subcontainers, 1 b-5 subcontainer, 2


b-3 dividers

Prices for Steps 1-2.

CO546FF \$88 **CO547FF** \$88

Step 3. Surface Finish

J soft white +\$o




Description

This divider fits into subcontainers to separate and organize stored items. A divider can be adjusted by sliding it to the desired position. The divider is not available for A-5 and B-5 subcontainers. Package contains

The divider for an A-8 subcontainer is $1^5/8$ " high and $2^1/8$ " wide; the divider for an A-1, A-2, A-3, or A-4 subcontainer is $1^5/8$ " high and $4^1/4$ " wide; and the divider for a B-1 or B-3 subcontainer is 4" high and $4^1/4$ " wide.

Dimensions



Specification Information


Step 1.

CO3

Step 2	. Usage
78FF	for a-8 subcontainer
79FF	for a-1, a-2, a-3, or a-4 subcontainers
80FF	for b-1 or b-3 subcontainers

Prices for Steps 1-2.	
CO378FF	\$73
CO379FF	\$73
CO380FF	\$75

Step 3.	Surface Finish	
LU	soft white	+\$o



Description

This snap-on handle has a surface for identification labels in a picking station. It also can convert a small or large subcontainer into a drawer when used on the flat surface of a C tray. The handle cannot be used with a subcontainer in an A-size drawer. Package contains 12.


Votes

Handle accepts following label:

- $2^{1}/_{8}$ "-wide handle: $^{3}/_{4}$ " × 1" gummed label
- $4^{1/2}$ "-wide handle: 3/4" × 3" drop-in label

For $4^{1}/2^{"}$ -wide handle, order label (CO459) separately.

Dimensions



Specification Information

Step 1.

CO37

Step 2. Width

6FF 2¹/₈" wide

7FF 4¹/₂" wide

Prices for Steps 1-2.

CO376FF


CO377FF \$47

\$37

+\$o

Step 3. Surface Finish


LU soft white



Description

This label slides into a $4^1/2^n$ -wide subcontainer handle. Package contains 100 cards with 10 perforated labels per card (1000 labels total).

Specification Information	
Step 1.	
CO459	\$31




Description

This flag snaps onto subcontainers that are hung from a dispensing rail. It provides a visible surface for identification labels. Package contains 12.

The flag for an A-8 subcontainer is $1^1/_4$ " wide; the flag for an A-3 or B-3 subcontainer is $3^1/_2$ " wide.

Dimensions



Specification Information

Step 1.

CO38

Step 2. Usage


1FF for a-8 subcontainer2FF for a-3 or b-3 subcontainer

Prices for Steps 1-2.

C0381FF \$107 C0382FF \$120

Step 3. Surface Finish


LU soft white +\$o




Description

This 20"-wide, powder-coated wire rack fits into the slots of a locker to organize catheters. It is available with 3 or 4 independent, pullout slides. Each pullout slide has 4 prongs, 4 side label clips, and 1 front label holder. Each prong holds up to 10 catheters. Finish is soft white.

Dimensions





Specification Information


Step 1.

CO469.20

Step	2. Slides			
03	3 slides			
04	4 slides			

Prices for Steps 1-2.


C0469.20 03 \$786
04 \$877



Description

This height-adjustable laptop cart delivers point-of-care technology and holds a 17" laptop. The surface provides security by locking a laptop into place during use. The cart holds a maximum of 30 pounds and has 4"-high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray. Shipped fully assembled. The surface is Cloud Surf laminate; the base finish is polished aluminum.

Dimensions



Specification Information

Step 1.

CO600.

Step 2. Power Option

N no power stripP power strip

Step 3. Bar Code Scanner Holder

N no bar code scanner holder

B bar code scanner holder

Step 4. Utility Basket


N no utility basketU utility basket

Step 5. Drawer

N no drawer

D drawer

Prices for :	Steps 1-5.				
		NN	ND	UN	UD
CO600. N	N	\$2862	3271	3079	3488
	В	\$2971	3380	3189	3596
Р	N	\$3225	3632	3443	3850
	В	\$3334	3741	3551	3958




Description

This height-adjustable cart delivers point-of-care technology. It holds a flat panel monitor arm and includes a 10"-wide column-mounted CPU holder with straps. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards). The cart holds a maximum of 30 pounds and has 4"-high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray and 2 plates: 75mm and 100mm. Shipped fully assembled.

The surface is Cloud Surf laminate; the base finish is polished aluminum; and the CPU holder is black.

Dimensions



Specification Information

Step 1.

CO601.

Step 2. Power Option

N no power strip

P power strip

Step 3. Bar Code Scanner Holder

N no bar code scanner holder

B bar code scanner holder

Step 4. Utility Basket

N no utility basket


U utility basket

Step 5. Drawer

N no drawer

D drawer


Prices for	Steps 1-5.				
		NN	ND	UN	UD
CO601. N	N	\$2862	3271	3079	3488
	В	\$2971	3380	3189	3596
P	N	\$3225	3632	3443	3850
	В	\$3334	3741	3551	3958



Description

This hospital-grade power cord has a 1.5' coiled cord that extends to 7.5'. Finish is black.

Dimensions




Step 1.

CO602.

\$187







Description

This perforated basket attaches to the column of a laptop or flat-panel cart and holds a utility basket. It can be used to hold charts, paper products, and other supplies. Finish is black.

Dimensions








Description

This holder attaches to the surface of a laptop or flat-panel cart. It manages cables and wires and includes reusable cable ties. Finish is black.

Notes

Laptop-cart cable manager has 1 solid holder. Flat-panel-cart cable manager has 2 pieces that attach to each side of the flat-screen arm holder and go down through the work surface.

Dimensions



Specification Information

Step 1.

CO608.


Step 2. Usage

01 for laptop cart

02 for flat panel cart

Prices for Steps 1-2.


C0608. 01 \$174 02 \$174





Description


This cart is used to maneuver and transport lockers. It has a foot-activated lever that lifts a locker from a rail to a cart or from a cart to a rail. The cart also has a towing handle and a train connector for linking multiple carts. A maximum of 3 carts can be linked when pulled manually; a maximum of 7 carts can be linked when pulled with a tug. Shipped knocked down.

Dimensions









Description

This mobile cart has a platform, 4 rail profiles for hanging frames, and 4 casters (2 swivel and 2 swivel with brake) that are $4^3/4''$ hard-rubber zinc.


Notes


To hang drawer or shelf storage components, order C frame (CO205) separately.

Order optional components separately:

• Breakaway lock assembly (CO₄₇₃)

Dimensions





SIDE FRONT

Specification Information

Step 1.

CO212

Step 2. Application

FF standard

Prices for Steps 1-2.

CO212 FF \$800

Step 3. Surface Finish

HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0

Co/Struc® System	
2-Way 90° Corner Connector	page(s) 32
2-Way Module Corner Connector	48
3-Way 90° Corner Connector	33
3-Way Module Corner Connector	49
Access Panel Assembly	58
Adapter Rail	7
ADA Sink Support, Systems Mounted	118
Add-On Shelf, Shelf Unit	140
Add-On Shelf with Lip	152
Adjustable Work Table Base	105
Anchor Support Kit	51
A-Size Drawer Organizer Kit	213
Backsplash Filler	86
Basic Work Table Base	100
Bottle Drawer Divider	130
Breakaway Lock Assembly	204
B-Size Drawer Organizer Kit	214
B-Style Rail-Hanging Shelf	148
B-Style Shelf	149
B-Style Shelf with Sloped Top	151
Cabinet Floor	177
Cable Manager	224
Cassette Assembly	206
Cassette Bin	208
Cassette Cover	207
Ceiling Entry Support Panel Center Closure Panel	27
C Frame	67
C Frame Support	178
Clear Lid	83 201
C Lid	180
Coiled Power Cord	222
Combination Access Panel Assembly	60
Component Adapter Kit	84
Counter Top	179
CS Tray/Shelf	176
C Tray/Shelf	181
C Wire Shelf	183
Diplomat Panel	45
Dispensing Rail	209
Distal Tube Bracket	174
Drawer	188
Drawer Bearer Package	202
Drawer Caddy with Casters	185
Drawer with Lockable Lid	191
Draw Rod, Seismic	13

HermanMiller Healthcare

End Cap for Standard or Seismic Rail	10
End Closure Assembly	65
End Closure Panel	64
Endoscope Bracket	173
Endoscopy/Catheter Cabinet	171
Equipment Rail, Systems Mounted	9
Equipment Rail, Wall Mounted	8
Filler Extrusion	57
Flat Panel Cart	221
Flat Panel Mount	115
Floor Anchor Adapter Kit	18
Floor Anchor Bracket, Action Office® Series 1	15
Floor Anchor Bracket, Action Office® Series 2	16
Floor Anchor Bracket, Co/Struc® Lab Module	1/
Floor Entry Support Panel	25
Gripper Package	184
Heavy-Duty Corner Work Surface	88
Heavy-Duty Corner Work Surface, Action Office® Series 1	or 2 90° Corner
Connector	90
Heavy-Duty Work Surface	76
Interface Connector	
Interior Filler	122
Interior Shelf	53
Interior Shelf and Support Kit	55
Label Clip	205
Laptop Cart	220
L Cart	226
Light Bracket	143
Lockable Drawer Bearer	203, 123
Locked Drawer with Lid	194
Locked Drawer with Lockable Lid	197
Locker	159
Locker Hinged Door	167
Locker Lock Kit	169
Locker on Wheel Base	165
Locker on Wheel Base, with Hinged Door	163
Locker on Wheel Base, with Tambour Door	160
Locker Tambour Door	166
Locker, with Hinged Door	157
Locker, with Tambour Door	154
Low Cup Sink Access Panel Assembly	62
Low Module	39
Low Module Terminal Panel	42
Marker Board	11/
Mid-Run Support, Double Sided	37
Mid-Run Support, Single Sided	36
Module Support Leg	50
<u></u>	

Co/Struc® System Price Book (9/19)

Module Wall Start	47
Open Support Panel	21
Panel Connector	35
Panel Stiffener, Action Office® Series 1 or Series 2 Top Cap	19
Panel Wall Start	31
Pass-Through Cover	82
Pass-Through Module	40
Pass-Through Module Terminal Panel	43
Power Strip	113
Process Table, Electric Height Adjustment	98
Pullout Catheter Rack	219
Rail-Hanging Work Surface	81
Rail Hardware	6
Reagent Shelf	99
Riser Frame Divider	111
Riser Frame End Cover	112
Seismic Finished End	17
Shelf Backsplash	56
Shelf End Cap	54
Shelf Label Clip	153, 141
Shelf Support Kit	175
Shelf Unit	135
Shelf Unit, 90° Corner	139
Shelf Unit Back Panel	142
Shelf Unit, Diagonal Corner	137
Shelf Unit Door	144
Shelf Unit Double Doors	145
Shelf Unit Wall Attachment Panel	147
Sink Module	116
Sink Unit for Storage	117
Sloped Shelf Unit Top	146
Standard-Duty Work Surface	74
Standard Rail	5
Standard Work Table Base	102
Storage Case	124
Storage Case Bottle Drawer	129
Storage Case Door	131
Storage Case Drawer	127
Storage Case Leg	132
Storage Case Pullout Shelf	126
Storage Case Rail, Corner	133
Storage Case Shelf	125
Storage Unit	119
Storage Unit Door	121
Storage Unit Shelf	120
Storage Unit with Sliding Doors	134
Subcontainer	211

Subcontainer Divider	215
Subcontainer Handle	216
Subcontainer Handle Label	217
Subcontainer Label Flag	218
Subdivider Vane	182
Support Panel	23
Support Panel Top Cap	38
erminal Panel	29
op Shelf	52
R3 Cart	225
Jtility Basket	223
/ertical Chase Cover	46
Vall Anchor Bracket	12
Vall Rail, Seismic	11
Vall Strip Cover	20
Vire Chase Overlay	73
Vire Chase Rail	68
Vire Chase Rail, 90° Inside Corner	69
Vire Chase Rail Bridge	70
Vire Chase Rail Cover	72
Vire Chase Rail End Cap	71
Vorkstation, Electric Height Adjustment	92
Vorkstation, Manual Height Adjustment	94
Vork Surface Backsplash	85
Vork Surface Sidesplash, Resin	87
Vork Surface Support	79
Vork Table, Electric Height Adjustment	96
Vork Table Reagent Shelf	110
Vork Table Surface, Rectangular	107

A1250.	Seismic Finished End	page(s) 17
C460G.	Basic Work Table Base	100
C461G.	Standard Work Table Base	102
C462C.	Adjustable Work Table Base	105
C462G.		
C1112.	Low Module	39
C1114.	Pass-Through Module	40
C1122.	Low Module Terminal Panel	42
C1122.	Pass-Through Module Terminal Panel	43
C1124.		
C1146.	Diplomat Panel	45
C1150.	Open Support Panel	21
C1151.	Support Panel	23
C1155.	Floor Entry Support Panel	25
C1156.	Ceiling Entry Support Panel	27
C1161.	Terminal Panel	29
C1170.	Equipment Rail, Wall Mounted	8
C1172.	Equipment Rail, Systems Mounted	9
C1211.	Panel Wall Start	31
C1212.	Module Wall Start	47
C1220.	2-Way Module Corner Connector	48
C1221.	2-Way 90° Corner Connector	32
C1230.	3-Way Module Corner Connector	49
C1231.	3-Way 90° Corner Connector	33
C1261.	Interface Connector	34
C1272.	Mid-Run Support, Single Sided	36
C1273.	Mid-Run Support, Double Sided	37
C1274.	Support Panel Top Cap	38
C1275.	Module Support Leg	50
C1276.	Anchor Support Kit	51
C1281.	Panel Connector	35
C1313.	Wire Chase Rail	68
C1314.		
C1315.	Wire Chase Rail Cover	72
C1316.		
C1317.		
C1318.		
C1321.	Wire Chase Rail, 90° Inside Corner	69
C1322.		
	Wire Chase Rail Bridge	70
C1327.		
	Wire Chase Rail End Cap	71
C1332.		
• • • • • • • • • • • • • • • • • • • •	Wire Chase Overlay	73
•	Access Panel Assembly	58
***************************************	Combination Access Panel Assembly	60
C1432.	Low Cup Sink Access Panel Assembly	62

C1450.	End Closure Panel	64
C1451.	End Closure Assembly	65
C1452.		
C1455.	Center Closure Panel	67
C1460.	Vertical Chase Cover	46
C1510.	Shelf End Cap	54
C1510.	Top Shelf	52
C1511.	Interior Shelf	53
C1511.	Shelf End Cap	54
C1515.	Interior Shelf and Support Kit	55
C1520.	Shelf Backsplash	56
C1530.	Filler Extrusion	57
C1531.		
C1610.	Adapter Rail	7
C1611.	Storage Case Rail, Corner	133
C2140.	Work Surface Support	79
C2141.	Heavy-Duty Work Surface	76
C2142.	Standard-Duty Work Surface	74
C2192.	C Frame Support	83
C2193.	Component Adapter Kit	84
C2215.	Heavy-Duty Corner Work Surface	88
C2216.	Heavy-Duty Corner Work Surface, Action Office® Se	eries 1 or 2
	90° Corner Connector	90
C2399.	Pass-Through Cover	82
C2410.	Rail-Hanging Work Surface	81
C2512.	Sink Module	116
C2513.	Sink Unit for Storage	117
C2520.	ADA Sink Support, Systems Mounted	118
C2910.	Work Surface Backsplash	85
C2920.	Backsplash Filler	86
C2930.	Work Surface Sidesplash, Resin	87
C3011.	B-Style Shelf	149
C3019.	Add-On Shelf with Lip	152
C3091.	B-Style Shelf with Sloped Top	151
C4310.	Workstation, Electric Height Adjustment	92
C4311.	Workstation, Manual Height Adjustment	94
C4312.	Work Table, Electric Height Adjustment	96
C4313.	Process Table, Electric Height Adjustment	98
• • • • • • • • • • • • • • • • • • • •	Riser Frame Divider	111
C4321.		112
	Power Strip	113
• • • • • • • • • • • • • • • • • • • •	Marker Board	114
•••••	Flat Panel Mount	115
	Reagent Shelf	99
C4327.	W. I. T. I. C. G. D	
•••••	Work Table Surface, Rectangular	107
C4900.	Work Table Reagent Shelf	110

C5009.	Interior Filler	122
C5010.	Storage Unit	119
C5014.	Storage Unit with Sliding Doors	134
C5015.	Storage Unit Shelf	120
C5016.	Storage Unit Door	121
C5017.		
C5020.	Shelf Unit	135
C5021.		
C5022.	Shelf Unit, Diagonal Corner	137
C5023.		
C5024.	Shelf Unit, 90° Corner	139
C5025.	Add-On Shelf, Shelf Unit	140
C5026.	Shelf Unit Back Panel	142
C5027.	Shelf Unit Door	144
C5028.		
C5032.	Shelf Unit Double Doors	145
C5036.	Shelf Unit Wall Attachment Panel	147
C5040.	Storage Case	124
C5041.	Storage Case Shelf	125
C5042.	Storage Case Pullout Shelf	126
C5043.	Storage Case Drawer	127
C5044.		,
C5045.	Storage Case Bottle Drawer	129
C5048.	Lockable Drawer Bearer	123
C5049.	Bottle Drawer Divider	130
C5050.	Storage Case Leg	132
C5051.	Light Bracket	143
C5052.	Storage Case Door	131
C5053.	0.01436 0430 200.	-)-
CO201	C Lid	180
CO203	C Tray/Shelf	181
CO204	CS Tray/Shelf	176
CO205	C Frame	178
CO207	Drawer	188
CO208	2.4.10.	100
CO209		
CO212	L Cart	226
		12
CO219	Draw Rod, Seismic Locker Tambour Door	166
CO228	Drawer Rearer Package	202
CO231	Subcontainer	211
CO231	oubcontainer	211
CO232		
CO233		
CO234		
CO236		
CO238		
CU236		

CO240		
CO242	Subdivider Vane	182
CO252	C Wire Shelf	183
CO266	Gripper Package	184
CO274	Label Clip	205
CO277	Locker Lock Kit	169
CO282	Standard Rail	5
CO284	Rail Hardware	6
CO285		
CO290	Locker Hinged Door	167
CO338	End Cap for Standard or Seismic Rail	10
CO342	TR3 Cart	225
CO365	Dispensing Rail	209
CO366		
CO367		
CO368		
CO369	Subcontainer	211
CO370	Drawer with Lockable Lid	191
CO371	Locked Drawer with Lockable Lid	197
CO372	Drawer with Lockable Lid	191
CO373	Locked Drawer with Lockable Lid	197
CO374	Drawer with Lockable Lid	101
CO375	Locked Drawer with Lockable Lid	107
CO376	Subcontainer Handle	216
CO377		
CO378	Subcontainer Divider	215
CO379		
CO380		
CO381	Subcontainer Label Flag	218
CO382		
CO396	Lockable Drawer Bearer	203
CO397.	Sloped Shelf Unit Top	146
CO398	Shelf Label Clip	153, 141
CO459	Subcontainer Handle Label	217
CO462	Label Clip	205
CO469.	Pullout Catheter Rack	219
CO473	Breakaway Lock Assembly	20/
CO479	Wall Rail, Seismic	11
CO481	Floor Anchor Bracket, Action Office® Series 1	15
CO485	Floor Anchor Bracket, Action Office® Series 2	16
CO487.	Wall Strip Cover	20
CO508.	Clear Lid	
CO521.	B-Style Rail-Hanging Shelf	148
CO540	A-Size Drawer Organizer Kit	213
CO541		
CO542		
CO543		

CU544		
CO545		
C0546	B-Size Drawer Organizer Kit	21/
CO547		
C0549	Locked Drawer with Lid	194
CO550		
CO551		
CO552	Floor Anchor Adapter Kit	18
C0553	Panel Stiffener, Action Office® Series 1 or Series 2 Top Cap	19
CO555	Counter Top	179
C0556		
C0561	Locker, with Tambour Door	154
C0562	Locker	159
C0563	Locker on Wheel Base	165
CO564	Locker on Wheel Base, with Tambour Door	160
C0565	Cassette Assembly	206
C0566	Cassette Cover	207
C0567	Cassette Bin	208
C0568	Floor Anchor Bracket, Co/Struc® Lab Module	1/
CO569.	Wall Anchor Bracket	12
CO570	Locker, with Hinged Door	157
CO574	Locker on Wheel Base, with Hinged Door	163
CO600.	Laptop Cart	220
CO601.	Flat Panel Cart	22
CO602.	Coiled Power Cord	222
CO605.	Utility Basket	223
CO608.	Cable Manager	22/
CO692.	Drawer Caddy with Casters	185
CO693.		
CV300.	Endoscopy/Catheter Cabinet	17
CV310.	Endoscope Bracket	173
CV311.	Distal Tube Bracket	174
CV314.	Cabinet Floor	177
CV317.	Shelf Support Kit	175



20-Day or Less/Assigned Lead-Time Order Information — Healthcare

20-Day or Less/Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon $\boxed{\mathbb{A}}$ will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an $\boxed{\mathbb{A}}$ are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number: (616) 654 3085.

For more information, contact your Customer Care representative at: $(866)\ 854\ 3048\ \text{EXT}\ 3400$

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller Healthcare August 2010



Packaging/Keyed-Alike Information — Co/Struc® System

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

Keyed-Alike Locks

All components with locks may be specified keyed alike.

Keyed-alike Co/Struc® components with a "CO" or "CV" prefix will be shipped with lock plugs installed. Mobile Technology Support products (CO600, CO601, and CO606) cannot be ordered keyed alike.

Keyed-alike Co/Struc components with a "C" prefix will be shipped with lock chassis installed. Lock plugs will be shipped separately, tagged for product and location as specified. Installation of lock plugs will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock plug installation.

To order keyed-alike locks for "C" prefix components, specify keyed alike. Then place a separate order for plugs and locks:

- List plug part number and key number (232092-XXX); select a key number (or numbers) between 226 and 324.
- 2. List quantity of locks per key number.
- Indicate this is a no charge order.Keyed-alike locks are field installed.

A Medeco master key can be used to open any lock on Co/Struc components with a "CO" or "CV" prefix, except for Mobile Technology Support products CO600, CO601, and CO606. Customers interested in ordering master keys should contact Customer Care with a written request. To remove lock plugs from existing components, loosen the hex nut inside the product and remove the plug. These locks are available in key numbers 01 through 99. To remove lock plugs from locker with electronic lock, remove the cover from the e-lock mounting plate (be careful not to separate battery wires from unit). Next, loosen the hex nut inside the cover and remove the plug.

A Hudson master key can be used to open any lock on Co/Struc components with a "C" prefix. To remove lock plugs from existing components, a removal key or lock change tool is required. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care with a written request. Locks for "C" prefix components are available in key numbers 226 through 324 but are ordered as key numbers 01 through 99. Use the following chart to cross-reference the number selection.

"C" lock	Actual "C" lock
order numbers	plug numbers
1	226
2	227
3	228
5	229
	230
6	231
7	232
8	233
9	234
10	235
11	236
12	237
13	238
14	239
15	240
16	241
17	242
18	243
19	244
20	245
21	246
22	247
23	248
24	249
25	250
26	251
27	252
28	253
29	254
30	255
31	256
32	257
33	258
34	259
35	260
36	261
37	262
38	263
39	264
40	265
41	266
42	267
43	268
44	269
45	270
46	271
47	272
48	273
49	274
50	275

"C" lock	Actual "C" lock
order numbers	plug numbers
51	276
52	277
53	278
54	279
55	280
56	281
57	282
58	283
59	
	284
60	285
61	286
62	287
63	288
64	289
65	290
66	291
67	292
68	293
69	294
70	295
71	296
72	297
73	298
74	299
75	300
76	301
77	302
78	303
79	304
80	305
81	306
82	307
83	308
84	309
85	310
86	311 312
87	312
88	313
89	314
90	315
91	316
92	317
93	318
94	319
95	320
96	321
97	322
98	323
99	324

HermanMiller Healthcare August 2010

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis — Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi — Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

HermanMiller, **9**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

TM 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cosm, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Lino, Locale, Logic Mini, Logic Power Access Solutions, Live Platform, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Multiscrim, Nelson, Nevi, Overlay, Pari, Pixelated Support, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus, Vista and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 $^{\mbox{\scriptsize SM}}$ Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

 $Chemsurf \hbox{$^{\$}$ is a registered trademark of Wilsonart International.} \\$

Corian $\ensuremath{^{\circ}}$ is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

 $\mathsf{DACRON}^{\otimes}$ is a registered trademark of INVISTA S.a r.l.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM $^{\! \circ}$ is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All $^{\circ}$ is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.