

GSA prices effective April 1, 2019 (based on January 7, 2019, commercial price list) Published January 2020

# Laboratory Furniture

Co/Struc® System

# General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov. For more information on ordering from Federal Supply Schedules, click on the FSS Schedules button at www.fss.gsa.gov.

FSC Group 66, Part II, Section N FSC Classes 6640 Contract Number: GS-07F-5623R

Contract Period: February 1, 2015, through January 31, 2020

Herman Miller, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax HermanMiller.com/government

Business Size: Large

#### 1a. Special Item Numbers (SIN)

- 566-1: Modular Laboratory Furniture Systems, all product except non-modular Laboratory Tables, see 566-2 below.
- 566-2:Individual non-modular Laboratory Tables (C4115. and C4215.).
- 566-5: Workstation Design/Installation option. Including:

Workstation Design/Layout Option: Includes the design/redesign of lab furniture. Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee of \$65 per hour.

Workstation Furniture and Equipment Installation: Includes delivery coordination of furniture and related equipment, unpacking, inspection, inventory and assembly of furniture components. Pricing shall be negotiated on a project-by-project basis.

Workstation Disassembly and Reinstallation Option: Includes the taking down of installed furniture and related hardware for the purpose of packing and moving or storage. Pricing shall be negotiated on a project-by-project basis.

Workstation Repair: Includes the repair and/or replacement of damaged furniture and related hardware. Pricing shall be negotiated on a project-by-project basis.

#### 1b. Lowest Price Model:

566-1: C1315.06SAN \$21 566-2: C4700.2436LNB \$236

- 1c. Not applicable.
- 2. Maximum Order. \$400,000 net product value.
- 3. Minimum Order. \$50 net.
- Geographic Coverage. 48 contiguous states and District of Columbia. Other geographic locations see box below.
- 5. Production Points. Zeeland, Michigan, County of Ottawa.
- Pricing. Prices shown are list. To calculate contract prices, deduct 58.5%.
- **7. Quantity Discounts.** Reference item #6.
- 8. Payment Terms. Net 30 days.
- 9a. Government Purchase Cards. ARE accepted below the micropurchase threshold.
- 9b. Government Purchase Cards. ARE accepted above the micropurchase threshold.
- 10. Foreign Items. Not applicable.
- 11a. Time of Delivery. 56 days ARO.
- 11b. Expedited Delivery. Select items may be available for expedited delivery. Contact Herman Miller, Inc., or local authorized dealer for availability.
- 11c. Overnight and 2-Day Delivery. Select items may be available for overnight or 2-day delivery. Contact Herman Miller, Inc., or local authorized dealer for availability.

- 11d. Urgent Requirements. Select items may be available for urgent delivery. Contact Herman Miller, Inc., or local authorized dealer for availability.
- **12. F.O.B. Point.** Destination within the 48 contiguous states and Dist. of Columbia.
- **13a. Order Address.** Herman Miller, Inc., Government Customer Care o161, 855 East Main Avenue, Zeeland, MI 49464.
- **13b. Order Procedures.** For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's), and a sample BPA can be found at the GSA/FSS Schedule home page (www.fss.gsa.gov/schedules).
- Payment Address. Herman Miller, Inc., 22764 Network Place, Chicago, IL 60673-1227.
- Warranty Provisions. Herman Miller, Inc., commercial warranty applies.
- 16. Export Packing Charges. Prices supplied on request.
- Terms and Conditions of Government Commercial Credit Card Acceptance. None.
- Terms and Conditions of Rental, Maintenance, and Repair. Not applicable.
- 19. Terms and Conditions of Installation. Installation services shall be negotiated between ordering agency and Herman Miller local authorized dealer.
- 20. Terms and Conditions of Repair Parts. Not applicable.
- 20a. Terms and Conditions for Any Other Services. Services shall be negotiated between ordering agency and Herman Miller local authorized dealer.
- List of Service and Distribution Points. Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com.
- 22. List of Participating Dealers. Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com.
- 23. Preventive Maintenance. Not applicable.
- 24. Special Attributes. Reconfigurable, renewable.
- **25. DUNS Number.** 006012801
- 26. Registered in Central Contractor Registration (CCR) Database. "Herman Miller, Inc."

Herman Miller Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Introduction	page 2
Co/Struc® System	3
Structure	
Work Surfaces	68
Storage	111
Transport	195
Indices	203
By Name	203
By Number	205
Appendices	
20-Day or Less/Assigned Lead-Time Order Inform	ation - Healthcare
Packaging/Keyed-Alike Information-Co/Struc Sys	tem
For the latest materials information, refer to the Ma	terials pages on HermanMiller.com.

#### A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

# Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

#### Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

#### The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

#### **General Information**

This book is effective April 1, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest  $^{1}/_{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

#### 20-Day or Less/Assigned Lead-Time Shipments


All products and options in this price book not designated by an Assigned Program icon <a> a</a> will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Structure Work Surfaces

Transport

Storage



#### Description


This assembly attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 25 stand-offs, and 5 spacers.

# Notes


To attach assembly to wall, order rail hardware (CO28441, or CO28541) separately.

To finish end, order end cap for standard or seismic rail (CO338) separately.

When seismic components are required, order seismic wall rail (CO479) instead of standard rail (CO282).



	fication Information	
Step 1.		\$296
CO282	CO282FF	
Step 2	. Surface Finish	
HF	inner tone light	<b>+\$</b> 0
LT	light tone	+\$0 +\$0
LU	soft white	+\$0 +\$0
WN	warm grey neutral	<b>+</b> \$o



Description

This package contains enough fasteners to install 12' of standard rail. Package contains 300 fastener sets.

The 3" sheet metal screws with plastic anchors are #14, flat-head, Phillips-drive screws with  $1^3/8$ "-long plastic anchors. The 4" toggle bolts with wall bushings are 1/4-20, flat-head, Phillips-drive toggle bolts.

# Specification Information

Step 1.


CO28

# Step 2. Hardware

**441** 3" sheet metal screws with plastic anchors

**541** 4" toggle bolts with wall bushings


Prices for Steps 1-2.	
CO28441	\$236
CO28541	\$710



#### Description

This rail attaches to a panel, a module, or wall strips to support Co/Struc hanging components or a storage case in a straight-line configuration. It does not hang directly on a wall. 2 rails are required to hang a locker from an open panel frame or glazed panel.

# Dimensions



# Specification Information


Step 1.

# C1610.

Step :	2. Width		
24	24" wide		
30	30" wide		
36	36" wide		
42	42" wide		
48	48" wide		
60	6o" wide		

Prices for Steps 1-2.	
C1610. 24	\$192
30	\$200
36	\$209
42	\$229
48	\$244
60	\$271

Step 3. Surface Finish	
<b>HF</b> inner tone light	+\$o
LT light tone	+\$o
LU soft white	+\$o
WN warm grey neutral	+\$o



#### Description

This aluminum rail attaches to an architectural wall. It holds work tools or accessories and can be field cut to the appropriate width. The rail includes plastic end caps to accommodate 2 field-cut rail sections.

#### Notes

Customer must supply attachment hardware for wall conditions.

Order rail-mounted accessories separately:


- Chart holder (CT730.)
- Glove box holder (CT726.)
- Sharps container holder (CT734.)
- Supply basket (CT720. or CT722.)
- Suture basket (CT723.)
- Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.)
- Utility hook (CT776.)
- Wastebasket and holder (CT728.)

Order work tools separately:

- Diagonal tray (Y7218.)
- Mini-shelf (Y7310.)
- Organizer tray (Y7210.)
- Paper tray (Y7216.)
- Rail divider (Y7320.)
- Vertical tray (Y7217.)

To mount customer-supplied accessories, order rail clamp (CT729.) separately.

#### Dimensions



#### Specification Information

Step 1.


C1170.

Step	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Prices for Steps 1-2.	
C1170. 24	\$97
30	\$117
36	\$135
42	\$145
48	\$158
60	\$180

Step	3. End Cap Finish	
LU	soft white	<b>+</b> \$o
WN	warm grev neutral	+\$o

# Equipment Rail, Systems Mounted



# Product Information

#### Description

This aluminum rail attaches to a panel, freestanding module, or wall strips and holds work tools or accessories. It includes steel end caps. Attachment hardware is included.

#### Notes

Order rail-mounted accessories separately:


- Chart holder (CT730.)
- Glove box holder (CT726.)
- Sharps container holder (CT734.)
- Supply basket (CT720. or CT722.)
- Suture basket (CT723.)
- Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.)
- Utility hook (CT776.)
- Wastebasket and holder (CT728.)

Order work tools separately:

- Diagonal tray (Y7218.)
- Mini-shelf (Y7310.)
- Organizer tray (Y7210.)
- Paper tray (Y7216.)
- Rail divider (Y7320.)
- Vertical tray (Y7217.)

To mount customer-supplied accessories, order rail clamp (CT729.) separately.

# Dimensions



# Specification Information


Step 1.

#### C1172.

Step :	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
48	48" wide			

Prices for Steps 1-2.	
C1172. 24	\$142
30	\$150
36	\$163
48	\$204

Step 3. End Cap Finish			
LU	soft white	<b>+</b> \$o	
WN	warm grey neutral	+\$0	




#### Description

This end cap provides a finished end for a standard or seismic wall rail and a positive stop for a locker.


#### Notes

For areas requiring seismic components, order 1 end cap for each end of rail, and order seismic wall rail (CO479) separately.

For areas not requiring seismic components, order 1 end cap for each end of rail, and order standard rail (CO282) separately.



Spec	cification Information	
Step	1.	
CO33	8FF	\$54
Step	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0 +\$0
WN	warm grey neutral	<b>+</b> \$o



#### Description

This aluminum rail attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 26 stand-offs, and 5 spacers.

#### Notes


Order rail for areas requiring seismic components, when attaching to studs 16" on center, or when attaching to plaster in accordance with OPA-0117 in California.

To meet the conditions of appropriate OPA, refer to the OPA document for specific hardware. For other applications, order rail hardware (CO28441, or CO28541) separately.


Order additional seismic components separately:

• End cap for standard or seismic rail (CO338)

Field drilling is required for proper installation.



Specification Information		
Step 1.		
CO479	FF	\$438
Step 2.	. Surface Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	+\$o
LU	soft white	+\$0 +\$0
WN	warm grey neutral	+\$o



#### Description

This draw rod connects Action Office® Series 1 or 2 panels or Co/Struc® support panels in a straight line. It has a threaded hole in the draw block for attachment to a seismic floor anchor bracket.

# Notes


For Action Office Series 1 panels or Co/Struc support panels, specify height of draw rod to match height of panel.

For Action Office Series 2 panels, specify draw rod as follows:

- 32"-high panel, CO215.27
- 39"-high panel, CO215.34
- 47"-high panel, CO215.42
- 53"-high panel, CO215.48
- 62"-high panel, CO215.57
- 67"-high panel, CO215.62
- 85"-high panel, CO215.80

Order floor anchor bracket, Action Office Series 1 (CO481.) or floor anchor bracket, Action Office Series 2 (CO485.) separately.

# Dimensions



# Specification Information

Step 1.


#### CO215.

Step 2. Height						
27	27" high					
42	42" high					
48	48" high					
57	57" high					
62	62" high					
80	8o" high					

Prices for Steps 1-2.	
CO215. 27	\$27
42	\$28
48	\$29
57	\$29
62	\$30
80	\$33

# Co/Struc® Structu

# Floor Anchor Bracket, Co/Struc® CO568 Lab Module



# Product Information

#### Description


This bracket fastens both sides of a module frame to the floor. Each anchor location requires 1 bracket. Finish is light tone. Package contains 10. Hardware to attach module is included. Floor anchor and bolt must be customer supplied.

#### Notes

Order bracket for areas requiring seismic components.

Lab modules need to be mounted flush for anchor to install.

#### Dimensions




# Specification Information

Step 1.

CO568FF

\$1035



#### Description


This bracket fastens both sides of an Action Office® Series 1 panel to the floor and is designed for use in areas requiring seismic components. Package contains 10.


# Notes


Order the following products separately:

- Draw rod (CO215.)
- Floor anchor adapter kit (CO552.)
- Seismic finished end (A1250.) when using only Action Office Series 2 components
- Seismic hingeable end (AO258.) when using Action Office Series 1 or Co/Struc® components

Customer must supply required bolts and concrete anchors.








Spec	ification Information	
Step 1		
CO481		\$382
Step 2	2. Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	<b>+\$</b> 0
WN	warm grey neutral	<b>+\$</b> o

# Floor Anchor Bracket, Action Office® Series 2

CO485



# Product Information

#### Description


This bracket fastens both sides of an Action Office® Series 2 panel to the floor and is designed for use in areas requiring seismic components. Package contains 10.

# Notes


Order the following products separately:

- Draw rod (CO215.)
- Floor anchor adapter kit (CO552.)
- Seismic finished end (A1250.)

Customer must supply required concrete anchors.



Specification Information			
Step 1			
CO485	i	\$848	
Step 2	. Finish		
HF	inner tone light	+\$o	
LT	light tone	+\$0 +\$0	
LU	soft white	+\$0	
WN	warm grey neutral	. ¢-	




# Description

This seismic cover finishes the exposed end of a panel. It has a draw block that accepts a seismic bracket to meet the state of California seismic codes, and includes a cable management end cover.

# Notes

Order floor anchor bracket, Action Office Series 2 (CO485.) separately.

# Dimensions



# Specification Information

Step 1.


A1250.

Step 2.	Height
395	39" high
47S	47" high
53 <b>S</b>	53" high
62 <b>S</b>	62" high
67S	67" high
85 <b>S</b>	85" high

Prices for Steps 1-2.	
A1250. 39S	\$118
47S	\$126
53S	\$130
62S	\$135
67S	\$135
85S	\$140

Step 3. Surface Finish		
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Step	4. Cable Management Finish	
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0




#### Description

This kit replaces the bottom block of an Action Office® Series 1 or 2 spacer or 2-way, 3-way, or 4-way connector. It is designed to be used in areas requiring seismic components and has a threaded hole in the draw block for attachment to a seismic floor anchor bracket. Package contains 10.

# Notes

Order floor anchor bracket, Action Office Series 1 (CO481.) or floor anchor bracket, Action Office Series 2 (CO485.) separately.

# Dimensions




# Specification Information

Step 1.

CO552


\$211






# Description

This top cap fits over a standard top cap and spans multiple Action Office® Series 1 or 2 panels. It provides extra rigidity along the panel run. The 12'-long top cap can be field cut to the appropriate length. Attachment hardware is included.



Spec	cification Information	
Step:	1.	
CO553FF		\$555
Step:	2. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$0
WN	warm grev neutral	+\$o




# Description


This plastic cover snaps onto a wall strip to cover the slots. It helps with infection control in healthcare environments by preventing bacteria and germs from growing in these slots. It is 84" and must be field cut to match the wall strip height. Package contains 6 covers.

#### Note

Order wall strips (AO213. or E1130.) separately.



Spe	cification Information	
Step	1.	
CO48	\$465	
Step	2. Finish	
BU	black umber	+\$o
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0



#### Description


This open panel has hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

#### Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately. To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.

To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.



# Specification Information

Step 1.

C1150.

Step 2. Height

48 48" high

8o" high 80

Step 3. Width

12 12" wide

24" wide 24


30 30" wide

36" wide 36

48 48" wide

Prices for Steps 1-3.					
	12	24	30	36	48
C1150. 48	\$506	526	564	608	658
80	\$600	7/13	782	831	905

Step.	4. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$o



#### Description

This panel has a 48"-high recessed filler and hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.


#### Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.

To join 3 support panels of equal or unequal heights at a  $90^{\circ}$  angle, order 3-way  $90^{\circ}$  corner connector (C1231.) separately.



# **Specification Information**

Step 1.

C1151.

Step 2. Height

48" high

8o" high 80

Step 3. Width

12 12" wide

24" wide 24


30 30" wide

36" wide 36

48 48" wide

Prices for Steps 1-3.					
	12	24	30	36	48
C1151. 48	\$675	836	927	1007	1132
80	\$903	1018	1124	1263	1396

Step	4. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	+\$o



#### Description

This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the floor and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

#### Notes


To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.

For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.


Order draw rods (AO215.) or seismic draw rods (CO215.) separately. To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.

To join 3 support panels of equal or unequal heights at a  $90^{\circ}$  angle, order 3-way  $90^{\circ}$  corner connector (C1231.) separately.



Spec	cification Information			
Step	1.			
C115	5.			
Step	2. Height			
48	48" high			
80	8o" high			
Step	3. Width			
24	24" wide			
30	30" wide			
48	48" wide			
Prices	s for Steps 1-3.			
		24	30	4
C115	5. 48	\$1188	1314	156
	80	\$1400	1485	174
Step	4. Surface Finish			
HF	inner tone light			+\$0
LT	light tone			+\$
LU	soft white			+\$0
WN	warm grey neutral			+\$0



#### Description

This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the ceiling and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

#### Notes

To carry different types of electrical power (e.g. regular and emergency power) or to carry electrical power and low-voltage cables, vertical raceway can be divided into separate internal raceways; contact local contractor.


To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.

For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.


Order draw rods (AO215.) or seismic draw rods (CO215.) separately. To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.

To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.



Spec	ification Information			
Step 1				
C1156	5.			
Step 2	2. Height			
48	48" high			
80	8o" high			
Step 3	3. Width			
24	24" wide			
30	30" wide			
48	48" wide			
Prices	for Steps 1-3.			
		24	30	48
C1156	5. 48	\$2880	3118	3135
	80	\$3153	3293	3410
Step 2	4. Surface Finish			
HF	inner tone light			+\$o
LT	light tone			+\$o
LU	soft white			+\$o



#### Description

The center point of this 60"-wide panel attaches at a 90° angle to other panels and provides support to a panel run. Each panel has adjustable glides, finished ends, and a 48"-high recessed filler and hanger frames at 1" intervals to support components. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes.


The panel is available in 2 heights. The 80"-high panel supports a locker; 48"- and 80"-high panels support work surfaces and other 60"-wide components.


#### Notes


To support locker, order 2 adapter rails (C1610.) separately.

To connect to panel at 90° angle, order draw rod (AO215.) separately.


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.







Spec	ification Information	
Step 1	1.	
C1161	1.	
Cton	2. Haight	
•	2. Height	
4860	48" high	
8060	8o" high	
Prices	s for Steps 1-2.	
C1161	1. 4860	\$183
	8060	\$225
Step 3	3. Surface Finish	
HF	inner tone light	+\$
LT	light tone	+\$
LU	soft white	+\$
WN	warm grev neutral	+\$



Description


This connector attaches a support panel to a wall or column for a peninsula configuration.


Notes

Order draw rod (AO215.) separately.

Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install.

# Dimensions





SIDE FRONT

# Specification Information


Step 1.

C1211.

Step :	2. Height					
48	48" high					
80	8o" high					

Prices for Steps 1-2.	
C1211. 48	\$321
80	\$384

Step	3. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o



#### Description

This connector joins 2 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.


# Notes


Order support panels (C1150., C1151., C1155., C1156.) separately.

Order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.

When connecting panels of unequal heights, specify height of connector to match height of higher panel.

# Dimensions





# Specification Information

Step 1.

C1221.


Step 2. Height

**48** 48" high

**80** 80" high

Prices for Steps 1-2.	
C1221. 48	\$321
80	\$385

Step 3	. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	+\$o



#### Description

This connector joins 3 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.


# Notes


Order support panels (C1150., C1151., C1155., C1156.) separately.

Order 3 draw rods (AO215.) or 3 seismic draw rods (CO215.) separately.

When connecting panels of unequal heights, specify height of connector to match height of higher panel.

# Dimensions





# Specification Information

Step 1.

C1231.

WN

Step 2.	Height
40	. 0//  - : -

**48** 48" high **80** 80" high


#### Prices for Steps 1-2.

warm grey neutral

C1231. 48	\$338
80	\$415

Step	3. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0

**+**\$o



# Description

This 11"-wide connector joins a module to a support panel. It has a removable cover strip that conceals predrilled holes used for attaching connectors.

# Notes


To complete shelf surface at end of module run, order shelf end cap (C1510.E or C1511.E) separately.


Order panel connector (C1281.) and 3 draw rods (AO215. or CO215.) separately.

To attach support panel to interface connector (C1261.) of unequal height, order the following products separately:

- Panel connector (C1281.)
- Change of height draw rod (AO219.)
- Change of height panel/panel finished end (AO272.)

# Dimensions





# Specification Information

Step 1.

C1261.


Step 2. Height

**4812** 48" high

**8012** 8o" high

Prices for Steps 1-2.	
C1261. 4812	\$821
8012	\$1001

Step	3. Surface Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	+\$0
WN	warm grey neutral	+\$o



Description


This connector attaches a support panel to an interface connector.

Notes

Specify connector height to match panel height.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

# Dimensions



# Specification Information

Step 1.

C1281.

# Step 2. Height

**48** 48" high


**80** 80" high

# Prices for Steps 1-2.

**C1281. 48** \$73 **80** \$94

# Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



# Description


This brace provides additional support to a straight panel run that has components hanging on 1 side. It includes a leveling glide.


#### Notes


To support 24"-deep work surface, specify 21"-wide mid-run support; to support 30"-deep work surface, specify 27"-wide mid-run support.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

# Dimensions







21" WIDE 27" WIDE SIDE SIDE

# Specification Information

Step 1.

C1272.

Step 2. Height

48 48" high80 80" high


Step 3. Width

**21** 21" wide

**27** 27" wide

Prices for Steps 1-3.		
	21	27
C1272. 48	\$584	645
80	\$730	761

Step 4.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o



# Description

This brace provides additional support to a straight panel run that has components hanging on both sides. It includes leveling glides.

# Notes


To support 24"-deep work surface, specify 41"-wide mid-run support; to support 30"-deep work surface, specify 53"-wide mid-run support. To support 24"-deep work surface on 1 side and 30"-deep work surface on other side, specify 53"-wide mid-run support.


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

# Dimensions



TOP





# Specification Information

Step 1.

C1273.


Step 2. Height		
48	48" high	
80	8o" high	

Step 3. Width

41 41" wide53 53" wide


Prices for Steps 1-3.		
	41	53
C1273. 48	\$639	743
80	\$870	970

Step.	4. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grev neutral	+\$0




Description

This 20"-wide aluminum top cap attaches to 2 support panels in a straight connection. It provides additional support for a panel run.



Spec	ification Information	
Step:	1.	
C127	4.20	\$136
Step :	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	+\$o



# Description

This 48"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services. The module includes a top shelf and 4 adjustable glides. It has hanger frames at 1" intervals to support components.

# Notes

Order access panels separately.

For L, T, or X configuration, order module corner connector separately:


- 2-way connector (C1220.)
- 3-way connector (C1230.)

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach modules of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the end of a module when a terminal panel ( $C_{1122}$ .) is not used, order the end closure assembly ( $C_{1451}$ .) separately.

# Dimensions



# Specification Information

36


Step 1.

# C1112.48

Step	2. Width	
24	24" wide	
30	30" wide	
36	36" wide	
48	48" wide	
Price	s for Steps 1-2.	
C111	2.48 24	\$1288
	30	\$1516

	48	\$1687
Step	3. Surface Finish	
JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$o

\$1546



# Description

This 80"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services and provides pass-through access. The module includes an interior shelf that is field adjustable to 30", 36", or 48" high. It has hanger frames at 1" intervals to support components and 4 adjustable glides.

# Notes

Order access panels separately.

For L, T, or X configuration, order module corner connector separately:


- 2-way connector (C1220.)
- 3-way connector (C1230.)

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach modules of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the top section of a pass-through module, order the end closure panel (C1450.) and 2 change of height panel/panel finished ends (A0272.) separately.


To enclose the end of a module when a terminal panel (C1122., C1124.) is not used, order the end closure assembly (C1451.) separately.



Specification Information

# Co/Struc® Structure

Step 1.		
C1114	.80	
Step 2	. Width	
24	24" wide	
30	30" wide	
36	36" wide	
48	48" wide	
Prices	for Steps 1-2.	
C1114	.80 24	\$1722
	30	\$1905
	36	\$2022
	48	\$2146
Step 3	. Surface Finish	
JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	<b>+\$</b> o
KR	inner tone light Chemsurf®	<b>+\$</b> o
LE	soft white Chemsurf®	<b>+\$</b> o



# Description


This 48"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel includes a top shelf end cap, adjustable glides, and finished ends, and comes in 3 widths.

The 60"- and 72"-wide panel supports hanging components.

# Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

# Dimensions



−60" (1524), 72" (1829)**->** INSIDE

# Specification Information

# Step 1.

# C1122.48

Step 2. W	dth/Positior	ı
-----------	--------------	---


36L 36" wide and left-hand panel36" wide and right-hand panel

60 6o" wide72 72" wide

# Prices for Steps 1-2. C1122.48 36L \$1751 36R \$1751 60 \$2144 72 \$3166

Step 3	s. Surface Finish	
JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	<b>+</b> \$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$o

# Pass-Through Module Terminal C1122. Panel C1124.




# Product Information


# Description


This 80"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel is available in 3 widths. The 60"- and 72"-wide, full-height panel supports hanging components. Each panel has an interior shelf end cap, adjustable glides, and finished ends.

# Notes

To attach terminal panel to module, order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.








FULL-HEIGHT INSIDE

# Pass-Through Module Terminal

Panel continued

Spec	ification Information	
Step 1		
C112		
Step 2	2. Height	
2.80	full-height	
4.80	half-height	
Step 3	3. Width/Position	
For ful	ll-height (2.80)	
60	6o" wide	
72	72" wide	
For ha	alf-height (4.80)	
36L	36" wide and left-hand panel	
36R	36" wide and right-hand panel	
60	6o" wide	
72	72" wide	
Prices	for Steps 1-3.	
C1122	2.80 60	\$2740
	72	\$3281
C1124	4.80 36L	\$1856
	36R	\$1856
	60	\$2569
	72	\$3167
Step 4	4. Surface Finish	
JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



# Description


This 72"-high tower encloses services between the ceiling and the top shelf of a low module, the interior shelf of a pass-through module, or a 2- or 3-way module corner connector. It includes a ceiling trim plate. The cover cannot be used with a 4-way module corner connector.

# Notes


Order module or connector separately:

- 2-way module corner connector (C1220.)
- 3-way module corner connector (C1230.)
- Low module (C1112.)
- Pass-through module (C1114.)


# Dimensions



TOP



Specif	ication Information	
Step 1.		
C1460.		\$779
Step 2.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o



# Description

This connector starts a peninsula configuration by attaching a low or pass-through module to a wall or column. It includes a shelf end cap.


#### Notes


For low module, specify 48"-high wall start; for pass-through module, specify 80"-high wall start.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install.

# Dimensions





# Specification Information

# Step 1.


# C1212.

# Step 2. Height

48 48" high80 80" high

# Prices for Steps 1-2. C1212. 48 \$549 80 \$621

# Step 3. Surface Finish JD warm grey neutral Chemsurf® +\$0 KH light tone Chemsurf® +\$0 KR inner tone light Chemsurf® +\$0 LE soft white Chemsurf® +\$0



# Description


This connector joins 2 modules of equal or unequal heights at a  $90^{\circ}$  angle. It includes a top shelf and filler panels to enclose the utility chase.

# Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

# Dimensions



# Specification Information

Step 1.

C1220.

Step 2.	Heigh	it
---------	-------	----

**48** 48" high


**80** 80" high

# Prices for Steps 1-2.

C1220. 48	\$1338
80	\$1605

# Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$0



# Description


This connector joins 3 modules of equal or unequal heights at  $90^{\circ}$  angles. It includes a top shelf and filler panels to enclose the utility chase.

# Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

# Dimensions



# Specification Information

Step 1.

C1230.


Step 2. Height

**48** 48" high

**80** 80" high


Prices for Steps 1-2.	
C1230. 48	\$1338
80	\$1605


Step	3. Surface Finish	
JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$o




Description

This leg provides additional support for normal loading on a low or pass-through module. It has a leveling glide.





Specif	ication Information	
Step 1.		
C1275.		\$555
Step 2.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o +\$o
WN	warm grey neutral	+\$o




# Description

This kit fastens a module to the floor. It includes a bolt, spacer, and plate. Package contains 10.


# Notes

Anchor support kit is not acceptable for seismic anchoring. Source anchor component separately.

# Dimensions








# Specification Information

Step 1.

C1276.

\$304



# Description

This 11"-deep shelf encloses the top of a low module service chase and provides a storage shelf. It has a Chemsurf® surface. The shelf can be drilled for fixtures or piping. It cannot attach to a pass-through module.

# Dimensions



# Specification Information


Step 1.

# C1510.12

Step	2. Width			
12	12" wide			
24	24" wide			
30	30" wide			
36	36" wide			
48	48" wide			
Prices for Steps 1-2.				

Prices for S	Steps 1-2.	
C1510.12	12	\$240
	24	\$321
	30	\$403
	36	\$423
	48	\$434

Step 3.	Surface Finish	
JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$o




# Description

This 11"-deep shelf fits inside a pass-through module. It encloses the top of a 48"-high service chase and provides a storage shelf. The shelf has a Chemsurf® surface. It can be drilled for fixtures or piping. Attachment hardware is included.

# Notes

To install shelf higher than 48", order interior shelf and support kit (C1515.) separately.

# Dimensions



# Specification Information


Step 1.

# C1511.12

Step 2. Width						
24	24" wide					
30	30" wide					
36	36" wide					
48	48" wide					
	•					

Prices for S	Steps 1-2.	
C1511.12	24	\$382
	30	\$426
	36	\$452
	48	\$478


Step 3. Surface Finish			
JD	warm grey neutral Chemsurf®	+\$o	
KH	light tone Chemsurf®	+\$o	
KR	inner tone light Chemsurf®	+\$o	
LE	soft white Chemsurf®	<b>+</b> \$o	



# Description

This cap finishes the end of an interior or top shelf at the connection of a low or pass-through module and an interface connector. It has a Chemsurf® surface. Attachment hardware is included.

# Dimensions



# Specification Information

Step 1.

C151


# Step 2. Depth/Usage

**1.E** 7" deep for interior shelf

**0.E** 12" deep for top shelf

Prices for Steps 1-2.	
C1511.E	\$211
C1510.E	\$206


Step	3. Surface Finish	
JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$0



Description

This 11"-deep interior shelf is installed within a pass-through module. Attachment hardware is included.

# Dimensions



# Specification Information Step 1.

C1515.12

Step 2. Width
24 24" wide
30 30" wide

30 30" wide36" wide

**48** 48" wide

Prices for S	Steps 1-2.	
C1515.12	24	\$753
	30	\$813
	36	\$904
	48	\$1032

Step 3. Surface Finish		
JD	warm grey neutral Chemsurf®	+\$o
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$o



# Description


This assembly of 2 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts for standard duplex electrical outlets. Brackets and mounting hardware are included. Shipped knocked down.

The assembly has 2 30"- or 2 42"-high access panels.

# Notes

Order low module (C1112.) or pass-through module (C1114.) separately. For interior shelf mounted at 36" on pass-through module, specify 30"-high assembly.

For interior shelf mounted at 48'' on pass-through module, specify 42''-high assembly.





FRONT



FRONT

# **Specification Information**

Step 1.

C1412.

Step 2. Height

30" high

42" high 42

Step 3. Width

19 191/4" wide


251/4" wide 25

31 311/4" wide

43 431/4" wide

Prices for Steps 1-3.				
	19	25	31	43
C1412. 30	\$577	673	702	725
42	\$647	755	826	910

Step 2	4. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$0
WN	warm grey neutral	<b>+</b> \$o




# Description

This assembly of 4 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts (4 per module side) for standard duplex electrical outlets. Brackets and mounting hardware are included. Shipped knocked down. The 24"-high assembly has 4 12"-high access panels; the 42"-high assembly has 2 12"- and 2 30"-high access panels.

# Notes


Order low module (C1112.) or pass-through module (C1114.) separately. For interior shelf mounted 30" high on pass-through module, specify 24"-high assembly.

For interior shelf mounted 48" high on pass-through module, specify 42"-high assembly.





FRONT



# **Combination Access Panel** Assembly continued

# Specification Information

Step 1.

C1422.

Step 2. Height

24" high

42" high 42

Step 3. Width

19 191/4" wide


251/4" wide 25

31 311/4" wide

431/4" wide 43

Prices for Steps 1-3.				
	19	25	31	43
C1422. 24	\$1216	1276	1335	1384
42	\$1293	1436	1595	1683

Step 2	4. Surface Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



# Description


This assembly attaches to a pass-through module and creates a low cup sink assembly in the lower service chase. It encloses both sides of the service chase and has removable panels for service access. The assembly includes 4 12"-high access panels, 1 shelf support frame, 1 interior shelf, 1 bottom chase cover, and attachment hardware. Each 12"-high panel has 2 knockouts for standard duplex electrical outlets. The assembly has a 15 $^1$ /4" space for a cup sink; this divides the service chase into 2 12" segments. Shipped knocked down.


# Notes

Order pass-through module (C1114.) separately.

To enclose service chase of adjacent module, order center closure panel (C1455.1607) separately.

Customer must order sink and fixtures separately and field cut interior shelf to hold sink.





FRONT

# Low Cup Sink Access Panel Assembly continued

	Specification	Information
--	---------------	-------------


Step 1.

# C1432.42

Step 2	2. Width		
19	19¹/₄" wide		
25	25¹/₄" wide		
43	43 <sup>1</sup> / <sub>4</sub> " wide		

Prices for Steps 1-2.	
C1432.42 19	\$1873
25	\$2044
43	\$2259

Step	3. Surface Finish	
JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$o
KR	inner tone light Chemsurf®	+\$o
LE	soft white Chemsurf®	+\$o



# Description


This assembly encloses the end of a module when a terminal panel is not used.


The end closure for a low module has a 48"-high panel and 2 48"-high end caps. The full-height end closure for a pass-through module has an 80"-high panel and 2 80"-high end caps.

# Notes

Order low module (C1112.) or pass-through module (C1114.) separately.

# Dimensions





Specification Information

Step 1.

C145


Step 2. Type

1.4811 end closure for low module

1.8011 full-height end closure for pass-through module

Prices for Steps 1-2.	
C1451.4811	\$274
C1451.8011	\$359

Step	3. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grev neutral	+\$0



# Description

This panel attaches to the inside of a module run and encloses the end of a service chase. Attachment hardware is included.


# Notes

To enclose service chase on either end of cup sink opening or 14"-high openings created by partial chases at panel connections, order 16"-high panel.

To enclose lower interior module chase, order 43"-high panel. To enclose upper section of pass-through module, order 32"-high panel.

# Dimensions





# Specification Information

Step 1.


C1455.

Step 2.	Height
1607	16" high
2207	امنا الم

32" high 43" high 4307

Prices for Steps 1-2.	
C1455. 1607	\$637
3207	\$645
4307	\$649

Step :	3. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grev neutral	+\$0



# Description

This aluminum rail attaches to 1 side of an equal-width module or support panel and provides 1 or 2 cable management channels. It cannot be used with an Action Office® Series 1 or 2 connector.

# Notes


Order connection components separately:

- Wire chase rail bridge (C1326. or C1327.) to connect across mid-run support panel or back side of 3-way connector
- 90° inside corner wire chase rail (C1321. or C1322.) to connect around 90° inside corner

Order wire chase rail covers (C1315., C1316., C1317., or C1318.) and rail end cap (C1331. or C1332.) separately.

Receptacles must be customer supplied.

# **Dimensions**



# Specification Information

Step 1.

C131

# Step 2. Type

- 3. double channel
- 4. single channel

# Step 3. Width

- 24 24" wide
- 30 30" wide
- 36 36" wide
- 42 42" wide A
- 48 48" wide
- 60 60" wide
- 72 72" wide

96


96" wide Prices for Steps 1-3

Prices for Steps 1-3.	
C1313. 24	\$111
30	\$142
36	\$181
42	\$209
48	\$221
60	\$278
72	\$331
96	\$440
C1314. 24	\$56
30	\$73
36	\$93
42	\$103
48	\$111
60	\$140
72	\$164
	\$221

# Step 4. Surface Finish

ΑN clear anodized aluminum

# Wire Chase Rail, 90° Inside Corner C1321. C1322.



# Product Information


# Description

This aluminum rail attaches to 2 modules or support panels at a  $90^{\circ}$  inside corner. It cannot be used with an Action Office® Series 1 or 2 connector.

# Notes

Rail includes 2 6" mitered corner covers. Order wire chase rail covers to cover the remaining length of each rail (C1315., C1316., C1317., or C1318.) separately.

# Dimensions



# Specification Information

Step 1.

C132

Step 2. Type

1. double channel

2. single channel

Ste	nз	. W	'id	th

24 24" wide

**30** 30" wide

**48** 48" wide

# Step 4. Depth

For 2	4" wide (24)			
24	24" deep		 	
30	30" deep			
48	48" deep			

For 30" wide (30)


30 30" deep48 48" deep

For 48" wide (48)

**48** 48" deep

Prices for Steps 1-4.			
	24	30	48
C1321. 24	\$386	415	494
30	_	\$439	520
48	_	_	\$601
C1322. 24	\$258	278	318
30	_	\$291	331
48	_	_	\$373

Step 5.	Surface Finish	
AN	clear anodized aluminum	<b>+</b> \$0



# Description


This bridge joins wire chase rails across a mid-run support panel or on the back side of a 3-way 90° connector. It allows the continuation of a cable management channel and includes a blank cover. The bridge cannot be used with an Action Office® Series 1 or 2 connector.

# Notes

Order 1 of the following products separately:

- 3-way 90° connector (C1231.)
- Mid-run support (C1272. or C1273.)

# Dimensions



# Specification Information

Step 1.


C132

# Step 2. Type

- 6. double channel
- 7. single channel


Prices for Steps 1-2.	
C1326.	\$101
C1327.	\$101

# Step 3. Surface Finish AN clear anodized aluminum +\$0




Description

This end cap finishes the exposed end of a wire chase rail. Package



Specification Information Step 1.		
Step 2	2. Type	
1.	double channel	
2.	single channel	
Prices	for Steps 1-2.	
C1331	l <b>.</b>	\$92
C1332	2.	\$92
Step 3	3. Surface Finish	
AN	clear anodized aluminum	+\$o




# Description

This cover encloses a wire chase rail.

# Notes

Specify type to cover wire chase rail's power and/or data outlets. Specify covers in 6"- or 12"-wide increments to match rail width.

# Dimensions



# Specification Information

Step 1.

C131

# Step 2. Type

5.06 6"-wide plain cover 5.12 12"-wide plain cover 6. duplex cutout cover


7. GFI cutout cover

8. gang cover

Prices for Steps 1-2.	
C1315.06	\$21
C1315.12	\$26
C1316.	\$29
C1317.	\$31
C1318.	\$31

#### Step 3. Surface Finish clear anodized aluminum **+**\$0

\$29 \$43



# Product Information


Description

This  $1^1/2^n$ -wide cover wraps around the outside of a wire chase channel to cover gaps between adjoining channels and covers.

Notes

Order wire chase and covers separately.


Dimensions



# Step 1. C1358. Step 2. Type D double channel T triple channel

Prices for Steps 1-2.

C1358. D



# Description

This work surface hangs from a panel, module, or wall strips and is available as laminate or solid surface. The work surface, when supported by work surface supports has a top-loading capacity of up to 200 pounds. The solid surface option, when supported by sink products has a top-loading capacity of 250 pounds. Appropriate sink products and work surface supports must be specified and ordered separately.

#### Notes

For laminate option (L), order standard duty work surface supports (C2140.S) separately.

For solid surface option (K), order 1 of the following products separately:

- ADA sink support, systems mounted (C2520.)
- Sink module (C2512.)
- Sink unit for storage (C2513.)
- Work surface support, standard duty (C2140.S)

Work surface with solid surface option (K) will not accept a storage case (C5040.) without storage case leg (C5050.).

To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order


Work surface with solid surface option (K) has a matte gloss level and includes a backsplash.

When hanging work surface with laminate option (L) from wall strips, order recommended backsplash (C2910.) separately.

Order optional products separately:

- Drawer bearer package (CO228)
- Gripper package (CO266), for laminate (L) option only
- Keyboard/Mouse Support, Adjustable (Y7710.)
- Lockable drawer bearer (CO396)

# **Dimensions**



# Specification Information

Step 1.

C2142.

Step 2.	Depth
24	24" deep

30 30" deep

Step 3. Width		
24	24" wide	
30	30" wide	
36	36" wide	
48	48" wide	
60	60" wide	
72	72" wide	
96	96" wide	

# Step 4. Material

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), or 60" wide (60)


laminate Κ solid surface

For 72" wide (72) or 96" wide (96)

laminate

Prices for Steps 1-4.		
	L	K
C2142. 24 24	\$119	1491
30	\$148	1731
36	\$198	2172
48	\$266	2458
60	\$388	2943
72	\$487	_
96	\$626	_
30 24	\$127	1670
30	\$184	1938
36	\$232	2428
48	\$371	2738
60	\$527	3274
72	\$647	_
96	\$775	_

Step	5. Finish	
For la	aminate (L)	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
For so	olid surface (K)	
CQ	glacier white	+\$0
QB	bisque	+\$0
<b>1S</b>	savannah	+\$50
1U	sahara	+\$50
41	sandstone	+\$50
IQ	aurora	+\$50
00	silt	+\$50



### Description

This work surface is supported by heavy duty work surface supports, allowing it to hang from a panel, module, or wall strips. It has a top-loading capacity of up to 400 pounds. It can hold drawers and includes drawer bearers. Appropriate heavy duty work surface supports must be specified and ordered separately.

The work surface can be specified as laminate, Chemsurf®, stainless steel, Corian®, or phenolic resin. A 51"-wide surface has a 3" overhang on the left or right side to fill the gap created by a mid-run support, C-series 3-way connector, or interface connector. A 96"-wide surface includes 1 additional support bracket. The 24"-wide surface cannot accept components.

### Notes

Order heavy duty work surface supports (C2140.H, C2140.W, C214.R) separately.

For stainless steel option (S), order 1 of the following products separately:

- Heavy duty work surface support, with component adapter (C2140.W)
- Heavy duty work surface support, component adapter ready (C2140.R) Work surface with phenolic resin option (P) or Corian option (K) must use work surface supports (C2140.) heavy duty, with component adaptor (W) or heavy duty, component adaptor ready (R) options. Finish color on phenolic resin option (P) is black.

Work surface with solid surface option (K) has a matte gloss level.

Work surface with phenolic resin option (P) or Corian option (K) includes a backsplash.

Work surface with phenolic resin option (P) is 1" thick and includes spacers for transitioning to adjacent, non-resin surfaces.

To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order separately.

When hanging a work surface with laminate option (L) or Chemsurf® option (C) from wall strips, order recommended backsplash (C2910.) separately.

Work surface supports the following quantities of drawers, C frames, or storage cabinets:


- 24" wide: 1 drawer
- 30", 36" wide: 1 drawer, 1 C frame or 1 storage cabinet
- 48", 51", and 60" wide: 2 drawers, 2 C frames, or 2 storage cabinets
- 72" wide: 3 drawers, 3 C frames, or 3 storage cabinets
- 96" wide: 4 drawers, 4 C frames, or 4 storage cabinets

24"-wide work surface will not accept a storage case (C5040.) or storage unit (C5010.) or C frame (C0205).

Work surface with phenolic resin option (P) or stainless steel option (S) will not accept a keyboard/mouse support, adjustable (Y7710.).

Order optional products separately:


- Drawer (CO207, CO208, or CO209)
- Keyboard tray (Y7710.), except for stainless steel (S) and phenolic resin (P) surfaces
- Pencil drawer (Ao48o.)
- Storage case (C5040.) and adapter rail (C1610.), except for phenolic resin (P) surfaces
- Storage unit (C5010.) and component adaptor (C2193.)



	cification Information
Step	1.
C214	1.
Step	2. Depth
24	24" deep
30	30" deep
Step	3. Width
24	24" wide
30	30" wide
36	36" wide
48	48" wide
5L	51" wide, left overhang
5R	51" wide, right overhang
60	6o" wide
72	72" wide
	96" wide 4. Material
Step  For 2. (60),  L	4. Material
Step  For 2. (60),  L C	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72) laminate
Step  For 2. (60),  L C	4. Material 4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wid or 72" wide (72) laminate Chemsurf®
For 2	4. Material  4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide (72" wide (72)  laminate  Chemsurf®  stainless steel
For 2. (60), L C S P K For 5	4. Material  4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide (72" wide (72) laminate  Chemsurf® stainless steel A phenolic resin corian  1" wide, left overhang (5L) or 51" wide, right overhang (5R) laminate
For 2. (60), L C S P K	4. Material  4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72)  laminate  Chemsurf®  stainless steel A  phenolic resin  corian  " wide, left overhang (5L) or 51" wide, right overhang (5R)  laminate  Chemsurf®
For 2. (60), L C S P K For 5 L C S	4. Material  4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72)  laminate  Chemsurf®  stainless steel A  phenolic resin  corian  " wide, left overhang (5L) or 51" wide, right overhang (5R)  laminate  Chemsurf®  stainless steel A
For 2. (60), L C S P K	4. Material  4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72)  laminate  Chemsurf® stainless steel A phenolic resin corian  1" wide, left overhang (5L) or 51" wide, right overhang (5R)  laminate  Chemsurf® stainless steel A phenolic resin
Step  For 2. (60),  L  C  S  P  K  For 5	4. Material  4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72)  laminate  Chemsurf®  stainless steel A  phenolic resin  corian  " wide, left overhang (5L) or 51" wide, right overhang (5R)  laminate  Chemsurf®  stainless steel A
For 2. ((60), L C S P K For 5	4. Material  4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72)  laminate  Chemsurf® stainless steel A phenolic resin corian  1" wide, left overhang (5L) or 51" wide, right overhang (5R)  laminate  Chemsurf® stainless steel A phenolic resin
For 2. ((60), L C S P K For 5 L C S P	4. Material  4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide or 72" wide (72)  laminate  Chemsurf® stainless steel A phenolic resin corian  1" wide, left overhang (5L) or 51" wide, right overhang (5R)  laminate  Chemsurf® stainless steel A phenolic resin corian
For 2. ((60), L C S P K For 5	4. Material  4" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide (72" wide (72) laminate  Chemsurf® stainless steel A phenolic resin corian  1" wide, left overhang (5L) or 51" wide, right overhang (5R) laminate  Chemsurf® stainless steel A phenolic resin corian  5" wide (96)

Prices for Steps 1-4.					
	L	С	S	Р	K
C2141. 24 24	\$163	220	2229	789	1308
30	\$174	259	2398	933	1463
36	\$227	329	2864	1076	1783
48	\$310	415	3421	1361	2406
5L	\$370	479	3726	1505	2731
5R	\$370	479	3726	1505	2731
60	\$431	534	4459	1577	2733
72	\$534	650	5088	1792	3377
96	\$681	814	5699	_	_
30 24	\$210	249	2509	859	1492
30	\$220	338	2831	1076	1673
36	\$300	449	3602	1221	2024
48	\$404	571	4238	1577	2692
5L	\$421	577	4584	1792	3064
5R	\$421	589	4584	1792	3064
60	\$556	723	5441	1863	3057
72	\$681	865	6266	2149	3796
96	\$836	1057	6689	_	_

Step 5	5. Finish	
For la	minate (L)	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
For Ch	nemsurf® (C)	
JD	warm grey neutral Chemsurf®	+\$c
KH	light tone Chemsurf®	+\$c
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0
For co	rian (K)	
CQ	glacier white	+\$c
QB	bisque	+\$c
15	savannah	+\$370
1U	sahara	+\$370
41	sandstone	+\$370
IQ	aurora	+\$370
0Q	silt	+\$370



### Description

This set of supports allows a standard- or heavy duty work surface to hang from a panel, module, or wall strips.

### Notes

Supports for standard duty surfaces include the following:

Surface Width—Supports

24"-60" wide - 2 supports (1 left and 1 right)

72" wide — 3 supports (1 left, 1 middle, and 1 right)

96" wide — 4 supports (1 left, 2 middle, and 1 right)

Supports for heavy duty surfaces include the following:

Surface Width—Supports


24"-72" wide — 2 supports (1 left and 1 right)

96" wide -3 supports (1 left, 1 middle, and 1 right)

For standard duty option (S), order standard duty work surface (C2142.) separately.

For heavy duty options (H,W, or R), order appropriate heavy duty work surface (C2141.) separately.

### Dimensions



### Specification Information

Step 1.

C2140.

### Step 2. Type

S standard duty

**H** heavy duty

**W** heavy duty, with component adaptor

**R** heavy duty, component adaptor ready

### Step 3. Depth

for 24"-deep work surface

**30** for 30"-deep work surface

### Step 4. Width

**24** 24" wide

**30** 30" wide

**36** 36" wide

**48** 48" wide **60** 60" wide


**72** 72" wide

**96** 96" wide

Prices for S	Steps 1-4.						
		24	30	36	48	60	72
C2140. S	24	\$170	170	170	170	170	255
	30	\$170	170	170	170	170	255
Н	24	\$237	237	237	237	237	237
	30	\$254	254	254	254	254	254
W	24	\$429	456	481	505	552	601
	30	\$471	500	522	548	594	642
R	24	\$308	308	308	308	308	339
	30	\$349	349	349	349	349	386

	96
24	\$339
30	\$339
24	\$355
30	\$380
24	\$832
30	\$895
24	\$506
30	\$576
	24 30 24 30 24

Step	5. Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



### Description


This 24"-deep rectangular work surface hangs on a standard rail. It has predrilled holes for hanging drawers, suspended pedestals, or keyboard trays. The work surface can be installed, relocated, or removed without tools and without disturbing other rail components. The support arm finish matches the surface finish.

### Notes

Order optional work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.

### Dimensions



### Specification Information


Step 1.

### C2410.24

Step 2.	wiath
48	48" wide
72	72" wide


Prices for Steps 1-2.	
C2410.24 48	\$1017
72	\$1260

Step	3. Surface Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	+\$0
WN	warm grev neutral	+\$0




### Description

This cover provides a continuous surface for 2 back-to-back squarededge work surfaces hung on an open panel frame. It is 48" wide but can be field cut to fit a narrower opening.



Specification Information				
Step 1.				
C2399.48		\$84		
Step 2.	Finish			
BU	black umber	<b>+</b> \$o		
HF	inner tone light	+\$0		
LT	light tone	+\$0		
LU	soft white	+\$0		
WN	warm grey neutral	+\$0		



### Description

This assembly attaches to a support panel, a module, or wall strips and provides support for a C frame and components hanging on the C frame. Attachment hardware is included. Shipped knocked down.

The assembly holds the following quantities of C frames:


• 24" and 30" wide: 1 C frame • 48" and 60" wide: 2 C frames

• 72" wide: 3 C frames

### Notes

For 51"-wide work surface, order 48"-wide C frame support.

### Dimensions



### Specification Information

Step 1.

C2192.

### Step 2. Work Surface Depth


for 24"-deep work surfacefor 30"-deep work surface

### Step 3. Width

24 24" wide
30 30" wide
36" wide
48" wide
60" wide
72" wide

Prices for Steps 1-3.						
	24	30	36	48	60	72
C2192. 24	\$602	619	633	663	668	680
30	\$663	706	738	751	759	794

Step	4. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	<b>+\$</b> 0
LU	soft white	<b>+\$</b> 0
WN	warm grey neutral	<b>+\$</b> o



### Description

This kit attaches to a heavy-duty work surface support and allows C frames to hang below the work surface. Attachment hardware is included.

The kit holds the following quantities of C frames or storage units:

- 30" wide: 1 C frame or storage unit
- 48" and 60" wide: 2 C frames or storage units
- 72" wide: 3 C frames or storage units
- 96" wide: 4 C frames or storage units

### Notes


The kit attaches to a work surface support (C2140.) with heavy duty, component adapter ready option (R).

For 51"-wide work surface, order 48"-wide kit. 96"-wide kit is shipped in 2 pieces.

Order storage components separately:

- C frame (CO205)
- Storage unit (C5010.)

### Dimensions



# Specification Information


Step 1.

C2193.

Step 2. Width					
24	24" wide				
30	30" wide				
48	48" wide				
60	6o" wide				
72	72" wide				
96	96" wide				

Prices for Steps 1-2.	
C2193. 24	\$172
30	\$206
48	\$244
60	\$295
72	\$365
96	\$467


Step 3.	. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o



Description

This plastic barrier attaches to the back edge of a C-series rectangular or corner work surface or to a process table and creates a backsplash. Package contains 6.

### Dimensions



### Specification Information

Step 1.


C2910.

### Step 2. Width

**72** 72" wide

# Prices for Steps 1-2. **C2910.** 72 \$384

### Step 3. Surface Finish For 72" wide (72) black **+**\$0 HF inner tone light **+**\$0 LT light tone **+**\$o LU soft white **+**\$0 WN warm grey neutral **+**\$0




### Description


This component attaches to a Casework work surface. It fills the gap created when Casework base cabinets are placed against terminal panels or wall strips. Package contains 6. Attachment hardware is included.

### Notes

Order work surface (CG211. or CG212.) or corner work surface (CG218. or CG219.) separately.



Specif	ication Information	
Step 1.		
C2920.	96	\$162
Step 2.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$0



### Description


This 48"-wide work surface hangs from modules, C-series support panels, or wall strips and provides additional top-loading capacity. It includes 1 drawer bearer package. The work surface cannot attach to Action Office® Series 1 or Series 2 connectors. Attachment hardware is included.

The work surface has a laminate or Chemsurf® top. The support arm finish matches the surface finish.


### Notes


When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.



TOP






FRONT

Speci	fication Information		
Step 1.			
C2215	. A		
Step 2	. Depth		
2448	24" deep A		
3048	30" deep A		
Prices	for Steps 1-2.		
C2215	. 2448		\$819
	3048		\$948
Step 3	. Surface Finish		
Lamina	ate Top		
		2448	3048
HF	inner tone light A	+\$o	0
LT	light tone A	+\$o	0
LU	soft white A	+\$o	0
WN	warm grey neutral A	+\$0	0
Chems	urf® Top		
		2448	3048
JD	warm grey neutral Chemsurf® A	+\$167	194
KH	light tone Chemsurf® A	+\$167	194
KR	inner tone light Chemsurf® A	+\$167	194
LE	soft white Chemsurf® A	+\$167	194

# Heavy-Duty Corner Work Surface, C2216. Action Office® Series 1 or 2 90° Corner Connector



### Product Information

### Description


This 48"-wide work surface hangs from panels or wall strips connected by an Action Office® Series 1 or 2 90° corner connector. It provides additional top-loading capacity and includes 1 drawer bearer package. The support arm finish matches the surface finish. The work surface cannot attach to a C-series 90° corner connector. Attachment hardware is included.


The work surface has a laminate or Chemsurf® top.


### Notes

When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.








# Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2 90° Corner Connector continued

	fication Information		
Step 1			
C2216	• A		
Step 2	. Depth		
2448	24" deep 🖪		
3048	30" deep A		
Prices	for Steps 1-2.		
C2216	. 2448		\$834
	3048		\$966
Step 3	. Surface Finish		
Lamin	ate Top		
		2448	3048
HF	inner tone light A	+\$0	0
LT	light tone A	+\$0	0
LU	soft white A	+\$0	0
WN	warm grey neutral A	+\$o	0
Chems	surf® Top		
		2448	3048
JD	warm grey neutral Chemsurf® 🗚	+\$167	194
KH	light tone Chemsurf® A	+\$167	194
KR	inner tone light Chemsurf® A	+\$167	194
LE	soft white Chemsurf® A	+\$167	194



### Description

This 30"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from  $26^1/_2$ " to  $41^1/_2$ ". The table base is equipped with a motor, height-control box, and  $8^1/_2$ ' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The 48"-wide workstation has 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

### Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

Order workstation storage components separately:

• Reagent shelf (C4327.)


Order overhead components (to hang on riser frame) separately:

- B-style shelf (C3011.)
- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)
- Shelf unit (C5020. or C5021.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.




# Workstation, Electric Height Adjustment continued

Spec	ification Information		
Step :	1.		
C4310	0.30		
Step :	2. Width		
48	48" wide		
60	6o" wide		
72	72" wide		
Step :	3. Surface Material		
L	laminate		
C	Chemsurf®		
Prices	s for Steps 1-3.		
		L	(
C4310	0.30 48	\$6722	703
	60	\$6811	712
	72	\$7121	743
Step	4. Casters/Glides		
GA	glides		+\$
CA	casters		+\$37
Step !	5. Top/Frame Finish		
For la	minate (L)		
HF	inner tone light		+\$
LT	light tone		+\$
LU	soft white		+\$
WN	warm grey neutral		+\$
For Cl	nemsurf® (C)		
JD	warm grey neutral Chemsurf®		+\$
KH	light tone Chemsurf®		+\$
KR	inner tone light Chemsurf®		+\$
LE	soft white Chemsurf®		+\$

# Workstation, Manual Height Adjustment

C4311.



### **Product Information**

### Description

This 30"-deep height-adjustable work station has a laminate or Chemsurf® top. It is pin adjustable in 1" increments and has a 15" travel range from  $26^1/_2$ " to  $41^1/_2$ ". The table has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The 48"-wide workstation has 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

### Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

Order workstation storage components separately:

• Reagent shelf (C4327.)


Order overhead components (to hang on riser frame) separately:

- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.




# Workstation, Manual Height Adjustment continued

Spec	ification Information		
Step 1	ı <b>.</b>		
C4311	1.30		
Stan	2. Width		
48	48" wide		
60	60" wide		
72	72" wide		
, _	/2 Wide		
Step 3	3. Surface Material		
L	laminate		
С	Chemsurf®		
Prices	for Steps 1-3.		
		L	
C4311	1.30 48	\$4992	532
	60	\$5107	543
	72	\$5344	577
Step	4. Casters/Glides		
GA	glides		+\$
CA	casters		+\$37
Step	5. Top/Frame Finish		
For la	minate (L)		
HF	inner tone light		+\$
LT	light tone		+\$
LU	soft white		+\$
WN	warm grey neutral		+\$
For Ch	nemsurf® (C)		
JD	warm grey neutral Chemsurf®		+\$
KH	light tone Chemsurf®		+\$
KR	inner tone light Chemsurf®		+\$
LE	soft white Chemsurf®		+\$

# Work Table, Electric Height Adjustment

C4312.



### Product Information

### Description

This 2-sided, 42"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from  $26^1/2$ " to  $41^1/2$ ". The table base is equipped with a motor, height-control box, and  $8^1/2$  power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

The table includes 2 stretchers (one on each side) to support C frames and/or storage units. 48"- and 60"-wide tables have 4 sets of drawer bearers.


### Notes


Order storage components separately:


- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.








# Work Table, Electric Height Adjustment continued

- 1	fication Information		
Step 1.			
C4312	.42		
C+	Mg Id		
	. Width		
48	48" wide		
60	6o" wide		
Step 3	. Surface Material		
L	laminate		
С	Chemsurf®		
Prices	for Steps 1-3.		
		L	(
C4312	.42 48	\$6249	6578
	60	\$6446	677
Step 4	. Casters/Glides		
GA	glides		+\$0
CA	casters		+\$370
Step 5	. Top/Frame Finish		
For lan	ninate (L)		
HF	inner tone light		+\$0
LT	light tone		+\$0
LU	soft white		+\$0
WN	warm grey neutral		+\$0
For Ch	emsurf® (C)		
JD	warm grey neutral Chemsurf®		+\$0
KH	light tone Chemsurf®		+\$0
KR	inner tone light Chemsurf®		+\$0
LE	soft white Chemsurf®		+\$0

# Process Table, Electric Height Adjustment

C4313.



### Product Information

### Description

This height-adjustable process table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from  $26^{1}/_{2}$ " to  $41^{1}/_{2}$ ". The table base is equipped with a motor, height-control box, and  $8^{1}/_{2}$ ' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 3" locking casters. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

The table includes 1 stretcher to support a C frame or storage unit.

### Notes


Order storage components separately:


- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Reagent shelf (C4326.)
- Storage unit (C5010.)


When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

### **Dimensions**







### Specification Information

Step 1.

C4313.

Step 2.	Depth
24	24" deep
30	30" deep

Step 3.	Width
48	48" wide
60	6o" wide

**72** 72" wide

### Step 4. Surface Material


Step 6. Top/Frame Finish

L laminateC Chemsurf®

Prices for Steps 1-4.		
	L	C
C4313. 24 48	\$5994	6320
60	\$6190	6515
72	\$6451	6776
30 48	\$6106	6431
60	\$6234	6560
72	\$6490	6817

Step	5. Casters/Glides	
GA	glides	+\$0
CA	casters	+\$310

For la	minate (L)	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
For Ci	hemsurf® (C)	
JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



### Description

This metal shelf attaches to a workstation or process table to provide storage for reagents below the surface.


### Notes

Order workstation (C4310. or 4311.) separately.

Order process table (C4313.) separately.

For Workstation

### Dimensions



# Specification Information

Step 1.

### C432

Step 2. Type

**6.** for electric process table

**7.** for workstation

### Step 3. Depth

For electric process table (6.)

**16**" deep

For workstation (7.)

**18** 18" deep

### Step 4. Width

**48** 48" wide


**60** 60" wide

**72** 72" wide

**←**7/8"

Prices for Steps 1-4.			
	48	60	72
C4326. 16	\$783	815	869
C4327. 18	\$797	886	893

Step 5.	Finish	
HF	inner tone light	+\$o
LT	light tone	<b>+\$</b> o
LU	soft white	<b>+\$</b> o
WN	warm grey neutral	<b>+\$</b> o



### Description

This freestanding table base is available at seated height (29" high) and standing height (36" high), has 2 C-legs, a steel modesty panel, and 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

### Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is 283/4" for a 29" seated-height table base and 353/4" for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base. Order casters as a service part.

Clearance from front of table to modesty panel is 241/4" for a 30"-deep work surface and 181/4" for a 24"-deep work surface.

Order work table surface (C4700.) separately:


- 24" and 30" depths, and 48", 51" (left and right), and 60" widths are compatible with table bases 24" deep  $\times$  48" wide.
- 60" wide work table surface overhangs on center of a 48"-wide table base.
- 51" wide (left and right) work table surfaces overhang left or right of a 48"-wide table base.
- Order drawer bearers separately, with work table surface.

### Order separately:


- Work table reagent shelf (C4900.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).

To accommodate a refrigerator, a 36"-high table base is recommended. Refrigerators 21.34" wide or less can be used with 1 set of adjacent drawer bearers for a 3" or 6" drawer (CO207, CO208) only.

Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.



Spec	ification Information		
Step 1	l.		
C460	A		
Cton	Clidas		
•	2. Glides		
G.	glides A		
Step 3	3. Depth		
24	24" deep 🖪		
Step 2	4. Width		
48	48" wide A		
Step 5	5. Height		
29	29" high 🛕		
36	36" high 🖪		
Prices	for Steps 1-5.		
		29	36
C4600	G. 24 48	\$1005	1060
Step 6	6. Base/Modesty Panel Finish		
HF	inner tone light A		+\$0
LT	light tone A		+\$0
LU	soft white A		+\$0
WN	warm grey neutral A		+\$0
CN	metallic champagne A		+\$0
MS	metallic silver A		+\$0



### Description

This freestanding table base is available at seated height (29" high) and standing height (36" high) and has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

### Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is  $28^3/4$ " for a 29" seated-height table base and  $35^3/4$ " for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base.

Order work table surface (C4700.) separately:

- 24" deep  $\times$  36" wide base is only compatible with a 24" deep  $\times$  36" wide work table surface.
- 24" deep  $\times$  48" wide base is compatible with a 24" deep  $\times$  48", 51" (left and right), 60" wide work table surface.
- 24" deep × 72" wide base is only compatible with a 24" deep × 72" wide work table surface.
- $\bullet$  30" deep  $\times$  36" wide base is only compatible with a 30" deep  $\times$  36" wide work table surface.
- 30" deep  $\times$  48" wide base is compatible with a 30" deep  $\times$  48", 51" (left and right), 60" wide work table surface.
- 30" deep × 48S" wide base is only compatible with a 36" deep × 72" wide work table surface.
- 30" deep  $\times$  72" wide base is only compatible with a 30" deep  $\times$  72" wide work table surface.

60" wide work table surface (C4700.) overhangs on center of a 48"-wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48"-wide table base.

Order drawer bearers separately, with work table surface (C<sub>4</sub>700.). Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order storage components separately:

- Drawer (CO207, CO208, CO209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (CO205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:

- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 48S"-wide × 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.
- For 72"-wide base: 6 C frames or 3 storage units.

Order technology support and cord management accessories separately:

- Connect<sup>™</sup> S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Flo plus monitor arm assembly (Y91174.xCM).
- Tablet support (Y91173.).
- Laptop mount (Y91177.).
- LE series keyboard solutions (Y7710.1).
- JAW™ adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).
- Cable trough (Y1200.).


Order Y1200.30 for a C461G.3036; order Y1200.42 for a C461G.3048.

Dimensions

# 29" 24" 36" 30"

Spe <u>c</u>	ification Information
Step 1	
C461	A
Step 2	2. Glides
G.	glides A
Step 3	3. Depth
24	24" deep A
30	30" deep A
Step 2	4. Width
Fora	a" deep (24)
701 24 <b>36</b>	36" wide A
48	48" wide A
72	72" wide A
12	/2 wide A
For 30	" deep (30)
36	36" wide 🛕
48	48" wide A
72	72" wide 🛕
485	48" wide, symmetrical support A
Step 5	5. Height
29	29" high 🛕
36	36" high A
Step 6	5. Number of Stretchers
 For 29	n" high (29)
A	upper placement only 🛕
 For 36	s" high (36)
Α	upper placement only A
В	upper and lower placement A
Prices	for Steps 1-6.
	29Δ 36Δ 36Ε

Step	7. Base/Stretcher Finish	
HF	inner tone light A	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
WN	warm grey neutral A	+\$0
CN	metallic champagne 🛕	+\$0
MS	metallic silver A	+\$0



### Description

This freestanding 1" pin-adjustable table base has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides or 4" locking casters. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

### Notes

Table with glides and work surface adjusts from 27" high to 36" high. Table with casters adjusts from 30" high to 38" high.

Order work table surface (C4700.) separately:

- 24" deep x 36" wide base is only compatible with a 24" deep x 36" wide work table surface.
- 24" deep × 48" wide base is compatible with a 24" deep × 48", 51" (left and right), 60" wide work table surface.
- 24" deep  $\times$  72" wide base is only compatible with a 24" deep  $\times$  72" wide work table surface.
- 30" deep × 36" wide base is only compatible with a 30" deep × 36" wide work table surface.
- 30" deep  $\times$  48" wide base is compatible with a 30" deep  $\times$  48", 51" (left and right), 60" wide work table surface.
- 30" deep  $\times$  48S" wide base is only compatible with a 36" deep  $\times$  72" wide work table surface.
- 30" deep × 72" wide base is only compatible with a 30" deep × 72" wide work table surface.

 $60\ensuremath{^{\prime\prime}}$  wide work table surface (C4700.) overhangs on center of a  $48\ensuremath{^{\prime\prime}}$  -wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48"-wide table base.

Order drawer bearers separately, with work table surface (C4700.).

Order storage components separately:

- Drawer (CO207, CO208, CO209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (CO205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:

- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 485"-wide × 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.
- For 72"-wide base: 6 C frames or 3 storage units.


For tables adjusted below 32" high, C frames hang from top stretcher only, and storage units cannot mount.

Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order technology support and cord management accessories separately:

- Connect™ S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Flo plus monitor arm assembly (Y91174.xCM).
- Tablet support (Y91173.).
- Laptop mount (Y91177.).
- LE series keyboard solutions (Y7710.1).
- JAW™ adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).
- Cable trough (Y1200.).

Order Y1200.30 for a C462x.3036; order Y1200.42 for a C462x.3048.




Specification Information

Step :	ı.
C462	A
Step 2	2. Casters/Glides
G.	glides A
C.	casters A
Step 3	3. Depth
24	24" deep A
30	30" deep A
Step 4	4. Width
For 24	4" deep (24)
36	36" wide 🛕
48	48" wide A
72	72" wide A
For 30	o" deep (30)
36	36" wide A
48	48" wide A
72	72" wide 🛕
485	48" wide, symmetrical support A
Step <u>!</u>	5. Number of Stretchers
Α	upper placement only A
В	upper and lower placement A
Prices	s for Steps 1-5.

Step 6.	Base Finish	
HF	inner tone light A	+\$o
LT	light tone A	<b>+</b> \$o
LU	soft white A	<b>+</b> \$o
WN	warm grey neutral A	<b>+</b> \$o
CN	metallic champagne A	+\$o
MS	metallic silver A	+\$0

В



### Description

This work table surface attaches to work table bases (C460G., C461G., C462G., C462C.). Predrilled holes accept drawer bearers ordered with the work surface. Surface material is available in laminate, Chemsurf®, Corian®, or phenolic resin.

### Notes

Drawer bearers must be field installed.


Only used on work table bases C460G., C461G., C462G., C462C., ordered separately. See table base information for work surface compatibilities and top load weight capacities.

Work table surface supports the following maximum pairs of drawer bearers (each pair has 1 left and 1 right bearer):

- For 36"-wide table: 1 pair.
- For 48"-wide table: 2 pair.
- For 485"-wide table: 4 pair (2 pair on either side).
- For 60"-wide table: 2 pair.
- For 72"-wide table: 3 pair.

Phenolic resin is 1" thick. When ordering adjustable work table base (C462C.) with phenolic resin top (C4700.xxxxP) that needs to be level with tables (C462C.) using laminate, Chemsurf, or Corian tops (C4700.L, C4700.K, C4700.C), order phenolic shim service part.

See Co/Struc® System planning guide for capacity information.



Step 1. **C4700.** A

Specification Information

Step 2	2. Depth				
24	24" deep A				
30	30" deep 🗚				
36	36" deep 🖪				
	31 111 <u></u>				
Step 3	3. Width				
For 24	;" deep (24)				
36	36" wide 🛕				
48	48" wide 🖪				
51L	51" wide, left overhang 🛕				
51R	51" wide, right overhang 🛕				
60	60" wide 🛕				
72	72" wide 🛕				
For 30	o" deep (30)				
36	36" wide 🖪				
48	48" wide A				
51L	51" wide, left overhang A				
51R	51" wide, right overhang A				
60	60" wide A				
72	72" wide A				
	(11 ( ( ( ( ( ( ( (				
• • • • • • • • • • • • • • • • • • • •	5" deep (36)				
72	72" wide 🖪				
Step 2	4. Surface Material				
L	laminate A				
C	Chemsurf® A				
K	corian A				
P	phenolic resin A				
Prices	for Steps 1-4.				
		L	С	K	Р
C4700	). 24 36	\$236	316	801	998
	48	\$257	344	1002	1327
	51L	\$325	406	1204	1607
	51R	\$325	426	1204	1607
	60	\$334	415	1205	1609
	72	\$361	510	1409	1940


•••••	30 36	\$264	339	945	1230
	48	\$297	370	1177	1631
	51L	\$365	463	1418	1982
	51R	\$365	463	1418	1982
	60	\$361	508	1410	1975
	72	\$408	570	1647	2380
	36 72	\$541	843	1924	3637
Step <u>s</u>	5. Top/Edge Finish				
For la	minate (L)				
HF	inner tone light A				+\$0
LT	light tone 🛕				+\$o
LU	soft white A				+\$o
WN	warm grey neutral A				+\$o
For la	minate (L)				
28	canyon A				+\$0
29	misted A				+\$0
For Ch	hemsurf® (C)				
JD	warm grey neutral Chemsurf	<sup>©</sup> A			<b>+\$</b> 0
KH	light tone Chemsurf® 🛕				<b>+\$</b> 0
KR	inner tone light Chemsurf® [	Α			+\$o
LE	soft white Chemsurf® A				+\$0
For co	orian (K)				
CQ	glacier white 🛕				+\$0
QB	bisque A				<b>+\$</b> 0
15	savannah 🖪				+\$400
1U	sahara 🖪				+\$400
41	sandstone A				+\$400
IQ	aurora 🖪				+\$400
OQ	silt A				+\$400
For pl	henolic resin (P)				
BK	black 🗚				+\$0
Step 6	6. Pairs of Drawer Bearers				
For 36	6" wide (36)				
NB	without drawer bearers [A]				<b>+\$</b> 0
4.0					4

1D

1 pair drawer bearers A

+\$15

For 4	8" wide (48), 51" wide, left overhang (51L), 51"	wide, right
overł	hang (51R), or 60" wide (60)	
NB	without drawer bearers 🛕	+\$0
1D	1 pair drawer bearers 🛕	+\$15
2D	2 pair drawer bearers A	+\$30
For 2	4" deep (24) or 30" deep (30) with 72" wide (7	2)
NB	without drawer bearers 🗚	+\$0
1D	1 pair drawer bearers 🛕	+\$15
2D	2 pair drawer bearers 🛕	+\$30
3D	3 pair drawer bearers A	+\$45
For 3	6" deep (36) with 72" wide (72)	
NB	without drawer bearers A	+\$0
1D	1 pair drawer bearers 🛕	+\$15
2D	2 pair drawer bearers 🛕	+\$30
3D	3 pair drawer bearers 🖪	+\$45
4D	4 pair drawer bearers A	+\$60



### Description

This high-pressure laminate shelf attaches to work table bases to provide storage below the surface.

### Notes


Compatible with basic work table base (C460G.), standard work table base (C461G.xxxxxxxxA), and adjustable work table base with upper stretcher placement only (C462x.xxxxxxA).

Compatible only with 36 high table bases, due to installation clearance needed.

16" deep shelf (C4900.16) is compatible with 24"- and 30"-deep table bases. 18" deep shelf (C4900.18) is compatible with only 30"-deep table bases.

Order warm grey neutral (WN) reagent shelf finish to complement a metallic champagne (CN) table base. Order cool grey neutral (CL) reagent shelf finish to complement a metallic silver (MS) table base. Reagent shelf (C4900.) rests on table base legs and is not height adjustable.

### Dimensions



### Specification Information

Step 1.

**C4900.** A

Step	2.	Depth
------	----	-------

**16**" deep A

**18** 18" deep A

### Step 3. Width

48

**36** 36" wide A

48" wide 🛕


**72** 72" wide A

### Step 4. Surface Material

L laminate A

Prices for Steps 1-4.	
	L
C4900. 16 36	\$402
48	\$453
72	\$656
18 36	\$422
48	\$473
72	\$678

Step	5. Top/Edge Finish	
HF	inner tone light A	+\$o
LT	light tone A	+\$o
LU	soft white A	+\$o
WN	warm grey neutral A	+\$o
CL	cool grey neutral 🔼	+\$0




Description

This piece divides a workstation riser frame into smaller sections and provides upright riser support for hanging components. The dividers bolt to the riser frame at predrilled attachment locations. Finish is black.


Notes


Order workstation (C4310. or C4311.) separately.

Dimensions



Specification Information





Description


This metal cover finishes the exposed hardware on the end of a riser frame

N	_	_	_


Specify 2 end covers per riser frame.

Specify end cover finish to match the corresponding finish of workstation (C4310. or C4311.) to which cover will be attached.

Order workstation (C4310. or C4311.) separately.



Specification Information		
Step 1.		
C4321.		\$96
Step 2.	Finish	
HF	inner tone light	+\$0 +\$0
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$0



Description

This power strip mounts horizontally on hanger clips and provides single-circuit, 15-amp, 100-volt outlets on a riser frame. It has a lighted on/off switch with circuit breaker and an 8' cord. It is UL listed. Mounting hardware is included.

Power strips have the following number of outlets:

Width-Outlets

24"—4 outlets

30"-5 outlets

36"−6 outlets

48"-8 outlets

60"-10 outlets

72"—12 outlets


### Notes


To mount power strip inside riser frame (vertically), specify 36" width. Specify power strip finish to match the corresponding finish of workstation (C4310. or C4311.) to which it will be attached.

Order workstation (C4310. or C4311.) separately.

For lab modules (C1112., C1114.) and support panels (C1150., C1151.), power strip can be specified as part of the product.

### Dimensions





# Specification Information


Step 1.

C4322.

Step 2	. Width
24	24" wide
30	30" wide
36	36" wide
48	48" wide
60	6o" wide
72	72" wide

\$427
\$458
\$492
\$507
\$572
\$605

Step 3.	Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$0




# Description

This 2-sided white board mounts between 2 riser frame dividers or a riser frame and a riser frame divider. Both sides are magnetic with white erasable writing surfaces. Includes a black-texture marker tray on one side only. Mounting hardware is included.

#### Notes

Order workstation (C4310. or C4311.) separately.

### Dimensions



# Specification Information


Step 1.

C4323.

<ul> <li>24 24" wide</li> <li>30" wide</li> <li>36" wide</li> </ul>	Step 2.	. Width
	24	24" wide
<b>36</b> 36" wide	30	30" wide
	36	36" wide

Prices for Steps 1-2.	
C4323. 24	\$380
30	\$421
36	\$448

\$547



# Product Information


### Description


This arm mounts to a workstation riser frame and holds a flat panel display monitor. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards) with a 100 mm or 75 mm mounting pattern. It provides 360° monitor rotation and 60° horizontal and vertical tilt range. Finish is black. Mounting hardware is included. Finish is black.

### Notes

Order workstation (C4310. or C4311.) separately.

# Dimensions






# Specification Information

Step 1.

C4324.



### Description

This component hangs from a module, a support panel, or wall strips and holds a 12"-high sink. It includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down.

The module accepts the following cutout dimensions:

### Depth:


- 24": 181/4"-deep maximum cutout
- 30": 241/4"-deep maximum cutout Width:
- 24": 19<sup>5</sup>/<sub>8</sub>"-wide maximum cutout
- 30": 25<sup>5</sup>/<sub>8</sub>"-wide maximum cutout
- 48": 435/8"-wide maximum cutout
- 60": 55<sup>5</sup>/<sub>8</sub>"-wide maximum cutout


### Notes

Sink must be customer supplied and field installed.

Order standard duty work surface (C2142.) with solid surface option (K) separately.

# Dimensions





# Specification Information

Step 1.

C2512.

Step 2. Depth	Ste	n 2.	De	pth
---------------	-----	------	----	-----

24 24" deep

30 30" deep

### Step 3. Width

24 24" wide

30 30" wide


36 36" wide

48 48" wide

60 60" wide

Prices for Steps 1-3.					
	24	30	36	48	60
C2512. 24	\$568	662	696	728	792
30	\$676	792	835	872	977

Step	4. Surface Finish	
91	white	+\$0
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o
нм	natural maple	<b>+</b> \$o
нх	aged cherry	+\$o



### Description

This 24"-deep, 48"-wide structure hangs from 2 24"-wide panels or freestanding modules or from 3 wall strips. It supports drawer storage on the left or right side and a sink unit on the other side. The maximum cutout for the sink is  $18^1 l_4$ " deep ×  $19^5 l_8$ " wide. The surface includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down.

### Notes


Order storage components for open space opposite sink unit separately:

- Drawer bearers (CO228 or CO396)
- Drawer caddy with casters (CO692. or CO693.)
- Gripper package (CO266) and C frame (CO205) for Co/Struc® drawers
- L cart (CO212) and single counter top (CO555) for C frames and drawers when surface is mounted 38" above floor
- Storage case (C5040.2422) and 24"-wide Co/Struc adapter rail (C1610.24)


Sink must be customer supplied and field installed.

Storage unit (C5010.) cannot mount under sink unit.

Order standard duty work surface (C2142.) with solid surface option (K) separately.



Sne	cification Information	
Step		
C2513.24		\$680
Step	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white	+\$75



### Description


This sink support hangs from a module or wall strips. It supports a  $5^{1}/2$ "-deep sink and a solid surface or alternative material top. The sink support has a 4"-high laminate front trim and a removable front panel to allow access to plumbing. Attachment hardware is included. Shipped knocked down.

### Notes

Order standard duty work surface (C2142.) with solid surface option (K) separately.

Sink must be customer supplied and field installed. A Just SL-ADA-1921-A-GR sink, with drain located in rear center, fits in a 24"  $\times$  24" sink support.

### Dimensions



# Specification Information

Step 1.

C2520.

Step	2.	De	ep'	th
24		_	. 11	٦.

24 24" deep30 30" deep


### Step 3. Width

24 24" wide30 30" wide

**48** 48" wide **60** 60" wide

Prices for Steps 1-3.				
	24	30	48	60
C2520. 24	\$1032	1161	1289	1418
30	\$1096	1224	1418	1547

Step	4. Surface Finish	
91	white	+\$120
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o
HM	natural maple	+\$120
нх	aged cherry	+\$120



### Description


This cabinet hangs below a heavy-duty work surface or process table. It has 2 side panels, a back panel, and a top and bottom panel.

### Notes


Order heavy-duty work surface (C2141.), process table (C4313.), standard work table base (C461G.), adjustable lab work table base (C462G., C462C.), work table (C4312.), or workstation (C4310. or C4311.) separately.

Order A-size drawers (CO207) or B-size drawers (CO208) and lockable drawer bearer (C5048.) separately.

Order storage unit door (C5016. or C5017.) separately.



Spec	cification Information	
Step		
C5010.1622		\$679
Step	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o
91	white	+\$60
нм	natural maple	+\$60
нх	aged cherry	+\$60




Description


This shelf mounts inside a storage unit and adjusts in 1<sup>1</sup>/<sub>4</sub>" increments.

Notes

Order storage unit (C5010.) separately.



Specification Information			
Step 1.			
C5015.1622		\$189	
Step 2.	Surface Finish		
HF	inner tone light	+\$o	
LT	light tone	+\$o	
LU	soft white	+\$o	
WN	warm grey neutral	+\$o	
91	white	+\$15	
НМ	natural maple	+\$15	
НХ	aged cherry	+\$15	



### Description

This door attaches to the front of a storage unit. Attachment hardware is included

### Notes


Co/Struc® drawers cannot be specified behind doors.

When specifying 19"- or 22"-high lockable door that has drawers above it, specify interior filler (C5009.) to prevent access to cabinet below.

For general information on locks, see Keyed-Alike Information in

For general information on locks, see Keyed-Alike Information in Appendices.

# Dimensions



# Specification Information

Step 1.

C501

Step 2.	Hinge	Location
---------	-------	----------

6. left-hand hinges

7. right-hand hinges

### Step 3. Height

1922 19" high

2222 22" high

**2522** 25" high

# Step 4. Lock

N no lock

L keyed differently


- ( D. II O. ti - - /Fini-l-

K keyed alike

N	L	K
\$244	303	303
\$280	340	340
\$326	385	385
\$244	303	303
\$280	340	340
\$326	385	385
	\$244 \$280 \$326 \$244 \$280	\$244 303 \$280 340 \$326 385 \$244 303 \$280 340

Step 5. Surface Finish			
HF	inner tone light	+\$o	
LT	light tone	+\$o	
LU	soft white	+\$o	
WN	warm grey neutral	+\$o	
91	white	+\$30	
нм	natural maple	+\$30	
нх	aged cherry	+\$30	

Step 6	o. Pull Option/Finish	
NN	none	+\$0
ВК	black	+\$0
NH	brushed nickel	+\$0




# Description


This filler mounts inside a storage unit and provides closure to the cabinet below when Co/Struc drawers are installed. It mounts at either 19" or 22" high.

Notes
Order storage unit (C5010.) separately.
Filler is used with A-size drawers (CO207) or R-size drawers (CO208)

Specification Information			
Step 1	Step 1.		
C5009	2.1622	\$189	
Cı			
Step 2	2. Surface Finish		
HF	inner tone light	+\$o	
LT	light tone	+\$o	
LU	soft white	<b>+\$</b> o	
WN	warm grey neutral	+\$o	
91	white	+\$15	
нм	natural maple	+\$15	
НХ	aged cherry	+\$15	



\$80



# Product Information

Description


These drawer bearers attach Co/Struc® A-, B-, or C-size drawers in a storage unit. They have integral stops to prevent drawers from falling when pulled out. Mounting hardware is included. Finish is black. Package contains 1 pair.

#### Notes

Order A-size drawers (CO207), B-size drawers (CO208), or C-size drawers (CO209) separately.

Can be used with locking or non-locking drawers.


# Dimensions



# Specification Information

Step 1.

C5048.



### Description

This case mounts under a heavy-duty rectangular or corner work surface. It has 2 side panels, a back panel, and a top and bottom panel. Interior components can be height adjusted in  $1^1/4^n$  increments.

# Notes

Order heavy-duty work surface (C2141.) or heavy-duty corner work surface (C2215. or C2216.) separately.


To support case mounted under rectangular work surface, order adapter rail (C1610.

Order optional products separately:

- Storage case bottle drawer (C5045.)
- Storage case door (C5052. or C5053.)
- Storage case drawer (C5043. or C5044.)
- Storage case pullout shelf (C5042.)
- Storage case shelf (C5041.)

For top slot of case, specify 16"-deep drawer or shelf to clear support beam under heavy-duty work surface.

### Dimensions



# Specification Information

Step 1.


C5040.

Step 2.	Depth
2422	00" doo

2422 23" deep3022 29" deep

Prices for Steps 1-2.	
C5040. 2422	\$744
3022	\$819

Step	3. Surface Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o
91	white	+\$70
нм	natural maple	+\$70
нх	aged cherry	+\$70




Description

This shelf mounts inside a storage case and adjusts in  $1^{1}/_{4}$ " increments.

Notes

To clear support beam on heavy-duty work surface, shelf must be positioned at least  $2^1\!/2^n$  below the surface.

Dimensions



# Specification Information


Step 1.

C5041.

	Depth
2422	23" deep
3022	29" deep

Prices for Steps 1-2.	
C5041. 2422	\$214
3022	\$225

Step 3. Surface Finish				
HF	inner tone light	+\$o		
LT	light tone	+\$o		
LU	soft white	+\$o		
WN	warm grey neutral	+\$o		
91	white	+\$20		
нм	natural maple	+\$20		
нх	aged cherry	+\$20		




# Description


This pullout shelf is  $21^1/_4$ " deep and mounts inside a storage case. It adjusts in  $1^1/_4$ " increments.

# Notes

To clear support beam on heavy-duty work surface, shelf must be positioned at least  $2^1\!/2^n$  below the surface.



Specification Information				
Step 1.				
C5042.2422				
Stan 2	. Surface Finish			
,				
HF	inner tone light	+\$o		
LT	light tone	+\$o		
LU	soft white	+\$o		
WN	warm grey neutral	+\$o		
91	white	+\$30		
нм	natural maple	+\$30		
НХ	aged cherry	+\$30		



### Description


This drawer mounts inside a storage case and is available with or without a lock. The 22"-deep drawer cannot be used in the top position of a storage case.

# Notes

For general information on locks, see Keyed-Alike Information in Appendices.

# Dimensions





# Specification Information

Step 1.

# C504

Step 2. [	Depth
-----------	-------

**3.** 16" deep

**4.** 22" deep

# Step 3. Height

# For 16" deep (3.)

**0422** small, 5" high

**0822** medium, 7<sup>1</sup>/<sub>2</sub>" high

# For 22" deep (4.)

**0422** small, 5" high

**0822** medium, 7<sup>1</sup>/<sub>2</sub>" high

**1222** large, 10" high

# Step 4. Lock

N no lock


L keyed differently

**K** keyed alike

Prices for Steps 1-4.			
	N	L	K
C5043. 0422	\$285	472	472
0822	\$358	539	539
C5044. 0422	\$313	412	412
0822	\$374	556	556
1222	\$395	576	576

Step 5.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o
91	white	+\$40
нм	natural maple	+\$40
нх	aged cherry	+\$40


Step 6. Pull Option/Finish				
NN	none	<b>+</b> \$o		
BK	black	<b>+</b> \$o		
NH	brushed nickel	<b>+</b> \$o		



Description

This pullout drawer mounts in a storage case and has a partial-height front for easy access to contents. It includes 3 dividers.

# Dimensions



# Specification Information

Step 1.

C5045.

S	t	eļ	0	2.	Н	e	į	ξh	ıt	


**0822** 5" high

**1222** 7<sup>1</sup>/<sub>2</sub>" high

Prices for Steps 1-2.		
C5045. 0822	\$649	
1222	\$693	

Step :	3. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	<b>+</b> \$o
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white	+\$60
нм	natural maple	+\$60
нх	aged cherry	+\$60

Step 2	Step 4. Pull Option/Finish				
NN	none	+\$0			
BK	black	+\$0			
NH	brushed nickel	<b>+</b> \$o			



### Description

This door attaches to the front of a storage case. Attachment hardware is included.


#### Notes

Co/Struc® storage case drawers and storage case bottle drawers cannot be specified behind doors.

When specifying 17"- or 20"-high lockable door that has drawers above it, specify storage case shelf (C5041.) to prevent access to cabinet below.

For general information on locks, see Keyed-Alike Information in Appendices.

### Dimensions



# Specification Information

Step 1.

# C505

Step	2.	H	ing	ge	Lo	C	a	tic	on
			-						

2. left-hand hinges

3. right-hand hinges

### Step 3. Height

1722 17" high

2022 20" high

**2522** 25" high

# Step 4. Lock

N no lock


L keyed differently

K keyed alike

Prices for Steps 1-4.			
	N	L	K
C5052. 1722	\$231	289	289
2022	\$249	308	308
2522	\$314	374	374
C5053. 1722	\$238	298	298
2022	\$257	319	319
2522	\$325	386	386

Step	5. Surface Finish	
91	white	+\$30
HF	inner tone light	<b>+\$</b> o
LT	light tone	<b>+\$</b> o
LU	soft white	<b>+\$</b> o
WN	warm grey neutral	<b>+\$</b> o
нм	natural maple	+\$30
нх	aged cherry	+\$30

Step 6	Pull Option/Finish	
NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$o




Description


This leg supports a storage case mounted under a heavy-duty work surface. It provides support when the work surface holds heavy loads. The legs adjust in 1/2" increments to allow a work surface height of 34" to 38". Leg finish is medium tone.

Notes

Order storage case (C5040.) separately.

Dimensions






# Specification Information

Step 1.

**C5050.** \$187



# Description


This unit hangs on a module, support panel, or wall strips above a work surface. It has sliding glass doors. Shipped knocked down.

### Notes

Order optional task light separately:

• Utility task light (G6136.)

### Dimensions



# Specification Information


Step 1.

# C5014.16

Step 2	2. Width			
30	30" wide			
48	48" wide			
Dricoc	for Stone 1 2			

Prices for Steps 1-2.	
C5014.16 30	\$1293
48	\$1511

Step 3.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o
91	white	+\$110
HM	natural maple	+\$110
нх	aged cherry	+\$110



### Description

This 3- or 5-shelf unit hangs from a module, panel, or wall strips. It has  $9^n$ - or  $16^n$ -deep shelves that adjust in  $2^1/2^n$  increments. Shelves are flat or slanted at either  $11^0$  or  $22^0$  angles for gravity-feed dispensing. Shipped knocked down.

### Notes

For additional shelf, order add-on shelf (C5025.) separately.

To cover shelf unit with dust cover, order add-on shelf (C5025.) and place in top position of unit.

To enclose back of unit, order back panel (C5026.) separately.

To hang unit on architectural wall and enclose back of unit, order shelf unit wall attachment panel (C5036.) separately.

To enclose front of unit, order shelf unit door (C5027., C5028., C5032., C5037., or C5038.) separately.


To ease cleaning and prevent the stacking of materials on top of shelf unit, order sloped shelf unit top (CO397.) separately.

Order optional task light for 16"-deep unit separately:


- Utility task light (G6136.)
- Energy-efficient task light (G6120.)

To attach task light to slanted shelf, order light bracket (C5051.) separately.





3 Shelves



5 Shelves

# **Specification Information**

Step 1.

C502

# Step 2. Shelves/Height

**0.** 3 shelves and 24" high

1. 5 shelves and 34" high

# Step 3. Depth

**09** 9" deep

**16** 16" deep

# Step 4. Width

**24** 24" wide


**30** 30" wide

**36**" wide

**48** 48" wide

Prices for Steps 1-4.				
	24	30	36	48
C5020. 09	\$483	510	520	549
16	\$605	636	673	753
C5021. 09	\$665	687	717	764
16	\$798	853	903	1001

Step	5. Side Panel/Shelf Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white	+\$60



### Description

This unit hangs from 24"-wide panels connected by an Action Office® 2-way 90° connector or wall strips used in a corner position. Shelves adjust in  $2^1/2^n$  increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.

#### Notes

For additional shelf in center section, order 24"-wide add-on shelf (C5025.1624). For additional shelf in side section, order 14"-wide add-on shelf (C5025.1614).


To cover back of center unit, order back panel (C5026.) separately.


Order optional 24"-wide task light for center section separately:

- Utility task light (G6136.24)
- Energy-efficient task light (G6120.24)

To attach task light to slanted center shelf, order light bracket (C5051.) separately.

# Dimensions





# Specification Information

Step 1.


C502

### Step 2. Shelves/Height

2.1648 3 shelves and 24" high

Prices for Steps 1-2.	
C5022.1648	\$1858

Step	3. Side Panel/Shelf Finish	
91	white	+\$160
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0




### Description


This 72"-high shelf unit hangs from 24"- or 48"-wide panels connected by 1 or 2 Action Office® 2-way 90° connectors or hangs from wall strips used in 1 or 2 90° corners. Shelves adjust in  $2^1/_2$ " increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.

# Notes


For additional shelf, order add-on shelf (C5025.1631) separately.

To cover shelf unit with dust cover, order add-on shelf (C5025.1631) and place in top position of unit.






Spe	cification Information	
Step	1.	
C502	24.1648	\$3397
Step	2. Side Panel/Shelf Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	+\$o
WN	warm grey neutral	+\$0 +\$300
91	white	+\$300



### Description

This shelf fits inside a shelf unit, diagonal corner shelf unit, or 90° corner shelf unit. It is used as an additional shelf or dust cover.

# Dimensions



# Specification Information

Step 1.

C5025.

<b>~</b> .		_		. 1
Ste	กว	- 11	Δr	٦th

**09** 9" deep

**16** 16" deep

# Step 3. Width

# For 9" deep (09)

**24** 22<sup>3</sup>/<sub>4</sub>" wide

**30** 28<sup>3</sup>/<sub>4</sub>" wide

**36** 34<sup>3</sup>/<sub>4</sub>" wide

**48** 46<sup>3</sup>/<sub>4</sub>" wide

# For 16" deep (16)

**14** 13<sup>1</sup>/<sub>2</sub>" wide

**24** 22<sup>3</sup>/<sub>4</sub>" wide

**30** 28<sup>3</sup>/<sub>4</sub>" wide


**31** 30<sup>1</sup>/<sub>2</sub>" wide

**36** 34<sup>3</sup>/<sub>4</sub>" wide

**48** 46<sup>3</sup>/<sub>4</sub>" wide

Prices for Steps 1-3.						
	14	24	30	31	36	48
C5025. 09	_	\$94	100	_	105	120
16	\$97	119	122	127	129	139

Step	4. Shelf Finish	
91	white	+\$10
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	+\$o





Description

This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips.










### Description

This panel attaches to a 3- or 5-shelf unit or diagonal corner shelf unit and closes the back. The shelf unit's top and bottom shelves must be flat.

# Notes

Order shelf unit (C5020. or C5021.) or diagonal corner shelf unit (C5022.) separately.

### Dimensions



# Specification Information

Step 1.

C5026.

Cto	_	_	1.1	_:	_	اما	
Ste	μ	2.	п	eı	ષ્ટ	Ш	

**24** 24" high

# Step 3. Width

**24** 22<sup>3</sup>/<sub>4</sub>" wide


**30** 28<sup>3</sup>/<sub>4</sub>" wide

**36** 34<sup>3</sup>/<sub>4</sub>" wide

**48** 46<sup>3</sup>/<sub>4</sub>" wide

Prices for Steps 1-3.				
	24	30	36	48
C5026. 24	\$182	197	211	252

Step	4. Surface Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o



Description

These brackets fasten a task light to the bottom of an overhead cabinet, a flat or slanted shelf in a 3- or 5-shelf unit, or a center shelf in a diagonal corner shelf unit. Package contains 1 pair. Finish is black.

Notes

For 16"-deep shelf, order energy-efficient task light (G6120.) separately.

Dimensions



Step 1.


C5051.


Step 2. Usage

**16** for 16"-deep shelf

Prices for Steps 1-2.

**C5051. 16** \$117





### Description


This 24"-wide door encloses a shelf unit. Attachment hardware is included.

### Notes

For 24"-high door, order 3-shelf unit (C5020.) separately. For 34"-high door, order 5-shelf unit (C5021.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

# Dimensions



# Specification Information

Step 1.

C502

# Step 2. Hinge Location

7. left-hand hinges

8. right-hand hinges

# Step 3. Height

**2424** 24" high

**3424** 34" high

# Step 4. Lock

N no lock


L keyed differently

K keyed alike

Prices fo	or Steps 1-4.			
		N	L	K
C5027.	2424	\$363	470	470
	3424	\$479	584	584
C5028.	2424	\$374	485	485
	3424	\$495	604	604
Step 5.	Surface Finish			
HF	inner tone light			+\$o

Step	5. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o
91	white	+\$40
нм	natural maple	+\$40
нх	aged cherry	+\$40

Step 6	. Pull Option/Finish	
NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0



### Description

These doors enclose a shelf unit. The doors are available with or without a lock. Attachment hardware is included.


### Notes

For 24"-high doors, order 3-shelf unit (C5020.) separately.

For 34"-high doors, order 5-shelf unit (C5021.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

# Dimensions



# Specification Information

Step 1.

C5032.

Step 2	. Height	
24	24" high	

Step :	3. Width			
30	30" wide			
36	36" wide			
48	48" wide			

# Step 4. Lock

N no lock


keyed differently

**K** keyed alike

Prices for Steps 1-4.			
	N	L	K
C5032. 24 30	\$394	505	505
36	\$462	572	572
48	\$567	677	677

Step	5. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o
91	white	+\$50
HM	natural maple	+\$50
нх	aged cherry	+\$50

Step	6. Pull Option/Finish	
NN	none	<b>+</b> \$o
BK	black	+\$0
NH	brushed nickel	+\$0




# Description


This top attaches to a shelf unit. It is sloped to ease cleaning and prevent the stacking of materials on top of the cabinet.

### Notes

Order shelf unit (C5020. or C5021.) separately.

# Dimensions





FRONT

# Specification Information

Step 1.

CO397.

Ste	n 2.	Dei	nth

**09** 10<sup>1</sup>/<sub>2</sub>" deep

**16** 17" deep

# Step 3. Width

**24** 24" wide


**30** 30" wide

**36**" wide

**48** 48" wide

Prices for Steps 1-3.				
	24	30	36	48
CO397. 09	\$284	317	343	376
16	\$317	339	376	448

Step	4. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	<b>+\$</b> 0
LU	soft white	<b>+\$</b> 0
WN	warm grey neutral	+\$o




Description

This panel encloses the back of a 3- or 5-shelf unit and allows the shelf unit to hang on an architectural wall.

Notes

Order 3-shelf unit (C5020.) or 5-shelf unit (C5021.) separately.

Dimensions



# Specification Information

Step 1.


C5036.

Step 2.	Height
24	24" high

Step 3.	3. Width	
24	24" wide	
30	30" wide	
36	36" wide	
48	48" wide	

Prices for Steps 1-3.				
	24	30	36	48
C5036. 24	\$205	228	275	321

Step 4. Surface Finish			
HF	inner tone light	+\$o	
LT	light tone	+\$o	
LU	soft white	+\$o	
WN	warm grey neutral	+\$o	
91	white	+\$25	
нм	natural maple	+\$25	
нх	aged cherry	+\$25	



### Description

This  $15^{1/2}$ "-high shelf with a lip hangs from a standard rail or adapter rail. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

### Notes

For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.


For fully enclosed storage, order A-/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately. Order optional add-on shelves of equal depth and width separately:

- Add-on shelf (AO521.1524 or AO521.1548)
- Add-on shelf with lip (C3019.)

Order optional task light separately:

- Utility task light (G6136.)
- Energy-efficient task light (G6120.)

# Dimensions



### Specification Information

Step 1.

CO521.

S	tep	2.	De	pt	th

13 13" deep

**16** 16" deep

### Step 3. Width

24" wide

**30** 30" wide


**36** 36" wide

42 42" wide

**48** 48" wide

Prices for Steps 1-3.					
	24	30	36	42	48
C0521. 13	\$435	447	466	477	503
16	\$603	616	647	663	710

Step 4	. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	<b>+</b> \$o



### Description

This  $15^{1}/2$ "-high shelf with a lip hangs from a panel, a freestanding module, or wall strips. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

### Notes

For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

For fully enclosed storage of 24"- to 48"-wide shelf, order A-/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately.

Order optional add-on shelves of equal depth and width separately:


- Add-on shelf (AO521.1524 or AO521.1548)
- Add-on shelf with lip (C3019.)


For 60"-wide shelf, order 60"-wide task light.

Order optional task light separately:


- Utility task light (G6136.)
- Energy-efficient task light (G6120.)

### Dimensions





SIDE



**FRONT** 

TOP

HermanMiller Healthcare

# Specification Information

Step 1.

C3011.

Step 2.	Depth
13	13" deep
16	16" deer

Step 3. Width

24 24" wide 30 30" wide


36 36" wide

42 42" wide 48 48" wide

60" wide

Prices for Steps 1-3.						
	24	30	36	42	48	60
C3011. 13	\$246	258	273	284	300	332
16	\$251	265	284	208	427	F26

Step 4. Surface Finish				
HF	inner tone light	+\$o		
LT	light tone	<b>+\$</b> 0		
LU	soft white	<b>+\$</b> 0		
WN	warm grey neutral	+\$o		



### Description

This 16"-deep shelf hangs from a panel, a freestanding module, or wall strips and has a sloped metal top. A filler piece is included for enclosed storage applications. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

#### Notes


For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.


To enclose back of shelf, order A-/B-style flipper door back panel (A3390.) separately.


Order optional task light separately:

- Utility task light (G6136.)
- Energy-efficient task light (G6120.)

### Dimensions







# Specification Information


Step 1.

# C3091.16

Step 2	2. Width				
24	24" wide				
30	30" wide				
42	42" wide				
48	48" wide				

Prices for S	Steps 1-2.	
C3091.16	24	\$489
	30	\$512
	42	\$596
	48	\$625

Step 3.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	<b>+</b> \$o



# Description


This shelf fits into a B-style shelf or B-style rail-hanging shelf to add a second shelf. Attachment hardware is included.

### Notes

Order support components separately:

- B-style (C3011.) shelf
- B-style (CO521.) rail-hanging shelf

### Dimensions



FRONT

# Specification Information

Step 1.


C3019.

Step 2.	Depth
13	13" deep
16	16" deep

Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

	24	30	36	42	48	60
C3019. 13	\$142	149	166	177	191	214
16	\$208	222	241	253	294	369

Step 4.	Surface Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o





Description

This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips.









#### Description

This enclosed storage unit hangs on rails for stationary storage, or it is used with the TR3 cart for mobile storage. The locker has 20 drawer slots in 3" increments and holds interchangeable components.

The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock. The keyless lock is shipped with the battery.

#### Notes

Order rail components separately:


• Standard rail assembly (CO<sub>2</sub>82)

Order transport/storage components separately:

- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO<sub>5</sub>6<sub>5</sub>)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)
- TR3 cart (CO342)

For general information on locks, see Keyed-Alike Information in Appendices.

## Dimensions



## Specification Information

## Step 1.

11

12

key number 11

key number 12

## CO561

Step 2	. Lock
FF	no locl

**FL** keyed lock, keyed differently

**KA** keyed lock, keyed alike

**EL** keyless lock, keyed differently

**EK** keyless lock, keyed alike

Prices for Steps 1-2.	
CO561 FF	\$1744
FL	\$1900
КА	\$1900
EL	\$2808
EK	\$2808

Step 3. Locker Finish			
HF	inner tone light	+\$o	
LT	light tone	<b>+</b> \$o	
LU	soft white	<b>+</b> \$o	
WN	warm grey neutral	<b>+</b> \$o	
	= '		

Step	4. Door Finish	
3B	beachglass	+\$o
DA	deep blue	+\$o
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
TR	clear	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o

Step	5. Key Number	
For k	eyed lock, keyed alike (KA) or keyless lock, keyed alike (EK)	
01	key number 01	+\$o
02	key number 02	+\$o
03	key number 03	+\$o
04	key number 04	+\$o
05	key number 05	+\$o
06	key number o6	+\$o
07	key number 07	+\$o
80	key number o8	+\$o
09	key number 09	+\$o
10	key number 10	+\$o
04 05 06 07 08 09	key number 04 key number 05 key number 06 key number 07 key number 08 key number 09	+4 +4 +4 +4 +4 +4 +4

**+**\$0

**+**\$0

13	key number 13	+\$o	61	key number 61	+\$o
14	key number 14	+\$o	62	key number 62	+\$o
15	key number 15	+\$0	63	key number 63	+\$0
	•				
16	key number 16	+\$o	64	key number 64	+\$o
17	key number 17	+\$o	65	key number 65	<b>+</b> \$0
18	key number 18	+\$o	66	key number 66	+\$o
19	key number 19	+\$o	67	key number 67	+\$o
20	key number 20	+\$o	68	key number 68	+\$o
21	key number 21	+\$o	69	key number 69	+\$o
22	key number 22	+\$0	70	key number 70	+\$0
23	key number 23	+\$o	71	key number 71	+\$o
24	key number 24	+\$o	72	key number 72	<b>+</b> \$0
25	key number 25	+\$o	73	key number 73	<b>+</b> \$0
26	key number 26	+\$o	74	key number 74	+\$o
27	key number 27	+\$o	75	key number 75	+\$o
28	key number 28	+\$o	77	key number 77	+\$o
29	key number 29	+\$0	78	key number 78	+\$0
30	key number 30	+\$o	79	key number 79	+\$0
31	key number 31	<b>+</b> \$0	80	key number 80	+\$o
32	key number 32	+\$o	81	key number 81	<b>+</b> \$0
33	key number 33	+\$o	82	key number 82	+\$o
35	key number 35	+\$o	83	key number 83	+\$o
36	key number 36	+\$o	84	key number 84	+\$o
37	key number 37	+\$o	85	key number 85	+\$o
38	key number 38	+\$0	86	key number 86	+\$0
39	key number 39	+\$0	87	key number 87	+\$0
40	key number 40	+\$o	88	key number 88	+\$0
41	key number 41	+\$o	89	key number 89	+\$o
42	key number 42	+\$o	90	key number 90	<b>+</b> \$0
43	key number 43	+\$o	91	key number 91	+\$o
44	key number 44	+\$o	92	key number 92	+\$o
45	key number 45	+\$o	93	key number 93	+\$o
46	key number 46	+\$0	94	key number 94	+\$0
47		+\$0	95		+\$0
	key number 47			key number 95	
48	key number 48	+\$o	96	key number 96	+\$0
49	key number 49	+\$o	97	key number 97	+\$o
50	key number 50	+\$o	98	key number 98	<b>+</b> \$0
51	key number 51	+\$o	99	key number 99	+\$o
52	key number 52	+\$o			
53	key number 53	+\$o			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$o			
57	key number 57	+\$o			
58	key number 58	<b>+\$</b> 0			
59	key number 59	+\$o			
60	key number 60	+\$o			



## Description

This enclosed storage unit hangs on rails for stationary storage, or it is used with the TR3 cart for mobile storage. The locker has 20 drawer slots in 3'' increments and holds interchangeable components. Door is hinged at the right.

Available with no lock, keyed lock, keyless lock, or RFID lock.

#### Notes

Door frame color matches locker color.

Order rail components separately:


• Standard rail assembly (CO<sub>2</sub>82)


Order transport/storage components separately:

- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO<sub>5</sub>6<sub>5</sub>)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)
- TR3 cart (CO342)

For general information on locks, see Keyed-Alike Information in Appendices.

## Dimensions





## Specification Information

Step 1.

## CO570

Step 2. Lock				
FF	no lock			
FL	keyed lock, keyed differently			
KA	keyed lock, keyed alike			
KP	keyless lock			
RF	RFID lock			


Prices for Steps 1-2.	
CO570 FF	\$2251
FL	\$2427
KA	\$2427
KP	\$2805
RF	\$3491

Step 3	3. Locker Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	+\$o

Step 4. Door Insert Finish				
HF	inner tone light	+\$o		
LT	light tone	+\$o		
LU	soft white	+\$o		
TR	clear	+\$o		
WN	warm grey neutral	+\$o		

WIN	waiiii grey neutrat	+\$0
Step	5. Key Number	
For k	eyed lock, keyed alike (KA)	
01	key number 01	<b>+</b> \$o
02	key number 02	<b>+\$</b> o
03	key number 03	<b>+\$</b> o
04	key number 04	<b>+\$</b> o
05	key number 05	<b>+\$</b> o
06	key number o6	<b>+\$</b> o
07	key number 07	+\$0
80	key number o8	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0

15	key number 15	+\$o	63	key number 63	<b>+\$</b> 0
16	key number 16	+\$o	64	key number 64	<b>+\$</b> 0
17	key number 17	+\$o	65	key number 65	+\$o
18	key number 18	+\$o	66	key number 66	<b>+</b> \$o
19	key number 19	+\$o	67	key number 67	+\$0
20	key number 20	+\$0	68	key number 68	+\$0
21	key number 21	+\$0	69	key number 69	+\$0
22		+\$0	70		+\$0
	key number 22			key number 70	
23	key number 23	+\$o	71	key number 71	+\$o
24	key number 24	+\$0	72	key number 72	+\$o
25	key number 25	+\$0	73	key number 73	+\$0
26	key number 26	+\$o	74	key number 74	<b>+</b> \$0
27	key number 27	+\$o	75	key number 75	<b>+</b> \$0
28	key number 28	+\$o	77	key number 77	<b>+</b> \$o
29	key number 29	+\$o	78	key number 78	<b>+\$</b> o
30	key number 30	+\$o	79	key number 79	<b>+</b> \$o
31	key number 31	+\$o	80	key number 80	+\$0
32	key number 32	+\$o	81	key number 81	+\$o
33	key number 33	+\$o	82	key number 82	+\$0
35	key number 35	+\$0	83	key number 83	+\$0
36	key number 36	+\$0	84	key number 84	+\$0
37	key number 37	+\$0	85	key number 85	+\$0
38	key number 38	+\$0	86	key number 86	+\$0
39	key number 39	+\$0	87	key number 87	+\$0
					+\$0 +\$0
40	key number 40	+\$o	88	key number 88	
41	key number 41	+\$o	89	key number 89	+\$o
42	key number 42	+\$o	90	key number 90	+\$o
43	key number 43	+\$0	91	key number 91	+\$o
44	key number 44	+\$0	92	key number 92	+\$o
45	key number 45	+\$0	93	key number 93	+\$0
46	key number 46	+\$o	94	key number 94	+\$0
47	key number 47	+\$o	95	key number 95	<b>+</b> \$0
48	key number 48	+\$o	96	key number 96	<b>+\$</b> 0
49	key number 49	+\$o	97	key number 97	<b>+</b> \$o
50	key number 50	+\$o	98	key number 98	<b>+</b> \$o
51	key number 51	+\$o	99	key number 99	+\$o
52	key number 52	+\$o			
53	key number 53	+\$o			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0 +\$0			
59	key number 59	+\$0			
60	key number 60	+\$o			
61	key number 61	+\$o			
62	key number 62	+\$o			



## Description

This storage unit hangs on rails for stationary storage, or it is used with the TR $_3$  cart for mobile storage. The locker has 20 drawer slots in  $_3$ " increments and holds interchangeable components.

## Notes


Order rail components separately:


• Standard rail assembly (CO<sub>2</sub>82)

Order transport/storage components separately:

- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO<sub>5</sub>6<sub>5</sub>)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)
- TR3 cart (CO342)

Order optional locker tambour door (CO219) separately.






Spec	ification Information	
Step :	ı.	
CO56	CO562FF	
Step :	2. Surface Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o

# Locker on Wheel Base, with Tambour Door

CO564



## Product Information

#### Description

This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The tambour door slides vertically for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.


The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock. The keyless lock is shipped with the battery.

#### Notes

Order internal storage components separately:

- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO<sub>5</sub>6<sub>5</sub>)
- Pullout catheter rack (CO469.)


For general information on locks, see Keyed-Alike Information in Appendices.



Spec	ification Information		13	key number 13	+\$0
Step 1			14	key number 14	+\$0
CO564	4		15	key number 15	+\$0
			16	key number 16	+\$0
Step 2	2. Lock		17	key number 17	+\$0
FF	no lock		18	key number 18	+\$0
FL	keyed lock, keyed differently		19	key number 19	+\$0
KA	keyed lock, keyed alike		20	key number 20	+\$0
EL	keyless lock, keyed differently		21	key number 21	+\$0
EK	keyless lock, keyed alike		22	key number 22	+\$0
			23	key number 23	+\$0
Prices	for Steps 1-2.		24	key number 24	+\$0
CO564	4 FF	\$2434	25	key number 25	+\$0
	FL	\$2629	26	key number 26	+\$0
	KA	\$2554	27	key number 27	+\$0
	EL	\$3500	28	key number 28	+\$0
	EK	\$3500	29	key number 29	+\$0
			30	key number 30	+\$0
Step 3	3. Locker Finish		31	key number 31	+\$0
HF	inner tone light	+\$o	32	key number 32	+\$0
LT	light tone	+\$o	33	key number 33	+\$0
LU	soft white	+\$o	35	key number 35	+\$0
WN	warm grey neutral	+\$o	36	key number 36	+\$0
			37	key number 37	+\$0
Step 2	. Door Finish		38	key number 38	+\$0
3B	beachglass	+\$o	39	key number 39	+\$0
DA	deep blue	+\$o	40	key number 40	+\$0
HF	inner tone light	+\$o	41	key number 41	+\$0
LT	light tone	+\$o	42	key number 42	+\$0
LU	soft white	+\$o	43	key number 43	+\$0
TR	clear	+\$o	44	key number 44	+\$0
WN	warm grey neutral	+\$o	45	key number 45	+\$0
			46	key number 46	+\$0
Step 5	;. Key Number		47	key number 47	+\$0
For ke	yed lock, keyed alike (KA) or keyless lock, keyed alike (EK)		48	key number 48	+\$0
01	key number 01	+\$o	49	key number 49	+\$0
02	key number 02	+\$o	50	key number 50	+\$0
03	key number 03	+\$o	51	key number 51	+\$0
04	key number 04	+\$o	52	key number 52	+\$0
05	key number 05	+\$o	53	key number 53	+\$0
06	key number o6	+\$o	54	key number 54	+\$0
07	key number 07	+\$o	55	key number 55	+\$0
80	key number o8	+\$o	56	key number 56	+\$0
09	key number 09	+\$0	57	key number 57	+\$0
10	key number 10	+\$0	58	key number 58	+\$0
11	key number 11	+\$o	59	key number 59	+\$0
11					1 -

# Locker on Wheel Base, with Tambour Door continued

61	key number 61	+\$0
62	key number 62	+\$0
63	key number 63	+\$0
64	key number 64	+\$0
65	key number 65	+\$0
66	key number 66	+\$0
67	key number 67	+\$0
68	key number 68	+\$0
69	key number 69	+\$0
70	key number 70	+\$0
71	key number 71	+\$0
72	key number 72	+\$0
73	key number 73	+\$0
74	key number 74	+\$0
75	key number 75	+\$0
77	key number 77	+\$0
78	key number 78	+\$0
79	key number 79	+\$0
80	key number 80	+\$0
81	key number 81	+\$0
82	key number 82	+\$0
83	key number 83	+\$0
84	key number 84	+\$0
85	key number 85	+\$0
86	key number 86	+\$0
87	key number 87	+\$0
88	key number 88	+\$0
89	key number 89	+\$0
90	key number 90	+\$0
91	key number 91	+\$0
92	key number 92	+\$0
93	key number 93	+\$0
94	key number 94	+\$0
95	key number 95	+\$0
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0



#### Description

This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The door is hinged at the right and swings open for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

Available with no lock, keyed lock, keyless lock, or RFID lock.

#### Notes


Door frame color matches locker color.

Order internal storage components separately:

- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO<sub>5</sub>6<sub>5</sub>)
- Pullout catheter rack (CO469.)

For general information on locks, see Keyed-Alike Information in Appendices.

#### Dimensions



## Specification Information

Step 1.

## CO574

Step	2.	Loc	k

FF no lock

FL keyed lock, keyed differently

KA keyed lock, keyed alike

**KP** keyless lock

RF RFID lock

Prices for Steps 1-2.	
CO574 FF	\$3083
FL	\$3257
KA	\$3257
KP	\$3637
RF	\$4291

Step 3. Locker Finish			
HF	inner tone light	+\$o	
LT	light tone	+\$o	
LU	soft white	+\$o	
WN	warm grey neutral	+\$o	


Step	4. Door Finish	
HF	inner tone light	<b>+</b> \$o
LT	light tone	<b>+</b> \$o
LU	soft white	<b>+</b> \$o
TR	clear	<b>+</b> \$o
WN	warm grev neutral	+\$o

WN	warm grey neutral	+\$0
Step	5. Key Number	
For k	eyed lock, keyed alike (KA)	
01	key number 01	+\$0
02	key number 02	<b>+</b> \$o
03	key number 03	<b>+</b> \$o
04	key number 04	<b>+</b> \$o
05	key number 05	<b>+</b> \$o
06	key number o6	<b>+</b> \$o
07	key number 07	<b>+</b> \$o
80	key number o8	<b>+</b> \$o
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0

+\$0 +\$0 +\$0 +\$0 +\$0 +\$0

**+\$**o **+**\$o **+**\$o +\$o **+\$**o **+\$**o **+\$**o **+\$**0 **+\$**o **+\$**0 **+\$**o **+\$**0

15	key number 15	+\$o	63	key number 63
16	key number 16	+\$o	64	key number 64
17	key number 17	+\$o	65	key number 65
18	key number 18	+\$0	66	key number 66
19	key number 19	+\$0	67	key number 67
20	key number 20	+\$o	68	key number 68
21	key number 21	+\$o	69	key number 69
22	key number 22	+\$0	70	key number 70
23	key number 23	<b>+\$</b> 0	71	key number 71
24	key number 24	+\$o	72	key number 72
25	key number 25	<b>+\$</b> 0	73	key number 73
26	key number 26	+\$o	74	key number 74
27	key number 27	+\$o	75	key number 75
28	key number 28	+\$o	77	key number 77
29	key number 29	+ <b>\$</b> 0	78	key number 78
30	key number 30	+\$0	79	key number 79
31	key number 31	+\$0	80	key number 80
	-	+\$0		
32	key number 32		81	key number 81
33	key number 33	+\$o	82	key number 82
35	key number 35	+\$0	83	key number 83
36	key number 36	+\$0	84	key number 84
37	key number 37	+\$0	85	key number 85
38	key number 38	<b>+\$</b> 0	86	key number 86
39	key number 39	+\$o	87	key number 87
40	key number 40	+\$o	88	key number 88
41	key number 41	+\$o	89	key number 89
42	key number 42	+\$o	90	key number 90
43	key number 43	+\$o	91	key number 91
44	key number 44	+\$o	92	key number 92
45	key number 45	+\$o	93	key number 93
46	key number 46	+ <b>\$</b> 0	94	key number 94
47	key number 47	+\$0	95	key number 95
48		+\$0	96	
	key number 48	+\$0 +\$0		key number 96
49	key number 49		97	key number 97
50	key number 50	+\$0	98	key number 98
51	key number 51	+\$o	99	key number 99
52	key number 52	+\$0		
53	key number 53	<b>+\$</b> 0		
54	key number 54	<b>+\$</b> 0		
55	key number 55	<b>+\$</b> o		
56	key number 56	+\$o		
57	key number 57	+\$o		
58	key number 58	+\$o		
59	key number 59	+\$0		
60	key number 60	+\$0		
61	key number 61	+\$0		
62	key number 62	+\$0		
02	RCy Hullinel 02	-⊅0		



#### Description

This mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.


## Notes

Order internal storage components separately:


- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Pullout catheter rack (CO469.)

Order chest tube rack (CO466) separately.

Order optional locker tambour door (CO219) and locker lock kit (CO277) separately.




Spec	ification Information	
Step:	1.	
CO56	CO563FF	
Step :	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	<b>+\$</b> 0
LU	soft white	<b>+\$</b> o
WN	warm grey neutral	<b>+</b> \$o




Description

This vertical door provides closure on a locker. It opens by sliding into the locker bottom.



Speci	fication Information	
Step 1.		
CO219	FF	\$246
Step 2	. Surface Finish	
3B	beachglass	+\$o
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	<b>+</b> \$o
TR	clear	<b>+</b> \$o
WN	warm grey neutral	<b>+\$</b> 0




Description

This door provides closure on a locker. It is hinged at the right. Attachment hardware included.

Available with no lock, keyed lock, keyless lock or RFID lock.

# Dimensions



# Specification Information

Step 1.


CO290

Step 2.	Lock
FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
KP	keyless lock

	110 11000 10011	
RF	RFID lock	
Prices	s for Steps 1-2.	
CO29	•	\$712
	FL	\$894
	KA	\$894
	KP	\$1276
	RF	\$1997
Step :	3. Door Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
Step	4. Insert Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0
Step	5. Key Number	
For ke	eyed lock, keyed alike (KA)	
01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0

Step	5. Key Number	
For k	eyed lock, keyed alike (KA)	
01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number o6	+\$0
07	key number 07	+\$0
80	key number o8	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0

15	key number 15	+\$o	63	key number 63	<b>+\$</b> 0
16	key number 16	+\$o	64	key number 64	<b>+\$</b> 0
17	key number 17	+\$o	65	key number 65	+\$o
18	key number 18	+\$o	66	key number 66	<b>+</b> \$o
19	key number 19	+\$o	67	key number 67	+\$0
20	key number 20	+\$0	68	key number 68	+\$0
21	key number 21	+\$0	69	key number 69	+\$0
22		+\$0	70		+\$0
	key number 22			key number 70	
23	key number 23	+\$o	71	key number 71	+\$o
24	key number 24	+\$0	72	key number 72	+\$o
25	key number 25	+\$0	73	key number 73	+\$0
26	key number 26	+\$o	74	key number 74	<b>+</b> \$0
27	key number 27	+\$o	75	key number 75	<b>+</b> \$0
28	key number 28	+\$o	77	key number 77	<b>+</b> \$o
29	key number 29	+\$o	78	key number 78	<b>+\$</b> o
30	key number 30	+\$o	79	key number 79	+\$o
31	key number 31	+\$o	80	key number 80	+\$0
32	key number 32	+\$o	81	key number 81	+\$o
33	key number 33	+\$o	82	key number 82	+\$0
35	key number 35	+\$0	83	key number 83	+\$0
36	key number 36	+\$0	84	key number 84	+\$0
37	key number 37	+\$0	85	key number 85	+\$0
38	key number 38	+\$0	86	key number 86	+\$0
39	key number 39	+\$0	87	key number 87	+\$0
					+\$0 +\$0
40	key number 40	+\$o	88	key number 88	
41	key number 41	+\$o	89	key number 89	+\$o
42	key number 42	+\$o	90	key number 90	+\$o
43	key number 43	+\$0	91	key number 91	+\$o
44	key number 44	+\$0	92	key number 92	+\$o
45	key number 45	+\$0	93	key number 93	+\$0
46	key number 46	+\$o	94	key number 94	+\$0
47	key number 47	+\$o	95	key number 95	<b>+</b> \$0
48	key number 48	+\$o	96	key number 96	<b>+\$</b> 0
49	key number 49	+\$o	97	key number 97	<b>+</b> \$o
50	key number 50	+\$o	98	key number 98	<b>+</b> \$o
51	key number 51	+\$o	99	key number 99	+\$o
52	key number 52	+\$o			
53	key number 53	+\$o			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0 +\$0			
59	key number 59	+\$0			
60	key number 60	+\$o			
61	key number 61	+\$o			
62	key number 62	+\$o			



Description


This kit includes a lock and converts a locker with tambour door to a lockable storage unit.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Kit must be field installed.

## Dimensions



# Specification Information

Step 1.

CO277

Step 2.	Lock
FF	keyed differently
KA	keyed alike


Prices for Steps 1-2.	
CO277 FF	\$164
КА	\$164

Step 3	3. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$o
LU	soft white	<b>+</b> \$o
WN	warm grey neutral	<b>+</b> \$o

4. Key Number	
keyed alike (KA)	
key number 01	+\$0
key number 02	<b>+\$</b> o
key number 03	<b>+\$</b> o
key number 04	<b>+\$</b> o
key number 05	<b>+\$</b> o
key number o6	<b>+\$</b> o
key number 07	<b>+\$</b> o
key number o8	<b>+\$</b> o
key number 09	<b>+\$</b> o
key number 10	<b>+\$</b> o
key number 11	<b>+\$</b> o
key number 12	<b>+\$</b> o
key number 13	<b>+\$</b> o
key number 14	+\$0
key number 15	+\$0
key number 16	+\$0
key number 17	+\$0
key number 18	+\$0
key number 19	+\$0
key number 20	+\$0
key number 21	+\$0
key number 22	<b>+\$</b> o
key number 23	<b>+\$</b> o
key number 24	+\$0
key number 25	+\$0
key number 26	+\$0
key number 27	+\$0
	key number o1 key number o2 key number o3 key number o4 key number o5 key number o6 key number o7 key number o8 key number o9 key number 10 key number 12 key number 13 key number 14 key number 15 key number 16 key number 17 key number 18 key number 19 key number 20 key number 21 key number 22 key number 23 key number 24 key number 25 key number 26

**+\$**o **+\$**o **+\$**0 **+\$**o **+\$**0 **+\$**o **+\$**0 **+\$**0 **+**\$0 **+\$**0 **+\$**0 **+\$**o **+\$**o **+\$**0 **+\$**o **+\$**0 **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o

28	key number 28	+\$o	77	key number 77
29	key number 29	+\$o	78	key number 78
30	key number 30	+\$0	79	key number 79
	, -			
31	key number 31	+\$o	80	key number 80
32	key number 32	+\$o	81	key number 81
33	key number 33	+\$o	82	key number 82
35	key number 35	+\$o	83	key number 83
36	key number 36	+\$o	84	key number 84
37	key number 37	<b>+</b> \$0	85	key number 85
38	key number 38	+\$0	86	key number 86
39	key number 39	+\$o	87	key number 87
40	key number 40	+\$o	88	key number 88
41	key number 41	<b>+\$</b> 0	89	key number 89
42	key number 42	+\$o	90	key number 90
43	key number 43	+\$o	91	key number 91
44	key number 44	+\$o	92	key number 92
45	key number 45	+\$o	93	key number 93
46	key number 46	+\$0	94	key number 94
47	key number 47	+\$o	95	key number 95
48	key number 48	+\$o	96	key number 96
49	key number 49	+\$o	97	key number 97
50	key number 50	+\$o	98	key number 98
51	key number 51	+\$o	99	key number 99
52	key number 52	+\$o		
53	key number 53	+\$o		
54	key number 54	<b>+</b> \$0		
55	key number 55	+\$0		
56	key number 56	+\$0		
57	key number 57	+\$o		
58	key number 58	+\$o		
59	key number 59	<b>+</b> \$0		
60	key number 60	+\$o		
61	key number 61	+\$o		
62	key number 62	+\$o		
63	key number 63	+\$o		
64	key number 64	<b>+</b> \$0		
65	key number 65	+\$0		
66	-	+\$0		
	key number 66			
67	key number 67	+\$o		
68	key number 68	+\$o		
69	key number 69	<b>+</b> \$0		
70	key number 70	+\$o		
71	key number 71	+\$o		
72	key number 72	+\$o		
73	key number 73	+\$o		
74	key number 74	+\$0		
75	key number 75	+\$0		
13	Key Humber /5	τψ∪		




## Description

This component provides storage in an endoscopy/catheter cabinet. It has 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage.


#### Notes

Tray/shelf surface with raised edges can be configured with subcontainers; order subcontainers separately.





Specif	ication Information	
Step 1.		
CO204FF		\$83
Step 2.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o



## Description

This frame hangs on a standard rail or adapter rail, or it is supported by an L cart, process table, counter top, or heavy-duty storage work surface. It has 4 slots at 3" intervals to enclose and support storage components and accessories. The C frame cannot mount under a 24"-wide work surface and it is not recommended for overhead storage.


## Notes

Order support components separately:


- Adapter rail (C1610.)
- Counter top (CO555, or CO556)
- L cart (CO212)
- Process table (C4115., C4215., or C4313.)
- Lab work table (C461G., C462G., or C462C.)
- Standard rail (CO282)
- Work table (C4312.)
- Workstation (C4310. or C4311.)


Order storage components separately:


- C tray/shelf (CO203)
- Drawer (CO207, CO208, or CO209)












Description


This surface mounts on a C frame to provide a work surface or storage surface. It includes a gripper package for attaching the top to a C frame. The single or extended counter top fits on 1 C frame. The extended counter top extends 4" past each C frame side.


Notes

Order C frame (CO205) separately.

Dimensions







# Specification Information

Step 1.


со

Step 2. Configuration/Width

555FF single556FF extended

Prices for Steps 1-2.	
CO555FF	\$170
CO556FF	\$201

Step 3.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o





# Description

This lid provides a top for a C frame. It has raised side edges to keep items from sliding off.

## Notes


Use lid when storing L cart below 38"-high process table or cantilevered work surface; existing drawer bearers must be removed.





FRONT

Specification Information		
Step:	1.	
CO201FF		\$158
Step	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	<b>+\$</b> o
LU	soft white	<b>+\$</b> o
WN	warm grey neutral	+\$0



## Description


This component provides storage within a C frame, locker, or interior cabinet adapter. It is designed with 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage.


#### Notes

Order support component separately:

- C frame (CO205)
- Interior cabinet adapter (CG591.)
- Locker or locker on wheel base (CO561, CO562, CO563, or CO564)

  Tray/shelf surface with raised edges can be configured with subcontainers or subdivider vane. Order subdivider vane (CO242) or subcontainers separately.






Spec	ification Information	
Step	1.	
CO203FF		\$106
Step	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o

LU

soft white


+\$o




# Product Information


Description

This component organizes IV bags, forms, tape rolls, and other small items within a drawer or C tray/shelf.










## Description


This wire shelf fits into the slots of a C frame, locker, or interior cabinet adapter and stores items requiring air circulation. It cannot be used with a subdivider vane or subdivider.

# Notes


Order support component separately:


- C frame (CO205)
- Interior cabinet adapter (CG591.)
- Locker or locker on wheel base (CO561, CO562, CO563, or CO564)





FRONT







Description

This hardware package mounts a C frame under a work surface. 1 gripper package is required to mount each C frame to a work surface. Attachment screws are included.

## Notes


C frame cannot mount with grippers under heavy-duty work surface.





**FRONT** 

Spec	cification Information	
Step	1.	
CO26	66FF	\$64
Step	2. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



## Description

This mobile caddy fits below a hanging or freestanding work surface. It has full-width pulls, casters, 2 3"-high drawers, 1 6"-high drawer, and 1 9"-high drawer. The drawers can be removed and reconfigured within the caddy or used in other products that accept 20"-wide plastic drawers.


The 9"-high drawer is available with a lock.

## Notes

For caddy without drawers, order drawers separately.

For general information on locks, see Keyed-Alike Information in Appendices.

## Dimensions



## Specification Information

Step 1.

CO69

## Step 2. Configuration

2.20 no drawers

3.20 drawers

## Step 3. Lock

For no lock (\*), skip this step.

For no drawers (2.20), skip this step.

## For drawers (3.20)

L 9"-high drawer keyed differently

**K** 9"-high drawer keyed alike


Prices for Steps 1-3.	
CO692.20	\$1445
C0693.20	\$1924
C0693.20 L	\$2031
K	\$2031

Step 4.	Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o

Step	5. Drawer Finish	
For di	rawers (3.20)	
1B	khaki	+\$0
2B	juniper	+\$0
3B	beachglass	+\$0
4B	plum	+\$0
5B	java	+\$0
5E	aquamarine	+\$0
6F	midnight	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
VR	vivid red	+\$0
WN	warm grey neutral	+\$0
ΥT	yellow	+\$0
ZP	terra cotta	+\$0

Step 6	6. Key Number		47	key number 47	+\$o
For 9"	'-high drawer keyed alike (K)		48	key number 48	<b>+</b> \$0
01	key number o1	+\$o	49	key number 49	<b>+</b> \$0
02	key number 02	<b>+</b> \$o	50	key number 50	+\$o
03	key number 03	<b>+</b> \$o	51	key number 51	+\$o
04	key number 04	+\$o	52	key number 52	+\$o
05	key number 05	+\$o	53	key number 53	+\$o
06	key number o6	+\$o	54	key number 54	+\$o
07	key number 07	<b>+</b> \$o	55	key number 55	+\$o
80	key number o8	<b>+</b> \$o	56	key number 56	+\$o
09	key number 09	+\$o	57	key number 57	+\$o
10	key number 10	<b>+\$</b> 0	58	key number 58	+\$o
11	key number 11	<b>+\$</b> 0	59	key number 59	+\$o
12	key number 12	<b>+</b> \$0	60	key number 60	+\$o
13	key number 13	+\$0	61	key number 61	<b>+</b> \$0
14	key number 14	<b>+</b> \$0	62	key number 62	+\$o
15	key number 15	<b>+\$</b> 0	63	key number 63	+\$o
16	key number 16	<b>+\$</b> 0	64	key number 64	+\$o
17	key number 17	<b>+\$</b> 0	65	key number 65	+\$o
18	key number 18	<b>+\$</b> 0	66	key number 66	+\$0
19	key number 19	+\$o	67	key number 67	+\$0
20	key number 20	+\$o	68	key number 68	+\$0
21	key number 21	+\$o	69	key number 69	+\$0
22	key number 22	+\$o	70	key number 70	+\$0
23	key number 23	+\$o	71	key number 71	+\$o
24	key number 24	+\$o	72	key number 72	+\$o
25	key number 25	+\$o	73	key number 73	+\$o
26	key number 26	+\$0	74 75	key number 74	+\$0
27 28	key number 27	+\$o	75 77	key number 75	+\$0
29	key number 28 key number 29	+\$0 +\$0	77 78	key number 77 key number 78	+\$0 +\$0
30	key number 30	+\$0 +\$0	78 79	key number 79	+\$0
31	key number 31	+\$0	80	key number 79	+\$0
32	key number 32	+\$0	81	key number 81	+\$0
33	key number 33	+\$0	82	key number 82	+\$0
35	key number 35	+\$0	83	key number 83	+\$0
36	key number 36	+\$0	84	key number 84	+\$0
37	key number 37	+\$0	85	key number 85	+\$0
38	key number 38	+\$0	86	key number 86	<b>+</b> \$0
39	key number 39	+\$0	87	key number 87	<b>+</b> \$0
40	key number 40	<b>+</b> \$0	88	key number 88	+\$o
41	key number 41	+\$o	89	key number 89	+\$o
42	key number 42	+\$o	90	key number 90	<b>+</b> \$0
43	key number 43	<b>+</b> \$o	91	key number 91	<b>+</b> \$o
44	key number 44	<b>+</b> \$o	92	key number 92	<b>+</b> \$o
45	key number 45	<b>+</b> \$o	93	key number 93	<b>+</b> \$o
46	key number 46	<b>+</b> \$0	94	key number 94	<b>+</b> \$o

95	key number 95	+\$0
96	key number 96	<b>+</b> \$o
97	key number 97	<b>+\$</b> o
98	key number 98	<b>+\$</b> o
99	key number 99	<b>+\$</b> 0



## Description

This drawer fits into a locker or C frame and has stops to prevent accidental removal. It can also be mounted under a work surface using drawer bearers, ordered separately. The drawer is available with no lock, keyed lock, keyless lock or RFID lock.

#### Notas


To mount drawer under table or work surface, order drawer bearer package (CO228) or lockable drawer bearer (CO396) separately.

Order optional A-size subcontainer (CO231, CO232, CO233, CO234, CO235, or CO369) or B-size subcontainer (CO236, CO238, or CO240) separately.


Drawer with keyless lock (KP) or RFID (RF) option cannot be used in locker with tambour door.


Keyed lock is located on right side; keyless lock and RFID lock are located on left side.


For general information on locks, see Keyed-Alike Information in Appendices.



TOP








Specif	ication Information		Sten	5. Key Number	
Step 1.				eyed alike (KA)	
CO20			01	key number 01	+\$0
			02	key number 02	+\$0
Step 2.	Size/Height		03	key number 03	+\$0
7	a size		04	key number 04	+\$0
8	b size		05	key number 05	+\$0
9	c size		06	key number o6	+\$0
			07	key number 07	+\$0
Step 3.	Lock		08	key number o8	+\$0
FF	no lock		09	key number 09	+\$0
FL	keyed differently		10	key number 10	+\$0
KA	keyed alike		11	key number 11	+\$0
KP	keyless lock		12	key number 12	+\$0
	,		13	key number 13	+\$0
Prices f	or Steps 1-3.		14	key number 14	+\$0
CO207		\$97	15	key number 15	+\$0
	FL	\$203	16	key number 16	+\$0
	КА	\$203	17	key number 17	+\$0
	КР	\$655	18	key number 18	+\$0
			19	key number 19	+\$0
C0208	FF	\$125	20	key number 20	+\$0
	FL	\$232	21	key number 21	+\$0
	КА	\$232	22	key number 22	+\$0
	КР	\$682	23	key number 23	+\$0
			24	key number 24	+\$0
CO209	FF	\$158	25	key number 25	+\$0
	FL	\$265	26	key number 26	+\$0
	KA	\$265	27	key number 27	+\$o
	KP	\$715	28	key number 28	+\$o
			29	key number 29	+\$0
Step 4.	Surface Finish		30	key number 30	+\$0
1B	khaki	+\$0	31	key number 31	+\$0
2B	juniper	<b>+</b> \$0	32	key number 32	+\$0
3B	beachglass	<b>+</b> \$0	33	key number 33	+\$0
4B	plum	<b>+</b> \$0	35	key number 35	+\$0
5B	java	+\$o	36	key number 36	+\$0
5E	aquamarine	<b>+</b> \$0	37	key number 37	+\$0
6F	midnight	<b>+</b> \$0	38	key number 38	+\$0
DA	deep blue	+\$o	39	key number 39	+\$0
HF	inner tone light	+\$o	40	key number 40	+\$0
LT	light tone	+\$0	41	key number 41	+\$0
LU	soft white	+\$o	42	key number 42	+\$0
VR	vivid red	+\$0	43	key number 43	+\$0
WN	warm grey neutral	+\$0	44	key number 44	+\$0
ΥT	yellow	+\$0	45	key number 45	+\$0
ZP	terra cotta		46		+\$0
ZP	terra cotta	+\$0	46	key number 46	

47	key number 47	+\$o	95	key number 95	+\$o
48	key number 48	+\$o	96	key number 96	+\$o
49	key number 49	+\$o	97	key number 97	+\$o
50	key number 50	+\$o	98	key number 98	+\$o
51	key number 51	+\$o	99	key number 99	+\$o
52	key number 52	+\$o			
53	key number 53	+\$o			
54	key number 54	+\$o			
55	key number 55	+\$o			
56	key number 56	+\$o			
57	key number 57	+\$o			
58	key number 58	+\$o			
59	key number 59	+\$o			
60	key number 60	+\$0			
61	key number 61	+\$o			
62	key number 62	+\$o			
63	key number 63	+\$o			
64	key number 64	+\$o			
65	key number 65	+\$o			
66	key number 66	+\$0			
	•				
67	key number 67	+\$o			
68	key number 68	+\$o			
69	key number 69	+\$o			
70	key number 70	+\$o			
71	key number 71	+\$o			
72	key number 72	+\$0			
73	key number 73	+\$o			
74	key number 74	<b>+\$</b> 0			
75	key number 75	+\$o			
77	key number 77	+\$o			
78	key number 78	+\$o			
79	key number 79	+\$o			
80	key number 80	+\$0			
81	key number 81	+\$o			
82	key number 82	<b>+</b> \$o			
83	key number 83	+\$o			
84	key number 84	+\$o			
85	key number 85	+\$o			
86	key number 86	+\$o			
87	key number 87	+\$0			
88	key number 88	+\$o			
89	key number 89	<b>+</b> \$0			
90	key number 90	+\$o			
91	key number 91	+\$o			
92	key number 92	+\$o			
93	key number 93	+\$0			
94	key number 94	+\$o			



## Description


This drawer has a hinged steel lid that can be locked. The lid can open when the drawer is pulled out to a stop position; the lid cannot be removed.

The drawer is 3", 6", or 9" high.

#### Votes

For B-size drawer with lockable lid, order A-size subcontainer only. For C-size drawer with lockable lid, order A- or B-size subcontainers only. For general information on locks, see Keyed-Alike Information in Appendices.

# Dimensions



# Specification Information

Step 1.

CO37

Step 2.	Size/Height
0	a size
2	b size

4 c size

## Step 3. Lid Lock

FF keyed differentlyKA keyed alike

KA

ΖP

terra cotta

Prices f	or Steps 1-3.	
CO370	FF	\$336
	KA	\$336
C0372	FF	\$365
	КА	\$365 \$365

Drawer Finish	
khaki	+\$o
juniper	+\$o
beachglass	+\$o
plum	+\$o
java	+\$o
aquamarine	+\$o
midnight	+\$o
	khaki juniper beachglass plum java aquamarine

	,	. 40
5E	aquamarine	+\$o
6F	midnight	+\$o
DA	deep blue	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
VR	vivid red	+\$o
WN	warm grey neutral	+\$o
YT	yellow	+\$0

Step	5. Lid Finish	
LU	soft white	+\$0

Step	6. Key Number	
For ke	eyed alike (KA)	
01	key number 01	<b>+\$</b> 0
02	key number 02	<b>+\$</b> 0

\$399


**+**\$0

03	key number 03	+\$o	51	key number 51	+\$o
04	key number 04	+\$o	52	key number 52	+\$0
05	key number 05	+\$o	53	key number 53	+\$0
06	key number o6	+\$o	54	key number 54	+\$0
07	key number 07	+\$0	55	key number 55	+\$0
08	key number 08	+\$0	56	key number 56	+\$0
09	key number 09	+\$0	57	key number 57	+\$0
10	key number 10	+\$0	58	key number 58	+\$0
11	key number 11	+\$0	59	key number 59	+\$0
12	key number 12	+\$0	60	key number 60	+\$0
13	key number 13	+\$0	61	key number 61	+\$0
14	key number 14	+\$0	62	key number 62	+\$0
15	key number 15	+\$0	63	key number 63	+\$o
16	key number 16	+\$0	64	key number 64	+\$0
17	key number 17	+\$0 +\$0	65	key number 65	+\$0 +\$0
18		+\$0 +\$0	66	•	
19	key number 18	+\$0 +\$0		key number 66	+\$o
	key number 19		67	key number 67	+\$0
20	key number 20	+\$o	68	key number 68	+\$o
21	key number 21	+\$o	69 70	key number 69	+\$0
22	key number 22	+\$o	70 71	key number 70	+\$o
23	key number 23	+\$o	71	key number 71	+\$o
24	key number 24	+\$o	72	key number 72	+\$o
25	key number 25	+\$o	73	key number 73	+\$o
26	key number 26	+\$o	74 75	key number 74	+\$o
27	key number 27	+\$o	75 	key number 75	+\$o
28	key number 28	+\$o	77	key number 77	+\$o
29	key number 29	+\$o	78	key number 78	+\$o
30	key number 30	+\$o	79	key number 79	+\$o
31	key number 31	+\$o	80	key number 80	+\$o
32	key number 32	+\$o	81	key number 81	+\$0
33	key number 33	+\$o	82	key number 82	+\$0
35	key number 35	+\$o	83	key number 83	+\$0
36	key number 36	+\$o	84	key number 84	+\$0
37	key number 37	+\$o	85	key number 85	+\$o
38	key number 38	<b>+</b> \$0	86	key number 86	+\$o
39	key number 39	<b>+\$</b> 0	87	key number 87	+\$o
40	key number 40	+\$o	88	key number 88	+\$o
41	key number 41	+\$o	89	key number 89	+\$o
42	key number 42	+\$o	90	key number 90	+\$o
43	key number 43	<b>+</b> \$0	91	key number 91	+\$o
44	key number 44	<b>+</b> \$0	92	key number 92	+\$0
45	key number 45	+\$o	93	key number 93	+\$0
46	key number 46	+\$o	94	key number 94	+\$o
47	key number 47	+\$o	95	key number 95	+\$0
48	key number 48	<b>+</b> \$o	96	key number 96	+\$0
49	key number 49	+\$o	97	key number 97	+\$o
50	key number 50	+\$o	98	key number 98	+\$0

**99** key number 99

# Locked Drawer with Lockable Lid

CO371 CO373 CO375



## Product Information

## Description

This drawer fits into a locker and has stops to prevent accidental removal. It has a lockable, non-removable lid that can open when the drawer is pulled out. The drawer is available with a keyed lock, keyless lock or RFID lock.

#### Notes


Locked drawer with lockable lid cannot be used with a C frame.

Drawer with keyless lock (KP) or RFID lock (RF) option cannot be used in locker with tambour door.


Keyed lock is located on right side; keyless lock and RFID lock are located on left side.


For general information on locks, see Keyed-Alike Information in Appendices.


#### Dimensions



TOP








Speci	fication Information		02	key number 02	
Step 1.			03	key number 03	
CO37			04	key number 04	
			05	key number 05	
Step 2	. Size/Height		06	key number o6	
1	a size		07	key number 07	
3	b size		08	key number o8	
5	c size		09	key number 09	
			10	key number 10	
Step 3	. Drawer/Lid Lock		11	key number 11	
FF	keyed differently		12	key number 12	
(A	keyed alike		13	key number 13	
P	keyless lock		14	key number 14	
			15	key number 15	
rices	for Steps 1-3.		16	key number 16	
0371	FF	\$435	17	key number 17	
	KA	\$435	18	key number 18	
	KP	\$891	19	key number 19	
			20	key number 20	
0373	FF	\$463	21	key number 21	
	KA	\$463	22	key number 22	
	KP	\$919	23	key number 23	
			24	key number 24	
0375	FF	\$497	25	key number 25	
	KA	\$511	26	key number 26	
	KP	\$951	27	key number 27	
			28	key number 28	
tep 4	. Drawer Finish		29	key number 29	
В	khaki	+\$o	30	key number 30	
2B	juniper	+\$o	31	key number 31	
В	beachglass	+\$0	32	key number 32	
В	plum	+\$0	33	key number 33	
БВ	java	+\$0	35	key number 35	
E	aquamarine	+\$0	36	key number 36	
F	midnight	+\$0	37	key number 37	
DΑ	deep blue	+\$0	38	key number 38	
HF	inner tone light	+\$o	39	key number 39	
LT	light tone	+\$0	40	key number 40	
LU	soft white	+\$o	41	key number 41	
VR	vivid red	+\$o	42	key number 42	
WN	warm grey neutral	+\$o	43	key number 43	
ΥT	yellow	+\$o	44	key number 44	
ZΡ	terra cotta	<b>+</b> \$0	45	key number 45	
			46	key number 46	
	. Drawer Key Number		47	key number 47	
or key	ved alike (KA)		48	key number 48	
	key number 01	+\$o	49	key number 49	

50	key number 50	+\$o	98	key number 98	+\$0
51	key number 51	+\$o	99	key number 99	+\$o
52	key number 52	+\$o			
53	key number 53	+\$o	Step	6. Lid Finish	
54	key number 54	+\$o	LU	soft white	+\$o
55	key number 55	+\$o			
56	key number 56	+\$o	Step	7. Lid Key Number	
57	key number 57	+\$o	For ke	eyed alike (KA) or keyless lock (KP)	
58	key number 58	+\$o	01	key number 01	+\$o
59	key number 59	+\$o	02	key number 02	+\$o
60	key number 60	+\$o	03	key number 03	+\$o
61	key number 61	+\$o	04	key number 04	+\$o
62	key number 62	<b>+\$</b> 0	05	key number 05	<b>+\$</b> 0
63	key number 63	<b>+\$</b> 0	06	key number o6	<b>+\$</b> 0
64	key number 64	<b>+\$</b> o	07	key number 07	<b>+</b> \$0
65	key number 65	+\$o	80	key number o8	<b>+</b> \$0
66	key number 66	+\$o	09	key number 09	<b>+</b> \$0
67	key number 67	+\$o	10	key number 10	<b>+</b> \$0
68	key number 68	+\$o	11	key number 11	<b>+</b> \$0
69	key number 69	+\$o	12	key number 12	<b>+</b> \$0
70	key number 70	+\$o	13	key number 13	<b>+</b> \$0
71	key number 71	+\$o	14	key number 14	<b>+</b> \$0
72	key number 72	+\$o	15	key number 15	<b>+</b> \$o
73	key number 73	+\$o	16	key number 16	<b>+</b> \$0
74	key number 74	+\$o	17	key number 17	<b>+</b> \$0
75	key number 75	+\$o	18	key number 18	<b>+</b> \$o
77	key number 77	+\$o	19	key number 19	<b>+</b> \$o
78	key number 78	+\$o	20	key number 20	<b>+</b> \$o
79	key number 79	+\$o	21	key number 21	<b>+</b> \$o
80	key number 80	+\$o	22	key number 22	<b>+</b> \$o
81	key number 81	+\$o	23	key number 23	<b>+</b> \$o
82	key number 82	+\$0	24	key number 24	+\$0
83	key number 83	+\$0	25	key number 25	+\$0
84	key number 84	+\$0	26	key number 26	+\$0
85	key number 85	+\$0	27	key number 27	+\$0
86	key number 86	+\$0	28	key number 28	+\$0
87	key number 87	+\$0	29	key number 29	+\$0
88	key number 88	+\$0	30	key number 30	+\$o
89	key number 89	+\$o	31	key number 31	+\$0
90	key number 90	+\$o	32	key number 32	+\$0
91	key number 91	+\$o	33	key number 33	+\$0
92	key number 92	+\$o	35	key number 35	+\$0
93	key number 93	+\$o	36	key number 36	+\$0
94	key number 94	+\$o	37	key number 37	+\$0
95	key number 95	+\$o	38	key number 38	+\$0
96	key number 96	+\$o	39	key number 39	+\$0
97	key number 97	<b>+\$</b> 0	40	key number 40	+\$0

41	key number 41	+\$o	89	key number 89	+\$0
42	key number 42	+\$o	90	key number 90	<b>+\$</b> o
43	key number 43	<b>+\$</b> o	91	key number 91	<b>+</b> \$o
44	key number 44	<b>+\$</b> o	92	key number 92	<b>+</b> \$o
45	key number 45	<b>+\$</b> o	93	key number 93	<b>+</b> \$o
46	key number 46	<b>+</b> \$o	94	key number 94	<b>+</b> \$o
47	key number 47	+\$o	95	key number 95	+\$0
48	key number 48	+\$o	96	key number 96	+\$0
49	key number 49	<b>+</b> \$o	97	key number 97	+\$o
50	key number 50	<b>+</b> \$0	98	key number 98	+\$0
51	key number 51	+\$o	99	key number 99	+\$0
52	key number 52	+\$o			
53	key number 53	<b>+\$</b> 0			
54	key number 54	<b>+\$</b> 0			
55	key number 55	<b>+\$</b> 0			
56	key number 56	<b>+\$</b> o			
57	key number 57	<b>+\$</b> o			
58	key number 58	<b>+\$</b> o			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$o			
64	key number 64	+\$o			
65	key number 65	+\$o			
66	key number 66	+\$o			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0 +\$0			
72 73	key number 72	+\$0 +\$0			
73 74	key number 73	+\$0			
7 <del>4</del> 75	key number 74 key number 75	+\$0			
75 77	key number 77	+\$0			
78	key number 78	+\$0			
79	key number 79	+\$0			
80	key number 80	+\$0			
81	key number 81	+\$0			
82	key number 82	+\$0			
83	key number 83	+\$0			
84	key number 84	+\$0			
85	key number 85	+\$0			
86	key number 86	+\$0			
87	key number 87	+\$0			
88	key number 88	+\$0			
	-,	. 40			




Description


This clear lid fits on a Co/Struc drawer and provides top closure.

Notes

Order drawer (CO207, CO208, or CO209) separately.

Dimensions






#### Specification Information

Step 1.


CO508.20


\$145





#### Description

This package is used to mount a nonlocking drawer under a work surface. The drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included.











Description


This component is used to mount a drawer with lock under a work surface. The lockable drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included.





Specification Information	
Step 1.	
C0396FF	\$78


Step 2	2. Surface Finish	
ВК	black	+\$0



Description

This clip snaps onto a drawer, tray/shelf, or flipper to hold content labels. The clip accepts pressure-sensitive labels from the front or slide-in labels from the back. Finish is clear. Package contains 12 clips; labels not included.

Dimensions




# Step 1. CO Step 2. Width 27427 6" wide 462 19" wide

LU

soft white

**+\$**0





#### Product Information

#### Description

This assembly fits inside a locker or C frame or fits below a work surface with a drawer bearer. It has a wire cassette, cassette bins, and subdividers. The assembly fills 2 slots in a locker or C frame.

#### Dimensions






**BIN FRONT** 

Specification Information	
Step 1.	
CO565FF	\$503
Step 2. Surface Finish	

#### **Dispensing Rail**

CO365 CO366 CO367 CO368



#### Product Information

#### Description

This rail attaches to a panel, a freestanding module, or wall strips to support subcontainers at a 15° angle for gravity-feed dispensing. Package contains 2.

The A-size rail holds A-size subcontainers; the B-size rail holds B-size subcontainers.

#### Notes

Dispensing rails hold the following number of subcontainers:

A-Size Rail Width - Number of Subcontainers

24"-5 A-1, A-2, A-3 or A-4

24"-2 A-5

24"-10 A-8

48"-10 A-1, A-2, A-3, or A-4

48"-5 A-5

48"-20 A-8

B-Size Rail Width—Number of Subcontainers


24"-5 B-1 or B-3

24"-2 B-5

48"-10 B-1 or B-3

48"-5 B-5

Order optional A-size subcontainer (CO231, CO232, CO233, CO234, CO235, or CO369) or B-size subcontainer (CO236, CO238, or CO240) separately.



Speci	Specification Information			
Step 1				
CO36				
_				
Step 2	2. Size/Width			
5FF	a size and 24" wide			
6FF	a size and 48" wide			
7FF	b size and 24" wide			
8FF	b size and 48" wide			
Prices	for Steps 1-2.			
CO365	5FF	\$367		
CO366	6FF	\$469		
CO367FF		\$396		
CO368FF		\$474		
Step 3	3. Surface Finish			
LU	soft white	+\$0		

Subcontainer C0231 C0232 C0233 C0234 C0235 C0236 C0238 C0240

#### Product Information

#### Description

This storage container fits into a drawer or onto a dispensing rail to organize and store small items. Package contains 12.

The A-size subcontainer is used with an A-size drawer (without lid) or A-size dispensing rail. It is  $2^3/_{16}$ " high; depth and width dimensions are:

$$A-2-9^3/_{16}"-4^9/_{16}"$$

$$A-3-13^{13}/_{16}"-4^{9}/_{16}"$$

$$A-4-18^{7}/_{16}"-4^{9}/_{16}"$$

$$A-5-9^3/_{16}"-9^3/_{16}"$$

$$A-8-13^{13}/_{16}"-2^{1}/_{4}"$$

The B-size subcontainer is used with a B-size drawer (without lid), B-size dispensing rail, or C-size drawer. It is  $5^3/_{16}$ " high; depth and width dimensions are:

Type-Depth-Width

$$B-1-4^9/_{16}"-4^9/_{16}"$$

$$B-5-9^3/_{16}"-9^3/_{16}"$$


#### Notes


Order following products separately:

- Drawer (CO207, CO208, or CO209)
- Dispensing rail (CO365, CO366, CO367, or CO368)

#### Dimensions

CO369






#### Specification Information Step 1. CO Step 2. Size **231FF** a-1 **232FF** a-2 **233FF** a-3 234FF a-4 **235FF** a-5 **369FF** a-8 **236FF** b-1 **238FF** b-3 **240FF** b-5 Prices for Steps 1-2. CO231FF \$78 CO232FF \$78 CO233FF \$85 CO234FF \$85 CO235FF \$85 CO369FF \$80 CO236FF \$85 CO238FF \$117 CO240FF \$117 Step 3. Surface Finish

+\$o

LU

soft white



Description

This kit fits inside an A-size drawer (without lid) and has 6 combinations of subcontainers and subcontainer dividers.

A-size subcontainer is  $2^{3}/_{16}$ " high. Width and depth dimensions are:

Type-Width-Depth

A-1-49/16"-49/16"

 $A-2-4^9/_{16}"-9^3/_{16}"$ 

Co/Struc® Storage


 $A-3-4^9/_{16}"-13^{13}/_{16}"$ 

 $A-4-4^9/_{16}"-18^7/_{16}"$ 

 $A-5-9^3/_{16}"-9^3/_{16}"$ 

 $A-8-2^{1}/_{4}"-13^{13}/_{16}"$ 

#### Dimensions



#### Specification Information

Step 1.

CO54

#### Step 2. Components

**0FF** 4 a-3 subcontainers, 6 a-3 dividers

**1FF** 1 a-3 subcontainer, 6 a-8 subcontainers, 2 a-3 dividers, 7 a-8

dividers

**2FF** 2 a-1 subcontainers, 2 a-2 subcontainers, 1 a-3 subcontainer, 2

a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers

**3FF** 3 a-3 subcontainers, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8

dividers

4FF 4 a-2 subcontainers, 1 a-4 subcontainer, 8 a-3 dividers

5FF 2 a-1 subcontainers, 2 a-3 subcontainers, 1 a-5 subcontainer, 4

a-3 dividers


Prices for Steps 1-2.	
CO540FF	\$71
CO541FF	\$75
CO542FF	\$75
CO543FF	\$71
CO544FF	\$71
CO545FF	\$71

## Step 3. Surface Finish LU soft white +\$0



\$87

\$87



#### Product Information

Description

This kit fits inside a B-size drawer (without lid) or C-size drawer and has 2 combinations of subcontainers and subcontainer dividers.

The B-size subcontainer is  $5^3/_{16}$ " high. Width and depth dimensions are: Type—Width—Depth


D 0/ 11 0/ 11


B-1- $4^9/_{16}$ "- $4^9/_{16}$ "

 $B-3-4^{9/_{16}"}-13^{13/_{16}"}$ 

 $B-5-9^3/_{16}"-9^3/_{16}"$ 

#### Dimensions





#### Specification Information

Step 1.

CO54

CO547FF

Step 2. Components

**6FF** 4 b-3 subcontainers, 4 b-3 dividers

**7FF** 2 b-1 subcontainers, 2 b-3 subcontainers, 1 b-5 subcontainer, 2


b-3 dividers

Prices for Steps 1-2.

CO546FF

Step 3. Surface Finish

LU soft white +\$0




#### Description

This divider fits into subcontainers to separate and organize stored items. A divider can be adjusted by sliding it to the desired position. The divider is not available for A-5 and B-5 subcontainers. Package contains 12.

The divider for an A-8 subcontainer is 15/8" high and  $2^1/8$ " wide; the divider for an A-1, A-2, A-3, or A-4 subcontainer is 15/8" high and  $4^1/4$ " wide; and the divider for a B-1 or B-3 subcontainer is 4" high and  $4^1/4$ " wide.

#### Dimensions



#### Specification Information

Step 1.

CO3

#### Step 2. Usage


**78FF** for a-8 subcontainer

**79FF** for a-1, a-2, a-3, or a-4 subcontainers

80FF for b-1 or b-3 subcontainers

# Prices for Steps 1-2. CO378FF \$72 CO379FF \$72 CO380FF \$74

### Step 3. Surface Finish LU soft white +\$0



#### Description

This snap-on handle has a surface for identification labels in a picking station. It also can convert a small or large subcontainer into a drawer when used on the flat surface of a C tray. The handle cannot be used with a subcontainer in an A-size drawer. Package contains 12.


#### Notes

Handle accepts following label:

- $\bullet$  2 $^{1}/_{8}$ "-wide handle:  $^{3}/_{4}$ "  $\times$  1" gummed label
- $4^{1/2}$ "-wide handle: 3/4" × 3" drop-in label

For  $4^{1}/2^{"}$ -wide handle, order label (CO459) separately.

#### Dimensions




#### Specification Information

Step 1.

#### CO37

Step 2	2. Width	
6FF	21/8" wide	
7FF	4¹/₂" wide	
Prices	s for Steps 1-2.	
CO37	6FF	\$37
CO37	7FF	\$46

Step 3.	Surface Finish	
LU	soft white	<b>+\$</b> o




Description

This label slides into a  $4^1/2^n$ -wide subcontainer handle. Package contains 100 cards with 10 perforated labels per card (1000 labels total).

Specification Information	
itep 1.	
0459	\$3

**+\$**o




#### Product Information

Description

This flag snaps onto subcontainers that are hung from a dispensing rail. It provides a visible surface for identification labels. Package contains

The flag for an A-8 subcontainer is  $1^1\!/_4$ " wide; the flag for an A-3 or B-3 subcontainer is  $3^1\!/_2$ " wide.

#### Dimensions




# Specification Information Step 1. CO38 Step 2. Usage 1FF for a-8 subcontainer 2FF for a-3 or b-3 subcontainer Prices for Steps 1-2. CO381FF \$106 CO382FF \$118

Step 3. Surface Finish

soft white


LU




#### Description

This 20"-wide, powder-coated wire rack fits into the slots of a locker to organize catheters. It is available with 3 or 4 independent, pullout slides. Each pullout slide has 4 prongs, 4 side label clips, and 1 front label holder. Each prong holds up to 10 catheters. Finish is soft white.

#### Dimensions





#### Specification Information

Step 1.

CO469.20


Step 2. Slides

**03** 3 slides

04 4 slides

Prices for Steps 1-2.


**CO469.20 03** \$776 **04** \$865



#### Description

This height-adjustable laptop cart delivers point-of-care technology and holds a 17" laptop. The surface provides security by locking a laptop into place during use. The cart holds a maximum of 30 pounds and has 4"-high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray. Shipped fully assembled. The surface is Cloud Surf laminate; the base finish is polished aluminum.

#### **Dimensions**



#### Specification Information

Step 1.

#### CO600.

Step	2.	Power	Option

N no power stripP power strip

#### Step 3. Bar Code Scanner Holder

N no bar code scanner holderB bar code scanner holder

#### Step 4. Utility Basket


N no utility basketU utility basket

#### Step 5. Drawer

N no drawer

D drawer

Prices for Steps 1-5.				
	NN	ND	UN	UD
CO600. N N	\$2824	3228	3038	3442
В	\$2932	3335	3147	3548
P N	\$3182	3584	3397	3799
В	\$3290	3692	3504	3906




#### Description

This height-adjustable cart delivers point-of-care technology. It holds a flat panel monitor arm and includes a 10"-wide column-mounted CPU holder with straps. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards). The cart holds a maximum of 30 pounds and has 4"-high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray and 2 plates: 75mm and 100mm. Shipped fully assembled.

The surface is Cloud Surf laminate; the base finish is polished aluminum; and the CPU holder is black.

#### Dimensions



#### Specification Information

Step 1.

CO601.

#### Step 2. Power Option

no power strip

power strip

#### Step 3. Bar Code Scanner Holder

N no bar code scanner holderB bar code scanner holder

#### Step 4. Utility Basket


N no utility basketU utility basket

#### Step 5. Drawer

N no drawerD drawer

Drings for Change . =

Prices for Steps 1-5.				
	NN	ND	UN	UD
CO601. N N	\$2824	3228	3038	3442
В	\$2932	3335	3147	3548
P N	\$3182	3584	3397	3799
В	\$3290	3692	3504	3906




Description

This hospital-grade power cord has a 1.5' coiled cord that extends to 7.5'. Finish is black.

Specification Information	
Step 1.	
CO602.	\$185






Description

This perforated basket attaches to the column of a laptop or flat-panel cart and holds a utility basket. It can be used to hold charts, paper products, and other supplies. Finish is black.

Dimensions





Step 1.


CO605.


\$238












#### Description

This holder attaches to the surface of a laptop or flat-panel cart. It manages cables and wires and includes reusable cable ties. Finish is black.

#### Notes

Laptop-cart cable manager has 1 solid holder. Flat-panel-cart cable manager has 2 pieces that attach to each side of the flat-screen arm holder and go down through the work surface.

#### Dimensions



#### Specification Information

Step 1.

CO608.


Step 2. Usage

for laptop cartfor flat panel cart

Prices for Steps 1-2.


**CO608. 01** \$172


**02** \$173



#### Description


This cart is used to maneuver and transport lockers. It has a foot-activated lever that lifts a locker from a rail to a cart or from a cart to a rail. The cart also has a towing handle and a train connector for linking multiple carts. A maximum of 3 carts can be linked when pulled manually; a maximum of 7 carts can be linked when pulled with a tug. Shipped knocked down.





	fication Information	
Step 1.		
CO342	FF	\$2231
Step 2.	. Surface Finish	
HF	inner tone light	+\$o

L Cart CO212



#### Product Information


#### Description

This mobile cart has a platform, 4 rail profiles for hanging frames, and 4 casters (2 swivel and 2 swivel with brake) that are  $4^3/4^{\prime\prime}$  hard-rubber zinc.


#### Notes

To hang drawer or shelf storage components, order C frame (CO2o5) separately.

#### Dimensions



**FRONT** 



SIDE

Specification Information

Step 1.

CO212

Step 2. Application

FF standard

Prices for Steps 1-2.

**CO212 FF** \$789

Step	3. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o

6 10. 60 .	
Co/Struc® System	(-)
2-Way 90° Corner Connector	page(s) 31
2-Way Module Corner Connector	46
3-Way 90° Corner Connector	32
3-Way Module Corner Connector	47
Access Panel Assembly	54
Adapter Rail	7
ADA Sink Support, Systems Mounted	110
Add-On Shelf, Shelf Unit	128
Add-On Shelf with Lip	140
Adjustable Work Table Base	97
Anchor Support Kit	49
A-Size Drawer Organizer Kit	188
Backsplash Filler	79
Basic Work Table Base	92
B-Size Drawer Organizer Kit	189
B-Style Rail-Hanging Shelf	136
B-Style Shelf	137
B-Style Shelf with Sloped Top	139
Cable Manager	199
Cassette Assembly	183
Ceiling Entry Support Panel	26
Center Closure Panel	61
C Frame	159
C Frame Support	76
Clear Lid	179
C Lid	161
Coiled Power Cord	197
Combination Access Panel Assembly	56
Component Adapter Kit	77
Counter Top	160
CS Tray/Shelf	158
C Tray/Shelf	162
C Wire Shelf	164
Dispensing Rail	184
Drawer	169
Drawer Bearer Package	180
Drawer Caddy with Casters	166
Drawer with Lockable Lid	172
Draw Rod, Seismic	12
End Cap for Standard or Seismic Rail	10
End Closure Assembly	60
Equipment Rail, Systems Mounted	9
Equipment Rail, Wall Mounted	8
Flat Panel Cart	196
Flat Panel Mount	107
Floor Anchor Adapter Kit	17
	· · · · · · · · · · · · · · · · · · ·

Floor Anchor Bracket, Action Office® Series 1	14
Floor Anchor Bracket, Action Office® Series 2	15
Floor Anchor Bracket, Co/Struc® Lab Module	13
Floor Entry Support Panel	24
Gripper Package	165
Heavy-Duty Corner Work Surface	80
Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2	90° Corner
Connector	82
Heavy-Duty Work Surface	70
Interface Connector	33
Interior Filler	114
Interior Shelf	51
Interior Shelf and Support Kit	53
Label Clip	182
Laptop Cart	195
L Cart	201
Light Bracket	131
Lockable Drawer Bearer	181, 115
Locked Drawer with Lockable Lid	175
Locker	146
Locker Hinged Door	154
Locker Lock Kit	156
Locker on Wheel Base	152
Locker on Wheel Base, with Hinged Door	150
Locker on Wheel Base, with Tambour Door	147
Locker Tambour Door	153
Locker, with Hinged Door	144
Locker, with Tambour Door	142
Low Cup Sink Access Panel Assembly	58
Low Module	38
Low Module Terminal Panel	41
Marker Board	106
Mid-Run Support, Double Sided	36
Mid-Run Support, Single Sided	35
Module Support Leg	48
Module Wall Start	45
Open Support Panel	20
Panel Connector	34
Panel Stiffener, Action Office® Series 1 or Series 2 Top Cap	18
Panel Wall Start	30
Pass-Through Cover	75
Pass-Through Module	39
Pass-Through Module Terminal Panel	 42
Power Strip	105
Process Table, Electric Height Adjustment	90
Pullout Catheter Rack	194
Rail-Hanging Work Surface	74
and an unique and an arrangement of the control of	/4

Rail Hardware	6
Reagent Shelf	91
Riser Frame Divider	103
Riser Frame End Cover	104
Seismic Finished End	16
Shelf End Cap	52
Shelf Label Clip	141, 129
Shelf Unit	124
Shelf Unit, 90° Corner	127
Shelf Unit Back Panel	130
Shelf Unit, Diagonal Corner	126
Shelf Unit Door	132
Shelf Unit Double Doors	133
Shelf Unit Wall Attachment Panel	135
Sink Module	108
Sink Unit for Storage	109
Sloped Shelf Unit Top	134
Standard-Duty Work Surface	68
Standard Rail	5
Standard Work Table Base	94
Storage Case	116
Storage Case Bottle Drawer	120
Storage Case Door	121
Storage Case Drawer	119
Storage Case Leg	122
Storage Case Pullout Shelf	118
Storage Case Shelf	117
Storage Unit	111
Storage Unit Door	113
Storage Unit Shelf	112
Storage Unit with Sliding Doors	123
Subcontainer	186
Subcontainer Divider	190
Subcontainer Handle	191
Subcontainer Handle Label	192
Subcontainer Label Flag	193
Subdivider Vane	163
Support Panel	22
Support Panel Top Cap	37
Terminal Panel	28
Top Shelf	50
TR <sub>3</sub> Cart	200
Utility Basket	198
Vertical Chase Cover	44
Wall Rail, Seismic	11
Wall Strip Cover	19
Wire Chase Overlay	67
•	

Wire Chase Rail	62
Wire Chase Rail, 90° Inside Corner	63
Wire Chase Rail Bridge	64
Wire Chase Rail Cover	66
Wire Chase Rail End Cap	65
Workstation, Electric Height Adjustment	84
Workstation, Manual Height Adjustment	86
Work Surface Backsplash	78
Work Surface Support	72
Work Table, Electric Height Adjustment	88
Work Table Reagent Shelf	102
Work Table Surface, Rectangular	99

A1250. Seismic Finished End	page(s) 16
C460G. Basic Work Table Base	92
C461G. Standard Work Table Base	94
C462C. Adjustable Work Table Base	97
C462G.	
C1112. Low Module	38
C1114. Pass-Through Module	39
C1122. Low Module Terminal Panel	41
C1122. Pass-Through Module Terminal Panel	42
C1124.	
C1150. Open Support Panel	20
C1151. Support Panel	22
C1155. Floor Entry Support Panel	24
C1156. Ceiling Entry Support Panel	26
C1161. Terminal Panel	28
C1170. Equipment Rail, Wall Mounted	8
C1172. Equipment Rail, Systems Mounted	9
C1211. Panel Wall Start	30
C1212. Module Wall Start	45
C1220. 2-Way Module Corner Connector	46
C1221. 2-Way 90° Corner Connector	31
C1230. 3-Way Module Corner Connector	47
C1231. 3-Way 90° Corner Connector	32
C1261. Interface Connector	33
C1272. Mid-Run Support, Single Sided	35
C1273. Mid-Run Support, Double Sided	36
C1274. Support Panel Top Cap	37
C1275. Module Support Leg	48
C1276. Anchor Support Kit	49
C1281. Panel Connector	34
C1313. Wire Chase Rail C1314.	62
C1315. Wire Chase Rail Cover	66
C1316.	00
C1317.	
C1318.	
C1321. Wire Chase Rail, 90° Inside Corner	63
C1322.	ره
C1326. Wire Chase Rail Bridge	64
C1327.	04
C1331. Wire Chase Rail End Cap	65
C1332.	95
C1358. Wire Chase Overlay	67
C1412. Access Panel Assembly	
C1422. Combination Access Panel Assembly	54 56
C1432. Low Cup Sink Access Panel Assembly	58
C1451. End Closure Assembly	60
, <b>,</b>	

C1455.	Center Closure Panel	61
C1460.	Vertical Chase Cover	44
C1510.	Shelf End Cap	52
C1510.	Top Shelf	50
C1511.	Interior Shelf	51
C1511.	Shelf End Cap	52
C1515.	Interior Shelf and Support Kit	53
C1610.	Adapter Rail	7
C2140.	Work Surface Support	72
C2141.	Heavy-Duty Work Surface	70
C2142.	Standard-Duty Work Surface	68
C2192.	C Frame Support	76
C2193.	Component Adapter Kit	77
C2215.	Heavy-Duty Corner Work Surface	80
C2216.	Heavy-Duty Corner Work Surface, Action Office® Se	ries 1 or 2
	90° Corner Connector	82
C2399.	Pass-Through Cover	75
C2410.	Rail-Hanging Work Surface	74
C2512.	Sink Module	108
C2513.	Sink Unit for Storage	109
C2520.	ADA Sink Support, Systems Mounted	110
C2910.	Work Surface Backsplash	78
C2920.	Backsplash Filler	79
C3011.	B-Style Shelf	137
C3019.	Add-On Shelf with Lip	140
C3091.	B-Style Shelf with Sloped Top	139
C4310.	Workstation, Electric Height Adjustment	84
C4311.	Workstation, Manual Height Adjustment	86
C4312.	Work Table, Electric Height Adjustment	88
C4313.	Process Table, Electric Height Adjustment	90
C4320.	Riser Frame Divider	103
C4321.	Riser Frame End Cover	104
C4322.	Power Strip	105
C4323.	Marker Board	106
C4324.	Flat Panel Mount	107
C4326.	Reagent Shelf	
C4327.		
C4700.	Work Table Surface, Rectangular	99
• • • • • • • • • • • • • • • • • • • •	Work Table Reagent Shelf	102
C5009.	Interior Filler	114
• • • • • • • • • • • • • • • • • • • •	Storage Unit	111
C5014.	Storage Unit with Sliding Doors	123
• • • • • • • • • • • • • • • • • • • •	Storage Unit Shelf	112
• • • • • • • • • • • • • • • • • • • •	Storage Unit Door	113
C5017.		
C5020.	Shelf Unit	124
C5020.		124
~~~~		

	Shelf Unit, Diagonal Corner		CO338	End Cap for Standard or Seismic Rail	
	Shelf Unit, 90° Corner		CO342	TR <sub>3</sub> Cart	200
C5025.	Add-On Shelf, Shelf Unit	128	CO365	Dispensing Rail	184
C5026.	Shelf Unit Back Panel		CO366		
C5027.	Shelf Unit Door	132	CO367		
C5028.			CO368		
	Shelf Unit Double Doors	133	C0369	Subcontainer	186
C5036.	Shelf Unit Wall Attachment Panel	135	CO370	Drawer with Lockable Lid	470
C5040.	Storage Case	116	CO371	Locked Drawer with Lockable Lid	175
C5041.	Storage Case Shelf			Drawer with Lockable Lid	
C5042.	Storage Case Pullout Shelf	118	CO373	Locked Drawer with Lockable Lid	175
C5043.	Storage Case Drawer	119	CO374	Drawer with Lockable Lid	172
C5044.			CO375	Locked Drawer with Lockable Lid	175
C5045.	Storage Case Bottle Drawer	120	CO376	Subcontainer Handle	191
C5048.	Lockable Drawer Bearer	115	CO377		
C5050.	Storage Case Leg	122	CO378	Subcontainer Divider	190
C5051.	Light Bracket	121	CO379		
C5052.	Storage Case Door	121	CO380		
C5053.	_		CO381	Subcontainer Label Flag	193
CO201		./.	CO382	· ·	
CO203	C Tray/Shalf	162	CO396	Lockable Drawer Bearer	181
CO204	CS Tray/Shelf	158	CO397.	Sloped Shelf Unit Top	134
CO205			CO398	Shelf Label Clip 14:	1, 129
***************************************	Drawer	169	CO459	Subcontainer Handle Label	í 192
CO208		,	CO462	Labol Clin	400
CO209			*************	D. II C th D I.	
CO212	L Cart	201	***************************************	Wall Rail, Seismic	
CO215.	Draw Rod, Seismic	40	CO481	Floor Anchor Bracket, Action Office® Series 1	
CO219	Locker Tambour Door	153	**************	Floor Anchor Bracket, Action Office® Series 2	
C0228	Drawer Bearer Package	180	***************************************		19
CO231	Subcontainer	186	CO508.	Wall Strip Cover Clear Lid	179
CO232			CO521.	B-Style Rail-Hanging Shelf	136
CO233			CO540	A-Size Drawer Organizer Kit	188
CO234			CO541	C	
CO235			CO542		
CO236			C0543		
CO238			CO544		
CO240			CO545		
• • • • • • • • • • • • • • • • • • • •	Subdivider Vane	163	***************************************	B-Size Drawer Organizer Kit	189
• • • • • • • • • • • • • • • • • • • •	C Wire Shelf	164	CO547		
• • • • • • • • • • • • • • • • • • • •	Gripper Package	165	***************************************	Floor Anchor Adapter Kit	17
• • • • • • • • • • • • • • • • • • • •	Label Clip	182	*************	Panel Stiffener, Action Office® Series 1 or Series 2 Top Cap	
• • • • • • • • • • • • • • • • • • • •	Locker Lock Kit	156	•••••	Counter Top	160
• • • • • • • • • • • • • • • • • • • •	Standard Rail		CO556	•	
	Rail Hardware	<u>5</u>		Locker, with Tambour Door	142
CO285		Ŭ	•••••	Locker	146
• • • • • • • • • • • • • • • • • • • •	Locker Hinged Door	154	• • • • • • • • • • • • • • • • • • • •	Locker on Wheel Base	152
20270	Location in Sea Boot	±2 <del>4</del>	20,00	Education of threet base	2ر-

CO564	Locker on Wheel Base, with Tambour Door	147
CO565	Cassette Assembly	183
C0568	Floor Anchor Bracket, Co/Struc® Lab Module	13
CO570	Locker, with Hinged Door	144
CO574	Locker on Wheel Base, with Hinged Door	150
CO600.	Laptop Cart	195
CO601.	Flat Panel Cart	196
CO602.	Coiled Power Cord	197
CO605.	Utility Basket	198
CO608.	Cable Manager	199
CO692.	Drawer Caddy with Casters	166
CO693.		



# 20-Day or Less/Assigned Lead-Time Order Information — Healthcare

#### 20-Day or Less/Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  $\boxed{\mathbb{A}}$  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  $\boxed{\mathbb{A}}$  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

#### **Ordering Procedure**

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number: (616) 654 3085.

For more information, contact your Customer Care representative at:  $(866)\ 854\ 3048\ \text{EXT}\ 3400$ 

#### **Shipments and Delivery**

Per Herman Miller Terms and Conditions.

#### **Changes and Cancellation**

Per Herman Miller Terms and Conditions.

HermanMiller Healthcare April 2014



#### Packaging/Keyed-Alike Information — Co/Struc® System

#### Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

#### Keyed-Alike Locks

All components with locks may be specified keyed alike.

Keyed-alike Co/Struc® components with a "CO" or "CV" prefix will be shipped with lock plugs installed. Mobile Technology Support products (CO600, CO601, and CO606) cannot be ordered keyed alike.

Keyed-alike Co/Struc components with a "C" prefix will be shipped with lock chassis installed. Lock plugs will be shipped separately, tagged for product and location as specified. Installation of lock plugs will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock plug installation.

To order keyed-alike locks for "C" prefix components, specify keyed alike. Then place a separate order for plugs and locks:

- List plug part number and key number (232092-XXX); select a key number (or numbers) between 226 and 324.
- 2. List quantity of locks per key number.
- Indicate this is a no charge order.Keyed-alike locks are field installed.

A Medeco master key can be used to open any lock on Co/Struc components with a "CO" or "CV" prefix, except for Mobile Technology Support products CO600, CO601, and CO606. Customers interested in ordering master keys should contact Customer Care with a written request. To remove lock plugs from existing components, loosen the hex nut inside the product and remove the plug. These locks are available in key numbers 01 through 99. To remove lock plugs from locker with electronic lock, remove the cover from the e-lock mounting plate (be careful not to separate battery wires from unit). Next, loosen the hex nut inside the cover and remove the plug.

A Hudson master key can be used to open any lock on Co/Struc components with a "C" prefix. To remove lock plugs from existing components, a removal key or lock change tool is required. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care with a written request. Locks for "C" prefix components are available in key numbers 226 through 324 but are ordered as key numbers 01 through 99. Use the following chart to cross-reference the number selection.

"C" lock	Actual "C" lock
order numbers	plug numbers
1	226
2	227
3	228
4	229
5	230
6	231
7	232
8	233
9	234
10	235
11	236
12	237
13	238
14	239
15	240
16	241
17	242
18	243
19	244
	244
20	245
21	246
22	247
23	248
24	249
25	250
26	251
27	252
28	253
29	254
30	255
31	256
32	257
	258
33 34	259
35	260
36	261
37	262
38	263
39	264
40	265
41	266
42	267
43	268
44	269
45	270
46	271
47	272
48	273
49	274
50	275

"C" lock	Actual "C" lock
order numbers	plug numbers
51	276
52	277
53	278
54	279
55	280
56	281
57	282
58	283
59	284
60	285
61	286
62	287
63	288
64	289
65	290
66	291
67	292
68	293
69	294
70	295
71	296
72	297
73	298
74	299
75	300
76	301
77	302
78	303
79	304
80	
	305
81	306
82	307
83	308
84	309
85	310
86	311
87	312
88	313
89	314
90	315
91	316
92	317
93	318
94	319
95	320
96	321
97	322
98	
	323
99	324

HermanMiller Healthcare April 2014

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2020 Herman Miller, Inc., Zeeland, Michigan

#### **Distribution Rights**

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard — Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi — Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

HermanMiller, Action Office, Aeron, Aside, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Motia, Pellicle, Perspectives, Plex, PostureFit, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

MireWeave, Bubbletack, Cellular Suspension, Compass, Connect, Cosm, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lino, Lyris 2, Mora, Multiscrim, Nelson, Nevi, Pedastools, Renew, Stackable, Swoop, TriFlex, Twist, Valor, Verus and Vista are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 ${}^{\text{S}}\text{Chemsurf}{}^{\text{\$}}$  is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles  $\!\!\!^{\scriptscriptstyle{(\!0)}}$  is a registered trademark of Place Textiles.