

Prices effective September 3, 2019 Published November 2019

## Motia<sup>®</sup> Sit-to-Stand Tables

Introduction	page 2
Motia® Sit-to-Stand Tables	3
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	19
Indices	27
By Name	27
By Number	29
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
For the latest materials information, refer to the Materials pages on	HermanMiller.com.

#### A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

## Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

#### Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

### The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

## **General Information**

This book is effective September 3, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest <sup>1</sup>/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.


### 20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  $\boxed{A}$  are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable Height Tables

Sit to Stand Table Bases



## Product Information

## Description

This rectangular height-adjustable table has a C-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Multiple height adjustment options come with a simple up/down touch switch. Glides have 1/2'' leveling range. Shipped knocked down. Product is UL Listed.

## Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.


Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width minus 8". Table includes stiffener located toward back of table for increased leg clearance.

See Motia<sup>®</sup> Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

## Dimensions



## Specification Information

## Step 1. DV6AC A

Step 2. Edge

S. squared-edge A

## Step 3. Depth

24	24" deep (23" surface size)	A
30	30" deep (29" surface size)	A

## Step 4. Width

48	48" wide (46" surface size)	Α
54	54" wide (52" surface size)	Α
60	60" wide (58" surface size)	Α
66	66" wide (64" surface size)	A

**72** 72'' wide (70'' surface size)  $\overline{A}$ 

## Step 5. Surface Material

- L laminate top/thermoplastic edge [A]
- U laminate top/universal edge A

## Step 6. Mechanism

- E electric standard range A
- **D** electric extended range A

## Prices for Steps 1-6.

	LE	LD	UE	UD
DV6ACS. 24 48	\$1933	2127	1933	2127
54	\$2001	2188	2001	2188
60	\$2045	2228	2045	2228
66	\$2106	2284	2106	2284
72	\$2166	2337	2166	2337
30 48	\$2051	2245	2051	2245
54	\$2134	2323	2134	2323
60	\$2185	2368	2185	2368
66	\$2264	2442	2264	2442
72	\$2341	2512	2341	2512

## Step 7. Switch Option

STS

simple up,	/down touch switch	Α
------------	--------------------	---

Step 8	. Top Finish	
76	light brown walnut 🔺	+\$o
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o

+\$0

continued

CL	cool grey neutral 🔺	+\$o
HF	inner tone light 🔺	+\$o
НМ	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
HT	inner tone A	+\$o
HX	aged cherry A	+\$o
HY	walnut on cherry A	+\$o
LA	light ash 🔺	+\$o
LBA	clear on ash 🔺	+\$o
LBB	oak on ash 🔺	+\$o
LBC	walnut on ash 🔺	+\$o
LBD	dark brown walnut 🔺	+\$o
LBE	medium red walnut 🔺	+\$o
LBF	neutral twill 🔺	+\$o
LBG	sarum twill 🔺	+\$o
LBH	earthen twill 🔺	+\$o
LBJ	graphite twill 🔺	+\$o
LBM	crisp linen 🔺	+\$o
LBN	classic linen 🔺	+\$o
LBP	casual linen 🔺	+\$o
LBQ	white twill A	+\$o
LBR	phantom ecru A	+\$o
LBS	phantom cocoa 🔺	+\$o
LBU	medium matte walnut 🔺	+\$o
LBV	warm grey teak A	+\$o
LT	light tone 🔺	+\$o
LU	soft white A	+\$o
MT	medium tone A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral 🔺	+\$o

Step 9. Edge Finish

For la	minate top/thermoplastic edge (L)	
76	light brown walnut 🔺	+\$0
8Q	folkstone grey 🔺	+\$o
8Z	neutral grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
BU	black umber 🔺	+\$o
CL	cool grey neutral 🔺	+\$o
HF	inner tone light 🔺	+\$o
нм	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
HT	inner tone 🔺	+\$o
НΧ	aged cherry A	+\$o
HY	walnut on cherry A	+\$o

JB	millwork cherry A	+\$0
LA	light ash 🔺	+\$o
LBA	clear on ash 🔺	+\$0
LBB	oak on ash 🔺	+\$0
LBC	walnut on ash 🔺	+\$o
LBD	dark brown walnut 🔺	+\$o
LBE	medium red walnut 🔺	+\$o
LBF	neutral twill 🔺	+\$o
LBG	sarum twill 🔺	+\$o
LBH	earthen twill 🔺	+\$o
LBJ	graphite twill 🔺	+\$o
LBK	pewter mesh 🔺	+\$o
LBL	steel mesh 🔺	+\$o
LBM	crisp linen 🔺	+\$o
LBN	classic linen 🔺	+\$o
LBP	casual linen 🔺	+\$o
LBQ	white twill A	+\$o
LBR	phantom ecru A	+\$o
LBS	phantom cocoa 🔺	+\$o
LBU	medium matte walnut 🔺	+\$o
LBV	warm grey teak A	+\$o
LU	soft white A	+\$o
MT	medium tone 🔺	+\$o
OG	honey maple 🔺	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$0
For lar	minate top/universal edge (U)	
PLY	plywood edge 🔺	+\$50
Step 1	o. Base Finish	
Metall	lic Paint	
CN	metallic champagne 🔺	+\$o
CN MS	metallic champagne 🔺 metallic silver 🔺	+\$0 +\$0
MS		
MS	metallic silver 🔺	+\$0
MS Sand	metallic silver 🔺 Texture Paint	+\$0
MS Sand T BK G1	metallic silver A Texture Paint black A graphite A th Paint	+\$0
MS Sand T BK G1	metallic silver A Texture Paint black A graphite A	+\$0
MS Sand T BK G1 Smoot	metallic silver A Texture Paint black A graphite A th Paint	+\$o 
MS Sand T BK G1 Smoot 8Q	metallic silver A Texture Paint black A graphite A th Paint folkstone grey A	+\$0 +\$0 +\$0 +\$0
MS Sand T BK G1 Smoot 8Q 91	metallic silver A Texture Paint black A graphite A th Paint folkstone grey A white A	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0


## Rectangular Table with C-Foot

continued

Step 11. Glides
57 glides A

+\$0

## Rectangular Table with T-Foot DV6ATS



## **Product Information**

## Description

This rectangular height-adjustable table has a T-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Multiple height adjustment options come with a simple up/down touch switch, simple up/down paddle switch, digital readout with memory, or with no switch to accommodate adding Live Platform<sup>™</sup> to the table. Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

#### Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs specified outbound (1) are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width minus 8".

Table includes stiffener located toward back of table for increased leg clearance.


When specifying cable trough option (2 or 3), trough finish will match table base finish.

When specifying a power access cutout (RC, LC, CC), order Logic mini unit (Y1414.) and grommet (Y1412.) separately.

See Motia<sup>®</sup> Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

## Dimensions



## Specification Information

Step 1.
DV6AT A

#### Step 2. Edge

S. squared-edge A

## Step 3. Depth

24	24" deep (23" surface size)	Α
30	30" deep (29" surface size)	Α
36	36" deep (35" surface size)	А

## Step 4. Width

For 30	" deep (29" surface size) (30)
48	48" wide (46" surface size) 🔺
54	54" wide (52" surface size) $\square$
60	60" wide (58" surface size) $[A]$
66	66" wide (64" surface size) 🔺
72	72" wide (70" surface size) 🔺
84	84" wide (82" surface size) 🔺

## For 24" deep (23" surface size) (24) or 36" deep (35" surface size) (36)

48	48" wide (46" surface size) A
54	54" wide (52" surface size) 🔺
60	60" wide (58" surface size) A
66	66" wide (64" surface size) A
72	72" wide (70" surface size) 🔺

## Step 5. Surface Material

- L laminate top/thermoplastic edge A
- U laminate top/universal edge A

## Step 6. Top Thickness

**04** 1<sup>1</sup>/<sub>4</sub>" thick A

## Step 7. Mechanism

- E electric standard range A
- **D** electric extended range A

## Step 8. Leg Location

1 legs outbound (no surface mounted storage)

continued

Prices for Steps 1-8.

111005101 500051 01				
	L04E1	L04D1	U04E1	U04D1
DV6ATS. 24 48	\$1933	2127	1933	2127
54	\$2001	2188	2001	2188
60	\$2045	2228	2045	2228
66	\$2106	2284	2106	2284
72	\$2166	2337	2166	2337
30 48	\$2051	2245	2051	2245
54	\$2134	2323	2134	2323
60	\$2185	2368	2185	2368
66	\$2264	2442	2264	2442
72	\$2341	2512	2341	2512
84	\$2418	2582	2418	2582
36 48	\$2151	2345	2151	2345
54	\$2234	2423	2234	2423
60	\$2285	2468	2285	2468
66	\$2364	2542	2364	2542
72	\$2441	2612	2441	2612

Step 9	. Switch Option	
STS	simple up/down touch switch A	+\$o
SUD	simple up down - paddle switch A	+\$50
SRM	digital read out with memory A	+\$160
SMT	no switch - LO100 🔺	+\$o

Step 10. Top Finish

Step 1	lo. Top Finish	
76	light brown walnut 🔺	+\$o
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white 🔺	+\$o
CL	cool grey neutral 🔺	+\$o
HF	inner tone light 🔺	+\$o
НМ	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
HT	inner tone A	+\$o
HX	aged cherry A	+\$o
HY	walnut on cherry A	+\$o
LA	light ash 🔺	+\$o
LBA	clear on ash 🔺	+\$o
LBR	phantom ecru 🔺	+\$o
LBS	phantom cocoa 🔺	+\$o
LBU	medium matte walnut 🔺	+\$o
LBV	warm grey teak 🔺	+\$o
LBB	oak on ash 🔺	+\$o
LBC	walnut on ash 🔺	+\$o
LBD	dark brown walnut 🔺	+\$o
LBE	medium red walnut 🔺	+\$o

LBF LBG LBH LBJ LBM LBN LBQ LT LU MT OG WL WN	neutral twill A sarum twill A earthen twill A graphite twill A crisp linen A classic linen A casual linen A white twill A light tone A soft white A medium tone A honey maple A sandstone A	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0	Motia® Adjustable Height Tables
LT	light tone A	+\$0	
LU	soft white A	+\$0	
MT	medium tone A	+\$0	
OG	honey maple A	+\$0	

Step 11. Edge Finish

76	light brown walnut 🔺	+\$c
8Q	folkstone grey A	+\$c
8Z	neutral grey A	+\$c
91	white A	+\$c
98	studio white 🔺	+\$c
BU	black umber 🔺	+\$c
CL	cool grey neutral 🔺	+\$c
HF	inner tone light 🔺	+\$c
нм	natural maple 🔺	+\$c
HP	light anigre 🔺	+\$c
HT	inner tone A	+\$c
НΧ	aged cherry A	+\$c
HY	walnut on cherry A	+\$c
JB	millwork cherry A	+\$c
LA	light ash 🔺	+\$c
LBA	clear on ash 🔺	+\$c
LBR	phantom ecru A	+\$c
LBS	phantom cocoa 🔺	+\$c
LBU	medium matte walnut 🔺	+\$c
LBV	warm grey teak A	+\$c
LBB	oak on ash 🔺	+\$c
LBC	walnut on ash 🔺	+\$c
LBD	dark brown walnut 🔺	+\$c
LBE	medium red walnut 🔺	+\$c
LBF	neutral twill 🔺	+\$c
LBG	sarum twill 🔺	+\$c
LBH	earthen twill 🔺	+\$c
LBJ	graphite twill A	+\$c
LBK	pewter mesh 🔺	+\$c


continued

LBL	steel mesh 🔺	+\$0
LBM	crisp linen 🔺	+\$0
LBN	classic linen 🔺	+\$0
LBP	casual linen 🔺	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$o
MT	medium tone 🔺	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral 🔺	+\$0
For la	minate top/universal edge (U)	
PLY	plywood edge	+\$50
Step 1	2. Base Finish	
Metal	lic Paint	
CN	metallic champagne 🔺	+\$0
MS	metallic silver A	+\$o
Sand	Texture Paint	
BK	black A	+\$0
G1	graphite A	+\$0
Smoo	th Paint	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$o
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$o
Step 1	13. Cable Trough	
For 2/	;" deep (23" surface size) (24)	
2	hinged cable trough for 24" deep surface $\boxed{A}$	+\$275
N	no cable trough A	+\$0
N .		+40
	" deep (29" surface size) (30)	
3	hinged cable trough for 30" deep surface A	+\$275
N	no cable trough 🔺	+\$0
	4. Power Access Cutout	
NC	no cutout 🔺	+\$0
RC	right cutout for Logic Mini - Y1414 and Y1412 A	+\$55
LC	left cutout for Logic Mini - Y1414 and Y1412 🔺	+\$55
CC	center cutout for Logic Mini - 🛛 🔺	+\$55

Step 1	5. Glides	
57	glides A	

+\$o

## Extended Corner Table with C-Foot



## Product Information

## Description

This height-adjustable 90° extended corner table has a C-leg configuration and laminate top with square thermoplastic edge. Multiple height adjustment options come with a simple up/down touch switch. Glides have 1/2'' leveling range. Shipped knocked down. Product is UL Listed.

## Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.


Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width minus 8". Table includes stiffener located toward back of table for increased leg clearance.

See Motia<sup>®</sup> Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

### Dimensions



→23″/29″←

## Specification Information

## Step 1.

DV6EC A

## Step 2. Edge

S. squared-edge A

## Step 3. Depth

**24** 24" deep (23" surface size) A

**30** 30" deep (29" surface size) A

## Step 4. Width

4260	42" wide left x 60" wide right (40" x 58" surface size) $\@$ A	
4272	42" wide left x 72" wide right (40" x 70" surface size) $\@$ A	
4860	48" wide left x 60" wide right (46" x 58" surface size) $\hfill A$	
4872	48" wide left x 72" wide right (46" x 70" surface size) $\@$ A	
5454	54" wide left x 54" wide right (52" x 52" surface size) $\square$	
6042	60" wide left x 42" wide right (58" x 40" surface size) $\square$	
6048	60" wide left x 48" wide right (58" x 46" surface size) $\square$	
6060	60" wide left x 60" wide right (58" x 58" surface size) $\square$	
7242	72" wide left x 42" wide right (70" x 40" surface size) $\square$	
7248	72" wide left x 48" wide right (70" x 46" surface size) $\square$	

## Step 5. Surface Material

L laminate top/thermoplastic edge A

## Step 6. Mechanism

- E electric standard range A
- **D** electric extended range A

## Prices for Steps 1-6.

	LE	LD
DV6ECS. 24 4260	\$3439	3787
4272	\$3497	3887
4860	\$3600	3990
4872	\$3686	4082
5454	\$3681	3730
6042	\$3439	3787
6048	\$3600	3990
6060	\$3780	3831
7242	\$3497	3887
7248	\$3686	4082

	30 4260	\$3569	4009
	4272	\$3670	4116
	4860	\$3770	4227
	4872	\$3862	4340
	5454	\$4017	4203
	6042	\$3569	4009
	6048	\$3770	4227
	6060	\$4128	4318
	7242	\$3670	4116
	7248	\$3862	4340
ep 7	r. Switch Option		
TS	simple up/down touch switch A		+\$0
	B. Top Finish		
6	light brown walnut A		+\$0
Q	folkstone grey A		+\$0
1	white A		+\$c
3	studio white A		+\$0
_	cool grey neutral A		+\$c
F	inner tone light A		+\$c
M	natural maple A		+\$c
P	light anigre 🛕		+\$0
T	inner tone A		+\$c
X	aged cherry A		+\$c
Y	walnut on cherry A		+\$c
4	light ash 🛕		+\$0
BA	clear on ash 🔺		+\$0
BB	oak on ash 🔺		+\$0
SC .	walnut on ash 🔺		+\$c
BD	dark brown walnut A		+\$c
BE	medium red walnut 🔺		+\$c
BF	neutral twill		+\$c
G	sarum twill A		+\$c
BH N	earthen twill		+\$c
J	graphite twill A		+\$0
BM	crisp linen A		+\$0
BN	classic linen 🔺		+\$c
BP DO	casual linen 🔺		+\$0
SQ	white twill A		+\$c
BR	phantom ecru A		+\$0
S	phantom cocoa A		+\$0
30	medium matte walnut A		+\$0
3V -	warm grey teak A		+\$0
J	light tone 🔺		+\$0
-	soft white A		+\$0

+\$o

NL	sandstone A	+\$o
<b>N</b> N	warm grey neutral 🔺	+\$o

	p. Edge Finish	
76	light brown walnut 🔺	+\$0
8Q	folkstone grey A	+\$0
8Z	neutral grey 🔺	+\$
91	white A	+\$
98	studio white A	+\$
BU	black umber 🔺	+\$
CL	cool grey neutral A	+\$
HF	inner tone light 🔺	+\$
нм	natural maple 🔺	+\$
HP	light anigre 🔺	+\$
HT	inner tone 🔺	+\$0
НΧ	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
JB	millwork cherry 🔺	+\$0
LA	light ash 🔺	+\$
LBA	clear on ash 🔺	+\$
LBB	oak on ash 🔺	+\$
LBC	walnut on ash 🔺	+\$
LBD	dark brown walnut 🔺	+\$
LBE	medium red walnut 🔺	+\$
LBF	neutral twill 🔺	+\$
LBG	sarum twill 🔺	+\$
LBH	earthen twill 🔺	+\$
LBJ	graphite twill 🔺	+\$
LBK	pewter mesh 🔺	+\$
LBL	steel mesh 🔺	+\$
LBM	crisp linen 🔺	+\$
LBN	classic linen 🔺	+\$
LBP	casual linen 🔺	+\$
LBQ	white twill A	+\$
LBR	phantom ecru A	+\$
LBS	phantom cocoa A	+\$
LBU	medium matte walnut 🔺	+\$
LBV	warm grey teak A	+\$
LU	soft white A	+\$
МΤ	medium tone A	+\$
OG	honey maple 🔺	+\$
WL	sandstone A	+\$
WN	warm grey neutral 🔺	+\$


medium tone A

МΤ

# Extended Corner Table with C-Foot *continued*

Step	10. Base Finish	
Metal	lic Paint	
CN	metallic champagne 🔺	+\$c
MS	metallic silver A	+\$0
Sand	Texture Paint	
ВК	black A	+\$0
G1	graphite A	+\$0
Smoo	th Paint	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white 🔺	+\$0
WL	sandstone 🔺	+\$0
WN	warm grey neutral A	+\$0
Step	11. Glides	
57	glides 🔺	+\$0

# Motia<sup>®</sup> Vista<sup>™</sup> Rectangular Table DV6GTS with T-Foot



## **Product Information**

## Description

This rectangular height adjustable table has a T-leg configuration and laminate top with square thermoplastic edge, laminate top with thermoplastic backed plywood edge or veneer top and edge. Multiple height adjustment options come with a simple up/down touch switch, simple up/down paddle switch or with no switch to accommodate adding Live Platform<sup>™</sup> to the table. Glides have <sup>1</sup>/<sub>2</sub>" leveling range. Work surface stiffener included. Shipped knocked down. Product is UL Listed.

## Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced by 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

When no under-surface mounted storage (L2SCF., L2SDF.) is used, specify legs outbound (1) location.

To use under-surface mounted storage (L2SCF., L2SDF.) on both ends of the surface, specify legs inbound for under surface storage on both ends (2) location.

To use under-surface mounted storage (L2SCF., L2SDF.) on the right- or left-hand end of the surface, specify legs inbound for under surface storage on left or right end (3) location. This will make the table handed. Surface will come with inbound leg holes; the outbound leg holes will need to be field drilled.

Table includes stiffener.

When specifying cable trough (2, 3), trough finish will match table base finish.

When specifying a power access cutout (RC, LC, CC), Logic Mini unit (Y1414.) and grommet (Y1412.) must be ordered separately.

When specifying a 24 "D×54"W table with legs inbound for under surface storage on both ends (2) option, the hinged cable trough option is not available. It is recommended to use the (Y1200.48N) cable trough, ordered separately.


Order the following optional products separately:

- Vista modesty + privacy screen-double sided, height adjustable table (Y1130.)
- Vista modesty screen-double sided, height adjustable table (Y1131.)
- Suspended cubby (L2SCF.)
- Suspended drawer (L2SDF.)

For additional planning information, see planning guide.

For additional product options, see Vary Easy Program in appendices.

## Dimensions



→ (6" Increments) ← → (6" Increments) ← (3) Legs Inbound (Either Left or Right End) (Front View)

#### For 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), Specification Information Step 1. 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with DV6GT A electric extended range (D) legs outbound (no surface mounted storage) Step 2. Edge S. squared-edge A Prices for Steps 1-8. L04D1 L04E1 L04E2 L04E3 L08D1 L08E1 Step 3. Depth DV6GTS. 24 48 \$2413 24" deep (23" surface size) A \$2478 30" deep (29" surface size) A \$2522 \$2581 Step 4. Width \$2638 48" wide (46" surface size) A 30 48 \$2425 54" wide (52" surface size) A \$2505 60" wide (58" surface size) $\boxed{A}$ \$2555 66" wide (64" surface size) A \$2632 72" wide (70" surface size) A \$2706 Step 5. Surface Material L08E2 L08E3 DV6GTS. 24 48 laminate top/thermoplastic edge A L U laminate top/universal edge A \$2358 w veneer top/veneer edge A \$2401 \$2460 Step 6. Top Thickness \$2517 $1^{1}/_{4}$ " thick A 30 48 $1^{1}/8^{"}$ thick A \$2384 \$2434 Step 7. Mechanism \$2511 D electric extended range A \$2585 Ε electric standard range 🛛 U08D1 U08E1 U08E2 U08E3 W04D1 W04E1 Step 8. Leg Location DV6GTS. 24 48 \$2469 \$2535 For 48" wide (46" surface size) (48) with electric extended range (D) or \$2578 electric standard range (E) \$2637 legs outbound (no surface mounted storage) A \$2695 30 48 \$2482 For 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), \$2561 \$2612

66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with electric standard range (E)

- legs outbound (no surface mounted storage) A
- legs inbound (for under surface storage on both ends)

legs inbound (for under surface storage on left or right end) A Motia® Adjustable Height Tables

\_

U04D1 U04E1 U04E2

\$2413

\$2425

\$2689

\$2762

U04E3

es
p
Ta
ht
6
e
Ξ
e
p
ťa
S
'n,
P
8
ď
Ċ.
5
2

		W04E2	W04E3	W08D1	W08E1	W08E2	W08E3
DV6GTS.	24 48	_	_	\$2830	2653	_	_
	54	\$2707	2707	2941	2763	2763	2763
	60	\$2800	2800	3034	2857	2857	2857
	66	\$2912	2912	3146	2968	2968	2968
	72	\$3003	3003	3237	3060	3060	3060
	30 48	_	_	\$2932	2754	_	_
	54	\$2833	2833	3067	2889	2889	2889
	60	\$2956	2956	3190	3012	3012	3012
	66	\$3099	3099	3332	3155	3155	3155
	72	\$3217	3217	3451	3274	3274	3274
Sten o Si	witch Ontion						

Step 9.	Switch Option	
STS	simple up/down - touch switch [A]	+\$o
SUD	simple up down - paddle switch 🔺	+\$50
SMT	no switch - LO100 🔺	+\$o

## Step 10.

Top Fi	nish	
	minate top/thermoplastic edge (L) or laminat	te top/universal edge
(U) <b>76</b>	light brown welput	+\$c
70 8Q	light brown walnut A	+\$C +\$C
91	folkstone grey A white A	+\$C +\$C
91 98	studio white A	+\$C +\$C
CL	cool grey neutral A	+\$C
HF	inner tone light A	+\$C +\$C
нм	natural maple A	+\$0
HP	light anigre	+\$c +\$c
нт	inner tone A	+\$0
нх	aged cherry A	+\$0
НҮ	walnut on cherry A	+\$0
LA	light ash A	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash 🗚	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut 🔺	+\$0
LBE	medium red walnut	+\$c
LBF	neutral twill	+\$c
LBG	sarum twill A	+\$c
LBH	earthen twill A	+\$c
LBJ	graphite twill 🔺	+\$c
LBM	crisp linen A	+\$c
LBN	classic linen A	+\$c
LBP	casual linen 🔺	+\$0
LBQ	white twill A	+\$c
LBR	phantom ecru A	+\$c
LBS	phantom cocoa A	+\$c
LBU	medium matte walnut 🔺	+\$0
LBV	warm grey teak A	+\$0
LT	light tone 🔺	+\$0
LU	soft white A	+\$c
мт	medium tone A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

OG	honey maple 🛛 🗛	+\$0

Top/	Edge Finish	
For v	eneer top/veneer edge (W)	
2U	light brown walnut 🔺	+\$85
40	dark brown walnut 🔺	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut 🔺	+\$85
ET	clear on ash 🔺	+\$85
EU	oak on ash 🔺	+\$85
EV	walnut on ash 🔺	+\$85
EW	medium matte walnut 🔺	+\$85
UL	natural maple 🔺	+\$85
UX	walnut on cherry A	+\$85

## Step 11. Edge Finish

	ninate top/thermoplastic edge (L)	*
76	light brown walnut A	+\$c
8Q	folkstone grey A	+\$c
91	white A	+\$c
98	studio white A	+\$c
BU	black umber 🔺	+\$o
CL	cool grey neutral A	+\$c
HF	inner tone light 🔺	+\$c
НМ	natural maple 🔺	+\$c
HP	light anigre 🔺	+\$c
HT	inner tone 🔺	+\$c
HX	aged cherry A	+\$c
HY	walnut on cherry 🔺	+\$0
LA	light ash 🔺	+\$0
LBA	clear on ash 🔺	+\$0
LBB	oak on ash 🔺	+\$0
LBC	walnut on ash 🔺	+\$0
LBD	dark brown walnut 🔺	+\$0
LBE	medium red walnut 🔺	+\$o
LBF	neutral twill 🔺	+\$o
LBG	sarum twill 🔺	+\$c
LBH	earthen twill 🔺	+\$c
LBJ	graphite twill 🔺	+\$c
LBK	pewter mesh 🔺	+\$c
LBL	steel mesh 🔺	+\$c
LBM	crisp linen 🔺	+\$c
LBN	classic linen 🔺	+\$c
LBP	casual linen 🔺	+\$c
LBQ	white twill A	+\$c
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$c

LBV	warm grey teak 🔺	+\$o
LU	soft white A	+\$o
мт	medium tone 🛛 A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$0
For la	minate top/thermoplastic edge (L)	
OG	honey maple 🔺	+\$0
For la	minate top/universal edge (U)	
PLY	plywood edge A	+\$50

## Step 12. Base Finish

Smoo	th Paint	
8Q	folkstone grey A	+\$c
91	white A	+\$c
98	studio white 🔺	+\$c
CL	cool grey neutral 🔺	+\$c
WL	sandstone A	+\$c
WN	warm grey neutral A	+\$c
Metal	lic Paint	
CN	metallic champagne 🔺	+\$c
EH	metallic bronze 🔺	+\$c
MS	metallic silver A	+\$c
Sand	Texture Paint	
BK	black 🖪	+\$c
G1	graphite A	+\$0

## Step 13. Cable Trough


For 24" deep (23" surface size) (24), legs outbound (no surface mounted storage) (1) AND legs inbound (for under surface storage on left or right end) (3)

2	hinged cable trough for 24" deep surface A	+\$275
Ν	no cable trough 🔺	+\$0

For 30" deep (29" surface size) (30) with 48" wide (46" surface size)(48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60),or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72)**3** hinged cable trough for 30" deep surface  $\mathbb{A}$  +\$296**N** no cable trough  $\mathbb{A}$  +\$0

For a	24" deep (23" surface size) (24) with 54" wide (52" surface	siza)
	with leas inbound (for under surface storage on both end	
N (54)	no cable trough A	+\$0
Step	14. Power Access Cutout	
сс	center cutout for Logic Mini - 🔺	+\$55
LC	left cutout for Logic Mini - Y1414 and Y1412 🔺	+\$55
NC	no cutout A	+\$o
RC	right cutout for Logic Mini - Y1414 and Y1412 A	+\$55
Step	15. Glides	
57	glides A	+\$0

## Height Adjustable Base Kit with DV7AT. T-Foot



## **Product Information**

## Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a choice of switch type or with no switch to accommodate adding Live Platform<sup>™</sup> to the table. Glides have <sup>1</sup>/<sub>2</sub>" of leveling range. Shipped knocked down. Product is UL Recognized.

## Notes


With standard 11/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.


Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.

## Work surface stiffener included.

See Motia® Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

## Dimensions





## Specification Information

## Step 1.

## DV7AT. A

### Step 2. Depth

24	24" deep (23" surface size)	А
30	30" deep (29" surface size)	А
36	36" deep (35" surface size)	А

## Step 3. Width

For 30" deep (29" surface size) (30)

48	48" wide (46" surface size)	Α
54	54" wide (52" surface size)	Α
60	60" wide (58" surface size)	А
66	66" wide (64" surface size)	Α
72	72" wide (70" surface size)	Α
84	84" wide (82" surface size)	Α

#### For 24" deep (23" surface size) (24) or 36" deep (35" surface size) (36)

48	48" wide (46" surface size)	٩
54	54" wide (52" surface size)	٩
60	60" wide (58" surface size)	٩

- 66 66" wide (64" surface size) A 72
- 72" wide (70" surface size) A

## Step 4. Mechanism

E electric standard range A

D electric extended range A

## Step 5. Leg Location


1 legs outbound (no surface mounted storage) A

#### Prices for Steps 1-5.

	E1	D1
DV7AT. 24 48	\$1691	1885
54	\$1708	1896
60	\$1723	1907
66	\$1739	1917
72	\$1756	1928
30 48	\$1723	1917
54	\$1739	1928
60	\$1756	1938
66	\$1771	1950
72	\$1789	1961
84	\$1799	1972

	36 48	\$1632	1816
	54	\$1648	1826
	60	\$1663	1836
	66	\$1678	1847
	72	\$1694	1857
Step 6	Switch Option		
STS	simple up/down touch switch A		+\$o
SUD	simple up down - paddle switch A		+\$50
SRM	digital read out with memory A		+\$160
SMT	no switch - LO100 🔺		+\$0
Step 7	Leg/Foot Finish		
Metalli	c Paint		
CN	metallic champagne leg with metallic champagne	foot 🛛	+\$0
MS	metallic silver leg with metallic silver foot $[A]$		+\$0
Sand T	exture Paint		
BK	black leg with black foot A		+\$0
G1	graphite leg with graphite foot 🔺		+\$0
Smoot	h Paint		
8Q	folkstone grey leg with folkstone grey foot A		+\$0
91	white leg with white foot [A]		+\$o
98	studio white leg with studio white foot $\square$		+\$o
WL	sandstone leg with sandstone foot A		+\$o
WN	warm grey neutral leg with warm grey neutral foot	Α	+\$0
Step 8	Glides		
57	glides 🔺		+\$o

## C-Foot 3 Leg Base Kit



## Product Information

## Description

This independent 3-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a simple up/down touch switch. Glides have 1/2'' of leveling range. Shipped knocked down. Product is UL Recognized.

## Notes


With standard  $1^{1}/_{8}$ " thick work surface, floor to top-of-surface height adjustment ranges are 27''-46'' for the electric standard range (E) option, and 22''-48'' for the electric extended range (D) option.

Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.


Work surface stiffener included.

See Motia<sup>®</sup> Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

## Dimensions



Standard Height Range



Extended Height Range

## Specification Information

## Step 1. DV7FC. A

## Step 2. Depth

24	24" deep (23" surface size)	Α
30	30" deep (29" surface size)	Α

## Step 3. Width

4260	42" wide left x 60" wide right (40" x 58" surface size) $\square$
4272	42" wide left x 72" wide right (40" x 70" surface size) A
4860	48" wide left x 60" wide right (46" x 58" surface size) $\square$
4872	48" wide left x 72" wide right (46" x 70" surface size) $\square$
5454	54" wide left x 54" wide right (52" x 52" surface size) $\square$
6060	60" wide left x 60" wide right (58" x 58" surface size) $\square$

## Step 4. Mechanism

E electric standard range	A
---------------------------	---

**D** electric extended range A

## Prices for Steps 1-4.


i nees	101 51005 1 4.		
		E	D
DV7F	C. 24 4260	\$2852	3168
	4272	\$2852	3168
	4860	\$2852	3168
	4872	\$2852	3168
	5454	\$2852	3168
	6060	\$2852	3168
	30 4260	\$2852	3168
	4272	\$2852	3168
	4860	\$2852	3168
	4872	\$2852	3168
	5454	\$2852	3168
	6060	\$2852	3168
Step g	5. Switch Option		
STS	simple up/down touch switch $[A]$		+\$0
Step 6	6. Base Finish		
Metal	lic Paint		
CN	metallic champagne 🔺		+\$0
MS	metallic silver [A]		+\$0
Sand	Texture Paint		
Sand <b>BK</b>	Texture Paint black 🔺		+\$0

Smoo	oth Paint	
8Q	folkstone grey 🔺	+\$0
91	white A	+\$o
98	studio white 🔺	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral 🛛	+\$o
Sten	z. Glides	

57 glides	A			
-----------	---	--	--	--

+\$0

## Height Adjustable Base Kit with DV7AC. C-Foot



## **Product Information**

## Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a simple up/down touch switch. Glides have  $\frac{1}{2}$ " of leveling range. Shipped knocked down. Product is UL Recognized.

## Notes


With standard 11/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.


Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.

Work surface stiffener included.

See Motia® Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

## Dimensions





## Specification Information

## Step 1. DV7AC. A

## Step 2. Depth

<b>24</b> 24" deep (23" surface size)
---------------------------------------

30	30" deep (29" surface size) [	A
----	-------------------------------	---

## Step 3. Width

48	48" wide (46" surface size)	Α
54	54" wide (52" surface size)	Α
60	60" wide (58" surface size)	А
66	66" wide (64" surface size)	А

72 72" wide (70" surface size) A

## Step 4. Mechanism

Е electric standard range A

D electric extended range A

## Prices for Steps 1-4.

	E	D
DV7AC. 24 48	\$1724	1889
54	\$1712	1896
60	\$1723	1907
66	\$1739	1922
72	\$1756	1928
30 48	\$1727	1917
54	\$1745	1932
60	\$1756	1938
66	\$1771	1955
72	\$1789	1965

### Step 5. Switch Option

STS simple up/down touch switch A

Step 6. Leg/Foot Finish

## Metallic Paint


CN	metallic champagne leg with metallic champagne foot 🔺	+\$0
MS	metallic silver leg with metallic silver foot 🛛	+\$o
Sand	Texture Paint	
BK	black leg with black foot A	+\$0

G1 graphite leg with graphite foot A +\$0

+\$0

Smoo	th Paint	
8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$o
98	studio white leg with studio white foot 🔺	+\$0
WL	sandstone leg with sandstone foot A	+\$o
WN	warm grey neutral leg with warm grey neutral foot $[A]$	+\$o
Step ;	7. Glides	
57	glides A	+\$o

# Motia<sup>®</sup> Vista<sup>™</sup> Adjustable Base Kit DV7GT. with T-Foot



## Product Information

## Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a choice of switch type. Glides have 1/2" of leveling range. Kit includes work surface stiffener. Shipped knocked down. Product is UL Recognized.

## Notes

With standard  $1^{1}/_{8}$ " thick work surface, floor to top-of-surface height adjustment ranges are  $27^{"}-46$ " for the electric standard range (E) option, and  $22^{"}-48$ " for the electric extended range (D) option.


Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.


To accommodate adding Live Platform  $^{\scriptscriptstyle\rm M}$  to the table, specify no switch - LO100 (SMT) option.

For proper installation of leg kit and design information, see planning guide.




11





(E) Electric Standard Range



(D) Electric Extended Range

## Specification Information

Step 1.	
DV7GT.	Α

## Step 2. Depth

Step 2.	Depth	
24	24" deep (23" surface size)	Α

30	30"	deep	(29"	surface	size)	A

## Step 3. Width

48	48" wide (46" surface size)	Α
54	54" wide (52" surface size)	Α
60	60" wide (58" surface size)	Α
	(("wide (( " ourfood dieg)	

66 66" wide (64" surface size) A
72 72" wide (70" surface size) A

## Step 4. Mechanism

D electric extended range A

E electric standard range A

## Prices for Steps 1-4.

	D	E
DV7GT. 24 48	\$2159	1981
54	\$2172	1995
60	\$2183	2006
66	\$2198	2020
72	\$2222	2045
30 48	\$2092	1915
54	\$2102	1925
60	\$2116	1938
66	\$2127	1950
72	\$2155	1977

Step 5	. Switch Option	
STS	simple up/down touch switch A	+\$o
SMT	no switch - LO100 🔺	+\$o
SUD	simple up down - paddle switch A	+\$50
SRM	digital read out with memory A	+\$160

## Step 6. Leg/Foot Finish

Smoo	th Paint	
8Q	folkstone grey A	+\$0
91	white A	+\$o
98	studio white A	+\$o
CL	cool grey neutral 🔺	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o

# Motia<sup>®</sup> Vista<sup>™</sup> Adjustable Base Kit with T-Foot *continued*

Metallic Paint			
CN	metallic champagne 🔺	+\$0	
EH	metallic bronze 🔺	+\$o	
MS	metallic silver A	+\$o	
Sand	l Texture Paint		
BK	black A	+\$o +\$o	
G1	graphite A	+\$o	
Step	7. Glides		
57	glides 🔺	+\$o	

Motia <sup>®</sup> Sit-to-Stand Tables	
C-Foot 3 Leg Base Kit	page(s) 21
Extended Corner Table with C-Foot	11
Height Adjustable Base Kit with C-Foot	23
Height Adjustable Base Kit with T-Foot	19
Motia <sup>®</sup> Vista <sup>™</sup> Adjustable Base Kit with T-Foot	25
Motia <sup>®</sup> Vista <sup>™</sup> Rectangular Table with T-Foot	14
Rectangular Table with C-Foot	5
Rectangular Table with T-Foot	8

DV6ACS Rectangular Table with C-Foot	page(s) 5
DV6ATS Rectangular Table with T-Foot	8
DV6ECS Extended Corner Table with C-Foot	11
DV6GTS Motia <sup>®</sup> Vista <sup>™</sup> Rectangular Table with T-Foot	14
DV7AC. Height Adjustable Base Kit with C-Foot	23
DV7AT. Height Adjustable Base Kit with T-Foot	19
DV7FC. C-Foot 3 Leg Base Kit	21
DV7GT. Motia® Vista™ Adjustable Base Kit with T-Foot	25

HermanMiller

## 20-Day or Less/Assigned Lead-Time Order Information

## 20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  $\boxed{\mathbb{A}}$  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  $\boxed{\mathbb{A}}$  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

## **Ordering Procedure**

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage<sup>®</sup>, 5000 Series, and Meridian<sup>®</sup> Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

## **Shipments and Delivery**

Per Herman Miller Terms and Conditions.

## **Changes and Cancellation**

Per Herman Miller Terms and Conditions.

HermanMiller

## Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

## **Accessing and Specifying Vary Easy**

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

HermanMiller

## Stain-to-Match Program

## **Program Overview**

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

## **Ordering Products with Stain-to-Match Veneers**

- Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
- 2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
- If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to: options@hermanmiller.com.
- 4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
- 5. A purchase order can then be placed.

#### Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
  STB: Stain-to-Match on Beech
  STC: Stain-to-Match on Cherry
  STD: Stain-to-Match on Oak
  STK: Stain-to-Match on Reltech Anigre (Geiger)
  STM: Stain-to-Match on Recut Mahogany
  STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

**Distribution Rights** 

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi — Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

<sup>®</sup> HermanMiller, **●**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

<sup>TM</sup> 82 Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cosm, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Lino, Locale, Logic Mini, Logic Power Access Solutions, Live Platform, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Multiscrim, Nelson, Nevi, Overlay, Pari, Pixelated Support, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus, Vista and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

<sup>SM</sup> Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP<sup>™</sup> is a trademark of Extron Electronics.

Alexander Girard<sup>®</sup> is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

 $\mathsf{Corian}^{\otimes}$  is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET<sup>™</sup> is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger<sup>®</sup> is a registered trademark, and Bumper<sup>™</sup>, Saiba<sup>™</sup>, and Ward Bennett<sup>™</sup> are trademarks, of Geiger International.

Goetz<sup>™</sup> is a trademark of Mark W. Goetz.

Hang-It-All $^{\otimes}$  is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo<sup>™</sup> is a trademark of Cargill Dow LLC.

iPad<sup>®</sup> is a registered trademark of Apple, Inc.

Leviton<sup>®</sup> is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize<sup>®</sup> is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft<sup>®</sup> and Natural<sup>®</sup> Keyboard are registered trademarks of Microsoft Corporation.

Noguchi<sup>®</sup> and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table<sup>™</sup> is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat<sup>™</sup> is a trademark of Dahti Seating, a division of ITW.