



ped
Table



About Ped

A simple thing done well, the Ped table is versatile and unobtrusive with its soft square shaped base. Robust and strong, Ped performs in most environments from hospitality to the workplace.

Compliance

- SCS Indoor Advantage™ Gold Certificate
- naughtone is FSC®certified
- naughtone is FISP and ISO14001 certified
- Our tables are designed to meet or exceed all EN performance requirements per BS EN 15372:2016

Sizes All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch



NOPDN100
Ped 650 Circular Coffee Table
mm
Dia 650 H 450
inch
Dia 25.5 H 17.5



NOPDN110
Ped 650 Square Coffee Table
mm
W 650 D 650 H 450
inch
W 25.5 D 25.5 H 17.5



NOPDN200
Ped 650 Circular Table
mm
Dia 650 H 750
inch
Dia 25.5 H 29.5



NOPDN230
Ped 650 Square Table
mm
W 650 D 650 H 750
inch
W 25.5 D 25.5 H 29.5



NOPDN210
Ped 850 Circular Table
mm
Dia 850 H 750
inch
Dia 33.5 H 29.5



NOPDN240
Ped 850 Square Table
mm
W 850 D 850 H 750
inch
W 33.5 D 33.5 H 29.5



NOPDN220
Ped 1050 Circular Table
mm
Dia 1050 H 750
inch
Dia 41.5 H 29.5



NOPDN300
Ped 650 Circular Poseur Table
mm
Dia 650 H 1000
inch
Dia 25.5 H 39.5



NOPDN310
Ped 650 Square Poseur Table
mm
W 650 D 650 H 1000
inch
W 25.5 D 25.5 H 39.5

Base Finishes



White Powder Coated
Base and Stem
Standard



Black Powder Coated
Base and Stem
Standard



RAL Powder Coated
Base and Stem
naughtone Colors

Top Options



White / Black MFMDf
edge banded



White / Black MFMDf
with reverse chamfer,
polished MDF edge



Forbo Lino
with reverse chamfer edge
8 colors available



Oak Veneer
with reverse chamfer,
polished MDF edge



Walnut Veneer
with reverse chamfer,
polished MDF edge











Ped Table Technical Specifications

Testing

Our tables are designed to meet or exceed all EN performance requirements per **EN 15372:2008**, which includes the following tests:

- Edges of top rounded or chamfered, no burrs or sharp edges
- Shall not be possible for load bearing parts to come loose unintentionally
- Shear and squeeze points during use
- Stability under vertical force – Main surface
- Horizontal static load – High
- Vertical static load
- Horizontal fatigue
- Vertical impact for tables without glass

Servicing



If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

Warranty




naughtone offers a **7 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at naughtone.com/warranty

Ped Coffee Table Technical Specifications

1




2




Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Width	B Depth	C Height	D Distance from Floor to Underside Top	E Overhang of Top at Widest Point	F Splay of base of Top at Widest Point	G Weight
1 NOPDN100 Ped 650 Circular Coffee Table	650 mm 25.5 in	650 mm 25.5 in	450 mm 17.5 in	432 mm 17 in	75 mm 3 in	500 mm 20 in	23.8 kg 52.5 lbs

2 NOPDN110 Ped 650 Square Coffee Table	650 mm 25.5 in	650 mm 25.5 in	450 mm 17.5 in	432 mm 17 in	75 mm 3 in	500 mm 20 in	25.1 kg 55.3 lbs
--	-------------------	-------------------	-------------------	-----------------	---------------	-----------------	---------------------


Measuring Guide




Ped Coffee Table Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Width	B Depth	C Height	D Distance from Floor to Underside Top	E Overhang of Top at Widest Point	F Splay of base of Top at Widest Point	G Weight
3 NOPDN200 Ped 650 Circular Table	650 mm 25.5 in	650 mm 25.5 in	750 mm 29.5 in	732 mm 30 in	75 mm 3 in	500 mm 20 in	25.5 kg 56.2 lbs
4 NOPDN230 Ped 650 Square Table	650 mm 25.5 in	650 mm 25.5 in	750 mm 29.5 in	732 mm 30 in	75 mm 3 in	500 mm 20 in	25.9 kg 57 lbs
5 NOPDN210 Ped 850 Circular Table	850 mm 33.5 in	850 mm 33.5 in	750 mm 29.5 in	732 mm 30 in	175 mm 7 in	500 mm 20 in	28.1 kg 62 lbs
6 NOPDN240 Ped 850 Square Table	850 mm 33.5 in	850 mm 33.5 in	750 mm 29.5 in	732 mm 30 in	75 mm 3 in	600 mm 24 in	33 kg 72.8 lbs
7 NOPDN220 Ped 1050 Circular Table	1050 mm 41.5 in	1050 mm 41.5 in	750 mm 29.5 in	732 mm 30 in	225 mm 9 in	600 mm 24 in	45 kg 99.2 lbs




Ped Coffee Table Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Width	B Depth	C Height	D Distance from Floor to Underside Top	E Overhang of Top at Widest Point	F Splay of base of Top at Widest Point	G Weight
8 NOPDN300 Ped 650 circular Poseur Table	650 mm 25.5 in	650 mm 25.5 in	1000 mm 39.5 in	1082 mm 42.5 in	25 mm 1 in	600 mm 24 in	27.7 kg 61.1 lbs

9 NOPDN310 Ped 650 square Poseur Table	650 mm 25.5 in	650 mm 25.5 in	1000 mm 39.5 in	1082 mm 42.5 in	25 mm 1 in	600 mm 24 in	28.1 kg 61.9 lbs
--	-------------------	-------------------	--------------------	--------------------	---------------	-----------------	---------------------



Ped Table Environmental Product Summary



Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone is **FSC®** certified
- **28.1kg** total weight
- **52.8% Recyclable** (base and fixings)
- **47.2% Reusable** (top)
- **40.4% Recycled Content** (base and fixings)
- Packaging: **77.5%** recycled cardboard 22.5% virgin fibre and protective biodegradable bubble wrap
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)

These attributes can help you to achieve criteria towards **LEED, BREEAM, Ska** and **WELL** building certifications




Ped Table Environmental Product Summary

Material Percentage Split


- 47.13% Medium Density Fibreboard
- 32.91% Aluminium
- 19.72% Mild Steel
- 0.15% Stainless Steel
- 0.04% Felt
- 0.04% Mild Steel Zinc Plated



Post Consumer Recycled Content



Recyclable Content



Product Specific Design Statement

The Ped table is available in a range of sizes and finishes but for the purpose of this document we have a specific example from the range:

Ped table 850dia with a white MFMDf top

The Ped base, top plate and stem are manufactured from solid mild steel with the surface of the base then finished with a polyester powder coat.

The table top is made from MFMDf and the raw edge is polished and finished with a hard-wearing spray lacquer.

CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud be able to offer **FSC®certified** upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.



FSC® certified products available upon request

naughtone offers PEFC certified products

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover. Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages. This document will be reviewed and updated periodically and is subject to change without notice.



1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colors allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

UK Showroom

6 Bakers Yard
Clerkenwell
London EC1R3DD
T: +44 (0)20 389 22 788

US Showroom

Suite 10-110
222 Merchandise Mart Plaza
Floor 10
Chicago IL 60654

naughtone HQ

Knaresborough Tech Park
Manse Lane
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500
E: sales@naughtone.com

www.naughtone.com