



Prices effective September 3, 2019

Published October 2019

Height Adjustable Benching

Introduction	page 2
Nevi™ Link	3
Sit-to-Stand Bench	5
End Caps and Connecting Plates	12
Screen	18
Gallery Panel	22
Power	26
External Cable Manager	35
Renew™ Link	37
Sit-to-Stand Bench	39
End Caps and Connecting Plates	58
Screen	66
Gallery Panel	70
Power	75
External Cable Manager	83
Indices	85
By Name	85
By Number	87
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
Customer's Own Material Order Information-Workspaces	
Proprietary Textiles Application Chart-Workspaces	
Proprietary Textile Colors-Workspaces	
Maharam Application Chart-Workspaces	
Maharam Textile Colors-Workspaces	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective September 3, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.


Nevi™ Link Sit-to-Stand Bench

Cable Manager



Nevi Link Back-to-Back Rectangular Height Adjustable Bench

DY2AS.



Product Information

Description

This rectangular back-to-back bench is a 2-workstation unit that can be used in back-to-back height adjustable benching applications in series with other Nevi™ Link back-to-back benches to create a run. Each workstation comes in a squared-edge style and has options for laminate top with thermoplastic edge, laminate top with thermoplastic backed plywood edge, or veneer top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed.

Notes

Floor-to-top-of-surface height adjustment ranges are 27"-46" for the electric standard range (EE) option and 22"-48" for the electric extended range (DD) option.

To power bench applications, specify the following components separately:

- Power entry (DU1351)
- Power entry, New York City (DU1352)
- Junction block to Junction block jumper (DU1353)
- Duplex receptacle (DU1355)
- Junction block (DU1358.DBB)


Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.

Cutouts are specified for both tables. If table 1 and table 2 need different cutout locations, specify no cutout (NC) and field cut to desired location.

Power access cutouts are specifically sized for Logic Mini (Y1414.).

For linear bench sections, the NYC Power Entry (DU1352.o8) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.o8) can only fit, and must be installed in, 54"-wide and wider sections.

Dimensions



Nevi™ Link Sit-to-Stand Bench

Nevi Link Back-to-Back Rectangular Height Adjustable Bench *continued*

Nevi™ Link Sit-to-Stand Bench

Specification Information	
Step 1.	
DY2A	
Step 2. Edge	
S.	squared-edge
Step 3. Depth	
24	24" deep (23" surface size)
30	30" deep (29" surface size)
Step 4. Width	
48	48" wide (47" surface size)
54	54" wide (53" surface size)
60	60" wide (59" surface size)
66	66" wide (65" surface size)
72	72" wide (71" surface size)
Step 5. Surface Material	
L	laminate top/thermoplastic edge
U	laminate top/universal edge
W	veneer top/veneer edge A
Step 6. Height Adjustable Range Tables 1 and 2	
DD	electric extended range
EE	electric standard range

Prices for Steps 1-6.

	LDD	LEE	UDD	UEE	WDD	WEE
DY2AS. 24 48	\$4879	4242	4879	4242	5854	5091
54	\$4956	4309	4956	4309	5948	5171
60	\$5025	4370	5025	4370	6031	5244
66	\$5107	4441	5107	4441	6128	5329
72	\$5179	4504	5179	4504	6216	5405
30 48	\$4978	4328	4978	4328	5974	5195
54	\$5057	4397	5057	4397	6069	5278
60	\$5128	4459	5128	4459	6154	5352
66	\$5211	4531	5211	4531	6254	5438
72	\$5285	4596	5285	4596	6343	5516

Step 7. Central Cable Trough Tables 1 and 2		48	54	60	66	72
BCT	basic cable trough	+\$400	400	400	600	600
ECT	enhanced cable trough w/covers - data/power routing and cord management	+\$700	700	700	900	900
Step 8. Switch Option						
STS	simple up/down touch switch					+\$0
SUD	simple up down					+\$100
Step 9. Under Work Surface Cable Management Tables 1 and 2						
N	no under worksurface cable management					+\$0
Step 10. Power Access Cutout - Tables 1 and 2						
CC	center cutout for logic mini Y1414					+\$45
LC	left cutout for logic mini Y1414					+\$45
RC	right cutout for logic mini Y1414					+\$45
NC	no cutout					+\$0

Nevi Link Back-to-Back Rectangular Height Adjustable Bench *continued*

Step 11.

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone A	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$170
40	dark brown walnut A	+\$170
ED	aged cherry A	+\$170
EK	medium red walnut A	+\$170
ET	clear on ash A	+\$170
EU	oak on ash A	+\$170
EV	walnut on ash A	+\$170
EW	medium matte walnut A	+\$170
UL	natural maple A	+\$170
UX	walnut on cherry A	+\$170

Step 12. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0

Nevi™ Link Sit-to-Stand Bench

Nevi Link Back-to-Back
Rectangular Height Adjustable
Bench *continued*

Nevi™ Link Sit-to-Stand Bench

LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For laminate top/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Step 13. Base Finish

Metallic Paint

CN	metallic champagne	+\$0
MS	metallic silver	+\$0

Sand Texture Paint


BK	black	+\$0
-----------	-------	------

Smooth Paint

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Nevi Link 120 Degree Height Adjustable Bench

DY3AS.



Product Information

Description

This 120° back-to-back bench is a 3-workstation unit that can be used in back-to-back height adjustable benching applications in series with other Nevi™ Link back-to-back benches. Each workstation comes in a squared-edge style and has options for laminate top with thermoplastic edge or veneer top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed.

Notes

Floor-to-top-of-surface height adjustment ranges are 27"-46" for the electric standard range (EEE) option and 22"-48" for the electric extended range (DDD) option.



To power bench applications, order Connect™ separately. See planning guide for details. Up to 4 duplexes per station.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.

When specifying height adjustable range (EEE or DDD), all 3 tables will be the same range (standard or extended).

For linear bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 54"-wide and wider sections.

Dimensions



Specification Information

Step 1.

DY3A

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size)

30 30" deep (29" surface size)

Step 4. Width

48 48" wide (47" surface size)

54 54" wide (53" surface size)

60 60" wide (59" surface size)

Step 5. Surface Material

L laminate top/thermoplastic edge

W veneer top/veneer edge **A**

Step 6. Height Adjustable Range Tables 1, 2, and 3

DDD electric extended range

EEE electric standard range

Prices for Steps 1-6.

	LDDD	LEEE	WDDD	WEEE
DY3AS. 24 48	\$13341	11601	16012	13923
54	\$14142	12298	16972	14759
60	\$14990	13035	17991	15644
30 48	\$14044	12211	16855	14656
54	\$14886	12944	17866	15535
60	\$15780	13721	18937	16468

Step 7. Central Cable Trough Tables 1, 2, and 3

BCT	basic cable trough	+\$1200
ECT	enhanced cable trough w/covers - data/power routing and cord management	+\$2100

Step 8. Switch Option

STS	simple up/down touch switch	+\$0
SUD	simple up down	+\$150

Step 9. Under Work Surface Cable Management Tables 1, 2, and 3

N	no under worksurface cable management	+\$0
----------	---------------------------------------	------

Nevi™ Link Sit-to-Stand Bench

Nevi Link 120 Degree Height Adjustable Bench *continued*

Step 10. Power Access Cutout - Tables 1, 2, and 3		
LC	left cutout for logic mini Y1414	+\$68
NC	no cutout	+\$0
RC	right cutout for logic mini Y1414	+\$68

Step 11.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone A	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$255
40	dark brown walnut A	+\$255
ED	aged cherry A	+\$255
EK	medium red walnut A	+\$255
ET	clear on ash A	+\$255
EU	oak on ash A	+\$255
EV	walnut on ash A	+\$255
EW	medium matte walnut A	+\$255
UL	natural maple A	+\$255
UX	walnut on cherry A	+\$255

Step 12. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0

Nevi Link 120 Degree Height Adjustable Bench *continued*

LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 13. Base Finish

Sand Texture Paint

BK	black	+\$0
-----------	-------	------

Smooth Paint


8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

CN	metallic champagne	+\$0
MS	metallic silver	+\$0

End Caps - Basic Cable Trough

DY4EC.



Nevi™ Link Sit-to-Stand Bench

Product Information

Description

This cover plate creates a clean and finished aesthetic at the end of a run. Finishes are available to match the base finishes of Nevi™ Link benches. Product is UL Listed.

Notes

End Caps-Basic Cable Trough are for use with height adjustable benching solutions with the basic cable trough (BCT) wire management option.


For height adjustable benching solutions with the enhanced cable trough (ECT) wire management option, see the End Caps-Enhanced Cable Trough (DU4B., DU4S.).

For back-to-back applications, specify end cap-2 per box (EC) option.

End caps are placed on each end of the run.

For 120° applications, specify 1 option of 2 per box (EC) and 1 option of 1 per box (EF) for a total of 3 end caps.

Dimensions



Specification Information

Step 1.

DY4

Step 2. End Cap Quantity

EC. end cap - 2 per box

Prices for Steps 1-2.

DY4EC. \$166

Step 3. Finish

Metallic Paint

CN	metallic champagne	+\$0
MS	metallic silver	+\$0

Sand Texture Paint

BK	black	+\$0
----	-------	------


Smooth Paint

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Connecting Plate - Basic Cable

DY4CP.

Trough




Product Information
Description
This cover plate creates a clean and finished aesthetic where bench sections come together. Finishes are available to match the base finishes of Nevi™ Link benches. Package contains 1 connecting plate. Product is UL Listed.
Notes
Connecting Plate-Basic Cable Trough are for use with height adjustable benching solutions with the basic cable trough (BCT) wire management option.
For height adjustable benching solutions with the enhanced cable trough (ECT) wire management option, see the Connecting Plate-Enhanced Cable Trough (DU4B., DU4S.).
Connecting plate is required to connect 1 bench section to another section. The number of connecting plates needed in a run is 1 less than the number of bench sections in the run.
Dimensions




Specification Information
Step 1.
DY4
Step 2. Connecting Plate or End Cap
CP. connecting plate (between tables) 1x box
Prices for Steps 1-2.
DY4CP. \$187
Step 3. Finish
Metallic Paint
CN metallic champagne +\$0
MS metallic silver +\$0
Sand Texture Paint
BK black +\$0
Smooth Paint
8Q folkstone grey +\$0
91 white +\$0
98 studio white +\$0
G2 graphite satin +\$0
WL sandstone +\$0
WN warm grey neutral +\$0

End Caps - Enhanced Cable Trough

DU4B.
DU4S.




Product Information
Description These cover plates create a clean and finished aesthetic at the end of runs. Finishes are available to match the base finishes of Renew™ Link and Nevi™ Link benches. Product is UL Listed.
Notes For single sided bench runs, specify single sided (DU4S.EC). For back to back bench runs, specify back to back (DU4B.EC). Only 1 set of end caps needed per run. End caps are placed on each end of the run. End Caps-Enhanced Cable Trough are for use with height adjustable benching solutions with the enhanced cable trough (ECT) wire management option. For height adjustable benching solutions with the basic cable trough (BCT) wire management option, see the End Caps-Basic Cable Trough (DY4EC., DY4EF.).
Dimensions



Specification Information		
Step 1.		
DU4		
Step 2. Single Sided or Back to Back		
S.	single sided	
B.	back to back	
Step 3. End Cap Quantity		
EC	end cap - 2 per box	
Prices for Steps 1-3.		
DU4S.	EC	\$133
DU4B.	EC	\$166
Step 4. Finish		
Metallic Paint		
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
Sand Texture Paint		
BK	black	+\$0
Smooth Paint		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Connecting Plate - Enhanced Cable Trough

DU4B.
DU4S.



Product Information

Description

These cover plates create a clean and finished aesthetic where bench sections come together. Finishes are available to match the base finishes of Renew™ Link and Nevi™ Link benches. Connecting plates come 1 per package. Product is UL Listed.

Notes



For single sided bench runs, specify single sided (DU4S.CP). For back to back bench runs, specify back to back (DU4B.CP).

Connecting plates are required to connect 1 bench section to another section. The number of connecting plates needed in a run is 1 less than the number of bench sections in the run.

Connecting Plate-Enhanced Cable Trough is for use with height adjustable benching solutions with the enhanced cable trough (ECT) wire management option.



For height adjustable benching solutions with the basic cable trough (BCT) wire management option, see the Connecting Plate-Basic Cable Trough (DY4CP.).

Dimensions



9 1/8"

Single Sided



19 1/8"

Back to Back

Nevi™ Link Sit-to-Stand Bench


Connecting Plate - Enhanced
Cable Trough *continued*

Nevi™ Link Sit-to-Stand Bench

Specification Information		
Step 1.		
DU4		
Step 2. Single Sided or Back to Back		
S.	single sided	
B.	back to back	
Step 3. Connecting Plate or End Cap		
CP	connecting plate (between tables) 1x box	
Prices for Steps 1-3.		
DU4S.	CP	\$166
DU4B.	CP	\$187
Step 4. Finish		
Metallic Paint		
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
Sand Texture Paint		
BK	black	+\$0
Smooth Paint		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Single End Cap - Basic Cable Trough

DY4EF.



Product Information

Description

This cover plate creates a clean and finished aesthetic at the end of a run. Finishes are available to match the base finishes of Nevi™ Link benches. Product is UL Listed.

Notes

End Caps-Basic Cable Trough are for use with height adjustable benching solutions with the basic cable trough (BCT) wire management option.


For height adjustable benching solutions with the enhanced cable trough (ECT) wire management option, see the End Caps-Enhanced Cable Trough (DU4B., DU4S.).

For back-to-back applications, specify end cap-2 per box (EC) option.

End caps are placed on each end of the run.

For 120° applications, specify 1 option of 2 per box (EC) and 1 option of 1 per box (EF) for a total of 3 end caps.

Dimensions



Specification Information

Step 1.

DY4

Step 2. End Cap Quantity

EF. end cap - 1 per box

Prices for Steps 1-2.

DY4EF. \$83

Step 3. Finish

Metallic Paint

CN	metallic champagne	+\$0
MS	metallic silver	+\$0

Sand Texture Paint


BK	black	+\$0
-----------	-------	------

Smooth Paint

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Screen, Trough Mounted

DU8E.
DU8F.
DU8G.
DU8L.



Product Information

Description

This screen provides privacy between workstations and can create privacy and boundary from adjacent work areas. Installed height of all screen tops is 46". Screens are tackable fabric, laminate, or glass. Attachment hardware included.

Notes

Finish for glass screen hardware is always anodized (AN).
Back to back screen (BB) to be used with back to back bench applications.

Gallery screens (BG, SG) to be used on the end of back to back or single sided bench applications, respectively, and in conjunction with end of run gallery panels (DU9R.).

For use with boundary gallery panel (DU9B.) in single sided applications, specify single sided boundary gallery screen (SG).

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Application-Width—Yardage

SG24—1.45

SG30—1.45

SB48—1.45

BG48—1.45

BB48—2.14

For horizontal fabric direction (R):

Application-Width—Yardage

SG24—0.97

SG30—1.14

SB48—1.71

SB54—1.90

SB60—2.07

SB66—2.27

SB72—2.46

BG48—1.71

BG60—2.07

BB48—3.15

BB54—3.52


BB60—3.91

BB66—4.28


BB72—4.67

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.


Dimensions




DU8F



DU8G



DU8L



DU8E

Specification Information

Step 1.

DU8

Step 2. Edge

- F.** Pari fabric screen
G. glass
E. flat edge fabric screen
L. laminate

Step 3. Application

For Pari fabric screen (F.) or flat edge fabric screen (E.)

- SG** single side gallery
SB single side boundary
BG back to back gallery
BB back to back

For glass (G.) or laminate (L.)

- BB** back to back

Step 4. Width

For single side gallery (SG)

- 24** 24" wide
30 30" wide

For single side boundary (SB)

- 48** 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide

For back to back gallery (BG)

- 48** 48" wide
60 60" wide

For back to back (BB)

- 48** 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide

Step 5. Surface Material

For Pari fabric screen (F.) or flat edge fabric screen (E.) with 24" wide (24), 48" wide (48), or 30" wide (30)

- T** tackable fabric
R tackable fabric, horizontal

For Pari fabric screen (F.) or flat edge fabric screen (E.) with 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

- R** tackable fabric, horizontal

For glass (G.)

- 5A** opal etched - 1/4" thick
C3 clear glass - 3/8" thick
G3 opal glass - 3/8" thick
N3 no glass- for customer's own glass 3/8"
NN no glass- for customer's own glass 1/4"
TR clear glass - 1/4" thick

For laminate (L.)

- L** laminate
U laminate/universal edge

Prices for Steps 1-5.

		5A	L	U	T	C3	R
DU8F.	SG 24	—	—	—	\$576	—	559
	30	—	—	—	\$783	—	783
	SB 48	—	—	—	\$839	—	839
	54	—	—	—	—	—	\$895
	60	—	—	—	—	—	\$951
	66	—	—	—	—	—	\$1006
	72	—	—	—	—	—	\$1118
	BG 48	—	—	—	\$839	—	839
	60	—	—	—	—	—	\$895
	BB 48	—	—	—	\$1342	—	1342
	54	—	—	—	—	—	\$1427
	60	—	—	—	—	—	\$1509
	66	—	—	—	—	—	\$1593
	72	—	—	—	—	—	\$1677
		5A	L	U	T	C3	R
DU8G.	BB 48	\$949	—	—	—	1257	—
	54	\$1058	—	—	—	1448	—
	60	\$1194	—	—	—	1666	—
	66	\$1339	—	—	—	1885	—
	72	\$1465	—	—	—	2075	—

Screen, Trough Mounted *continued*

Nevi™ Link Sit-to-Stand Bench

			G3		N3	NN	TR	
DU8G.	BB	48		\$1639	280	274	764	
		54		\$1747	288	288	902	
		60		\$1829	301	301	1038	
		66		\$2048	320	320	1175	
		72		\$2240	347	339	1310	
			5A	L	U	T	C3	R
DU8E.	SG	24	—	—	—	\$123	—	119
		30	—	—	—	\$353	—	339
	SB	48	—	—	—	\$409	—	395
		54	—	—	—	—	—	\$453
		60	—	—	—	—	—	\$530
		66	—	—	—	—	—	\$606
		72	—	—	—	—	—	\$682
	BG	48	—	—	—	\$409	—	395
		60	—	—	—	—	—	\$473
	BB	48	—	—	—	\$893	—	893
		54	—	—	—	—	—	\$979
		60	—	—	—	—	—	\$1064
		66	—	—	—	—	—	\$1137
		72	—	—	—	—	—	\$1210
			5A	L	U	T	C3	R
DU8L.	BB	48	—	\$601	601	—	—	—
		54	—	\$627	627	—	—	—
		60	—	\$655	655	—	—	—
		66	—	\$714	714	—	—	—
		72	—	\$774	774	—	—	—

Step 6. Hardware Color

For Pari fabric screen (F.), flat edge fabric screen (E.), or laminate (L.)

NNN none +\$0

For glass (G.)

AN anodized +\$0

Step 7. Fabric

For Pari fabric screen (F.) AND flat edge fabric screen (E.)

	24	48	30	54	60
Price Category E	+\$218	218	218	218	218
Price Category C	+\$90	115	143	163	176
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$14	18	23	26	28
Price Category 3	+\$34	44	55	62	67
Price Category 4	+\$60	76	95	108	117
				66	72
Price Category E				+\$218	218
Price Category C				+\$197	267
Price Category 1				+\$0	0
Price Category 2				+\$32	43
Price Category 3				+\$75	102
Price Category 4				+\$131	177

For Pari fabric screen (F.) or flat edge fabric screen (E.) with 66" wide (66)

Price Category E	+\$218
Price Category 1	+\$0
Price Category 2	+\$49
Price Category 3	+\$117
Price Category 4	+\$204

For Pari fabric screen (F.) or flat edge fabric screen (E.) with 72" wide (72)

Price Category E	+\$218
Price Category 1	+\$0
Price Category 2	+\$54
Price Category 3	+\$128
Price Category 4	+\$222

Step 8. Grain Direction

For laminate (L.) with 48" wide (48), or 54" wide (54), or 60" wide (60)

VTG vertical grain	+\$0
HRG horizontal grain	+\$0

For laminate (L.) with 66" wide (66), or 72" wide (72)

HRG horizontal grain	+\$0
----------------------	------

Screen, Trough Mounted *continued*

Step 9. Surface Finish

For laminate (L) or laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Step 10. Edge Finish


For laminate (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0

New! Link Sit-to-Stand Bench

Gallery Panel

DU9B.
DU9R.



Nevi™ Link Sit-to-Stand Bench

Product Information

Description

This gallery panel creates a finished and polished look to end of run or single sided applications. It also creates boundary for a single sided bench and an adjacent work space or aisle. The panel is laminate with thermoplastic edge, laminate with universal edge, or veneer with veneer edge. Edges are square. Glides have 1/2" of leveling adjustment.



Notes

For end of run application, specify end of run panel (DU9R.).

For single sided application on back side of work surface, specify single sided boundary panel (DU9B.).

When specifying 29" gallery panel with inserts to be used with 17"-high fabric screen (Pari or flat edge), overall combined height will align with trough-mounted screens at 46" high. Order 17"-high fabric screen separately.

Dimensions



Specification Information

Step 1.

DU9

Step 2. Edge

- R.** end of run gallery panel
- B.** single sided boundary gallery panel (along back edge)

Step 3. Width

For end of run gallery panel (R.)

- 24** 24" wide - front edge to back edge for single sided bench
- 30** 30" wide - front edge to back edge for single sided bench
- 48** 48" wide - front edge to front edge for 24" deep back to back
- 60** 60" wide - front edge to front edge for 30" deep back to back

For single sided boundary gallery panel (along back edge) (B.)

- 48** 48" wide
- 54** 54" wide
- 60** 60" wide
- 66** 66" wide
- 72** 72" wide

Step 4. Height

- 29** 29" tall
- 46** 29" tall with inserts to be used with 17" tall fabric screens (Pari or Flat Edge)

Step 5. Surface Material

- L** laminate top/thermoplastic edge
- W** veneer top/veneer edge
- U** laminate top/universal edge

Prices for Steps 1-5.

			L	W	U
DU9R.	24	29	\$250	575	250
		46	\$318	642	318
	30	29	\$331	725	331
		46	\$400	793	400
	48	29	\$527	1127	527
		46	\$596	1196	596
60	29		\$679	1435	679
		46	\$752	1502	752
			L	W	U
DU9B.	54	29	\$618	1298	616
		46	\$685	1361	662

48 29	\$527	1104	525
46	\$596	1171	594
60 29	\$679	1424	677
46	\$748	1491	745
66 29	\$782	1634	779
46	\$850	1703	848
72 29	\$868	1819	865
46	\$936	1886	933

Step 6.

Surface Finish

For 24" wide - front edge to back edge for single sided bench (24), 48" wide (48), 30" wide - front edge to back edge for single sided bench (30), 54" wide (54), 48" wide - front edge to front edge for 24" deep back to back (48), 60" wide (60), or 60" wide - front edge to front edge for 30" deep back to back (60) with laminate top/thermoplastic edge (L), or laminate top/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0

LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Surface Finish

For 66" wide (66) or 72" wide (72) with laminate top/thermoplastic edge (L), or laminate top/universal edge (U)

LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0

Surface Finish

For 66" wide (66) or 72" wide (72) with laminate top/thermoplastic edge (L), or laminate top/universal edge (U)

LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0

Surface Finish

For 66" wide (66) or 72" wide (72) with laminate top/thermoplastic edge (L), or laminate top/universal edge (U)

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Surface Finish

For 66" wide (66) or 72" wide (72) with laminate top/thermoplastic edge (L), or laminate top/universal edge (U)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0

Surface/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
6U	chocolate brown sapele	+\$0
DU	cathedral recut natural maple	+\$0
ED	aged cherry	+\$85
EK	medium red walnut	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
HU	cathedral recut light anigre	+\$0
JU	cathedral recut aged cherry	+\$0
UL	natural maple	+\$85
UX	walnut on cherry	+\$85
VU	cathedral recut light brown walnut	+\$0
WU	cathedral recut walnut on cherry	+\$0
XU	cathedral recut medium red cherry	+\$0
ZU	cathedral recut chocolate brown sapele	+\$0

Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


<i>For laminate top/universal edge (U)</i>		
PLY	plywood edge	+\$50

Step 8. Bracket Finish		
Metallic Paint		
CN	metallic champagne	+\$0
MS	metallic silver	+\$0

Gallery Panel *continued*

Sand Texture Paint		
BK	black	+\$0
Smooth Paint		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Connect™-Power Entry, 4-Circuit DU1351



Product Information


Description

This power entry connects a building's electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.

Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power. Power entry can be field cut to the appropriate length. For San Francisco, specify 3/8" flex metallic conduit option (C). Finish color on liquid tight conduit is black. Finish color on metallic conduit is silver. A licensed electrician must wire the power entry to the building's electrical system.

Dimensions



Specification Information

Step 1.

DU1351.

Step 2. Length

06	6' long
12	12' long
18	18' long
24	24' long


Step 3. Conduit Type

L	liquid tight conduit
C	3/8" flex metallic conduit

Prices for Steps 1-3.


	L	C
DU1351. 06	\$211	211
12	\$302	302
18	\$402	395
24	\$505	505

Connect™-Power Entry, 4-Circuit, DU1352
New York City




Product Information
Description
This power entry connects a building's electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. It includes a junction box and harness. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.
Notes
Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.
Power entry comes with an 8" harness.
A licensed electrician must wire the power entry to the building's electrical system.
For linear bench sections, the NYC Power Entry (DU1352.o8) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.o8) can only fit, and must be installed in, 54"-wide and wider sections.
Dimensions

Specification Information
Step 1.
DU1352.o8
\$353



Connect™-Junction Block to Junction Block Jumper, 4-Circuit



Product Information


Description

This adjustable power jumper distributes up to 4 20-amp circuits between 2 junction blocks. One end of the jumper extends an additional 3" when connecting to an adjacent junction block. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.

Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power. Finish on 3/8" oval metallic conduit is silver.

Dimensions



Specification Information

Step 1.

DU1353.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide

Step 3. Type


A adjustable jumper

Prices for Steps 1-3.


	A
DU1353. 24	\$123
30	\$136
36	\$144
42	\$151
48	\$154
54	\$168
60	\$175

Connect™-Block Connector,
4-Circuit

DU1354




Product Information	Specification Information
Description This connector connects 2 junction blocks together. Finish is black. Attachment hardware included. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.	Step 1. DU1354.S \$71
Notes Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.	
Dimensions	





Short Receptacle-to-Receptacle Block Connector

Connect™-Junction Block, 4-Circuit DU1358



Product Information
Description
This junction block attaches to the electrical cross bar and accepts 4-circuit receptacles for access and distribution of up to 4 20-amp circuits. It has connection points at both ends for attaching a power entry, a 4-circuit power jumper, or block-to-block connector. Finish is black. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada. Attachment bracket and hardware included.
Notes
Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power. For back-to-back applications, specify the 2-duplex block (DU1358.DB) or the 1-duplex block (DU1358.SB). Order duplex receptacle, 4-circuit (DU1355.) separately. To route power from building to junction block, order 4-circuit power entry (DU1351. or DU1352.) separately. To route power between junction blocks, order junction block to junction block jumper (DU1353.) separately. To connect 2 junction blocks together, order a short block to block connector (DU1354.S) separately.
Dimensions




Specification Information
Step 1.
DU1358.
Step 2. Junction Block Type
SB single back-to-back junction block
DB double back-to-back junction block
Step 3. Attachment Hardware
B short 90° attachment to underside of surface
Prices for Steps 1-3.
DU1358. SB
DB

B
\$130
\$109

Connect™-Duplex Receptacle, 4-Circuit

DU1355



Product Information


Description

This 15- or 20-amp duplex receptacle attaches to a junction block to provide electrical access. Finish is black. Package of 1. It is UL Listed for use with Renew™ Link and Nev1™ Link in the US and Canada.

Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power. Receptacle is labeled as I, II, III, or IV for circuit identification. Order junction block (DU1358.) separately.

Dimensions



Specification Information

Step 1.

DU1355.

Step 2. Amps


15	15 amp
20	20 amp

Step 3. Circuit

1	circuit I
2	circuit II
3	circuit III
4	circuit IV

Prices for Steps 1-3.

	1	2	3	4
DU1355. 15	\$33	33	33	33
20	\$40	40	40	40



Nevi™ Link Sit-to-Stand Bench

Product Information


Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is UL listed.


Notes

Cable clips for cord management are intended for a 1-time installation. Clamp versions can be reoriented in the field by a technician. A small LED light illuminates through the USB ports when the USB version is plugged in and powered. USB ports provide 10-watt power to charge most devices and tablets at full speed. Cord color is predetermined. For white (G1) finish cords will be white. For graphite (G1) finish cords will be black. Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions



Surface Clamp



Grommet Mount

Logic Mini *continued*

Specification Information

Step 1.

Y1414. ☐ A

Step 2. Configuration

J 1 simplex receptacles, 2 powered USB ☐ A

K 2 simplex receptacles ☐ A

Step 3. Cord/Conduit Length

03 3' cord/conduit ☐ A

06 6' cord/conduit ☐ A

10 10' cord/conduit ☐ A

Step 4. Attachment

G grommet mount ☐ A

S surface clamp ☐ A

Prices for Steps 1-4.


		G	S
Y1414. J	03	\$356	356
	06	\$356	356
	10	\$366	366
	K 03	\$199	199
	06	\$199	199
	10	\$209	209

Step 5. Finish

BK	black ☐ A	+\$0
91	white ☐ A	+\$0
98	studio white ☐ A	+\$0
G1	graphite ☐ A	+\$0

Logic Mini Grommet

Y1412.





Nevi™ Link Sit-to-Stand Bench

Product Information



Description
This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

Notes
This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

Dimensions



Grommet - Rectangle




Grommet - Square

Specification Information


Step 1.		
Y1412.		
Step 2. Configuration		
1	mini rectangle grommet	
2	mini square grommet	
Prices for Steps 1-2.		
Y1412. 1		\$28
2		\$32
Step 3. Finish		
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0

External Cable Manager

DU11B.
DU11S.



Product Information
Description
This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.
Dimensions



Specification Information
Step 1.
DU11
Step 2. Attachment
B. high density trough attachment
S. worksurface attachment
Prices for Steps 1-2.
DU11B. \$204
DU11S. \$204
Step 3. Finish
Price Category 5 +\$0

Nevi™ Link Cable Manager




Renew™ Link Sit-to-Stand Bench

Cable Manager



Renew Link Back-to-Back Rectangular Height Adjustable Bench

DU2AE.
DU2AS.
DU2AT.



Product Information

Description

This rectangular back-to-back bench is a 2-workstation unit that can be used in back-to-back height adjustable benching applications in series with other Renew™ Link back-to-back benches to create a run. Each workstation has a C-leg configuration, comes in multiple edge styles, and has options for laminate top with thermoplastic edge, laminate top with universal edge, veneer top and edge, or painted Formcoat® top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed.

Each table can be specified with a different height adjustment mechanism. Floor to top of surface height adjustment ranges are 27"-46" for the electric standard range (E) option, 22"-48" for the electric extended range (D) option, and 28 1/2" for the fixed height table (F).

Notes

To power bench applications, specify the following components separately:

- Power entry (DU1351.)
- Power entry, New York City (DU1352.)
- Junction block to Junction block jumper (DU1353.)
- Duplex receptacle (DU1355.)
- Junction block (DU1358.DBB)

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.


Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. Available on 30" deep tables only.

Power access cutouts are specifically sized for 5 wide and 6 wide Logic G1000 grommet mounted electrical distributors (Y1425.).

For linear bench sections, the NYC Power Entry (DU1352.o8) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.o8) can only fit, and must be installed in, 54"-wide and wider sections.

Dimensions



Renew™ Link Sit-to-Stand Bench

Renew Link Back-to-Back Rectangular Height Adjustable Bench *continued*

Specification Information	
Step 1.	
DU2A	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Depth	
24	24" deep (23" surface size)
30	30" deep (29" surface size)
Step 4. Width	
48	48" wide (47" surface size)
54	54" wide (53" surface size)
60	60" wide (59" surface size)
66	66" wide (65" surface size)
72	72" wide (71" surface size)
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	laminate top/thermoplastic edge
W	veneer top/veneer edge
P	painted Formcoat® top/edge
U	laminate top/universal edge
<i>For thin-edge (T.)</i>	
L	laminate top/thermoplastic edge
W	veneer top/veneer edge
P	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge
Step 6. Height Adjustable Table 1	
E	electric standard range
D	electric extended range
F	fixed table
Step 7. Height Adjustable Table 2	
<i>For electric standard range (E)</i>	
E	electric standard range
D	electric extended range
F	fixed table

For electric extended range (D)						
D	electric extended range					
F	fixed table					
For fixed table (F)						
F	fixed table					
Prices for Steps 1-7.						
	LEE	LED	LEF	LDD	LDF	LFF
DU2AS. 24 48	\$5848	6456	4607	7901	7911	3367
54	\$5988	6621	4748	8103	8319	3506
60	\$6123	6758	4883	8261	8487	3642
66	\$6053	6729	4812	8291	8751	3571
72	\$6183	6890	4941	8497	8973	3700
30 48	\$6034	6591	4792	8000	8209	3552
54	\$6140	6743	4900	8212	8435	3659
60	\$6235	6881	4995	8408	8645	3755
66	\$6131	6831	4891	8428	8899	3650
72	\$6233	6989	4993	8650	9136	3753
	WEE	WED	WEF	WDD	WDF	WFF
DU2AS. 24 48	\$7170	7901	5929	9631	9893	4688
54	\$7337	8095	6097	9877	10170	4856
60	\$7500	8261	6260	10064	10387	5017
66	\$7460	8269	6218	10143	10509	4978
72	\$7614	8465	6373	10391	10793	5132
30 48	\$7392	8061	6151	9751	10029	4909
54	\$7520	8244	6280	10005	10320	5039
60	\$7635	8408	6395	10242	10590	5153
66	\$7553	8393	6312	10310	10698	5072
72	\$7675	8583	6435	10576	11003	5195
	PEE	PED	PEF	PDD	PDF	PFF
DU2AS. 24 48	\$6113	6746	4872	8248	8308	3632
54	\$6260	6916	5017	8458	8548	3777
60	\$6400	7058	5158	8622	8736	3917
66	\$6335	7038	5094	8662	8813	3854
72	\$6468	7206	5227	8877	9059	3987
30 48	\$6304	6885	5064	8351	8425	3823
54	\$6417	7044	5176	8571	8678	3934
60	\$6516	7186	5276	8776	8913	4034
66	\$6417	7145	5176	8805	8977	3934
72	\$6523	7309	5282	9036	9241	4040

Renew Link Back-to-Back Rectangular Height Adjustable Bench *continued*

	UEE	UED	UEF	UDD	UDF	UFF
DU2AS. 24 48	\$5848	6456	4607	7901	7911	3367
54	\$5988	6621	4748	8103	8143	3506
60	\$6123	6758	4883	8261	8323	3642
66	\$6053	6729	4812	8291	8388	3571
72	\$6183	6890	4941	8497	8625	3700
30 48	\$6034	6591	4792	8000	8024	3552
54	\$6140	6743	4900	8212	8266	3659
60	\$6235	6881	4995	8408	8492	3755
66	\$6131	6831	4891	8428	8546	3650
72	\$6233	6989	4993	8650	8800	3753
	LEE	LED	LEF	LDD	LDF	LFF
DU2AT. 24 48	\$6529	7203	5267	8797	8916	4001
54	\$6684	7384	5421	9023	9174	4157
60	\$6834	7536	5570	9198	9372	4306
66	\$6775	7521	5512	9248	9462	4246
72	\$6917	7702	5654	9477	9726	4390
30 48	\$6734	7350	5469	8908	9043	4206
54	\$6854	7519	5590	9142	9311	4325
60	\$6958	7672	5693	9360	9559	4430
66	\$6864	7637	5600	9400	9638	4335
72	\$6976	7810	5713	9647	9919	4448
	WEE	WED	WEF	WDD	WDF	WFF
DU2AT. 24 48	\$7990	8798	6727	10713	11109	5461
54	\$8177	9015	6912	10982	11417	5649
60	\$8355	9199	7092	11191	11655	5828
66	\$8329	9225	7065	11297	11808	5801
72	\$8500	9441	7236	11571	12122	5972
30 48	\$8237	8976	6973	10845	11260	5709
54	\$8378	9178	7113	11126	11580	5849
60	\$8505	9360	7241	11387	11880	5977
66	\$8436	9362	7172	11480	12018	5907
72	\$8569	9571	7306	11776	12355	6042
	PEE	PED	PEF	PDD	PDF	PFF
DU2AT. 24 48	\$6823	7478	5558	9182	9356	4295
54	\$6983	7711	5721	9417	9624	4455
60	\$7138	7869	5875	9596	9830	4611
66	\$7087	7863	5823	9658	9932	4558
72	\$7235	8050	5971	9897	10206	4707
30 48	\$7035	7675	5771	9297	9485	4508
54	\$7160	7852	5895	9540	9765	4631
60	\$7269	8010	6004	9766	10024	4741
66	\$7178	7983	5913	9817	10115	4649
72	\$7295	8164	6031	10072	10407	4767

	PEE	PED	PEF	PDD	PDF	PFF
DU2AE. 24 48	\$6577	7255	5313	8860	8988	4050
54	\$6733	7436	5468	9087	9246	4205
60	\$6883	7589	5619	9260	9446	4355
66	\$6827	7577	5563	9314	9539	4299
72	\$6968	7759	5704	9545	9803	4440
30 48	\$6784	7404	5520	8972	9116	4256
54	\$6902	7572	5639	9208	9385	4375
60	\$7010	7726	5746	9426	9634	4482
66	\$6913	7692	5650	9469	9715	4386
72	\$7027	7869	5763	9714	9997	4499

Step 8. Central Cable Trough Tables 1 and 2

		48	54	60	66	72
BCT	basic cable trough	+\$100	100	100	150	150
ECT	enhanced cable trough w/covers - data/power routing and cord management	+\$700	700	700	900	900

Step 9. Switch Option

For fixed table (F) with fixed table (F)

SNN	no control					+\$0
------------	------------	--	--	--	--	------

For electric standard range (E) AND electric extended range (D)

		E	D	F
SUD	simple up down	+\$100	100	100
SMT	no switch - LO100	+\$0	0	0
SRM	digital read out with memory	+\$160	320	320

Step 10. Workstation Cord Cover/Cable Management Table 1 and 2

For 24" deep (23" surface size) (24)

PSC	simple cable			+\$0
------------	--------------	--	--	------

For 30" deep (29" surface size) (30)

PSC	simple cable			+\$0
PHD	high density cable trough			+\$549

Step 11. Power Access Cutout - Tables 1 and 2

NNN	no cutout			+\$0
------------	-----------	--	--	------

Renew Link Back-to-Back Rectangular Height Adjustable Bench *continued*

Renew™ Link Sit-to-Stand Bench

<i>For 30" deep (29" surface size) (30) with 54" wide (53" surface size) (54) with high density cable trough (PHD)</i>		
NNN	no cutout	+\$0
LAC	left cutout 6 port Y1425	+\$45
RAC	right cutout 6 port Y1425	+\$45
LC5	left cutout 5 port Y1425	+\$45
RC5	right cutout 5 port Y1425	+\$45

<i>For 30" deep (29" surface size) (30) with 60" wide (59" surface size) (60), or 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with high density cable trough (PHD)</i>		
NNN	no cutout	+\$0
LAC	left cutout	+\$45
RAC	right cutout	+\$45
CAC	center cutout	+\$45
LC5	left cutout 5 port Y1425	+\$45
RC5	right cutout 5 port Y1425	+\$45
CC5	center cutout 5 port Y1425	+\$45

Step 12.

Top Finish

<i>For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)</i>		
28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0

LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut	+\$170
40	dark brown walnut	+\$170
ED	aged cherry	+\$170
EK	medium red walnut	+\$170
EW	medium matte walnut	+\$170
ET	clear on ash	+\$170
EU	oak on ash	+\$170
EV	walnut on ash	+\$170
UL	natural maple	+\$170
UX	walnut on cherry	+\$170

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 13. Edge Finish

For laminate top/thermoplastic edge (L)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0

Renew Link Back-to-Back Rectangular Height Adjustable Bench *continued*

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
8Z	neutral grey	+\$0
91	white	+\$0
98	studio white	+\$0
9V	tapestry beige	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
CM	cinnamon	+\$0
CO	chamomile	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
JB	millwork cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
N3	cool grey	+\$0
OG	honey maple	+\$0
SG	slate grey	+\$0
WA	wheat	+\$0
WL	sandstone	+\$0

WN	warm grey neutral	+\$0
X1	chalk white	+\$0

For laminate top/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Step 14. Base Finish

Metallic Paint

CN	metallic champagne	+\$0
MS	metallic silver	+\$0

Sand Texture Paint


BK	black	+\$0
-----------	-------	------

Smooth Paint

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Back to Back Trapezoid Height Adjustable Bench

DU2TE.
DU2TS.
DU2TT.



Product Information

Description

This bench is a 2 workstation unit that can be used in back to back height adjustable benching applications in series with other Renew™ Link back to back benches to create a run. The trapezoid shape creates individual and group work environments within a traditional benching application. Each workstation has a C-leg configuration, comes in multiple edge styles, and has options for laminate top with thermoplastic edge, laminate top with universal edge, veneer top and edge, or painted Formcoat® top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed. Each table can be specified with a different height adjustment mechanism. Floor to top of surface height adjustment ranges are 27"-46" for the electric standard range (E) option, 22"-48" for the electric extended range (D) option, and 28 1/2" for the fixed height table (F).

Notes

To power bench applications, specify Connect™ separately. See planning guide for details.


Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. Available on 30" deep tables only.


Power access cutouts are specifically sized for 5 wide and 6 wide Logic G1000 grommet mounted electrical distributors (Y1425).

For linear bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 54"-wide and wider sections.


Dimensions



Left Hand/Left Hand



Left Hand/Right Hand



Right Hand/Right Hand

Back to Back Trapezoid Height Adjustable Bench *continued*

Specification Information

Step 1.

DU2T

Step 2. Edge

- S.** squared-edge
- T.** thin-edge
- E.** eased-edge

Step 3. Width

- 48** 48" wide (47" surface size)
- 54** 54" wide (53" surface size)
- 60** 60" wide (59" surface size)
- 66** 66" wide (65" surface size)
- 72** 72" wide (71" surface size)

Step 4. Surface Material

For squared-edge (S.)

- L** laminate top/thermoplastic edge
- W** veneer top/veneer edge
- P** painted Formcoat® top/edge
- U** laminate top/universal edge

For thin-edge (T.)

- L** laminate top/thermoplastic edge
- W** veneer top/veneer edge
- P** painted Formcoat® top/edge

For eased-edge (E.)

- P** painted Formcoat® top/edge

Step 5. Height Adjustable Table 1

- E** electric standard range
- D** electric extended range
- F** fixed table

Step 6. Height Adjustable Table 2

For electric standard range (E)

- E** electric standard range
- D** electric extended range
- F** fixed table

For electric extended range (D)

- D** electric extended range
- F** fixed table

For fixed table (F)

F fixed table

Step 7. Trapezoid Configuration

- A** left hand/left hand
- B** left hand/right hand
- C** right hand/right hand

Prices for Steps 1-7.

	EEA	EEB	EEC	EDA	EDB	EDC
DU2TS. 48 L	\$7131	7131	7131	7717	7717	7717
W	\$8559	8559	8559	9260	9260	9260
P	\$7418	7418	7418	8026	8026	8026
U	\$7131	7131	7131	7717	7717	7717
54 L	\$7245	7245	7245	7876	7876	7876
W	\$8693	8693	8693	9453	9453	9453
P	\$7534	7534	7534	8192	8192	8192
U	\$7245	7245	7245	7876	7876	7876
60 L	\$7345	7345	7345	8023	8023	8023
W	\$8814	8814	8814	9625	9625	9625
P	\$7639	7639	7639	8343	8343	8343
U	\$7345	7345	7345	8023	8023	8023
66 L	\$7464	7464	7464	8197	8197	8197
W	\$8955	8955	8955	9837	9837	9837
P	\$7762	7762	7762	8526	8526	8526
U	\$7464	7464	7464	8197	8197	8197
72 L	\$7571	7571	7571	8364	8364	8364
W	\$9083	9083	9083	10036	10036	10036
P	\$7873	7873	7873	8700	8700	8700
U	\$7571	7571	7571	8364	8364	8364

	EFA	EFB	EFC	DDA	DDB	DDC
DU2TS. 48 L	\$5828	5828	5828	9197	9197	9197
W	\$7255	7255	7255	11036	11036	11036
P	\$6115	6115	6115	9566	9566	9566
U	\$5828	5828	5828	9197	9197	9197
54 L	\$5942	5942	5942	9419	9419	9419
W	\$7390	7390	7390	11303	11303	11303
P	\$6230	6230	6230	9797	9797	9797
U	\$5942	5942	5942	9419	9419	9419
60 L	\$6042	6042	6042	9625	9625	9625
W	\$7510	7510	7510	11552	11552	11552
P	\$6336	6336	6336	10011	10011	10011
U	\$6042	6042	6042	9625	9625	9625

Renew™ Link Sit-to-Stand Bench

Back to Back Trapezoid Height Adjustable Bench *continued*

Renew™ Link Sit-to-Stand Bench

66 L	\$6160	6160	6160	9875	9875	9875
W	\$7652	7652	7652	11850	11850	11850
P	\$6458	6458	6458	10271	10271	10271
U	\$6160	6160	6160	9875	9875	9875
72 L	\$6268	6268	6268	10109	10109	10109
W	\$7781	7781	7781	12128	12128	12128
P	\$6570	6570	6570	10512	10512	10512
U	\$6268	6268	6268	10109	10109	10109
	DFA	DFB	DFC	FFA	FFB	FFC
DU2TS. 48 L	\$9223	9223	9223	4526	4526	4526
W	\$11328	11328	11328	5953	5953	5953
P	\$9646	9646	9646	4812	4812	4812
U	\$9223	9223	9223	4526	4526	4526
54 L	\$9476	9476	9476	4638	4638	4638
W	\$11633	11633	11633	6086	6086	6086
P	\$9909	9909	9909	4928	4928	4928
U	\$9476	9476	9476	4638	4638	4638
60 L	\$9713	9713	9713	4739	4739	4739
W	\$11916	11916	11916	6208	6208	6208
P	\$10155	10155	10155	5033	5033	5033
U	\$9713	9713	9713	4739	4739	4739
66 L	\$9997	9997	9997	4858	4858	4858
W	\$12257	12257	12257	6349	6349	6349
P	\$10451	10451	10451	5157	5157	5157
U	\$9997	9997	9997	4858	4858	4858
72 L	\$10265	10265	10265	4964	4964	4964
W	\$12577	12577	12577	6479	6479	6479
P	\$10728	10728	10728	5269	5269	5269
U	\$10265	10265	10265	4964	4964	4964
	EEA	EEB	EEC	EDA	EDB	EDC
DU2TT. 48 L	\$7723	7723	7723	8358	8358	8358
W	\$9269	9269	9269	10029	10029	10029
P	\$8034	8034	8034	8692	8692	8692
54 L	\$7846	7846	7846	8531	8531	8531
W	\$9415	9415	9415	10237	10237	10237
P	\$8161	8161	8161	8874	8874	8874
60 L	\$7954	7954	7954	8688	8688	8688
W	\$9546	9546	9546	10426	10426	10426
P	\$8273	8273	8273	9036	9036	9036
66 L	\$8083	8083	8083	8879	8879	8879
W	\$9701	9701	9701	10656	10656	10656
P	\$8406	8406	8406	9234	9234	9234
72 L	\$8198	8198	8198	9058	9058	9058
W	\$9840	9840	9840	10871	10871	10871
P	\$8529	8529	8529	9421	9421	9421

	EFA	EFB	EFC	DDA	DDB	DDC
DU2TT. 48 L	\$6424	6424	6424	9962	9962	9962
W	\$7968	7968	7968	11954	11954	11954
P	\$6733	6733	6733	10360	10360	10360
54 L	\$6545	6545	6545	10202	10202	10202
W	\$8115	8115	8115	12241	12241	12241
P	\$6860	6860	6860	10610	10610	10610
60 L	\$6654	6654	6654	10426	10426	10426
W	\$8245	8245	8245	12511	12511	12511
P	\$6972	6972	6972	10842	10842	10842
66 L	\$6783	6783	6783	10694	10694	10694
W	\$8400	8400	8400	12835	12835	12835
P	\$7108	7108	7108	11123	11123	11123
72 L	\$6899	6899	6899	10948	10948	10948
W	\$8540	8540	8540	13138	13138	13138
P	\$7228	7228	7228	11386	11386	11386
	DFA	DFB	DFC	FFA	FFB	FFC
DU2TT. 48 L	\$10101	10101	10101	5123	5123	5123
W	\$12380	12380	12380	6667	6667	6667
P	\$10556	10556	10556	5432	5432	5432
54 L	\$10374	10374	10374	5244	5244	5244
W	\$12710	12710	12710	6814	6814	6814
P	\$10841	10841	10841	5560	5560	5560
60 L	\$10632	10632	10632	5353	5353	5353
W	\$13018	13018	13018	6946	6946	6946
P	\$11108	11108	11108	5673	5673	5673
66 L	\$10940	10940	10940	5484	5484	5484
W	\$13387	13387	13387	7100	7100	7100
P	\$11429	11429	11429	5807	5807	5807
72 L	\$11228	11228	11228	5599	5599	5599
W	\$13734	13734	13734	7239	7239	7239
P	\$11729	11729	11729	5927	5927	5927
	EEA	EEB	EEC	EDA	EDB	EDC
DU2TE. 48 P	\$7936	7936	7936	8585	8585	8585
54 P	\$8060	8060	8060	8764	8764	8765
60 P	\$8172	8172	8172	8924	8924	8924
66 P	\$8302	8302	8302	9120	9120	9120
72 P	\$8421	8421	8421	9306	9306	9306
	EFA	EFB	EFC	DDA	DDB	DDC
DU2TE. 48 P	\$6607	6607	6607	10232	10232	10232
54 P	\$6731	6731	6731	10479	10479	10479
60 P	\$6845	6845	6845	10708	10708	10708
66 P	\$6975	6975	6975	10985	10985	10985
72 P	\$7095	7095	7095	11245	11245	11245

Back to Back Trapezoid Height Adjustable Bench *continued*

	DFA	DFB	DFC	FFA	FFB	FFC
DU2TE. 48 P	\$10384	10384	10384	5280	5280	5280
54 P	\$10665	10665	10665	5404	5404	5404
60 P	\$10927	10927	10927	5516	5516	5516
66 P	\$11245	11245	11245	5648	5648	5648
72 P	\$11542	11542	11542	5767	5767	5767

Step 8. Central Cable Trough

ECT	enhanced cable trough w/covers - data/power routing and cord management	+\$0
------------	---	------

Step 9. Switch Option

For fixed table (F) with fixed table (F)

SNN	no control	+\$0
------------	------------	------

For electric standard range (E) AND electric extended range (D)

	E	D	F
SUD	simple up down	+\$0	0
SMT	no switch - LO100	+\$0	0
SRM	digital read out with memory	+\$160	320

Step 10. Workstation Cord Cover/Cable Management Table 1 and 2

PSC	simple cable	+\$0
PHD	high density cable trough	+\$549

Step 11. Power Access Cutout - Tables 1 and 2

For 48" wide (47" surface size) (48), 54" wide (53" surface size) (54), 60" wide (59" surface size) (60), 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with simple cable (PSC), or high density cable trough (PHD)

NNN	no cutout	+\$0
------------	-----------	------

For 54" wide (53" surface size) (54), 60" wide (59" surface size) (60), 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with high density cable trough (PHD)

NNN	no cutout	+\$0
OAC	offset center cutout for 6 port Y1425	+\$45
OC5	offset center cutout for 5 port Y1425 A	+\$45

Step 12.

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Back to Back Trapezoid Height Adjustable Bench *continued*

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut	+\$170
40	dark brown walnut	+\$170
ED	aged cherry	+\$170
EK	medium red walnut	+\$170
EW	medium matte walnut	+\$170
ET	clear on ash	+\$170
EU	oak on ash	+\$170
EV	walnut on ash	+\$170
UL	natural maple	+\$170
UX	walnut on cherry	+\$170

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey A	+\$0
91	white A	+\$0
CL	cool grey neutral A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 13. Edge Finish

<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0

LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

<i>For laminate top/universal edge (U)</i>		
PLY	plywood edge	+\$50

Step 14. Base Finish


Metallic Paint		
CN	metallic champagne	+\$0
MS	metallic silver	+\$0

Sand Texture Paint		
BK	black	+\$0

Smooth Paint		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Single Sided Rectangular Height Adjustable Bench

DU1AE.
DU1AS.
DU1AT.



Product Information

Description

This rectangular single sided bench is a 1 workstation unit that can be used in single sided height adjustable benching applications in series with other Renew™ Link single sided benches to create a run. Each workstation has a C-leg configuration, comes in multiple edge styles, and has options for laminate top with thermoplastic edge, laminate top with universal edge, veneer top and edge, or painted Formcoat® top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed.

Each table can be specified with a different height adjustment mechanism. Floor to top of surface height adjustment ranges are 27"-46" for the electric standard range (E) option, 22"-48" for the electric extended range (D) option, and 28 1/2" for the fixed height table (F).

Notes

To power bench applications, specify Connect™ separately. See planning guide for details.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.


Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. Available on 30" deep tables only.

Power access cutouts are specifically sized for 5 wide and 6 wide Logic G1000 grommet mounted electrical distributors (Y1425.).

For linear bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 54"-wide and wider sections.

Dimensions



Renew™ Link Sit-to-Stand Bench

Single Sided Rectangular Height Adjustable Bench *continued*

Specification Information	
Step 1.	
DU1A	A
Step 2. Edge	
S.	squared-edge A
T.	thin-edge A
E.	eased-edge A
Step 3. Depth	
24	24" deep (23" surface size) A
30	30" deep (29" surface size) A
Step 4. Width	
48	48" wide (47" surface size) A
54	54" wide (53" surface size) A
60	60" wide (59" surface size) A
66	66" wide (65" surface size) A
72	72" wide (71" surface size) A
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	laminated top/thermoplastic edge A
W	veneer top/veneer edge A
P	painted Formcoat® top/edge A
U	laminated top/universal edge A
<i>For thin-edge (T.)</i>	
L	laminated top/thermoplastic edge A
W	veneer top/veneer edge A
P	painted Formcoat® top/edge A
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge A
Step 6. Height Adjustment	
E	electric standard range A
D	electric extended range A
F	fixed table A

Prices for Steps 1-6.						
	LE	LD	LF	WE	WD	WF
DU1AS. 24 48	\$3749	3932	2515	4502	4719	3265
54	\$3789	3995	2574	4571	4793	3336
60	\$3864	4055	2642	4638	4864	3403
66	\$3945	4176	2693	4715	4944	3479
72	\$3984	4218	2748	4780	5012	3545
30 48	\$3812	3998	2579	4579	4801	3342
54	\$3880	4072	2645	4659	4886	3423
60	\$3931	4120	2695	4716	4948	3483
66	\$3992	4186	2759	4793	5027	3557
72	\$4050	4264	2813	4861	5097	3626
	PE	PD	PF	UE	UD	UF
DU1AS. 24 48	\$3901	4090	2665	3751	3934	2515
54	\$3962	4155	2726	3809	3995	2574
60	\$4021	4217	2785	3866	4055	2631
66	\$4087	4286	2851	3929	4176	2693
72	\$4143	4344	2907	3984	4218	2748
30 48	\$3967	4161	2732	3814	4000	2579
54	\$4039	4234	2803	3880	4072	2647
60	\$4088	4290	2856	3931	4124	2697
66	\$4156	4357	2920	3995	4189	2759
72	\$4214	4418	2978	4053	4247	2815
	LE	LD	LF	WE	WD	WF
DU1AT. 24 48	\$4162	4365	2897	4995	5236	3731
54	\$4229	4433	2965	5074	5319	3811
60	\$4291	4499	3027	5150	5398	3885
66	\$4361	4570	3096	5232	5487	3968
72	\$4421	4636	3158	5306	5563	4042
30 48	\$4234	4440	2970	5081	5328	3817
54	\$4309	4519	3045	5170	5423	3907
60	\$4366	4578	3101	5238	5494	3975
66	\$4434	4649	3170	5321	5579	4058
72	\$4496	4714	3232	5396	5657	4133
	PE	PD	PF	UE	UD	UF
DU1AT. 24 48	\$4328	4539	3065	—	—	—
54	\$4398	4611	3134	—	—	—
60	\$4463	4679	3199	—	—	—
66	\$4536	4755	3272	—	—	—
72	\$4600	4822	3335	—	—	—

Single Sided Rectangular Height Adjustable Bench *continued*

30 48	\$4404	4618	3141	—	—	—
54	\$4481	4700	3217	—	—	—
60	\$4540	4760	3276	—	—	—
66	\$4613	4836	3349	—	—	—
72	\$4677	4902	3413	—	—	—
	PE	PD	PF	UE	UD	UF
DU1AE. 24 48	\$4189	4393	2926	—	—	—
54	\$4257	4462	2993	—	—	—
60	\$4318	4529	3054	—	—	—
66	\$4389	4603	3124	—	—	—
72	\$4451	4667	3187	—	—	—
30 48	\$4262	4469	2998	—	—	—
54	\$4337	4548	3074	—	—	—
60	\$4393	4607	3129	—	—	—
66	\$4463	4679	3199	—	—	—
72	\$4527	4746	3263	—	—	—

Step 7. Central Cable Trough

ECT	enhanced cable trough w/covers - data/power routing and cord management A	+\$0
------------	--	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down A	+\$0
SMT	no switch - LO100 A	+\$0
SRM	digital read out with memory A	+\$160

For fixed table (F)

SNN	no control A	+\$0
------------	---------------------	------

Step 9. Workstation Cord Cover/Cable Management

For 24" deep (23" surface size) (24)

PSC	simple cable A	+\$0
------------	-----------------------	------

For 30" deep (29" surface size) (30)

PSC	simple cable A	+\$0
PHD	high density cable trough A	+\$299

Step 10. Power Access Cutout - Tables 1 and 2

NNN	no cutout A	+\$0
------------	--------------------	------

For 30" deep (29" surface size) (30) with 54" wide (53" surface size) (54) with high density cable trough (PHD)

NNN	no cutout A	+\$0
LAC	left cutout 6 port Y1425 A	+\$45
RAC	right cutout 6 port Y1425 A	+\$45
LC5	left cutout 5 port Y1425 A	+\$45
RC5	right cutout 5 port Y1425 A	+\$45

For 30" deep (29" surface size) (30) with 60" wide (59" surface size) (60), or 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with high density cable trough (PHD)

NNN	no cutout A	+\$0
LAC	left cutout A	+\$45
RAC	right cutout A	+\$45
CAC	center cutout A	+\$45
LC5	left cutout 5 port Y1425 A	+\$45
RC5	right cutout 5 port Y1425 A	+\$45
CC5	center cutout 5 port Y1425 A	+\$45

Single Sided Rectangular Height Adjustable Bench *continued*

Step 11.

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash A	+\$0
LBA	clear on ash A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut A	+\$0
LBE	medium red walnut A	+\$0
LBF	neutral twill A	+\$0
LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
OG	honey maple A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
EW	medium matte walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey A	+\$0
91	white A	+\$0
CL	cool grey neutral A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 12. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash A	+\$0
LBA	clear on ash A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut A	+\$0
LBE	medium red walnut A	+\$0
LBF	neutral twill A	+\$0

Single Sided Rectangular Height Adjustable Bench *continued*

LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

For laminate top/universal edge (U)

PLY	plywood edge ☐	+\$50
------------	---------------------------------------	-------

Step 13. Base Finish

Metallic Paint

CN	metallic champagne ☐	+\$0
MS	metallic silver ☐	+\$0

Sand Texture Paint


BK	black ☐	+\$0
-----------	--------------------------------	------

Smooth Paint

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
G2	graphite satin ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Renew™ Link 120 Degree Height Adjustable Bench

DU3AS.
DU3AT.



Product Information

Description

This back-to-back bench is a 3-workstation unit that can be used in back-to-back height adjustable benching applications in series with other Renew™ Link back-to-back benches. Each workstation has a C-leg configuration, comes in multiple edge styles, and has options for laminate top with thermoplastic edge or veneer top and edge. There are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " of leveling adjustment. Shipped knocked down. Product is UL Listed.

Notes

Floor-to-top-of-surface height adjustment ranges are 27"-46" for the electric standard range (EEE) option and 22"-48" for the electric extended range (DDD) option.

To power bench applications, order Connect™ separately. See planning guide for details.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.

Simple cable cover (PSC) is facility installed only.




High density cable trough (PHD) can be accessed by users for daily cord management. Available on 30" deep tables only. Cutouts must be placed on surface above high-density cable trough.

Power access cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.). No cutouts can be specified when the simple cable under-worksurface cable management (PSC) option is selected.

When specifying height adjustable range (EEE or DDD), all 3 tables will be the same range (standard or extended).

For linear bench sections, the NYC Power Entry (DU1352.o8) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.o8) can only fit, and must be installed in, 54"-wide and wider sections.

Dimensions



Renew™ Link 120 Degree Height Adjustable Bench *continued*

Specification Information					
Step 1.					
DU3A					
Step 2. Edge					
S.	squared-edge				
T.	thin-edge				
Step 3. Depth					
24	24" deep (23" surface size)				
30	30" deep (29" surface size)				
Step 4. Width					
48	48" wide (47" surface size)				
54	54" wide (53" surface size)				
60	60" wide (59" surface size)				
Step 5. Surface Material					
L	laminate top/thermoplastic edge				
W	veneer top/veneer edge ☐				
Step 6. Height Adjustable Range Tables 1, 2, and 3					
DDD	electric extended range				
EEE	electric standard range				
Prices for Steps 1-6.					
		LDDD	LEEE	WDDD	WEEE
DU3AS. 24 48		\$22344	17329	26818	20798
54		\$23884	18369	28664	22046
60		\$25520	19471	30629	23368
30 48		\$23521	18241	28228	21892
54		\$25140	19336	30173	23206
60		\$26864	20496	32240	24598
DU3AT. 24 48		\$24247	18804	29100	22567
54		\$25917	19933	31104	23922
60		\$27693	21128	33235	25357
30 48		\$25522	19895	30631	23756
54		\$27281	20981	32741	25181
60		\$29150	22240	34985	26692
Step 7. Central Cable Trough Tables 1, 2, and 3					
BCT	basic cable trough				+\$1200
ECT	enhanced cable trough w/covers - data/power routing and cord management				+\$2100

Step 8. Switch Option				
		DDD	EEE	
SMT	no switch - LO100	+\$0	0	
SRM	digital read out with memory	+\$240	480	
SUD	simple up down	+\$150	150	
Step 9. Under Work Surface Cable Management Tables 1, 2, and 3				
<i>For 24" deep (23" surface size) (24)</i>				
PSC	simple cable			+\$0
<i>For 30" deep (29" surface size) (30)</i>				
MIX	1 simple cable and 1 high density cable trough			+\$825
PHD	(2) high density cable trough			+\$1650
PSC	(2) simple cable			+\$0
Step 10. Power Access Cutout - Tables 1, 2, and 3				
<i>For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (47" surface size) (48), or 54" wide (53" surface size) (54), or 60" wide (59" surface size) (60) with (2) simple cable (PSC), or simple cable (PSC)</i>				
NNN	no cutout			+\$0
<i>For 30" deep (29" surface size) (30) with 48" wide (47" surface size) (48), or 54" wide (53" surface size) (54), or 60" wide (59" surface size) (60) with 1 simple cable and 1 high density cable trough (MIX), or (2) high density cable trough (PHD)</i>				
NNN	no cutout			+\$0
LAC	left cutout 6 port Y1425			+\$68
RAC	right cutout 6 port Y1425			+\$68
LC5	left cutout 5 port Y1425			+\$68
RC5	right cutout 5 port Y1425			+\$68

Renew™ Link 120 Degree Height Adjustable Bench *continued*

Step 11.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone A	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$255
40	dark brown walnut A	+\$255
ED	aged cherry A	+\$255
EK	medium red walnut A	+\$255
ET	clear on ash A	+\$255
EU	oak on ash A	+\$255
EV	walnut on ash A	+\$255
EW	medium matte walnut A	+\$255
UL	natural maple A	+\$255
UX	walnut on cherry A	+\$255

Step 12. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0

Renew™ Link 120 Degree Height Adjustable Bench *continued*

LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 13. Base Finish

Sand Texture Paint

BK	black	+\$0
-----------	-------	------

Smooth Paint


8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Metallic Paint


CN	metallic champagne	+\$0
MS	metallic silver	+\$0

End Caps - Enhanced Cable Trough

DU4B.
DU4S.




Product Information
Description These cover plates create a clean and finished aesthetic at the end of runs. Finishes are available to match the base finishes of Renew™ Link and Nevi™ Link benches. Product is UL Listed.
Notes For single sided bench runs, specify single sided (DU4S.EC). For back to back bench runs, specify back to back (DU4B.EC). Only 1 set of end caps needed per run. End caps are placed on each end of the run. End Caps-Enhanced Cable Trough are for use with height adjustable benching solutions with the enhanced cable trough (ECT) wire management option. For height adjustable benching solutions with the basic cable trough (BCT) wire management option, see the End Caps-Basic Cable Trough (DY4EC., DY4EF.).
Dimensions



Specification Information
Step 1. DU4
Step 2. Single Sided or Back to Back S. single sided B. back to back
Step 3. End Cap Quantity EC end cap - 2 per box
Prices for Steps 1-3. DU4S. EC \$133 DU4B. EC \$166
Step 4. Finish
Metallic Paint CN metallic champagne +\$0 MS metallic silver +\$0
Sand Texture Paint BK black +\$0
Smooth Paint 8Q folkstone grey +\$0 91 white +\$0 98 studio white +\$0 G2 graphite satin +\$0 WL sandstone +\$0 WN warm grey neutral +\$0

Connecting Plate - Enhanced Cable Trough

DU4B.
DU4S.



Product Information

Description

These cover plates create a clean and finished aesthetic where bench sections come together. Finishes are available to match the base finishes of Renew™ Link and Nevi™ Link benches. Connecting plates come 1 per package. Product is UL Listed.

Notes



For single sided bench runs, specify single sided (DU4S.CP). For back to back bench runs, specify back to back (DU4B.CP).

Connecting plates are required to connect 1 bench section to another section. The number of connecting plates needed in a run is 1 less than the number of bench sections in the run.

Connecting Plate-Enhanced Cable Trough is for use with height adjustable benching solutions with the enhanced cable trough (ECT) wire management option.



For height adjustable benching solutions with the basic cable trough (BCT) wire management option, see the Connecting Plate-Basic Cable Trough (DY4CP.).

Dimensions



9 1/8"

Single Sided



19 1/8"

Back to Back

Renew™ Link Sit-to-Stand Bench


Connecting Plate - Enhanced
Cable Trough *continued*

Renew™ Link Sit-to-Stand Bench

Specification Information		
Step 1.		
DU4		
Step 2. Single Sided or Back to Back		
S.	single sided	
B.	back to back	
Step 3. Connecting Plate or End Cap		
CP	connecting plate (between tables) 1x box	
Prices for Steps 1-3.		
DU4S.	CP	\$166
DU4B.	CP	\$187
Step 4. Finish		
Metallic Paint		
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
Sand Texture Paint		
BK	black	+\$0
Smooth Paint		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Renew™ Link Back-to-Back Leg Shroud

DU4C.



Product Information

Description




This metal shroud covers and wraps around the legs of Renew™ Link back-to-back units to create a unified and integrated leg aesthetic.

Notes

To add shrouds to each end of a run, a quantity of 2 end-of-run shrouds must be ordered.

To add shrouds mid run, a quantity of 1 mid-run shrouds must be ordered for each connection point.

Dimensions



Renew™ Link Sit-to-Stand Bench


Renew™ Link Back-to-Back Leg
Shroud *continued*

Renew™ Link Sit-to-Stand Bench


Specification Information		
Step 1.		
DU4C.		
Step 2. Location		
EG	end of run for gallery panel	
ER	end of run	
MR	mid run	
Step 3. Material		
P	painted steel	
Prices for Steps 1-3.		
		P
DU4C.	EG	\$170
	ER	\$208
	MR	\$341
Step 4. Height Range of Tables		
For mid run (MR)		
D	extended	+\$0
E	standard and fixed	+\$0
For end of run for gallery panel (EG) or end of run (ER)		
N	extended/standard/fixed	+\$0
Step 5. Finish		
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
BK	black	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

End Caps - Basic Cable Trough

DY4EC.




Product Information
Description
This cover plate creates a clean and finished aesthetic at the end of a run. Finishes are available to match the base finishes of Nevi™ Link benches. Product is UL Listed.
Notes
End Caps-Basic Cable Trough are for use with height adjustable benching solutions with the basic cable trough (BCT) wire management option.
For height adjustable benching solutions with the enhanced cable trough (ECT) wire management option, see the End Caps-Enhanced Cable Trough (DU4B., DU4S.).
For back-to-back applications, specify end cap-2 per box (EC) option.
End caps are placed on each end of the run.
For 120° applications, specify 1 option of 2 per box (EC) and 1 option of 1 per box (EF) for a total of 3 end caps.
Dimensions



Specification Information
Step 1.
DY4
Step 2. End Cap Quantity
EC. end cap - 2 per box
Prices for Steps 1-2.
DY4EC. \$166
Step 3. Finish
Metallic Paint
CN metallic champagne +\$0
MS metallic silver +\$0
Sand Texture Paint
BK black +\$0
Smooth Paint
8Q folkstone grey +\$0
91 white +\$0
98 studio white +\$0
G2 graphite satin +\$0
WL sandstone +\$0
WN warm grey neutral +\$0

Connecting Plate - Basic Cable Trough

DY4CP.



Product Information

Description

This cover plate creates a clean and finished aesthetic where bench sections come together. Finishes are available to match the base finishes of Nevi™ Link benches. Package contains 1 connecting plate. Product is UL Listed.


Notes

Connecting Plate-Basic Cable Trough are for use with height adjustable benching solutions with the basic cable trough (BCT) wire management option.

For height adjustable benching solutions with the enhanced cable trough (ECT) wire management option, see the Connecting Plate-Enhanced Cable Trough (DU4B., DU4S.).

Connecting plate is required to connect 1 bench section to another section. The number of connecting plates needed in a run is 1 less than the number of bench sections in the run.

Dimensions



Specification Information

Step 1.

DY4

Step 2. Connecting Plate or End Cap

CP. connecting plate (between tables) 1x box

Prices for Steps 1-2.

DY4CP. \$187

Step 3. Finish

Metallic Paint

CN	metallic champagne	+\$0
MS	metallic silver	+\$0

Sand Texture Paint


BK	black	+\$0
-----------	-------	------

Smooth Paint

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Single End Cap - Enhanced Cable Trough

DU4B.



Product Information

Description

These cover plates create a clean and finished aesthetic at the end of runs. Finishes are available to match the base finishes of Renew™ Link and Nevi™ Link benches. Product is UL Listed.

Notes


For single sided bench runs, specify single sided (DU4S.EC). For back to back bench runs, specify back to back (DU4B.EC).

Only 1 set of end caps needed per run. End caps are placed on each end of the run.


End Caps-Enhanced Cable Trough are for use with height adjustable benching solutions with the enhanced cable trough (ECT) wire management option.

For height adjustable benching solutions with the basic cable trough (BCT) wire management option, see the End Caps-Basic Cable Trough (DY4EC., DY4EF.).

Dimensions



Single Sided



Back to Back

Specification Information

Step 1.

DU4

Step 2. Single Sided or Back to Back

B. back to back

Step 3. End Cap Quantity

EF end cap - 1 per box

Prices for Steps 1-3.

DU4B. EF \$83

Step 4. Finish

Metallic Paint

CN metallic champagne +\$0

MS metallic silver +\$0

Sand Texture Paint

BK black +\$0

Smooth Paint

8Q folkstone grey +\$0

91 white +\$0

98 studio white +\$0


G2 graphite satin +\$0

WL sandstone +\$0

WN warm grey neutral +\$0

Screen, Trough Mounted

DU8E.
DU8F.
DU8G.
DU8L.



Renew™ Link Sit-to-Stand Bench

Product Information





Description

This screen provides privacy between workstations and can create privacy and boundary from adjacent work areas. Installed height of all screen tops is 46". Screens are tackable fabric, laminate, or glass. Attachment hardware included.

Notes

Finish for glass screen hardware is always anodized (AN).
Back to back screen (BB) to be used with back to back bench applications.
Gallery screens (BG, SG) to be used on the end of back to back or single sided bench applications, respectively, and in conjunction with end of run gallery panels (DU9R.).
For use with boundary gallery panel (DU9B.) in single sided applications, specify single sided boundary gallery screen (SG).
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
For vertical fabric direction (T):
Application-Width—Yardage
SG24—1.45
SG30—1.45
SB48—1.45
BG48—1.45
BB48—2.14
For horizontal fabric direction (R):
Application-Width—Yardage
SG24—0.97
SG30—1.14
SB48—1.71
SB54—1.90
SB60—2.07
SB66—2.27
SB72—2.46
BG48—1.71
BG60—2.07
BB48—3.15
BB54—3.52
BB60—3.91
BB66—4.28
BB72—4.67
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

DU8

Step 2. Edge

- F.** Pari fabric screen
G. glass
E. flat edge fabric screen
L. laminate

Step 3. Application

For Pari fabric screen (F.) or flat edge fabric screen (E.)

- SG** single side gallery
SB single side boundary
BG back to back gallery
BB back to back

For glass (G.) or laminate (L.)

- BB** back to back

Step 4. Width

For single side gallery (SG)

- 24** 24" wide
30 30" wide

For single side boundary (SB)

- 48** 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide

For back to back gallery (BG)

- 48** 48" wide
60 60" wide

For back to back (BB)

- 48** 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide

Step 5. Surface Material

For Pari fabric screen (F.) or flat edge fabric screen (E.) with 24" wide (24), 48" wide (48), or 30" wide (30)

- T** tackable fabric
R tackable fabric, horizontal

For Pari fabric screen (F.) or flat edge fabric screen (E.) with 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

- R** tackable fabric, horizontal

For glass (G.)

- 5A** opal etched - 1/4" thick
C3 clear glass - 3/8" thick
G3 opal glass - 3/8" thick
N3 no glass- for customer's own glass 3/8"
NN no glass- for customer's own glass 1/4"
TR clear glass - 1/4" thick

For laminate (L.)

- L** laminate
U laminate/universal edge

Prices for Steps 1-5.

		5A	L	U	T	C3	R
DU8F.	SG 24	—	—	—	\$576	—	559
	30	—	—	—	\$783	—	783
	SB 48	—	—	—	\$839	—	839
	54	—	—	—	—	—	\$895
	60	—	—	—	—	—	\$951
	66	—	—	—	—	—	\$1006
	72	—	—	—	—	—	\$1118
	BG 48	—	—	—	\$839	—	839
	60	—	—	—	—	—	\$895
	BB 48	—	—	—	\$1342	—	1342
	54	—	—	—	—	—	\$1427
	60	—	—	—	—	—	\$1509
	66	—	—	—	—	—	\$1593
	72	—	—	—	—	—	\$1677
		5A	L	U	T	C3	R
DU8G.	BB 48	\$949	—	—	—	1257	—
	54	\$1058	—	—	—	1448	—
	60	\$1194	—	—	—	1666	—
	66	\$1339	—	—	—	1885	—
	72	\$1465	—	—	—	2075	—

Screen, Trough Mounted *continued*

Renew™ Link Sit-to-Stand Bench

					G3	N3	NN	TR
DU8G.	BB	48			\$1639	280	274	764
		54			\$1747	288	288	902
		60			\$1829	301	301	1038
		66			\$2048	320	320	1175
		72			\$2240	347	339	1310
			5A	L	U	T	C3	R
DU8E.	SG	24	—	—	—	\$123	—	119
		30	—	—	—	\$353	—	339
	SB	48	—	—	—	\$409	—	395
		54	—	—	—	—	—	\$453
		60	—	—	—	—	—	\$530
		66	—	—	—	—	—	\$606
		72	—	—	—	—	—	\$682
	BG	48	—	—	—	\$409	—	395
		60	—	—	—	—	—	\$473
	BB	48	—	—	—	\$893	—	893
		54	—	—	—	—	—	\$979
		60	—	—	—	—	—	\$1064
		66	—	—	—	—	—	\$1137
		72	—	—	—	—	—	\$1210
			5A	L	U	T	C3	R
DU8L.	BB	48	—	\$601	601	—	—	—
		54	—	\$627	627	—	—	—
		60	—	\$655	655	—	—	—
		66	—	\$714	714	—	—	—
		72	—	\$774	774	—	—	—

Step 6. Hardware Color

For Pari fabric screen (F.), flat edge fabric screen (E.), or laminate (L.)

NNN none +\$0

For glass (G.)

AN anodized +\$0

Step 7. Fabric

For Pari fabric screen (F.) AND flat edge fabric screen (E.)

	24	48	30	54	60
Price Category E	+\$218	218	218	218	218
Price Category C	+\$90	115	143	163	176
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$14	18	23	26	28
Price Category 3	+\$34	44	55	62	67
Price Category 4	+\$60	76	95	108	117
				66	72
Price Category E				+\$218	218
Price Category C				+\$197	267
Price Category 1				+\$0	0
Price Category 2				+\$32	43
Price Category 3				+\$75	102
Price Category 4				+\$131	177

For Pari fabric screen (F.) or flat edge fabric screen (E.) with 66" wide (66)

Price Category E	+\$218
Price Category 1	+\$0
Price Category 2	+\$49
Price Category 3	+\$117
Price Category 4	+\$204

For Pari fabric screen (F.) or flat edge fabric screen (E.) with 72" wide (72)

Price Category E	+\$218
Price Category 1	+\$0
Price Category 2	+\$54
Price Category 3	+\$128
Price Category 4	+\$222

Step 8. Grain Direction

For laminate (L.) with 48" wide (48), or 54" wide (54), or 60" wide (60)

VTG vertical grain	+\$0
HRG horizontal grain	+\$0

For laminate (L.) with 66" wide (66), or 72" wide (72)

HRG horizontal grain	+\$0
----------------------	------

Screen, Trough Mounted *continued*

Step 9. Surface Finish

For laminate (L) or laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Renew™ Link Sit-to-Stand Bench


Step 10. Edge Finish

For laminate (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0

Gallery Panel

DU9B.
DU9R.



Renew™ Link Sit-to-Stand Bench

Product Information

Description

This gallery panel creates a finished and polished look to end of run or single sided applications. It also creates boundary for a single sided bench and an adjacent work space or aisle. The panel is laminate with thermoplastic edge, laminate with universal edge, or veneer with veneer edge. Edges are square. Glides have 1/2" of leveling adjustment.



Notes

For end of run application, specify end of run panel (DU9R.).

For single sided application on back side of work surface, specify single sided boundary panel (DU9B.).

When specifying 29" gallery panel with inserts to be used with 17"-high fabric screen (Pari or flat edge), overall combined height will align with trough-mounted screens at 46" high. Order 17"-high fabric screen separately.

Dimensions



Specification Information

Step 1.

DU9

Step 2. Edge

- R.** end of run gallery panel
- B.** single sided boundary gallery panel (along back edge)

Step 3. Width

For end of run gallery panel (R.)

- 24** 24" wide - front edge to back edge for single sided bench
- 30** 30" wide - front edge to back edge for single sided bench
- 48** 48" wide - front edge to front edge for 24" deep back to back
- 60** 60" wide - front edge to front edge for 30" deep back to back

For single sided boundary gallery panel (along back edge) (B.)

- 48** 48" wide
- 54** 54" wide
- 60** 60" wide
- 66** 66" wide
- 72** 72" wide

Step 4. Height

- 29** 29" tall
- 46** 29" tall with inserts to be used with 17" tall fabric screens (Pari or Flat Edge)

Step 5. Surface Material

- L** laminate top/thermoplastic edge
- W** veneer top/veneer edge
- U** laminate top/universal edge

Prices for Steps 1-5.

			L	W	U
DU9R.	24	29	\$250	575	250
		46	\$318	642	318
	30	29	\$331	725	331
		46	\$400	793	400
	48	29	\$527	1127	527
		46	\$596	1196	596
60	29		\$679	1435	679
		46	\$752	1502	752
			L	W	U
DU9B.	54	29	\$618	1298	616
		46	\$685	1361	662

48 29	\$527	1104	525
46	\$596	1171	594
60 29	\$679	1424	677
46	\$748	1491	745
66 29	\$782	1634	779
46	\$850	1703	848
72 29	\$868	1819	865
46	\$936	1886	933

Step 6.

Surface Finish

For 24" wide - front edge to back edge for single sided bench (24), 48" wide (48), 30" wide - front edge to back edge for single sided bench (30), 54" wide (54), 48" wide - front edge to front edge for 24" deep back to back (48), 60" wide (60), or 60" wide - front edge to front edge for 30" deep back to back (60) with laminate top/thermoplastic edge (L), or laminate top/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0

LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Surface Finish

For 66" wide (66) or 72" wide (72) with laminate top/thermoplastic edge (L), or laminate top/universal edge (U)

LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0

Surface Finish

For 66" wide (66) or 72" wide (72) with laminate top/thermoplastic edge (L), or laminate top/universal edge (U)

LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0

Surface Finish

For 66" wide (66) or 72" wide (72) with laminate top/thermoplastic edge (L), or laminate top/universal edge (U)

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Surface Finish

For 66" wide (66) or 72" wide (72) with laminate top/thermoplastic edge (L), or laminate top/universal edge (U)

28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0

Surface/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
6U	chocolate brown sapele	+\$0
DU	cathedral recut natural maple	+\$0
ED	aged cherry	+\$85
EK	medium red walnut	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
HU	cathedral recut light anigre	+\$0
JU	cathedral recut aged cherry	+\$0
UL	natural maple	+\$85
UX	walnut on cherry	+\$85
VU	cathedral recut light brown walnut	+\$0
WU	cathedral recut walnut on cherry	+\$0
XU	cathedral recut medium red cherry	+\$0
ZU	cathedral recut chocolate brown sapele	+\$0

Step 7. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


<i>For laminate top/universal edge (U)</i>		
PLY	plywood edge	+\$50

Step 8. Bracket Finish		
Metallic Paint		
CN	metallic champagne	+\$0
MS	metallic silver	+\$0


Gallery Panel *continued*

Sand Texture Paint		
BK	black	+\$0
Smooth Paint		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
G2	graphite satin	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Single Sided Gallery Panel Trim Piece DU12.




Product Information
Description This painted metal trim piece fills the gap between the end-of-run gallery panel and the boundary panel attached to the rear of the work station in single-sided applications. Package contains 1 trim piece.
Dimensions



Specification Information
Step 1. DU12. A \$170
Step 2. Finish
Metallic Paint
CN metallic champagne A +\$0
MS metallic silver A +\$0
Sand Texture Paint
BK black A +\$0
Smooth Paint
8Q folkstone grey A +\$0
91 white A +\$0
98 studio white A +\$0
G2 graphite satin A +\$0
WL sandstone A +\$0
WN warm grey neutral A +\$0

Connect™-Power Entry, 4-Circuit DU1351



Product Information

Description

This power entry connects a building’s electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.

Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.


Power entry can be field cut to the appropriate length.

For San Francisco, specify 3/8" flex metallic conduit option (C).

Finish color on liquid tight conduit is black. Finish color on metallic conduit is silver.

A licensed electrician must wire the power entry to the building’s electrical system.

Dimensions



Specification Information

Step 1.

DU1351.

Step 2. Length

06	6' long
12	12' long
18	18' long
24	24' long

Step 3. Conduit Type


L	liquid tight conduit
C	3/8" flex metallic conduit

Prices for Steps 1-3.

	L	C
DU1351. 06	\$211	211
12	\$302	302
18	\$402	395
24	\$505	505


Renew™ Link Sit-to-Stand Bench

Connect™-Power Entry, 4-Circuit, DU1352
New York City




Product Information
Description
This power entry connects a building’s electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. It includes a junction box and harness. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.
Notes
Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power. Power entry comes with an 8" harness. A licensed electrician must wire the power entry to the building’s electrical system. For linear bench sections, the NYC Power Entry (DU1352.o8) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.o8) can only fit, and must be installed in, 54"-wide and wider sections.
Dimensions

Specification Information
Step 1.
DU1352.08
\$353




Connect™-Junction Block to
Junction Block Jumper, 4-Circuit

DU1353




Product Information
Description
This adjustable power jumper distributes up to 4 20-amp circuits between 2 junction blocks. One end of the jumper extends an additional 3" when connecting to an adjacent junction block. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.
Notes
Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power. Finish on 5/8" oval metallic conduit is silver.
Dimensions



Specification Information
Step 1.
DU1353.
Step 2. Width
2424" wide
3030" wide
3636" wide
4242" wide
4848" wide
5454" wide
6060" wide
Step 3. Type
Aadjustable jumper
Prices for Steps 1-3.
DU1353. 24
30
36
42
48
54
60


Connect™-Block Connector, 4-Circuit

DU1354




Product Information
Description
This connector connects 2 junction blocks together. Finish is black. Attachment hardware included. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.
Notes
Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.
Dimensions

Specification Information
Step 1.
DU1354.S
\$71



Short Receptacle-to-Receptacle Block Connector

Connect™-Junction Block, 4-Circuit DU1358



Product Information



Description

This junction block attaches to the electrical cross bar and accepts 4-circuit receptacles for access and distribution of up to 4 20-amp circuits. It has connection points at both ends for attaching a power entry, a 4-circuit power jumper, or block-to-block connector. Finish is black. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada. Attachment bracket and hardware included.

Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power. For back-to-back applications, specify the 2-duplex block (DU1358.DB) or the 1-duplex block (DU1358.SB). Order duplex receptacle, 4-circuit (DU1355.) separately. To route power from building to junction block, order 4-circuit power entry (DU1351. or DU1352.) separately. To route power between junction blocks, order junction block to junction block jumper (DU1353.) separately. To connect 2 junction blocks together, order a short block to block connector (DU1354.S) separately.

Dimensions



Specification Information

Step 1.

DU1358.

Step 2. Junction Block Type

SB	single back-to-back junction block
DB	double back-to-back junction block

Step 3. Attachment Hardware

B	short 90° attachment to underside of surface
----------	--


Prices for Steps 1-3.

	B
DU1358. SB	\$130
DB	\$109

Renew™ Link Sit-to-Stand Bench

Connect™-Duplex Receptacle, 4-Circuit

DU1355




Product Information

Description
This 15- or 20-amp duplex receptacle attaches to a junction block to provide electrical access. Finish is black. Package of 1. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.

Notes
Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power. Receptacle is labeled as I, II, III, or IV for circuit identification. Order junction block (DU1358.) separately.

Dimensions



Specification Information

Step 1.
DU1355.

Step 2. Amps	
15	15 amp
20	20 amp


Step 3. Circuit	
1	circuit I
2	circuit II
3	circuit III
4	circuit IV

Prices for Steps 1-3.

	1	2	3	4
DU1355. 15	\$33	33	33	33
20	\$40	40	40	40

Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.







Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



Renew™ Sit-to-Stand Bench

Logic G1000 Grommet Mounted
Electrical Distributor *continued*

Renew™ Link Sit-to-Stand Bench

Specification Information

Step 1.

Y1425. [A](#)

Step 2. Configuration

A	2 simplex receptacles, 2 powered USB A
C	4 simplex receptacles, 2 powered USB A
D	5 simplex receptacles, 2 powered USB A
E	3 simplex receptacles A
F	5 simplex receptacles A
G	6 simplex receptacles A

Step 3. Power Type

A	power cord with plug end A
B	conduit with open end, for hard-wiring A
C	IEC connector for Renew Tables A

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3' cord/conduit A
06	6' cord/conduit A
10	10' cord/conduit A
20	20' cord/conduit A

For conduit with open end, for hard-wiring (B)

03	3' cord/conduit A
06	6' cord/conduit A
10	10' cord/conduit A

For IEC connector for Renew Tables (C)

03	3' cord/conduit A
----	-----------------------------------

Prices for Steps 1-4.

	03	06	10	20
Y1425. A A	\$683	683	694	705
B	\$737	737	747	—
C	\$694	—	—	—
C A	\$792	792	804	816
B	\$845	845	857	—
C	\$804	—	—	—
D A	\$863	863	875	885
B	\$916	916	926	—
C	\$875	—	—	—
E A	\$526	526	536	546
B	\$578	578	589	—
C	\$536	—	—	—


F A	\$634	634	647	657
B	\$688	688	699	—
C	\$647	—	—	—
G A	\$705	705	715	728
B	\$757	757	770	—
C	\$715	—	—	—

Step 5. Finish


91	white A	+\$0
98	studio white A	+\$0
BK	black A	+\$0
G1	graphite A	+\$0
MS	metallic silver A	+\$0

External Cable Manager

DU11B.
DU11S.



Product Information
Description
This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.
Dimensions



Specification Information
Step 1.
DU11
Step 2. Attachment
B. high density trough attachment
S. worksurface attachment
Prices for Steps 1-2.
DU11B.
DU11S.
Step 3. Finish
Price Category 5

\$204
\$204

+\$0

Renew™ Link Cable Manager

Index by Product Name

Nevi™ Link	
Connecting Plate - Basic Cable Trough	page(s) 13
Connecting Plate - Enhanced Cable Trough	15
Connect™-Block Connector, 4-Circuit	29
Connect™-Duplex Receptacle, 4-Circuit	31
Connect™-Junction Block, 4-Circuit	30
Connect™-Junction Block to Junction Block Jumper, 4-Circuit	28
Connect™-Power Entry, 4-Circuit	26
Connect™-Power Entry, 4-Circuit, New York City	27
End Caps - Basic Cable Trough	12
End Caps - Enhanced Cable Trough	14
External Cable Manager	35
Gallery Panel	22
Logic Mini	32
Logic Mini Grommet	34
Nevi Link 120 Degree Height Adjustable Bench	9
Nevi Link Back-to-Back Rectangular Height Adjustable Bench	5
Screen, Trough Mounted	18
Single End Cap - Basic Cable Trough	17
Renew™ Link	
Back to Back Trapezoid Height Adjustable Bench	page(s) 44
Connecting Plate - Basic Cable Trough	64
Connecting Plate - Enhanced Cable Trough	59
Connect™-Block Connector, 4-Circuit	78
Connect™-Duplex Receptacle, 4-Circuit	80
Connect™-Junction Block, 4-Circuit	79
Connect™-Junction Block to Junction Block Jumper, 4-Circuit	77
Connect™-Power Entry, 4-Circuit	75
Connect™-Power Entry, 4-Circuit, New York City	76
End Caps - Basic Cable Trough	63
End Caps - Enhanced Cable Trough	58
External Cable Manager	83
Gallery Panel	70
Logic G1000 Grommet Mounted Electrical Distributor	81
Renew Link Back-to-Back Rectangular Height Adjustable Bench	39
Renew™ Link 120 Degree Height Adjustable Bench	54
Renew™ Link Back-to-Back Leg Shroud	61
Screen, Trough Mounted	66
Single End Cap - Enhanced Cable Trough	65
Single Sided Gallery Panel Trim Piece	74
Single Sided Rectangular Height Adjustable Bench	49



Index by Product Number

DU1AE. Single Sided Rectangular Height Adjustable Bench	page(s) 49
DU1AS.	
DU1AT.	
DU2AE. Renew Link Back-to-Back Rectangular Height Adjustable Bench	39
DU2AS.	
DU2AT.	
DU2TE. Back to Back Trapezoid Height Adjustable Bench	44
DU2TS.	
DU2TT.	
DU3AS. Renew™ Link 120 Degree Height Adjustable Bench	54
DU3AT.	
DU4B. Connecting Plate - Enhanced Cable Trough	59, 15
DU4B. End Caps - Enhanced Cable Trough	58, 14
DU4B. Single End Cap - Enhanced Cable Trough	65
DU4C. Renew™ Link Back-to-Back Leg Shroud	61
DU4S. Connecting Plate - Enhanced Cable Trough	59, 15
DU4S. End Caps - Enhanced Cable Trough	58, 14
DU8E. Screen, Trough Mounted	66, 18
DU8F.	
DU8G.	
DU8L.	
DU9B. Gallery Panel	70, 22
DU9R.	
DU11B. External Cable Manager	83, 35
DU11S.	
DU12. Single Sided Gallery Panel Trim Piece	74
DU1351 Connect™-Power Entry, 4-Circuit	75, 26
DU1352 Connect™-Power Entry, 4-Circuit, New York City	76, 27
DU1353 Connect™-Junction Block to Junction Block Jumper, 4-Circuit	77, 28
DU1354 Connect™-Block Connector, 4-Circuit	78, 29
DU1355 Connect™-Duplex Receptacle, 4-Circuit	80, 31
DU1358 Connect™-Junction Block, 4-Circuit	79, 30
DY2AS. Nevi Link Back-to-Back Rectangular Height Adjustable Bench	5
DY3AS. Nevi Link 120 Degree Height Adjustable Bench	9
DY4CP. Connecting Plate - Basic Cable Trough	64, 13
DY4EC. End Caps - Basic Cable Trough	63, 12
DY4EF. Single End Cap - Basic Cable Trough	17
Y1412. Logic Mini Grommet	34
Y1414. Logic Mini	32
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	81



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

Stain-to-Match Program

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:
(800) 654 3910

Stain-to-Match Process

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to:
options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STB: Stain-to-Match on Beech
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STM: Stain-to-Match on Recut Mahogany
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

Customer's Own Material Order Information — Workspaces

Customer's Own Material

Program Overview

The Customer's Own Material (COM) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM textiles only. COM textiles are on assigned lead times.

Omni lists an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM is listed below. Questions about the COM program and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 EXT 6543400

Customer's Own Material Warranty

Herman Miller does not warrant COM textiles. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics.

Ordering and payment for COM textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

Application Note

Herman Miller does not guarantee that Customer's Own Material (COM) fabric patterns will align across panels/tiles or from one screen to the next. We also do not guarantee that COM fabric designs will be positioned consistently in the same location across several panels, tiles, or screens.

Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile is not listed in Omni, obtain a test number from a COM representative at (616) 654 3400. You can also submit your request within Omni. Please have the following information ready before calling: textile name, number, pattern, and the product you will apply it to.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with COM

1. Refer to the specific products to determine the yardage required for COM textiles.
2. If your textile is not listed in Omni, call a COM representative at (616) 654 3400 or (866) 854 3048 EXT 6543400. The representative will assign an identification number for your textile (ID#) and will verify yardage requirements for your order.

Note: Yardage requirements are based on nondirectional, 54"-wide textiles. 66"-wide textiles are needed for application on 60"-wide products. Additional yardage may be needed due to the unique characteristics of a textile.

3. Enter your order on Order Manager in Omni.
4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the Herman Miller products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 EXT 6543400.

Products will be scheduled for production when COM textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:
(616) 654 3400
(866) 854 3048 EXT 6543400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at the supplier's prices published at the time of the order.

Textile Approval

1. Refer to Omni to identify the approval status of the textile. If your textile is not listed, contact the COM Department to request testing for application to Herman Miller products.
2. Herman Miller will notify you of approval or disapproval in approximately 4 days from receipt of the test yardage. If the textile is approved, it will be assigned a COM identification number.

Ordering Products with Supplier Connection COM

1. Identify and include the following information on your purchase order:
 - Product number and option
 - Herman Miller's COM identification number
2. Enter your order on Order Manager in Omni.
3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

• Available

A Assigned lead-time textile.

See page 3 for exception notes.

Appendix: Proprietary Textiles Application Chart – Workspaces

continued on next page

Proprietary Textiles Application Chart — Workspaces

continued

Proprietary Textiles Application Chart — Workspaces																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

- 1 Refer to price book appendices and Omni for COM information.
- 2 Available on all products except 54" and 60" wide.
- 4 Not available on Action Office (AO) acoustical panels.
- 5 (8R__), (8T__), (85__), and (5S__) not available on AO acoustical panels and not available on 54"- or 60"-wide products.
- 6 Not available on Action Office (AO) connectors, cable management, and spacers.
- 8 Available in select colors. See the "Proprietary Textile Colors — Workspaces" appendix.
- 18 Available on seating products in select colors. See the "Proprietary Textile Colors — Seating" appendix.
- 19 Not available in Grosgrain (84__) fabric colors 8401, 8405, and 8413.
- 20 Available only on Ethospace B-Style.
- 21 Not available on Ethospace connectors and cable management tiles.
- 22 Not available as railroaded application option for Chain (2Voo) and Moiré (3Aoo) on Canvas Extended Width Tiles.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.

Proprietary Textile Colors — Workspaces

Price Category 1

Customer's Own Material	
See Order Information in Appendices.	
Assigned lead-time textile. A	

Bubbletack™	
100% polyester	
8A01	Seashell White
8A02	Pearl Grey
8A19	Spa Blue
8A24	Sable Grey
8A27	Summer White
8A28	Moth Grey
8A30	Blue Grey
8A31	Dusty Bronze
8A32	Slate Blue
8A35	Studio White
8A36	Blush Grey
8A37	Shale
8A38	Slate
8A39	Egg nog
8A40	Persimmon
8A41	Bud

Chain	
66" wide	
100% recycled polyester	
2V01	Pearl
2V02	Oyster
2V03	Wheat
2V04	Linen
2V05	Wicker
2V06	Bamboo
2V07	Sage
2V08	Spring Wood
2V09	Iceberg

Crossing	
54" wide	
86% antimony-free polyester	
14% polyester	
8T03	Wicker *
8T04	Porcelain *
8T05	Warm Grey *
8T06	Sepia
8T07	Pumpkin
8T08	Copper
8T09	Cranberry
8T10	Tomato
8T11	Mulberry
8T12	Plum
8T13	Green Apple
8T14	Loden
8T15	Spruce
8T16	Periwinkle
8T17	Cerulean
8T18	Indigo
8T19	Shale *
8T20	Brownstone
8T21	Bark
8T22	Tin *
8T23	Graphite
8T24	Black

Crossing	
For workspaces products only.	
54" wide	
86% antimony-free polyester	
14% polyester	
8501	Ivory *
8502	Oyster *

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop

Dex	
54" wide	
50% recycled polyester	
50% polyester	
3DE01	Frost
3DE02	Silver Pine
3DE03	Stone
3DE04	Shale
3DE05	Charcoal

Gem	
54" wide	
100% antimony-free polyester	
9502	Tangerine
9503	Red
9507	Twilight
9508	Bayou
9510	Berry Blue
9511	Aqua Green
9512	Green Apple
9514	Black
9515	Slate Grey
9516	Fog

Grasscloth	
66" wide	
100% recycled polyester	
2I01	Silver Birch
2I02	Pampas
2I03	Sedge
2I07	Lea
2I08	Taro
2I09	Steam Grey
2I10	Cayenne
2I11	Bottle Green
2I12	Surf
2I13	Gravel

Monologue	
54" wide	
56% recycled polyester	
44% polyester	
1MN01	Linen
1MN02	Alabaster
1MN03	Truffle
1MN04	Folkstone
1MN05	Silver Pine
1MN06	Slate
1MN07	Seed
1MN08	Yellow Oxide
1MN09	Persimmon
1MN10	Tundra
1MN11	Meadow
1MN12	Blue Sky
1MN13	Blue Spruce
1MN14	Deep Sea

Multiscrim™	
60" wide	
100% polyester	
8B01	Seashell White
8B02	Pearl Grey
8B19	Spa Blue
8B24	Sable Grey
8B27	Summer White
8B28	Moth Grey
8B30	Blue Grey
8B31	Dusty Bronze
8B32	Slate Blue
8B35	Studio White
8B36	Blush Grey
8B37	Shale
8B38	Slate
8B39	Egg nog
8B40	Persimmon
8B41	Bud

Price category 1 continued on next page

Proprietary Textile Colors — Workspaces

continued

Price Category 1

continued

Resonance	
66" wide	
100% polyester	
5T04	Greige
5T05	Porcelain
5T06	Alabaster
5T15	Iris
5T28	Sugar
5T47	Tobacco
5T54	Saltbush
5T57	Seed
5T58	Sepia
5T60	Iceberg
5T65	Red
5T67	Boysenberry
5T68	Pistachio
5T69	Green Apple
5T71	Jade
5T72	Blue Green
5T74	Twilight

Scrim Trim	
61" wide	
82% polyester	
18% spandex	
8C01	Seashell White
8C02	Pearl Grey
8C22	Winter Grey
8C24	Sable Grey

Silkworm	
66" wide	
58% recycled polyester	
42% polyester	
2M01	Cocoon
2M02	Pongee
2M03	Saffron
2M04	Tussah
2M05	Ceylon
2M06	Jasmine
2M07	Shale
2M08	Monsoon

Slant	
66" wide	
51% polyester	
49% recycled polyester	
22F04	Pesto
22F06	Neptune
22F07	Blueberry
22F10	Pumpkin
22F12	Silver Birch
22F13	Bluestone
22F15	Shale

Tailored	
Assigned lead-time textile. 	
54" wide	
56% polyester	
44% recycled polyester	
23501	Studio White *
23502	Sugar
23503	Tomato
23504	Orchid
23505	Boysenberry
23506	Chive
23507	Bluegrass
23508	Cobalt
23509	Cadet
23510	Fog
23511	Graphite
23512	Black
23513	Coffee

* Color not available on Canvas Tiles.

Whisper	
54" wide	
73% recycled polyester	
27% polyester	
1WS01	Sand Dollar
1WS02	Pebble
1WS03	Silver Birch
1WS04	Iceberg
1WS05	Silver Pine
1WS06	Carbon
1WS07	Cumin
1WS08	Adobe
1WS09	Strawberry
1WS10	Blush
1WS11	Eggplant
1WS12	Willow
1WS13	Sea Grass
1WS14	Pool
1WS15	Blueberry

Price Category 2

Aristo	
54" wide	
88% recycled polyester	
12% polyester	
Acrylic backing	
3AR01	Forest Moss
3AR02	Light Brindle
3AR03	Mink
3AR04	Copper
3AR05	Adobe
3AR06	Cherry
3AR07	Lilac
3AR08	Green Apple
3AR09	Surf
3AR10	Waterfall
3AR11	Cadet
3AR12	Tin
3AR13	Pewter
3AR14	Grey Brindle
3AR15	Grey Black

Code	
66" wide	
100% Repreve recycled polyester	
1CD01	Linen
1CD02	Khaki
1CD03	Iceberg
1CD04	Zinc
1CD05	Blue Black

Price category 2 continued on next page

Proprietary Textile Colors — Workspaces

continued

Price Category 2

continued

Cord	
66" wide	
51% antimony-free polyester	
49% polyester	
5101	Ivory
5102	White Ash
5103	Linen
5104	Bamboo
5105	Sepia
5106	Wicker
5107	Sesame
5108	Kiwi Green
5109	Bayou
5110	Shade
5111	Spring Wood
5112	Summer White

Crepe	
54" wide	
100% recycled polyester	
9201	Licorice
9203	Smoke
9207	Cherry
9209	Claret
9212	Raisin
9218	Aquamarine
9223	Cadet
9241	Beachglass
9243	Midnight
9244	Artichoke
9248	Warm White *
9249	Stone *
9250	Earth
9251	Fog *
9252	Slate Grey
9253	Yellow Dark
9254	Coral
9255	Blush Grey *
9256	Wild Berry
9257	Clover
9258	Caribbean
9259	Cerulean
9260	Brownstone
9261	Shale
9262	Graphite
9263	Tomato
9264	Green Apple

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop.

Epic	
54" wide	
56% recycled polyester	
44% polyester	
Acrylic backing	
3EP01	Alabaster
3EP02	Smoke
3EP03	Falcon
3EP04	Citrus Spring
3EP05	Copper
3EP06	Urban Orange
3EP07	Poppy
3EP08	Wild Plum
3EP09	Sugar Plum
3EP10	Clover
3EP11	Loden
3EP12	Everglade
3EP13	Mist
3EP14	Peacock
3EP15	Cadet
3EP16	Indigo
3EP17	Spring Wood
3EP18	Grey Brindle
3EP19	Seed
3EP20	Carbon Dark

Fish Net	
55" wide	
100% recycled polyester	
22Q01	Oyster
22Q02	Stone
22Q03	Citrus
22Q04	Curry
22Q05	Chipotle
22Q06	Cherry
22Q07	Fuschia
22Q08	Claret
22Q09	Purple
22Q10	Clover
22Q11	Pesto
22Q12	Peacock
22Q13	Lagoon
22Q14	Twilight
22Q15	Bluestone
22Q16	Storm
22Q17	Black
22Q18	Cocoa

Frost	
66" wide	
100% recycled polyester	
5703	Porcelain
5704	Honey
5705	Iceberg
5706	Sage
5710	Sable Grey

Price category 2 continued on
next page

Proprietary Textile Colors — Workspaces

continued

Price Category 2

continued

Grosgrain	
66" wide	
100% recycled polyester	
8401	Pearl * **
8402	White Ash
8403	Warm Grey
8404	Khaki
8405	Oyster *
8406	Celadon
8408	Spa Blue
8409	Bud
8410	Kiwi Green
8411	Bayou
8412	Tin
8413	Iceberg *

* Colors not available on Canvas Dock Mounted Screens, Locale® Workbase Screen, Public Office Landscape® Screen/Desk Top Divider, and Thrive® Personal Side Screen.

** Color not available on Canvas Tiles.

Horizon	
54" wide	
65% antimony-free polyester	
35% polyester	
4N01	Rye Grass
4N02	Sugar Pine
4N03	Silver Pine
4N04	White Ash
4N05	Spring Wood
4N06	Tamarack
4N07	Mushroom
4N08	Haystack
4N09	Oat Grass
4N10	Forest Moss
4N11	Hickory
4N12	Beech Nut
4N13	Pine Cone
4N14	Poplar
4N15	Elderberry

Loom	
54" wide	
100% polyester	
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM05	Black
1LM06	Lemongrass
1LM07	Poppy
1LM08	Wild Berry
1LM09	Loden
1LM10	Jade
1LM11	Deep Sea

Medley	
54" wide	
100% polyester	
1HA01	Stone *
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA05	Citrus
1HA06	Papaya
1HA07	Chutney
1HA08	Tundra
1HA09	Feather Grey *
1HA10	Chartreuse
1HA11	Loden
1HA12	Peacock
1HA13	Bayou *
1HA14	Blue Grotto
1HA15	Blueberry
1HA22	Khaki
1HA23	Pewter
1HA24	Yellow Oxide
1HA25	Vintage Rose
1HA26	Raspberry
1HA27	Acai Berry

* Colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop

Moiré	
54" wide	
100% recycled polyester	
3A01	Concrete
3A02	Biscotti
3A03	Rattan
3A04	Chambray
3A05	Fern
3A08	Violet
3A09	Zin
3A10	Curry
3A11	Spice
3A12	Cork

Rain	
66" wide	
100% recycled polyester	
3RA01	Iceberg
3RA02	Frost
3RA03	Pewter
3RA04	Graphite
3RA05	Warm White
3RA06	Linen
3RA07	Rye
3RA08	Light Brindle

Rivet	
54" wide	
100% recycled polyester	
1RV01	Twig
1RV02	Deep Clay
1RV03	Woodrose
1RV04	Otter
1RV05	Hemlock
1RV06	Olive
1RV07	Lagoon
1RV08	Deep Sea
1RV09	Charcoal
1RV10	Grey Brindle

Sequel	
54" wide	
100% vinyl	
100% polyester knit backing	
Resilience® finish	
3SL01	White
3SL02	Pebble
3SL03	Mushroom
3SL04	Stone
3SL05	Chestnut
3SL06	Rattan
3SL07	Black Cherry
3SL08	Tundra
3SL09	Seal
3SL10	Blue Fog
3SL11	Folkstone
3SL12	Shale
3SL13	Slate Grey
3SL14	Charcoal
3SL15	Carbon Dark

Twine	
66" wide	
100% recycled polyester	
3TW01	Silver Birch
3TW02	Ivory
3TW03	Alabaster
3TW04	Bamboo
3TW05	Iceberg
3TW06	Charcoal
3TW07	Feather Grey
3TW08	Shale

Price category 2 continued on next page

Proprietary Textile Colors — Workspaces

continued

Price Category 2

continued

Twist	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
8R05	Wicker
8R10	Poppy
8R14	Tin
8R15	Shale
8R16	Graphite
8R17	Birch
8R18	Sepia
8R22	Blueberry
8R23	Green Apple
8R26	Gunmetal
8R27	Cinder
8R28	Citrus
8R29	Pekoe
8R30	Tangerine
8R31	Red Plum
8R32	Wisteria
8R33	Forest
8R34	Jade Dark
8R35	Waterfall
8R36	Midnight Blue
8R37	Carbon Dark

Twist	
For workspaces products only.	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
5S01	Pearl
5S02	Ivory
5S03	Oyster

Well Suited	
55" wide	
79% polyester	
21% recycled polyester	
22T01	Oyster
22T02	Raffia
22T03	Peppermint
22T08	Cool Grey
22T16	Jade
22T17	Peacock
22T18	Blueberry

Price Category 3

Bento	
54" wide	
100% antimony-free polyester	
7001	Frost
7002	Linen
7003	Khaki
7004	Truffle
7005	Grey Black
7006	Pumpkin
7007	Cranberry
7008	Everglade
7009	Cobalt

Connection	
66" wide	
100% antimony-free polyester	
1FB1	Oyster
1FB2	Linen
1FB3	Iceberg
1FB4	Silver Pine
1FB5	Apricot
1FB6	Cumin
1FB7	Green Apple
1FB8	Slate Blue
1FB9	Metal

Current	
66" wide	
100% antimony-free polyester	
1FC1	Oyster
1FC2	Linen
1FC3	Iceberg
1FC4	Silver Pine
1FC5	Apricot
1FC6	Cumin
1FC7	Green Apple
1FC8	Slate Blue
1FC9	Metal

Glaze	
66" wide	
100% recycled polyester	
8Z01	Wicker
8Z02	Honey
8Z03	Porcelain
8Z04	Celadon
8Z06	Rye
8Z07	Frost
8Z08	Silver Birch

Ground Cloth®	
66" wide	
100% polyester	
4701	Vapor Grey
4721	Warm White *
4722	Fog *
4723	Straw *
4724	Red Orange *
4725	Wild Berry *
4726	Green Apple *
4727	Caribbean *
4728	Midnight *
4729	Cappuccino *

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop

Kira 2	
54" wide	
100% recycled polyester	
5D11	Flaxen
5D12	Papyrus
5D13	Oasis
5D14	Incense
5D15	Ash
5D16	Falcon

Pins and Needles	
58" wide	
76% recycled polyester	
24% polyester	
22R01	Day and Night
22R02	Night and Day

Savannah	
66" wide	
76% recycled polyester	
24% polypropylene	
8L01	Pearl
8L02	Oyster
8L03	Wheat
8L04	Jute
8L05	Bamboo
8L06	Metal
8L07	Linen
8L08	Celadon
8L09	Moss
8L10	Frost
8L11	Shale
8L12	Pewter

Price category 3 continued on next page

Proprietary Textile Colors — Workspaces

continued

Price Category 3

continued

Strands	
66" wide	
100% recycled polyester	
8W01	Pebble
8W02	Porcelain
8W03	Taupe
8W04	Honey
8W05	Khaki
8W06	Rye
8W07	Wicker
8W08	Tin
8W09	Cool Grey
String Plaid	
54" wide	
100% recycled polyester	
22V01	Warm White on Khaki
22V02	Mint on Yellow Green
22V03	Mist on Blue Grey
22V04	Sky Blue on Red
22V05	Lime on Magenta
22V06	Bright Green on Green
22V07	Aqua Blue on Cerulean
22V08	Ivory on Black

Price Category 4

Glisten	
66" wide	
84% polyester	
16% recycled polyester	
2X02	Rye
2X05	Iceberg
2X09	Pewter
2X10	Ash
Loft	
Assigned lead-time textile. A	
54" wide	
100% wool	
22L01	Heathered Light Green
22L02	Heathered Dark Green
22L03	Heathered Turquoise
22L04	Heathered Navy
22L08	Heathered Grey *
22L09	Heathered Blue *
22L11	Heathered Dark Grey

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop

Price Category 5

Hopsak	
56" wide	
100% recycled polyester	
14A20	Black
14A22	Raw Umber Dark
14A26	Grey Blue Dark
14A30	Sepia Dark
14A38	Emerald Dark
14A39	Yellow Dark
14A40	Orange
14A41	Sienna
14A42	Olive Green Dark
14A43	Crimson
14A44	Crimson Dark Dark
14A45	Violet Dark
14A46	Pink Dark Dark
14A47	Ultramarine Dark
14A48	Cobalt Blue
14A49	Terra Cotta
14A50	Ochre Dark

Maharam® Application Chart — Workspaces

•Available

See below for exception notes.

Maharam textiles are on assigned lead times. A

Price Category 1-2																								
No fabrics available at this time.																								
Price Category 3																								
ZM2__ Meld - Maharam *	2	2	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•
Price Category 4-9																								
No fabrics available at this time.																								
Price Category A																								
No fabrics available at this time.																								
Price Category B																								
VQ__ Crisp - Maharam	5	•	•	•	12		•	•	•	•	•		•									•		
VM__ Medium - Maharam		2	2				•	20	•	•	•		•									•		•
TI__ Messenger - Maharam *		2	2	•	12	•	•	2	•	•	•		•		•									•
Price Category C																								
Z27__ Manner - Maharam	2	2	2	2	•		•	2	•	•	•		•		•									•
Z3__ Metric - Maharam	2		2			•	•		•	•	•		•									•		•
ZML__ Milestone - Maharam	2	2	2	2	•	•	•	2	•			•		•		•					•	•	•	•
TT__ Parallel - Maharam	7	•	•		•	•	•	18	•	•	•		•									•		
Price Category D																								
ZMD__ Mode - Maharam	2																					•		•
Z2R__ Reply - Maharam	•	•	•	•		•	•					•										•		
ZS3__ Spiral - Maharam	•	•	•	•	•		•	•	•	•	•		•											
Z34__ Unit - Maharam	•						•		•	•	•		•											
Price Category E																								
ZF3__ Flock - Maharam													•		•		•	•						
ZGT__ Glint - Maharam	2	2	2	2	2		•	2	•	•	•		•											
ZM1__ Morse - Maharam	•	•	•	•	•		•	•	•	•	•		•											
Z32__ Skein - Maharam	2	2	2	2	•		•	2	•	•	•		•											•
ZSC__ Sketch - Maharam	•	•	•	•	•		•	•	•	•	•		•											
Price Category F																								
ZA1__ Adjourn - Maharam	•	•	•	•	•			•	•															
VS__ Crush - Maharam			2	•				19													•			•
8EX__ Emit	2	2	2	2	•	•	•	2	•															
Z29__ Plait - Maharam	2	2	2	2	•		•	2	•	•	•		•											•
ZS2__ Sharkskin 2 - Maharam	2	2	2	2	2					•			•											
Price Category G																								
ZT4__ Ticker - Maharam	2	2	2	2	2		•	2	•	•	•		•											•
Price Category H-Z																								
No fabrics available at this time.																								

* Available in select colors on 20-day lead-time. Refer to “Maharam Colors - Workspaces” for 20-day colors.

2 Available on all products except 54” and 60” wide.

5 Not available on AO partial-glazed panels.

7 Not available on AO acoustical panels; not available on AO2 cable management panel face.

12 Not available on Ethospace tackable tiles.

18 Not available on Canvas E-style storage.

19 Not available on Canvas B-style storage.

20 Not available on Canvas E-style storage or 60”-wide B-style storage.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric’s pattern may not align from one screen to the next, or from one panel to the next.



Price Category 1-2

No fabrics available at this time.

Price Category 3

Meld – Maharam

54" wide
68% post-consumer recycled polyester
32% polyester
PFOA-Free stain resistant
ZM201/466387-201 Vast
ZM202/466387-202 Panda *
ZM203/466387-203 Skyline *
ZM204/466387-204 Knight *
ZM205/466387-205 Quill *
ZM206/466387-206 Pipe
ZM207/466387-207 Grate *
ZM208/466387-208 Gloss
ZM209/466387-209 Bulb
ZM210/466387-210 Bride
ZM211/466387-211 Stark
ZM212/466387-212 Seashell
ZM213/466387-213 Antler
ZM214/466387-214 Crater *
ZM215/466387-215 Perennial
ZM216/466387-216 Mulberry
ZM217/466387-217 Fuchsia *
ZM218/466387-218 Amethyst *
ZM219/466387-219 Merlot
ZM220/466387-220 Magma *
ZM221/466387-221 Rooster
ZM222/466387-222 Heat *
ZM223/466387-223 Clementine
ZM224/466387-224 Fox
ZM225/466387-225 Kiss *
ZM226/466387-226 Bare
ZM227/466387-227 Blonde
ZM228/466387-228 Mimosa
ZM229/466387-229 Comet *
ZM230/466387-230 Honeydew
ZM231/466387-231 Wild *
ZM232/466387-232 Vine
ZM233/466387-233 Seed
ZM234/466387-234 Kale *

* Colors available on
20-day lead time.

Meld continued

ZM235/466387-235 Waterfall *
ZM236/466387-236 Nordic *
ZM237/466387-237 Reef *
ZM238/466387-238 Wave
ZM239/466387-239 Isle
ZM240/466387-240 Creek
ZM241/466387-241 Mariner *
ZM242/466387-242 Globe
ZM243/466387-243 Spa

Price Category 4-9

No fabrics available at this time.

- Maharam textiles are on assigned lead times [\[A\]](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Price Category A

No fabrics available at this time.

Price Category B

Crisp – Maharam

66" wide

100% polyester

VQ02/901420-002	Oyster
VQ05/901420-005	Quahaug
VQ13/901420-013	Admiral
VQ14/901420-014	Thunder
VQ21/901420-021	Graphite
VQ22/901420-022	Lychee
VQ23/901420-023	Persimmon
VQ24/901420-024	Kimchi
VQ25/901420-025	Marigold
VQ26/901420-026	Brut
VQ27/901420-027	Chartreuse
VQ28/901420-028	Celadon
VQ29/901420-029	Surf
VQ30/901420-030	Marble
VQ31/901420-031	Boulder
VQ32/901420-032	Bell
VQ33/901420-033	Ferry
VQ34/901420-034	Sapphire
VQ35/901420-035	Carbon
VQ36/901420-036	Owl
VQ37/901420-037	Agate

Medium – Maharam

54" wide

100% polyester

VM01/463490-001	Raven
VM02/463490-002	Smoke
VM03/463490-003	Alloy
VM04/463490-004	Flax
VM06/463490-006	Bark
VM07/463490-007	Espresso
VM08/463490-008	Pecan
VM12/463490-012	Pumpkin
VM13/463490-013	Persimmon
VM14/463490-014	Laser
VM16/463490-016	Port
VM22/463490-022	Marina
VM29/463490-029	Pistachio
VM32/463490-032	Prospect
VM36/463490-036	Delight
VM39/463490-039	Nautical
VM40/463490-040	Pool
VM44/463490-044	Washed
VM45/463490-045	Sculpture
VM46/463490-046	Thatched
VM47/463490-047	Hike
VM48/463490-048	Tangle
VM49/463490-049	Pacific
VM50/463490-050	Cosmic
VM51/463490-051	Cascade
VM52/463490-052	Blackberry
VM53/463490-053	Nasturtium
VM54/463490-054	Wooded

Messenger – Maharam

54" wide

78% recycled polyester

15% polyester, 7% nylon

TI07/458640-007	Shadow
TI08/458640-008	Bayou *
TI24/458640-024	Poppy
TI25/458640-025	Mao
TI29/458640-029	Onyx *
TI31/458640-031	Cloud *
TI38/458640-038	Depth *

Messenger continued

TI40/458640-040	Nile *
TI41/458640-041	Azure *
TI45/458640-045	Cactus *
TI46/458640-046	Ice *
TI48/458640-048	Neon
TI50/458640-050	Hydrangea
TI53/458640-053	Tangelo
TI54/458640-054	Lumine *
TI58/458640-058	Snow
TI60/458640-060	Peridot
TI61/458640-061	Capri *
TI62/458640-062	Ultramarine
TI63/458640-063	Squall
TI66/458640-066	Cassis
TI67/458640-067	Aster
TI69/458640-069	Cherry
TI70/458640-070	Vibrant
TI71/458640-071	Satsuma *
TI72/458640-072	Maize
TI76/458640-076	Fossil
TI77/458640-077	Ash
TI78/458640-078	Tusk
TI79/458640-079	Oyster
TI81/458640-081	Husk
TI84/458640-084	Robust
TI85/458640-085	Beyond
TI86/458640-086	Voyage *
TI87/458640-087	Everglade
TI89/458640-089	Blanch
TI90/458640-090	Longspur
TI91/458640-091	Vireo
TI92/458640-092	Dipper
TI93/458640-093	Gale
TI94/458640-094	Hunter
TI95/458640-095	Lime
TI96/458640-096	Apple
TI97/458640-097	Krill
TI98/458640-098	Catalyst

* Colors available on
20-day lead time.

- Maharam textiles are on assigned lead times [\[A\]](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Maharam® Colors — Workspaces

continued

Price Category C

Manner - Maharam	
54" wide	
100% recycled polyester	
Z2701/466177-001	Magic
Z2702/466177-002	Carob
Z2703/466177-003	Porpoise
Z2704/466177-004	Flint
Z2705/466177-005	Hush
Z2706/466177-006	Nuance
Z2711/466177-011	Ember
Z2712/466177-012	Wagon
Z2713/466177-013	Ablaze
Z2714/466177-014	Peel
Z2716/466177-016	Butterscotch
Z2717/466177-017	Harvest
Z2720/466177-020	Parakeet
Z2722/466177-022	Aquatic
Z2723/466177-023	Cottage
Z2724/466177-024	Dahlia
Z2725/466177-025	Vivid
Z2726/466177-026	Basin
Z2727/466177-027	Schooner
Z2728/466177-028	Slope
Z2729/466177-029	Silverpoint
Z2730/466177-030	Lattice
Z2731/466177-031	Smoky
Z2732/466177-032	Magnetic
Z2733/466177-033	Woad
Z2734/466177-034	Resolute
Z2735/466177-035	Cruise
Z2736/466177-036	Atmospheric
Z2737/466177-037	Cloudburst
Z2738/466177-038	Tidewater
Z2739/466177-039	Firth
Z2740/466177-040	Oceanside
Z2741/466177-041	Grandeur
Z2742/466177-042	Comfort
Z2743/466177-043	Dill
Z2744/466177-044	Poplar
Z2745/466177-045	Citronella
Z2746/466177-046	Passerine
Z2747/466177-047	Southwest
Z2748/466177-048	Roseate

Manner continued

Z2749/466177-049	Charisma
Z2750/466177-050	Siltstone
Z2751/466177-051	Kimono
Z2752/466177-052	Valiant
Z2753/466177-053	Baroness

Metric – Maharam

54" wide	
51% recycled polyester	
49% polyester	
Z302/466014-002	Fog
Z303/466014-003	Fleece
Z312/466014-012	Cardinal
Z313/466014-013	Lava
Z318/466014-018	Pollen
Z320/466014-020	Alligator
Z323/466014-023	Tar
Z324/466014-024	Anchor
Z326/466014-026	Admiral
Z327/466014-027	Seaport
Z328/466014-028	Scuba
Z329/466014-029	Skate
Z330/466014-030	Hopscotch
Z331/466014-031	Film
Z332/466014-032	Whale
Z333/466014-033	Downpour
Z334/466014-034	Middy
Z335/466014-035	Talisman
Z336/466014-036	Hedgerow
Z337/466014-037	Snorkel
Z338/466014-038	Highway
Z339/466014-039	Canary
Z340/466014-040	Sunny
Z341/466014-041	Aztec
Z342/466014-042	Fruit
Z343/466014-043	Galah
Z344/466014-044	Kiln
Z345/466014-045	Moth

Milestone – Maharam

54" wide	
78% post-industrial recycled polyester	
15% polyester	
7% nylon	
ZML22/403901-022	Pewter
ZML25/403901-025	Charcoal
ZML26/403901-026	Ebony
ZML29/403901-029	Medium Grey
ZML31/403901-031	Ground
ZML46/403901-046	Tortoise
ZML47/403901-047	Rush
ZML54/403901-054	Linger
ZML55/403901-055	Embrace
ZML57/403901-057	Coffee
ZML58/403901-058	Bison
ZML61/403901-061	Tiger Lily
ZML62/403901-062	Aurora
ZML69/403901-069	Lychee
ZML71/403901-071	Daffodil
ZML72/403901-072	Ecru
ZML77/403901-077	Basil
ZML78/403901-078	Spruce
ZML79/403901-079	Fountain
ZML80/403901-080	Mykonos

Parallel — Maharam

66" wide	
100% recycled polyester	
TT01/901180-001	Chalk
TT02/901180-002	Argent
TT03/901180-003	Fog
TT17/901180-017	Sourdough
TT22/901180-022	Sterling
TT23/901180-023	Linen
TT24/901180-024	Pea
TT27/901180-027	Boulder
TT28/901180-028	Stream
TT29/901180-029	Shiitake
TT30/901180-030	Wafer
TT31/901180-031	Plank
TT32/901180-032	Brandy
TT33/901180-033	Crater
TT36/901180-036	Quail

Price Category D

Mode – Maharam

54" wide	
80% post-consumer recycled polyester	
20% polyester	
PFOA-Free stain resistant finish	
ZMD01/466337-001	Stroll
ZMD02/466337-002	Intaglio
ZMD03/466337-003	Ominous
ZMD04/466337-004	Machine
ZMD05/466337-005	Talus
ZMD06/466337-006	Marsh
ZMD07/466337-007	Hollow
ZMD08/466337-008	Sycamore
ZMD09/466337-009	Clavicle
ZMD10/466337-010	Billygoat
ZMD11/466337-011	Spindle
ZMD12/466337-012	Lemon
ZMD13/466337-013	Oxeye
ZMD14/466337-014	Henge
ZMD15/466337-015	Goldenrod
ZMD16/466337-016	Cottontail
ZMD17/466337-017	Lioness
ZMD18/466337-018	Oriole
ZMD19/466337-019	Rust
ZMD20/466337-020	Carotene
ZMD21/466337-021	Blush
ZMD22/466337-022	Vermilion
ZMD23/466337-023	Alder
ZMD24/466337-024	Kermes
ZMD25/466337-025	Barberry
ZMD26/466337-026	Petal
ZMD27/466337-027	Valley
ZMD28/466337-028	Odyssey
ZMD29/466337-029	Ballpoint
ZMD30/466337-030	Toile
ZMD31/466337-031	Paradise
ZMD32/466337-032	Angelfish
ZMD33/466337-033	Denim
ZMD34/466337-034	Crush
ZMD35/466337-035	Jetty
ZMD36/466337-036	Saltwater
ZMD37/466337-037	Mallard
ZMD38/466337-038	Celtic
ZMD39/466337-039	Eucalyptus

Price Category D continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Maharam® Colors — Workspaces

continued

Price Category D

continued

Mode continued	
ZMD40/466337-040	Bonsai
ZMD41/466337-041	Sassafras
ZMD42/466337-042	Yucca
ZMD43/466337-043	Lichen

Reply - Maharam	
66" wide	
100% polyester	
Z2RB/901880-011	Adobe
Z2RD/901880-013	Beacon

Spiral - Maharam	
66" wide	
100% polyester	
ZS301/901882-001	Chalk
ZS302/901882-002	Birch
ZS303/901882-003	Wheat
ZS304/901882-004	Mica
ZS305/901882-005	Pavement
ZS306/901882-006	Graphite

Unit - Maharam	
66" wide	
100% recycled polyester	
Z3401/901889-001	Seawall
Z3402/901889-002	Limestone
Z3403/901889-003	Aluminum
Z3404/901889-004	Snow
Z3405/901889-005	Tusk
Z3406/901889-006	Nautilus
Z3407/901889-007	Beech
Z3408/901889-008	Driftwood
Z3409/901889-009	Cocoa

Price Category E

Flock - Maharam	
63" wide	
100% polyester	
ZF301/901892-001	Calm
ZF302/901892-002	Course
ZF303/901892-003	Highlight
ZF304/901892-004	Roe
ZF305/901892-005	Poppy
ZF306/901892-006	Briefcase
ZF307/901892-007	Monkstrap
ZF308/901892-008	Quag
ZF309/901892-009	Pistachio
ZF310/901892-010	Froth
ZF311/901892-011	Celadon
ZF312/901892-012	Highsea
ZF313/901892-013	China
ZF314/901892-014	Victorian
ZF315/901892-015	Commander
ZF316/901892-016	Raven
ZF317/901892-017	Aluminum

Glint - Maharam	
54" wide	
59% polyolefin	
32% post-industrial recycled polyester	
9% post-consumer recycled polyester	
PFOA-Free stain resistant finish	
Acrylic backing	
ZGT01/901380-001	Ice
ZGT02/901380-002	Oyster
ZGT03/901380-003	Aluminum
ZGT04/901380-004	Placid
ZGT07/901380-007	Medal

Morse - Maharam	
66" wide	
100% post-industrial recycled polyester	
ZM101/901720-001	Talc
ZM104/901720-004	Cliff

Skein - Maharam	
54" wide	
56% recycled polyester	
44% polyester	
Z3201/466170-001	Burrow
Z3202/466170-002	Thatch
Z3204/466170-004	Sumac
Z3205/466170-005	Pomegranate
Z3206/466170-006	Cavern
Z3208/466170-008	Cinder
Z3209/466170-009	Dock
Z3210/466170-010	Cadet
Z3211/466170-011	Marsh

Sketch - Maharam	
66" wide	
52% post-consumer recycled polyester	
48% post-industrial recycled polyester	
ZSC01/901780-001	Macaroon
ZSC03/901780-003	Toffee
ZSC07/901780-007	Pewter
ZSC08/901780-008	Flue
ZSC09/901780-009	Abyss
ZSC12/901780-012	Zinc

Price Category F

Adjourn - Maharam	
72" wide	
57% polyester	
43% Trevira CS polyester	
ZA102/511350-002	Guava
ZA103/511350-003	Bran
ZA104/511350-004	Flax
ZA105/511350-005	Oatmeal
ZA109/511350-009	Terrain

Crush - Maharam	
54" wide	
88% nylon	
6% acrylic	
6% polyolefin	
VS01/464780-001	001
VS02/464780-002	002
VS05/464780-005	005
VS08/464780-008	008
VS13/464780-013	013
VS16/464780-016	016
VS17/464780-017	017
VS18/464780-018	018
VS19/464780-019	019
VS20/464780-020	020
VS22/464780-022	022
VS23/464780-023	023
VS26/464780-026	026
VS27/464780-027	027

Price Category F continued
on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Maharam® Colors — Workspaces

continued

Price Category F

continued

Emit – Maharam	
54" wide	
55% post-industrial recycled polyester	
45% post-consumer recycled polyester	
PFOA-free stain resistant	
8EX01/466378-001	Wed
8EX02/466378-002	Zebra
8EX03/466378-003	Chiffon
8EX04/466378-004	Scallop
8EX05/466378-005	Nectar
8EX06/466378-006	Elk
8EX07/466378-007	Carat
8EX08/466378-008	Goldenrod
8EX09/466378-009	Beached
8EX10/466378-010	Samba
8EX11/466378-011	Nest
8EX12/466378-012	Ravishing
8EX13/466378-013	Tassel
8EX14/466378-014	Groove
8EX15/466378-015	Tailor
8EX16/466378-016	Duo
8EX17/466378-017	Haiku
8EX18/466378-018	Bluefin
8EX19/466378-019	Flow
8EX20/466378-020	Xenon
8EX21/466378-021	Artem
8EX22/466378-022	Zen
8EX23/466378-023	Sprinkle
8EX24/466378-024	Camp
8EX25/466378-025	Limeade

Plait - Maharam	
58" wide	
68% recycled polyester	
32% polyester	
Z2901/466052-001	Cobblestone
Z2902/466052-002	Sachet
Z2904/466052-004	Tavern
Z2905/466052-005	Sequoia
Z2906/466052-006	Rhubarb
Z2907/466052-007	Sangria
Z2908/466052-008	Reef
Z2909/466052-009	Stormy
Z2910/466052-010	Dapper

Sharkskin 2 - Maharam	
54" wide	
89% polyester	
11% solution-dyed polyester	
PFOA-Free stain resistant finish	
Acrylic backing	
ZS201/901650-033	Harmony
ZS202/901650-034	Suggestion
ZS203/901650-039	Lyric
ZS204/901650-040	Clarify
ZS205/901650-041	Remain
ZS206/901650-046	Sphere
ZS207/901650-051	Restore
ZS208/901650-054	Night
ZS209/901650-056	Frosted
ZS211/901650-058	Wash
ZS212/901650-059	Navy

Price Category G

Ticker - Maharam	
54" wide	
47% polyester	
31% post-industrial recycled polyester	
22% post-consumer recycled polyester	
Crypton green finish and backing	
ZT401/466304-001	Calm
ZT402/466304-002	Millet
ZT403/466304-003	Sow
ZT404/466304-004	Beaver
ZT405/466304-005	Patch
ZT406/466304-006	Balloon
ZT407/466304-007	Squad
ZT408/466304-008	Bale
ZT409/466304-009	Fecund
ZT410/466304-010	Aquarium
ZT411/466304-011	Drink
ZT412/466304-012	Depth
ZT413/466304-013	Far

Price Category H-Z

No fabrics available at this time.

Appendix: Maharam Colors — Workspaces

- Maharam textiles are on assigned lead times [\[A\]](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi—Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

® **HermanMiller**, ●, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisiyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cosm, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Lino, Locale, Logic Mini, Logic Power Access Solutions, Live Platform, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Multiscrim, Nelson, Nevi, Overlay, Pari, Pixelated Support, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus, Vista and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsur® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.