



Prices effective September 3, 2019

Published September 2019

Renew™ Sit-to-Stand Tables

Introduction	page 2
Renew™ Sit-to-Stand Tables	3
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	41
Power and Data Support	45
Live Platform™ Enhancements	53
Indices	55
By Name	55
By Number	57
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective September 3, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable-Height Tables

Sit-to-Stand Table Bases


Power and Data Support

Live Platform™ Enhancements



120° Corner Table with C-Foot

DU6GCE
DU6GCS
DU6GCT



Product Information

Description

This height-adjustable 120° corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



120° Corner Table with C-Foot

continued

Specification Information						
Step 1.						
DU6GC ☐						
Step 2. Edge						
S.	squared-edge ☐					
T.	thin-edge ☐					
E.	eased-edge ☐					
Step 3. Depth						
24	24" deep (23" surface size) ☐					
30	30" deep (29" surface size) ☐					
Step 4. Width						
42	42" wide (40" surface size) ☐					
48	48" wide (46" surface size) ☐					
Step 5. Surface Material						
For squared-edge (S.)						
L	lamine top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
For thin-edge (T.)						
L	lamine top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
For eased-edge (E.)						
P	painted Formcoat® top/edge ☐					
Step 6. Height Adjustment						
C	crank sit-to-stand ☐					
K	crank seated ☐					
E	electric standard range ☐					
D	electric extended range ☐					
Prices for Steps 1-6.						
	LC	LK	LE	LD	WC	WK
DU6GCS. 24 42	\$2801	2801	3516	3761	3499	3499
48	\$2858	2858	3587	3835	3569	3569
30 42	\$2936	2936	3650	3988	3630	3630
48	\$2991	2991	3721	4065	3701	3701

		WE	WD	PC	PK	PE	PD
DU6GCS.	24 42	\$4173	4353	2998	2998	3764	4023
	48	\$4266	4452	3057	3057	3838	4103
	30 42	\$4307	4614	3130	3130	3897	4257
	48	\$4400	4716	3191	3191	3973	4341
		LC	LK	LE	LD	WC	WK
DU6GCT.	24 42	\$3112	3112	3643	3892	3676	3676
	48	\$3175	3175	3722	3977	3754	3754
	30 42	\$3247	3247	3778	4133	3809	3809
	48	\$3310	3310	3856	4220	3886	3886
		WE	WD	PC	PK	PE	PD
DU6GCT.	24 42	\$4397	4565	2885	2885	3585	3934
	48	\$4501	4676	2951	2951	3669	4023
	30 42	\$4532	4843	3019	2869	3720	4182
	48	\$4635	4956	3086	2935	3803	4275
		WE	WD	PC	PK	PE	PD
DU6GCE.	24 42	—	—	\$2857	2857	3550	3894
	48	—	—	\$2923	2923	3632	3984
	30 42	—	—	\$2990	2841	3683	4141
	48	—	—	\$3055	2905	3766	4232
Step 7. Hidden Power Access							
For crank sit-to-stand (C), crank seated (K), or electric standard range (E)							
NNP	no power access	A					+\$0
PLA	leg access	A					+\$299
For electric extended range (D)							
NNP	no power access	A					+\$0
Step 8. Switch Option							
For electric standard range (E) or electric extended range (D)							
SUD	simple up down	A					+\$0
SMT	no switch - LO100	A					+\$0
SRM	digital read out with memory	A					+\$160

120° Corner Table with C-Foot

continued

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0
ZZ	open line laminate (nonstandard) ☐	+\$20

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
ED	aged cherry ☐	+\$85
EK	medium red walnut ☐	+\$85
EW	medium matte walnut ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
UX	walnut on cherry ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0

120° Corner Table with C-Foot

continued

Renew™ Adjustable-Height Tables

LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white ☐	+\$0
G1	graphite ☐	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0

Step 13. Cord Cover/Cable Management

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 14. Power Access Cutout


NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Rectangle Table with C-Foot

DU6ACE
DU6ACS
DU6ACT



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range.

Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

On all tables except front crank (FRT) tables, legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8". On front crank (FRT) tables, legs are inset approximately 6" on each side to allow for adequate clearance when rotating the crank handle.

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For crank tables (C or K) with top crank (TOP), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with C-Foot

continued

Specification Information	
Step 1.	
DU6AC ☐	
Step 2. Edge	
S.	squared-edge ☐
T.	thin-edge ☐
E.	eased-edge ☐
Step 3. Depth	
24	24" deep (23" surface size) ☐
30	30" deep (29" surface size) ☐
Step 4. Width	
36	36" wide (34" surface size) ☐
42	42" wide (40" surface size) ☐
48	48" wide (46" surface size) ☐
54	54" wide (52" surface size) ☐
60	60" wide (58" surface size) ☐
66	66" wide (64" surface size) ☐
72	72" wide (70" surface size) ☐
84	84" wide (82" surface size) ☐
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	lamine top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
U	lamine top/universal edge ☐
<i>For thin-edge (T.)</i>	
L	lamine top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge ☐
Step 6. Height Adjustment	
C	crank sit-to-stand ☐
K	crank seated ☐
E	electric standard range ☐
D	electric extended range ☐

Prices for Steps 1-6.						
	LC	LK	LE	LD	WC	WK
DU6ACS. 24 36	\$2219	2219	2746	3253	2515	2515
42	\$2264	2264	2883	3306	2566	2566
48	\$2308	2308	2966	3335	2617	2617
54	\$2353	2353	3025	3401	2669	2669
60	\$2399	2399	3113	3403	2723	2723
66	\$2445	2445	3112	3471	2778	2778
72	\$2494	2494	3237	3539	2833	2833
84	\$2542	2542	3300	3539	2890	2890
30 36	\$2352	2286	3048	3309	2592	2592
42	\$2398	2330	3081	3338	2644	2644
48	\$2376	2376	3115	3369	2697	2697
54	\$2422	2422	3177	3434	2750	2750
60	\$2471	2471	3180	3479	2807	2807
66	\$2590	2518	3306	3548	2862	2862
72	\$2643	2568	3306	3617	2920	2920
84	\$2618	2618	3436	3689	2977	2977
	WE	WD	PC	PK	PE	PD
DU6ACS. 24 36	\$3188	3602	2277	2277	2887	3369
42	\$3284	3661	2322	2322	2973	3423
48	\$3382	3695	2369	2369	3060	3454
54	\$3450	3772	2417	2417	3123	3524
60	\$3552	3775	2466	2466	3216	3527
66	\$3624	3853	2513	2513	3278	3596
72	\$3695	3931	2565	2565	3345	3669
84	\$3769	4013	2616	2616	3413	3741
30 36	\$3476	3664	2347	2347	3147	3425
42	\$3514	3698	2394	2394	3181	3456
48	\$3555	3735	2441	2441	3218	3487
54	\$3626	3811	2491	2491	3281	3558
60	\$3700	3863	2540	2540	3350	3605
66	\$3775	3943	2590	2590	3417	3678
72	\$3851	4023	2642	2642	3485	3751
84	\$3927	4106	2696	2696	3555	3825
	UC	UK	UE	UD		
DU6ACS. 24 36	\$2219	2219	2800	3253		
42	\$2264	2264	2883	3306		
48	\$2308	2308	2966	3335		
54	\$2353	2353	3025	3401		
60	\$2399	2399	3113	3403		
66	\$2445	2445	3173	3471		
72	\$2494	2494	3237	3539		
84	\$2542	2542	3300	3609		

Rectangle Table with C-Foot

continued

	30 36			\$2286	2286	3048	3309
	42			\$2330	2330	3081	3338
	48			\$2376	2376	3115	3369
	54			\$2422	2422	3177	3434
	60			\$2471	2471	3242	3479
	66			\$2518	2518	3306	3548
	72			\$2568	2568	3371	3617
	84			\$2618	2618	3436	3689
		LC	LK	LE	LD	WC	WK
DU6ACT.	24 36	\$2409	2409	3052	3562	2793	2793
	42	\$2455	2455	3146	3620	2850	2850
	48	\$2506	2506	3146	3653	2907	2907
	54	\$2556	2556	3302	3725	2964	2964
	60	\$2607	2607	3401	3728	3024	3024
	66	\$2659	2659	3469	3803	3085	3085
	72	\$2712	2712	3537	3769	3147	3147
	84	\$2767	2767	3609	3956	3208	3208
	30 36	\$2483	2483	3328	3623	2878	2878
	42	\$2531	2531	3268	3656	2937	2937
	48	\$2582	2582	3403	3690	2996	2996
	54	\$2634	2634	3471	3764	3055	3055
	60	\$2686	2686	3442	3812	3115	3115
	66	\$2740	2740	3614	3889	3178	3178
	72	\$2794	2794	3581	3965	3242	3242
	84	\$2851	2851	3760	4045	3307	3307
		WE	WD	PC	PK	PE	PD
DU6ACT.	24 36	\$3354	3866	2438	2438	3071	3503
	42	\$3461	3934	2489	2489	3168	3565
	48	\$3466	3972	2540	2540	3265	3599
	54	\$3642	4056	2593	2593	3334	3677
	60	\$3757	4060	2645	2645	3435	3679
	66	\$3835	4146	2701	2701	3507	3757
	72	\$3916	4235	2756	2756	3580	3836
	84	\$3998	4324	2813	2813	3654	3918
	30 36	\$3674	3937	2514	2514	3360	3568
	42	\$3715	3974	2567	2567	3399	3601
	48	\$3759	4015	2620	2620	3438	3637
	54	\$3838	4100	2674	2674	3510	3715
	60	\$3922	4156	2729	2729	3483	3767
	66	\$4004	4246	2786	2786	3660	3847
	72	\$3972	4335	2844	2844	3736	3928
	84	\$4173	4428	2901	2901	3813	4012

		WE	WD	PC	PK	PE	PD
DU6ACE.	24 36	—	—	\$2422	2422	3044	3512
	42	—	—	\$2472	2472	3142	3574
	48	—	—	\$2524	2524	3239	3609
	54	—	—	\$2576	2576	3306	3686
	60	—	—	\$2630	2630	3409	3688
	66	—	—	\$2683	2683	3481	3767
	72	—	—	\$2740	2740	3554	3846
	84	—	—	\$2797	2797	3627	3928
	30 36	—	—	\$2498	2498	3334	3577
	42	—	—	\$2551	2551	3372	3611
	48	—	—	\$2603	2603	3411	3646
	54	—	—	\$2658	2658	3384	3724
	60	—	—	\$2714	2714	3458	3776
	66	—	—	\$2770	2770	3633	3856
	72	—	—	\$2827	2827	3709	3937
	84	—	—	\$2886	2886	3787	4021

Step 7. Hidden Power Access

For electric extended range (D)

NNP no power access ☐ +\$0

For crank sit-to-stand (C) or crank seated (K)

NNP no power access ☐ +\$0

PLA leg access ☐ +\$299

For electric standard range (E)

NNP no power access ☐ +\$0

PLA leg access ☐ +\$299

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD simple up down ☐ +\$0

SMT no switch - LO100 ☐ +\$0

SRM digital read out with memory ☐ +\$160

Renew™ Adjustable-Height Tables

Rectangle Table with C-Foot

continued

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), or 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW	top crank, white handle 	+\$0
TPG	top crank, graphite handle 	+\$0
FRT	front crank, black handle 	+\$40

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW	top crank, white handle 	+\$0
TPG	top crank, graphite handle 	+\$0

Step 9.

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$85
40	dark brown walnut 	+\$85
A2	white ash 	+\$85
ED	aged cherry 	+\$85
EK	medium red walnut 	+\$85
EW	medium matte walnut 	+\$85
ET	clear on ash 	+\$85
EU	oak on ash 	+\$85
EV	walnut on ash 	+\$85
OU	walnut 	+\$85
UL	natural maple 	+\$85
UX	walnut on cherry 	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey 	+\$0
91	white 	+\$0
CL	cool grey neutral 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
8Z	neutral grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0

Rectangle Table with C-Foot

continued

HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

For laminate top/universal edge (U)

PLY	plywood edge 	+\$50
------------	--	-------

Step 11. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot 	+\$0
MS	metallic silver leg with metallic silver foot 	+\$0

Sand Texture Paint

BK	black leg with black foot 	+\$0
LFL	black leg with polished aluminum foot 	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot 	+\$0
91	white leg with white foot 	+\$0
98	studio white leg with studio white foot 	+\$0
G2	graphite satin leg with graphite satin foot 	+\$0
WL	sandstone leg with sandstone foot 	+\$0
WN	warm grey neutral leg with warm grey neutral foot 	+\$0
LFF	white leg with polished aluminum foot 	+\$160
LFG	warm grey neutral leg with polished aluminum foot 	+\$160
LFH	graphite satin leg with polished aluminum foot 	+\$160
LFJ	metallic silver leg with polished aluminum foot 	+\$160
LFK	studio white leg with polished aluminum foot 	+\$0

Step 12. Cord Cover/Cable Management

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable 	+\$0
------------	--	------

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable 	+\$0
PHD	high density cable trough 	+\$299

Step 13. Power Access Cutout

NNN	no cutout 	+\$0
------------	---	------

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54) with high density cable trough (PHD)

NNN	no cutout 	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X 	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X 	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V 	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V 	+\$45

Rectangle Table with C-Foot


continued

Renew™ Adjustable-Height Tables

For 30" deep (29" surface size) (30) with 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with high density cable trough (PHD)		
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
NNN	no cutout ☐	+\$0
Step 14. Casters/Glides		
57	glides ☐	+\$0

90° Corner Table with C-Foot

DU6FCE
DU6FCS
DU6FCT



Product Information

Description

This height-adjustable 90° corner table has a C-Leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (G1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Corner Table with C-Foot

continued

Specification Information							
Step 1.							
DU6FC ☐							
Step 2. Edge							
S.	squared-edge ☐						
T.	thin-edge ☐						
E.	eased-edge ☐						
Step 3. Depth							
24	24" deep (23" surface size) ☐						
30	30" deep (29" surface size) ☐						
Step 4. Width							
42	42" wide (40" surface size) ☐						
48	48" wide (46" surface size) ☐						
Step 5. Surface Material							
For squared-edge (S.)							
L	laminate top/thermoplastic edge ☐						
W	veneer top/veneer edge ☐						
P	painted Formcoat® top/edge ☐						
For thin-edge (T.)							
L	laminate top/thermoplastic edge ☐						
W	veneer top/veneer edge ☐						
P	painted Formcoat® top/edge ☐						
For eased-edge (E.)							
P	painted Formcoat® top/edge ☐						
Step 6. Height Adjustment							
C	crank sit-to-stand ☐						
K	crank seated ☐						
E	electric standard range ☐						
D	electric extended range ☐						
Prices for Steps 1-6.							
		LC	LK	LE	LD	WC	WK
DU6FCS.	24 42	\$2493	2493	3080	3468	2993	2993
	48	\$2543	2543	3142	3536	3052	3052
	30 42	\$2505	2505	3225	3568	3007	3007
	48	\$2556	2556	3291	3638	3068	3068

		WE	WD	PC	PK	PE	PD
DU6FCS.	24 42	\$3567	3833	2668	2668	3165	3476
	48	\$3639	3916	2722	2722	3231	3550
	30 42	\$3740	3951	2681	2681	3320	3581
	48	\$3818	4037	2735	2735	3390	3659
		LC	LK	LE	LD	WC	WK
DU6FCT.	24 42	\$2770	2770	3421	3617	2866	2866
	48	\$2825	2825	3490	3693	2930	2930
	30 42	\$2784	2784	3583	3726	2881	2881
	48	\$2840	2840	3655	3806	2946	2946
		WE	WD	PC	PK	PE	PD
DU6FCT.	24 42	\$3572	3929	2700	2700	3293	3601
	48	\$3653	4018	2759	2759	3364	3682
	30 42	\$3762	4057	2716	2716	3465	3720
	48	\$3845	4149	2775	2775	3542	3804
		WE	WD	PC	PK	PE	PD
DU6FCE.	24 42	—	—	\$2673	2673	3260	3565
	48	—	—	\$2732	2732	3331	3646
	30 42	—	—	\$2689	2689	3430	3683
	48	—	—	\$2747	2747	3507	3767

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	☐																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
-----	-----------------	--------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

90° Corner Table with C-Foot

continued

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0
ZZ	open line laminate (nonstandard) ☐	+\$20

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
ED	aged cherry ☐	+\$85
EK	medium red walnut ☐	+\$85
EW	medium matte walnut ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
UX	walnut on cherry ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0

90° Corner Table with C-Foot

continued

LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white ☐	+\$0
G1	graphite ☐	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0

Step 13. Cord Cover/Cable Management

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 14. Power Access Cutout


NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Rectangle Table with T-Foot

DU6ATE
DU6ATS
DU6ATT



Product Information

Description

This rectangular height-adjustable table has a T-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range.

Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

On all tables except front crank (FRT) tables, legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8". On front crank (FRT) tables, legs are inset approximately 6" on each side to allow for adequate clearance when rotating the crank handle.

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For crank tables (C or K) with top crank (TOP), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (G1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with T-Foot

continued

Specification Information

Step 1.

DU6AT [A](#)

Step 2. Edge

S. squared-edge [A](#)

T. thin-edge [A](#)

E. eased-edge [A](#)

Step 3. Depth

30 30" deep (29" surface size) [A](#)

36 36" deep (35" surface size) [A](#)

Step 4. Width

For 30" deep (29" surface size) (30)

36 36" wide (34" surface size) [A](#)

42 42" wide (40" surface size) [A](#)

48 48" wide (46" surface size) [A](#)

54 54" wide (52" surface size) [A](#)

60 60" wide (58" surface size) [A](#)

66 66" wide (64" surface size) [A](#)

72 72" wide (70" surface size) [A](#)

84 84" wide (82" surface size) [A](#)

For 36" deep (35" surface size) (36)

42 42" wide (40" surface size) [A](#)

48 48" wide (46" surface size) [A](#)

54 54" wide (52" surface size) [A](#)

60 60" wide (58" surface size) [A](#)

66 66" wide (64" surface size) [A](#)

72 72" wide (70" surface size) [A](#)

84 84" wide (82" surface size) [A](#)

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge [A](#)

W veneer top/veneer edge [A](#)

P painted Formcoat® top/edge [A](#)

U laminate top/universal edge [A](#)

For thin-edge (T.)

L laminate top/thermoplastic edge [A](#)

W veneer top/veneer edge [A](#)

P painted Formcoat® top/edge [A](#)

For eased-edge (E.)

P painted Formcoat® top/edge [A](#)

Step 6. Height Adjustment

C crank sit-to-stand [A](#)

K crank seated [A](#)

E electric standard range [A](#)

D electric extended range [A](#)

Prices for Steps 1-6.

		LC	LK	LE	LD	WC	WK
DU6ATS.	30 36	\$2286	2286	3048	3309	2745	2745
	42	\$2330	2330	3081	3338	2800	2800
	48	\$2376	2376	3115	3369	2856	2856
	54	\$2422	2422	3177	3434	2914	2914
	60	\$2471	2471	3242	3479	2971	2971
	66	\$2518	2518	3306	3548	3031	3031
	72	\$2568	2568	3306	3617	3092	3092
	84	\$2618	2618	3436	3689	3154	3154
	36 42	\$2399	2399	3173	3405	2884	2884
	48	\$2445	2445	3209	3473	2942	2942
DU6ATS.	30 36	\$3377	4007	2347	2347	2887	3425
	42	\$3478	4042	2394	2394	2972	3456
	48	\$3765	4082	2441	2441	3218	3487
	54	\$3840	4164	2491	2491	3281	3558
	60	\$3919	4217	2540	2540	3350	3605
	66	\$3998	4302	2590	2590	3417	3678
	72	\$4078	4389	2642	2642	3485	3751
	84	\$4160	4476	2696	2696	3555	3825
	36 42	\$3636	4128	2466	2466	3159	3529
	48	\$3873	4211	2514	2514	3325	3599
DU6ATS.	54	\$3952	4294	2565	2565	3425	3670
	60	\$4005	4380	2616	2616	3531	3745
	66	\$4110	4467	2668	2668	3600	3818
	72	\$4216	4557	2721	2721	3679	3896
	84	\$4321	4647	2777	2777	3741	3974
	WE						
	WD						
	PC						
	PK						
	PE						
	PD						

Rectangle Table with T-Foot

continued

		UC	UK	UE	UD		
DU6ATS. 30 36		\$2286	2286	3048	3309		
	42	\$2330	2330	3081	3338		
	48	\$2376	2376	3115	3369		
	54	\$2422	2422	3177	3434		
	60	\$2471	2471	3242	3479		
	66	\$2518	2518	3306	3548		
	72	\$2568	2568	3371	3617		
	84	\$2618	2618	3436	3689		
36 42		\$2399	2399	3173	3405		
	48	\$2445	2445	3209	3473		
	54	\$2494	2494	3272	3542		
	60	\$2542	2542	3340	3612		
	66	\$2592	2592	3405	3683		
	72	\$2643	2643	3472	3757		
	84	\$2695	2695	3540	3830		
			LC	LK	LE	LD	WC
DU6ATT. 30 36		\$2412	2412	2965	3520	2961	2961
	42	\$2460	2460	3054	3552	3020	3020
	48	\$2582	2509	3403	3584	3082	3082
	54	\$2559	2559	3372	3656	3144	3144
	60	\$2608	2608	3542	3704	3205	3205
	66	\$2662	2662	3510	3778	3270	3270
	72	\$2715	2715	3687	3965	3335	3335
	84	\$2770	2770	3652	3930	3402	3402
36 42		\$2534	2534	3194	3625	3111	3111
	48	\$2583	2583	3468	3698	3174	3174
	54	\$2636	2636	3557	3772	3237	3237
	60	\$2688	2688	3610	3846	3302	3302
	66	\$2742	2742	3674	3924	3369	3369
	72	\$2796	2796	3753	4120	3434	3434
	84	\$2853	2853	3821	4082	3504	3504
			WE	WD	PC	PK	PE
DU6ATT. 30 36		\$3642	4323	2531	2531	3113	3696
	42	\$3753	4361	2582	2582	3207	3728
	48	\$4061	4403	2634	2634	3471	3765
	54	\$4142	4492	2687	2687	3541	3839
	60	\$4229	4549	2740	2740	3614	3889
	66	\$4313	4641	2795	2795	3686	3966
	72	\$4529	4735	2851	2851	3761	4045
	84	\$4486	4829	2907	2907	3835	4127

36 42	\$4021	4453	2659	2659	3531	3806
48	\$4321	4542	2712	2712	3689	3882
54	\$4374	4633	2768	2768	3784	3959
60	\$4506	4725	2823	2823	3873	4158
66	\$4585	4821	2879	2879	3952	4120
72	\$4637	4916	2937	2937	4031	4202
84	\$4743	5015	2995	2995	4110	4287
	WE	WD	PC	PK	PE	PD
DU6ATE. 30 36	—	—	\$2525	2525	3360	3538
	42	—	\$2577	2577	3399	3572
	48	—	\$2631	2631	3438	3609
	54	—	\$2684	2684	3510	3686
	60	—	\$2740	2740	3586	3737
	66	—	\$2797	2797	3556	3817
	72	—	\$2854	2854	3736	3899
	84	—	\$2914	2914	3813	3983
36 42	—	—	\$2657	2657	3531	3652
	48	—	\$2712	2712	3583	3730
	54	—	\$2768	2768	3636	3810
	60	—	\$2825	2825	3715	3892
	66	—	\$2882	2882	3794	3976
	72	—	\$2942	2942	3873	4060
	84	—	\$3002	3002	3952	4147

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
-----	-----------------	---	------

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD	simple up down	A	+\$0
SMT	no switch - LO100	A	+\$0
SRM	digital read out with memory	A	+\$160

Renew™ Adjustable-Height Tables

Rectangle Table with T-Foot

continued

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW	top crank, white handle ☐	+\$0
TPG	top crank, graphite handle ☐	+\$0
FRT	front crank, black handle ☐	+\$40

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW	top crank, white handle ☐	+\$0
TPG	top crank, graphite handle ☐	+\$0

Step 9.

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Rectangle Table with T-Foot

continued

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
ED	aged cherry ☐	+\$85
EK	medium red walnut ☐	+\$85
EW	medium matte walnut ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
UX	walnut on cherry ☐	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 10. Edge Finish

<i>For laminate top/thermoplastic edge (L)</i>		
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

<i>For laminate top/universal edge (U)</i>		
PLY	plywood edge ☐	+\$50

Step 11. Leg/Foot Finish

Metallic Paint		
CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0

Rectangle Table with T-Foot

continued

Sand Texture Paint		
BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0

Step 12. Cord Cover/Cable Management

<i>For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42)</i>		
PSC	simple cable ☐	+\$0

<i>For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)</i>		
PHD	high density cable trough ☐	+\$299
PSC	simple cable ☐	+\$0

Step 13. Power Access Cutout

<i>For 36" wide (34" surface size) (36) or 42" wide (40" surface size) (42)</i>		
NNN	no cutout ☐	+\$0


<i>For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)</i>		
NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 14. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Oval Table with T-Foot

DU6DTE
DU6DTS
DU6DTT



Product Information

Description

This oval height-adjustable table has a T-leg configuration for maximum access on all sides of the surface, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Specification Information							
Step 1.							
DU6DT ☐							
Step 2. Edge							
S.	squared-edge ☐						
T.	thin-edge ☐						
E.	eased-edge ☐						
Step 3. Depth							
30	30" deep ☐						
36	36" deep ☐						
42	42" deep ☐						
Step 4. Width							
60	60" wide ☐						
72	72" wide ☐						
84	84" wide ☐						
Step 5. Surface Material							
For squared-edge (S.)							
L	laminate top/thermoplastic edge ☐						
W	veneer top/veneer edge ☐						
P	painted Formcoat® top/edge ☐						
For thin-edge (T.)							
L	laminate top/thermoplastic edge ☐						
W	veneer top/veneer edge ☐						
P	painted Formcoat® top/edge ☐						
For eased-edge (E.)							
P	painted Formcoat® top/edge ☐						
Step 6. Height Adjustment							
C	crank sit-to-stand ☐						
K	crank seated ☐						
E	electric standard range ☐						
D	electric extended range ☐						
Prices for Steps 1-6.							
		LC	LK	LE	LD	WC	WK
DU6DTS. 30	60	\$2600	2600	3008	3304	2983	2983
	72	\$2652	2652	3010	3371	3168	3168
	84	\$2706	2706	3132	3440	3234	3234

36	60	\$2759	2709	3196	3508	3299	3299
72		\$2815	2764	3261	3581	3367	3367
84		\$2870	2819	3327	3653	3433	3433
42	60	\$2927	2876	3393	3725	3502	3502
72		\$3008	2956	3488	3830	3601	3601
84		\$3091	3039	3586	3938	3703	3703
		WE	WD	PC	PK	PE	PD
DU6DTS. 30	60	\$3594	4024	2677	2677	3159	3469
	72	\$3739	4105	2732	2732	3223	3539
	84	\$3814	4189	2788	2788	3288	3612
36	60	\$3892	4275	2844	2844	3355	3686
72		\$3973	4362	2902	2902	3424	3761
84		\$4053	4449	2959	2959	3493	3837
42	60	\$4133	4538	3020	3020	3562	3912
72		\$4248	4666	3105	3105	3662	4022
84		\$4370	4798	3191	3191	3767	4136
		LC	LK	LE	LD	WC	WK
DU6DTT. 30	60	\$2778	2778	3246	3599	3545	3545
	72	\$2833	2833	3311	3673	3765	3765
	84	\$2892	2892	3412	3748	3842	3842
36	60	\$2951	2951	3482	3825	3921	3921
72		\$3012	3012	3553	3901	4000	4000
84		\$3072	3072	3624	3979	4080	4080
42	60	\$3132	3132	3697	4060	4163	4163
72		\$3221	3221	3800	4173	4280	4280
84		\$3312	3312	3908	4291	4399	4399
		WE	WD	PC	PK	PE	PD
DU6DTT. 30	60	\$4355	4781	2917	2917	3440	3778
	72	\$4400	4879	2976	2976	3511	3856
	84	\$4533	4979	3036	3036	3582	3935
36	60	\$4626	5080	3098	3098	3655	4014
72		\$4720	5184	3161	3161	3730	4097
84		\$4815	5288	3225	3225	3805	4178
42	60	\$4911	5393	3291	3291	3881	4261
72		\$5049	5544	3382	3382	3990	4382
84		\$5193	5702	3477	3477	4103	4507
		WE	WD	PC	PK	PE	PD
DU6DTE. 30	60	—	—	\$2973	2973	3507	3851
	72	—	—	\$3034	3034	3579	3931
	84	—	—	\$3095	3095	3652	4012
36	60	—	—	\$3158	3158	3726	4092
72		—	—	\$3222	3222	3803	4176
84		—	—	\$3286	3286	3879	4259

42 60	—	—	\$3354	3354	3956	4344
72	—	—	\$3448	3448	4067	4467
84	—	—	\$3545	3545	4183	4594

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
------------	-----------------	---	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down	A	+\$0
SMT	no switch - LO100	A	+\$0
SRM	digital read out with memory	A	+\$160

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	A	+\$0
8Q	folkstone grey	A	+\$0
91	white	A	+\$0
98	studio white	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HM	natural maple	A	+\$0
HP	light anigre	A	+\$0
HT	inner tone	A	+\$0
HX	aged cherry	A	+\$0
HY	walnut on cherry	A	+\$0
LA	light ash	A	+\$0
LBA	clear on ash	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash	A	+\$0
LBC	walnut on ash	A	+\$0
LBD	dark brown walnut	A	+\$0
LBE	medium red walnut	A	+\$0
LBF	neutral twill	A	+\$0
LBG	sarum twill	A	+\$0
LBH	earthen twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBM	crisp linen	A	+\$0
LBN	classic linen	A	+\$0
LBP	casual linen	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
WL	sandstone	A	+\$0
WN	warm grey neutral	A	+\$0

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
A2	white ash A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
EW	medium matte walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
OU	walnut A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey A	+\$0
91	white A	+\$0
CL	cool grey neutral A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 10. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash A	+\$0
LBA	clear on ash A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut A	+\$0
LBE	medium red walnut A	+\$0

LBF	neutral twill A	+\$0
LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
91	white A	+\$0
G1	graphite A	+\$0

Step 12. Leg/Foot Finish		
Metallic Paint		
CN	metallic champagne leg with metallic champagne foot A	+\$0
MS	metallic silver leg with metallic silver foot A	+\$0

Sand Texture Paint		
BK	black leg with black foot A	+\$0
LFL	black leg with polished aluminum foot A	+\$0

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$0
98	studio white leg with studio white foot A	+\$0
G2	graphite satin leg with graphite satin foot A	+\$0
LFF	white leg with polished aluminum foot A	+\$160
LFG	warm grey neutral leg with polished aluminum foot A	+\$160
LFH	graphite satin leg with polished aluminum foot A	+\$160
LFJ	metallic silver leg with polished aluminum foot A	+\$160
LFK	studio white leg with polished aluminum foot A	+\$0
WL	sandstone leg with sandstone foot A	+\$0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0

Step 13. Cord Cover/Cable Management		
PSC	simple cable A	+\$0
PHD	high density cable trough A	+\$299

Oval Table with T-Foot *continued*

Step 14. Power Access Cutout

For simple cable (PSC)

NNN	no cutout ☐	+\$0
------------	------------------------------------	------

For high density cable trough (PHD)

NNN	no cutout ☐	+\$0
------------	------------------------------------	------

CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
------------	--	-------


CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
------------	--	-------

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

90° Extended Corner Table with C-Foot

DU6ECE
DU6ECS
DU6ECT



Product Information

Description

This height-adjustable 90° extended corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. It will be on the extended side of the corner. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (G1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Extended Corner Table with C-Foot *continued*

Specification Information	
Step 1.	
DU6EC	A
Step 2. Edge	
S.	squared-edge A
T.	thin-edge A
E.	eased-edge A
Step 3. Depth	
24	24" deep (23" surface size) A
30	30" deep (29" surface size) A
Step 4. Width	
4260	42" wide left x 60" wide right (40" x 58" surface size) A
4272	42" wide left x 72" wide right (40" x 70" surface size) A
4860	48" wide left x 60" wide right (46" x 58" surface size) A
4872	48" wide left x 72" wide right (46" x 70" surface size) A
5454	54" wide left x 54" wide right (52" x 52" surface size) A
6042	60" wide left x 42" wide right (58" x 40" surface size) A
6048	60" wide left x 48" wide right (58" x 46" surface size) A
6060	60" wide left x 60" wide right (58" x 58" surface size) A
7242	72" wide left x 42" wide right (70" x 40" surface size) A
7248	72" wide left x 48" wide right (70" x 46" surface size) A
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	lamine top/thermoplastic edge A
W	veneer top/veneer edge A
P	painted Formcoat® top/edge A
<i>For thin-edge (T.)</i>	
L	lamine top/thermoplastic edge A
W	veneer top/veneer edge A
P	painted Formcoat® top/edge A
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge A
Step 6. Height Adjustment	
C	crank sit-to-stand A
K	crank seated A
E	electric standard range A
D	electric extended range A

Prices for Steps 1-6.						
		LC	LK	LE	LD	WC WK
DU6ECS. 24	4260	\$3892	3892	5099	5452	4799 4799
	4272	\$3961	3961	5193	5552	4895 4895
	4860	\$4029	4032	5087	5657	4993 4993
	4872	\$4100	4103	5182	5762	5092 5092
	5454	\$4017	4017	5369	5392	4288 4288
	6042	\$3892	3892	5099	5452	4799 4799
	6048	\$4029	4032	5087	5657	4993 4993
	6060	\$4087	4091	5470	5495	4376 4376
	7242	\$3961	3961	5193	5552	4895 4895
	7248	\$4100	4103	5182	5762	5092 5092
30	4260	\$4177	4177	5257	5676	5194 5194
	4272	\$4252	4252	5357	5791	5298 5298
	4860	\$4327	4327	5459	5897	5404 5404
	4872	\$4405	4405	5565	6013	5512 5512
	5454	\$4041	4041	5716	5878	5401 5401
	6042	\$4177	4177	5257	5681	5194 5194
	6048	\$4327	4327	5459	5902	5404 5404
	6060	\$4111	4114	5822	5990	5658 5658
	7242	\$4252	4252	5357	5791	5298 5298
	7248	\$4405	4405	5565	6013	5512 5512
		WE	WD	PC	PK	PE PD
DU6ECS. 24	4260	\$5975	5956	4138	4138	5342 5538
	4272	\$6104	6103	4220	4201	5458 5662
	4860	\$6235	6247	4304	4304	5573 5786
	4872	\$6370	6388	4391	4391	5683 5912
	5454	\$5410	6217	3843	3843	5055 5592
	6042	\$5975	5956	4138	4138	5342 5538
	6048	\$6235	6247	4304	4304	5573 5786
	6060	\$5630	6362	3921	3921	5159 5698
	7242	\$6104	6103	4220	4201	5458 5662
	7248	\$6370	6388	4391	4391	5683 5912
30	4260	\$5988	5988	4479	4479	5399 5560
	4272	\$6128	6142	4568	4568	5521 5691
	4860	\$6271	6297	4659	4659	5644 5826
	4872	\$6413	6450	4752	4752	5765 5963
	5454	\$6271	6324	3866	3866	5261 5033
	6042	\$5988	5988	4479	4479	5399 5560
	6048	\$6271	6297	4659	4659	5644 5826
	6060	\$6488	6485	3945	3945	5381 6211
	7242	\$6128	6142	4568	4568	5521 5691
	7248	\$6413	6450	4752	4752	5765 5963

90° Extended Corner Table with
C-Foot *continued*

Renew™ Adjustable-Height Tables

		LC	LK	LE	LD	WC	WK
DU6ECT. 24	4260	\$4342	4342	5425	5696	4922	4922
	4272	\$4420	4420	5524	5805	5031	5031
	4860	\$4501	4501	5625	5915	5141	5141
	4872	\$4582	4582	5730	6028	5253	5253
	5454	\$4484	4484	6016	5943	4343	4343
	6042	\$4342	4342	5425	5696	4922	4922
	6048	\$4501	4501	5625	5915	5141	5141
	6060	\$4566	4566	6129	6058	4443	4443
	7242	\$4420	4420	5524	5805	5031	5031
	7248	\$4582	4582	5730	6028	5253	5253
	30 4260	\$4441	4441	5611	5874	5006	5006
	4272	\$4526	4526	5720	5989	5123	5123
	4860	\$4612	4612	5829	6110	5242	5242
	4872	\$4699	4699	5942	6231	5366	5366
	5454	\$4288	4288	6436	6434	5690	5690
	6042	\$4441	4441	5611	5874	5006	5006
	6048	\$4612	4612	5829	6110	5242	5242
	6060	\$4371	4371	6564	6565	6082	6082
	7242	\$4526	4526	5720	5989	5123	5123
	7248	\$4699	4699	5942	6231	5366	5366
		WE	WD	PC	PK	PE	PD
DU6ECT. 24	4260	\$6299	6508	4229	4229	5667	5851
	4272	\$6438	6659	4322	4322	5786	5981
	4860	\$6578	6814	4418	4418	5907	6114
	4872	\$6724	6971	4516	4516	6034	6250
	5454	\$6056	6359	3896	3896	5682	6157
	6042	\$6299	6508	4229	4229	5667	5851
	6048	\$6578	6814	4418	4418	5907	6114
	6060	\$6193	6510	3985	3985	5806	6276
	7242	\$6438	6659	4322	4322	5786	5981
	7248	\$6724	6971	4516	4516	6034	6250
	30 4260	\$6329	6538	4281	4281	5690	5898
	4272	\$6480	6703	4382	4382	5820	6039
	4860	\$6632	6869	4484	4484	5952	6183
	4872	\$6788	7038	4591	4591	6086	6330
	5454	\$6694	6657	3588	3588	5905	5708
	6042	\$6329	6538	4281	4281	5690	5898
	6048	\$6632	6869	4484	4484	5952	6183
	6060	\$6917	7018	3678	3678	6043	5849
	7242	\$6480	6703	4382	4382	5820	6039
	7248	\$6788	7038	4591	4591	6086	6330

		WE	WD	PC	PK	PE	PD
DU6ECE. 24	4260	—	—	\$4034	4034	5406	5583
	4272	—	—	\$4125	4125	5521	5707
	4860	—	—	\$4216	4216	5637	5833
	4872	—	—	\$4309	4309	5756	5963
	5454	—	—	\$3717	3717	5422	5189
	6042	—	—	\$4034	4034	5406	5583
	6048	—	—	\$4216	4216	5637	5833
	6060	—	—	\$3801	3801	5539	5307
	7242	—	—	\$4125	4125	5521	5707
	7248	—	—	\$4309	4309	5756	5963
	30 4260	—	—	\$4084	4084	5429	5627
	4272	—	—	\$4181	4181	5553	5762
	4860	—	—	\$4279	4279	5679	5899
	4872	—	—	\$4380	4380	5807	6039
	5454	—	—	\$3424	3424	5635	5447
	6042	—	—	\$4084	4084	5429	5627
	6048	—	—	\$4279	4279	5679	5899
	6060	—	—	\$3508	3508	5766	5581
	7242	—	—	\$4181	4181	5553	5762
	7248	—	—	\$4380	4380	5807	6039

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
-----	-----------------	---	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down	A	+\$0
SMT	no switch - LO100	A	+\$0
SRM	digital read out with memory	A	+\$160

90° Extended Corner Table with C-Foot *continued*

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0
ZZ	open line laminate (nonstandard) 	+\$20

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$85
40	dark brown walnut 	+\$85
A2	white ash 	+\$85
ED	aged cherry 	+\$85
EK	medium red walnut 	+\$85
EW	medium matte walnut 	+\$85
ET	clear on ash 	+\$85
EU	oak on ash 	+\$85
EV	walnut on ash 	+\$85
OU	walnut 	+\$85
UL	natural maple 	+\$85
UX	walnut on cherry 	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey 	+\$0
91	white 	+\$0
CL	cool grey neutral 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0

90° Extended Corner Table with C-Foot *continued*

LBF	neutral twill A	+\$0
LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white A	+\$0
G1	graphite A	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot A	+\$0
MS	metallic silver leg with metallic silver foot A	+\$0

Sand Texture Paint

BK	black leg with black foot A	+\$0
LFL	black leg with polished aluminum foot A	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$0
98	studio white leg with studio white foot A	+\$0
G2	graphite satin leg with graphite satin foot A	+\$0
WL	sandstone leg with sandstone foot A	+\$0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0
LFF	white leg with polished aluminum foot A	+\$160
LFG	warm grey neutral leg with polished aluminum foot A	+\$160
LFH	graphite satin leg with polished aluminum foot A	+\$160
LFJ	metallic silver leg with polished aluminum foot A	+\$160
LFK	studio white leg with polished aluminum foot A	+\$0

Step 13. Cord Cover/Cable Management

For 24" deep (23" surface size) (24)

PSC	simple cable A	+\$0
------------	-----------------------------	------

For 30" deep (29" surface size) (30)

PSC	simple cable A	+\$0
PHD	high density cable trough A	+\$299

Step 14. Power Access Cutout

*For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30)
with simple cable (PSC)*

NNN	no cutout A	+\$0
------------	--------------------------	------

For 30" deep (29" surface size) (30) with 42" wide left x 60" wide right (40" x 58" surface size) (4260), 42" wide left x 72" wide right (40" x 70" surface size) (4272), 48" wide left x 60" wide right (46" x 58" surface size) (4860), 48" wide left x 72" wide right (46" x 70" surface size) (4872), 60" wide left x 42" wide right (58" x 40" surface size) (6042), 60" wide left x 48" wide right (58" x 46" surface size) (6048), or 72" wide left x 42" wide right (70" x 40" surface size) (7242), or 72" wide left x 48" wide right (70" x 46" surface size) (7248) with high density cable trough (PHD)

NNN	no cutout A	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
CAC	center cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V A	+\$45


For 30" deep (29" surface size) (30) with 54" wide left x 54" wide right (52" x 52" surface size) (5454), or 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high density cable trough (PHD)

NNN	no cutout A	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V A	+\$45

Step 15. Casters/Glides

57	glides A	+\$0
-----------	-----------------------	------

Rectangle Counterbalance Table DU6ACG with C-Foot



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Glides have 1/2" leveling range. Shipped knocked down.

Floor to top-of-surface height adjustment range is 27"-46". A nonpowered gas-assisted counterbalance mechanism provides smooth operation throughout the entire height range.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Counterbalance Table with C-Foot *continued*

Specification Information						
Step 1.						
DU6ACG ☐						
Step 2. Edge						
S.	squared-edge ☐					
T.	thin-edge ☐					
E.	eased-edge ☐					
Step 3. Depth						
24	24" deep ☐					
30	30" deep ☐					
Step 4. Width						
48	48" wide ☐					
60	60" wide ☐					
72	72" wide ☐					
Step 5. Surface Material						
For squared-edge (S.)						
L	lamine top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
U	lamine top/universal edge ☐					
For thin-edge (T.)						
L	lamine top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
For eased-edge (E.)						
P	painted Formcoat® top/edge ☐					
Prices for Steps 1-5.						
	48L	48W	48P	48U	60L	60W
DU6ACG S. 24	\$3460	3980	3602	3431	3632	4219
30	\$3512	4081	3694	3518	3718	4320
T. 24	\$3733	4330	3920	—	3956	4590
30	\$3829	4441	4020	—	4052	4700
E. 24	—	—	\$3881	—	—	—
30	—	—	\$3981	—	—	—
	60P	60U	72L	72W	72P	72U
DU6ACG S. 24	\$3818	3637	3864	4488	4062	3869
30	\$3905	3723	3951	4590	4154	3956

T.	24	\$4155	—	4210	4884	4419	—
	30	\$4254	—	4304	4993	4520	—
E.	24	\$4114	—	—	—	4377	—
	30	\$4213	—	—	—	4475	—
Step 6. Cord Cover/Cable Management							
PSC	simple cable	A					+\$0
Step 7.							
Top Finish							
<i>For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)</i>							
76	light brown walnut	A					+\$0
8Q	folkstone grey	A					+\$0
91	white	A					+\$0
98	studio white	A					+\$0
CL	cool grey neutral	A					+\$0
HF	inner tone light	A					+\$0
HM	natural maple	A					+\$0
HP	light anigre	A					+\$0
HT	inner tone	A					+\$0
HX	aged cherry	A					+\$0
HY	walnut on cherry	A					+\$0
LA	light ash	A					+\$0
LBA	clear on ash	A					+\$0
LBR	phantom ecru	A					+\$0
LBS	phantom cocoa	A					+\$0
LBU	medium matte walnut	A					+\$0
LBV	warm grey teak	A					+\$0
LBB	oak on ash	A					+\$0
LBC	walnut on ash	A					+\$0
LBD	dark brown walnut	A					+\$0
LBE	medium red walnut	A					+\$0
LBF	neutral twill	A					+\$0
LBG	sarum twill	A					+\$0
LBH	earthen twill	A					+\$0
LBJ	graphite twill	A					+\$0
LBM	crisp linen	A					+\$0
LBN	classic linen	A					+\$0
LBP	casual linen	A					+\$0
LBQ	white twill	A					+\$0
LU	soft white	A					+\$0
WL	sandstone	A					+\$0
WN	warm grey neutral	A					+\$0

Rectangle Counterbalance Table with C-Foot *continued*

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$85
40	dark brown walnut 	+\$85
A2	white ash 	+\$85
ED	aged cherry 	+\$85
EK	medium red walnut 	+\$85
EW	medium matte walnut 	+\$85
ET	clear on ash 	+\$85
EU	oak on ash 	+\$85
EV	walnut on ash 	+\$85
EY	light anigre 	+\$85
OU	walnut 	+\$85
UL	natural maple 	+\$85
UX	walnut on cherry 	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey 	+\$0
91	white 	+\$0
CL	cool grey neutral 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

For laminate top/universal edge (U)

PLY	plywood edge 	+\$50
------------	--	-------

Step 9. Leg/Foot Finish

Metallic Paint


MS	metallic silver leg with metallic silver foot 	+\$0
-----------	---	------

Rectangle Counterbalance Table
with C-Foot *continued*

Renew™ Adjustable-Height Tables

Smooth Paint		
G2	graphite satin leg with graphite satin foot ☐ A	+\$0
Step 10. Casters/Glides		
57	glides ☐ A	+\$0

DU6WS.




Description

Notes

Order 2-leg table base kit (DU7A.) separately.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazard.

Dimensions



Step 1.

DU6W

A

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size) A

30 30" deep (29" surface size) A

Step 4. Width

48 48" wide (46" surface size) A

54 54" wide (52" surface size) A

60 60" wide (58" surface size) A

66 66" wide (64" surface size) A

72 72" wide (70" surface size) A

Step 5. Surface Material

L laminate top/thermoplastic edge **A**

U laminate top/universal edge A

Prices for Steps 1-5.

	L	U
DU6WS.24 48	\$252	242
54	\$304	292
60	\$333	320
66	\$380	365
72	\$404	407
30 48	\$324	326
54	\$390	408
60	\$425	425
66	\$486	490
72	\$547	557

Step 6. Base Type

V	pre-drilled holes for V1 base	A	+\$0
----------	-------------------------------	--------------------------------	------

Height Adjustable Rectangular Worksurface *continued*

Step 7. Top Finish		
76	light brown walnut ☐	+\$99
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$99
HY	walnut on cherry ☐	+\$99
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0


Step 8. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

<i>For laminate top/universal edge (U)</i>		
PLY	plywood edge ☐	+\$50

Step 9. Cutout Option		
NNN	no cutout ☐	+\$0

Table Base Kit - 3 Legs

DU7F.



Product Information

Description


This independent 3-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of power access and switch type.

Notes

Order work surface stiffener (FV696.) separately.

See Renew™ Sit-to-Stand Tables planning guide for design information.

Dimensions



Specification Information

Step 1.

DU7F. ☐ A

Step 2. Mechanism

E electric standard range ☐ A

D electric extended range ☐ A

Step 3. Depth

24 24" deep (23" actual) ☐ A

30 30" deep (29" actual) ☐ A

Step 4. Foot Type

C C foot ☐ A

Prices for Steps 1-4.

		C
DU7F.	E 24	\$4321
	30	\$4321
	D 24	\$4604
	30	\$4604

Step 5. Hidden Power Access

For electric standard range (E)

NNP	no power access ☐ A	+\$0
PLA	leg access ☐ A	+\$299

For electric extended range (D)

NNP	no power access ☐ A	+\$0
------------	--	------

Step 6. Switch Option

SUD	simple up down ☐ A	+\$0
SMT	no switch - LO100 ☐ A	+\$0
SRM	digital read out with memory ☐ A	+\$160

Step 7. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐ A	+\$0
MS	metallic silver leg with metallic silver foot ☐ A	+\$0


Sand Texture Paint

BK	black leg with black foot ☐ A	+\$0
LFL	black leg with polished aluminum foot ☐ A	+\$0

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0
Step 8. Casters/Glides		
57	glides ☐	+\$0

Table Base Kit - 2 Legs

DU7A.



Product Information

Description

This independent 2-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of foot type, power access and switch type.


Notes

Order work surface stiffener (FV696.) separately.

See Renew™ Sit-to-Stand Tables planning guide for design information.

To use 2-leg base kit on work surfaces 72" wide and wider, order motor extension cable service part U1B7600 separately.

Dimensions



Specification Information

Step 1.

DU7A. ☐ A

Step 2. Mechanism

E electric standard range ☐ A

D electric extended range ☐ A

Step 3. Depth

24 24" deep (23" actual) ☐ A

30 30" deep (29" actual) ☐ A

Step 4. Foot Type

For 24" deep (23" actual) (24)

C C foot ☐ A

For 30" deep (29" actual) (30)

T T foot ☐ A

C C foot ☐ A

Prices for Steps 1-4.

		T	C
DU7A.	E 24	—	\$2679
	30	\$2679	2679
	D 24	—	\$3006
	30	\$3006	3006

Step 5. Hidden Power Access

For electric standard range (E)

NNP no power access ☐ A +\$0

PLA leg access ☐ A +\$299

For electric extended range (D)

NNP no power access ☐ A +\$0

Step 6. Switch Option

SUD simple up down ☐ A +\$0

SMT no switch - LO100 ☐ A +\$0

SRM digital read out with memory ☐ A +\$160

Step 7. Leg/Foot Finish

Metallic Paint

CN metallic champagne leg with metallic champagne foot ☐ A +\$0

MS metallic silver leg with metallic silver foot ☐ A +\$0

Table Base Kit - 2 Legs *continued*

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint


8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0

Step 8. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.







Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425. ☐

Step 2. Configuration

A	2 simplex receptacles, 2 powered USB ☐
C	4 simplex receptacles, 2 powered USB ☐
D	5 simplex receptacles, 2 powered USB ☐
E	3 simplex receptacles ☐
F	5 simplex receptacles ☐
G	6 simplex receptacles ☐

Step 3. Power Type

A	power cord with plug end ☐
B	conduit with open end, for hard-wiring ☐
C	IEC connector for Renew Tables ☐

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3' cord/conduit ☐
06	6' cord/conduit ☐
10	10' cord/conduit ☐
20	20' cord/conduit ☐

For conduit with open end, for hard-wiring (B)

03	3' cord/conduit ☐
06	6' cord/conduit ☐
10	10' cord/conduit ☐

For IEC connector for Renew Tables (C)

03	3' cord/conduit ☐
-----------	--

Prices for Steps 1-4.

		03	06	10	20
Y1425. A	A	\$683	683	694	705
	B	\$737	737	747	—
	C	\$694	—	—	—
	C A	\$792	792	804	816
	B	\$845	845	857	—
	C	\$804	—	—	—
	D A	\$863	863	875	885
	B	\$916	916	926	—
	C	\$875	—	—	—
	E A	\$526	526	536	546
	B	\$578	578	589	—
	C	\$536	—	—	—


F A	\$634	634	647	657
B	\$688	688	699	—
C	\$647	—	—	—
G A	\$705	705	715	728
B	\$757	757	770	—
C	\$715	—	—	—

Step 5. Finish

91	white ☐			+\$0
98	studio white ☐			+\$0
BK	black ☐			+\$0
G1	graphite ☐			+\$0
MS	metallic silver ☐			+\$0

Logic C1000 Universal Clamp Mount Distributor

Y1423.



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes



Clamp mounts on worksurfaces 1"-1 1/4" thick.

Faceplate color matches unit color.



Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.



Dimensions





2 simplex receptacles, 2 powered USB





4 simplex receptacles, 2 powered USB





5 simplex receptacles, 2 powered USB



3 simplex receptacles



5 simplex receptacles



6 simplex receptacles

Logic C1000 Universal Clamp Mount Distributor *continued*

Specification Information

Step 1.

Y1423. ☐ A

Step 2. Configuration

- A** 2 simplex receptacles, 2 powered USB ☐ A
- C** 4 simplex receptacles, 2 powered USB ☐ A
- D** 5 simplex receptacles, 2 powered USB ☐ A
- E** 3 simplex receptacles ☐ A
- F** 5 simplex receptacles ☐ A
- G** 6 simplex receptacles ☐ A

Step 3. Power Type

- A** power cord with plug end ☐ A
- B** conduit with open end, for hard-wiring ☐ A

Step 4. Cord/Conduit Length

- 03** 3' cord/conduit ☐ A
- 06** 6' cord/conduit ☐ A
- 10** 10' cord/conduit ☐ A


Prices for Steps 1-4.

		03	06	10
Y1423. A	A	\$480	480	491
	B	\$533	533	543
	C A	\$577	577	587
	B	\$629	629	640
	D A	\$617	617	628
	B	\$670	670	681
	E A	\$322	322	333
	B	\$376	376	386
	F A	\$420	420	430
	B	\$471	471	483
	G A	\$459	459	470
	B	\$512	512	524




Step 5. Finish

- 91** white ☐ A +\$0
- 98** studio white ☐ A +\$0
- BK** black ☐ A +\$0
- G1** graphite ☐ A +\$0
- MS** metallic silver ☐ A +\$0

Logic G1200 Grommet Pass Thru Y1420.




Product Information
Description
This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.
Notes
Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.
Dimensions



Specification Information
Step 1.
Y1420. ☐ A
Step 2. Configuration
T three outlet opening ☐ A
V five outlet opening ☐ A
X six outlet opening ☐ A
Prices for Steps 1-2.
Y1420. T \$229
V \$251
X \$274
Step 3. Finish
91 white ☐ A +\$0
98 studio white ☐ A +\$0
BK black ☐ A +\$0
G1 graphite ☐ A +\$0
MS metallic silver ☐ A +\$0

Logic HD Cable Manager

Y1424.




Product Information

Description

This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.

Dimensions



Specification Information

Step 1.

Y1424. A

Step 2. Size

17 17" wide tray A

Prices for Steps 1-2.

Y1424. 17 \$251

Step 3. Finish

91 white A

98 studio white A

BK black A

G1 graphite A

MS metallic silver A

+\$0

+\$0


+\$0

+\$0

+\$0

Renew™ Obstruction Sensor Kit

DUSG1.
DUSG2.



Product Information

Description


This sensor kit provides an additional system failsafe mechanism for Renew™ tables and Renew Link by detecting possible obstructions and/or unsafe conditions in the travel path of the table. Kit comes with 1 or 2 sensors depending on table width. Renew table and Renew Link bench remain UL Listed with sensor installed.

Notes

Warning: Despite this sensor being in place, there may still be a risk of pinching in exceptional cases, as it is not only the control unit, but also the interaction between the mechanical and electronic systems that is responsible for responding to obstructions. Herman Miller cannot therefore eliminate this residual risk completely or accept any liability. Be sure to maintain a clear path within the envelope of the height adjustable table.

See Renew Link planning guide for design information.

Dimensions




Renew™ Power and Data Support


Renew™ Obstruction Sensor Kit

continued

Specification Information	
Step 1.	
DUSG	A
Step 2. Table Width	
1.	60 inches and under A
2.	over 60 inches A
Prices for Steps 1-2.	
DUSG1.	\$104
DUSG2.	\$131



Product Information
Description
This smart paddle provides one-touch up and down controls. It communicates availability, nudges to stand or sit, and confirmation of successful pairing of a mobile device. Desk Utilization Sensor provides connection to the Gateway to sense utilization, transfer data to the cloud, and provide haptic feedback for when to stand or sit. 1 Gateway is required for every 1-200 Smart Paddle Kits.
Notes
Kits must be mounted all on right-hand side or all on left-hand side. Cannot mix right and left mounting due to BT signal strength. When ordering Live Platform™ hardware, a subscription service agreement must be signed to activate the system. End user application available as free download to all users and is required to set up goals, preferences, and check-in to a desk.
Dimensions



Specification Information
Step 1.
LO100. A
Step 2. Connection
1 plugs into Logic Data control box A
Step 3. Cord Length
06 6' long A
Prices for Steps 1-3.
LO100. 1 \$140
Step 4. Finish
63 fog A +\$0

Index by Product Name

Renew™ Tables	
90° Corner Table with C-Foot	page(s) 15
90° Extended Corner Table with C-Foot	30
120° Corner Table with C-Foot	5
Height Adjustable Rectangular Worksurface	39
Logic C1000 Universal Clamp Mount Distributor	47
Logic G1000 Grommet Mounted Electrical Distributor	45
Logic G1200 Grommet Pass Thru	49
Logic HD Cable Manager	50
Oval Table with T-Foot	25
Rectangle Counterbalance Table with C-Foot	35
Rectangle Table with C-Foot	9
Rectangle Table with T-Foot	19
Renew™ Obstruction Sensor Kit	51
Smart Paddle Kit	53
Table Base Kit - 2 Legs	43
Table Base Kit - 3 Legs	41

Index by Product Number

DU6ACE Rectangle Table with C-Foot	page(s) 9
DU6ACG Rectangle Counterbalance Table with C-Foot	35
DU6ACS Rectangle Table with C-Foot	9
DU6ACT	
DU6ATE Rectangle Table with T-Foot	19
DU6ATS	
DU6ATT	
DU6DTE Oval Table with T-Foot	25
DU6DTS	
DU6DTT	
DU6ECE 90° Extended Corner Table with C-Foot	30
DU6ECS	
DU6ECT	
DU6FCE 90° Corner Table with C-Foot	15
DU6FCS	
DU6FCT	
DU6GCE 120° Corner Table with C-Foot	5
DU6GCS	
DU6GCT	
DU6WS. Height Adjustable Rectangular Worksurface	39
DU7A. Table Base Kit - 2 Legs	43
DU7F. Table Base Kit - 3 Legs	41
DUSG1. Renew™ Obstruction Sensor Kit	51
DUSG2.	
LO100. Smart Paddle Kit	53
Y1420. Logic G1200 Grommet Pass Thru	49
Y1423. Logic C1000 Universal Clamp Mount Distributor	47
Y1424. Logic HD Cable Manager	50
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	45



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

Stain-to-Match Program

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:
(800) 654 3910

Stain-to-Match Process

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to:
options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STB: Stain-to-Match on Beech
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STM: Stain-to-Match on Recut Mahogany
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi—Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

® **HermanMiller**, ●, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisiyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cosm, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Lino, Locale, Logic Mini, Logic Power Access Solutions, Live Platform, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Multiscrim, Nelson, Nevi, Overlay, Pari, Pixelated Support, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus, Vista and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsur® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.