# **SOFT EDGE 12**

#### **DESIGN BY ISKOS-BERLIN**



Made possible by exploring innovative developments in molded plywood techniques, Iskos-Berlin's Soft Edge chair blends strong curves with extreme lightness to create a three-dimensionality that is not normally possible with 2D plywood. The ultra-thin, soft-formed back and seat are free of sharp edges, embracing the body and providing human-centric comfort for constant movement. The chair features solid wood legs with light stackable qualities, making it suitable for a wide range of public and private environments – from classrooms and cafés to the home.

#### PRODUCT DETAILS

- / Part of a family of dining chairs, bar stools and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- / 3-dimensional form based on the latest developments in molded plywood technique using ordinary plywood.
- / Variability of seat and base colors and finishes.
- / Suitable for a wide variety of private and public environments.
- / Qualified for contract use.
- / Available with seat upholstery in selected fabrics.
- / Stackable up to 6 pcs. without upholstery.

**HAY** 

#### MATERIAL

SEAT / BACK / Molded plywood seat and back. Top veneer in oak.

BASE / Solid oak legs.

#### **COLOR & FINISH**

Please note that the color codes are indicative.

SEAT, BACK AND BASE / Available in 8 different finishes.

- / Black stained oak ( RAL 9005 )
- / Dusty green stained oak ( NCS S 6005 G20Y )
- / Fall red stained oak ( NCS S 6030 R )
- / Hunter stained oak ( NCS S 8010 B90G )
- / Soft black stained oak (RAL 9004)
- / Soft grey stained oak ( NCS S 3500 N )
- / Matte lacquered oak
- / Clear lacquered oak

# CONSTRUCTION

SEAT And back / 2D molded plywood seat and back mounted to the frame with rivets. Inner plywood in beech, top veneer in oak.

Base / in  $\varnothing$ 16 mm steel tube. Stacking pad in polypropylene mounted underneath the seat.

#### SEAT, BACK AND BASE FINISH



#### **DIMENSIONS**

- / WIDTH 51,5 cm / 20.27"
- / DEPTH 52,5 cm / 20.66"
- / HEIGHT 79 cm / 31.10"
- / SEAT HEIGHT 47,5 cm / 18.70"
- / SEAT DEPTH 46 cm / 18.11"



— 51,5 -

-52,5 — — 46 -

— 51,5 —

#### **GLIDERS**

PLASTIC GLIDER (STANDARD ON ALL) / Suitable for most floorings which are not too sensitive. FELT GLIDER  $\slash\hspace{-0.5em}$  For wooden floors. Not for sensitive wooden floors like pine wood or painted floors.

#### **OPTIONS**

/ Seat upholstery 10 mm foam.

#### **TESTS**

EN 16139:2013 / Furniture - Strength, durability and safety -Requirements for non-domestic seating. L2: Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.4-2012 / American National Standard For Office Furnishings - Lounge and Public Seating - Tests.

#### **DOWNLOADS**

2D files, 3D files and packshots are available in our imagebank at hay.com.

Care- and maintenance instructions and test certificates are available at hay.com.

# SOFT EDGE 12 SEAT UPHOLSTERY

**DESIGN BY ISKOS-BERLIN** 



#### **FOAM**

10 mm foam

### **FABRICS**

Available in a large selection of standard fabrics.

## STANDARD FABRICS BY KVADRAT

/ Remix / Fiord
/ Steelcut / Hallingdal
/ Steelcut trio / Canvas
/ Divina / Lila
/ Divina melange / Coda

/ Divina MD

# STANDARD FABRICS BY MAHARAM

/ Compound / Mode

#### NOTE

Stacking upholstered chairs may leave marks in the foam and fabric.