



1 Symbol 2 Seater Right Arm 2 Symbol 90° Curve Sofa 3 Symbol 2 Seater No Arms
5 Symbol 2 Seater Left Arm 6 Always Lounge Chair 7 Trace Coffee Table

symbol

Modular Seating



8 Symbol 2 Seater No Arms 9 Symbol 2 Seater Right Arm
10 Symbol 2 Seater Left Arm 11 Trace Coffee Table



Symbol Modular Seating designed by naughtone 2016

About Symbol

















The Symbol seating range has a pared down aesthetic, designed to feel like part of the architecture and provide building blocks for furniture landscapes. Symbol has a firm upright sit and compact dimensions, making it perfect for modern commercial environments where space is at a premium.

Compliance





- SCS Indoor Advantage™ Gold Certificate
- naughtone is FSC® certified
- naughtone is FISP and ISO14001 certified
- Our seating is designed to meet or exceed all EN performance requirements per BS EN 16139:2013

Sizes

All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch

 NOSYN110 Symbol Single Stool mm W 510 D 510 H 410 Seat 410 inch W 20 D 20 H 16 Seat 16	 NOSYN120 Symbol Chair no arms mm W 510 D 690 H 685 Seat 410 inch W 20 D 27 H 27 Seat 16	 NOSYN130 Symbol Corner Chair 1 arm mm W 690 D 690 H 685 Seat 410 inch W 27 D 27 H 27 Seat 16	 NOSYN140 Symbol Chair 2 arms mm W 870 D 690 H 685 Seat 410 inch W 34.5 D 27 H 27 Seat 16	
 NOSYN210 Symbol 2 Seater Bench mm W 1020 D 510 H 410 Seat 410 inch W 40 D 20 H 16 Seat 16	 NOSYN220 Symbol 2 Seater no arms mm W 1020 D 690 H 685 Seat 410 inch W 40 D 27 H 27 Seat 16	 NOSYN230 Symbol 2 Seater right arm mm W 1200 D 690 H 685 Seat 410 inch W 47 D 27 H 27 Seat 16	 NOSYN240 Symbol 2 Seater left arm mm W 1200 D 690 H 685 Seat 410 inch W 47 D 27 H 27 Seat 16	 NOSYN250 Symbol 2 Seater 2 arms mm W 1380 D 690 H 685 Seat 410 inch W 54.5 D 27 H 27 Seat 16
 NOSYN310 Symbol 3 Seater Bench mm W 1530 D 510 H 410 Seat 410 inch W 60 D 20 H 16 Seat 16	 NOSYN320 Symbol 3 Seater no arms mm W 1530 D 690 H 685 Seat 410 inch W 60 D 27 H 27 Seat 16	 NOSYN330 Symbol 3 Seater right arm mm W 1710 D 690 H 685 Seat 410 inch W 67.5 D 27 H 27 Seat 16	 NOSYN340 Symbol 3 Seater left arm mm W 1710 D 690 H 685 Seat 410 inch W 67.5 D 27 H 27 Seat 16	 NOSYN350 Symbol 3 Seater 2 arms mm W 1890 D 690 H 685 Seat 410 inch W 74.5 D 27 H 27 Seat 16
 NOSYN420 Symbol 90° Curve Sofa mm W 1825 D 865 H 685 Seat 410 inch W 72 D 34 H 27 Seat 16	 NOSYN410 Symbol 90° Curve Bench mm W 1570 D 685 H 410 Seat 410 inch W 62 D 27 H 16 Seat 16			

Base Options



Base Options

 White / Black Steel Legs Standard	 RAL Powder Coated Legs naughtone Colors	 Solid Oak / Walnut Legs	 Two Tone Backrest and Arms / Seat
---	---	--	---

Other Options









Symbol Modular Seating Technical Specifications

Testing

Our chairs are designed to meet or exceed all EN performance requirements per **EN16139:2013**, which includes the following tests:

- Seat and back static load test
 - Seat front edge static load test
 - Vertical static load on back
 - Foot rest and leg rest static load test
 - Arm sideways static load test
 - Arm downwards static load test
 - Vertical upwards static load on arm rests
- Seat and back durability test
 - Seat front edge durability test
 - Leg forward static load test
 - Leg sideways static load test
 - Seat impact test
 - Back impact test
 - Arm impact test

Structural Testing Certifications

NOSYN140
Symbol arm chair
BS EN16139:2013, level 1
Static load 160kg

NOSYN240
Symbol 2 seat sofa with left arm
BS EN16139:2013, level 1
Static load 320kg

NOSYN320
Symbol 3 seat sofa no arm
BS EN16139:2013, level 1
Static load 320kg

NOSYN420
Symbol 90 degree curve seat
BS EN16139:2013, level 1
Static load 320kg

Flammability

The cold cure foam material has been tested to meet the following standards:

British standard
5852:2006 Part 2

California Technical Bulletin
117-2013

Italian standards
UNI 9175-CLASS 1.IM

The flammability standard of the covering fabric is dependent on the choice made by the customer, details of the flammability rating of specific fabrics can be found on supplier's websites listed below.

- www.kvadrat.dk
- www.camirafabrics.com
- www.butefabrics.com
- www.panaz.com
- www.maharam.com
- www.vescom.com
- www.ultrafabricsllc.com
- www.crestleather.com


Servicing

If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

Warranty


naughtone offers a **7 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at naughtone.com/warranty

Symbol Single Seaters Technical Specifications




Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D Seat Height	E Distance between Legs (Front)	F Distance between Legs (Side)	G Weight
1 NOSYN110 Symbol Single Stool	510 mm 20 in	510 mm 20 in	410 mm 16 in	410 mm 16 in	440 mm 17.5 in	440 mm 17.5 in	21.02 kg 46.3 lbs
2 NOSYN120 Symbol No Arms	510 mm 20 in	690 mm 27 in	685mm 27in	410 mm 16 in	440 mm 17.5 in	620 mm 24.5 in	34.5 kg 76.1 lbs
3 NOSYN130 Symbol Corner Chair 1 Arm	690 mm 27 in	690 mm 27 in	685mm 27in	410 mm 16 in	620 mm 24.5 in	620 mm 24.5 in	37.4 kg 82.5 lbs
4 NOSYN140 Symbol Chair 2 Arms	870 mm 34.5 in	690 mm 27 in	685mm 27in	410 mm 16 in	800 mm 31.5 in	620 mm 24.5 in	30.9 kg 68.1 lbs

Measuring Guide




Symbol Two Seaters Technical Specifications




Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D Seat Height	E Distance between Legs (Front)	F Distance between Legs (Side)	G Weight
5 NOSYN210 Symbol 2 Seat Bench	1020 mm 40 mm	510 mm 20 mm	410 mm 16 mm	410 mm 16 mm	950 mm 37.5 in	620 mm 24.5 in	26.5 kg 58.4 lbs
6 NOSYN220 Symbol 2 Seat No Arms	1020 mm 40 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	950 mm 37.5 in	620 mm 24.5 in	33.8 kg 74.5 lbs
7 NOSYN230 Symbol 2 Seat Right Arm	1200 mm 47 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1130 mm 44.5 in	620 mm 24.5 in	36.9 kg 81.4 lbs
8 NOSYN240 Symbol 2 Seat Left Arm	1200 mm 47 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1130 mm 44.5 in	620 mm 24.5 in	36.9 kg 81.4 lbs
9 NOSYN250 Symbol 2 Seat 2 Arms	1380 mm 54.5 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1310 mm 51.5 in	620 mm 24.5 in	43 kg 94.8 lbs

Symbol Three Seaters Technical Specifications




Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D Seat Height	E Distance between Legs (Front)	F Distance between Legs (Side)	G Weight
10 NOSYN310 Symbol 3 Seat Bench	1530 mm 60 mm	510 mm 20 mm	410 mm 16 mm	410 mm 16 mm	1445 mm 57 in	620 mm 24.5 in	29.9 kg 65.9 lbs
11 NOSYN320 Hatch 3 Seat No Arms	1530 mm 60 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1445 mm 57 in	620 mm 24.5 in	40 kg 88.1 lbs
12 NOSYN330 Symbol 3 Seat Right Arm	1710 mm 67.5 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1645 mm 65 in	620 mm 24.5 in	41.6 kg 91.7 lbs
13 NOSYN340 Symbol 3 Seat Left Arm	1710 mm 67.5 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1645 mm 65 in	620 mm 24.5 in	41.6 kg 91.7 lbs
14 NOSYN350 Symbol 3 Seat 2 Arms	1890 mm 74.5 mm	690 mm 27 mm	685 mm 27 mm	410 mm 16 mm	1820 mm 72 in	620 mm 24.5 in	52.7 kg 116.2 lbs


Measuring Guide



Measuring Guide




Symbol 90° Curved Seating Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A	B	C	D	G
	Overall Width	Overall Depth	Overall Height	Seat Height	Weight
15 NOSYN420 Symbol 90° Degree Curve Seat	1824 mm 72 in	866 mm 34 in	685 mm 27in	410 mm 16 in	68 kg 149.9 lbs

16 NOSYN410 Symbol 90° Degree Curve Bench	1570 mm 62 in	686 mm 27 in	410 mm 16 in	410 mm 16 in	59 kg 130.1 lbs
--	------------------	-----------------	-----------------	-----------------	--------------------

Measuring Guide



Symbol Modular Seating Environmental Product Summary



Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone is **FSC®certified**
- **43kg** total weight
- **16.9% Recyclable** (foam, legs, fixings and feet)
- **77.9% Reusable** (frame)
- **Packaging: 78.5% recycled cardboard 12.5% virgin fibre. 100% recyclable**
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)


These attributes can help you to achieve criteria towards **LEED, BREEAM, Ska** and **WELL** building certifications




Symbol Modular Seating Environmental Product Summary

Material Percentage Split


- 77.92%** Beech Plywood
- 11.45%** CMHR Foam
- 5.15%** Fabric
- 3.71%** Mild Steel
- 0.78%** Stainless Steel
- 0.63%** Mild Steel Zinc Plated
- 0.35%** Polypropylene



Post Consumer Recycled Content



Recyclable Content



Product Specific Design Statement

The Symbol seating range has a paired down aesthetic, designed to feel like part of the architecture and provide building blocks for furniture landscapes.

Symbol sofa 2 seat 2 arms with wooden legs

With a firm upright sit and compact dimensions, Symbol is perfect for modern commercial environments where the product must look after itself and space is a premium.

Available with 4 different leg options as standard and naughtone's wide fabric selection, Hatch can be tailored to suit any environment.

Hatch is constructed with a CNC plywood frame and high quality CMHR foams

The wooden legs are made from solid oak and solid walnut with a clear matt lacquered finish.

The steel legs are made from laser cut, folded mild steel with the individual laser cut components being folded allowing for minimal additional welding.

The frame components are finished with a zinc primed polyester powder coat.

CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud be able to offer **FSC®certified** upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.



FSC® certified products available upon request

naughtone offers PEFC certified products

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover. Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages. This document will be reviewed and updated periodically and is subject to change without notice.



1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colors allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

UK Showroom

6 Bakers Yard
Clerkenwell
London EC1R3DD
T: +44 (0)20 389 22 788

US Showroom

Suite 10-110
222 Merchandise Mart Plaza
Floor 10
Chicago IL 60654

naughtone HQ

Knaresborough Tech Park
Manse Lane
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500
E: sales@naughtone.com

www.naughtone.com