Post and Beam Solutions Specification Guide

Availability

Electronic price list updated with release 190.E (U.S.) and 151.E (Canada), dated December 16, 2019.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Spec News is available on *village.steelcase.com*. Search Steelcase Marketing Resources (Adstock) and download the current release's Spec News.

Tip: Steelcase Marketing Resources is a new global platform for ordering Steelcase marketing materials that replaces Adstock.

View or download Steelcase Specification Guides at https://www.steelcase.com/resources/documents?tax-[doctype]=spec-guide.

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a \blacksquare . Products that are scheduled to be culled are indicated with an \blacksquare , followed by the last order entry date.

Surface Materials

The surface materials team has announced the launch of the Finish Library, found at http://finishlibrary.steelrase.com

► For a list of all trademarks, refer to the last page of this specification guide.

© 2019 Steelcase Inc.

Working With This Specification Guide	
Ten Tips: How to Get the Most Out of This Book	2
Additional Resources	4
Understanding	
Post and Beam	5
Worksurfaces and Related Products	29
Counterweights	79
Universal Steel Storage Products	89
Duo Storage Products	107
Specifying	
Post and Beam	121
Worksurfaces and Related Products	149
Universal Steel Storage Products	197
Duo Storage Products	249
Surface Materials	255
Resources	267
Lock and Keying	268

This specification guide contains multiple Steelcase and turnstone product lines which are designed into one specification guide for your convenience. Note that each product may be subject to different pricing terms and conditions.

270



For Canadian Pricing


Canadian factor can be found at www.steelcase.com/CADpricing. Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- · Round each to the nearest dollar.
- Add base and options for total list price.


Style Number Index

Ten Tips:

How to Get the Most Out of This Book



Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.




Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each Understanding chapter includes a statement of line after the table of contents



Find cross references by looking for page numbers flagged with an arrow.

Study the product detail pages in the Understanding section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- Product Drawing
- Actual Dimensions
- Product Details
- Connections
- · Wiring and Cabling
- Surface Materials
- Application Topics



Tip 5

Refer to the specifying

pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- Standard Includes
- · Required to Specify
- Options
- Related Products
- · Specification Information
- Dimensions
- Style Number
- Price

Standard Includes

(under the red or dark grey band) provides a list of what comes standard with the product.

ing

Product Drawing shows you what the product looks like.

Required to Specify
(under the red or dark grey
band) itemizes the information that you must provide to
order the standard product

for specification.

and the preferred sequence

Specification Information

(under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

Base Horizontal Frame Packages—This Trim Fight and Bullion **Busined Surface And Trime Packages And Trime Fight and Bullion **Busined Surface And Trime Packages And Trime **Busined Surface And Trime **Busined And Trime Packages **Busined Surface And Trime **Busined And Trime





| The Company of the

For Canadian Pricing Bibliok U.S. Pice by the Canadian pice factor. In Second 1.

Options

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Related Products

provide specification information for products that are directly related.

Tip 6

Required to Specify

Specify with Customiz Stain

Italic typeface on specifying pages usually identifies wording that you should use in your order.


Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right.

Tip: Remember to order skins for both sides of the panel buildup.

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip 8



Learn what you cannot do by looking for drawings crossed out with an "X."

Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

Tip 10

Style Number	Page
T\$7042BL	131
TS7042S	130
TS7048BL	131
T\$7048\$	130
TS7060BL	131
TS7060S	130
T\$7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

Additional Resources

Post and Beam

products are supported with information materials, tools, and software to help you plan, specify, and order an installation efficiently.

This specification guide contains multiple Steelcase product lines which are designed into one specification guide for your convenience. Note that each product may be subject to different pricing terms and conditions.

Additional storage products can be found in the *Storage Specification Guide*.

Product brochures and planning tools can

be ordered through your Steelcase area office by calling 1.800.784.0358 or through the Marketing Resources web site at village.steelcase.com.

Printed Materials

Answer Solutions Specification Guide

contains panels that attach to Post and Beam.

Kick Solutions Specification Guide

contains Kick panels that attach to Post and Beam.

Architectural Solutions Specification Guide

contains Privacy Wall and Glass Selections that attach to Post and Beam.

Montage Solutions Specification Guide

contains Montage frames that attach to Post and Beam.

Storage Specification Guide contains storage that works with Post and Beam.

Height-Adjustable

Desks include a full line of crank, counterbalance, and electric height-adjustable desks which promote well-being in the office.
▶For additional information, refer to Height-Adjustable Desks Specification Guide or call 1.888.STELCASE or send an email to lineone@steelcase.com.

Surface Materials Reference Manual

This publication provides:

- An explanation of the surface materials program
 "Available on" matrices
- Vertical surface fabric and seating upholstery selection listing
- Technical data for surface materials
- Surface material care and cleaning instructions

Publications

Universal Worksurface Products Brochure 02-0002583

Post and Beam Product Brochure

02-0002584

Answer Product Brochure

03-0001275

Storage Solutions Brochure

12-0000408

Computer Tools

Electronic Catalog

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business

to software programs including: the Hedberg Business
System, SmartTools —
Steelcase's design and
specification software
(for more information on
SmartTools, please email
SmartTools@steelcase.
com), the ProjectMatrix
ProjectSymbols libraries, as
well as 20-20 Cap Studio.

Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

Digital Publications

You can access these digital publications at www.steelcase.com or village.steelcase.com.

Related Products



Post and Beam Fence Interface Brackets and

Steelcase worktools are available for use with Post and Beam fence.

For additional information,

For additional information, refer to Steelcase Worktools Specification Guide or contact Steelcase at 1.888.STEELCASE (1.888.783.3522) or send an email to lineone@steelcase.com.

Post and Beam Product Training

Basic training for Post and Beam is available as part of the Building Product Muscle curriculum on the Steelcase University Web site at village.steelcase.com.

The Post and Beam BPM Web-based module is an interactive course filled with pictures, product detail, and practice exercises designed to build knowledge of Post and Beam's positioning, statement of line, features and benefits, competitive products, application, and sales presentation. It also provides printable job aids of all content covered in the course to serve as ongoing performance support for Steelcase and dealer sales people. The Post and Beam BPM is course SAL251.

Support

Steelcase Capabilities

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

For ordering or product assistance, call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or

send an e-mail to

lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to http://www.steelcase.com/warranty/.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.


For information about Steelcase, the name of your nearest Steelcase dealer, or for product literature, call 1.800.333.9939, or visit our Web site: www.steelcase.com.

Understanding Post and Beam

Statement of Line 6

ro	duct Details	
	Post and Beam	10
	Stability Guidelines	15
	Thought Starters	16
	Power and Data Strips	18
	Planning with Power Strips	19
	Wiring Schematics	20
	How to Calculate Power Needs	21
	Dimensions for Harnesses	22
	How to Calculate Modular Harnesses for	
	Post and Beam Installations	24
	Utility Planning Example	26
	Instructions to Create a Post and Beam Curtain	28

Statement of Line



Understanding
► Page 10
Specifying
► Page 122

Posts

_		33"H	40½"H	93½"H
4"[)	•	•	

Tip: Fence heights are 33"H (desk height), 40"H (standing height), and 93"H (overhead height).



Understanding
► Page 10
Specifying
► Page 123

Beams

DEGILIS		
	8½"H	
3'4"W	•	Fence and Overhead
4'W	•	Fence and Overhead
5'W	•	Fence and Overhead
6'W	•	Fence and Overhead
7'W	•	Fence and Overhead
8'W	•	Fence and Overhead
9'W	•	Fence and Overhead
10'W	•	Fence and Overhead
11'W	•	Overhead
12'W	•	Overhead
13'W	•	Overhead
14'W	•	Overhead
15'W	•	Overhead
16'W	•	Overhead

Understanding

► Page 11 Specifying ► Page 124





Infill Overhead Beam to Floor



Infill Overhead Beam to Desk-**Height Fence**



Infill Desk-Height **Fence to Floor**

Fence Connectors



Fence Connectors for Use with **Answer and Kick Panels**

Fence Connectors for Use with **Montage Panels**

Understanding

► Page 13 Specifying ► Page 127

Technology Hubs



Pass-Through Modular Power



Termination Modular Power



Pass-Through Hardwired Power



Termination Hardwired Power



Hub Mounts

Power and Data Strips



Power and Data Strip with Cord, Fence Attachment Bracket



Power and Data Strip with Cord, Worksurface Attachment Bracket



Power and Data Strip with Cord, Slatwall Attachment Bracket



Power and Data Strip with Cord, Fence Attachment Bracket With System Ground Understanding
► Page 13
Specifying
► Page 130

Understanding
► Page 10
Specifying
► Page 133

Cable Management



Horizontal Fence Tubes



In-line Post Junction Cover



Horizontal Overhead Beam Troughs



90° Overhead Corner Trough



120° Overhead Corner Trough



Beam Filler Trough



Cord/Cable Manager Clips



Vertical Post Tubes



Ceiling Infeed Tubes



Y-Post Bracket

X-Post Bracket

X-Post and Y-Post Junction Box Connector Bracket


Modular Power Components







Connectors



Modular Harnesses

Multipurpose Power Infeeds

Accessories





Wall Start Kit for Overhead Beam



Wall Start Kit for Trough



Screens



Screen Attachment Hardware



Curtain Hooks



Fence Beam Dust Covers



Huddleboard Adapter Bracket





Accessory Mounting Hook



X-Post Top Cap




Y-Post Top Cap





Post Base Shim

Post and Beam




Actual Dimensions			
	Post	Beam	
Depth (thickness)	4"	13⁄8"	
Width	4"	3'4", 4', 5', 6', 7', 8', 9', 10', 11', 12', 13', 14', 15', or 16'	
Height	33", 40½", or 93½"	81/2"	
Leveling mechanism range	3"	N.A.	


Product Details



Beams are interchangeable for use in overhead or fence applications. Beams connect at desk height or standing height to form fence applications. Fence applications require the beam to be inverted from an overhead application prior to connection with a post. T-slots should be oriented at the bottom of the beam when used in overhead applications. They should be oriented at the top of the beam when used in fence applications. Beams can be attached to any location on the post. Maximum load rules vary by location.




Overhead and desk-height fence beam



Overhead and standing-height fence beam


Overall height of post and beam is 93½" with the leveling mechanism in the lowest position. Clearance from floor to underside of beam is 85"H.




beams accept accessory mounting bracket, style number BAMB, or customer supplied 12 mm T-nuts for attachment of customer supplied accessories.

attachment of customer supplied accessories.
T-slots should be oriented at the bottom of the beam when used in overhead applications. They should be oriented at the top of the beam when used in fence applications.


Maximum load on all widths of overhead beams is 100 pounds. Maximum load on fence beams is 1000 pounds.



Beams have integral T-slots on the sides. The side slots accommodate Huddleboard attachment. Specify attachment bracket, style number BHAB, to hang Huddleboard from beams.



Large post base is $8\frac{1}{2}$ " in diameter. Small post base is $4\frac{1}{2}$ " in diameter. Small bases can not be bolted to the floor.



Leveling capability is provided by 3" adjustability between the post and base extension (included with post).


Post base shims,

ordered separately, can be used under large post base to raise to the appropriate carpet level.


Posts may be field cut to any dimension. Posts cannot be stacked. Field cutting may require filing to smooth rough or uneven edges.

Beams may be field cut to any dimension. An anchor block drilling fixture must be ordered through Service Parts (946800102SR) to place new anchor block holes in the correct position after cutting. Field cutting may require filing to smooth rough or uneven edges.

When attaching screens to fence height beams, remember to order attachment hardware separately.




Fence dust covers can be inserted into top T-slot on fence beam. Dust covers come in 10-foot lengths and can be cut to size in the field.




Curtain hooks are used to hang a privacy curtain from a beam.


See page 28 for Instructions to Create a Post and Beam Curtain.



No hubs




One hub



Two hubs

Infill width in overhead beam-to-floor applications is determined by number of hubs. Infill is fixed within the opening; it cannot move. Overhead beam-tofloor infill attaches to post.




Infills in overhead beam-to-desk-height fence applications may be any width smaller than the beam width. Overhead beam-to-desk-height beam infill attaches to fence. Tip: There is no standard infill for overhead beam-to-standing-height fence applications.

Infill hardware packages are available to support custom fabric and custom graphic fabric infills, ordered separately from Designtex. Various infill options are available via Designtex (Fusion, acrylics, fabrics, plastics, etc.)
Call Designtex at 1.800.221.1540, contact your local Designtex representative or visit Designtex.com.




When ordering custom infills, the fabric and any attachment method must be a minimum of ½"W and a maximum of ½"W.

Connections




Wall start bracket can be used to attach an overhead beam to a building wall or column. Wall start brackets allow for 90° connections only. Wall start protrudes 21/8" from wall. Consult with the project's architect or structural engineer to determine wall construction. The architect or engineer will have to specify the proper attachment hardware.




Posts and beams connect to form in-line, L-, T-, X-, or Y- (120°) connections.


Maximum beam length for fence applications is 10'.



Connection of two beams requires the use of a post.




Tether bracket can be used to support tables.




Gap between beam and table is 1½" and allows cords and cables to drop behind the table.


Use of tether brackets as side supports further reduces horizontal space available by 1½" each side and affects planning of mounted tables.




Capsule table bracket connects to capsule worksurfaces.



Technology hub comprises nine simplex receptacles available in multiple circuits. The system has a standard 8-wire, 4-circuit electrical system available in wiring configurations of 3+1, 2+2, and separate neutrals. Hubs are 121/4" in diameter. Maximum of four hubs are allowed per feed. Communication Ports must be supplied and installed by the customer. Hubs can be modular connections or hardwired. Hubs are either terminating (end of run) or pass through (middle of run).



Modular and hardwired feeds have varying lengths.




Hub mounts are required to attach a hub to the top of a 33"H or 40½"H post.




Multiple inserts on technology hubs handle all cable routing situations. All possible combinations of inserts are provided with each hub

Post and Beam is designed to accommodate modular power or a hard-wired circuit. Hardwired circuits are needed for lights and all Post and Beam applications in the city of Chicago.




Two hubs may be installed on one post for increased capacity. Vertical post tubes must be field cut.




Technology hubs with modular power connect to each other using standard 8-wire, 4-circuit modular harnesses, feeds, and connectors.

Tip: Remember to order connectors which must be used between harnesses.




Hardwire connections can take place via junction boxes. Specify junction box connector brackets for these applications.



Power and data strips attach to the side slot on

fence and include three simplex receptacles and space for two data or communication ports (to be supplied by the customer). They are available with an 8'-long cord with plug, in wiring configuration of 3+1, 2+2, and separate neutrals.

Page 71




Power and data strips can be used in freestanding or panel applications.



Two power and data strips with modular


harness can be attached in-line using a branching harness to harness connector.

Modular harnesses may be specified in a non-PVC version. For those trying to gain the LEED Innovation in Design credit, non-PVC should be selected.




All power and communication distribution

is external to the posts and beams. A series of vertical cable tubes work in conjunction with horizontal troughs to route power and cables.




Cable management for technology hubs is

ror technology nubs is supported by vertical tubes in two positions: desk height (33") or standing height (401/2"). Hubs may be installed at any height, but vertical tubes must be field cut.



Vertical post tubes


must be used to conceal power harnesses and communication cables routed to technology hubs. The height of the vertical tube is dictated by the location of the hub. Branching harness-to-harness connectors do not fit in vertical tubes.



Horizontal fence tubes


provide horizontal power and cable management at fence beam locations. Specify tube to match width of fence beam. The bottom of the fence tube is 694" below the bottom of the beam.

Tip: Remember to order vertical post tube (BXPTHF11 or BYPTHF11) to manage cables between a horizontal fence tube and a hub.




Cord/cable manager clips are available for

low-capacity cable management under a fence-height beam. Maximum capacity of the clips is two standard power cords and two standard data cables.




Horizontal overhead beam troughs provide horizontal power and cable management at the over-

head beam location. Overhead beam troughs must always connect to a corner trough on each end.



Corner troughs attach to overhead beams at intersections to provide a smooth visual transition for cables and power harnesses.




Beam filler troughs


are used to manage cables where cross beams are not present.

Cable capacity for


troughs is 30 category 5 cables with two power harnesses or 50 category 5 cables with one harness. Cable capacity for fence tubes and vertical post tubes is 30 category 5 cables with one power harness or 50 category 5 cables with no harness.




To route cables from an overhead beam to a vertical post, specify a trough, corner trough, and vertical post tube.




To route cables overhead in 90° applications on the outside of the corner, specify three 90° corner troughs and two beam filler troughs.



To close beam ends, make sure to specify enough corner troughs and beam filler troughs.




Beam-to-beam cable routing is possible in applications where cross beams are present. Beam filler troughs are not required. Cables pass over the top of the beam.




Ceiling infeed tubes bring power and cabling from the ceiling to the top of a 93½"H post. Corner troughs must be specified for a smooth transition to adjacent tube or troughs.

Multipurpose power infeeds may be specified in a non-PVC version. For those trying to gain the LEED Innovation in Design credit, non-PVC should be selected.



An in-line post junction cover is used to protect and cover cables routed around a post in a fence-to-fence application.

Tip: The in-line post junction cover will only attach to X-posts.



Communication access is supported through the use of Decora mounting strap style faceplates which can be installed underneath the hub cover. The faceplates must be installed by the communications contractor. A hub can house three faceplates if power and cabling is routed into the top of the hub-or four faceplates if no power and cabling is routed into the top of the hub. The number of jacks (two or three) per faceplate varies by manufacturer.

Decora mounting strap-style faceplates are typically used for application within an electrical junction box and covered with Decora style electrical faceplates.

Post and Beam assembly instructions can be found on the Steelcase dealer Web site, village.steelcase.com.

Surface Materials

Post

 8043 Clear Anodized Aluminum only

Beam

 8043 Clear Anodized Aluminum only

Post top cap

· 6694 Slate plastic only

Infill

 5477 Tech White fabric only

Technology hub

- 4752 Steel paint only
- 6644 Fusion Dark plastic only

Horizontal fence and vertical post tubes

 6644 Fusion Dark plastic only

Horizontal overhead beam troughs

· 4799 Platinum paint only

Corner troughs and beam filler troughs

 6644 Fusion Dark plastic only

Fence beam dust cover

8043 Clear Anodized Aluminum only

Knit screens

- · B902 Soft White
- B903 Fog
- B904 Sand

Screen supports

· 4799 Platinum paint only

Curtain hooks

· 6994 Slate plastic only

Cord/cable manager clips

· 6994 Slate plastic only

In-line post junction cover

· 4799 Platinum paint only

Application Topics


Post and Beam dimensioning must be thoroughly understood for proper planning. Nominal dimensions are center-to-center of post. Worksurface space is less than nominal. Full overall width dimension is more than nominal (see drawing).

Check ceiling height when planning for Post and Beam. Overall height of Post and Beam is 93½" with the leveling mechanism in the lowest position and 96½" in the highest position.

in the highest position. Clearance is 85" with the leveling mechanism in the lowest position, and 88" in the highest position.








inside dimension—available table space
(Vertical post tubes will further reduce available space,
however, extended corner Universal Tables are
radiused 9" to accommodate vertical post tubes.)

Stability Guidelines


Post and Beam, when properly installed, is designed to be a very stable furniture system. Adherence to the guidelines presented here will allow you to efficiently plan stable solutions. To ensure safe performance and maximum stability, the installation instructions that accompany each furniture shipment must be followed.

Post and Beam

requires a minimum of an L-configuration (90° or 120°) for stability, consisting of three posts and two beams.



Small post base applications require a minimum of 5 foot beams in each direction for stability.




Large post base applications require a minimum of 3' 4" beams in each direction.

Maximum length for small or large post applications is 16 feet, and then another return is required.



"L" configurations with capsule worksurface must use large foot and be attached to the floor. Consult with project's architect or structural engineer to determine floor construction and proper attachment hardware.




Beam attachment to Answer, Montage, and Kick is at desk height. See each panel solution's specification guide for fence connector and stability guidelines. Exception: Fence connector and stability guidelines for use on Kick are not included in the Kick Specification Guide. Use connector

CFENCELC or **CFENCERC** and Answer stability guidelines when attaching fence to Kick.



is available to aid project

architects and structural



Minimum of two 5 foot returns are required at the posts using premium whiteboard infill, for both small and large post base applications.





In-line configuration

requires posts to be placed at maximum five feet apart and require the use of large post bases bolted to the floor.


Installation note: The structural engineer of record (SEOR) will be responsible for verifying adequate building construction to support these loads, in addition to all other loads. The SEOR will be responsible for specifying anchors (e.g. Hilti KB TZ, Simpson StronBolt2, etc.).

Thought Starters





Power and Data Strips



Product Details

Power and data strip provides additional electrical and voice and data receptacles.

Power and data strips are field-installed on post and beam fence, a worksurface, or on slatwall. Specify appropriate attachment bracket depending on application.

Power and data strip worksurface bracket attaches to worksurfaces ⁵⁹/₆₄" to 15%" thick.

Wiring & Cabling

Available with either an 8'-long cord with plug or with a 6'-long modular harness with wiring configurations of 3+1, 2+2, and separate neutral.

Chicago, New York City, and Los Angeles have special requirements.

Underwriters Laboratory (UL) listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrician or electrical engineer for proper installation of all electrical equipment.

Surface Materials

Power and data strip

 8043 Clear Anodized Aluminum cover with black faceplate

Attachment brackets and shroud

• 4799 Platinum paint only

Actual Dimensions		
Depth	21/4"	
Width	101⁄4"	
Hoight	QII	

Planning with Power Strips

The following illustration is provided to assist in planning of Post and Beam products with power strips. ► Specifying power strips, page 189 **Power strip mounted** to fence with modular connection Modular harness Inline post junction cover routes cables **Multi-purpose** power infeed **Horizontal fence tube Branching harness to** harness connector or harness to harness connector

Wiring Schematics

Details for the Electrician

Post and Beam offers three different wiring schematics to allow you to match your specific wiring strategy to any typical building wiring plan. Tip: All the components in an electrical system must use the same wiring schematic. The components are keyed and color coded to make it impossible to connect mismatched parts.

Black = Four-circuit, 3+1

Brown = Four-circuit, 2+2

Rust = Three-circuit, separate neutrals (3SN) Shared neutrals = 10 gauge

Non-shared neutrals = 12 gauge Hot wires = 12 gauge


Four-Circuit, 3+1

Circuit Panel 1 PHASE PHASE PHASE Circuit 1 Hot Circuit 2 Hot Circuit 3 Hot Circuit 3

Ground


Circuit Panel 2

GROUND



In the four-circuit 3+1 schematic, circuits 1, 2, and 3 are distributed from the first circuit panel and are supported with one shared neutral and one shared ground. Circuit 4 is distributed from a second circuit panel and is supported with a separate neutral and ground.


Single 3-Phase Circuit Panel




On a single 3-phase circuit panel, all four circuits are distributed as shown.

Four-Circuit, 2+2

Circuit Panel 1




Circuit Panel 2




In the four-circuit 2+2 schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel and are supported with one shared neutral and one shared ground. Circuits 3 and 4 are distributed from a second circuit panel and supported by their own shared neutral and ground.

Single 3-Phase Circuit Panel



On a single 3-phase circuit panel, all four circuits are distributed as shown.


Split-Phase Circuit Panel




On a split-phase circuit panel, all four circuits are distributed as shown.

Three-Circuit, Separate Neutrals

Circuit Panel 1




Circuit Panel 2



In the three-circuit, separate neutral schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel. Each circuit is supported with its own neutral and a common ground. Circuit 3 is distributed from the second circuit panel and is supported by its own neutral and ground.


Single 3-Phase Circuit Panel



On a single 3-phase circuit panel, three circuits are distributed as shown.

Split-Phase

Circuit Panel



On a split-phase circuit panel, three circuits are distributed as shown.

How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

If your usage is not known in advance:

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in and 40 receptacles for each 4-circuit power-in.

If your usage is known in advance:

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) or 80 amps (20 amps times 4 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.


Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.


Approximate power consumption for common devices


• Device	Wattage	• Amperage	• Voltage	Number of Devices Supported on Single 20 Amp Circuit*
Laptop	90	0.8	110	20
CPU/Desktop Computer	120	1.1	110	15
Monitor	60	0.5	110	29
Phone	5	0.0	110	352
High Power Tablet (e.g. Surface Pro)	40	0.4	110	44
Low Power Tablet (e.g. iPad Air)	15	0.1	110	117
Desktop Printer	40	0.4	110	44
42" LCD Screen	210	1.9	110	8
DVD Player	25	0.2	110	70
Projector	175	1.6	110	10
Desktop Lamp	19	0.2	110	93
Large Printer/ Copier (high)	1900	17.3	110	1
Large Printer/ Copier (low)	850	7.7	110	2
Paper Shredder	360	3.3	110	5
Desktop Fan	20	0.2	110	88
Standing Fan	180	1.6	110	10
Coffee Maker (high)	1200	10.9	110	1
Coffee Maker (low)	600	5.5	110	3
Microwave (high)	400	13.6	110	1
Microwave (low)	150	5.5	110	3
Refrigerator (high)	1500	3.6	110	4
Refrigerator (low)	200	1.4	110	12
Vacuum (high)	1500	13.6	110	1
Vacuum (low)	200	1.8	110	9
Space Heater (high)	1500	13.6	110	1
Space Heater (low)	750	6.8	110	2


Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.

Dimensions for Harnesses











Termination hub at desk height

Termination hub at standing height

Pass-through hub at desk height

Pass-through hub at standing height






Termination hub to fence


27" harness on hub extends 12" into adjacent fence


Pass-through hub to fence

33" harness on pass-through hub extends 18" into adjacent fence and 27" harness extends 12"









Overhead beam to floor


Allow 93" of harness from beam to floor

Overhead beam to desk-height fence


Allow 70" of harness from beam to fence at desk height

Overhead beam to standing-height fence

Allow 62" of harness from beam to fence installed at standing height



Passing over a perpendicular beam requires an extra 1" of harness length.




Passing from an overhead beam trough to a vertical post tube reduces the harness length by 1".

How to Calculate Modular Harnesses for Post and Beam Installations

Implementing Post and Beam requires careful planning. To ensure you have the most effective installation, with the appropriate length of harnesses, follow the steps outlined below.


K

First, you'll need a drawing that shows the layout of the Post and Beam components with accurate dimensions of individual posts, beams, and fences and the locations of any hubs.



2


Find the fixed points in your layout—the points you're trying to connect. In this example, the infeed from the building and the two hubs are fixed points.



3

Calculate the total distance between each pair of fixed points. Include both the horizontal and the vertical dimensions.


See page 14 for post and beam dimensions.
See page 22 for harness dimensions.





4

Determine power route strategy. You can bring power to the hubs by linking modular harnesses. There may be several alternative ways to route power to the hubs. Plan your run to minimize the distance harnesses must travel.

Tip: If you have the freedom to move the infeed point, you may be able to reduce the travel distance. Although it did not help in this example, it was worth considering.









5

Take advantage of branching connec-

tors to shorten the route. Branching can eliminate the need to double back and cover the same path twice.

Tip: Avoid branching too soon since that can double the harness lengths required. Branching connectors do not fit in vertical post tubes.





6


Determine the number of infeeds

needed. A single power infeed can accommodate only four hubs and 36 outlets. Plan additional infeeds for large installations.



7

Calculate harness lengths.



Vertical distance from overhead beam to 33" hub harness

60"+120"+18"=198"

Hub A Hub B

Vertical distance from 27" hub harness to overhead beam

Beam

Vertical distance from overhead beam to fence beam

Beam

Distance the 27" harness extends into adjacent fence

24"+144"+62"+60"-12"=278"

8

Specify multipurpose power infeed.


9

Specify harness lengths that slightly exceed the lengths required in your calculations. For example, if your calculations say you need a 72" harness, you'll generally round up to the next available size—76".

You may find it useful to draw a picture of each segment of the route.

10

The longest harness length available is 12' (144"). For longer runs, you can link multiple harnesses together. As a general rule, you'll want to minimize connections. Remember that you'll need to specify and use harness-to-harness connectors to make these links. The harness-to-harness connector has no effect on the length of the harness you'll need.




11

Specify harness connectors to connect to hubs.

12

You may want to calculate the cost of components for two or more alternative layouts to determine which will cost less. This approach is especially useful for large or repetitive installations where simplifying the route can have a big effect.

Utility Planning Example



r

Complete layout.

See drawing above.

2

Find fixed points.

In this example, the fixed points are the infeed point and the three hubs.

3

Determine the number of infeeds

In this example, because there are only three hubs, it is possible to use a single infeed. Tip: If you have more than four hubs, plan additional infeeds.

4

Determine overall strategy.

To minimize the distance harnesses must travel to bring power to the hubs, try to run harnesses from the infeed point to hubs near the center of your installation, then use branching connectors to allow harnesses to reach outlying hubs.

In this example, the infeed point is near hub 1, which is toward the center of the installation. Hub 1 should be a pass-through hub to allow the power run to continue. Then, to minimize cost, you should take harness run 2 down the center beam as far as possible and then use a branching connector to create two separate runs—one from the branching connector to hub 2 and the other in the opposite direction to hub 3. If you avoid branching too soon, a branching connector can help you minimize redundant harnesses. Hubs 2 and 3 can be termination hubs.

5

Calculate harness run 1.

To reach hub 1, the first harness run must be 174" (48" + 96" + 30" = beam + beam + vertical distance) to reach the 27" hub harness. Combine any number of harnesses that add up to this number or slightly greater. Example: 12' (144") harness + 32" harness = 176". You will need two harness-to-harness connectors. The first harness-to-harness connector joins the two harnesses, and the other connector connects to the 27" hub harness.

See Dimensions for Harnesses, page 22

To specify the components in harness run 1, order:

Quantity	Style Number	Description
1	GSGUFMH12X	12' hardwire multipurpose power infeed
1	GSGUH32X	32" modular harness
2	ВННСХ	Connector
1	BPMPH123XX	Pass-through hub

6

Calculate harness run 2.

Harness run 2 is a special calculation. Ideally, this harness would run from hub 1 to the branching point (B), then split to run in opposite directions to the remaining hubs. That ideal path would require a 16' (192") harness (24" + 168" = vertical distance + beam), but no modular harness is that long. Instead, use a 12' (144") harness and a 50" harness followed by a branching harness-to-harness connector. A connector is needed between the 33" hub harness and the 12' harness and another between the 12' harness and the 50" harness.

See Dimensions for Harnesses, page 22

To specify the components in harness run 2, order:

Quantity	Style Number	Description
1	GSGUH144X	144" (12') modular harness
1	GSGUH50X	50" modular harness
2	BHCCX	Connector
1	GQTUHCX	Branching connector

7

Calculate harness run 3.

To reach hub 2 from the branching connector, the second harness run must be 168" (138" + 30" = beam + vertical distance) to reach the 27" hub harness. Start with a 12' (144") modular harness. The remaining distance is 24". Order a 28" harness. You will need two harness-to-harness connectors. The first harness-to-harness connector joins these two harnesses together and the other connects to the 27" hub harness.

See Dimensions for Harnesses, page 22

To specify the components in harness run 3, order:

Quantity	Style Number	Description
1	GSGUH144X	144" (12') modular harness
1	GSGUH28X	28" modular harness
2	BHCCX	Connector
1	BTMPH123X	Termination hub

8

Calculate harness run 4.

To reach hub 3 from the branching connector, the third harness run must be 252" (144" + 84" + 24" = beam + beam + vertical distance for standing-height termination hub) to reach the <math>27" hub harness. Start with a 12' (144") modular harnesses. The remaining distance is 108". Order a 120" harness. You will need two harness-to-harness connector joins the two harnesses together and another connector connects the harness to the hub harness

▶See Dimensions for Harnesses, page 22

To specify the components in harness run 4, order:


Quantity	Style Number	Description
1	GSGUH144X	144" (12') modular harness
1	GSGUH120X	120" modular harness
2	BHCCX	Connector
1	BTMPH123XX	Termination hub

9

Specify cable management components.

Beam troughs, post tubes, and corner troughs are needed to accommodate modular harnesses and cables routed vertically and horizontally throughout each installation. In the example, the following components would be specified:

Quantity	Style Number	Description
1	BWSTK	Wall start kit for trough
1	BBPT048	Horizontal overhead beam trough
1	BBPT084	Horizontal overhead beam trough
1	BBPT096	Horizontal overhead beam trough
2	BBPT144	Horizontal overhead beam trough
1	BBPT168	Horizontal overhead beam trough
11	BTJ090	90° corner trough
3	BTJI	Beam filler trough
2	BXTLHT52	Vertical post tube for desk- height hub to trough applications
1	BXTHHT45	Vertical post tube for standing-height hub to trough applications



Post and Beam Solutions Specification Guide

Instructions to Create a Post and Beam Curtain

► Specifying, page 146

Measuring

Determine the width of the curtain by measuring the distance between the two posts where the curtain will be installed. Add 4" to this width measurement to allow for 1" double side seams on both sides.

Determine the height of the curtain by measuring the distance from the underside of the beam to the floor. Add 13" to allow for a 21/2" top double heading and a 4" bottom double hem. From the resulting number, deduct 2" to arrive at the finished height. This allows 1" of space between the top of the curtain and the underside of the beam and approximately 1" from the bottom of the curtain to the floor. This 1" measurement will align the bottom of the curtain with the bottom of the post.

Tip: If you want the bottom of the curtain to be at some other height, adjust these dimensions accordingly. A full-length curtain is 82.5".

Items Needed

- Curtain hooks ordered from Steelcase. Style number BCH includes 20 hooks. Allow at least one hook every 6".
 Note: There is a threepound maximum weight per curtain hook.
- ½" inside diameter grommets. Allow one for each hook.
- Sausage bead weights, if necessary
- Medium-weight drapery crinoline, 2½" wide
- Drapery fabric

Production Steps

1. Joining fabric

If the curtain must be wider than the fabric you are using, join pieces together with flat felt seams.

2. Side hems

Double fold and sew a 1" straight-stitch hem for each side.

3. Bottom hem

Double fold a 4" hem, install sausage bead weights, if necessary, and sew using a blind-stitch seam.

4. Top heading

Double fold a $2\frac{1}{2}$ " top heading and install a $2\frac{1}{2}$ " crinoline stiffening band.

5. Grommets


- Mark the positions of all grommets as described below and make any spacing adjustments before you begin installing them.
- Install all grommets 11/4" from the top of the finished curtain to the center of the grommet.
- Install the first and last grommet 1½" from the side of the curtain to the center of the grommet.
- Install the remaining grommets equally spaced approximately 6" apart.


Infill hardware pack-

ages are available to support custom fabric and custom graphic fabric infills, ordered separately from Designtex. Various infill options are available via Designtex (Fusion, acrylics, fabrics, plastics, etc.)
Call Designtex at 1.800.221.1540, contact your local Designtex representative or visit Designtex.com.



When ordering custom infills, the fabric and any attachment method must be a minimum of ½"W and a maximum of ½"W.





Understanding Worksurfaces and Related Products

Product Details

able Supports Integration Matrix	30
Jniversal Tables	31
Vorksurface Screens	59
Vorksurface Power and Communication	65

Table Supports Integration Matrix

This matrix shows recommended freestanding supports for specific tables.

Refer to the appropriate Solutions Specification Guide (Answer, Montage, and Post and Beam) for detailed information.

	Universal Systems Worksurfaces	Universal Tables
Post legs and double post C-legs without alignment tab See Answer Solutions Specification Guide.	•	
Post legs and double post C-legs with alignment tab Page 172		•
Cabby legs with alignment tab Page 169		•
Adjustable-height legs ▶Page 170	•	•
Elliptical legs with alignment tab Page 171		•

Legend

● = Recommended solution

Understanding Universal Tables

Statement of Line	32
Product Details	
Universal Tables	40
Tethered Capsule Tables	44
Bases for Universal Tables	47
Legs and Tether Bracket for Universal Tables	48
Application Topics	
Table and Base Combinations	50
Table and Leg Combinations	51
Table Leg Positions	52
Tether Bracket Locations	53
Planning with Post and Beam	57

Statement of Line

Tables

Table dimensions shown apply to both wood veneer and laminate versions of each table.

All table sizes and shapes are available in High-Pressure Laminate with 3 mm edge. Most sizes and shapes are also available in High-Pressure Laminate with P-edge or in wood veneer with square edge.


▶ See specifying pages for details.



Understanding
► Page 40

Page 40 Specifying ▶ Page 152


Straight Tables





Understanding
Page 40
Specifying
Page 154

Transition Tables*




*Left-hand units shown.
Right-hand units available.

^{*}Available in wood veneer only.



Understanding
► Page 40
Specifying
► Page 156


Corner, 120° Tables





Understanding
► Page 40
Specifying
► Page 157

Capsule Tables




Tip: Wood veneer capsule tables are available in 72"W, 84"W, and 96"W only.

Statement of Line Tables, continued



Understanding
► Page 40
Specifying
► Page 158

Spanner Tables





Understanding
► Page 40
Specifying
► Page 159

Peninsula Table






Understanding
Page 40
Specifying
Page 160

Tapered Peninsula Tables



Understanding
► Page 40
Specifying
► Page 161

Bubble Jetty Tables




*Left-hand units shown. Right-hand units available.



Understanding
► Page 40
Specifying
► Page 162


Round Tables





Understanding
► Page 40
Specifying
► Page 163

Square Tables




Tip: Wood veneer square tables are available in 30"W, 42"W, 48"W, and 54"W only.

Statement of Line Tables, continued



Understanding
► Page 40
Specifying
► Page 164


Rectangle Tables





Understanding
Page 40
Specifying
Page 165

Oval Tables





Tip: Oval tables are available in 3 mm edge High-Pressure Laminate only.



Understanding ► Page 40 Specifying ► Page 166


Hex Conference Tables






Understanding
► Page 44
Specifying
► Page 167

Tethered Capsule Tables for Use with Post and Beam




Statement of Line Tables, continued



Understanding Page 47

Specifying
Pages 168 – 173


Bases for Universal Tables



Tip: Height dimensions include the thickness of a table.



Post Legs with Casters or Glides



Adjustable-Height **Legs with Casters** or Glides



Elliptical Legs



Double Post C-Legs




Tether Bracket for Post and Beam

Understanding ► Page 48 Specifying ▶Pages 169 – 173

Legs and Tether Bracket for Universal Tables

Universal Tables



Radius corner eliminates sharp edges and is appropriate for freestanding, mobile furniture.

Edge profile is continuous around all edges of the table.

Product Details

High-Pressure Laminate Tables

Continuous edge profile is available in two shapes.





3 mm edge profile P-edge profile

PVC-free, 3 mm edge profiles are a proprietary polyolefin blend for all solid colors and 7 wood grain finishes. See surface material listing in this book for specific PVC-free availability.

P-edge profile rises slightly above the laminate surface and curves into a 3%" radius, which optimizes ergonomic benefit for the user.


Edge profile finishes are specified separately from laminate color.

Wood Veneer Tables



Square (3 mm) edge profile


Edges of worksurfaces are available in square (3 mm) profile.



Square (3 mm) edge profile is achieved by adding wood veneer surfaces to table core. This technique can be applied to tables that are straight or curved.


Connections

Universal Tables are freestanding and are supported by legs or bases, which are ordered separately and installed in the field.




Use the Table and Base Combinations matrix to determine the type and number of bases you need to order for the table you choose. Not all sizes and shapes of tables can be supported by bases.

> Page 50



Use the Table and Base Combinations matrix to determine the type and number of legs you need to order for the table you choose.

▶Page 50




Most Universal Tables can be tethered to Post and Beam fence.

See Tether Bracket Locations, page 53.



Reinforcing channels

are available to support tables that are wider than 60"W and supported by legs. When installed, the channels add 1" below the table. Channels are available as an option on larger tables and are field installed. Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.




Underside of table has inset locations that support slip-fit and nesting applications. Cabby legs can be positioned in a 45° or 90° orientation. Post legs are positioned in 45° orientation only.

See Table Leg Positions, page 52.



Legs installed in a 90° orientation allow for greater storage and kneespace below the table.

45° leg orientation is a preferred aesthetic for many customers. Cabby legs installed at a 45° orientation will appear to have more curvature when viewed from the front edge of table.



Legs may be installed inset from the edge of the table to accommodate slip-fit planning. Amount of available space (3", 6", or 9") is measured from the edge of the table to the edge of the leg. Amount of slip-fit varies by table shape and size.


See Table Leg Positions, page 52.



Slip-fit planning allows workstation footprint to expand or decrease, and is ideal for off-module applications.



Table with 28½"H legs installed at 6" or 9" inset can slip over adjacent table that are supported with 26"H legs.



Adjustable-height legs adjust 25½"H to 31½"H in ¾" increments. Legs can be used to support the table in a standard height or nesting application.



26"H legs allow tables to nest underneath an adjacent table with 28½"H legs or a panel-mounted worksurface.



Spanner table enables conferencing at the end of two tables that are placed back-to-back.



52"W or 64"W spanners should be used when tables are separated by a panel or Post and Beam. These widths are designed to create a 4" gap. Answer, Montage, and Kick panels may be used, but will result in a more loose fit between components.

Surface Materials

High-Pressure Laminate Tables

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)
 A program including
- A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials
 Reference Manual.

3 mm or P-edge profile

Plastic

Wood Veneer Tables

- · Wood veneer (standard)
- · Customiz stain (option)
- · Full-fill finish (option)

Square (3 mm) edge profile

Wood veneer to match

Application Topics

Table Fit in Panel Environments:





Dimensions on straight and transition tables

are ¼" less than nominal dimension. This allows for an easy fit of Universal tables in panel-wrapped environments and allows tables to move in and out of the area with ease.

actual: 713/4" nominal: 72"

actual: 473/4" nominal: 48"

Example: A 48"W x 72"W corner is actually 47³/₄"W x 71³/₄"W.




Mobile pedestals up to 24½"H will fit under 26"H tables without reinford

26"H tables without reinforcing channels.

Mobile pedestals up to 27"H will fit under 28½"H tables without reinforcing channels.

Tables with reinforcing channel will reduce the available space by 1".



Screens can be used on corner, 120° tables.

- 24"W screens can be used on tables with dimensions C and D each equal to 43".
- 24"W and 30"W screens can be used on tables with dimensions C and D each equal to 49".

Tip: Corner, 120° tables with dimensions C and D each equal to 37" cannot accommodate screens.

Table and Base Combinations

Page 50

Table and Leg Combinations

▶ Page 51

Table Leg Positions

▶ Page 52

Wiring and Cabling Accessories

► Page 71

Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 5-50 worksurfaces depending on worksurface size. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of four or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized (replace worksurface with table as appropriate).

Shipping

Hex conference tables 150"W or larger are

shipped in two pieces. Tightjoint fasteners are supplied for proper assembly.

Tethered Capsule Tables

For Use with Post and Beam

Tethered capsule

tables are for use with Post and Beam products only in transaction and teaming applications.

Specifying tethered capsule tables, page 167

Table has a wood core with a High-Pressure Laminate or wood veneer surface and is $1\sqrt[3]{16}$ " thick.

Edge profile is continuous around outside edges.

Tip: Specify two hub spanners for mobile teaming environments when a permanent connection is not desired.

Product Details

High-Pressure Laminate Tables

Inside round edge defaults to plastic finish to match outside edge.

Continuous edge profile is available in two shapes.



3 mm edge profile

P-edge profile

PVC-free, 3 mm edge profiles are a proprietary polyolefin blend for all solid colors and 7 wood grain finishes. See surface material listing in this book for specific PVC-free availability.

P-edge profile rises slightly above the laminate surface and curves into a 3/e" radius, which optimizes ergonomic benefit for the


Edge profile finishes are specified separately from laminate color.

Wood Veneer Tables



Square (3 mm) edge profile

Edges of tables are available in square (3 mm) profile.



Square (3 mm) edge profile is achieved by adding wood veneer surfaces to table core. This technique can be applied to tables that are straight or curved.

$\mathsf{A} \boxed{\bigcirc}$

Actual Dimensions

Tethered Capsule Tables

Α	В	
26"	66"	
26"	74"	
26"	86"	
26"	98"	


Connections



Legs are ordered separately and field-installed.

Underside of table has inset locations for the attachment of legs and allow leg to be positioned in a 90° orientation.

► See *Table Leg Positions*, page 52.



Tethered capsule tables attach to Post and Beam products. Support bracket kit is included to affix tethered capsule tables to beam. 2³/₄" gap between table and hub allows cords and cables to route below table.

Surface Materials

High-Pressure Laminate Tables

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)
 A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials
 Reference Manual.

Edge

Plastic:
6000 Black
6009 Arctic White
6654 Sand
6694 Slate
6695 Midnight
6697 Fog
6698 Fieldstone

Inside round edges

 Plastic default to match outside edge

Wood Veneer Worksurfaces

- · Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Square (3 mm) profile

 Wood veneer to match worksurface

Inside round edges

 Plastic: 6000 Black only

Shipping


Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 5-50 worksurfaces depending on worksurface size. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of four or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized (replace worksurface with table as appropriate).

Application Topics

Specify two hub spanners for mobile teaming environments when a permanent connection around a Post and Beam column and hub are not desired.


Page 44

Tethered capsule tables can be used in Post and Beam applications with different-height posts or same-height posts.




Tables with one cutout are recommended for use with the following beams in different-height post applications:

Table Style Number	Corresponding Beam Width (minimum)
BFFF661	31/21W (BB042)
BFFF721	4'W (BB048)
BFFF841	5'W (BB060)
BFFF961	6'W (BB072)




For same-height post applications, tables with one cutout are recommended for use with the following beams:

Table	Corresponding	Clearance
Style	Beam Width	Gap
Number	(minimum)	•
BFFF661	5'W (BB060)	3.1"
BFFF721	6'W (BB072)	9.1"
BFFF841	7'W (BB084)	9.1"
BFFF961	8'W (BB096)	9.1"



Tables with one cutout can also be used in applications where the beam width exceeds the worksurface width.



Tables with two cutouts are for use on 6'W beams only (style number BB072).

Table and Base Combinations

▶Page 50

Table and Leg Combinations

▶Page 51

Table Leg Positions

▶Page 52

Planning with Post and Beam

►Page 57


Wiring and Cabling Accessories


► Page 71

Bases for Universal Tables

Pedestal-base tables


fill a variety of needs for conference and work tables in general offices, institutions, and educational work spaces. Tables and base are ordered separately.





Column support includes a cylindrical steel column and a base with feet.

Product Details



Bases are available 26"W and 36"W and are 27%₁₆"H.

Surface Materials

Column support

- · Paint (standard)
- 9201 Polished Chrome (option)

Base

- Paint (standard)
- 9201 Polished Chrome (option)

Application Topics


Table and Base Combinations

Page 50

Shipping


Bases are shipped knocked down (K.D.) and will require assembly.

Legs and Tether Bracket for Universal Tables



Actual Dimens	sions						
· · ·	Tether bracket	Cabby leg	Adjustable-height leg	C-leg	Elliptical leg	Post leg	Double Post C-leg
Height* (standard)	N.A.	26" or 28½"	25½"-31½"	281/2"	26" or 281/2"	26" or 28½"	281/2"
Glide range, for legs equipped with glides	N.A.	3/4"	3/4"	5/8"	3/4"	5/8"	5/8"

^{*}Height dimensions include the thickness of a table.



Cabby legs can be installed in either a 45° or 90° orientation on most tables. Elliptical leg installed in the first inset position may only be in a 45° orientation. Post legs can only be installed in a 45° orientation.

See Table Leg Positions, page 52.




90° orientation



45° orientation

Legs installed in a 90° orientation allow for greater storage and kneespace below the table.

45° leg orientation is a preferred aesthetic for many customers. Cabby legs installed at a 45° orientation will appear to have more curvature when viewed from the front edge of table.



Legs may be installed inset from the edge of the table to accommodate slip-fit planning. Amount of available space (3", 6", or 9") is measured from the edge of the worksurface to the edge of the leg.




Slip-fit planning allows workstation footprint to expand or decrease, and is ideal for off-module applications.

Alignment tab

corresponds to under worksurface alignment slots in tables. Alignment features ensure legs are installed in the proper 45° or 90° orientation and slip-fit position.



Table with 28½"H legs installed at 6" or 9" inset can slip over adjacent tables that are supported with 26"H legs.



Adjustable-height legs adjust $25^{1}/2$ "H to $31^{1}/2$ "H in $^{3}/4$ " increments. Legs can be used to support the table in a standard height or nesting application.



26"H legs allow tables to nest underneath an adjacent table with 28½"H legs or a panel-mounted worksurface.



For Montage applications with a combination of panel-mounted and tethered or freestanding worksurfaces with legs, the worksurface(s) supported by legs will not reach the same height as the cantilevered worksurface if panel glides are extended more than ¼". Standard Montage worksurface height is 28%" H when panel glides are at zero. Legs adjust up to 287%" H.

Surface Materials

Cabby legs, adjustableheight legs, post, post with caster, and double post C-legs

• Paint

Post leg caster

Black plastic

Elliptical leg

- Paint
- 9201 Polished Chrome

Elliptical leg glide

- 8042 Brushed Aluminum8046 Polished Aluminum
- 7207 Black

Application Topics

Table and Leg Combinations

Page 51

Table Leg Positions

Page 52

Tether Bracket Locations

► Page 53

Table and Base Combinations

	26"W T-Base	36"W T-Base	26"W X-Base	36"W X-Base
Straight Tables		<u> </u>		· ·
24"D x 36"W			♀ 0	
30"D x 36"W-42"W			·	♀ 0
30"D x 48"W-78"W	< 0			
Capsule Tables				
24"D x 48"W			₽0	
30"D x 60"W 36"D x 72"W	€ 9			
42"D x 84"W 48"D x 96"W		⊘		
Round Tables		·		
30" diameter 36" diameter			⊋ 0	
42" diameter 48" diameter 54" diameter				\bigcirc 0
Square Tables				
30"D x 30"W			\diamondsuit 0	
36"D x 36"W 42"D x 42"W				\diamondsuit 0
48"D x 48"W 54"D x 54"W		♦ 0		
Rectangle Tables		· · · · · · · · · · · · · · · · · · ·		
36"D x 60"W 36"D x 66"W 36"D x 72"W	₹ 0			
42"D x 84"W 48"D x 96"W		₹ 2		
Oval Tables		·		
30"D x 42"W			Q 0	
36"D x 48"W				Q 0
30"D x 60"W 36"D x 72"W 42"D x 78"W	Q 0			
48"D x 96"W		<i>Q</i> 0		
Hex Conference Table	es	•		
36"D x 60"W 36"D x 66"W 36"D x 72"W	⊘ 0			
42"D x 96"W	•			
48"D x 120"W 48"D x 150"W 48"D x 180"W		€ 0		
Number of bases to of Blank spaces in mater base combinations the	rix designate table and			

Table and Leg Combinations

	Cabby Leg, Adjustable-Height Leg, Elliptical Leg, or Post Leg	Double Post C-Leg
Straight Tables	9 P	9 🖓
Transition Tables	4	Pip: Do not apply a double post C-leg to a 36"D side.
Corner, 120° Tables	9 🙌	
Tip: Corner, 120° tables can be supported by one post leg and two double post C-legs.	• —	
Round Tables	4 R	
Square Tables	4	
Rectangle Tables	4	
Spanner Tables	4 A	
Capsule Tables	9 P	
Peninsula Tables	4 P	
Tapered Peninsula Tables	4	
Bubble Jetty Tables	6 A	Tip: Double post C-leg can only be applied to the square end of bubble jetty tables.
Oval Tables, up to 36"D x 72"W	4 M	
Tip: Oval tables 21"D x 42"W and 30"D x 42"W may only use legs with glides. Legs with casters may not be used on these table sizes.	4.	

Tip: Hex conference tables and oval tables 42"D x 78"W and larger, can only be supported with T-bases.

Number of legs to order.

Blank spaces in matrix designate table and leg combinations that are not valid.

Table Leg Positions

Table leg positions

allow for slip-fit and nesting capabilities. Both 45° and 90° angled leg positions are available on most tables. However, certain tables accommodate either 45° or 90° angled positions only. Leg positions on the underside of tables are shown at right.

Legs installed in positions 1, 2, or 3 will vary in their distance from the worksurface edge:

Position 1 is 3" from edge Position 2 is 6" from edge Position 3 is 9" from edge Tip: Positions 2 and 3 are not available on every table.



Straight Table 24"D x 30"W




Straight Table 24"D x 36"W 30"D x 36"W 30"D x 42"W



Straight Table
24"D x 48"W
24"D x 54"W
24"D x 60"W
24"D x 66"W
24"D x 72"W
24"D x 72"W
24"D x 78"W
30"D x 78"W



Transition Table



Corner, 120° Table






Round Table 54" Diameter



Square Table 24"D x 24"W 30"D x 30"W



Square Table 36"D x 36"W 42"D x 42"W 48"D x 48"W 54"D x 54"W




Rectangle Table



Spanner Table




Capsule Table 24"D x 48"W 30"D x 60"W




Capsule Table 36"D x 72"W 42"D x 84"W 48"D x 96"W




Peninsula Table



Tapered Peninsula Table



Bubble Jetty Table



Oval Table 21"D x 42"W 30"D x 42"W 36"D x 48"W

30"D x 60"W 36"D x 72"W

Legend

= Both 45° and 90°
 = Either 45° or 90°

Tether Bracket Locations

For Post and Beam

Tether bracket pilot

holes are indicated on the tables below. Some tables are available with tether holes only on certain widths.


Table can span the junction of two beams connected by

Round tables cannot tether to Post and Beam fence.

Tables tethered to Post and Beam fence


are shown next to each tether bracket pilot hole illustration. Leg locations are also shown.

Gap between table and beam allows cables to pass from table to horizontal trough.




• = Tether bracket pilot hole location

Straight Tables



Tip: Additional tether holes allow tables to be tethered even if a post blocks one of the holes. Either set of holes can be used.

72", and 78"W



2 Tether brackets



2 Tether brackets

2 Legs




3 Tether brackets



3 Tether brackets

1 Leg



2 Tether brackets



2 Tether brackets

2 Legs




2 Tether brackets



2 Tether brackets

2 Legs

Transition Tables



Tip: Additional tether holes allow tables to be tethered even if a post blocks one of the holes. Either set of holes can be used.



2 Tether brackets 2 Legs



3 Tether brackets



1 Lea




2 Tether brackets 2 Legs




2 Tether brackets

Tether Bracket Locations For Post and Beam, continued




Capsule Tables



Spanner Tables





2 Legs




2 Tether brackets

2 Legs

Peninsula Tables









2 Tether brackets 2 Legs

2 Tether brackets 2 Legs





2 Legs






2 Tether brackets

2 Legs

Tether Bracket Locations For Post and Beam, continued



Planning with Post and Beam

Post and Beam dimen-

sioning must be thoroughly understood for proper planning. Nominal dimensions are center-to-center of post. Table space is less than nominal. Full overall width dimension is more than nominal (see drawing below).





76" outside dimension

system nominal dimension, center to center


68"

actual beam length for a 6' beam


705/8"

inside dimension—available table space

inside dimension—available table space
(Vertical post tubes will further reduce available space,
however, extended corner Universal Tables are
radiused 9" to accommodate vertical post tubes.)



The connector is handed to make this attachment on either the left- or right-hand side of the frame.



Connector occupies vertical slots in the frame 32½" measured up from the bottom edge of the base trim.

Connector is mounted within the module width of the frame. Horizontal space within that frame is reduced by 1½".


Width of panel-mounted worksurfaces is affected by this change in module.

Beam attachment to Answer, Montage, and

Kick is at desk height. See each panel solution's specification guide for fence connector and stability guidelines.


Exception: Fence connector and stability guidelines for use on Kick are not included in the Kick Specification Guide. Use connector

CFENCELC or **CFENCERC** and Answer stability guidelines when attaching fence to Kick.



Tether brackets can be used to side support tables.

Use of tether brackets as side supports further reduces horizontal space available by 1½" each side and affects planning of mounted tables.



Use of connector and tether brackets reduce horizontal space available by 3" on one side (same side as handedness of connector, i.e. right-hand connector causes right side table to be 3" shorter). The adjacent (left side) table would need to be only 1½" shorter.




Gap between beam and table is 1½" and allows cords and cables to drop behind the table.




For Montage applications with a combina-

tion of panel-mounted worksurfaces and tethered tables with legs, the table(s) supported by legs will not reach the same height as the cantilevered worksurface if panel glides are extended more than ½". Standard Montage worksurface height is 285%"H when panel glides are at zero. Legs adjust up to 287/8"H.



Posts do not interfere with the location of a table since tables can span a post.




Vertical post tubes

prevent a table with a 2" or 4" radius edge, such as a straight table from fitting tightly into the corner of a Post and Beam application.

To achieve a tight fit in the Post and Beam application:

 Relocate the vertical post tube to outside of the workstation.



Extended corner tables are recommended for applications where there must be a vertical post tube in the workstation.

Worksurface

Understanding Worksurface Screens

S	ta	te	m	er	nt	0	f I	Li	ne	•															6	S C

Product Details

Worksurface Screens 62

Statement of Line

•

•


•

Worksurface Screens

15"H

15"H Knit Screen Understanding Page 62 Specifying Page 176 201/4"W 261/4"W 321/4"W 381/4"W

Worksurface Screens






to foot.


Foot mounts to top of clamp for desktop privacy, or mounts to underside of clamp for modesty. Clamps are ordered separately.

Cover attaches to the top of the clamp to hide attachment holes when 15"H screens are not used.




Knob can be tightened by hand and allows easy movement of screens.


Product Details



15"H screens mount to worksurfaces in privacy position or below the worksurface for modesty. In privacy applications, the overall height of the screen from the floor is 43½"H.



Gap between 15"H screen to top of worksurface is 1".



Gap between bottom of worksurface to 15"H screen is 1½".

Connections




Clamps allow attachment to worksurfaces $1\frac{1}{6}$ " to $1\frac{3}{16}$ " thick, which include Universal Worksurfaces and Tables, and Answer worksurfaces. Clamps cannot be used with Avenir $1\frac{1}{2}$ " thick worksurfaces.

Clamps are specified as a pair and ordered separately from the screen.

Actual Dimensions

15"H Knit Screen
20 ¹ / ₄ ", 26 ¹ / ₄ ", 32 ¹ / ₄ ", or 38 ¹ / ₄ "
21½", 27½", 33½", or 39½"
15"

Tip: Overall width includes the width of both clamps.




15"H screen mounts to the top or bottom of the clamp.

Multiple screens can share clamps that attach to a worksurface.



Three clamps can be used to support screens of various sizes.




15"H screens can be applied to the side of a worksurface.



For corner privacy applications where 15"H

applications where 15"H screens are desired on the back and side of the worksurface, the screen for use on the side of the worksurface should be specified 6" smaller. For example, a 30"D x 42"W worksurface with a 381/4"W x 15"H screen on the back, requires a 201/4"W x 15"H screen on the side.



Screens can be planned to match the width of the worksurface. However, if worksurfaces are slip-fit, screen sizes must be planned accordingly.



For corner, 120° worksurface applications,

the following screens can be used:

- 201/4"W screens can be used on worksurfaces with dimensions C and D each equal to 43".
- 201/4"W and 261/4"W screens can be used on worksurfaces with dimensions C and D each equal to 49".

Tip: Corner, 120° worksurfaces with dimensions C and D each equal to 37" cannot accommodate screens.

Surface Materials

Vertical surface fabric

Applies to knit screen:

- · B902 Soft White
- B903 Fog
- B904 Sand

Screen frame and foot

· 4799 Platinum only

Clamp

· 4799 Platinum only

Clamp adjustment knob and cover

· 7237 Slate only

Application Topics

15"H screens can be used on fences in Post and Beam applications. For attachment hardware style number and additional information.

► See page 145.

worksurface Power and Communication

Understanding Worksurface Power and Communication

Includes Internode and Wiring and Cabling Accessories

Statement of Line	66

Product Details

Internode Power and Communication Components	68
Wiring and Cabling Accessories	71

Statement of Line

Internode Power and Communication Components



Floor Power Infeed

Understanding

▶Page 70

Specifying ▶Page 178



Multipurpose Power

Infeed

Understanding

Page 69 Specifying

▶Page 179



Power Module

Understanding

► Page 69

▶Page 180

Specifying



Modular Harness

Understanding

Page 69

Specifying

Page 182



Receptacle

Understanding

Page 69 Specifying

►Page 184



Convenience Tri-Receptacle with **Modular Harness**

Understanding

►Page 69

Specifying

Page 185



Convenience Tri-Receptacle with **Power Cord and Plug**

Understanding

Page 69

Specifying ▶ Page 186



Communication Module

Understanding

► Page 69

Specifying ▶Page 186



Convenience **Communication Outlet**

Housing

Understanding

Page 69

Specifying ▶ Page 186



Above-Worksurface Clamp Kit

Understanding

►Page 69

Specifying

Page 187



Below-Worksurface Mounting Bracket

Understanding

►Page 69 Specifying

▶ Page 187



Mounting Bracket

Understanding

►Page 69

Specifying

▶Page 188



Cord and Cable Manager

Understanding

▶Page 69

Specifying ▶ Page 188



Harness Clip

Understanding

► Page 69

Specifying

▶ Page 188

and Communication **Worksurface Power**

Statement of Line

Wiring and Cabling Accessories



Power and Data Strip

Understanding Page 71

Specifying ►Page 189



Power Sphere

Understanding ▶Page 72

Specifying

▶Page 190



Power and **Communication Sphere**

Understanding

► Page 72 Specifying

▶Page 190



Communication Sphere

Understanding

► Page 72

Specifying

Page 191



Power and **Communication Port**

Understanding

▶ Page 72

Specifying

▶ Page 191



Power/Data Boxes

Understanding

Page 74 Specifying ► Page 192




21/2" Round Grommet

Understanding

►Page 74

Specifying

▶Page 192



Vertebral Cable Riser

Understanding

Page 74

Specifying ► Page 193



Vertebral Cable Riser Extension

Understanding

▶ Page 74

Specifying

▶ Page 193



Cable and Fiber Reel

Understanding

▶ Page 75

Specifying

▶ Page 193



Termination Plate

Understanding ►Page 76

Specifying

▶Page 193



Cord Reel

Understanding

►Page 77

Specifying

▶ Page 194



Cable Storage Tray

Understanding

► Page 77

Specifying

▶ Page 194



Wire Guide Clips

Understanding

▶ Page 77

Specifying ▶ Page 194



Wire Clips

Understanding

▶ Page 195



Understanding


▶ Page 77

Specifying ▶Page 195

► Page 77 Specifying




Internode Power and Communication Components




Actual Dimensions									
	Mounting bracket	Power module	Modular harnesses	Block-to-block connector	Communication module	Convenience communication outlet housing	Convenience tri-receptacle		
Depth	4"	3"	N.A.	13/16"	3"	23/4"	23/4"		
Width	10"	10"	N.A.	15/8"	5"	51/4"	51/4"		
Height	11/2"	31/2"	N.A.	115/16"	4"	21/2"	21/2"		
Harness length	N.A.	N.A.	12" to 144"	N.A.	N.A.	N.A.	72"		
Power cord length	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	96"		

Product Details



Power module accommodates up to four duplex receptacles—two on each side. Covers are included for each side to fill the openings when receptacles are not used. Available in 4-circuit, 3+1; 4-circuit, 2+2; and 3-circuit, separate neutrals. Tip: Power module is bracket or another power module.




Receptacles for power modules snap into power blocks. Tools are not required for installation. Specify a specific circuit, either line 1, 2, 3, or 4.



Communication module is a metal housing that supports NEMA or modular furniture faceplates. Faceplates are located on one side of the module.

Tip: The communication module can be attached to a power module, mounting bracket, or directly onto underside of worksurface.



Convenience trireceptacle with modular harness draws power
from the end of a power
module or a power block.
Above-worksurface clamp
kit is included for attachment to the worksurface.
Below-worksurface mounting
bracket can be ordered separately. Specify a specific circuit, either line 1, 2, 3, or 4.




Convenience trireceptacle with cord and plug has an 8' cord to draw power. Order mounting hardware separately.




Convenience communication outlet housing

supports customer-supplied modular furniture face-plates. It is designed to sit on a worksurface using the above-worksurface clamp kit (accessory rail pins) or attach beneath the worksurface using the below-worksurface mounting bracket. Order mounting hardware separately.




Modular harness must be specified to route power between two power modules.



Power can branch in up to three directions from a power module.



Harness-to-harness connector is available to join harnesses and extend the length of a run. It can join up to four modular harnesses.



Block-to-block connector joins adjacent power modules.

Connections



Mounting bracket


attaches power or communication modules to the underside of a worksurface. Power module can be ordered with or without a mounting bracket. Communication module is standard without a mounting bracket an be ordered separately.

Tip: Communication module can also be installed directly to the underside of a worksurface without using a mounting bracket.



Vertically stack power and communication modules to increase the number of receptacles and communication outlets beneath a worksurface. Order a 22" modular harness to extend power to the stacked module.

Tip: Two communication modules can be attached beneath a power module. Tip: If two power modules are stacked, it is recommended the communication modules are placed beside the power modules instead of adding them below.



Horizontally connect power and communication

power and communication modules to increase the number of receptacles and communication outlets beneath a worksurface. Order a block-to-block connector to join adjacent modules.



Attach convenience tri-receptacles separately to worksurface with above-worksurface clamp kit



Cord and cable manager attaches to the underside of a worksurface or the mounting bracket to help organize and store cords and cables.



Harness clip attaches to the underside of a worksurface to route and manage modular harnesses. Clips can also help keep excess harness or multipurpose power infeed length off the floor




Below-worksurface mounting bracket

mounts convenience trireceptacle or a convenience communication outlet housing to the underside of a worksurface.



Multipurpose power infeed brings power from the ceiling, wall, column, or floor and connects to a power block.



Internode floor power infeed includes flexible liquidtight harness that brings power from the monument in the floor of the building to an Internode power module. Tip: Floor power infeed cannot be used in New York City. Use a multipurpose power infeed instead.

Surface Materials

Power block and housing

· 4793 Solar Black only

Power module covers

· 6653 Solar Black only

Communication module

4793 Solar Black only

Convenience tri-receptacle housing

Plastic

Convenience tri-receptacles

• 6000 Black only

Convenience communication outlet housing

Plastic

Above-worksurface clamp kit

6653 Solar Black only

Below-worksurface mounting bracket

· 4793 Solar Black only

Modular harness conduit

Metal


Modular harness

connectorBlack plastic

Receptacles

Plastic

Wiring and Cabling Accessories



Product Details

Power and data strip provides additional electrical and voice and data receptacles.

Power and data strips are field-installed on either a worksurface or on slatwall. Specify appropriate attachment bracket depending on application.

Power and data strip worksurface bracket attaches to worksurfaces 59%4" to 15%" thick.

Wiring & Cabling

Available with an 8'-long cord with plug.

Chicago, New York City, and Los Angeles have special requirements.

Underwriters Laboratory (UL) listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary. Consult a qualified electrician or electrical engineer for proper installation of all electrical equipment.

Surface Materials

Power and data strip
• 8043 Clear Anodized
Aluminum cover with
black faceplate

Attachment brackets
• 4799 Platinum paint only


Actual	Dimensions	
Depth	21/4"	
Width	101/4"	
Height	3"	

Power and Communication Spheres and Port

Power and communication spheres and port

provide convenient desktop access to power outlets and data jacks. Spheres and ports are field installed only.


Power spheres have four electrical outlets and two 6' cords with plug or conduit for hardwired applications.
▶ Specifying, page 190



Power and communica-

tion spheres provide two electrical outlets, faceplates for two customer-supplied voice/data jacks, and a 6' cord with plug or conduit.

Specifying, page 190



Communication sphere


includes faceplate for four customer-supplied voice/ data jacks.

► Specifying, page 191



Power and communication port has a low-profile cover that is almost flush with worksurface.

► Specifying, page 191





Power and communication port includes two outlets and two adapters to accommodate customersupplied standard voice/data jacks.




Power and communication spheres are field installed. Use a 3"-diameter drill to cut mounting hole at desired location.


Power and communication port contains an opening in one side of lower port that allows excess wire and cable cords to drop beneath the worksurface, leaving the port clear.



Port is field installed. Use a 3½"-diameter drill to cut mounting hole at desired location.




Lid of port in up position allows low-profile routing.



Lid can drop down when port is not in use and conceal outlets. Twist lid until legs line up with slots and push down until lid is flush with housing.

Wiring & Cabling

6' power cord is included on power and communication spheres and port.



Hardwired version of power and communication sphere is available with 6' Greenfield conduit. Tip: Hardwiring must be done by a licensed electrician.

Chicago, New York City, and Los Angeles have special requirements.

Underwriters Laboratory (UL) and Canadian Standards Association (CSA) listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary. Consult a qualified electrician or electrical engineer for proper installation of all electrical equipment.

Surface Materials

Power spheres, communication spheres, and round power and communication port

· Black plastic only

Power/Data Boxes



► Specifying, page 192

Product Details

Power data boxes,

ordered separately, provide additional electrical outlets and voice and data receptacles where needed. Power/power, power/data, and data/data versions are available. Boxes are field-installed and can be mounted to the underside of worksurface anywhere access to power and data is needed.

Surface Materials

Вох

· Black paint

Actual Dimensions

Depth	3"	
Width	3"	
Height	1"	

21/2" Round Grommet



► Specifying, page 192

Product Details

2½" grommet, ordered separately, provides wire and cable management for worksurfaces.

Surface Materials


Round grommet

- · Black paint
- 4799 Platinum
- 7241 Arctic White
- 7278 Dark Bronze
- 9201 Polished Chrome
- 9211 Nickel

Actual Dimensions

Depth	21/2"
Width	21/2"

Vertebral Cable Riser and Extension



► Specifying, page 193

Product Details

Vertebral cable riser, ordered separately, attaches to underside of worksurface to accommodate wires vertically. Extension can be added for increased wire management. Extension does not include attachment hardware or floor plate.

Surface Materials

 Riser: black plastic
 Floor plate: Metallic Aluminum only

Actual Dimensions

Length 31½"

Extension length 15¾"

Cable and Fiber Reel

Cable and fiber reel

is available to store excess fiber-optic cable lengths. It is also suitable for storing power cables.

► Specifying, page 193

Mounting slots allow installation of reel vertically beneath worksurface.


Inner reel accommodates copper wire and other cables that can be wound tightly.

Outer reel accommodates the preferred bend radius of fiber-optic cables.

Tabs prevent cables from slipping off reel.

Key-shaped mounting

hole allows quick installation and removal of reel mounted horizontally to underside of worksurface.




Product Details

Capacity of reel is

approximately 12' of standard power or communication cable on outer reel and 18' of telephone-type cord on inner reel depending on the specific cable used. Neatness of installation can affect capacities. In critical situations, you should conduct a test using the specific cable types your installation requires.

Connections



Reel can be field installed vertically or horizontally in the kneespace of freestanding desks or panelsupported worksurfaces.

Wiring & Cabling

Chicago, New York City, and Los Angeles have special requirements.

Local electrical codes vary. Consult a qualified electrician or electrical engineer for the proper installation of electrical equipment.

Surface Materials

Reel

· Black plastic only

Actual Dimensions				
Depth	11/4"			
Width	8"			
Height	85/16"			


Termination Plate

Termination plate is


available for field installation to accommodate junction boxes for connections of fiber-optic cables and other cable types.

► Specifying, page 193

to a termination device.




Product Details



Faceplates and junction boxes can be added to support fiber-optic or ordinary voice/data networks.

Connections



Termination plate is field installed beneath the worksurface in any position needed. Usually, it is located at the back of the worksurface so it doesn't obstruct kneespace.

Wiring & Cabling

Chicago, New York City, and Los Angeles have special requirements.

Local electrical codes vary. Consult a qualified electrician or electrical engineer for the proper installation of electrical equipment.

Surface Materials

Termination plate
• Black plastic only

Actual Dim	ensions
Depth	3/4"
Width	71/8"
Height	71/8"
Center opening	23/4" diameter

Cord Reels



► Specifying, page 194

Product Details


Cord reels, field installed under the worksurface, take up excess cord or cable.

Surface Materials

Cord reel

Black paint

Cable Storage Tray



Product Details

Cable storage trays, field installed under the worksurface, hold cables out of the way.

Surface Materials

Cable storage tray

Black paint

► Specifying, page 194

Wire Guide Clips and Wire Clips



► Specifying, pages 194-195

Product Details

Wire guide clips and wire clips have an adhesive back to allow them to stick to painted metal components under a worksurface for routing and managing cords. Double clip can be screwed to the underside of a worksurface.

Surface Materials

Wire guide clips and wire clips

Black plastic

Wire Manager

Product Details

Wire manager, ordered separately, organizes cables routed vertically or horizontally beneath the worksurface. It can be cut on site as needed.

Surface Materials

Wire manager

Black plastic

Actual Dimensions

Depth	1"
Width	3/4"
Height	25"

► Specifying, page 195


Understanding Counterweights

Counterweights	80
Counterweight Requirements for Storage Products	81

Counterweights


Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required. See Counterweight Requirements for Storage Products, pages 81-88.

Counterweight **Packages for Lateral Files and Cabinets**



► Specifying, page 248

Product Details



Surface Materials

Counterweight plates

Black only

Actual Dimensions

Depth	31/8" or 23/8"
Width	251/2"
Height	18"

Counterweight Package for Towers and **Workstation Verticals**



► Specifying, page 248

Product Details



Surface Materials

Counterweight

· Black only


Actual Dimensions

Depth	11/4"	
Width	12"	
Height	11/4"	

Counterweight Packages for Bookcases



Product Details



Counterweight packages attach to the inside of the bottom shelf. A cover is included to conceal the counterweight.

Surface Materials

Counterweight

Black

Cover

• Paint

Actual Dimensions

Counterweight

Height

11/4"
19", 25", 31", or 37"
11/4"
13/8"
233/4", 293/4",

Counterweight Requirements for Storage Products



Follow these requirements to reduce the risk of storage products tipping and causing injury.

Requirements for Lateral Files, Towers, Workstation Verticals, Cabinets, and Bookcases Applications

Dimens D Flush Steel Front	Proud Steel/ Wood	w	н	• Counterweight Package	• Style Number
hree	12"H	Draw	ers	: /	:
18"	187⁄8"	30"	40"	Package 3	RLF18303
18"	181/8"	36"	40"	Package 3	RLF18363
18"	187⁄8"	42"	40"	Package 3	RLF18423
231/8"	24"	30"	40"	Package 2	RLF24303
231/8"	24"	36"	40"	Package 2	RLF24363

Product specification pages indicate proper counterweight package for each style number.

D Flush	 _	н	· Counterweight Package	Style Number
Stee! Front	 i		: :	
-			·	•
			or Hinged on Let	it, continued

If a counterweight is not required in any condition for a particular style number, the product specification page will indicate not required.

Requirements for Freestanding Applications

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:

1. Counterweights are not required for lateral files, towers, workstation verticals, cabinets, and bookcases anchored to the floor.




Floor anchor bracket (for TS Series Storage, TS 200 Series Storage, 900 Series Storage, 800 Series Storage and Universal Storage with 3" base) secures lateral files, towers, workstation verticals, cabinets, or bookcases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet.

Note: **Local seismic requirements vary.** Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals.




Floor anchor brackets for Universal with FrameOne foot secure lateral files and towers to the floor for stability or in seismic zones to reduce the risk of hazards during earthquakes.

Note: Local seismic requirements vary. Compliance with local code requirements is the responsibility of the customer or their authorized agent.




2. Counterweights are not required for lateral files, towers, workstation verticals, cabinets, and bookcases anchored to the wall.

For wall anchoring of lateral files, towers, workstation verticals, cabinets and bookcases, consult with the building's designated design professional (architect or engineer) and work with local codes authorities for approvals to ensure adequate support when product is fully loaded.



3. Counterweights are not required for lateral files, towers, workstation verticals, cabinets, and bookcases ganged back-to-back with ganging hardware.

TS Series towers which do not include ganging hardware, order 8425808SR from Service Parts.




Units ganged side-by-side require counterweights.

Requirements for Panel Applications


Panel stability guidelines must be met prior to determining counterweight requirements.

See Panel Stability Guidelines in the appropriate panel specification guide. (Storage may support panel stability)

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




- 1. Counterweights are not required for Two Drawer lateral files installed right below a worksurface attached to the panel system when the application is mirrored back-to-back (a two-pack minimum).
- TS Series underworksurface lateral files are only intended for use under a panel-mounted worksurface and cannot be used as freestanding.




2. Counterweights are not required for One-High and 1.5-High lateral files and cabinets used with an intermediate support, when the application is mirrored back-to-back (a two-pack minimum).

Note: This includes storage either perpendicular or parallel to the panel.



3. Counterweights are not required for One-High, 1.5-High, and Two Drawer lateral files and cabinets used with a storage-to-panel bracket to support the panel run if the application is mirrored back-to-back (a two-pack minimum) and the panel run is equal to or greater than 6'.




4. Counterweights are not required for towers used with a storage-to-panel connector to support the panel run, if the application is mirrored back-to-back (a two-pack minimum) and the panel is equal to or greater than 5'.

Requirements for c:scape Tethered Applications


c:scape stability guidelines must be met prior to determining counterweight requirements.

▶ See c:scape Stability Guidelines in the c:scape Specification Guide.


Counterweights are required as shown in the product specification pages unless any of the following conditions are met:



1. Counterweights are not required for a 1- and $1^{1}/_{2}$ -High lateral files and low storage 48"W or smaller tethered to a c:scape beam when the beam width is 6' or larger.



2. Counterweights are not required for 1- and 11/2-High lateral files and low storage tethered to a c:scape beam when the beam has mid storage mounted parallel and the beam length is equal to or greater than the combined low storage width.




3. Counterweights are not required for 1- and 11/2-High lateral files or low storage tethered to a c:scape beam when the storage is the same size and mirrored back-to-back on both sides of the beam.

Requirements for Answer Freestanding Desk Applications


Answer Freestanding Desk guidelines must be met prior to determining counterweight requirements.

See Answer Freestanding Desk Stability Guidelines in the Answer Freestanding Specification Guide.

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




1. A counterweight is not required for a single Two Drawer lateral file attached to desks connected in an L-configuration.




L-configurations with two or more lateral files **require** counterweights in each file.




Counterweights are **required** for all lateral files in stand-alone desk or credenza applications.



Hutch kit applications with lateral files always **require** counterweights in the lateral files.



2. A counterweight is not required for a single Two Drawer lateral file attached to a desk made with corner, extended corner, or 120 degree corner worksurfaces.



Configurations with two or more lateral files require counterweights in each file.

Requirements for Pedestals in Freestanding Applications

Counterweights are required for all freestanding applications.



1. Universal fixed pedestals converted to freestanding pedestals require a counterweight and drawer interlock system.

Universal fixed to freestanding pedestal conversion kit includes $1\!\!/\!\!8$ "H steel top, counterweight package, and drawer interlock system.

Fixed pedestals, converted to freestanding with a laminate or veneer top, require a counterweight and drawer interlock system. Drawer interlock system is available from service parts.

TS Series fixed pedestals are only intended for use under a panel-mounted worksurface and cannot be converted to freestanding.

Laminate fixed pedestals can never be freestanding.




2. Mobile pedestals include counterweight and drawer interlock system as standard.

Requirements for Pedestals in Panel Applications

Panel stability guidelines must be met prior to determining counterweight requirements.

See Panel Stability Guidelines in the appropriate panel specification guide.

Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




Counterweights are not required for fixed pedestals installed below a worksurface attached in a panel spine application. Single workstation applications **require** a counterweight in each pedestal.

Requirements for Pedestals in Answer Freestanding Desk Applications


Answer Freestanding Desk guidelines must be met prior to determining counterweight requirements.

See Answer Freestanding Desk Stability Guidelines in the Answer Freestanding Specification Guide.


Counterweights are required as shown in the product specification pages unless any of the following conditions are met:




- 1.Single pedestal desks less than 48"W require a counterweight and an interlock. Single pedestal desks with 30"D pedestals require a counterweight and interlock.
- Tip: Interlock is available as a service part for Universal pedestals, 1043575SR for box/box/file and file/file configurations.



2. Double pedestal desks $60\mbox{"W}$ and wider only require one pedestal with counterweight.




All other desk applications with multiple pedestals **require** a counterweight for each pedestal.




Counterweights are not required for a single fixed pedestal in desk with hutch kit applications. Any additional pedestals within the application require counterweights.

Requirements for Pedestals in Answer Freestanding Desk Applications, continued



4. A counterweight is not required for a single fixed pedestal attached to a desk attached to another worksurface in an L-configuration. Any additional pedestals within the application require counterweights.



5. A counterweight is not required for a single fixed pedestal attached to desks made with corner, extended corner, or 120 degree corner worksurfaces. Any additional pedestals within the application require counterweights.

Iniversal Storage

Understanding Universal Steel Storage Products

Statement of Line	90


Universal Storage

Universal Pedestals	92
Universal One-High and Two Drawer Lateral Files	96
Universal Lateral Files	100
Universal Towers and Workstation Verticals	104

Statement of Line

Universal Steel Storage Products

For the full Universal Storage offering and Storage Conversion List, see Storage Specification Guide.



front

231/2"D, or 291/2"D

Understanding ► Page 92 Specifying Proud steel laminate or wood front Page 198





Flush steel front

Proud steel, laminate, or wood front


Understanding ► Page 92 Specifying ▶ Page 202

Universal Fixed Pedestals

	15"W		
25½"H	•		
27"H	•		

Universal Mobile Pedestals


	15"W	
21"H	•	
27"H	•	-




Universal One-High and Two Drawer Laterals

	30"W	36"W	42"W	
16"H	•	•	•	

Tip: 42"W lateral files are available 18"D and 187/8"D only.





Understanding
Page 104
Specifying
▶ Page 218

Universal Lateral Files

	30"W	36"W	42"W
28"H	•	•	•
40"H	•	•	•
52"H	•	•	•
65½"H	•	•	•


Tip: 42"W lateral files are available 18"D and 187/8"D only.

Universal Onen Side Towers


Universal open olde rowers		
	24"W	
47 ¹ / ₂ "H	•	
52"H	•	
65½"H	•	

Drawings show door hinged left.

Units are also available with door hinged right.



Understanding ► Page 104 Specifying ▶ Page 222



Flush steel front or wood front

Understanding ► Page 104 Specifying ► Page 228

Universal Dual Door Towers

	24"W
47½"H	•
52"H	•
65½"H	•

Drawings show door hinged left.

Units are also available with door hinged right.


Universal Full Front Towers

	24"W
52"H	•
65½"H	•

Drawings show door hinged left. Units are also available with door hinged right.

23¹/8"D 24"D or 291/8"D 30"D Flush steel Proud steel, laminate, front or wood front

Understanding ▶ Page 104 Specifying Page 232



Understanding ▶ Page 104 Specifying ▶ Page 236

Universal Vertical Drawer Towers

	24"W
47½"H	•
52"H	•
65½"H	•

Drawings show door hinged left.

Units are also available with door hinged right.

Universal Workstation Verticals

	15"W
52"H	•
65 ¹ / ₂ "H	•

Universal Pedestals

27"H fixed pedestals are floor-standing and can support worksurfaces at 281/2"H. ► Specifying, page 198 ► Specifying Storage Accessories, page 243 Top is open and accommodates attachment to a worksurface. Attachment hardware is included Lock is standard on pedestals and secures all drawers. Lock is located in the top drawer. Locks are standard factory-installed, keyed random. ► Lock and Keying, page 268 Leveling glides adjust to install pedestals on uneven floors. 251/2"H pedestals have a 7/8" adjustable glide range, and 27"H pedestals have a 17/8" adjustable glide

Mobile pedestals fit

under a worksurface and

can be moved wherever

storage is needed. They

surface when you need

➤ Specifying, page 202 ➤ Specifying *Storage*

Accessories, page 243

Finished back and

Four casters are hard

with a full-rotation swivel

mechanism. Casters are

exposed at the base of box/ file pedestals and concealed

with the base of box/box/

composition and non-locking,

sides are standard

your work.

provide an auxiliary work-

more space to spread out

Drawer fronts are available in steel, laminate, or wood veneer. Mobile pedestals maintain drawer pull and drawer front alignment with other storage components that have a 3" base.

Pull on proud-front pedestal is available in a variety of shapes.

3"H base is integral to 27"H pedestal case.

Pull on flush-front pedestal is full width and integral. This pull is available on steel drawer fronts only. Full-width wood pull is available as an option. Wood pull, if selected, ships separately from pedestal and is field installed, attaching to the integral pull with double-sided tape.

Drawers open their full depth for total access to the contents. Box and file drawers are available.

Top on mobile pedestal is ½"H steel.
Additional top options are available.




Mobile pedestal cushion top provides a temporary seat ideal for informal gatherings. Optional handle can be extended to easily transport mobile pedestal. Available factory- or field-installed.


Specifying, page 204

file and file / file pedestals. **Actual Dimensions** Box/File Box/Box/File and File/File **Fixed** Depth with flush steel front $17\frac{1}{2}$ ", $22\frac{5}{8}$ ", and $28\frac{5}{8}$ " 171/2" and 225/8" 171/2" and 225/8" Depth with proud steel, 183/8", 231/2", and 291/2" 183/8" and 231/2" 183/8" and 231/2" laminate, or wood front Width 15" 15" 15" Height 251/2" and 27" N.A. N.A Overall height with 1/8"H top NΑ 21" 27"

Product Details




Box drawers are a welded steel construction and available with proud or flush fronts. One divider is included with each box drawer.



File drawers are a welded steel construction and available with proud or flush fronts. Drawer body sides are full height and accommodate front-to-back filing of hanging letter-size file folders.

Optional rails accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. Exception: Legal-size file folders cannot be filed in 171/8"D or 183/8"D pedestals.



Drawer fronts can be removed and changed in the field to create a different aesthetic or to replace damaged drawer fronts.

Filler conceals the gap that

may exist between the face

a 27"H pedestal. Fillers are

also used to provide stability

for pedestal and worksurface

configurations that are not

Tip: Fillers for proud front

pedestals conceal a 1/2"

gap. Fillers for flush front

pedestals conceal a 13/8"

Freestanding applica-


attachment to a worksurface

tions that don't require

should be used with a


panel-wrapped.

of a panel and the back of



Pencil tray to hold small office supplies is included with each box/box/file pedestal.


Optional basic drawer interior allows box/box/ file pedestals to be ordered without rails, box drawer dividers, or pencil trays.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Each pull is 128 mm and available on steel or wood veneer drawers. c:scape pulls (200 mm) are available on steel drawers only.

Label holders are available through Service Parts. Label holder fits inside the integral pull of flush-front drawers and over the top edge of drawer front on proud-front drawers.

Safety interlock system allows only one drawer to be opened at a time for added stability.




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.


Lock and Keying, page 268

Individual drawer locks are available on file/file pedestals for applications where you want to limit access to each drawer Pedestals include a security shield above each drawer to prevent unauthorized access. Individual locking drawers are only available with field-installed lock cylinders. Consecutive, specific, and random keying options are available. Master-keved locks are also available. Fieldinstalled lock cylinders must be specified separately. Lock and Keying, page 268


Non-locking pedestal is available as an option.



27"H fixed pedestals
have base alignment with
other Universal Storage
components that have a 3"H
base.



Steel, laminate, and wood veneer tops are available in place of standard $\frac{1}{6}$ "H steel tops. 1"H steel tops, $\frac{1}{3}$ / $_6$ "H laminate with square edge profile, $\frac{17}{16}$ "H laminate with bullnose edge profile on the front edge, and $\frac{1}{3}$ / $_6$ "H wood veneer with square edge profile.



Handle of mobile pedestal cushion top is

retractable. In the stowed position, handle is flush with mobile pedestal front. In the travel position, handle is completely extended and articulates upward for longer distance transport. Cushion top is also available without a handle.

Mobile pedestal cushion top for field-installation can be used with mobile pedestals RPM2421CP, RPM2421CF, and RPM2421CW only.



Basic cushion is ordered separately for use on Universal mobile pedestals with metal, laminate, or veneer top. Basic cushion is field-installed and attaches to the existing top with hook and loop fastener.

Basic cushion for field installation can be used with mobile pedestals RPM1821CF, RPM1821CP, RPM1821CW, RPM2421CF, RPM2421CP, and RPM2421CW only.

Counterweight

pack-ages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

Connections

Fixed pedestals are

intended to attach under

a worksurface for security

and support. Three pedes-

tal depths are available to

correspond with Universal

front pedestals exactly

Worksurface depths. Proud-

match the depth of Universal

Worksurfaces. Flush-front


pedestals are 7/8" shorter.

18³/8"D

231/2"D

29¹/2"D





Field-installed accessories are available, including pencil trays, stationery trays, dividers, and rails.

Page 243

Wiring & Cabling

Fixed pedestals do not accommodate cable-routing. Plan accordingly when installing pedestals underneath worksurfaces with grommets or other cable-routing accessories.



Surface Materials

Pedestal, steel drawer fronts, and integral pulls

Paint

Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

c:scape pull

- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum Metallic

Wood veneer top and drawer fronts

- Wood veneer-
- Open pore finishes
 Customiz stain (option)

Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, drawer suspensions, rails, dividers, and glides

Black

Laminate top and drawer fronts

- Laminate
- Open Line laminate (option)

Square edge profile on laminate top

Plastic

Tip: Bullnose edge tops have a self-edge

Bullnose edge profile on laminate top

Plastic edge default

Cushion top

- Fabric
- Leather

Basic cushion

Fabric

Application Topics

Storage Capacities and Dimensions

See Storage Specification Guide

Counterweight Requirements for Storage Products

▶Pages 81-88


Shipping


Fixed pedestals are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

Mobile pedestals are shipped in corrugated board to minimize damage during transport.


94

Universal One-High and Two Drawer Lateral Files






Drawer interiors include one hanging folder bar per drawer in each 18"D case and two rails per drawer in each 24"D case. Alternative interiors are available as options.




Hanging folder bar accommodates side-toside filing of letter-, A4 international-, and legal-size hanging folders. Additional bars are available and must be specified separately.

▶Page 244




Rails accommodate frontto-back filing of letter-, A4 international-, and legalsize hanging folders. Rail packages accommodate two rows of letter-size files in 30"W and 36"W drawers and three rows of letter-size files in 42"W drawers. See Storage Capacities for additional details. Additional rails are available and must be specified separately.

►Page 243



Dividers accommodate side-to-side filing of expandable folders and other objects. Divider packages include three dividers and one hanging folder bar per drawer. Additional dividers are available and must be specified separately.

▶Page 245




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

Lock and Keying, page 268


Individual drawer locks

are available as an option for an application that would limit access to each drawer. Lateral files include a security shield between drawers to prevent unauthorized access. Individual locking drawers are only available with field -installed locks. Consecutive, specific, and random keying are available. Field-installed lock cylinders must be specified separately.

Lock and Keying, page 268



No-top lateral files are available for use with cushion top or beneath a common top shared among several lateral files. Hardware is included to attach case to worksurface. No-top option reduces height of file by 1".




Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are 3 /16" taller than steel tops and will add that dimension to the overall height of the lateral file.



FrameOne top matches the height of a FrameOne bench. A ¾"H wood or laminate top floats above a painted steel security top using six black plastic spacers. FrameOne top can be specified on 28"H files only, making the overall height 28½"H.




Security top is available as an option for installations where the file will be installed beneath a worksurface, but not physically attached. Thin steel top prevents unauthorized access to the contents of the cabinet. Security top is not structural and can be specified on 28"H files only. Security top reduces overall height of file to approximately 27"H.



Ganging hardware is included to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.



c:scape beam tether bracket connects 1- and 1½-high storage to provide added stability to the c:scape beam.



Cushion top is ordered separately for use on One-High and Two Drawer lateral files without top.



Basic cushion is ordered separately for use on Universal One-High, and Two Drawer laterals with metal, laminate, or veneer top. Basic cushion is field-installed and attaches to the existing top with hook and loop fastener.

Tip: Basic cushion is available on Universal lateral files with a top only.



When applying the basic cushion on 30"W or 36"W Universal laterals with an open configuration, a support brace must also be specified.






Wood veneer Laminate with square with square edge profile

Field-installed tops are available in two choiceswood veneer with square edge profile or laminate with square edge profile. Tops can be used on an individual lateral file, or larger tops can be used to connect files to make a credenza.

▶Page 240




Field-installed accessories are available, including drawer accessories and counterweight packages. ▶Page 243

Floor anchor bracket (for TS Series Storage, TS 200 Series Storage, 900 Series Storage, **800 Series Storage** and Universal Storage with 3" base) secures lateral files, towers, workstation verticals, cabinets, or book-cases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are

required for each cabinet. Note: Local seismic requirements vary.

Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals. ▶Page 248



Overfile cabinets are separate components that are field installed on top of lateral files, combination cabinets, storage cabinets, and wardrobe cabinets to provide space for additional files, ring binders, or miscellaneous storage

See Storage Specification Guide

Surface Materials

Lateral, including steel top, fixed shelf, and integral pulls

Paint

Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

c:scape pull

- · 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum Metallic

Wood veneer top, lift-up door, and drawer fronts

- Wood veneer-Open pore finishes
- Customiz stain (option)
- · Full-fill finish (option) is available on field-installed wood veneer tops only. Tip: Specify file with no top option.

Laminate top, lift-up door, and drawer fronts

- Laminate
- Open Line laminate (option)

Lock

9201 Polished Chrome 9250 Ember Chrome (option)

Drawer bodies, hanging folder bars, rails, and dividers

Black

Cushion top

- Fabric
- Leather

Basic cushion

Fabric



Cushion top will be manufactured in a four seam pattern in all standard solid color seating upholstery, leather, vinyls, COM leathers, and COM vinyls. These

- Buzz2
- Gaja Cradle to Cradle Certified™ Silver
- Leather



upholsteries are:

- Brisa
- Cogent: Connect
- Elmosoft Leather

- Select Surfaces leather
- · Stand In
- Vinvl



board needed. Counterweight packages ship separately from case and must be

Lateral files are normally

shipped in heavy-duty, recy-

the amount of corrugated

clable stretch wrap to reduce

Application Topics

Storage Capacities and

See Storage Specification

Dimensions

Counterweight

▶Pages 81-88


Shipping

field-installed.


Requirements for

Storage Products

Guide





Cushion top will be manufactured in a two seam pattern on all standard upholstery not listed under the four seam pattern. All COMs including pattern or textured leather and vinvl. will be manufactured in a two seam pattern



Basic cushion will be manufactured in a two seam pattern for all approved standard seating upholstery and Customer's Own Materials (COMs). Note: Leathers and vinyls are not approved for basic cushion.


Universal Lateral Files





Drawer interiors include one hanging folder bar per drawer in each 18"D case and two rails per drawer in each 24"D case. Alternative interiors are available as options.


Tip: Your specification for optional drawer interiors will apply to all the drawers within a single lateral file.



Hanging folder bar accommodates side-to-


side filing of letter-, A4 international-, and legal-size hanging folders. Additional bars are available and must be specified separately.

Page 244




Rails accommodate front-to-back filing of letter-, A4 international-, and legal-size hanging folders. Rail packages accommodate two rows of letter-size files in 30"W and 36"W drawers and three rows of letter-size files in 42"W drawers. See Storage Capacities for additional details. Additional rails are available and must be specified separately.

▶Page 243




Dividers accommodate side-to-side filing of expandable folders and other objects. Divider packages include three dividers and one hanging folder bar per drawer. Additional dividers are available and must be specified separately.

▶Page 245




Lift-up door with fixed shelf is standard in the top position of 65½"H cases. Door is 13½"H to accommodate standard-height binders. Door on lateral files with flush-front recesses inside the case; door on proudfront case lifts up above the case.



Lift-up door on flushfront cases is available with an optional roll-out shelf in place of the standard fixed shelf. Roll-out shelf includes three dividers and one hanging file folder bar to function as a backstop.

Safety interlock system allows only one drawer or roll-out shelf to be opened at a time.



Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

► Lock and Keying, page 268


Individual drawer

locks are available as an option for applications where you want to limit access to each drawer. Lateral files include a security shield above each drawer to prevent unauthorized access. In 651/2"H cases, the lock in the drawer below controls the lift-up door in the top position. Individual locking drawers are only available with field-installed locks. Consecutive, specific, and random keying options are available. Field-installed lock cylinders must be specified separately.


Lock and Keying, page 268



No-top lateral files are available for installations where cases will be installed under a worksurface or beneath a common top shared among several lateral files. Hardware is included to attach case to worksurface. No-top option reduces height of file by 1".




Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are ³/₁₆" taller than steel tops and will add that dimension to the overall height of the lateral file.



Ganging hardware is included to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

Connections




with square edge profile

eer Laminate
with square
edge profile

Field-installed tops are available in two choices—wood veneer with square edge profile or laminate with square edge profile. Tops can be used on an individual lateral file, or larger tops can be used to connect files to make a credenza.

▶ Page 197



Field-installed accessories are available, including drawer accessories and counterweight packages.

Page 243


Floor anchor bracket (for TS Series Storage, TS 200 Series Storage, 900 Series Storage, 800 Series Storage and Universal Storage with 3" base) secures

lateral files, towers, workstation verticals, cabinets, or book-cases to the floor for stability or to reduce the risk of hazards during earthquakes in seismic zones. Four bracket packages are required for each cabinet. Note: **Local seismic**

Note: Local seismic requirements vary.

Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals.

Page 248



Overfile cabinets are separate components that are field installed on top of lateral files, combination cabinets, storage cabinets, and wardrobe cabinets to provide space for additional files, ring binders, or miscellaneous storage.

See Storage Specification Guide

Surface Materials

Lateral file, including steel top, drawer fronts, lift-up door, fixed shelf, and integral pulls

Paint

Contemporary, handle, jazz, and bar pulls

- 0835 Black9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

c:scape pull

- 4140 Arctic White Gloss
- · 4144 Black Gloss
- · 4799 Platinum Metallic

Wood veneer top, lift-up door, and drawer fronts

- Wood veneer—
 Open pore finishes
- Customiz stain (option)
- Full-fill finish (option) is available on field-installed wood veneer tops only. Tip: Specify file with no top option.

Laminate top, lift-up door, and drawer fronts

- Laminate
- Open Line laminate (option)

Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, roll-out shelves, hanging folder bars, rails, and dividers

Black

Application Topics

Storage Capacities and Dimensions

See Storage Specification Guide

Counterweight Requirements for Storage Products


▶Pages 81-88

Shipping

Lateral files are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.


Counterweight packages ship separately from case and must be field-installed.

Universal Towers and Workstation Verticals







Interior of tower combines coat storage, box and file drawers, fixed and adjustable shelves.



Door on full front towers is full height and can be hinged on the left or right. Coat storage space is always located on the same side as the door hinge.




Flush-front pull is integral and full height on the door and full width on the drawers. Pull is available on steel doors and drawers only.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Door pull is 192 mm and drawer pulls are 128 mm. Proudfront pulls are available on steel, laminate, or wood veneer doors and drawers. c:scape pulls (200 mm) are available on steel only.


Lift-up door is standard on 65½"H vertical drawer towers and workstation verticals, and includes a fixed shelf. Flushfront door recedes into the case and proud-front door lifts above case.

Adjustable shelves on 52"H and 65½"H open side towers are recessed from the front and side of the tower. Shelves adjust in 2½" vertical increments. Opening on 47½"H tower is 13½"H and does not come with an adjustable shelf.



Frosted glass adjustable shelves are available as an option on open side towers. Tip: If glass shelves are selected, they will replace all steel shelves in the unit.

Post on open side towers supports adjustable shelves and is painted to match the case.




Adjustable shelves in dual door and full front towers can be positioned in the interior of the tower in 3/4" vertical increments using a reversible bracket. The first shelf above a file drawer is a fixed shelf.



Drawer accessories

include one divider and one pencil tray in each box drawer. File drawers can accommodate front-to-back filing of letter-size hanging folders without the use of additional accessories.

Safety interlock system allows only one drawer to be opened at a time.



Locks are available factoryor field-installed. Factoryinstalled locks are standard
and available keyed random
only. Door and drawer locks
are keyed alike. Optional
field-installed locks are
available with consecutive,
specific, and random keying
options. Master-keyed locks
are also available. Fieldinstalled lock cylinders must
be specified separately.

Lock and Keying, page

Drawer lock in open side tower is located in the top file drawer.


Drawer lock in dual door tower, full front tower, vertical drawer tower, and workstation vertical tower is located approximately 36" from the floor and also secures the lift-up door on 65½"H units.

Individual drawer


locks are available as an option on workstation verticals for applications where you want to limit access to each drawer. Workstation verticals include a security shield above each drawer to prevent unauthorized access. In 651/2"H towers, the lift-up door is controlled by the lock in the drawer directly below. Individual locking drawers are only available with fieldinstalled locks. Consecutive specific, and random keying options are available. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

Lock and Keying, page 268

Exception: Individual drawer locks are not available on towers with 6"H drawers.



Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are 3/16" taller than steel tops and will add that dimension to the overall height of the tower.



Top will default to steel on towers with proud wood fronts since the door overlaps and partially conceals the top. Wood top is available as an option.




Ganging hardware is included to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

Connections

Worksurface to tower alignment. Proud front towers align with 23½"D, 24"D, 29½"D, and 30"D worksurfaces. Flush front towers extend ½" beyond 24"D and 30"D worksurfaces, and ½" beyond 23½"D and 29½"D worksurfaces.



Field-installed accessories are available, including drawer accessories and shelf bookends.

Page 243

Floor anchor bracket (for TS Series Storage, TS 200 Series Storage, 900 Series Storage, 800 Series Storage and Universal Storage with 3" base) secures lateral

3" base) secures lateral files, towers, workstation verticals, cabinets, or bookcases to the floor for stability or to reduce the risk of hazards during earth-quakes in seismic zones. Four bracket packages are required for each cabinet. Note: Local seismic

Note: Local seismic requirements vary.

Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Steelcase Specials. Tip: Anchor bracket cannot be used with pedestals.

Page 248

Tower, including steel top, hinged door, integral pulls, drawer fronts, and adjustable shelves

Paint

Post

 Paint to match tower (default)

Contemporary, handle, jazz, and bar pulls

- · 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

c:scape pull

- · 4140 Arctic White Gloss
- · 4144 Black Gloss
- · 4799 Platinum Metallic

Wood veneer top, hinged doors, and drawer fronts

- · Wood veneer-
- Open pore finishes
 Customiz stain (option)

Laminate top, hinged doors, and drawer fronts

- Laminate
- Open Line laminate (option)

Glass adjustable shelves

Frosted tempered glass

LOCK

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, pencil tray, and box drawer divider

Black

Coat rod

Black with black supports

Application Topic

Storage Capacities and Dimensions

See Storage Specification Guide

Counterweight Requirements for Storage Products

▶Page 81

Shipping

Towers are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.


Counterweight packages ship separately from case and must be field installed.

Understanding Duo Storage Products

Statement of Line	108

Product Details	
Duo Tall Storage	110
Duo Overhead Storage	112
Duo Slim Storage	114
Stability Guidelines	116

Statement of Line Duo Storage Products









	Understanding
Þ	Page 112
	Specifying
Þ	Page 252

Duo Tall Storage				
	15"H			
54"W	•			
66"W	•			
78"W	•			







Understanding
► Page 114
Specifying
► Page 253


Duo S	Duo Slim Storage					
	7½"H					
54"W	•					
66"W	•					
78"W	•					

Duo Tall Storage



Actual Dimensions	
Box exterior height	15"
Box exterior depth	18"
Box exterior width	54", 66", and 78"
Box interior height	133/8"
Box interior depth (binder storage area)	135/8"
Box interior depth (ledge)	31/2"
Box interior width	523/8", 643/8", and 763/8"
Leg height	297/8"







Two interior configurations of Tall Storage

are available. Individual box has a ledge on one side and space for binder storage on the opposite side. Shared box is divided down the center with half ledge and half binder storage on each side.

Duo Tall Storage is non-handed. Orientation is determined at time of installation.




66"W and 78"W individual boxes have a center divider on the binder storage side for additional support.



Column height at shortest level is 29% "H. Column will then adjust upward 3" for leveling.

Height from floor to top of box is approximately 45" in fence application.

Connections



Attaches perpendicular (90°) to Post and Beam 33"H fence height beam. Box can attach anywhere along beam.



Attaches between two Post and Beam 93½"H posts.

In post-to-post applications, a 54"W Duo
Tall Storage is used with a 5'W beam. 66"W Duo
Tall Storage is used with a 6'W beam. 78"W Duo Tall
Storage is used with a 7'W

To attach Duo Tall Storage to Post and Beam fence in seismic zones, order the Duo seismic package for use with Duo Tall Storage-to-Post and Beam fence. One package contains hardware for 10 units.

In seismic zone 3 and

4, consult with local building code officials for specific code requirements applicable to your installation.

Surface Materials

Box

Laminate

Interior divider cover

Paint

Lea

· 4799 Platinum paint


Post-to-post attachment brackets


• 4799 Platinum paint

Fence beam attachment brackets

 8043 Clear Anodized Aluminum


Duo Overhead Storage







Two interior configurations of overhead storage are available. Individual box has a ledge on one side and space for binder storage on the opposite side. Shared box is divided down the center with half ledge and half binder storage on each side.


Duo overhead storage is non-handed. Orientation is determined at time of installation.



66"W and 78"W individual boxes have a center divider on the binder storage side for additional support.









Height from top of fence to bottom of box is approximately 15³/₄". Height from floor to top of box is approximately 64".

Connections




Attaches to Post and Beam seated height (33") fence only.



Duo overhead storage can be used in panel environments by attaching Post and Beam fence at a 90° angle to Avenir, Kick, Montage, and Answer.

For additional privacy, use Post and Beam knit screens mounted between Duo overhead stanchions.



Overhead storage box is always centered (side-to-side) on stanchion legs.

Width of box cannot exceed length of fence beam it is attached to.

In seismic zone 3 and

4, consult with local building code officials for specific code requirements applicable to your installation.

Surface Materials

Box

Laminate


Interior divider cover

Paint


Stanchion legs

 8043 Clear Anodized Aluminum

Duo Slim Storage



Product Details



Slim Storage is only available in shared configuration. Divider is centered providing access to half the depth of the box on each side.




Height to top of Slim Storage on top of fence is approximately 42".




Slim Storage interior height can accommodate two stacked letter trays.


Actual Dimensions	
Box exterior height	7½"
Box exterior depth	25"
Box exterior width	54", 66", and 78"
Box interior height	6"
Box interior depth (each side)	12"
Box interior width	523/8", 643/8", and 763/8"




Connections



Attaches to Post and Beam seated height (33") fence only.



Duo slim storage can be used in panel environments by attaching Post and Beam fence at a 90° angle to Avenir, Kick, Montage, and Answer.



Slim Storage is always centered (side-to-side) on Post and Beam fence.

In seismic zone 3 and

4, consult with local building code officials for specific code requirements applicable to your installation.

Surface Materials

Box


Laminate

Brackets

 8043 Clear Anodized Aluminum

Stability Guidelines


Stability Guidelines for Duo Tall Storage—Post-to-Post Application




 $\boldsymbol{\mathsf{A}}$ $\boldsymbol{\mathsf{maximum}}$ of three boxes can be placed between two posts.

When Duo is installed in a post-to-post application, two perpendicular beams must be attached to a wall to provide stability.


Duo Tall Storage cannot attach to a wall.



For L-configurations, a minimum of a 6' return is required at 90° or 120°.



A maximum of two boxes per side can be used if boxes are used on adjacent sides of a configuration. Boxes must be staggered.




When two boxes are inline, a post must be placed between the two boxes

When Duo is installed in a post-to-post application, two perpendicular beams must be attached to a wall to provide stability.


Boxes cannot be attached to each other.

No more than 16' of beams may be placed inline without a 90° or 120° return.




If less than a 6' return is used, the configuration must have a minimum of 3'4" returns on both sides, creating a Y- or T-configuration.


Stability Guidelines for Duo Tall Storage—Fence Application



Duo Tall Storage cannot be used as a return. Fence applications must have a minimum of three posts and two beams that create an L-configuration.



If run is over 16'W, a minimum of 3'4" return is required mid-run.




Duo Tall Storage can attach centered on a post or anywhere along the beam.

Stability Guidelines for Duo Tall Storage-to-Post and Beam Fence Application in Seismic Zones

- · Follow traditional planning guidelines.
- Tall Storage leg base must be bolted to the floor.
 Additional seismic package must be installed.


Stability Guidelines for Duo Overhead Storage



On a single fence, no more than one overhead box can be attached. There are three ways to anchor the end of a fence run:


- A 3'4" minimum return at 90° or 120°
 Large footplate bolted to the floor

3'4" minimum




If two overhead boxes are used inline on fence beams,

a 90° or 120° return is required in four directions, creating an H-configuration.




If run is over 16'W, a minimum of 3'4" return is required mid-run.

Stability Guidelines for Duo Slim Storage




On a single Post and Beam fence, no more than one Slim Storage box can be attached. There are three ways to anchor the end of a

- A 3'4" minimum return at 90° or 120° in two directions
- Large footplate bolted to the floor
 Worksurface tethered to fence that is supporting Duo Slim Storage



If two Slim Storage boxes are used inline on a Post and Beam fence, a 90° or 120° return is required in four directions, creating an H-configuration.



If a run is over 16'W, a minimum of a 3'4" return is required mid-run.

Specifying Post and Beam

Posts	122
Beams	123
Infills	124
Infill Hardware Package	125
Premium Whiteboard Infills	126
Fence Connectors	127
Technology Hubs and Hub Mounts	128
Power and Data Strips	130
Power and Cable Management	
Horizontal Fence Tubes	133
In-line Post Junction Cover	133
Horizontal Overhead Beam Troughs	134
Overhead Corner Troughs and Beam Filler Trough	135
Cord/Cable Manager Clips	135
Vertical Post Tubes	136
Ceiling Infeed Tubes	139
Junction Box Connector Brackets	139
Modular Harnesses	140
Connectors	142
Multipurpose Power Infeeds	143
Accessories	
Wall Start Kit for Overhead Beam	144
Wall Start Kit for Trough	144
Screens	145
Screen Attachment Hardware for Post and Beam Fence	145
Curtain Hooks	146
Fence Beam Dust Covers	146
Accessory Supports	
Huddleboard Adapter Bracket	147
Accessory Mounting Hook	147
Post Top Caps	147
Post Base Shim	148

Posts



Standard Includes

Required to Specify

► Need help? Product details, page 10

· Dimensions

W

D

- · Base: 4799 Platinum paint only
- Base extension: 8043 Clear Anodized Aluminum only
- · Post: 8043 Clear Anodized Aluminum only
- · Leveling puck
- Top cap on 33"H and 40½"H posts only: 6694 Slate plastic only

·U.S.

Price

- · Standard 12 mm vertical slot on all sides
- · 3" vertical adjustability

Style number

Related Products

- · Hub mounts
- · Vertical post tubes

Style

Number


- Post top caps
- · Post base shim

- ▶ Page 129
- ▶ Page 136
- ▶Page 147
- ▶ Page 148









Tip: Posts with small base cannot be anchored to the

Tip: Posts can be field cut to any size. Filing may be necessary to smooth rough

Tip: Posts have unlimited slots for planning at any height.

X-Post with Large Base

Specification Information

4"	4"	33"	BXP36	\$433
4"	4"	401/2"	BXP45	\$433
4"	4"	931/2"	BXP95	\$643

X-Post with Small Base


4"	4"	33"	BXPS36	\$433		
4"	4"	401/2"	BXPS45	\$433		
4"	4"	931/2"	BXPS95	\$643		
:			:	:		

Y-Post with Large Base

4" 4" 40½" BYP45 \$433 4" 4" 93½" BYP95 \$643	4"	4"	33"	ВҮР36	\$433
4" 4" 93½" BYP95 \$643	4"	4"	401/2"	BYP45	\$433
	4"	4"	931/2"	BYP95	\$643

Y-Post with Small Base

Beams Beams



Standard Includes

Required to Specify

► Need help? Product details, page 10

- Beam extrusion: 8043 Clear Anodized Aluminum only
- · Beam-to-post connectors and attachment hardware
- · Standard 12 mm T-slots on top, bottom, and sides of beams to allow for infill and accessory interface

Style number

Related Products

- Horizontal fence tubes
- · Horizontal overhead beam troughs
- Huddleboard

- ► Page 124
- ▶ Page 133
- ▶ Page 134
- ▶ See Meeting Spaces Specification Guide.

Spe	ecificat	tion In	formation		
·Dim	ensions	;	·Style	·U.S.	
D	W	н	Number	Price	

Fence or Overhead Beam Applications Tip: Beam dimensions are

13/8"	3'4"	81/2"	BB042	\$ 356			
13/8"	4'	81/2"	BB048	\$ 390			
13/8"	5'	81/2"	BB060	\$ 446			
13/8"	6'	81/2"	BB072	\$ 535			
13/8"	7'	81/2"	BB084	\$ 616			
13/8"	8'	81/2"	BB096	\$ 698			
13/8"	9'	81/2"	BB108	\$ 782			
13/8"	10'	81/2"	BB120	\$ 864			
:			:	:			

Tip: Beams are most easily attached to posts via a ball driver (drill drive—3/8", $\frac{1}{4}$ " ball x 6") available from Steelcase (946800104CS) or many hardware manufacturers.

nominal to center of post. ► See Application Topics,

Tip: Style number BB042 is used for 66"W tethered capsule Universal Tables.

page 14.

Tip: Beams can be field cut to any size. Filing may be necessary to smooth rough edges.

Overhead Beam Applications

13/8"	11'	81/2"	BB132	\$ 948			
13/8"	12'	81/2"	BB144	\$1030			
13/8"	13'	81/2"	BB156	\$1113			
13/8"	14'	81/2"	BB168	\$1198			
13/8"	15'	81/2"	BB180	\$1277			
13/8"	16'	81/2"	BB192	\$1364			



Infills

Tip: Infill width is determined Need help? by the length of beam(s) and the number of hubs (0, 1, or 2). ▶ Page 128

Tip: Other fabric infill colors are available through Designtex. See Designtex. com, then select shades and screens, for more details.



Standard Includes

Required to Specify

Style number

Product details,

- Fabric: 5477 Tech White only
- · Top and bottom bracket: 8043 Clear Anodized Aluminum only
- · End caps: 6694 Slate plastic only
- Attachment hardware
- · Acrylic rods

		mation

·Wi	dth	Style Number	· U.S. Price

Infill Overhead Beam to Floor

21/2'	BIBTF030	\$ 447
31/2'	BIBTF042	\$ 595
41/2'	BIBTF054	\$ 748
51/2'	BIBTF066	\$ 899
61/2'	BIBTF078	\$1048
71/21	BIBTF090	\$1198
81/21	BIBTF102	\$1345
91/21	BIBTF114	\$1494
:	:	


Infill Overhead Beam to Desk-Height Fence

21/21	BIBFF030	\$ 375
31/2'	BIBFF042	\$ 524
41/21	BIBFF054	\$ 675
51/2'	BIBFF066	\$ 823
61/2'	BIBFF078	\$ 972
71/2'	BIBFF090	\$1122
81/2'	BIBFF102	\$1270
91/2'	BIBFF114	\$1420
:	•	

Infill Desk-Height Fence to Floor

91/2'	BIBMD114	\$1383
81/21	BIBMD102	\$1234
71/21	BIBMD090	\$1083
61/21	BIBMD078	\$ 933
51/2'	BIBMD066	\$ 784
41/21	BIBMD054	\$ 637
31/21	BIBMD042	\$ 488
21/2'	BIBMD030	\$ 337

Infill Hardware Package For Use with Custom Graphic Fabric Infill



Tip: Infill width is determined by the length of beam(s) and the number of hubs (0, 1, or 2).

Tip: Height of the infill is determined by height of custom infill fabric. Hardware will support overhead beam to floor, overhead beam to desk-height fence, and desk-height fence to floor applications.

Tip: When ordering custom infills, the fabric and any attachment method must be a minimum of 1/5"W and a maximum of 1/4"W.

Standard Includes

Required to Specify

Style number


► Need help? Product details, page 10

- · Top and bottom brackets: 8043 Clear Anodized Aluminum only · End caps: 6694 Slate plastic only
- Attachment hardware

·Width	·Style	·U.S.
Width	Number	Price
	:	:
21/21	BIBHW030	\$299
31/2'	BIBHW042	\$414
41/21	BIBHW054	\$447
51/2'	BIBHW066	\$488
61/2'	BIBHW078	\$524
71/2'	BIBHW090	\$562
81/21	BIBHW102	\$595
9 ¹ /2'	BIBHW114	\$637



Premium Whiteboard Infills



Tip: Premium whiteboard infill is determined by the length of the fence beam.

Standard Includes Required to Specify

- Need help?
 Product details,
 page 10
- Two-sided infill: 7655 High Gloss White e³ CeramicSteel
 Pair of top beam T-bolts and pair of premium whiteboard infill J-hooks
- 1 Style number 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Surface Materials	Screen print in 7656 Circular Dot, 7657 Grid Pattern, or 7658 Music Staff Lines	Prices below	Specify with screen print and select pattern number.

Spec	Specification Information					
· Dime W	nsions H	• Style Number	·U.S. Base Price	• Option (Add \$ to Base Price)		
:		:	:	Screen Print		
4'	4'	CPBFLM044	\$1188	+\$248		
4'	5'	CPBFLM045	\$1485	+\$312		
4'	6'	CPBFLM046	\$1782	+\$377		
5'	4'	CPBFLM054	\$1485	+\$312		
6'	4'	CPBFLM064	\$1782	+\$377		
7'	4'	CPBFLM074	\$2078	+\$435		
8'	4'	CPBFLM084	\$2376	+\$501		
9'	4'	CPBFLM094	\$2673	+\$559		
10'	4'	CPBFLM104	\$2968	+\$621		
:		· ·	•	•		

Fence Connectors

Fence Connectors for Use with Answer and Kick Panels

Tip: For stability guidelines, reference the Answer Solutions Specification Guide.

Standard Includes

Required to Specify

- ►Need help? Product details, see Answer Solutions Specification Guide.
- Fence connector: 8043 Clear Anodized aluminum
 - Post top cap: 6694 Slate plastic

Style number




- ·U.S. ·Style Number **Price**
- **Left-Hand Fence Connector**

CFENCELC \$139

Right-Hand Fence Connector

CFENCERC \$139



Fence Connectors for Use with Montage Panels

Tip: For stability guidelines, reference the Montage Specification Guide.

Standard Includes

Required to Specify

- ►Need help? Product details, see Montage Specification Guide.
- Fence connector: 8043 Clear Anodized aluminum
- Post top cap: 6694 Slate plastic

Style number

Specification Information


·U.S. Style Number Price

Left-Hand Fence Connector

ZFENCELC \$139

Right-Hand Fence Connector

ZFENCERC \$139



Technology Hubs and Hub Mounts

► Need help?

page 10

Product details,

Technology Hubs






Power/cable Technology management

Tip: Specify hub mounts separately to attach hub to 33"H or 401/2"H posts.

▶ Page 129

Tip: Connectors must be used to connect modular power hub harnesses to modular harnesses.

▶ Page 142





Standard Includes

· Base: 4752 Steel paint only

- · Cover with three inserts—two for power/cable management and one for communication faceplate: 6644 Fusion Dark plastic only
- · Nine simplex receptacles
- · Two 9' flexible conduits with pass-through hardwired hubs
- · One 9' flexible conduit with termination hardwired hubs
- · One 27" harness with termination modular hubs
- One 27" harness and one 33" harness with pass-through modular hubs

Required to Specify

Style number

· Four communication fillers for unused openings

Specification Information					
Circuit	· Style	·U.S.			
:	Number	Price			
:	•	:			

Pass-Through Modular Power Hub

4-Circuit, 3	+1		
Line 1, 2, 3	BPMPH123XX	\$725	
Line 1, 2, 4	BPMPH124XX	\$725	
4-Circuit, 2	+2		
Line 1, 2, 3	BPMPH123XY	\$725	
Line 1, 2, 4	BPMPH124XY	\$725	
3-Circuit, S	eparate Neutrals		
Line 1, 2, 3	BPMPH123XZ	\$725	
:			

Termination Modular Power Hub

4-Circuit, 3	+1			
Line 1, 2, 3	BTMPH123XX	\$725		
Line 1, 2, 4	BTMPH124XX	\$725		
4-Circuit, 2	+2			
Line 1, 2, 3	BTMPH123XY	\$725		
Line 1, 2, 4	BTMPH124XY	\$725		
3-Circuit, S	eparate Neutrals			
Line 1, 2, 3	BTMPH123XZ	\$725		
:	:	:		

[▶] Specification Information, continued on next page

▶ Specification Information, continued from previous page

\$725

Specific	ation Informa	ition
·Circuit	· Style	∙U.S.
:	Number	Price

Pass-Through Hardwired Power Hub 4-Circuit, 3+1

Line 1, 2, 3 BPHPHXX

4-Circuit, 2+2

Line 1, 2, 3 **BPHPHXY** \$725

3-Circuit, Separate Neutrals

Line 1, 2, 3 **BPHPHXZ** \$725

Termination Hardwired Power Hub

4-Circuit, 3+1

Line 1, 2, 3 **BTHPHXX** \$725

4-Circuit, 2+2

► Need help?

Product details, page 12

Line 1, 2, 3 **BTHPHXY** \$725


3-Circuit, Separate Neutrals

Line 1, 2, 3 **BTHPHXZ** \$725

Hub Mounts







Standard Includes

Hub mount: 8044 Black Anodized Aluminum only

Required to Specify

Style number

Specification Information

·	Туре	• Style Number	· U.S. Price		
Y-Post BHMYP \$131	X-Post	внмхр	\$131		
	Y-Post	ВНМҮР	\$131		



Power and Data Strips

Power and Data Strip with Cord, Fence Attachment Bracket

	Standard Includes	Required to Specify
Need help? Product details, page 13	Power and data strip with cord: 8043 Clear Anodized Aluminum cover with black faceplate Fence attachment bracket: 4799 Platinum paint only	Style number

Specification Information						
mension W	ns H	·Style Number	·U.S. Price			
W		Humber	Frice			

Power and Data Strip with Cord, Fence Attachment Bracket

21/4"	101/4"	3"	BPDSPBPL	\$276
			·	

Fence Attachment Bracket Only, Cord Version

N.A.	N.A.	N.A.	BPDSFB	\$ 51







Power and Data Strips with Cord

Standard Includes

Required to Specify

Need help? Product details, page 71 Power and data strip with cord:
 8043 Clear Anodized Aluminum cover with black faceplate

Worksurface attachment bracket, if selected:
 A700 Platinum point and a

4799 Platinum paint only

 Slatwall attachment bracket, if selected: 4799 Platinum paint only

0	ιyι	υı	ıuı	IID	eı

Spe	cifica	tion I	nformation	
·Dim	ensions	;	Style	·U.S.
D	W	н	Number	Price

Power and Data Strip with Cord with Worksurface Attachment Bracket

21/4"	101/4"	3"	BPDSWSPL	\$276
			-	

Power and Data Strip with Cord with Slatwall Attachment Bracket

2½" 10½" 3" **BPDSSWPL** \$276 : : : :

Worksurface Attachment Bracket Only

N.A.	N.A.	N.A.	BPDSWB	\$ 51
			-	

Slatwall Attachment Bracket Only


N.A.	N.A.	N.A.	BPDSSB	\$ 51
			•	







Power and Data Strip with Modular Harness, Fence Attachment Bracket



Standard Includes

Required to Specify

► Need help? Product details, page 13

· Power and data strip with modular harness: 8043 Clear Anodized Aluminum cover with black faceplate · Fence attachment bracket and shroud: 4799 Platinum

Style number

paint only

Specification Information

·Dim	ensions		·Line	· Style	·U.S.
D	W	Н	:	Number	Price
				•	•

4-Circuit, 3+1

With System Ground

with System Ground						
21/4"	101/4"	3"	Line 1	BPDSPB1SHX	\$422	
21/4"	101/4"	3"	Line 2	BPDSPB2SHX	\$422	
21/4"	101/4"	3"	Line 3	BPDSPB3SHX	\$422	
21/4"	101/4"	3"	Line 4	BPDSPB4SHX	\$422	
:			:	:	•	



Power and Cable Management

Horizontal Fence Tubes (Desk- or Standing-Height Beams)

page 13



	Standard Includes	Required to Specify
► Need help?	Tube: 6644 Fusion Dark plastic only	Style number
Product details.	 Attachment clips: 6694 Slate plastic only 	

	ication Info	
Width	· Style Number	·U.S. Price
	:	:
3'4"	BFPT040	\$138
4'	BFPT048	\$158
5'	BFPT060	\$181
6'	BFPT072	\$193
7'	BFPT084	\$204
3'	BFPT096	\$220
9'	BFPT108	\$237
10'	BFPT120	\$260

In-line Post Junction Cover



Need help? Product detail page 14	Cover: 4799 Platinum paint only Attachment hardware	Style number
Specifica Style Number	tion Information U.S. Price	
BXILJC	\$145	

Standard Includes



Required to Specify

Horizontal Overhead Beam Troughs



Tip: Actual trough size is 12 inches shorter to connect with corner troughs. Order a 5 foot trough for use with a 5 foot beam.

Standard Includes

Required to Specify

► Need help? Product details, page 13 • Trough: 4799 Platinum paint only

· Attachment clips: 6694 Slate plastic only

Style number

Specif	ication Info	nation	
·Width	· Style Number	·U.S. Price	
3'4"	BBPT040	\$191	
4'	BBPT048	\$197	
5'	BBPT060	\$228	
6'	BBPT072	\$242	
7'	ВВРТ084	\$258	
8'	ВВРТ096	\$276	
9'	BBPT108	\$293	
10'	BBPT120	\$328	
11'	BBPT132	\$361	
12'	BBPT144	\$366	
13'	BBPT156	\$432	
14'	BBPT168	\$465	
15'	BBPT180	\$500	
16'	BBPT192	\$536	
:	:	•	

Overhead Corner Troughs and Beam Filler Trough

•	Need help?
	Product details,
	page 13

·Style

Number

• Trough: 6644 Fusion Dark plastic only

Standard Includes

Style number

Required to Specify

X



90° Corner Trough

Specification Information

·U.S.

Price

TJ	090	;	\$

120° Corner Trough

BTJ120 \$

Beam Filler Trough

BTJI \$33

Cord/Cable Manager Clips



Standard Includes	Required to Specify
Package of 20 clips: 6994 Slate plastic only	Style number

Specifica	ation Information
•Style Number	· U.S. Price
ВССМ	\$73



Vertical Post Tubes

Standard Includes

Required to Specify

Style number

► Need help? Product details, page 13

- Tube front: 6644 Fusion Dark plastic only
- Tube back: 6644 Fusion Dark plastic only
- · Bracket: 4799 Platinum paint only
- Transition, if applicable: 4799 Platinum paint only
- Floor transition, if applicable: 4799 Platinum paint only

S	pecificati	ion In	forma	tion
_	pecilicati			ш

·Type	· Style	·U.S.
	Number	Price

For Desk-Height Beam to Trough Applications

X-Post	BXPTLFT66	\$270
Y-Post	BYPTLFT66	\$270
	•	•

For Standing-Height Beam to Trough Applications

X-Post	BXPTHFT59	\$241
Y-Post	BYPTHFT59	\$241
	:	:

For Desk-Height Hub to Trough Applications

X-Post	BXTLHT52	\$180
Y-Post	BYTLHT52	\$180
:	:	:

For Standing-Height Hub to Trough Applications

▶ Specification Information, continued on next page











▶ Specification Information, continued from previous page

Speci	fication Info	rmation
Туре	· Style	·U.S.
:	Number	Price
:	:	:

For Floor to Trough Applications

X-Post	BXPTFT87	\$299
Y-Post	BYPTFT87	\$299
:		:

For Floor to Desk-Height Hub Applications

X-Post	BXPFLH31	\$207	
Y-Post	BYPFLH31	\$207	
:	:	:	

For Floor to Standing-Height Hub Applications

X-Post	BXPFHH39	\$228
Y-Post	ВҮРГНН39	\$228
	1	
•	•	·

For Floor to Desk-Height Fence Beam Applications

X-Post	BXPFLF15	\$207
Y-Post	BYPFLF15	\$207

▶ Specification Information, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

▶ Specification Information, continued from previous page

Specification Information Type Style U.S. Number Price

For Floor to Desk-Height Hub and Fence Beam Applications

X-Post	BXTFLFH31	\$207
Y-Post	BYTFLFH31	\$207



Tip: Tubes for floor-to-hub and fence beam applications, style numbers **BXTFLFH31** and **BYTFLFH31**, contain an opening that allows cables to route from vertical post tube to horizontal fence tube.

For Floor to Standing-Height Hub and Fence Beam Applications

Y-Post BYTFHH39 \$228	X-Post	вхтгннз9	\$228		
	Y-Post	вүтгнн39	\$228		




Tip: Tubes for floor-to-hub and fence beam applications, style numbers **BXTFHH39** and **BYTFHH39**, contain an opening that allows cables to route from vertical post tube to horizontal fence tube.

For Hub to Bottom of Fence Beam Applications

X-Post	BXPTHF11	\$180
Y-Post	BYPTHF11	\$180



Ceiling Infeed Tubes



Tip: Ceiling infeed tubes must be placed over a post and support a maximum ceiling height of 14'10".

Standard Includes

Required to Specify

 Ceiling infeed: 4799 Platinum paint only ► Need help? Product details,

• Tubes: 6644 Fusion Dark plastic only · Trim plates, left and right: 4799 Platinum paint only Style number

Specific	cation Inf	ormation	
·Height	• Туре	• Style Number	·U.S. Price
871/2"	X-Post	BXCIT	\$337
871/2"	Y-Post	BYCIT	\$337

Junction Box Connector Brackets



X-Post Bracket



Y-Post Bracket

•	Need help?
	Product details,
	page 13

page 14

· Carton of 10 brackets: plated metal

Standard Includes

Required to Specify

Style number

Specif	ication Inf	ormation
Туре	•Style Number	·U.S. Price
X-Post	BXJBCK	\$78
Y-Post	ВУЈВСК	\$78



Modular Harnesses



Tip: Remember to order connectors, which are required to connect two modular harnesses or to connect a modular harness to a hub harness.

Page 142

Standard Includes Required to Specify

► Need help? Product details, page 24 Harness

Style number

			Non-PVC	•	
Length	• Style Number	·U.S. Price	·Length	• Style Number	·U.S. Pric
Circui	it, 3+1		· ·		•
2"	GSGUH12X	\$158	12"	GSGUH12XN	\$172
ı	GSGUH22X	\$158	22"	GSGUH22XN	\$172
)"	GSGUH28X	\$158	28"	GSGUH28XN	\$172
)II	GSGUH32X	\$158	32"	GSGUH32XN	\$172
"	GSGUH38X	\$158	38"	GSGUH38XN	\$172
! "	GSGUH44X	\$180	44"	GSGUH44XN	\$194
O"	GSGUH50X	\$180	50"	GSGUH50XN	\$194
4"	GSGUH54X	\$191	54"	GSGUH54XN	\$202
1"	GSGUH64X	\$210	64"	GSGUH64XN	\$230
6"	GSGUH76X	\$228	76"	GSGUH76XN	\$248
)"	GSGUH88X	\$260	88"	GSGUH88XN	\$274
0"	GSGUH100X	\$282	100"	GSGUH100XN	\$296
20"	GSGUH120X	\$332	120"	GSGUH120XN	\$345
4"	GSGUH144X	\$377	144"	GSGUH144XN	\$391
-Circui	it, 2+2	·	<u> </u>		•
2"	GSGUH12Y	\$158	12"	GSGUH12YN	\$172
2"	GSGUH22Y	\$158	22"	GSGUH22YN	\$172
3"	GSGUH28Y	\$158	28"	GSGUH28YN	\$172
2"	GSGUH32Y	\$158	32"	GSGUH32YN	\$172
8"	GSGUH38Y	\$158	38"	GSGUH38YN	\$172
4"	GSGUH44Y	\$180	44"	GSGUH44YN	\$194
0"	GSGUH50Y	\$180	50"	GSGUH50YN	\$194
1"	GSGUH54Y	\$191	54"	GSGUH54YN	\$202
1"	GSGUH64Y	\$210	64"	GSGUH64YN	\$230
6"	GSGUH76Y	\$228	76"	GSGUH76YN	\$248
3"	GSGUH88Y	\$260	88"	GSGUH88YN	\$274
00"	GSGUH100Y	\$282	100"	GSGUH100YN	\$296
20"	GSGUH120Y	\$332	120"	GSGUH120YN	\$345
4"	GSGUH144Y	\$377	144"	GSGUH144YN	\$391
	:	:		:	



[▶] Specification Information, continued on next page

▶ Specification Information, continued from previous page

Specification Information						
			Non-PV	Non-PVC		
Length	•Style Number	·U.S. Price	Length	• Style Number	·U.S. Price	
3-Circui	t, Separate Ne	utrals	<u>·</u>	·		
12"	GSGUH12Z	\$158	12"	GSGUH12ZN	\$172	
22"	GSGUH22Z	\$158	22"	GSGUH22ZN	\$172	
28"	GSGUH28Z	\$158	28"	GSGUH28ZN	\$172	
32"	GSGUH32Z	\$158	32"	GSGUH32ZN	\$172	
38"	GSGUH38Z	\$158	38"	GSGUH38ZN	\$172	
44"	GSGUH44Z	\$180	44"	GSGUH44ZN	\$194	
50"	GSGUH50Z	\$180	50"	GSGUH50ZN	\$194	
54"	GSGUH54Z	\$191	54"	GSGUH54ZN	\$202	
64"	GSGUH64Z	\$210	64"	GSGUH64ZN	\$230	
76"	GSGUH76Z	\$228	76"	GSGUH76ZN	\$248	
88"	GSGUH88Z	\$260	88"	GSGUH88ZN	\$274	
100"	GSGUH100Z	\$282	100"	GSGUH100ZN	\$296	
120"	GSGUH120Z	\$332	120"	GSGUH120ZN	\$345	
144"	GSGUH144Z	\$377	144"	GSGUH144ZN	\$391	





Connectors




Tip: Branching harness-toharness connectors can be placed in troughs or fence tubes only. They do not fit in vertical post tubes. Regular harness-to-harness connectors fit anywhere.

Standard Includes Need help? Product details, page 12 Standard Includes Required to Specify Style number

Specification Information				
Description	• Style Number	· U.S. Price		
4-Circuit, 3+1				
Harness-to-harness	вннсх	\$60		
Branching harness-to-harness	GQTUHCX	\$79		
4-Circuit, 2+2	•			
Harness-to-harness	вннсч	\$60		
Branching harness-to-harness	GQTUHCY	\$79 ·		
	eutrals	•		
Harness-to-harness	вннси	\$60		
Branching harness-to-harness	GQTUHCZ	\$79		
:	:	:		



Multipurpose Power Infeeds



Tip: Modular connector receptacle covers a standard 49/16" square junction box.

Tip: Municipal building codes vary. Review installation requirements with local inspector prior to installation to ensure all guidelines are met.

Standard Includes

Required to Specify

Style number

Need help?
Product details,
page 26


- Junction box fittings for hardwired connection, if selected
- · Modular connector, if selected
- · Modular connector receptacle included with
- modular option
 Conduit: metal

Non-PVC Length Style Number Price Length Style Number Style Number Price 12' Hardwire GsGufmH12XN \$627 12' Hardwire GsGufmH12X \$627 12' Hardwire GsGufmH12X \$627 12' Hardwire GsGufmH12X \$627 12' Hardwire GsGufmH12X \$627 12' Hardwire GsGuf	Specificat	ion Information				
Number Price Number Price Number Price Number Price Number Price Number Price Price Number Price Number Price Pric				Non-PVC	,	
2' Hardwire	Length			Length		·U.S. Price
2' Modular	4-Circuit, 3	B+1	•	<u> </u>	<u>. </u>	•
4' Hardwire	12' Hardwire	GSGUFMH12X	\$424	12' Hardwire	GSGUFMH12XN	\$437
4' Modular	12' Modular	GSGUFMM12X	\$541	12' Modular	GSGUFMM12XN	\$553
1-Circuit, 2+2 12' Hardwire GSGUFMH12Y \$424 12' Hardwire GSGUFMH12YN \$437 12' Modular GSGUFMM12YN \$554 12' Modular GSGUFMM12YN \$554 12' Modular GSGUFMM12YN \$627 12' Modular GSGUFMM24YN \$627 12' Modular GSGUFMM24YN \$745 12' Modular GSGUFMM24YN \$745 12' Hardwire GSGUFMM12ZN \$437 12' Modular GSGUFMM12ZN \$437 12' Modular GSGUFMM12ZN \$555 12' Modular GSGUFM12ZN \$555 12' Mod	24' Hardwire	GSGUFMH24X	\$612	24' Hardwire	GSGUFMH24XN	\$627
2' Hardwire GSGUFMH12Y \$424 12' Hardwire GSGUFMH12YN \$437 2' Modular GSGUFMM12Y \$541 12' Modular GSGUFMM12YN \$552 4' Hardwire GSGUFMH24Y \$612 24' Hardwire GSGUFMH24YN \$627 4' Modular GSGUFMM24Y \$722 24' Modular GSGUFMM24YN \$745 3'-Circuit, Separate Neutrals 2' Hardwire GSGUFMH12Z \$424 12' Hardwire GSGUFMH12ZN \$437 2' Modular GSGUFMM12Z \$541 12' Modular GSGUFMM12ZN \$550 4' Hardwire GSGUFMH24Z \$612 24' Hardwire GSGUFMH24ZN \$627	24' Modular	GSGUFMM24X	\$722	24' Modular	GSGUFMM24XN	\$743
2' Modular GSGUFMM12Y \$541 12' Modular GSGUFMM12YN \$553 4' Hardwire GSGUFMH24Y \$612 24' Hardwire GSGUFMH24YN \$627 4' Modular GSGUFMM24Y \$722 24' Modular GSGUFMM24YN \$743 B-Circuit, Separate Neutrals 2' Hardwire GSGUFMH12Z \$424 12' Hardwire GSGUFMH12ZN \$432 2' Modular GSGUFMM12Z \$541 12' Modular GSGUFMM12ZN \$553 4' Hardwire GSGUFMH24Z \$612 24' Hardwire GSGUFMH24ZN \$627	4-Circuit, 2	2+2	•	<u> </u>		
4' Hardwire	12' Hardwire	GSGUFMH12Y	\$424	12' Hardwire	GSGUFMH12YN	\$437
4' Modular GSGUFMM24Y \$722 24' Modular GSGUFMM24YN \$745 B-Circuit, Separate Neutrals 2' Hardwire GSGUFMH12Z \$424 12' Hardwire GSGUFMH12ZN \$437 2' Modular GSGUFMM12Z \$541 12' Modular GSGUFMM12ZN \$550 4' Hardwire GSGUFMH24Z \$612 24' Hardwire GSGUFMH24ZN \$627	12' Modular	GSGUFMM12Y	\$541	12' Modular	GSGUFMM12YN	\$553
B-Circuit, Separate Neutrals 2' Hardwire GSGUFMH12Z \$424 12' Hardwire GSGUFMH12ZN \$437 2' Modular GSGUFMM12Z \$541 12' Modular GSGUFMM12ZN \$553 4' Hardwire GSGUFMH24Z \$612 24' Hardwire GSGUFMH24ZN \$627	24' Hardwire	GSGUFMH24Y	\$612	24' Hardwire	GSGUFMH24YN	\$627
2' Hardwire GSGUFMH12Z \$424 12' Hardwire GSGUFMH12ZN \$437 2' Modular GSGUFMM12Z \$541 12' Modular GSGUFMM12ZN \$553 4' Hardwire GSGUFMH24Z \$612 24' Hardwire GSGUFMH24ZN \$627	24' Modular	GSGUFMM24Y	\$722	24' Modular	GSGUFMM24YN	\$743
2' Modular GSGUFMM12Z \$541 12' Modular GSGUFMM12ZN \$553 4' Hardwire GSGUFMH24Z \$612 24' Hardwire GSGUFMH24ZN \$627	3-Circuit, S	Separate Neutrals	}	<u> </u>		
4' Hardwire GSGUFMH24Z \$612 24' Hardwire GSGUFMH24ZN \$627	12' Hardwire	GSGUFMH12Z	\$424	12' Hardwire	GSGUFMH12ZN	\$437
	12' Modular	GSGUFMM12Z	\$541	12' Modular	GSGUFMM12ZN	\$553
4' Modular GSGUFMM24Z \$722 24' Modular GSGUFMM24ZN \$745	24' Hardwire	GSGUFMH24Z	\$612	24' Hardwire	GSGUFMH24ZN	\$627
	24' Modular	GSGUFMM24Z	\$722	24' Modular	GSGUFMM24ZN	\$743



Accessories

Wall Start Kit for Overhead Beam



Tip: Wall start brackets allow for 90° connections only.

Standard Includes	Required to Specify
Wall start cover: 6694 Slate plastic onlyConnector plate	Style number

Specifica	Specification Information				
•Style Number	· U.S. Price				
BWSK	\$261 :				

Wall Start Kit for Trough



Tip: Wall start kit for trough must be used with wall start kit for beam. Troughs are used on overhead beams only and allow for 90° connection to wall only.

Standard Includes	Required to Specify
Trough grommet: 6694 Slate plastic onlyTrough start: 4799 Platinum only	Style number

Specification Information				
•Style Number	· U.S. Price			
BWSTK	\$261 ·			



Screens



Tip: When putting screens on a 48" beam, a 42" screen will work if zero or one hub is present on the ends. If a hub is present on each end, a 36" screen will fit a 48" beam. When putting screens on a 3'4" beam, a 30" screen will fit if no hubs are present. If hubs (1 or 2) are present, a 24" screen is the only size that will fit.

Tip: You **must** specify attachment hardware when mounting screens on heams

	Standard Includes	Required to Specify
Need help? Product details.	Screen: knit Foot for light scale screen: 4799 Platinum only	Style number Color number for knit screen
page 10	, , , , , , , , , , , , , , , , , , ,	See Surface Materials, page 256.

Specification Information			
·Width	·Style Number	·U.S. Price	
15"H K	nit Screen		
24"	DALK24	\$260	
30"	DALK30	\$285	
36"	DALK36	\$306	
42"	DALK42	\$330	

Screen Attachment Hardware for Post and Beam Fence



	Standard Includes	Required to Specify
Need help? Product details, page 11	Attachment hardware 4799 Platinum	Style number

Specific	ation Information
•Style Number	· U.S. Price
DSTNUT	\$30



Curtain Hooks



Tip: See Instructions To Create a Post and Beam Curtain, page 28.

	Standard Includes	Required to Specify
Need help? Product details,	Package of 20 curtain hooks: 6994 Slate plastic only	Style number

Specification Information	
Style Number	· U.S. Price
ВСН	\$110 ·

Fence Beam Dust Covers



	Standard Includes	Required to Specify
Need help? Product details, page 11	 Package of 10 10-foot dust covers: 8043 Clear Anodized Aluminum only 	Style number



Related Products

▶ See Meeting Spaces Specification

Accessory Supports

Huddleboard Adapter Bracket



Tip: This bracket replaces the standard Huddleboard bracket and attaches to the side of the beam.

	Standard Includes	Required to Specify
Need help? Product details, page 10	 Package of ten adapter brackets: 6643 Fusion Light plastic only 	Style number

Huddleboard

		Guide.
Specific	ation Information	
•Style Number	· U.S. Price	
ВНАВ	\$104	

Accessory Mounting Hook





Tip: Maximum load per hook is 50 pounds.

Standard Includes	Required to Specify
Collar: 6694 Slate plastic onlyHook: 4799 Platinum paint only	Style number

Specific	Specification Information	
•Style Number	· U.S. Price	
ВАМВ	\$29	

Post Top Caps

For Use on 95"H Posts



X-Post Top Cap



Y-Post Top Cap

	Standard Includes	Required to Specify
Need help? Product details, page 10	Top cap: 6694 Slate plastic only	Style number

Specif	fication Inf	ormation		
Туре	·Style Number	·U.S. Price		
X-Post	ВХРТС	\$29		
Y-Post	ВҮРТС	\$29		



Post Base Shim



	Standard Includes	Required to Specify
Need help? Product details,	• Package of 20, 1/8"-thick shims: plastic	Style number

Specification Information								
•Style Number	· U.S. Price							
BPCS	\$159 :							



Vorksurface:

Specifying Worksurfaces and Related Products

Worksurfaces

Jniversal Tables	151
Vorksurface Screens	175
Norksurface Power and Communication	177

Specifying Universal Tables

Tables	
Straight Tables	152
Transition Tables	154
Corner, 120° Tables	156
Capsule Tables	157
Spanner Tables	158
Peninsula Table	159
Tapered Peninsula Tables	160
Bubble Jetty Tables	161
Round Tables	162
Square Tables	163
Rectangle Tables	164
Oval Tables	165
Hex Conference Tables	166
Tethered Capsule Tables	167
Bases for Universal Tables	168
Legs and Tether Bracket for Universal Tables	169

Straight Tables

High-Pressure Laminate or Wood Veneer

► Need help?

page 40

Product details,



Standard Includes

• Table: High-Pressure Laminate price group 1 or wood group 1 veneer

- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides

Required to Specify

- Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge SW Wood with square edge
- See edge profiles at right.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 256.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For base and leg support guidelines, see Table and Base Combinations, page 50 and Table and Leg Combinations, page 51.

Tip: Tether brackets to attach to Post and Beam fence must be specified separately.


	Options	U.S. Price	Required to Specify					
Surface	High-Pressure Laminate tables							
Materials	Laminate price group 2 Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. See Surface Materials Reference Manual.					
	Wood veneer tables							
	 Wood group 2 	See information at left	Specify wood color number.					
	Wood group 3	See information at left	Specify wood color number.					
	Customiz stain	No cost	Specify with Customiz stain.					
			See Surface Materials Reference Manu					
	 Full-fill finish on wood group 1 	Prices at right	Specify full-fill finish number.					
Reinforcing Channel	 Reinforcing channel (available on 66"W and wider tables) 	No cost	Specify with reinforcing channel.					
Related	Bases for Universal Tables		▶Page 168					
Products	 Legs and tether bracket for Un 	iversal Tables	▶ Page 169					
	Worksurface screens		▶ Page 176					
	 Worksurface power and comm 	unication components	▶ Page 177					



Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFS2430 becomes BFS2430P for edge profile.)

Specification Information

U.S. Base Prices High-Pressure Laminate Wood · Dimensions · Style ·Plastic ·Plastic ·Wood · Option Number 3 mm P-Edge **Square** (Add \$ to Edge Edge Base Price) Full-Fill Finish on **No Suffix** Suffix Suffix Wood SW Group 1 293/4" **BFS2430** \$ 823 +\$40 24" \$258 \$312 24" 353/4" **BFS2436** \$275 \$329 \$ 849 +\$41 24" 413/4" BFS2442 \$298 \$362 \$ 942 +\$46 24" 473/4" **BFS2448** \$351 \$415 \$1021 +\$47 24" 533/4" BFS2454 \$443 \$1054 +\$49 \$379 24" 593/4" **BFS2460** \$405 \$482 \$1159 +\$52 24" 653/4" **BFS2466** \$446 \$523 \$1222 +\$54 24" 713/4" BFS2472 \$503 \$580 \$1299 +\$56 24" 773/4" **BFS2478** \$551 \$628 \$1366 +\$57 353/4" BFS3036 \$381 \$435 30" \$ 997 +\$43 30" 413/4" **BFS3042** \$412 \$466 \$1096 +\$47 30" 473/4" **BFS3048** \$457 \$521 \$1166 +\$49 533/4" BFS3054 \$488 30" \$552 \$1214 +\$50 30" 593/4" **BFS3060** \$525 \$589 \$1323 +\$54 30" 653/4" **BFS3066** \$565 \$642 \$1388 +\$56 30" 713/4" **BFS3072** \$613 \$690 \$1459 +\$57 30" 773/4" **BFS3078** \$664 \$741 \$1528 +\$59



Transition Tables

High-Pressure Laminate or Wood Veneer

► Need help?

page 40

Product details,



Tip: Illustration above shows a left-hand table.

Standard Includes

- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides

Required to Specify

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- See edge profiles at right.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below)
- ► See Surface Materials, page 256.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs.

Tip: Legs to support Universal tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations.

Page 51


Tip: Tether brackets to attach to Post and Beam fence must be specified separately.

	Options	U.S. Price	Required to Specify					
Surface	High-Pressure Laminate tables							
Materials	Laminate price group 2Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. See Surface Materials Reference Manual.					
	Wood veneer tables							
	 Wood group 2 	See information at left	Specify wood color number.					
	Wood group 3	See information at left	Specify wood color number.					
	Customiz stain	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.					
	 Full-fill finish on wood group 1 	Prices at right	Specify full-fill finish number.					
Reinforcing Channel	 Reinforcing channel (available on 66"W and wider tables) 	No cost	Specify with reinforcing channel.					
Related	Legs and tether bracket for United States	iversal tables	▶ Page 169					
Products	 Worksurface screens 		▶ Page 176					
	 Worksurface power and comm 	unication components	▶ Page 177					




Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BZC302460 becomes BZC302460P for P-edge profile.)

		U.S. Base	Prices			
		Laminate		Wood		
Dimensions	Style	Plastic	Plastic	·Wood	Option	
A B C	Number	3 mm Edge	P-Edge	Square Edge	(Add \$ to Base Price)	
		: :		:	: · Full-Fill	
		:	:	:	Finish on	
	:	No Suffix	Suffix	Suffix	; Wood	
		•	· P	SW	· Group 1	



30" 24" 593/4" BZC302460 \$744 \$ 876 \$1709 +\$57 30" 24" 653/4" BZC302466 \$779 \$ 911 \$1759 +\$59 30" 24" 713/4" BZC302472 \$810 \$ 942 \$1801 +\$62 773/4" \$ 974 BZC302478 \$1841 30" 24" \$832 +\$64 36" 30" 593/4" BZC363060 \$832 \$ 974 \$1841 +\$73 36" 30" 653/4" BZC363066 \$864 \$1006 \$1884 +\$64 36" 30" 713/4" BZC363072 \$885 \$1039 \$1924 +\$65 36" 30" 773/4" BZC363078 \$922 \$1076 \$1963 +\$69




Rig	Right-Hand Tables								
24"	30"	593/4"	BZC243060	\$744	\$ 876	\$1709	+\$57		
24"	30"	65¾"	BZC243066	\$779	\$ 911	\$1759	+\$59		
24"	30"	713⁄4"	BZC243072	\$810	\$ 942	\$1801	+\$62		
24"	30"	773/4"	BZC243078	\$832	\$ 974	\$1841	+\$64		
30"	36"	593/4"	BZC303660	\$832	\$ 974	\$1841	+\$73		
30"	36"	65¾"	BZC303666	\$864	\$1006	\$1884	+\$64		
30"	36"	713⁄4"	BZC303672	\$885	\$1039	\$1924	+\$65		
30"	36"	773/4"	BZC303678	\$922	\$1076	\$1963	+\$69		
:			:	:	:	:	:		



Corner, 120° Tables

Laminate or Wood Veneer



Standard Includes

Required to Specify

- ► Need help? Product details, page 40
- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge SW Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 256.

For wood group 2, wood group 3, and laminate price group 2 pricing,

please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations.
▶Page 51

Tip: Tether brackets to attach to Post and Beam fence must be specified separately.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFB223636 becomes BFB223636SW for wood square edge profile.)

Tip: Screens can be used on corner, 120° tables.

- 24"W screens can be used on tables with dimensions C and D each equal to 43".
- 24"W and 30"W screens can be used on tables with dimensions C and D each equal to 49".
 Tip: Corner, 120° tables

Tip: Corner, 120° tables with dimensions C and D each equal to 37" cannot accommodate screens.

	Options	U.S. Price	Required to Specify				
Surface	High-Pressure Laminate tables						
Materials	Laminate price group 2Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. ▶ See Surface Materials Reference Manual.				
	Wood veneer tables	·					
	 Wood group 2 	See information at left See information at left No cost	Specify wood color number.				
	 Wood group 3 		Specify wood color number.				
	Customiz stain		Specify with Customiz stain. See Surface Materials Reference Manual.				
	 Full-fill finish on wood group 1 	Prices below	Specify full-fill finish number.				
Related	Legs and tether bracket for United States	iversal tables	▶ Page 169				
Products	 Worksurface screens 		▶ Page 176				
	 Worksurface power and comm 	unication components	▶ Page 177				

Sp	eci	fica	tior	ı Inf	ormation				
						U.S. Base High-Press Laminate		Wood	
· Dir	men: B	sion: C	s D	E	Style Number	· Plastic 3 mm	· Plastic P-Edge	· Wood · Square	• Option • (Add \$ to
:	_		_	_	:	Edge	:	Edge	Base Price)
:						•	:	:	Full-Fill
:					:	No Suffix	Suffix	Suffix	Finish on Wood
<u>:</u>					:	:	P	sw	Group 1
24"	24"	37"	37"	62"	BFB223636	\$ 964	\$1068	\$1863	+\$84
24"	24"	43"	43"	73"	BFB224242	\$1005	\$1109	\$1922	+\$88
24"	24"	49"	49"	83"	BFB224848	\$1038	\$1142	\$1973	+\$89
30"	30"	43"	43"	73"	BFB334242	\$1038	\$1142	\$1973	+\$89
30"	30"	49"	49"	83"	BFB334848	\$1079	\$1183	\$2027	+\$92
					•		•		•


Capsule Tables

High-Pressure Laminate or Wood Veneer

► Need help?

page 40

Product details,



Standard Includes

 Table: High-Pressure Laminate price group 1 or wood group 1 veneer

 Laminate table: plastic 3 mm edge profile or P-edge profile on all sides

U.S. Base Prices

 Wood table: wood square 3 mm edge profile on all sides

Required to Specify

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge SW Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- See Surface Materials, page 256.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For base and leg support guidelines, see Table and Base Combinations, page 50 and Table and Leg Combinations, page 51.

Tip: Tether brackets to attach to Post and Beam fence must be specified separately.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFK3672 becomes BFK3672SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify					
Surface	High-Pressure Laminate tables							
Materials	Laminate price group 2Open Line laminate	See information at left +\$74	Specify laminate color number. See Surface Materials Reference Manual.					
	Open Line laminate	plus cost of laminate	See Surface Materials neterence Manual.					
	Wood veneer tables							
	 Wood group 2 	See information at left	Specify wood color number.					
	 Wood group 3 	See information at left	Specify wood color number.					
	 Customiz stain 	No cost	Specify with Customiz stain.					
			See Surface Materials Reference Manual.					
	 Full-fill finish on wood group 1 	Prices below	Specify full-fill finish number.					
Reinforcing Channel	 Reinforcing channel (available on 66"W and wider tables) 	No cost	Specify with reinforcing channel.					
Related	Bases for Universal Tables		▶Page 168					
Products	 Legs and tether bracket for Uni 	iversal Tables	▶ Page 169					
	 Worksurface screens 		▶ Page 176					
	 Worksurface power and commit 	▶ Page 177						

Specification Information

			High-Press Laminate	ure	Wood		
· Dir	mensions B	• Style Number	·Plastic 3 mm Edge	Plastic P-Edge	· Wood Square Edge	• Option (Add \$ to Base Price)	
			No Suffix	Suffix P	Suffix SW	Full-Fill Finish on Wood Group 1	
24"	48"	BFK2448	\$ 601	\$ 705	N.A.	N.A.	
30"	60"	BFK3060	\$ 675	\$ 807	N.A.	N.A.	
36"	72"	BFK3672	\$ 809	\$1001	\$2299	+\$ 98	
42"	84"	BFK4284	\$1220	\$1422	\$2548	+\$103	
48"	96"	BFK4896	\$1445	\$1647	\$2799	+\$106	



For Canadian Pricing Multiply U.S. Price by the

Canadian price factor.

See page 1 for details.

Spanner Tables

High-Pressure Laminate or Wood Veneer



Standard Includes

Required to Specify

► Need help? Product details, page 40

Specification Information

BFSP60

BFSP64

\$590

\$620

60"

36" 36" 64"

- Table: High-Pressure Laminate price group 1 or wood group 1 veneer
- · Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 256.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations.

Page 51

Tip: Tether brackets to attach to Post and Beam fence must be specified separately.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFSP48 becomes BFSP48SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Laminate	tables			
Materials	Laminate price group 2 Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. See Surface Materials Reference Manual.		
	Wood veneer tables				
	 Wood group 2 	See information at left	Specify wood color number.		
	Wood group 3	See information at left	Specify wood color number.		
	Customiz stain	No cost	Specify with Customiz stain.		
			See Surface Materials Reference Manual.		
	Full-fill finish on wood group 1 Prices below		Specify full-fill finish number.		
Related	Legs and tether bracket for United States	▶ Page 169			
Products	Worksurface screens		▶ Page 176		
	 Worksurface power and comm 	unication components	▶ Page 177		

		U.S. Base Prices High-Pressure Laminate		Wood		
Dimensions	Style	Plastic	Plastic	Wood	·Option	
A B	Number	3 mm Edge	P-Edge	Square Edge	(Add \$ to Base Price)	
:	:	Eage	:	Eage	: Dase Filce)	
			:		· · Full-Fill	
•					Finish on	
:		No Suffix	Suffix	Suffix	Wood	
:	:	:	; P	SW	: Group 1	
30" 48"	BFSP48	\$528	\$632	\$1311	+\$65	
30" 52"	BFSP52	\$561	\$665	\$1311	+\$69	

\$1624

\$1625

+\$70

+\$71



\$694

\$724

Peninsula Table

High-Pressure Laminate or Wood Veneer



Standard Includes

Required to Specify

► Need help? Product details, page 40

- Tables: High-Pressure Laminate price group 1 or wood group 1 Style number with appropriate edge 1 veneer
- · Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 256.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Universal tables must be

Tip: For leg and support guidelines, see Table and Leg Combinations. Page 51

Tip: Legs to support

specified separately.

Tip: Tether brackets to attach to Post and Beam fence must be specified separately.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFP2736 becomes BFP2736SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify					
Surface	High-Pressure Laminate tables							
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.					
	 Open Line laminate 	+\$74	See Surface Materials Reference Manual.					
		plus cost of laminate						
	Wood veneer tables							
	 Wood group 2 	See information at left	Specify wood color number.					
	Wood group 3	See information at left	Specify wood color number.					
	 Customiz stain 	No cost	Specify with Customiz stain.					
			See Surface Materials Reference Manual.					
	 Full-fill finish on wood group 1 	Prices below	Specify full-fill finish number.					
Related	Legs and tether bracket for United States 1	iversal tables	▶ Page 169					
Products	 Worksurface screens 		▶ Page 176					

Specification Information U.S. Base Prices

High-Pressure Laminate Wood ·Plastic Wood ·Option Dimensions ·Style Plastic В Number 3 mm P-Edge **Square** (Add \$ to Base Price) Edge Edge Full-Fill Finish on **No Suffix Suffix Suffix** Wood SW Group 1 27" 36" **BFP2736** \$516 \$593 \$1222 +\$63



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.


Tapered Peninsula Tables

High-Pressure Laminate or Wood Veneer

► Need help?

page 40

Product details,



Standard Includes

• Table: High-Pressure Laminate price group 1 or wood group 1 veneer

- · Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides

Required to Specify

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 256.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations.

Page 51

Tip: Tether brackets to attach to Post and Beam fence must be specified separately.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFTP48 becomes BFTP48SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	tables	
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.
	 Open Line laminate 	+\$74	► See Surface Materials Reference Manual.
		plus cost of laminate	
	Wood veneer tables		
	 Wood group 2 	See information at left	Specify wood color number.
	Wood group 3	See information at left	Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	Prices below	Specify full-fill finish number.
Related	Legs and tether bracket for United	▶ Page 169	
Products	 Worksurface screens 		▶ Page 176
	 Worksurface power and comm 	unication components	▶ Page 177

				U.S. Base High-Press Laminate		Wood		
Din A	nens B	ions C	•Style Number	• Plastic 3 mm Edge	• Plastic P-Edge	· Wood Square Edge	• Option (Add \$ to Base Price)	
				No Suffix	Suffix P	Suffix SW	Full-Fill Finish on Wood Group 1	
27"	32"	48"	BFTP48	\$720	\$852	\$1653	+\$57	
33"	40"	60"	BFTP60	\$735	\$867	\$1716	+\$62	



4 Options, if selected (see below) ► See Surface Materials, page 256.

Bubble Jetty Tables

High-Pressure Laminate or Wood Veneer

	Standard Includes	Required to Specify
Need help? Product details, page 40	 Table: High-Pressure Laminate price group 1 or wood group 1 veneer Laminate table: plastic 3 mm edge profile or P-edge profile on all sides Wood table: wood square 3 mm edge profile on all sides 	oup 1 Style number with appropriate edge profile suffix P Laminate with plastic P-edge SW Wood with square edge See edge profiles below. 2 High-Pressure Laminate or wood color number for table 3 Plastic color number for edge on laminate table, if selected


For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.


Tip: Legs to support Universal tables must be specified separately.


Tip: For leg and support guidelines, see Table and Leg Combinations. ▶ Page 51

Tip: Tether brackets to attach to Post and Beam fence must be specified separately.

Tip: To specify 3 mm edge becomes BFJ2472SW for wood square edge (profile.)







	Options	U.S. Price	Required to Specify					
Surface	High-Pressure Laminate tables							
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.					
	 Open Line laminate 	+\$74	See Surface Materials Reference Manual.					
		plus cost of laminate						
	Wood veneer tables							
	 Wood group 2 	See information at left See information at left	Specify wood color number. Specify wood color number.					
	Wood group 3							
	Customiz stain No cost		Specify with Customiz stain.					
			See Surface Materials Reference Manual.					
	 Full-fill finish on wood group 1 	Prices below	Specify full-fill finish number.					
Related	Legs and tether bracket for Uni	versal tables	▶ Page 169					
Products	Worksurface screens		▶ Page 176					
	 Worksurface power and commit 	▶ Page 177						

Wood

·Option

Full-Fill Finish on Wood Group 1

(Add \$ to Base Price)

Specification Information

Left-Hand Tables

		Laminate		wood	
Dimensions A B	• Style Number	Plastic 3 mm Edge	• Plastic P-Edge	• Wood Square Edge	
		No Suffix	Suffix P	Suffix	

U.S. Base Prices

High-Pressure

24" 72" BFJ2472L \$1085 \$1277 \$2328 +\$87 78" **BFJ2478L** \$1120 \$1312 \$2377 +\$92 30" 72" BFJ3072L \$1120 \$1312 \$2377 +\$92 30" 78" **BFJ3078L** \$1157 \$1349 \$2545 +\$97

Rig	Right-Hand Tables					
24"	72"	BFJ2472R	\$1085	\$1277	\$2328	+\$87
24"	78"	BFJ2478R	\$1120	\$1312	\$2377	+\$92
30"	72"	BFJ3072R	\$1120	\$1312	\$2377	+\$92
30"	78"	BFJ3078R	\$1157	\$1349	\$2545	+\$97
:		•		•		

Round Tables

High-Pressure Laminate or Wood Veneer



Standard Includes

Required to Specify

► Need help? Product details, page 40

- Table: High-Pressure Laminate price group 1 or wood group 1 Style number with appropriate edge 1 veneer
- · Laminate table: plastic 3 mm edge profile or P-edge profile on all sides

U.S. Base Prices

- Wood table: wood square 3 mm edge profile on all sides
- profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 256.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For base and leg support guidelines, see Table and Base Combinations, page 50 and Table and Leg Combinations, page 51.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFR36 becomes BFR36SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify	
Surface	High-Pressure Laminate	tables		
Materials	Laminate price group 2 Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. See Surface Materials Reference Manu	
	Wood veneer tables • Wood group 2 • Wood group 3 • Customiz stain	See information at left See information at left No cost	Specify wood color number. Specify wood color number. Specify with Customiz stain. See Surface Materials Reference Manual.	
	• Full-fill finish on wood group 1	Prices below	Specify full-fill finish number.	
Related Products	Bases for Universal Tables Legs for Universal Tables		▶ Page 168 ▶ Page 169	

Specification Information

High-Pressure Laminate Wood · Plastic · Diameter Style · Plastic Wood Option Number 3 mm P-Edge **Square** (Add \$ to Edge Edge Base Price) Full-Fill Finish on No Suffix Suffix Suffix Wood SW Group 1 BFR30 N.A. 30" \$458 N.A. N.A. 36" BFR36 \$489 \$593 \$1642 +\$47 42" BFR42 \$542 \$646 \$1726 +\$50 48" BFR48 \$593 \$709 \$1923 +\$56 54" BFR54 \$713 \$845 \$2123 +\$59



Square Tables

High-Pressure Laminate or Wood Veneer



Standard Includes

Required to Specify

► Need help? Product details, page 40

- Table: High-Pressure Laminate price group 1 or wood group 1 Style number with appropriate edge 1 veneer
- · Laminate table: plastic 3 mm edge profile or P-edge profile on all sides

U.S. Base Prices

High-Pressure

I aminate

- · Wood table: wood square 3 mm edge profile on all sides
- profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 256.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For base and leg support guidelines, see Table and Base Combinations, page 50 and Table and Leg Combinations, page 51.

Tip: Tether brackets to attach to Post and Beam fence must be specified separately.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFRQ30 becomes BFRQ30SW for wood square edge profile.)

Options	U.S. Price	Required to Specify
High-Pressure Laminate t	tables	
 Laminate price group 2 	See information at left	Specify laminate color number.
 Open Line laminate 	+\$74	See Surface Materials Reference Manual.
	plus cost of laminate	
Wood veneer tables		
 Wood group 2 	See information at left	Specify wood color number.
Wood group 3	See information at left	Specify wood color number.
Customiz stain	No cost	Specify with Customiz stain.
		See Surface Materials Reference Manual.
 Full-fill finish on wood group 1 	Prices below	Specify full-fill finish number.
Bases for Universal Tables		▶ Page 168
 Legs and tether bracket for Uni 	iversal Tables	▶ Page 169
 Worksurface screens 		▶ Page 176
 Worksurface power and commit 	▶ Page 177	
	High-Pressure Laminate (1) Laminate price group 2 Open Line laminate Wood veneer tables Wood group 2 Wood group 3 Customiz stain Full-fill finish on wood group 1 Bases for Universal Tables Legs and tether bracket for Universurface screens	High-Pressure Laminate tables Laminate price group 2 Open Line laminate Wood veneer tables Wood group 2 Wood group 2 Wood group 3 Customiz stain Full-fill finish on wood group 1 Bases for Universal Tables Legs and tether bracket for Universal Tables

Wood

Specification Information

			Laminate		wood		
• Dir	• Dimensions • A B	•Style Number	• Plastic 3 mm Edge	• Plastic P-Edge	· Wood Square Edge	• Option (Add \$ to Base Price)	
			No Suffix	Suffix P	Suffix SW	Full-Fill Finish on Wood Group 1	
24"	24"	BFRQ24	\$244	\$298	N.A.	N.A.	
30"	30"	BFRQ30	\$358	\$412	\$ 988	+\$41	
36"	36"	BFRQ36	\$504	\$592	N.A.	N.A.	
42"	42"	BFRQ42	\$558	\$646	\$1345	+\$50	
48"	48"	BFRQ48	\$612	\$728	\$1490	+\$56	
54" :	54"	BFRQ54	\$735 :	\$851	\$1666 :	+ \$59	




For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Rectangle Tables

High-Pressure Laminate or Wood Veneer



Standard Includes

Required to Specify

► Need help? Product details, page 40

Specification Information

BFRR4284

BFRR4896

\$1220

\$1445

42" 84"

48" 96'

- Table: High-Pressure Laminate price group 1 or wood group 1 Style number with appropriate edge 1 veneer
- · Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides
- profile suffix
- P Laminate with plastic P-edge **SW** Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 256.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For base and leg support guidelines, see Table and Base Combinations, page 50 and Table and Leg Combinations, page 51.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFRR3672 becomes BFRR3672SW for wood square edge profile.)

	Options	U.S. Price	Required to Specify	
Surface Materials	High-Pressure Laminate to Laminate price group 2	tables See information at left	Specify laminate color number.	
	Open Line laminate	+\$74	See Surface Materials Reference Manual.	
	·	plus cost of laminate		
	Wood veneer tables			
	 Wood group 2 	See information at left	Specify wood color number.	
	 Wood group 3 See information at le 		Specify wood color number.	
	 Customiz stain 	No cost	Specify with Customiz stain.	
			See Surface Materials Reference Manual.	
	 Full-fill finish on wood group 1 	Prices below	Specify full-fill finish number.	
Reinforcing Channel	Reinforcing channel (available on 66"W and wider tables)	No cost	Specify with reinforcing channel.	
Related	Bases for Universal Tables		▶Page 168	
Products	 Legs for Universal Tables 		▶ Page 169	
	 Worksurface screens 		▶Page 176	
	 Worksurface power and comm 	unication components	▶ Page 177	

U.S. Base Prices High-Pressure Laminate Wood Dimensions ·Style ·Plastic ·Plastic ·Wood ·Option В Number 3 mm P-Edge **Square** (Add \$ to Base Price) **Edge** Edge Full-Fill Finish on **No Suffix** Suffix Suffix Wood D SW Group 1 60" **BFRR3660** N.A. N.A. N.A. 36" \$ 715 66' **BFRR3666** \$ 758 NΑ N.A. NΑ 36" 36" 72" **BFRR3672** \$ 809 \$1011 \$2374 +\$100

\$2557

\$2627

+\$103

+\$106



\$1422

\$1647

Oval Tables

High-Pressure Laminate



Standard Includes

Required to Specify

► Need help? Product details, page 40

- Tables: High-Pressure Laminate price group 1
 Laminate table: plastic 3 mm edge profile on all sides
- 1 Style number
- 2 High-Pressure Laminate color number for table
- 3 Plastic color number for edge on laminate table
- 4 Options, if selected (see below)
- See Surface Materials, page 256.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For base and leg support guidelines, see Table and Base Combinations, page 50 and Table and Leg Combinations, page 51.

Tip: To specify 3 mm edge profile, no suffix is required.

	Options	U.S. Price	Required to Specify
Surface Materials	Laminate price group 2 Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. See Surface Materials Reference Manual.
Related Products	Bases for Universal Tables Legs for Universal Tables		▶ Page 168 ▶ Page 169

Specification Information

U.S. Base Price High-Pressure Laminate

. Dlast	= .

· Dir	mensions B	Style Number	· Plastic 3 mm Edge
:			No Suffix
21"	42"	BEL2142	\$ 539
30"	42"	BEL3042	\$ 586
36"	48"	BEL3648	\$ 645
30"	60"	BEL3060	\$ 789
36"	72"	BEL3672	\$ 809
42"	78"	BEL4278	\$1204
48"	96"	BEL4896	\$1445
:			



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

Hex Conference Tables

Product details,

page 40

High-Pressure Laminate



Tip: Hex conference tables 150"W or larger are shipped in two pieces. Tight-joint fasteners are supplied for proper assembly.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bases to support Universal tables must be specified separately.

Tip: For base support guidelines, see Table and Leg Combinations.

►Page 51

Tip: To specify 3 mm edge profile, no suffix is required.

Standard Includes

- Tables: High-Pressure Laminate price group 1
- · Laminate table: plastic 3 mm edge profile on all sides
- · Reinforcing channels, for tables 120"W or wider
- Tight-joint fasteners for tables 150"W or wider

Required to Specify

- 1 Style number
- 2 High-Pressure Laminate color number for table
- 3 Plastic color number for edge on laminate table
- 4 Options, if selected (see below)
- See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Lamina		
Materials	Laminate price group 2Open Line laminate	See information at left +\$74 plus cost of laminate	Specify laminate color number. ▶ See Surface Materials Reference Manual.
Related Products	Bases for Universal tables		▶ Page 168

Specification Information

U.S. Base Prices High-Pressure Laminate



· Dir	mens B	ions C	• Style Number	Plastic 3 mm Edge
				No Suffix
30"	36"	60"	BHEX3660	\$ 715
30"	36"	66"	BHEX3666	\$ 758
30"	36"	72"	BHEX3672	\$ 809
36"	42"	96"	BHEX4296	\$1382
38"	48"	120"	BHEX48120	\$3338
38"	48"	150"	BHEX48150	\$4877
38"	48"	180"	BHEX48180	\$5070



Tethered Capsule Tables

► Need help?

page 44

Product details,

Laminate or Wood Veneer

Tip: Tethered capsule tables attach to Post and Beam fence with bracket kit included. Legs do not need to be specified.

Tip: Width of tethered capsule tables includes 1" overhang on both sides of the Post and Beam fence.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Standard Includes

- Table: laminate price group 1 or wood group 1 veneer
 Laminate table: plastic 3 mm edge profile
- or P-edge profile on all sides

 Wood table: wood square 3 mm edge profile on all sides
- Plastic flat profile on inside edges: plastic default
- · Bracket kit to attach to Post and Beam fence


Required to Specify

- 1 Style number with appropriate edge profile suffix
- P Laminate with plastic P-edge SW Wood with square edge
- ► See edge profiles below.
- 2 Laminate or wood color number for
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 256.


	Options	U.S. Price	Required to Specify
Surface	Laminate tables		
Materials	 Laminate price group 2 	See information at left	Specify laminate color number.
	 Open Line laminate 	+\$74	► See Surface Materials Reference Manual.
		plus cost of laminate	
	Wood veneer tables		
	 Wood group 2 	See information at left	Specify wood color number.
	Wood group 3	See information at left	Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain.
			See Surface Materials Reference Manual.
	 Full-fill finish on wood group 1 	Prices below	Specify full-fill finish number.
Related	Post and Beam		▶ Page 122
Products	• Hubs		▶Page 128

Specification Information

		U.S. Base F	rices			
		Laminate		Wood		
Dimensions	Style	·Plastic	Plastic	·Wood	Option	
A B	Number	3 mm	P-Edge	Square	(Add \$ to	
•	:	Edge	:	Edge	Base Price)	
· -	:		:	:	: Full-Fill	
	:		:	:	Finish on	
		No Suffix	Suffix	Suffix	· Wood	
	:		P	SW	Group 1	
Tables with	h One Cui	out				



Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFFF661 becomes BFFF661P for P-edge profile.)



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

Tables with One Cutout

26" 66"	BFFF661 \$ 875	\$1029 \$1953	+\$84	
26" 74"	BFFF721 \$ 972	\$1126 \$2040	+\$92	
26" 86"	BFFF841 \$1013	\$1196 \$2187	+\$96	
26" 98"	BFFF961 \$1109	\$1292 \$2347	+\$98	
•				

Table with Two Cutouts

26"	98"	BFFF962	\$1277	\$1479	\$2608	+\$98

Bases for Universal Tables

	Standard Includes	Required to Specify
► Need help? Product details, page 47	Column: paintBase: paintAdjustable leveling glides: black plastic	1 Style number 2 Paint color number for column 3 Paint color number for base 4 Options, if selected (see below) ▶ See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	Paint price group 2	+\$ 21	Specify paint color number.
	 Paint price group 3 	+\$ 37	Specify paint color number.
	 Polished Chrome column and base 	+\$173	Specify with 9201 Polished Chrome column and base.
	 Polished Chrome base with painted column 	+\$173	Specify with 9201 Polished Chrome base only and select paint color number for column.

Tip: When specifying a 9201 Polished Chrome base only, specify a paint color number for the column.







Legs and Tether Bracket for Universal Tables

Specification Information

▶ Need help?

page 48

Product details,

Cabby Legs

With Alignment Tab

Tip: See Table and Leg Combinations page for number of legs required per table.

Page 51

Standard Includes
Table legs: paint or metal

· Attachment hardware

· Glides, if selected: paint to match legs

· Locking casters, if selected: paint to match legs

Required to Specify

- 1 Style number
- 2 Paint color number for leg and caster
- 3 Options, if selected (see below)
- See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify
Surface	 Paint price group 1 	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$21 per lea	Specify paint color number

281/2"

Tip: Dimensions listed are nominal and include the thickness of a table.





Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.



•Plannin Height	g Style Number	·U.S. Base Price	• Plan Heig
Cabby	Leg with Gli	de	Pack
26"	BNCAB	\$200	26"
281/2"	ВСАВ	\$200	281/2"

:		:	
Cabby I	Leg with Cas	ter	
26"	BNCABC	\$228	
281/2"	BCABC	\$228	

· Planning Height	• Style Number	· U.S. · Base · Price
:	:	:

Package of Four Cabby Legs with Glides 26" BNCAB4 \$800 28"/" BCAB4 \$800

Packag	e of Four Cab	by Legs v	vith Casters
26"	BNCAB4C	\$912	

\$912

Package of Four Cabby Legs with Two Glides and Two Casters

BCAB4C

26"	BNCAB4M	\$856
20	DITOADTIII	ΨΟΟΟ
281/2"	BCAB4M	\$856
•		



Adjustable-Height Legs


Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: See Table and Leg Combinations page for number of legs required per table.
▶ Page 51

Tip: Dimensions listed include the thickness of a table.







	Standard Includes	Required to Specify
► Need help? Product details, page 48	 Table legs: paint Glides, if selected: paint or metal to match legs Locking casters, if selected: paint to match legs Attachment hardware 	 1 Style number 2 Paint color number for leg 3 Options, if selected (see below) See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2	No cost +\$21 per leg	Specify paint color number. Specify paint color number.

Adjustab with Glid	le-Height le	Leg	Package with Glide		iustable-Height Legs
Planning Height	• Style Number	· U.S. Base Price	• Planning Height	·Style Number	· U.S. Base Price

251/2"-311/2"

Adjustable with Cast	•	Leg	
With Gast	.01		
251/2"-311/2"	BADJC	\$262	

\$234

25½"-31½" BADJ

Package of Four Adjustable-Height Legs

\$ 936

with Casters 251/2"-311/2" BADJ4C \$1048

Package of Four Adjustable-Height Legs with Two Glides and Two Casters

251/2"-311/2"	BADJ4M	\$ 992

BADJ4



Elliptical Legs

With Alignment Tab

<	^	>	
	~		

Tip: Use 26"H legs for nesting capabilities and use 28½"H legs to achieve standard height tables.

	Standard Includes	Required to Specify
► Need help? Product details, page 48	Table leg: paint or metal Glides: paint or metal Attachment hardware	1 Style number 2 Paint or metal color number for leg 3 Paint or metal color number for glides 4 Options, if selected (see below) ▶ See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify
Surface	Elliptical legs		
Materials	Black	No cost	Specify with 7207 Black paint.
	 Platinum 	No cost	Specify with 4799 Platinum.
	 Polished Chrome 	+\$87	Specify with 9201 Polished Chrome.
	Glides		
	Black	No cost	Specify with 7207 Black paint.
	 Brushed Aluminum 	No cost	Specify with 8042 Brushed Aluminum.
	 Polished Aluminum 	No cost	Specify with 8046 Polished Aluminum.

Tip: Dimensions listed are nominal and include the thickness of a table.

Planning Height		·U.S. Base Price
26"	BEL25	\$306
28½"	BEL27	\$309



Post Legs and Double Post C-Legs

With Alignment Tab

Tip: See Table and Leg Combinations page for number of legs required per table.

Page 51

Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: Height dimensions listed are nominal and include the thickness of a table.









Standard Includes

Required to Specify

►Need help? Product details, page 48

- · Table legs: paint
- Attachment hardware
- · Non-locking caster, if selected: black plastic only
- 1 Style number
- 2 Paint color number for legs
- 3 Options, if selected (see below)
- See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	Paint price group 2	+\$21 per leg	Specify paint color number.
	Paint price group 3	+\$37 per leg	Specify paint color number.

Specific	ation Info	rmation				
·Planning	· Style	·U.S.	· Planning	·Style	·U.S.	
Height	Number	Base	Height	Number	Base	
		Price			Price	
:		•	:	:		

			2 400		1401111001	2 400
	:	•	Price		:	Price
	<u>:</u>	:	1	<u>:</u>	:	:
Post Leg with Glide			Package of Four Post Legs with Glides			

	,			0 01 1 041 1 0	<u>2090</u>	
26"	BNPL	\$152	26"	BNPL4	\$608	
28½"	BPL	\$152	281/2"	BPL4	\$608	
	:	:	<u> </u>	:	:	
Doot I or	with Coo	tor	Dookon	o of Four Do	ot Logo with Cootoro	

Post Leg with Gaster		Package of Four Post Legs with Gaste			
26"	BNPLC	\$171	26"	BNPL4C	\$684
281/2"	BPLC	\$171	28½"	BPL4C	\$684
:	:	:	:	:	:

Package of Four Post Legs with Two Glides and Two Casters

	26"	BNPL4M	\$646
	281/2"	BPL4M	\$646
	:	:	:
ble Deet O Leve with Olides			

Double Post C-Legs with Glides

281/2"	BCL	\$467

Tether Bracket

For Use with Post and Beam



Tip: Tether brackets must be specified when tethering a table to Post and Beam.

Tip: Style number is for a single bracket.

	Standard Includes	Required to Specify
Need help? Product details, page 48	Bracket: 4799 Platinum paint only	Style number

Specific	ation Information
Style Number	· U.S. Price
ВТТВ	\$87



Worksurface Screens

Specifying Worksurface Screens

Worksurface Screens

176

Worksurface Screens

Knit Screens



	Standard Includes	Required to Specify
Need help? Product details, page 62	Screen: knit Frame and foot: 4799 Platinum only	1 Style number 2 Color number for knit screen ▶ See <i>Surface Materials</i> , page 256
Specification	n Information	
·Width ·Sty	le ·U.S.	

Shecii	ication init	Jrillation	
Width	•Style Number	·U.S. Price	
15"H K	nit Screen	· ·	
24"	DALK24	\$260	
30"	DALK30	\$285	
36"	DALK36	\$306	
42"	DALK42	\$330	

Pair of Attachment Clamps for Worksurface





	Standard Includes	Required to Specify
Need help? Product details, page 62	 Attachment clamps: 4799 Platinum only Adjustment knob for clamps: 7237 Slate only Cover for clamp: 7237 Slate only 	Style number
Specification	n Information	

Specification Information				
•Style Number	· U.S. Price			
DSCLAMP	\$151 :			



Vorksurface Powe and Communication

Specifying Worksurface Power and Communication

Includes Internode and Wiring and Cabling Accessories

Internode Power and Communication Components	
Floor Power Infeeds	178
Multipurpose Power Infeeds	179
Power Modules	18
Modular Harnesses	18:
Receptacles	184
Convenience Tri-Receptacles with Modular Harness	18
Convenience Tri-Receptacle with Power Cord and Plug	180
Communication Module	180
Convenience Communication Outlet Housing	180
Above-Worksurface Clamp Kit	18
Below-Worksurface Mounting Bracket	18
Mounting Bracket	188
Cord and Cable Manager	18
Harness Clips	188
Wiring and Cabling Accessories	
Power and Data Strips with Cord	18
Power Spheres	19
Power and Communication Spheres	19
Communication Sphere	19
Power and Communication Port	19
Power/Data Boxes	19
2½" Round Grommet	19
Vertebral Cable Riser and Extension	19
Cable and Fiber Reel	19
Termination Plate	19
Cord Reel	19
Cable Storage Tray	19
Wire Guide Clips	19
Wire Clips	19
Wire Manager	19

Internode Power and Communication Components

Floor Power Infeeds



Tip: Floor power infeed cannot be used in New York City or San Francisco. Use a multipurpose power infeed instead.


page 68

	Standard Includes	Required to Specify
Need help? Product details,	 Junction box fittings for hardwired connection Liquid-tight flexible conduit: black plastic 	Style number

Specific	cation Informa	ation
Length	•Style Number	·U.S. Price
4-Circui	it, 3+1	<u> </u>
6'	GFUFFH6X	\$283
12'	GFUFFH12X	\$375
<u>:</u>	:	:
4-Circui	it, 2+2	
6'	GFUFFH6Y	\$283
12'	GFUFFH12Y	\$375
<u>:</u>	:	:
3-Circui	it, Separate N	eutrals
6'	GFUFFH6Z	\$283
12'	GFUFFH12Z	\$375



Multipurpose Power Infeeds



Tip: Modular connector receptacle covers a standard 49/16" square junction

Tip: Municipal building codes vary. Review installation requirements with local inspector prior to installation to ensure all guidelines are met.

Standard Includes

Required to Specify

- ► Need help? Product details, page 69
- Junction box fittings for hardwired connection, if selected
- · Modular connector, if selected
- · Modular connector receptacle included with modular option
- · Modular infeed cover, if selected: plastic
- · Conduit: metal

- 1 Style number
- 2 Plastic color number for modular infeed cover, if selected
- See Surface Materials, page 256.

			Non-PVC		
Length and Connection	• Style Number	·U.S. Price	Length and Connection	• Style Number	·U.S. Price
4-Circuit, 3			4-Circuit, 3	+1	
12' Hardwire	GSGUFMH12X	\$424	12' Hardwire	GSGUFMH12XN	\$437
12' Modular	GSGUFMM12X	\$541	12' Modular	GSGUFMM12XN	\$553
24' Hardwire	GSGUFMH24X	\$612	24' Hardwire	GSGUFMH24XN	\$627
24' Modular	GSGUFMM24X	\$722 ·	24' Modular	GSGUFMM24XN	\$743
4-Circuit, 2	2+2		4-Circuit, 2	+2	
12' Hardwire	GSGUFMH12Y	\$424	12' Hardwire	GSGUFMH12YN	\$437
12' Modular	GSGUFMM12Y	\$541	12' Modular	GSGUFMM12YN	\$553
24' Hardwire	GSGUFMH24Y	\$612	24' Hardwire	GSGUFMH24YN	\$627
24' Modular	GSGUFMM24Y	\$722 :	24' Modular	GSGUFMM24YN	\$743
3-Circuit, S	eparate Neutra	ls	3-Circuit, S	eparate Neutra	ls
12' Hardwire	GSGUFMH12Z	\$424	12' Hardwire	GSGUFMH12ZN	\$437
12' Modular	GSGUFMM12Z	\$541	12' Modular	GSGUFMM12ZN	\$553
24' Hardwire	GSGUFMH24Z	\$612	24' Hardwire	GSGUFMH24ZN	\$627
24' Modular	GSGUFMM24Z	\$722	24' Modular	GSGUFMM24ZN	\$743

N.A.






N.A.

GSGUFC

\$ 54

Power Modules



Tip: Remember to specify receptacles separately. ▶ Page 184

Standard Includes

Required to Specify

► Need help? Product details, page 69

- Power block and enclosing housing: 4793 Solar Black only
- · Four modular receptacle attachment points
- Mounting bracket, if selected: 6653 Solar Black only
 Two covers: 6653 Solar Black only

Related Products

- Receptacles
- Mounting bracket

► Page 184 ► Page 188

Style number

	15/8"	13	3/16"	
		$\langle \rangle$, 10	
		1		
		4		
15/16"	. 8/1	11		

Block-to-Block Connector

Specification Information					
· Dime	ensions W	н	· Includes Mounting Bracket	· Style Number	·U.S. Price
4-Cir	cuit, 3	 3+1	•	·	•
3"	10"	31/2"	Yes	GFUPMBX	\$349
3"	10"	31/2"	No	GFUPMX	\$305
	-to-Bloc		-	<u> </u>	
13/16"	15/8"	1 ¹⁵ / ₁₆ "	N.A.	GSGUBCX	\$ 69
	se in Ne			- GOGODON	<u> </u>
3"	10"	31/2"	Yes	GFUPMBXNYC	\$349
3"	10"	31/2"	No :	GFUPMXNYC	\$305
4-Cir	cuit, 2	2+2			
3"	10"	31/2"	Yes	GFUPMBY	\$349
3"	10"	31/2"	No	GFUPMY	\$305
Block	-to-Bloc	k Conne	ector		
13/16"	15/8"	1 15/16"	N.A.	GSGUBCY	\$ 69
For U	se in Ne	w York	City		
3"	10"	31/2"	Yes	GFUPMBYNYC	\$349
3"	10"	31/2"	No :	GFUPMYNYC	\$305 :
1iO-8	cuit, S	eparat	te Neutrals		
3"	10"	31/2"	Yes	GFUPMBZ	\$349
3"	10"	31/2"	No	GFUPMZ	\$305
Block	-to-Bloc	k Conne	ector		
13/16"	15/8"	1 15/16"	N.A.	GSGUBCZ	\$ 69
For U	se in Ne	w York	City		
3"	10"	31/2"	Yes	GFUPMBZNYC	\$349
3"	10"	31/2"	No :	GFUPMZNYC	\$305



Modular Harnesses



Tip: Modular-to-hardwire harnesses, modular lighting harnesses, and in-line switch harnesses work on Line 1 only.

Standard Includes

Required to Specify

Style number

► Need help? Product details, page 69

Harness

				Non-PVC		
Length	Description	Style Number	·U.S. Price	Length	• Style Number	·U.S. Price
4-Circui	t, 3+1			4-Circuit	, 3+1	
12"		GSGUH12X	\$158	12"	GSGUH12XN	\$172
22"		GSGUH22X	\$158	22"	GSGUH22XN	\$172
28"		GSGUH28X	\$158	28"	GSGUH28XN	\$172
32"		GSGUH32X	\$158	32"	GSGUH32XN	\$172
38"		GSGUH38X	\$158	38"	GSGUH38XN	\$172
14"		GSGUH44X	\$180	44"	GSGUH44XN	\$194
50"		GSGUH50X	\$180	50"	GSGUH50XN	\$194
54"		GSGUH54X	\$191	54"	GSGUH54XN	\$202
64"		GSGUH64X	\$210	64"	GSGUH64XN	\$230
76"		GSGUH76X	\$228	76"	GSGUH76XN	\$248
88"		GSGUH88X	\$260	88"	GSGUH88XN	\$274
00"		GSGUH100X	\$282	100"	GSGUH100XN	\$296
20"		GSGUH120X	\$332	120"	GSGUH120XN	\$345
44"		GSGUH144X	\$377	144"	GSGUH144XN	\$391
larness-t	o-Harness Connec	tor		Harness-to	-Harness Connecto	r
		GSGUHCX	\$ 69	N.A.		
/lodular-te	o-Hardwire Harnes	ses		Modular-to	-Hardwire Harnesse	s
72"	Modular/Hardwire	GSGUHHX	\$210	N.A.		
n-Line Sw	ritch Harnesses			In-Line Sw	itch Harnesses	
72"	Switch	GSGUHSX	\$237	N.A.	:	:
4-Circui	t, 2+2			4-Circuit	, 2+2	
2"		GSGUH12Y	\$158	12"	GSGUH12YN	\$172
22"		GSGUH22Y	\$158	22"	GSGUH22YN	\$172
18"		GSGUH28Y	\$158	28"	GSGUH28YN	\$172
32"		GSGUH32Y	\$158	32"	GSGUH32YN	\$172
38"		GSGUH38Y	\$158	38"	GSGUH38YN	\$172
14"		GSGUH44Y	\$180	44"	GSGUH44YN	\$194



[▶] Specification Information, continued on next page



▶ Specification Information, continued from previous page

				Non-PVC		
Length	Description	• Style Number	·U.S. Price	·Length	• Style • Number	·U.S. Price
4-Circui	t, 2+2, continu	ed	·	<u> </u>		· ·
50"		GSGUH50Y	\$180	50"	GSGUH50YN	\$194
54"		GSGUH54Y	\$191	54"	GSGUH54YN	\$202
64"		GSGUH64Y	\$210	64"	GSGUH64YN	\$230
76"		GSGUH76Y	\$228	76"	GSGUH76YN	\$248
88"		GSGUH88Y	\$260	88"	GSGUH88YN	\$274
100"		GSGUH100Y	\$282	100"	GSGUH100YN	\$296
120"		GSGUH120Y	\$332	120"	GSGUH120YN	\$345
144"		GSGUH144Y	\$377	144"	GSGUH144YN	\$391
Harness-t	o-Harness Connec	tor			-	
		GSGUHCY	\$ 69	N.A.		
Modular-t	o-Hardwire Harnes	sses				
72"	Modular/Hardwire	GSGUHHY	\$210	N.A.		
In-Line Sv	vitch Harnesses					
72"	Switch	GSGUHSY	\$237	N.A.		
:	:	:	:	<u>:</u>	:	:
3-Circui	t, Separate Nei	ıtrals				
12"		GSGUH12Z	\$158	12"	GSGUH12ZN	\$172
22"		GSGUH22Z	\$158	22"	GSGUH22ZN	\$172
28"		GSGUH28Z	\$158	28"	GSGUH28ZN	\$172
32"		GSGUH32Z	\$158	32"	GSGUH32ZN	\$172
38"		GSGUH38Z	\$158	38"	GSGUH38ZN	\$172
44"		GSGUH44Z	\$180	44"	GSGUH44ZN	\$194
50"		GSGUH50Z	\$180	50"	GSGUH50ZN	\$194
54"		GSGUH54Z	\$191	54"	GSGUH54ZN	\$202
64"		GSGUH64Z	\$210	64"	GSGUH64ZN	\$230
76"		GSGUH76Z	\$228	76"	GSGUH76ZN	\$248
88"		GSGUH88Z	\$260	88"	GSGUH88ZN	\$274
100"		GSGUH100Z	\$282	100"	GSGUH100ZN	\$296
120"		GSGUH120Z	\$332	120"	GSGUH120ZN	\$345
144"		GSGUH144Z	\$377	144"	GSGUH144ZN	\$391
Harness-t	o-Harness Connec	tor		_		
		GSGUHCZ	\$ 69	N.A.		
Modular-te	o-Hardwire Harnes	sses		_		
72"	Modular/Hardwire	GSGUHHZ	\$210	N.A.		
In-Line Sv	vitch Harnesses					
72"	Switch	GSGUHSZ	\$237	N.A.		
	:	:	:	:	:	:



Receptacles



Tip: Receptacles are specified individually so you can order exactly the quantity you need.

Standard Includes

Required to Specify

- ► Need help? Product details, page 68
- Individual receptacles: plastic

- 1 Style number 2 Plastic color number for receptacle
- See Surface Materials, page 256.

	System Groun	d	Isolated Grou	nd	
Line	• Style Number	·U.S. Price	• Style Number	·U.S. Price	
4-Circui	t, 3+1		·	•	
15-amp R	eceptacles				
Line 1	GSGUR1SSX	\$55	GSGUR1SGX	\$ 69	
Line 2	GSGUR2SSX	\$55	GSGUR2SGX	\$ 69	

Line 2	GSGUR2SSX	\$55	GSGUR2SGX	\$ 69
Line 3	GSGUR3SSX	\$55	GSGUR3SGX	\$ 69
Line 4	GSGUR4SSX	\$55	GSGUR4SGX	\$ 69
20-amp R	eceptacles			
Line 1	GSGUR1TSX	\$87	GSGUR1TGX	\$107
Line 2	GSGUR2TSX	\$87	GSGUR2TGX	\$107
Line 3	GSGUR3TSX	\$87	GSGUR3TGX	\$107
Line 4	GSGUR4TSX	\$87	GSGUR4TGX	\$107
:	:	:	· ·	•

4-Circuit, 2+2


15-amp R	eceptacles			
Line 1	GSGUR1SSY	\$55	GSGUR1SGY	\$ 69
Line 2	GSGUR2SSY	\$55	GSGUR2SGY	\$ 69
Line 3	GSGUR3SSY	\$55	GSGUR3SGY	\$ 69
Line 4	GSGUR4SSY	\$55	GSGUR4SGY	\$ 69
20-amp R	eceptacles			
Line 1	GSGUR1TSY	\$87	GSGUR1TGY	\$107
Line 2	GSGUR2TSY	\$87	GSGUR2TGY	\$107
Line 3	GSGUR3TSY	\$87	GSGUR3TGY	\$107
Line 4	GSGUR4TSY	\$87	GSGUR4TGY	\$107
:	:	:	•	

3-Circuit, Senarate Neutrals

3-Gii Gui	it, schalate neu	u ais		
15-amp R	eceptacles			
Line 1	GSGUR1SSZ	\$55	GSGUR1SGZ	\$ 69
Line 2	GSGUR2SSZ	\$55	GSGUR2SGZ	\$ 69
Line 3	GSGUR3SSZ	\$55	GSGUR3SGZ	\$ 69
20-amp R	eceptacles			
Line 1	GSGUR1TSZ	\$87	GSGUR1TGZ	\$107
Line 2	GSGUR2TSZ	\$87	GSGUR2TGZ	\$107
Line 3	GSGUR3TSZ	\$87	GSGUR3TGZ	\$107



Convenience Tri-Receptacles with Modular Harness



Standard Includes

Required to Specify

- ► Need help? Product details, page 69
- · Convenience tri-receptacle housing: plastic
- · Three receptacles: black
- · Harness with modular connector for attachment to end
- of power module Conduit: metallic
- · Mounting clamp kit

- 1 Style number
- 2 Plastic color number for tri-receptacle housing
- See Surface Materials, page 256.

Specific	ation l	Information				
·Harness	·Line	·Style	· U.S.	·Style	·U.S.	
Length	:	Number	Price	Number	Price	
					•	

4-Circuit, 3+1

With Sy	stem Grou	nd		With Isolated	Ground
72"	Line 1	GFUT1S72X	\$277	GFUT1G72X	\$277
	Line 2	GFUT2S72X	\$277	GFUT2G72X	\$277
	Line 3	GFUT3S72X	\$277	GFUT3G72X	\$277
	Line 4	GFUT4S72X	\$277	GFUT4G72X	\$277

4-Circuit, 2+2

With Sy	stem Grou	nd		With Isolated	Ground
72"	Line 1	GFUT1S72Y	\$277	GFUT1G72Y	\$277
	Line 2	GFUT2S72Y	\$277	GFUT2G72Y	\$277
	Line 3	GFUT3S72Y	\$277	GFUT3G72Y	\$277
	Line 4	GFUT4S72Y	\$277	GFUT4G72Y	\$277

3-Circuit, Separate Neutrals

With Sy	stem Grou	nd		With Isolated	Ground
72"	Line 1	GFUT1S72Z	\$277	GFUT1G72Z	\$277
	Line 2	GFUT2S72Z	\$277	GFUT2G72Z	\$277
	Line 3	GFUT3S72Z	\$277	GFUT3G72Z	\$277



Post and Beam Solutions Specification Guide

Convenience Tri-Receptacle with Power Cord and Plug

► Need help?

page 69

Product details,



Tip: This unit does not include clamp kit. ▶ Page 187

Standard Includes

- Convenience tri-receptacle housing: plastic
- · Three receptacles: black
- · 96" power cord with grounded plug: black only

Required to Specify

- 1 Style number
- 2 Plastic color number for tri-receptacle housing
- ► See Surface Materials, page 256.

Related Products

- · Above-worksurface clamp kit
- · Below-worksurface mounting bracket
- ▶ Page 187
- ▶ Page 187

	Specifi	cation	Inform	ation
--	---------	--------	--------	-------

·Dim	Dimensions		·Style	·U.S.
D	W	н	Number	Price
2 ³ / ₄ "	51/4"	21/2"	GFUTP96	\$142
			:	:

Communication Module



Tip: Communication module can be attached to a power module, mounting bracket, or directly onto the underside of a worksurface.

Standard Includes

- · Two-piece communication module: 4793 Solar Black only
- · One cover, used to adapt NEMA opening to modular furniture faceplate opening

Required to Specify

Style number

Specification Information

Specification information					
·Dimensions		Style	·U.S.		
D	W	н	Number	Price	
:			:	:	
3"	5"	4"	GFUSCM	\$68	

Convenience Communication Outlet Housing

► Need help?

page 69

Product details,

► Need help?

page 69

Product details,



Tip: This unit does not include clamp kit. ▶ Page 187

Tip: Convenience communication outlet housing can be connected to convenience tri-receptacles side by side.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Standard Includes

- · Housing for field-installed modular communications
- faceplate: plastic

Required to Specify

- 1 Style number
- 2 Plastic color number for housing
- ► See Surface Materials, page 256.

Related Products

- · Above-worksurface clamp kit
- · Below-worksurface mounting bracket
- ▶ Page 187

▶ Page 187

Specification Information

· Dimensions		Style	·U.S.	
D	W	н	Number	Price
23/4"	51/4"	21/2"	GFUCH	\$68

Above-Worksurface Clamp Kit



	Standard Includes	Required to Specify
Need help? Product detail: page 69	Mounting clamp to secure convenience tri-receptacle to worksurface: 6653 Solar Black only	Style number
	Related Products	
	 Convenience tri-receptacles with modular harness Convenience tri-receptacles with power cord Convenience communication outlet housing 	➤ Page 185 ➤ Page 186 ➤ Page 186
Specifica	tion Information	
Style Number	· U.S. Price	
GFUTMC	\$21	

Below-Worksurface Mounting Bracket



Tip: Mounting bracket supports convenience tri-receptacles and convenience communication outlet housing below the worksurface.

Tip: Each tri-receptacle, whether power or communications, should have its own mounting bracket for below-worksurface mounting applications.

Standard Includes	
-------------------	--

► Need help? · Mounting bracket: 4793 Solar Black only Product details, page 69

Style number

Required to Specify

Related Products

- · Convenience tri-receptacles with modular harness
- · Convenience tri-receptacles with power cord
- · Convenience communication outlet housing
- ▶ Page 185
- ▶ Page 186
- ► Page 186

acitics	TION	Into	mation
CUIIICE			III CI CI CI

Style Number	·U.S. Price
:	
GFUTMB	\$13

page 69

Mounting Bracket



Tip: Mounting bracket supports either a communication module or a power module.

	Standard Includes	Required to Specify
► Need help?	Mounting bracket: 4793 Solar Black only	Style number

Need help?
 Mounting bracket: 4793 Solar Black
 Product details,

Specific	ation Information
Style Number	· U.S. Price
:	
GFUMB	\$47

Cord and Cable Manager



	Standard Includes	Required to Specify	
Need help?	Cord and cable manager: 6653 Solar Black only	Style number	

Product details, Package of four page 69

Harness Clips



	Standard Includes	Required to Specify
Need help? Product details, page 69	Package of 25 harness clips with screws: black only	Style number

Specification Information			
Diameter	•Style Number	· U.S. Price	
1 1/4"	GFUCMC	\$47	



Power and Data Strips with Cord

Standard Includes

Required to Specify

Style number

► Need help? Product details, page 71 Power and data strip with cord:
 8043 Clear Anodized Aluminum cover with black faceplate

- · Worksurface attachment bracket, if selected:
- 4799 Platinum paint only
- Slatwall attachment bracket, if selected: 4799 Platinum paint only

Specifi		

· Dimensions		∙Style	·U.S.	
D	W	н	Number	Price

Power and Data Strip with Cord with Worksurface Attachment Bracket

21/4"	101/4"	3"	BPDSWSPL	\$276

Power and Data Strip with Cord with Slatwall Attachment Bracket

Worksurface Attachment Bracket Only

N.A.	N.A.	N.A.	BPDSWB	\$ 51

Slatwall Attachment Bracket Only

N.A.	N.A.	N.A.	BPDSSB	\$ 51



Power Spheres



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

Standard Includes

Required to Specify

Need help?
Product details,
page 72

- Sphere with four simplex electrical outlets: black plastic only
- Two 6' power cords (each rated at 15 amps), if selected: black plastic only
- Two 6' Greenfield conduits (each rated at 15 amps), if selected: metal only

Style number

S	peci	ficat	tion	Inf	orma	tion

Dimensions			· Style	∙U.S.
D	W	н	Number	Price

Four Electrical Outlets with Two 6' Power Cords

3	3/8"	33/8"	3"	PTDMGB1	\$266

Four Electrical Outlets with Two 6' Greenfield Conduits for Hardwiring

33/8"	33/8"	3"	PTDMGB2	\$46

Power and Communication Spheres



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

Tip: Faceplate in sphere accommodates standard voice/data jacks.

Standard Includes

Required to Specify

Style number

- ► Need help? Product details, page 72
- Sphere with two simplex electrical outlets: black plastic only
- Faceplates to accommodate two customer-supplied voice/ data jacks: black plastic only
- 6' power cord with plug rated at 15 amps, if selected: black plastic only
- · 6' Greenfield conduit for hardwiring, if selected: metal only

Specification Information

Dimen	sions		Style	·U.S.
D	W	Н	Number	Price

Sphere with One 6' Power Cord

33/8"	33/8"	3"	PTDMGB3	\$266	

Sphere with One 6' Greenfield Conduit for Hardwiring

33/8"	33/8"	3"	PTDMGB4	\$382



pecify

Communication Sphere



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

Tip: Face plates in sphere accommodates standard voice/data jacks.

► Need help? · Sphere with face plates to accommodate four custom-Product details, er-supplied voice/data jacks: black plastic only page 72

Style number

Spe	Specification Information					
Dimensions D W H			· Style Number	·U.S. Price		
			: ' ' '	:		
⁄8"	33/8"	3"	PTDMGB5	\$266		

Power and Communication Port



Tip: Port is field installed. Use a 31/2"-diameter drill to cut mounting hole at desired location.

	Standard Includes	Required to Sp
Need help? Product details.	Port with two electrical outlets: black plastic only 6' power cord with plug rated at 15 amps; black plastic only	Style number
page 72	Adapters for two customer-supplied data couplers/jacks	

Specification Information						
Dime D	ensions W	н	•Style Number	· U.S. Price		
1/4"	41/4"	45/16"	PTRSGB1	\$394		



Power/Data Boxes

	Standard Includes	Required to Specify
Need help? Product details,	Power/data boxPower/power box	Style number

page 74 · Data/data box

Specification Information						
Dim	ensions	•	· Style	·U.S.		
D	W	н	Number	Price		
:			•	:		

Power/Data Box

OII	Oll	4.0	AWWDO	\$248
3"	3"	1."	AWVBC	\$248

Power/Power Box AWVBP \$248

Data/Data Box 3" **AWVBD** \$248

21/2" Round Grommet

	Standard Includes	Required to Specify
Need help?	Grommet: paint or metal Installation instructions	1 Style number

Tip: Grommet AWAG2 is for use on worksurfaces only.

page 74

Tip: When using AWAG2 in the Universal parametric straight worksurface, specify the 2" grommet cutout option. Actual diameter of cutout is $2^{1}/4$ ".

Spec	ificati	on Informa	ation
Dime	nsions	Style	·U.S.
D	W	Number	Price
<u>:</u>		:	:
21/2"	21/2"	AWAG2	\$72



See Surface Materials, page 256.

Vertebral Cable Riser and Extension

Genenalanana Genena

Standard Includes

Style number

Required to Specify

► Need help? Product details, page 74

· Vertebral cable riser: black plastic only · Attachment hardware

· Floor plate: Metallic Aluminum only

	W 497				
SINC		atio	m Imt	orma	TION
					шчи

·Length	·Style	∙U.S.
	Number	Price

Vertebral Cable Riser

311/2" DAVC \$152

Vertebral Cable Riser Extension

DAVCE \$ 44

Tip: 153/4"L cable riser is an extension only. Extension does not include attachment hardware or floor plate.

Cable and Fiber Reel



	Standard Includes	Required to Specify
► Need help?	Package of four reels: black plastic only	Style number

Product details, page 75

Specification Information

Style	·U.S.
Number	Price
98766	\$175

Termination Plate



	Standard Includes	Required to Specify
Need help? Product details, page 76	Termination plate: black paint only	Style number



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

Cord Reel



	Standard Includes	Required to Specify	
Need help? Product details, page 77	Carton of six cord reels: black paint only	Style number	

Specifica	ation Information
• Style Number	· U.S. Price
98767	\$74 :

Cable Storage Tray



	Standard Includes	Required to Specify
Need help? Product details, page 77	Cable storage tray: black paint only	Style number

Spec	cificat	tion In	formation	
Dime D	ensions W	н	• Style • Number	·U.S. Price
"	24"	21/2"	98768	\$57

Wire Guide Clips



Tip: Recommended for painted metal surfaces only.

	Standard Incid
► Need help?	 Carton of 20 adhesive
Product details,	black plastic only

page 77

Carton of 20 adhesive-backed wire guide clips: black plastic only

Required to Specify

Style number

Specifica	ation Information
Style	·U.S.
Style Number	Price
:	
32WCP	\$41



Wire Clips



Standard Includes	Required to Specify

► Need help? · Carton of six: black plastic only

Foam tapeMounting screws Product details, page 77

Style number

|--|

• Style • Number	· U.S. Price	
OCCUT	Ф 70	

Wire Manager

	Standard Includes	Required to Specify
► Need help?	 25" wire manager with double-sided tape: black plastic 	Style number

Product details, page 77

Specification Information

Ob	Cilic	ation i	mormation	
·Dim	nensior	าร	·Style	·U.S.
D	W	н	Number	Price
:			:	:
1"	3/4"	25"	AWVW	\$16



Specifying Universal Steel Storage Products

Universal Pedestals	
Universal Fixed Pedestals	198
Universal Fixed to Freestanding Pedestal Conversion Kits	200
Universal Mobile Pedestals	202
Basic Cushions for Universal Mobile Pedestals	205
Universal One-High and Two Drawer Lateral Files	206
Basic Cushions for Universal Lateral Files	210
Low Storage-to-Beam Tether Bracket	211
Cushion Tops	212
Universal Lateral Files	214
Universal Towers	
Universal Open Side Towers	218
Universal Dual Door Towers	222
Universal Full Front Towers	228
Universal Vertical Drawer Towers	232
Universal Workstation Verticals	236
Storage Tops, Shelves, and Accessories	
Steel Security Tops	238
Square Edge Tops	240
Adjustable Shelves	242
Steel Storage Accessories	243

Universal Fixed Pedestals

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts





Standard Includes

- Pedestal: paint price group 1
- Removable drawer fronts: paint to match pedestal, laminate price group 1 if proud laminate front selected, or wood group 1 veneer if proud wood front selected
- · Integral pulls on units with flush steel fronts
- · Pulls: metal
- · Full drawer interiors: black only
- One pencil tray and two box drawer dividers per box/ box/file
- · Lock, keyed random: 9201 Polished Chrome
- · Mounting hardware
- · Four adjustable leveling glides

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- F Flush steel front
- P Proud steel front
- L Proud laminate front
- W Proud wood front
- 2 Paint color number for pedestal
- 3 Laminate color number for drawer fronts, if proud laminate front selected
- 4 Wood color number for drawer fronts,
- if proud wood front selected 5 Pull (see below under Required Selections)
- 6 Metal color number for pulls, if proud steel or proud wood front selected
- 7 Options, if selected (see below)
- ► See Surface Materials, page 256.

Required Selections

Pulls

► Need help?

page 92

Product details,









Bar



Contemporary Handle

Jazz

c:scape

For wood group 2,
wood group 3, and
laminate price group
2 pricing, please refer
to the electronic catalog or

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$ 47	Specify paint color number.
	 Paint price group 3 	+\$ 80	Specify paint color number.
	Laminate price group 1 on proud laminate drawer fronts	Prices at right	Specify laminate color number.
	 Laminate price group 2 on proud laminate drawer fronts 	See information at left	Specify laminate color number.
	Open Line laminate on proud laminate drawer fronts	+\$ 74 plus cost of laminate	See Surface Materials Reference Manual.
	Wood group 2 on proud wood drawer fronts	See information at left	Specify wood color number.
	 Wood group 3 on proud wood drawer fronts 	See information at left	Specify wood color number.
	 Customiz stain on proud 	No cost	Specify with Customiz stain.
	wood drawer fronts		► See Surface Materials Reference Manual.
Pulls	Flush steel fronts		
	 Full-width wood veneer pull 	+\$275	Specify with wood pull and indicate wood color number.
	Customiz stain on wood	No cost	Specify with Customiz stain.
	veneer pull		See Surface Materials Reference Manual.
	Proud steel, laminate, or	wood fronts	
	 Contemporary 	No cost	Specify with contemporary pull.
	Handle	No cost	Specify with handle pull.
	• Jazz	+\$ 20 per pull	Specify with jazz pull.
	• Bar	+\$ 29 per pull	Specify with bar pull.
	Proud steel fronts only		
	• c:scape	+\$ 33 per pull	Specify with c:scape pull.
Drawer	Rails		
Accessories	 Two side-to-side hanging rails per file drawer 	No cost	Specify with rails.



SmartTools.

▶Options, continued on next page

▶Options, continued from previous page

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

See Counterweight
Requirements for Storage
Products, pages 81-88.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPF1827A_ becomes RPF1827AP for proud steel front).





Tip: Use 27"H pedestals to align with Universal Storage with 3" base. 27"H pedestals support worksurfaces at 28½"H.

Tip: Only 225%"D, 231/2"D, 285%"D, and 291/2"D pedestals can accommodate legal-size filing.





Tip: 25½"H fixed pedestals are for use in the following application: as fixed ped-estals when used underneath worksurfaces installed at lower than standard heights (for example, 27"H).

	Options	U.S. Price	Required to Specify
Basic Drawer	18"D, 24"D, and 30"D b	oox/box/file pedestals	
Interiors	 No rails, pencil trays, or box drawer dividers 	- \$ 57	Specify with basic drawers.
Lock and	Lock		
Keying	 Ember Chrome 	No cost	Specify with 9250 Ember Chrome lock.
	 No lock 	- \$ 71	Specify with no lock.
	Individual locking drav	vers	
	 File/file pedestals only 	+\$139	Specify with individual drawer lock.
	Keying		
	Factory- and field-installed k	keying	▶ Page 268
Related	Universal fixed to freestandi	ing pedestal conversion kits	▶Page 200
Products	 Steel storage accessories 		▶ Page 243

Dimen:	sions	w	н	· Counter- weight	· Style Number	·U.S. Bas	e Prices		
Flush	Proud	•••		Package		Flush	Proud	Proud	Proud
Steel	Steel/				•	Steel	Steel	Lam	Wood
Front	Lam/ Wood				:	Front	Front	Front	Front
	Front					Suffix F	Suffix P	Suffix L	Suffix W

27"H Fixed Pedestals with 3" Base

on Diame	ers and	l One Fi	ile Drawer					
183/8"	15"	27"	RPCW	RPF1827A	\$642	\$710	\$ 901	\$ 977
231/2"	15"	27"	RPCW	RPF2427A	\$700	\$768	\$ 959	\$1035
291/2"	15"	27"	RPCW	RPF3027A_	\$842	\$910	\$1101	\$1177
le Drawe	rs							
183/8"	15"	27"	RPCW	RPF1827B_	\$622	\$690	\$ 881	\$ 957
231/2"	15"	27"	RPCW	RPF2427B	\$680	\$748	\$ 939	\$1015
291/2"	15"	27"	RPCW	RPF3027B_	\$822	\$890	\$1081	\$1157
	23½" 29½" le Drawe 18¾" 23½"	23½" 15" 29½" 15" le Drawers 18¾" 15" 23½" 15"	23½" 15" 27" 29½" 15" 27" le Drawers 18¾" 15" 27" 23½" 15" 27"	23½" 15" 27" RPCW 29½" 15" 27" RPCW le Drawers 18¾" 15" 27" RPCW 23½" 15" 27" RPCW	23½" 15" 27" RPCW RPF2427A_ 29½" 15" 27" RPCW RPF3027A_ le Drawers 18¾" 15" 27" RPCW RPF1827B_ 23½" 15" 27" RPCW RPF2427B_	23½" 15" 27" RPCW RPF2427A \$700 29½" 15" 27" RPCW RPF3027A \$842 Drawers 18¾" 15" 27" RPCW RPF1827B \$622 23½" 15" 27" RPCW RPF2427B \$680	23½" 15" 27" RPCW RPF2427A \$700 \$768 29½" 15" 27" RPCW RPF3027A \$842 \$910 le Drawers 18¾" 15" 27" RPCW RPF1827B \$622 \$690 23½" 15" 27" RPCW RPF2427B \$680 \$748	23½" 15" 27" RPCW RPF2427A \$700 \$768 \$ 959 29½" 15" 27" RPCW RPF3027A \$842 \$910 \$1101 le Drawers 18¾" 15" 27" RPCW RPF1827B \$622 \$690 \$ 881 23½" 15" 27" RPCW RPF2427B \$680 \$748 \$ 939

25½"H Fixed Pedestals

Two B	ox Drawe	ers and	One Fil	e Drawer					
171/2"	183/8"	15"	251/2"	Not required	RPF1825A	\$642	\$710	\$ 901	\$ 977
225/8"	231/2"	15"	251/2"	Not required	RPF2425A_	\$700	\$768	\$ 959	\$1035
285/8"	291/2"	15"	251/2"	Not required	RPF3025A	\$842	\$910	\$1101	\$1177
Two Fi	ile Drawe	ers							
171/2"	183/8"	15"	251/2"	Not required	RPF1825B_	\$622	\$690	\$ 881	\$ 957
225/8"	231/2"	15"	251/2"	Not required	RPF2425B_	\$680	\$748	\$ 939	\$1015
285/8"	291/2"	15"	251/2"	Not required	RPF3025B_	\$822	\$890	\$1081	\$1157



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Fixed to Freestanding Pedestal Conversion Kits



Tip: Flush and proud front pedestals require different conversion kits. Be sure to order the correct style number for your application.

Tip: When converting a file/ file pedestal with individual drawer locks, an interlocking bar is required to provide stability to unit. Order 1043922SR through Service Parts.

Standard Includes

Required to Specify

- Need help?
 Product details,
 page 93
- 1/8"H steel top: all paint price groups
- Counterweight package for 27"H fixed pedestals
- · Safety interlock system conversion components
- Installation hardware

- 1 Style number
- 2 Paint color number for top
- See Surface Materials, page 256.

For 27"H Proud Steel or Proud Wood Front Pedestals 18%" 27" RPXCK2718P \$216 23½" 27" RPXCK2724P \$238 29½" 27" RPXCK2730P \$264

17½" 27"	RPXCK2718F	\$216
225/8" 27"	RPXCK2724F	\$238
28 ⁵ ⁄8" 27"	RPXCK2730F	\$264

For 25 ¹ / ₂ "H Proud Steel or Proud Wood Front Pedestals						
183/8" 251/2"	RPXCK2518P	\$216				
23½" 25½"	RPXCK2524P	\$238				
29½" 25½"	RPXCK2530P	\$264				
For 25 ¹ / ₂ "H Flush Steel Front Pedestals						

17½" 25½"	RPXCK2518F	\$216
225/8" 251/2"	RPXCK2524F	\$238
285/8" 251/2"	RPXCK2530F	\$264



Universal Mobile Pedestals

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts





Tip: $\frac{1}{8}$ "H steel top is non-structural.

Tip: Counterweight packages for mobile pedestals are required to ensure product stability and are included.

►See Counterweight Requirements for Storage Products, pages 81-88.

Standard Includes

► Need help? Product details, page 92

- · Pedestal: paint price group 1
- $\frac{1}{8}$ "H steel top: paint to match pedestal
- · Removable drawer fronts: paint to match pedestal, laminate price group 1 if proud laminate selected, or wood group 1 veneer if proud wood front selected
- · Integral pulls on units with flush steel fronts
- · Pulls: metal
- · Full drawer interiors: black only
- One pencil tray per box/file or box/box/file and box drawer dividers
- · Lock, keyed random: 9201 Polished Chrome
- · Four hard-composition, non-locking casters: black only
- · Safety interlock mechanism
- · Counterweight package


Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- Proud wood front
- 2 Paint color number for pedestal
- 3 Laminate color number for drawer fronts, if proud laminate front selected
- 4 Wood color number for drawer fronts, if proud wood front selected
- 5 Pull (see below under Required Selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)
- See Surface Materials, page 256.

Required Selections

Pulls











Surface **Materials**

- Jazz Bar c:scape **Options U.S. Price Required to Specify** · Paint price group 1 No cost Specify paint color number. Paint price group 2 Specify paint color number. +\$ 47 Specify paint color number. · Paint price group 3 +\$ 80 Prices at right Specify laminate color number.
- · Laminate price group 1 on proud laminate drawer fronts
- · Laminate price group 2 on
- proud laminate drawer fronts · Open Line laminate on proud
- laminate drawer fronts • Wood group 2 on proud
- wood drawer fronts Wood group 3 on proud wood drawer fronts
- Customiz stain on proud wood drawer fronts
- +\$ 74 plus cost of laminate

See information at left

- See information at left
- See information at left No cost
- Specify wood color number.

Specify laminate color number.

See Surface Materials Reference Manual.

- Specify wood color number.
 - Specify with Customiz stain.

Specify with steel square top.

See Surface Materials Reference Manual.

· 1"H square edge steel top

Tops

 13/16"H square edge laminate price group 1 top

1⁷/₁₆"H bullnose laminate

laminate price group 2 top

1⁷/₁₆"H bullnose laminate

Open Line laminate on

Laminate top

price group 1 top

price group 2 top

laminate top

13/16"H square edge

- +\$314

+\$ 74

+\$358

+\$ 74

- See information at left
- See information at left

plus cost of laminate

laminate color number for top and plastic color number for edges. Specify with bullnose laminate top and indicate laminate color number.

Specify with laminate top and indicate

- Specify with laminate top and indicate laminate color number for top and plastic color number for edges. Specify with bullnose laminate top and indicate laminate color number.
- See Surface Materials Reference Manual.

Tip: Optional tops will increase the overall pedestal height.

For wood group 2,

wood group 3, and

laminate price group

to the electronic catalog or

2 pricing, please refer

SmartTools.

Tip: If wood veneer top option is selected, finishes must be selected for both the wood veneer top and the wood veneer fronts.



Canadian price factor.

For Canadian Pricing Multiply U.S. Price by the See page 1 for details.

▶Options, continued on next page

▶ Options, continued from previous page

		Options	U.S. Price	Required to Specify
	Tops, cont	Wood veneer top		
	1003,0011	• 13/16"H wood group 1 veneer top	+\$425	Specify with wood veneer top and indicate wood color number.
For wood group 2, wood group 3, and		• 13/16"H wood group 2 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
laminate price group 2 pricing, please refer		• 13/16"H wood group 3 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
to the electronic catalog or SmartTools.		Customiz stain on wood veneer top	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
T's Footston street		Cushion top for factory in	stallation on RPM242	21C only
Tip: For both cushion top and basic cushion: fabric		Cushion top without handle	+\$384	Specify with cushion top and indicate fabric color number.
patterns with a linear design will always be applied from the front to back of the unit		Cushion top with black handle	+\$490	Specify with cushion top and handle and indicate fabric color number.
(depth of the unit).		Upholstery on pedestal cu	ichion ton	
(doparer are army)		 Fabric price group 1 	No cost	Specify fabric color number.
Tip: For both cushion top		Fabric price group 1 Fabric price group 2	+\$ 10	Specify fabric color number.
and basic cushion: pattern		Fabric price group 2 Fabric price group 3	+\$ 10	Specify fabric color number.
matching will not be done			·	
on COM.		Fabric price group 4	+\$ 51	Specify fabric color number.
OH COW.		Fabric price group 5	+\$ 65	Specify fabric color number.
		 Fabric price group 6 	+\$ 92	Specify fabric color number.
		 Fabric price group 7 	+\$111	Specify fabric color number.
		 Fabric price group 8 	+\$161	Specify fabric color number.
		 Fabric price group 9 	+\$206	Specify fabric color number.
		Fabric price group 10	+\$250	Specify fabric color number.
		Leather price group	+\$641	Specify leather color number.
		Select Surface leather	+\$641	See Surface Materials Reference Manual
		price group 1	. 40	- Coo Carrago maioriais riciorense manaa.
		Elmosoft leather price group	+\$741	Specify Elmosoft leather color number. See Surface Materials, page 256.
		Select Surface leather	+\$741	See Surface Materials Reference Manual
		price group 2	+ φ/41	See Surface Materials Neterence Maridar
			· ¢ 16	Soo Surface Materials Paferones Manual
		Customer's Own Material Cooks are Cooks	+\$ 16	See Surface Materials Reference Manual
		(COM) or Customer's Own Leather (COL)		to specify.
	Pulls	Flush steel fronts		
	ruiis	Full-width wood veneer pull	+\$275	Specify with wood pull and indicate wood color number.
		Customiz stain on wood	No cost	Specify with Customiz stain.
		veneer pull	140 0031	See Surface Materials Reference Manual.
		Proud steel, laminate, or	wood fronts	
		Contemporary	No cost	Specify with contemporary pull.
		Handle	No cost	Specify with handle pull.
		• Jazz	+\$ 20 per pull	Specify with jazz pull.
		• Bar	+\$ 29 per pull	Specify with bar pull.
		Proud steel fronts only		
		· c:scape	+\$ 33 per pull	Specify with c:scape pull.
	Drawer	Rails		
	Accessories	Two side-to-side hanging rails per file drawer	No cost	Specify with rails.
		·		
	Basic Drawer	Box/file and box/box/file p		0 " " ' '
	Interiors	 No rails, pencil trays, or box drawer dividers 	- \$ 57	Specify with basic drawers.
	Lock and	Lock		
	Keying	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
		Individual locking drawer File/file pedestals only	s +\$139	Specify with individual drawer lock.
*		Keying • Factory- and field-installed keying		Page 268



[▶] Specification Information, on next page

Related Products

▶ Page 268

► Page 243 ► Page 205

· Factory- and field-installed keying

Steel storage accessories
 Basic cushions

Universal Mobile Pedestals with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPM1821C_becomes RPM1821CP for proud steel front).









▶ Options, on previous page

File/File

Dimensions		w	н	· Counter-	Style Number	· U.S. Bas	·U.S. Base Prices			
D Flush Steel Front	Proud Steel/ Lam/ Wood	V		weight Package	Number	Flush Steel Front	Proud Steel Front	Proud Lam Front	Proud Wood Front	
	Front			:	:	Suffix F	Suffix P	Suffix L	Suffix V	
Box/F	ile									
17½"	183/8"	15"	21"	Included	RPM1821C_	\$ 907	\$ 975	\$1166	\$1242	
225/8"	231/2"	15"	21"	Included	RPM2421C	\$ 958	\$1026	\$1217	\$1293	
Box/B	ox/File				·	•	•		•	
171/2"	183/8"	15"	27"	Included	RPM1827A_	\$1006	\$1041	\$1235	\$1311	
225/8"	231/2"	15"	27"	Included	RPM2427A_	\$1073	\$1105	\$1299	\$1375	

171/2"	183/8"	15"	27"	Included	RPM1827B_	\$ 987	\$1022	\$1216	\$1292
225/8"	231/2"	15"	27"	Included	RPM2427B_	\$1054	\$1086	\$1280	\$1356
:				:	:	:	:	:	:

Spec	ific	atio	n Information	
Actua			·Style	·U.S.
Dimer			Number	Base
_: D ۱	W	Н	:	Price
:			:	:

Pedestal Cushion Top for Field Installation on RPM2421C_ only

Cusn	susnion top without Handle						
225/8"	5/8" 15" 21/4" RPXTC24F		\$341	(For use with RPM2421CF only)			
231/2"	15"	21/4"	RPXTC24P	\$341	(For use with RPM2421CP and RPM2421CW only)		
Cushi	Cushion Top with Black Handle						
225/8"	15"	21/4"	RPXTCH24F	\$459	(For use with RPM2421CF only)		
231/2"	15"	21/4"	RPXTCH24P	\$459	459 (For use with RPM2421CP and RPM2421CW only)		





Tip: If used with a Universal mobile pedestal manufactured before 12/20/2011, you will need to order service part 1072962001SR for attachment hardware.



Basic Cushions

For Universal Mobile Pedestals



Tip: Basic cushion is fieldinstalled and supplies to attach are included.

Tip: Basic cushion is available on Universal mobile pedestals RPM1821CF. RPM1821CP, RPM1821CW, RPM2421CF, RPM2421CF, and RPM2421CW with a top only.

Tip: For both cushion top and basic cushion: fabric patterns with a linear design will always be applied from the front to back of the unit (depth of the unit).

Tip: For both cushion top and basic cushion: pattern matching will not be done on COM.

Standard Includes

Required to Specify

- ► Need help? Product details, page 93
- · Cushion top: fabric price group 1
- Attachment supplies: hook and loop fastener
- 1 Style number
- 2 Fabric color number for cushion top
- 3 Options, if selected (see below)
- ► See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify		
Surface	Upholstery				
Materials	Fabric price group 1	No cost	Specify fabric color number.		
	 Fabric price group 2 	+\$ 10	Specify fabric color number.		
	 Fabric price group 3 	+\$ 42 +\$ 51 +\$ 65	Specify fabric color number. Specify fabric color number. Specify fabric color number.		
	 Fabric price group 4 				
	 Fabric price group 5 				
	 Fabric price group 6 	+\$ 92	Specify fabric color number.		
	 Fabric price group 7 	+\$111 +\$161	Specify fabric color number.		
	 Fabric price group 8 		Specify fabric color number.		
	Fabric price group 9	+\$206	Specify fabric color number.		
	Fabric price group 10	+\$250	Specify fabric color number.		
	Customer's Own Material (COM)	+\$ 16	See Surface Materials Reference Manual		
Related	Universal mobile pedestals		▶ Page 202		

Products

225/8"

15"

11/2"

RCH2315

Dime	ensions		·Style	·U.S.	
D	W	н	Number	Base Price	
171/2"	15"	11/2"	RCH1715	\$201	


\$212

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal One-High and Two Drawer Lateral Files

with Flush Steel, Proud Steel, Proud Laminate, Proud Wood, or Open Fronts



Tip: Service part Y30291SR, (paintable black plug), can be ordered to cover the glide adjustment holes in the front of the lateral file.

Standard Includes

- Lateral file: paint price group 1
- 1"H top on units with flush steel or proud steel fronts: paint to match file
- 13/16"H top and drawer fronts on units with proud laminate fronts: laminate price group 1
- 13/16"H top and drawer fronts on units with proud wood fronts: wood group 1 veneer
- · Base (see below under Required Selections)
- · Pulls: metal
- · Integral pulls on units with flush steel fronts
- · Central lock, keyed random: 9201 Polished Chrome
- · One label holder per drawer: clear plastic
- · Drawer body: black only
- · Drawer suspensions: black only
- · One hanging folder bar per drawer on 18"D units
- Two rails per drawer on 24"D units
- Four adjustable leveling glides
- Ganging hardware
- · Counterweight package, if selected

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
 - Flush steel front
 - Proud steel front
 - Proud laminate front
 - W Proud wood front
- 2 Paint color number for file
- 3 Laminate color number for drawer fronts and top, if proud laminate front selected
- 4 Wood color number for drawer fronts and top, if proud wood front selected
- 5 Base (see below under Required Selections)
- 6 Pull (see below under Required Selections)
- 7 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 8 Options, if selected (see below)
- ► See Surface Materials, page 256

	Required Selections	U.S. Price	Required to Specify
Bases	Universal 3" base	No cost	Specify with Universal 3" base, painted to match tower.
	FrameOne foot base	+\$102	Specify with FrameOne foot base, painted to match tower.
	c:scape glide base	+\$102	Specify with c:scape glide base, 4799 Platinum only.

Pulls

► Need help?

page 96

Product details,



Contemporary Handle









For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Security top reduces overall height by approximately 1".

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2Paint price group 3	No cost +\$ 80 +\$138	Specify paint color number. Specify paint color number. Specify paint color number.
	Laminate price group 1 on proud laminate drawer fronts	Prices at right	Specify laminate color number.
	 Laminate price group 2 on proud laminate drawer fronts 	See information at left	Specify laminate color number.
	Open Line laminate on proud laminate drawer fronts	+\$ 74 plus cost of laminate	See Surface Materials Reference Manual.
	Wood group 2 on proud wood drawer fronts	See information at left	Specify wood color number.
	 Wood group 3 on proud wood drawer fronts 	See information at left	Specify wood color number.
	 Customiz stain on proud wood drawer fronts 	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
Tops for Flush Steel	Security top • For use on 28"H lateral files only	No cost	Specify with security top.
Front and Proud Steel Front	No top • For use with a cushion top or beneath a common top	- \$104	Specify with no top.

▶ Options, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add ³/₁₆" to overall case height.

Tip: FrameOne tops are available on 28"H lateral files only. FrameOne top will add 1/2" to the overall height.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Full-fill finish (option) is available on field-installed tops only.

▶Page 240

	Options	U.S. Price	Required to Specify
Tops for Flush Steel Front and	Laminate top • Square edge laminate price group 1 top	+\$145	Specify with laminate top and indicate laminate color number for top and plasti
Proud Steel Front, Continued	FrameOne laminate	+\$379	color number for edges. Specify with FrameOne laminate top an indicate laminate color number for top
ontinuea	 Square edge laminate price group 2 top 	See information at left	and plastic color number for edges. Specify with laminate top and indicate laminate color number for top and plast
	FrameOne laminate price group 2 top	See information at left	color number for edges. Specify with FrameOne laminate top ar indicate laminate color number for top
	Open Line laminate on laminate top	+\$ 74 plus cost of laminate	and plastic color number for edges. ▶ See Surface Materials Reference Manu
	Wood veneer top	<u>'</u>	
	Wood group 1 veneer top	+\$437	Specify with wood veneer top and indicate wood color number.
	FrameOne wood veneer top	+\$670	Specify with FrameOne wood veneer to and indicate wood color number.
	Wood group 2 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
	Wood group 3 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
	 Customiz stain on wood veneer top 	No cost	Specify with Customiz stain. See Surface Materials Reference Manu
Tops for Proud Wood Front	Security top • For use on 28"H lateral files only	- \$437	Specify with security top.
	No top • For use with a cushion top or beneath a common top	- \$541	Specify with no top.
	Laminate top • Square edge laminate price group 1 top	- \$292	Specify with laminate top and indicate laminate color number for top and plast color number for edges.
	FrameOne laminate price group 1 top	- \$ 58	Specify with FrameOne laminate top ar indicate laminate color number for top
	Square edge laminate price group 2 top	See information at left	and plastic color number for edges. Specify with laminate top and indicate laminate color number for top and plast
	FrameOne laminate price group 2 top	See information at left	color number for edges. Specify with FrameOne laminate top ar indicate laminate color number for top
	Open Line laminate on laminate top	+\$ 74 plus cost of laminate	and plastic color number for edges. ► See Surface Materials Reference Manu
	Wood veneer top		
	FrameOne wood veneer top	+\$233	Specify with FrameOne wood veneer to and indicate wood color number.
	Wood group 2 veneer topWood group 3 veneer topCustomiz stain	See information at left See information at left No cost	Specify wood color number. Specify wood color number. Specify with Customiz stain. See Surface Materials Reference Manu
ops for Proud Laminate Front	Security top • For use on 28"H lateral files only	- \$145	Specify with security top.
	No top • For use with a cushion top or beneath a common top	-\$292	Specify with no top.



Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

▶ Options, continued on next page

Universal One-High and Two Drawer Lateral Files with Flush Steel, Proud Steel, Proud Laminate, Proud Wood, or Open Fronts, continued

▶Options, continued from previous page

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Options, continu	ed from previous page						
	Options	U.S. Price	Required to Specify				
Tops for Proud Laminate	Laminate top • FrameOne laminate	+\$234	Specify with FrameOne laminate top an				
Front, continued	price group 1 top		indicate laminate color number for top and plastic color number for edges.				
	FrameOne laminate price group 2 top	See information at left	Specify with FrameOne laminate top an indicate laminate color number for top and plastic color number for edges.				
	Open Line laminate on laminate top	+\$ 74 plus cost of laminate	See Surface Materials Reference Manu				
	Wood veneer top • Wood group 1 veneer top	+\$249	Specify with wood veneer top and indicate wood color number.				
	FrameOne wood veneer top	+\$744	Specify with FrameOne wood veneer to and indicate wood color number.				
	Wood group 2 veneer top Wood group 3 veneer top Customiz stain	See information at left See information at left No cost	Specify wood color number. Specify wood color number. Specify with Customiz stain. See Surface Materials Reference Manu				
Drawer Interiors	HF bar for use on 24"D units only	+\$ 15	Specify with HF bar.				
menors	Divider packageRails for use on 18"D units only	+\$ 29 +\$ 36	Specify with divider package. Specify with rails.				
Pulls	Proud steel, laminate, o	r wood fronts					
	Contemporary	No cost	Specify with contemporary pull.				
	HandleJazz	No cost	Specify with handle pull.				
	• Bar	+\$ 20 per pull +\$ 29 per pull	Specify with jazz pull. Specify with bar pull.				
	Proud steel fronts only • c:scape	+\$ 33 per pull	Specify with c:scape pull.				
Counterweights							
	Package A	+\$233	Specify with counterweight.				
	Package BPackage C	+\$167 +\$233	Specify with counterweight. Specify with counterweight.				
	One-High lateral files with c:scape glide and FrameOne foot bases						
	Package G	+\$233	Specify with counterweight.				
	Package H	+\$167	Specify with counterweight.				
	Package J	+\$233	Specify with counterweight.				
	Two Drawer with Univer		0				
	Package 3Package 4	+\$128 +\$167	Specify with counterweight. Specify with counterweight.				
	Two Drawer with c:scape glide and FrameOne foot bases						
	Package 5 Package 7	+\$233	Specify with counterweight.				
	Package 7Package 8	+\$233 +\$233	Specify with counterweight. Specify with counterweight.				
Lock and Keying	Lock • Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.				
	Individual locking drawe		Consider with individual last.				
	18"D with two drawers24"D with two drawers	+\$139 +\$155	Specify with individual lock. Specify with individual lock.				
	Keying • Factory- and field-installed ke	eying	▶ Page 268				
Related	Cushion tops		▶ Page 212				
Products	Field-installed tops		Page 238				
	Steel storage accessories Packanda		Page 243				
	BookendsCounterweight packages		▶ Page 246▶ Page 248				
	 Low storage-to-beam tether b 	oracket	Page 211				
	Basic cushions		Page 210				

ages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

See Counterweight Requirements for Storage

Products, pages 81-88.

Tip: Counterweight pack-



Basic cushions

▶ Page 210


Tip: Height dimension listed is for units with 1" top. Over-all height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18301__ becomes RLF18301F for flush steel front).





Tip: For open-open units, the shelf is affixed with screws. The screws can be removed to adjust the clips/ shelf to a different height.



▶ Options, on previous page

Spec	ificati	on I	nfor	mation						
• Dimensions	w	н	· Counterwe	eight	·Style ·Number	·U.S. Bas	e Prices			
	Proud Steel/ Lam/ Wood	••		:	FrameOne Foot and c:scape Glide Bases	Number	Flush Steel Front	Proud Steel Front	Proud Lam Front	Proud Wood Front Suffix W
One 1	2"H D	raw	er	·	•	·		·		
18"	187/8"	30"	16"	Package A	Package G	RLF18301_	\$ 871	\$ 896	\$1185	\$1748
18"	187/8"	36"	16"	Package B	Package H	RLF18361_	\$ 964	\$1002	\$1285	\$1848
18"	18 ⁷ / ₈ "	42"	16"	Package C	Package J	RLF18421_	\$1058	\$1103	\$1380	\$1943
231/8"	24"	30"	16"	Package A	Package G	RLF24301_	\$ 982	\$1024	\$1308	\$1871
231/8"	24"	36"	16"	Package B	Package H	RLF24361	\$1140	\$1193 :	\$1467	\$2030
Open	Config	jura	tion	IS						
18"	187/8"	30"	16"	Not required	Not required	RSC18301A_	\$ 742	\$ 803	N.A.	N.A.
18"	187/8"	36"	16"	Not required	Not required	RSC18361A_	\$ 868	\$ 943	N.A.	N.A.
18"	187/8"	42"	16"	Not required	Not required	RSC18421A_	\$ 986	\$1069	N.A.	N.A.
231/8"	24"	30"	16"	Not required	Not required	RSC24301A_	\$ 904	\$ 976	N.A.	N.A.

Two 12"H Drawers

36" 16"

Not required Not required

24"

231/8"

18"	181/8"	30"	28"	Package 3	Package 5	RLF18302_	\$ 963	\$1029	\$1449	\$2012
18"	181/8"	36"	28"	Package 4	Package 7	RLF18362_	\$1125	\$1201	\$1597	\$2160
18"	181/8"	42"	28"	Package 4	Package 8	RLF18422_	\$1271	\$1363	\$1883	\$2446
231/8"	24"	30"	28"	Package 3	Package 5	RLF24302_	\$1180	\$1262	\$1855	\$2418
231/8"	24"	36"	28"	Package 4	Package 7	RLF24362_	\$1416	\$1512	\$2040	\$2603
:				:		:	:		:	

RSC24361A_

\$1104

\$1196

N.A.

N.A.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.


Basic Cushions

For Universal One-High and Two Drawer Lateral Files

► Need help?

page 97

Product details,



Tip: Basic cushion is fieldinstalled and supplies to attach are included.

Tip: Basic cushion is available on Universal laterals with a top only.

Standard IncludesRequired to Specify• Cushion top: fabric price group 11 Style number• Attachment supplies: hook and loop fastener2 Fabric color number for cushion top
3 Options, if selected (see below)

See Surface Materials, page 256

	Options	U.S. Price	Required to Specify	
Surface	Upholstery			
Materials	Fabric price group 1	No cost	Specify fabric color number.	
	Fabric price group 2	+\$ 10	Specify fabric color number.	
	Fabric price group 3	+\$ 42	Specify fabric color number.	
	Fabric price group 4	+\$ 51 +\$ 65 +\$ 92 +\$111 +\$161	Specify fabric color number.	
	Fabric price group 5		Specify fabric color number.	
	Fabric price group 6		Specify fabric color number.	
	Fabric price group 7		Specify fabric color number.	
	Fabric price group 8		Specify fabric color number.	
	Fabric price group 9	+\$206	Specify fabric color number.	
	Fabric price group 10	+\$250	Specify fabric color number.	
	Customer's Own Material (COM)	+\$ 16	See Surface Materials Reference Manual	
Support	For 30"W and 36"W steel U	niversal laterals	with an open configuration	
Bracing	 Brace (30"W or 36"W) 	+\$ 55	Specify with brace.	
Related Products	Universal One-High and Two Drav	wer laterals	▶ Page 206	

Dimensions D W H				· U.S. Base Price	
18"	30"	11/2"	RCH1830	\$274	
18"	36"	11/2"	RCH1836	\$290	
18"	42"	11/2"	RCH1842	\$307	
24"	30"	11/2"	RCH2430	\$313	
24"	36"	11/2"	RCH2436	\$323	



Low Storage-to-Beam Tether Bracket





Need help? Product details, page 97

- **Standard Includes**
- Pair of tether brackets: blackAttachment hardware

Required to Specify

Style number

Specif	ication	Infor	mation


·Style	∙U.S.
Number	Price

UFSTB \$17



Cushion Tops

For Universal One-High and Two Drawer Lateral Files



Tip: Seam pattern is determined by upholstery selected.

► See page 256.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style of the lateral, (for example, RPDC1830__ becomes RPDC1830F for cushion top for flush steel front.

Standard Includes

Required to Specify

- ► Need help? Product details, page 97
- · Cushion top: fabric
- Attachment hardware

- 1 Style number with appropriate front style suffix in the space provided
- F Flush steel front
- P Proud steel/wood front
- 2 Fabric color number
- 3 Options, if selected (see below)
- See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify
Surface	Upholstery		
Materials	 Fabric price group 1 	No cost	Specify fabric color number.
	Fabric price group 2	+\$ 10	Specify fabric color number.
	 Fabric price group 3 	+\$ 42	Specify fabric color number.
	Fabric price group 4	+\$ 51	Specify fabric color number.
	Fabric price group 5	+\$ 65	Specify fabric color number.
	Fabric price group 6	+\$ 92	Specify fabric color number.
	Fabric price group 7	+\$111	Specify fabric color number.
	Fabric price group 8	+\$161	Specify fabric color number.
	Fabric price group 9	+\$206	Specify fabric color number.
	Fabric price group 10	+\$250	Specify fabric color number.
	Leather price group	+\$641	Specify leather color number.
	Select Surfaces leather price group 1	+\$641	See Surface Materials Reference Manual.
	Elmosoft leather price group	+\$741	Specify Elmosoft leather color number.
	Select Surfaces leather price group 2	+\$741	See Surface Materials Reference Manual.
	 Customer's Own Material (COM) or Customer's Own Leather (COL) 	+\$ 16	See Surface Materials Reference Manual.
Related Products	Universal One-High and Two Drawer lateral files		▶Page 206

Dimer D	nsions	w	н	· Style Number	· U.S. Base	e Prices	
Flush Steel Front	Proud Steel/ Wood Front				Flush Steel Front	Proud Steel/Wood Front	
•				•	Suffix F	Suffix P	
Cushi	on Top	S					
18"	181/8"	30"	11/2"	RPDC1830_	\$670	\$670	
18"	187/8"	36"	11/2"	RPDC1836_	\$683	\$683	
18"	181/8"	42"	11/2"	RPDC1842_	\$696	\$696	
231/8"	24"	30"	11/2"	RPDC2430_	\$711	\$711	
231/8"	24"	36"	11/2"	RPDC2436_	\$724	\$724	




Universal Lateral Files

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts

► Need help?

page 100

Product details,



For wood group 2,

wood group 3, and

laminate price group

to the electronic catalog or

2 pricing, please refer

SmartTools.

Standard Includes


- · Lateral file: paint price group 1
- 1"H top on units with flush steel or proud steel fronts: paint to match file
- · Drawer fronts on units with proud laminate fronts: laminate price group 1
- · Drawer fronts on units with proud wood fronts: wood group 1 veneer
- · Integral pulls on units with flush steel front
- · Pulls: metal
- Lift-up door with fixed shelf on $65\frac{1}{2}$ "H units with flush steel or proud steel front: paint
- Lift-up door with fixed shelf on 65½"H units with proud laminate fronts: laminate price group 1
- Lift-up door with fixed shelf on 65½"H units with proud wood fronts: wood group 1 veneer
- · Central lock, keyed random: 9201 Polished Chrome
- · One label holder per drawer: clear plastic
- · Drawer body: black only
- · Drawer suspensions: black only
- · One hanging folder bar per drawer on 18"D units
- · Two rails per drawer on 24"D units
- · One hanging folder bar and three dividers on roll-out shelf, if selected
- · Four adjustable leveling glides
- · Ganging hardware
- · Counterweight package, if selected

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for file
- 3 Laminate color number for drawer fronts, if proud laminate front selected
- 4 Wood color number for drawer fronts, if proud wood front selected
- 5 Pull (see below under Required Selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)
- ► See Surface Materials, page 256.

Required Selections

Pulls



Surface









Materials

- · Paint price group 2 · Laminate price group 1 on
- · Paint price group 3

· Paint price group 1

Options

- proud laminate drawer fronts · Laminate price group 2 on
- proud laminate drawer fronts
- · Open Line laminate on proud laminate drawer fronts
- · Wood group 2 on proud wood fronts Wood group 3 on proud
- wood fronts · Customiz stain on proud wood fronts

No cost +\$ 80 +\$138

U.S. Price

- Prices at right
- See information at left
- +\$ 74
- plus cost of laminate
- See information at left
- See information at left No cost
- Specify wood color number.

Required to Specify

Specify paint color number.

Specify paint color number.

Specify paint color number.

Specify laminate color number.

Specify laminate color number.

Specify wood color number.

Specify with no top.

Specify with Customiz stain. See Surface Materials Reference Manual.

See Surface Materials Reference Manual.

Tops for Flush Steel Front and **Proud Steel Front**

No top on 40"H or 52"H · For use under a worksurface

- or beneath a common top

-\$104

+\$145

· Square edge laminate price group 1 top · Square edge laminate

· Open Line laminate on

Laminate top

price group 2 top

laminate top

See information at left

+\$ 74

plus cost of laminate

color number for edges. Specify with laminate top and indicate

Specify with laminate top and indicate laminate color number for top and plastic

laminate color number for top and plastic color number for edges See Surface Materials Reference Manual.

▶ Options, continued on next page

▶ Options, continued from previous page

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Full-fill finish (option) is available on field-installed tops only.
▶Page 240

	Options	U.S. Price	Required to Specify
Tops for	Wood veneer top		
Flush Steel Front and	Wood group 1 veneer top	+\$437	Specify with wood veneer top and indicate wood color number.
Proud Steel Front,	Wood group 2 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
continued	Wood group 3 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
	Customiz stain on wood veneer top	No cost	Specify with Customiz stain. See Surface Materials Reference Manual
Tops for Proud Laminate Front	No top • For use with a cushion top or beneath a common top	- \$292	Specify with no top.
	Laminate top Laminate price group 1 Laminate price group 2 Open Line laminate on laminate top	No cost See information at left +\$ 74 plus cost of laminate	Specify laminate color number. Specify laminate color number. See Surface Materials Reference Manual
	Wood veneer top Wood group 1 veneer top	+\$249	Specify with wood veneer top and indicate wood color number.
	Wood group 2 veneer topWood group 3 veneer topCustomiz stain	See information at left See information at left No cost	Specify wood color number. Specify wood color number. Specify with Customiz stain. See Surface Materials Reference Manual
Tops for Proud Wood Front	No top on 40"H or 52"H • For use under a worksurface or beneath a common top	- \$541	Specify with no top.
	Laminate top • Square edge laminate price group 1 top	-\$292	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	Square edge laminate price group 2 top	See information at left	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	Open Line laminate on laminate top	+\$ 74 plus cost of laminate	See Surface Materials Reference Manual
	Wood veneer top • Wood group 2 veneer top • Wood group 3 veneer top • Customiz stain	See information at left See information at left No cost	Specify wood color number. Specify wood color number. Specify with Customiz stain. See Surface Materials Reference Manual
Drawer Interiors	HF bar for use on 24"D units only	+\$ 15	Specify with HF bar.
	Divider package Rails for use on 18"D units only	+\$ 29 +\$ 36	Specify with divider package. Specify with rails.
Lift-Up Door	65½"H flush steel front f	files only	
With Roll-Out Shelf	• On 18"D files • On 24"D files	+\$ 47 +\$ 66	Specify with roll-out shelf. Specify with roll-out shelf.
Pulls	Proud steel, laminate, or	wood fronts	
	Contemporary	No cost	Specify with contemporary pull.
	• Handle	No cost	Specify with handle pull.
	JazzBar	+\$ 20 per pull +\$ 29 per pull	Specify with jazz pull. Specify with bar pull.
	Proud steel fronts only • c:scape	+\$ 33 per pull	Specify with c:scape pull.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

▶ Options, continued on next page

Universal Lateral Files with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

See Counterweight Requirements for Storage Products, pages 81-88.

Tip: 65½"H files with individual lock option do not have a lock in the lift-up door. Lift-up door is locked by the drawer below.


	Options	U.S. Price	Required to Specify		
Counter-	Package 1	+\$128	Specify with counterweight.		
weights	Package 2	+\$128	Specify with counterweight.		
•	Package 3	+\$128	Specify with counterweight.		
	Package 4	+\$167	Specify with counterweight.		
Lock and	Lock				
Keying	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.		
	Individual locking dra	awers on 18"D file			
	With three drawers	+\$278	Specify with individual lock.		
	With four drawers	+\$417	Specify with individual lock.		
	Individual locking drawers on 24"D file				
	With three drawers	+\$310	Specify with individual lock.		
	With four drawers	+\$465	Specify with individual lock.		
	Keying				
	 Factory- and field-installe 	d keying	▶ Page 268		
Related	Field-installed tops		▶ Page 238		
Products	 Steel storage accessories 	3	▶ Page 243		
	Bookends		▶ Page 246		
	 Counterweight packages 		▶ Page 248		


▶ Specification Information, on next page



Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18363_ becomes RLF18363F for flush steel front).





Dimensions D W		w	н	· Counterweight Package	nt ·Style Number	·U.S. Base Prices					
Flush	Proud					Flush	Proud	Proud	Proud		
Steel	Steel/				:	Steel	Steel	Lam	Wood		
Front	Lam/					Front	Front	Front	Front		
	Wood					·		:	:		
	Front			:					:		

Three 12"H Drawers											
18"	187⁄8"	30"	40"	Package 3	RLF18303_	\$1296	\$1451	\$1985	\$2548		
18"	187⁄8"	36"	40"	Package 3	RLF18363_	\$1506	\$1690	\$2187	\$2750		
18"	187⁄8"	42"	40"	Package 3	RLF18423_	\$1705	\$1912	\$2324	\$2887		
231/8"	24"	30"	40"	Package 2	RLF24303_	\$1659	\$1860	\$2353	\$2916		
231/8"	24"	36"	40"	Package 2	RLF24363_	\$1894	\$2123	\$2603	\$3166		

Four	Four 12"H Drawers											
18"	187/8"	30"	52"	Package 3	RLF18304	\$1694	\$1899	\$2582	\$3145			
18"	187/8"	36"	52"	Package 4	RLF18364	\$1970	\$2206	\$2855	\$3418			
18"	187/8"	42"	52"	Package 4	RLF18424	\$2227	\$2497	\$3120	\$3683			
231/8"	24"	30"	52"	Package 2	RLF24304_	\$2125	\$2383	\$3078	\$3641			
231/8"	24"	36"	52"	Package 3	RLF24364	\$2472	\$2775	\$3412	\$3975			
				•	•							

Four	Four 12"H Drawers and One 13 ¹ / ₂ "H Lift-Up Door with Fixed Shelf											
18"	187⁄8"	30"	65½"	Package 2	RLF18305_	\$2033	\$2276	\$3003	\$3566			
18"	18%"	36"	651/2"	Package 2	RLF18365_	\$2360	\$2646	\$3332	\$3895			
18"	18%"	42"	651/2"	Package 3	RLF18425_	\$2666	\$2990	\$3656	\$4219			
231/8"	24"	30"	651/2"	Package 1	RLF24305_	\$2550	\$2862	\$3601	\$4164			
231/8"	24"	36"	651/2"	Package 1	RLF24365	\$2962	\$3321	\$4009	\$4572			
:					•			:	:			




Universal Open Side Towers

► Need help?

page 104

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



Standard Includes

· Tower: paint price group 1 Product details, 1"H top: paint to match tower

- · Door and drawer fronts on units with proud laminate fronts: laminate price group 1
- · Door and drawer fronts on units with proud wood fronts: wood group 1 veneer
- · Lock, keyed random: 9201 Polished Chrome
- · Base (see below under required selections)
- · Pulls: metal
- · Integral pulls on units with flush steel fronts
- · Drawer body: black only
- Adjustable shelves on 52"H and 65½"H: paint to match tower
- · Brackets for adjustable shelves: black
- · Post to support adjustable shelf: paint to match tower
- · One box drawer divider and one pencil tray: black only
- · Coat rod: black
- · Four adjustable leveling glides
- · Ganging hardware
- · Counterweight package, if selected

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for door and drawer fronts, if proud laminate front selected
- 4 Wood color number for door and drawer fronts, if proud wood front selected
- 5 Base (see below under required selections)
- 6 Pull (see below under required selections)
- 7 Metal color number for pulls, if proud steel or proud wood front selected
- 8 Options, if selected (see below)
- ► See Surface Materials, page 256

Required to Specify

Required Selections	U.S. Price	Required to Specify
Universal 3" base	No cost	Specify with Universal 3" base, painted to match tower.
FrameOne foot base	+\$202	Specify with FrameOne foot base, painted to match tower.
c:scape glide base	+\$202	Specify with c:scape glide base, 4799 Platinum only.
,	Universal 3" base FrameOne foot base	• FrameOne foot base +\$202









Options





U.S. Price

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Surface
Materials

Paint price group 1Paint price group 2Paint price group 3	No cost +\$ 80 +\$138	Specify paint color number. Specify paint color number. Specify paint color number.
Laminate price group 1 on proud laminate fronts	Prices at right	Specify laminate color number.
 Laminate price group 2 on proud laminate fronts 	See information at left	Specify laminate color number.
Open Line laminate on proud laminate fronts	+\$ 74 plus cost of laminate	See Surface Materials Reference Manual.
 Wood group 2 on proud wood fronts 	See information at left	Specify wood color number.
 Wood group 3 on proud wood fronts 	See information at left	Specify wood color number.
 Customiz stain on proud wood fronts 	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.

Tops for Flush Steel Front, **Proud Steel** Front, Proud **Laminate Front.** and Proud Wood **Front**

- Laminate top · Square edge laminate
- price group 1 top
- · Square edge laminate price group 2 top
- · Open Line laminate on laminate top
- +\$145
- See information at left
- +\$ 74
- plus cost of laminate
- Specify with laminate top and indicate laminate color number for top and plastic color number for edges. Specify with laminate top and indicate laminate color number for top and plastic color number for edges. See Surface Materials Reference Manual.

▶ Options, continued on next page

Universal Storag

▶ Options, continued from previous page

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.

For wood group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Glass shelves are not available on 18"D towers.

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

See Counterweight

See Counterweight
Requirements for Storage
Products, pages 81-88.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RQS24244LA_ becomes RQS24244LAF for flush steel front).

	Options	U.S. Price	Required to Specify						
Tops for Flush	Wood veneer top								
Steel Front, Proud Steel	Wood group 1 veneer top	+\$437	Specify with wood veneer top and indicate wood color number.						
Front, Proud Laminate Front,	Wood group 2 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.						
and Proud Wood Front, continued	Wood group 3 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.						
,	Customiz stain on wood veneer top on units with flush steel or proud steel fronts	No cost	Specify with Customiz stain. ▶See Surface Materials Reference Manual.						
Glass	On 52"H towers	+\$129	Specify with glass shelves.						
Shelves	• On 65½"H towers	+\$258	Specify with glass shelves.						
Pulls	Proud steel, laminate, or wood fronts								
	 Contemporary 	No cost	Specify with contemporary pull.						
	Handle	No cost	Specify with handle pull.						
	• Jazz	+\$ 20 per pull	Specify with jazz pull.						
	• Bar	+\$ 29 per pull	Specify with bar pull.						
	Proud steel fronts only								
	• c:scape	+\$ 33 per pull	Specify with c:scape pull.						
Counterweights	Tower package 1	+\$114	Specify with counterweight.						
	Tower package 2	+\$140	Specify with counterweight.						
Lock and	Lock								
Keying	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.						
	Keying								
	 Factory- and field-installed key 	ring	▶ Page 268						
Related	Field-installed tops		▶ Page 238						
Products	 Adjustable shelves 		▶ Page 242						
	 Counterweights 		▶ Page 248						
	 Steel storage accessories 		▶ Page 243						
	Bookends		▶ Page 246						

▶ Specification Information, on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

▶ Specification Information, continued from previous page

Specification Information												
Dimensions D W H	·Style Number	· U.S. Base Prices				Counterweights						
	:	Flush	Proud	Proud	Proud	Steel Fron	ts	Lam/Wood Fronts				
Flush Proud	:	Steel	Steel	Lam	Wood	Universal	FrameOne	Universal	FrameOnd			
Steel Steel/	:	Front	Front	Front	Front	3" Base	Foot and	3" Base	Foot and			
Front Lam/	:	:	:		:		c:scape	:	c:scape			
Wood	:	Suffix	Suffix	Suffix	Suffix		Glide	:	Glide			
Front		F	P	L	w	•	Bases	:	Bases			


Tower with Door Hinged on Left

One 6"H Drawer and Two 12"H Drawers




18"	187/8"	24" 47½"	RQS182448LA_	\$2174	\$2524	\$2867	\$3011	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24" 47½"	RQS242448LA_	\$2407	\$2757	\$3100	\$3244	Not required	Tower package 1	Not required	Tower package 1
291/8"	30"	24" 471/2"	RQS302448LA_	\$2640	\$2990	\$3333	\$3477	Not required	Not required	Not required	Not required

One Adjustable Shelf, One 6"H Drawer, and Two 12"H Drawers



18"	187/8"	24" 52"	RQS18244LA_	\$2246	\$2596	\$2939	\$3083	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24" 52"	RQS24244LA_	\$2498	\$2848	\$3191	\$3335	Not required	Not required	Not required	Not required
291/8"	30"	24" 52"	RQS30244LA_	\$2750	\$3100	\$3443	\$3587	Not required	Not required	Not required	Not required

Two Adjustable Shelves, One 6"H Drawer, and Two 12"H Drawers



18"	187/8"	24" 65½"	RQS18245LC_	\$2649	\$2999	\$3342	\$3486	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24" 65½"	RQ\$24245LC_	\$2943	\$3293	\$3636	\$3780	Not required	Not required	Not required	Not required
291/8"	30"	24" 65½"	RQS30245LC_	\$3237	\$3587	\$3930	\$4074	Not required	Not required	Not required	Not required

[▶] Specification Information, continued on next page

▶ Specification Information, continued from previous page

Specification Info	ormation									
Dimensions D W H	Style Number	·U.S. Ba	se Price	s		Counterweights				
	•	Flush	Proud	Proud	Proud	Steel Fron	ts	Lam/Wood I	Fronts	
Flush Proud	•	Steel	Steel	Lam	Wood	Universal	FrameOne	Universal	FrameOne	
Steel Steel/	•	Front	Front	Front	Front	3" Base	Foot and	3" Base	Foot and	
Front Lam/	•	:	:	:	:	:	c:scape	:	c:scape	
Wood	•	Suffix	Suffix	Suffix	Suffix	:	Glide	:	Glide	
Front	•	F	P	L	·w	:	Bases	:	Bases	

Tower with Door Hinged on Right

One 6"H Drawer and Two 12"H Drawers





18"	187/8"	24" 47½"	RQS182448RA_	\$2174	\$2524	\$2867	\$3011	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24" 47 ¹ / ₂ "	RQS242448RA_	\$2407	\$2757	\$3100	\$3244	Not required	Tower package 1	Not required	Tower package 1
291/8"	30"	24" 471/2"	RQS302448RA_	\$2640	\$2990	\$3333	\$3477	Not required	Not required	Not required	Not required


One Adjustable Shelf, One 6"H Drawer, and Two 12"H Drawers






18"	187/8"	24" 52"	RQS18244RA_	\$2246	\$2596	\$2939	\$3083	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24" 52"	RQS24244RA_	\$2498	\$2848	\$3191	\$3335	Not required	Not required	Not required	Not required
291/8"	30"	24" 52"	RQS30244RA_	\$2750	\$3100	\$3443	\$3587	Not required	Not required	Not required	Not required

Two Adjustable Shelves, One 6"H Drawer, and Two 12"H Drawers






18"	187/8"	24" 65½"	RQS18245RC_	\$2649	\$2999	\$3342	\$3486	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/2"	24"	24" 651/2"	RQ\$24245RC_	\$2943	\$3293	\$3636	\$3780	Not required	Not required	Not required	Not required
291/8"	30"	24" 651/2"	RQS30245RC_	\$3237	\$3587	\$3930	\$4074	Not required	Not required	Not required	Not required
:			:	:	:	1	:		:	1	:

Universal Dual Door Towers

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



Standard Includes

► Need help? Product details, page 104

- · Tower: paint price group 1
- 1"H top: paint to match tower
- · Door and drawer fronts on units with proud laminate fronts: laminate price group 1
- · Door and drawer fronts on units with proud wood fronts: wood group 1 veneer
- · Lock, keyed random: 9201 Polished Chrome
- · Base (see below under Required Selections)
- · Pulls: metal
- · Integral pulls on units with flush steel fronts
- · Drawer body: black only
- Adjustable shelves on 52"H and 65½"H: paint to match tower
- · Brackets for adjustable shelves: black
- · Post to support adjustable shelf: paint to match tower
- · One box drawer divider and one pencil tray: black only
- · Coat rod: black
- · Four adjustable leveling glides
- · Ganging hardware
- · Counterweight package, if selected

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for door and drawer fronts, if proud laminate front selected
- 4 Wood color number for door and drawer fronts, if proud wood front selected
- 5 Base (see below under Required Selections)
- 6 Pull (see below under Required Selections)
- 7 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 8 Options, if selected (see below)


Required to Specify

Specify paint color number

See Surface Materials, page 256.

	Required Selections	U.S. Price	Required to Specify
Bases	Universal 3" base	No cost	Specify with Universal 3" base, painted to match tower.
	FrameOne foot base	+\$202	Specify with FrameOne foot base, painted to match tower.
	c:scape glide base	+\$202	Specify with c:scape glide base, 4799 Platinum only.

Pulls



Surface

Materials



Options

Paint price group 1







U.S. Price

No cost

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tops for	
Flush Steel	
Front, Proud	
Steel Front,	
Proud Laminat	е
Front, and	
Proud Wood	
Front	

Open Line laminate on laminate top plus cost of laminate

▶ Options, continued on next page

Paint price group 1Paint price group 2Paint price group 3	+\$ 80 +\$138	Specify paint color number. Specify paint color number. Specify paint color number.
Laminate price group 1 on proud laminate fronts	Prices at right	Specify laminate color number.
 Laminate price group 2 on proud laminate fronts 	See information at left	Specify laminate color number.
 Open Line laminate on proud laminate fronts 	+\$ 74 plus cost of laminate	See Surface Materials Reference Manual.
Wood group 2 on proud wood fronts	See information at left	Specify wood color number.
 Wood group 3 on proud wood fronts 	See information at left	Specify wood color number.
Customiz stain on proud wood fronts	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
Laminate top		
 Square edge laminate price group 1 top 	+\$145	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
Square edge laminate price group 2 top	See information at left	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
Open Line laminate on	+\$ 74	See Surface Materials Reference Manual.

For Canadian Pricing Multiply U.S. Price by the

Canadian price factor. See page 1 for details.

▶ Options, continued from previous page

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required. See Counterweight Requirements for Storage Products, pages 81-88.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RDD182448LA_ becomes RDD182448LAF for flush steel front).

	Options	U.S. Price	Required to Specify
Tops for	Wood veneer top		
Flush Steel Front, Proud	Wood group 1 veneer top	+\$437	Specify with wood veneer top and indicate wood color number.
Steel Front, Proud Laminate	Wood group 2 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
Front, and Proud Wood	Wood group 3 veneer top	See information at left	Specify with wood veneer top and indicate wood color number.
Front, continued	Customiz stain on wood veneer top on units with flush steel or proud steel fronts	No cost	Specify with Customiz stain. See Surface Materials Reference Manual.
Pulls	Proud steel, laminate, or	wood fronts	
	 Contemporary 	No cost	Specify with contemporary pull.
	 Handle 	No cost	Specify with handle pull.
	• Jazz	+\$ 20 per pull	Specify with jazz pull.
	• Bar	+\$ 29 per pull	Specify with bar pull.
	Proud steel fronts only		
	• c:scape	+\$ 33 per pull	Specify with c:scape pull.
Counterweights	Tower package 1	+\$114	Specify with counterweight.
	Tower package 2	+\$140	Specify with counterweight.
Lock and	Lock		
Keying	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying		
	Factory- and field-installed key	ving	▶ Page 268
Related	Field-installed tops		▶ Page 238
Products	Adjustable shelves		▶ Page 242
	Counterweights		▶ Page 248
	 Steel storage accessories 		▶ Page 243

Dimensions	·Style	·U.S. Ba	se Price	s		· Counterweights				
D W H	Number	:								
		Flush	Proud	Proud	Proud	Steel Fron	ts	Lam/Wood I	Fronts	
Flush Proud		Steel	Steel	Lam	Wood	Universal	FrameOne	Universal	FrameOn	
Steel Steel/	:	Front	Front	Front	Front	3" Base	Foot and	3" Base	Foot and	
Front Lam/							c:scape		c:scape	
Wood	:	Suffix	Suffix	Suffix	Suffix	:	Glide		Glide	
Front		F	P	L	w		Bases		Bases	

Tower with Doors Hinged on Left

One Fixed Shelf and Two 12"H Drawers




18"	187/8"	24" 471/2"	RDD182448LA_	\$1923	\$2231	\$2513	\$2657	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24" 471/2"	RDD242448LA_	\$2314	\$2424	\$2717	\$2861	Not required	Tower package 1	Not required	Tower package 1

▶ Specification Information, continued from previous page

Specification	Info	rmation									
Dimensions	н	·Style Number	·U.S. Ba	se Price	s		Counterweights				
		:	Flush	Proud	Proud	Proud	Steel Fron	ts	Lam/Wood	Fronts	
Flush Proud		:	Steel	Steel	Lam	Wood	Universal	FrameOne	Universal	FrameOne	
Steel Steel/		:	Front	Front	Front	Front	3" Base	Foot and	3" Base	Foot and	
Front Lam/		:	:	:		:	:	c:scape	:	c:scape	
Wood		:	Suffix	Suffix	Suffix	Suffix	:	Glide	:	Glide	
Front		:	F	P	L	·w	:	Bases	:	Bases	


Tower with Doors Hinged on Left, continued

One Fixed Shelf, Two 6"H Drawers, and One 12"H Drawer




18"	187/8"	24" 47½"	RDD182448LB_	\$2093	\$2407	\$2697	\$2841	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24" 47½"	RDD242448LB_	\$2475	\$2595	\$2907	\$3051	Not required	Tower package 1	Not required	Tower package 1

One Fixed Shelf, One Adjustable Shelf, and Two 12"H Drawers



18"	187/8"	24" 52"	RDD18244LA_	\$2125	\$2410	\$2690	\$2834	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24" 52"	RDD24244LA_	\$2499	\$2631	\$2874	\$3018	Not required	Not required	Not required	Not required

One Fixed Shelf, One Adjustable Shelf, Two 6"H Drawers, and One 12"H Drawer



18"	187/8"	24" 52"	RDD18244LB_	\$2262	\$2549	\$2828	\$2972	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24" 52"	RDD24244LB_	\$2636	\$2769	\$3047	\$3191	Not required	Not required	Not required	Not required
:			:	:	:	:	:	:	:	:	:




niversal Storage

▶ Specification Information, continued from previous page

Specification Info	ormation								
Dimensions W H	Style Number	·U.S. Ba	se Price	s		Counterwe	eights		
:	•	Flush	Proud	Proud	Proud	Steel Fron	ts	Lam/Wood I	Fronts
Flush Proud	•	Steel	Steel	Lam	Wood	Universal	FrameOne	Universal	FrameOne
Steel Steel/	:	Front	Front	Front	Front	3" Base	Foot and	3" Base	Foot and
Front Lam/	:	:				:	c:scape		c:scape
Wood	•	Suffix	Suffix	Suffix	Suffix		Glide		Glide
Front	:	F	P	L	w	:	Bases	:	Bases


Tower with Doors Hinged on Left, continued

One Fixed Shelf, Two Adjustable Shelves, and Two 12"H Drawers



18"	187/8"	24" 65½"	RDD18245LC_	\$2381	\$2710	\$2985	\$3129	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24" 651/2"	RDD24245LC_	\$2636	\$2728	\$3250	\$3394	Not required	Not required	Not required	Not required

One Fixed Shelf, Two Adjustable Shelves, Two 6"H Drawers, and One 12"H Drawer



18"	187/8"	24" 65½"	RDD18245LD_	\$2519	\$2833	\$3123	\$3267	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24" 65½"	RDD24245LD_	\$2775	\$2866	\$3390	\$3534	Not required	Not required	Not required	Not required




▶ Specification Information, continued from previous page

Specification Inf	ormation								
Dimensions D W H	·Style Number	·U.S. Ba	se Price	:s		Counterwe	eights		
	·	Flush	Proud	Proud	Proud	Steel Fron	ts	· Lam/Wood I	Fronts
Flush Proud	:	Steel	Steel	Lam	Wood	Universal	FrameOne	Universal	FrameOnd
Steel Steel/	:	Front	Front	Front	Front	3" Base	Foot and	3" Base	Foot and
Front Lam/	:	:	:		:	:	c:scape	:	c:scape
Wood	:	Suffix	Suffix	Suffix	Suffix	:	Glide	:	Glide
Front	:	F	P	L	·w	:	Bases	:	Bases


Tower with Doors Hinged on Right

One Fixed Shelf and Two 12"H Drawers




18"	187/8"	24" 47½"	RDD182448RA_	\$1923	\$2231	\$2513	\$2657	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24" 47 ¹ / ₂ "	RDD242448RA_	\$2314	\$2424	\$2717	\$2861	Not required	Tower package 1	Not required	Tower package 1

One Fixed Shelf, Two 6"H Drawers, and One 12"H Drawer



18"	187⁄8"	24" 471/2"	RDD182448RB_	\$2093	\$2407	\$2697	\$2841	Tower package 1	Tower package 1	Tower package 2	Tower package 2
231/8"	24"	24" 471/2"	RDD242448RB_	\$2475	\$2595	\$2907	\$3051	Not required	Tower package 1	Not required	Tower package 1

One Fixed Shelf, One Adjustable Shelf, and Two 12"H Drawers



18"	187⁄8"	24" 52"	RDD18244RA_	\$2125	\$2410	\$2690	\$2834	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24" 52"	RDD24244RA_	\$2499	\$2631	\$2874	\$3018	Not required	Not required	Not required	Not required




niversal Storaq

▶ Specification Information, continued from previous page

Dimensions D W H	· Style Number	·U.S. Ba	se Price	s		·Counterwe	eights		
D W H	Number	Flush	Proud	Proud	Proud	Steel Fron	ts	Lam/Wood I	Fronts
Flush Proud	:	Steel	Steel	Lam	Wood	Universal	FrameOne	Universal	FrameOn
Steel Steel/	:	Front	Front	Front	Front	3" Base	Foot and	3" Base	Foot and
Front Lam/	:	:	:	:	:	:	c:scape	:	c:scape
Wood	:	Suffix	Suffix	Suffix	Suffix	:	Glide	:	Glide
Front	·	F	P	L	·w	:	Bases	:	Bases


Tower with Doors Hinged on Right, continued

One Fixed Shelf, One Adjustable Shelf, Two 6"H Drawers, and One 12"H Drawer




18"	187/8"	24" 52"	RDD18244RB_	\$2262	\$2549	\$2828	\$2972	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24" 52"	RDD24244RB_	\$2636	\$2769	\$3047	\$3191	Not required	Not required	Not required	Not required

One Fixed Shelf, Two Adjustable Shelves, and Two 12"H Drawers



18"	187/8"	24" 65½"	RDD18245RC_	\$2381	\$2710	\$2985	\$3129	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24" 651/2"	RDD24245RC_	\$2636	\$2728	\$3250	\$3394	Not required	Not required	Not required	Not required

One Fixed Shelf, Two Adjustable Shelves, Two 6"H Drawers, and One 12"H Drawer



18"	18 ⁷ / ₈ "	24" 65½"	RDD18245RD_	\$2519	\$2833	\$3123	\$3267	Tower package 1	Tower package 1	Tower package 1	Tower package 1
231/8"	24"	24" 651/2"	RDD24245RD_	\$2775	\$2866	\$3390	\$3534	Not required	Not required	Not required	Not required



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Full Front Towers

► Need help?

page 104

Product details,

with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



Standard Includes

- · Tower: paint price group 1
- 1"H top: paint to match tower
- · Door fronts on units with proud laminate fronts: laminate price group 1
- Door fronts on units with proud wood fronts: wood group 1
- · Integral pulls on units with flush steel fronts
- · Pulls: metal
- · Lock, keyed random: 9201 Polished Chrome
- · Drawer body: black only
- · Adjustable shelves: paint to match tower
- · Brackets for adjustable shelves: black
- · Coat rod: black
- · Four adjustable leveling glides
- · Ganging hardware
- · Counterweight package, on proud laminate and proud wood fronts only

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
 - Flush steel front
 - Proud steel front
 - Proud laminate front
 - W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for door, if proud laminate front selected
- 4 Wood color number for door. if proud wood front selected
- 5 Pull (see below under Required Selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)
- See Surface Materials, page 256.

Required Selections

Pulls



Materials







Bar



Contemporary Handle

Surface

- U.S. Price **Options** Required to Specify · Paint price group 1 No cost Specify paint color number. · Paint price group 2 +\$ 80 Specify paint color number. · Paint price group 3 +\$138 Specify paint color number. Prices at right · Laminate price group 1 on Specify laminate color number.
- proud laminate fronts · Laminate price group 2 on
- See information at left proud laminate fronts · Open Line laminate on
- +\$ 74 proud laminate fronts plus cost of laminate
- · Wood group 2 on See information at left proud wood fronts Wood group 3 on See information at left
- proud wood fronts · Customiz stain on No cost
- See Surface Materials Reference Manual.
- Specify wood color number.

Specify laminate color number.

- Specify wood color number.
- Specify with Customiz stain. See Surface Materials Reference Manual.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

For wood group 2,

wood group 3, and

laminate price group

2 pricing, please refer

SmartTools.

to the electronic catalog or

Tops for Flush Steel Front, **Proud Steel** Front, Proud **Laminate Front,** and Proud **Wood Front**

Laminate top

laminate top

· Square edge laminate price group 1 top

proud wood fronts

- · Square edge laminate
- price group 2 top · Open Line laminate on

+\$145

+\$ 74

plus cost of laminate

- See information at left
- Specify with laminate top and indicate laminate color number for top and plastic color number for edges. Specify with laminate top and indicate laminate color number for top and plastic
- color number for edges. See Surface Materials Reference Manual.

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.



For Canadian Pricing Multiply U.S. Price by the

Canadian price factor. See page 1 for details.

- Wood veneer top
- · Wood group 1 veneer top
- · Wood group 2 veneer top
- · Wood group 3 veneer top
- · Customiz stain on wood veneer top on units with flush steel or proud steel fronts
- +\$437
- See information at left
- See information at left
- No cost
- Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with Customiz stain.
- See Surface Materials Reference Manual.

▶Options, continued on next page

▶ Options, continued from previous page

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.


See Counterweight
Requirements for Storage

Products, pages 81-88.

	Options	U.S. Price	Required to Specify
Counterweights	52"H tower with pro	oud laminate or wood fro	onts
	 Tower package 	+\$114	Specify with counterweight.
Pulls	Proud steel, laminat	te, or wood fronts	
	 Contemporary 	No cost	Specify with contemporary pull.
	 Handle 	No cost	Specify with handle pull.
	 Jazz 	+\$ 20 per pull	Specify with jazz pull.
	• Bar	+\$ 29 per pull	Specify with bar pull.
	Proud steel fronts o	nly	
	• c:scape	+\$ 33 per pull	Specify with c:scape pull.
Lock and	Lock		
Keying	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying		
	Factory- and field-installer	ed keying	▶ Page 268
Related	Field-installed tops		▶ Page 238
Products	 Steel storage accessorie 	es	▶ Page 243
	Bookends		▶ Page 246

Tip: Height dimension listed is for units with 1" top.
Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RFF24244LR_ becomes RFF24244LRF for flush steel front).




52"H Tower with Door Hinged on Left

Partition with Coat Rod and Four 12"H Drawers												
231/8"	24"	24"	52"	Tower package 1 for proud laminate or proud wood fronts only, not required for flush or proud steel fronts	RFF24244LR_	\$2743	\$2945	\$3341	\$3485			

Partiti	on witl	n Coa	t Rod,	One Fixed Shelf, and	Three 12"H Drav	wers			
231/8"	24"	24"	52"	Tower package 1 for proud laminate or proud wood fronts only, not required for flush or proud steel fronts	RFF24244LS_	\$2671	\$2873	\$3269	\$3413


Partition with Coat Rod, One Adjustable Shelf, One Fixed Shelf, and Two 12"H Drawers												
231/8"	24"	24"	52"	Tower package 1 for proud laminate or proud wood fronts only, not required for flush or proud steel fronts	RFF24244LT_	\$2602	\$2804	\$3200	\$3344			
:				:		:	:	:	:			





Tip: The adjustable shelf is always in the top/upper position.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RFF24244LR_becomes RFF24244LRF for flush steel front).







▶ Specification Information, continued from previous page

Dimen	sions		 Counterweight 	·Style	·U.S. Bas	e Prices		
D	W	н	Package	Number	:			
Flush	Proud		:	:	Flush	Proud	Proud	Proud
Steel	Steel/		:	:	Steel	Steel	Lam	Wood
Front	Lam/		:	:	Front	Front	Front	Front
	Wood		:	:	:			•
	Front		· ·		Suffix F	Suffix P	Suffix L	Suffix W

52"H Tower with Door Hinged on Right

Partition with Coat Rod and Four 12"H Drawers	Partition	with	Coat	Rod	and	Four	12"H	Drawers
---	------------------	------	------	-----	-----	-------------	------	----------------

231/8"	24"	24"	52"	Tower package 1 for proud laminate or proud wood fronts only, not required for flush or proud steel fronts	RFF24244RR_	\$2743	\$2945	\$3341	\$3485

Partition with Coat Rod. One Fixed Shelf, and Three 12"H Drawers

231/8"	24"	24"	52"	Tower package 1 for proud laminate or proud wood fronts only, not required for flush or proud steel fronts	RFF24244RS_	\$2671	\$2873	\$3269	\$3413


Partition with Coat Rod, One Adjustable Shelf, One Fixed Shelf, and Two 12"H Drawers


231/6" 24" 24" 52" Tower package 1 for RFF24244RT_ \$2602 \$2804 \$3200 \$3344 proud laminate or proud wood fronts only, not required for flush or proud steel fronts										
	231/8"	24"	24"	52"	proud laminate or proud wood fronts only, not required for flush or proud	RFF24244RT_	\$2602	\$2804	\$3200	\$3344
	:									

65½"H Tower with Door Hinged on Left

Partition with Coat Rod, One Fixed Shelf, and Four 12"H Drawers

231/8"	24"	24"	65½" Not required	RFF24245LU_	\$3037	\$3239	\$3635	\$3779






Partition with Coat Rod, One Adjustable Shelf, One Fixed Shelf, and Three 12"H Drawers											
231/8"	24"	24"	651/2"	Not required	RFF24245LV_	\$2965	\$3167	\$3563	\$3707		

iversal Storage

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RFF24244LR_ becomes RFF24244LRF

is selected.



▶ Specification Information, continued from previous page

Spec	Specification Information											
Dimensions W H			· Counterweight Package	· Style Number	· U.S. Base Prices							
Flush	Proud			:	Flush	Proud	Proud	Proud				
Steel	Steel/		:		Steel	Steel	Lam	Wood				
Front	Lam/		:		Front	Front	Front	Front				
:	Wood		:		:	:	:	:				
	Front		:	:	Suffix F	Suffix P	Suffix L	Suffix W				


65½"H Tower with Door Hinged on Left, continued

Partition with Coat Rod, Two Adjustable Shelves, One Fixed Shelf, and Two 12"H Drawers											
231/8"	24"	24"	65½"	Not required	RFF24245LW \$2 Use style number RFF24245LLL for proud laminate front.	2897	\$3099	\$3495	\$3639		
:				· ·	: :		:	•	:		


65½"H Tower with Door Hinged on Right

 Partition with Coat Rod, One Fixed Shelf, and Four 12"H Drawers

 23%"
 24"
 24"
 65½"
 Not required
 RFF24245RU_ \$3037
 \$3239
 \$3635
 \$3779



Partiti	Partition with Coat Rod, One Adjustable Shelf, One Fixed Shelf, and Three 12"H Drawers										
2216"	24"	24"	651/6"	Not required	DEE2424EDV	\$2065	¢2167	¢3563	\$2707		



Partition with Coat Rod, Two Adjustable Shelves, One Fixed Shelf, and Two 12"H Drawers											
231/8"	24"	24"	65½"	Not required	RFF24245RW_ Use style number RFF24245RLL for proud laminate front	\$2897 :.	\$3099	\$3495	\$3639		
				:	:		:	:	:		




For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Universal Vertical Drawer Towers

page 104

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



Standard Includes

► Need help? Product details,

- · Tower: paint price group 1
- 1"H top: paint to match tower
- · Integral pulls on units with flush steel fronts
- · Pulls: metal
- · Hinged door on units with flush steel or proud steel fronts: paint to match tower
- · Hinged door on units with proud laminate fronts: laminate price group 1
- Hinged door on units with proud wood fronts: wood group 1 veneer
- Lift-up door with fixed shelf on 65½"H units with flush steel fronts: paint to match tower
- Lift-up door with fixed shelf on 65½"H units with proud laminate fronts: laminate price group 1
- Lift-up door with fixed shelf on $65\frac{1}{2}$ "H units with proud wood fronts: wood veneer
- · Lock, keyed random: 9201 Polished Chrome
- · Drawer body: black only
- · Drawer suspensions: black only
- · Two box drawer dividers and one pencil tray in units with 6"H box drawers: black only
- · Coat rod: black

Options

· Customiz stain on

proud wood fronts

- · Four adjustable leveling glides
- · Ganging hardware
- · Counterweight package, if selected

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for door and drawer fronts, if proud laminate front selected
- 4 Wood color number for door and drawer fronts, if proud wood front selected
- 5 Pull (see below under Required Selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)

Required to Specify


Specify with Customiz stain.

See Surface Materials Reference Manual.

See Surface Materials, page 256.

Required Selections

Pulls











U.S. Price

No cost

Surface **Materials**

- · Paint price group 1 No cost Specify paint color number. · Paint price group 2 +\$ 80 Specify paint color number. · Paint price group 3 +\$138 Specify paint color number. • Laminate price group 1 on Prices at right Specify laminate color number. proud laminate fronts · Laminate price group 2 on See information at left Specify laminate color number. proud laminate fronts · Open Line laminate on +\$ 74 See Surface Materials Reference Manual. proud laminate fronts plus cost of laminate · Wood group 2 on See information at left Specify wood color number. proud wood fronts Wood group 3 on See information at left Specify wood color number. proud wood fronts
- ▶Options, continued on next page



For wood group 2,

wood group 3, and

laminate price group

to the electronic catalog or

2 pricing, please refer

SmartTools.

▶ Options, continued from previous page

Tip: Laminate and wood veneer tops are $\frac{3}{16}$ " taller than other tops and will add $\frac{3}{16}$ " to overall case height.

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

See Counterweight Requirements for Storage Products, pages 81-88.

Options	U.S. Price	Required to Specify
Laminate top		
Square edge laminate price group 1 top	+\$145	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
Square edge laminate price group 2 top	See information at left	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
Open Line laminate on laminate top	+\$ 74 plus cost of laminate	See Surface Materials Reference Manua
Wood veneer top		
• Wood group 1	+\$437	Specify with wood veneer top and indicate wood color number.
Wood group 2	See information at left	Specify with wood veneer top and indicate wood color number.
Wood group 3	See information at left	Specify with wood veneer top and indicate wood color number.
Customiz stain on wood veneer top on units with flush steel or proud steel fronts	No cost	Specify with Customiz stain. See Surface Materials Reference Manual
52"H Towers		
 No counterweight 	No cost	Specify without counterweight.
 Tower package 1 	No cost	Specify with counterweight.
Tower package 3	No cost	Specify with counterweight.
Proud steel, laminate, or	wood fronts	
 Contemporary 	No cost	Specify with contemporary pull.
Handle	No cost	Specify with handle pull.
• Jazz	+\$ 20 per pull	Specify with jazz pull.
• Bar	+\$ 29 per pull	Specify with bar pull.
Proud steel fronts only		
• c:scape	+\$ 33 per pull	Specify with c:scape pull.
Lock		
E - 1 01	No cost	Specify with 9250 Ember Chrome lock.
Ember Chrome		
Keying Factory- and field-installed key	ring	▶ Page 268
Keying	ing	
	Laminate top Square edge laminate price group 1 top Square edge laminate price group 2 top Open Line laminate on laminate top Wood veneer top Wood group 1 Wood group 2 Wood group 3 Customiz stain on wood veneer top on units with flush steel or proud steel fronts 52"H Towers No counterweight Tower package 1 Tower package 1 Tower package 3 Proud steel, laminate, or Contemporary Handle Jazz Bar Proud steel fronts only c:scape	Laminate top Square edge laminate price group 1 top Square edge laminate price group 2 top Open Line laminate on laminate top plus cost of laminate Wood veneer top Wood group 1 +\$437 Wood group 2 See information at left Wood group 3 See information at left Customiz stain on wood veneer top on units with flush steel or proud steel fronts 52"H Towers No counterweight No cost Tower package 1 No cost Tower package 1 No cost Tower package 3 No cost Proud steel, laminate, or wood fronts Contemporary No cost Handle No cost Jazz +\$20 per pull Proud steel fronts only c:scape +\$33 per pull

▶ Specification Information, on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

Universal Vertical Drawer Towers with Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts, continued

▶Options, on previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RVD24244LA_becomes RVD24244LAF for flush steel front).



Dimensions			 Counterweight 	·Style	· U.S. Base Prices					
D	w	н	Package	Package Number						
Flush	Proud			:	Flush	Proud	Proud	Proud		
Steel	Steel/		:	:	Steel	Steel	Lam	Wood		
Front	Lam/		<u> </u>	:	Front	Front	Front	Front		
	Wood		:	:		:		:		
	Front		:	:	Suffix F	Suffix P	Suffix L	Suffix W		

Tower with Door Hinged on Left


Four 1	Four 12"H Drawers											
231/8"	24"	24"	52"	Tower package 1	RVD24244LA \$	\$2415	\$2713	\$3056	\$3200			
291/8"	30"	24"	52"	Tower package 3	RVD30244LA	\$2661	\$2959	\$3302	\$3446			



Three	Three 12"H Drawers and Two 6"H Drawers												
231/8"	24"	24"	52"	Tower package 1	RVD24244LB_	\$2619	\$2917	\$3260	\$3404				
291/8"	30"	24"	52"	Tower package 3	RVD30244LB_	\$2866	\$3164	\$3507	\$3651				



Four 1	Four 12"H Drawers and One 13½"H Lift-Up Door with Fixed Shelf										
231/8"	24"	24"	65½"	Not required	RVD24245LC_	\$2849	\$3195	\$3490	\$3634		
291/8"	30"	24"	651/2"	Not required	RVD30245LC_	\$3138	\$3484	\$3779	\$3923		




Three 12"H Drawers, Two 6"H Drawers, and One $13^{1}/_{2}$ "H Lift-Up Door with Fixed Shelf										
231/8"	24"	24"	65½" Not required	RVD24245LD_ \$305	1 \$3397	\$3692	\$3836			
291/8"	30"	24"	65½" Not required	RVD30245LD_ \$334	4 \$3690	\$3985	\$4129			
			•							

[▶] Specification Information, continued on next page

▶ Specification Information, continued from previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RVD24244LA_becomes RVD24244LAF for flush steel front).



Spec	ificatio	on I	nfor	mation							
· Dimen	sions	w	н	· Counterweight Package	· Style Number	· U.S. Base Prices					
Flush	Proud				:	Flush	Proud	Proud	Proud		
Steel	Steel/			:	:	Steel	Steel	Lam	Wood		
Front	Lam/			:	:	Front	Front	Front	Front		
:	Wood			:	:	:	:	:	:		
	Front			:		Suffix F	Suffix P	Suffix L	Suffix W		

Tower with Door Hinged on Right


Four 1	Four 12"H Drawers												
231/8"	24"	24"	52"	Tower package 1	RVD24244RA_	\$2415	\$2713	\$3056	\$3200				
291/8"	30"	24"	52"	Tower package 3	RVD30244RA_	\$2661	\$2959	\$3302	\$3446				



Three	Three 12"H Drawers and Two 6"H Drawers												
23½" 24" 24" 52" Tower package 1 RVD24244RB _ \$2619 \$2917 \$3260 \$3404									\$3404				
291/8"	30"	24"	52"	Tower package 3	RVD30244RB_	\$2866	\$3164	\$3507	\$3651				



Four 1	Four 12"H Drawers and One 13½"H Lift-Up Door with Fixed Shelf											
231/8"	24"	24"	65½"	Not required	RVD24245RC_	\$2849	\$3195	\$3490	\$3634			
291/8"	30"	24"	65½"	Not required	RVD30245RC_	\$3138	\$3484	\$3779	\$3923			



Three 12"H Drawers, Two 6"H Drawers, and One 13½"H Lift-Up Door with Fixed Shelf											
231/8"	24"	24"	651/2"	Not required	RVD24245RD_	\$3051	\$3397	\$3692	\$3836		
291/8"	30"	24"	65½"	Not required	RVD30245RD_	\$3344	\$3690	\$3985	\$4129		
:				:	:	:	:	:	:		



► See page 1 for details.


Universal Workstation Verticals

► Need help?

page 104

Product details,

With Flush Steel, Proud Steel, Proud Laminate, or Proud Wood Fronts



Standard Includes

- · Vertical: paint price group 1
- 1"H top: paint to match tower
- · Door and drawer fronts on units with proud laminate fronts, if selected: laminate price group 1
- · Door and drawer fronts on units with proud wood fronts, if selected: wood group 1 veneer
- · Integral pulls on units with flush steel fronts
- Pulls: metal
- Lift-up door with fixed shelf on 65½"H units with flush steel fronts: paint to match tower
- Lift-up door with fixed shelf on 65½"H units with proud laminate fronts: laminate price group 1
- Lift-up door with fixed shelf on 65½"H units with proud wood fronts: wood group 1 veneer
- · Central lock, keyed random: 9201 Polished Chrome
- · Drawer body: black only
- · Drawer suspensions: black only
- · One pencil tray in units with 6"H box drawers: black only
- · Four adjustable leveling glides
- · Ganging hardware
- · Counterweight package, if selected

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Flush steel front
- Proud steel front
- Proud laminate front
- W Proud wood front
- 2 Paint color number for tower
- 3 Laminate color number for door and drawer fronts, if proud laminate front selected
- 4 Wood color number for door and drawer fronts, if proud wood front selected
- 5 Pull (see below under Required Selections)
- 6 Metal color number for pulls, if proud steel, proud laminate, or proud wood front selected
- 7 Options, if selected (see below)
- See Surface Materials, page 256.

Required Selections

Pulls



Surface

Materials









Contemporary Handle

Options

· Paint price group 1 · Paint price group 2

· Paint price group 3

· Laminate price group 1 on proud laminate fronts

· Laminate price group 2 on proud laminate fronts · Open Line laminate on

proud laminate fronts

 Wood group 2 on proud wood fronts

Wood group 3 on proud wood fronts · Customiz stain on proud wood fronts

c:scape

+\$ 80

+\$138

+\$ 74

Prices at right

See information at left

plus cost of laminate

See information at left

See information at left

U.S. Price	Required to Specify
No cost	Specify paint color number.

Specify paint color number. Specify paint color number.

Specify laminate color number. Specify laminate color number.

See Surface Materials Reference Manual.

Specify wood color number.

Specify wood color number. Specify with Customiz stain.

color number for edges.

color number for edges

See Surface Materials Reference Manual.

Specify with laminate top and indicate

Specify with laminate top and indicate

laminate color number for top and plastic

laminate color number for top and plastic

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

For wood group 2,

wood group 3, and

laminate price group

to the electronic catalog or

2 pricing, please refer

SmartTools.

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.

Tops for Flush Steel Front. **Proud Steel** Front, Proud **Laminate Front.** and Proud **Wood Front**

Laminate top

laminate top

· Square edge laminate price group 1 top

· Square edge laminate price group 2 top

Open Line laminate on

See information at left

+\$145

No cost

+\$ 74 plus cost of laminate

See Surface Materials Reference Manual.

Wood veneer top

· Wood group 1 veneer top

· Wood group 2 veneer top

Wood group 3 veneer top

· Customiz stain on wood veneer top on units with flush steel or proud steel fronts

+\$437

See information at left

See information at left

No cost

Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with Customiz stain.

See Surface Materials Reference Manual.

▶Options, continued on next page

▶Options, continued from previous page

Tip: Counterweight packages are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counter-weights are not required. ►See Counterweight Requirements for Storage

Tip: Individual locking drawer option is not available on verticals with 6"H drawers.

Products, pages 81-88.

	Options	U.S. Price	Required to Specify
Counter-	Tower package 1	+\$114	Specify with counterweight.
weights	Tower package 3	+\$114	Specify with counterweight.
Pulls	Proud steel, laminate	e, or wood fronts	
	 Contemporary 	No cost	Specify with contemporary pull.
	 Handle 	No cost	Specify with handle pull.
	 Jazz 	+\$ 20 per pull	Specify with jazz pull.
	• Bar	+\$ 29 per pull	Specify with bar pull.
	Proud steel fronts or	nly	
	• c:scape	+\$ 33 per pull	Specify with c:scape pull.
Lock and	Lock		
Keying	 Ember Chrome 	No cost	Specify with 9250 Ember Chrome lock.
	Individual locking dr	awers	
	 For use when limiting drawer access 	+\$417	Specify with individual lock.
	Keying		
	 Factory- and field-installe 	d keying	▶ Page 268
Related	Field-installed tops		▶ Page 238
Products	 Steel storage accessories 	3	▶ Page 243

Dimer	sions		· Counterweight	· Style	∙U.S. Bas	e Prices				
D W H			Package	Number	:					
Flush	Proud		:	:	Flush	Proud	Proud	Proud		
Steel	Steel/		•	:	Steel	Steel	Lam	Wood		
Front	Lam/		•	:	Front	Front	Front	Front		
	Wood		•	:				•		
	Front				Suffix F	Suffix P	Suffix L	· Suffix W		

231/8"	24"	15"	52"	Tower package 1	RWV24154A_	\$1743	\$1944	\$2337	\$2481
291/8"	30"	15"	52"	Tower package 3	RWV30154A_	\$1924	\$2125	\$2518	\$2662
:				:	:	:	:	:	:


Three 12"H Drawers and Two 6"H Drawers											
231/8"	24"	15"	52"	Tower package 1	RWV24154B_	\$1945	\$2146	\$2539	\$2683		
291/8"	30"	15"	52"	Tower package 3	RWV30154B_	\$2129	\$2330	\$2723	\$2867		

Four 12"H Drawers and One $13\frac{1}{2}$ "H Lift-Up Door with Fixed Shelf										
231/8"	24"	15"	651/2"	Tower package 1	RWV24155C_	\$2069	\$2322	\$2663	\$2807	
291/8"	30"	15"	65½"	Not required	RWV30155C	\$2282	\$2535	\$2876	\$3020	

rour	rour 12"n Drawers and One 13/2"n Liit-op Door with Fixed Shell												
231/8"	24"	15"	65½"	Tower package 1	RWV24155C_	\$2069	\$2322	\$2663	\$2807				
291/8"	30"	15"	65½"	Not required	RWV30155C_	\$2282	\$2535	\$2876	\$3020				
:				:	:	:	:	:	:				

Three 12"	H Drawers, 1	īwo 6"H Dra	wers, and	One 131/211	H Lift-Up I	Door with	ı Fixed
Shelf							

231/8"	24"	15"	65½"	Tower package 1	RWV24155D_	\$2272	\$2525	\$2866	\$3010
291/8"	30"	15"	651/2"	Not required	RWV30155D_	\$2483	\$2736	\$3077	\$3221
:				:	:	:	:	:	:



Steel Security Tops For Use with Flush or Proud Front Products

Tip: Tops are for field installation only.

Tip: Security tops should only be used on units that are positioned under a worksurface—these are **NOT** structural tops.

Tip: Security top cannot be installed on a file with a liftup door in the top position.

Tip: For use with universal steel storage only.





Standard Includes Required to Specify

► Need help? See Storage Specification Guide.

- · Security top: all paint price groups
- · Attachment hardware

- 1 Style number
- 2 Paint color number for top
- ► See Surface Materials, page 256.

Dime	nsions	· For Use On	. Chulo	.11.6	
Dime	W	For Use On	• Style • Number	· U.S. Price	
Flusi	h Front			·	
18"	30"	Lateral file, storage cabinet	RATF1830F	\$109	
18"	36"	Lateral file, storage cabinet	RATF1836F	\$109	
18"	42"	Lateral file, storage cabinet	RATF1842F	\$109	
231/8"	30"	Lateral file, storage cabinet	RATF2430F	\$109	
231/8"	36"	Lateral file, storage cabinet	RATF2436F	\$109	
Prou	d Front	1	·	·	
18 ⁷ /8"	30"	Lateral file, storage cabinet	RATF1830P	\$109	
18 ⁷ /8"	36"	Lateral file, storage cabinet	RATF1836P	\$109	
18 ⁷ / ₈ "	42"	Lateral file, storage cabinet	RATF1842P	\$109	
24"	30"	Lateral file, storage cabinet	RATF2430P	\$109	
24"	36"	Lateral file, storage cabinet	RATF2436P	\$109	

Square Edge Tops

For Use with Flush and Proud Front Products

Standard Includes

Required to Specify

► Need help? See Storage Specification Guide. • Attachment hardware

Surface

Materials

Proud

Wood

Front

- 13/16"H top with square edge profile on all sides: laminate price group 1 or wood group 1

Options

Laminate top

· Open Line laminate

Wood voncer ton

· Laminate price group 2

- 1 Style number with appropriate front style suffix in the space provided
 - F Flush steel front
- P Proud steel or proud wood front
- 2 Laminate or wood color number for top
- 3 Plastic color number for 1 mm edges of laminate top
- 4 Options, if selected (see below)

Required to Specify

Specify laminate color number.

Full-Fill

Finish on

▶ See Surface Materials Reference Manual.

See Surface Materials, page 256.

Tip: For use with universal steel storage only.

For wood group 2, wood group 3, and laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RATL1524__ becomes RATL1524F for a top to be used on a flush steel front unit).





Flush Proud Steel Steel/			•	Flush Steel	Proud S		Base Price)
D	W	н	Number	:			: (Add \$ to
Dimensions			· Style	· U.S. Ba	se Prices		Option
Specificatio	n Inf	ormat	ion				
	• W	lood grou ustomiz eneer top	up 3 stain on wood	See informat No cost	tion at left	Specir Specir See S Specir wood	ty wood color number. fy with Customiz stain. Surface Materials Reference Manual. fy with full-fill finish and select color number. Surface Materials Reference Manual.
		lood grou	neer top in 2	See informat	ion at left	Speci	fy wood color number.

U.S. Price

+\$74

See information at left

plus cost of laminate

: :				· · ·	Suffix F	Suffix P	Wood Group 1	
Indiv	idual F	ile La	minate	Tops				
18"	187/8"	30"	1 ³ /16"	RATL1830_	\$208	\$208	N.A.	
18"	18 ⁷ /8"	36"	1 ³ /16"	RATL1836_	\$224	\$224	N.A.	
18"	18 ⁷ /8"	42"	1 ³ /16"	RATL1842_	\$243	\$243	N.A.	
231/8"	24"	30"	13/16"	RATL2430_	\$229	\$229	N.A.	
231/8"	24"	36"	1 ³ /16"	RATL2436	\$243	\$243	N.A.	

Front

Front

Lami	inate Co	ommon	Tops	3				
18"	187/8"	601/16"	13/16"	RATCL1860_	\$336	\$336	N.A.	
18"	187/8"	661/16"	13/16"	RATCL1866_	\$388	\$388	N.A.	
18"	187/8"	721/16"	13/16"	RATCL1872_	\$437	\$437	N.A.	
18"	187/8"	781/16"	13/16"	RATCL1878_	\$555	\$555	N.A.	
18"	187/8"	841/16"	13/16"	RATCL1884_	\$627	\$627	N.A.	
18"	187/8"	901/8"	13/16"	RATCL1890_	\$699	\$699	N.A.	
18"	187/8"	961/8"	13/16"	RATCL1896_	\$769	\$769	N.A.	
18"	187/8"	1081/8"	13/16"	RATCL18108_	\$925	\$925	N.A.	

[▶] Specification Information, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RATCL2460_becomes RATCL2460F for a top to be used on a flush steel front unit).







▶ Specification Information, continued from previous page

	ificatio				11.0.5	- Dulana	0-4
Dimen D	sions	w	н	· Style · Number	·U.S. Bas	e Prices	• Option • (Add \$ to
Flush Steel	Proud Steel/ Proud	w		Number	Flush Steel Front	Proud Steel or Proud Wood Front	Base Price)
	Wood			:	:	:	Full-Fill Finish on Wood
				:	Suffix F	Suffix P	Group 1
Lamin	ate Co	mmon	Tops	, continued			
231/8"	24"	60 ¹ / ₁₆ "	1 ³ / ₁₆ "	RATCL2460_	\$ 354	\$ 354	N.A.
231/8"	24"	66½16"	1 ³ / ₁₆ "	RATCL2466_	\$ 396	\$ 396	N.A.
231/8"	24"	721/16"	1 ³ / ₁₆ "	RATCL2472_	\$ 447	\$ 447	N.A.
231/8"	24"	901/8"	1 ³ / ₁₆ "	RATCL2490_	\$ 748	\$ 748	N.A.
231/8"	24"	961/8"	1 ³ / ₁₆ "	RATCL2496_	\$ 821	\$ 821	N.A.
231/8"	24"	1081/8"	1 ³ / ₁₆ "	RATCL24108_	\$ 992	\$ 992	N.A.
36½16"	37 ¹³ / ₁₆ "	36"	1 ³ / ₁₆ "	RATCL3636_	\$ 425	\$ 425	N.A.
36½16"	37 ¹³ / ₁₆ "	72 ¹ / ₁₆ "	1 ³ / ₁₆ "	RATCL3672_	\$ 587	\$ 587	N.A.
46 ⁵ ⁄16"	481/16"	36"	1 ³ / ₁₆ "	RATCL4836_	\$ 480	\$ 480	N.A.
46 ⁵ / ₁₆ "	481/16"	721/16"	1 ³ / ₁₆ "	RATCL4872_	\$ 659	\$ 659	N.A.
				:	:	:	:
Indivi	dual Fi	le Wo	od To	ps			
18"	181/8"	30"	1 ³ / ₁₆ "	RATW1830_	\$ 536	\$ 536	+\$31
18"	181/8"	36"	1 ³ / ₁₆ "	RATW1836	\$ 548	\$ 548	+\$31
18"	181/8"	42"	1 ³ ⁄ ₁₆ "	RATW1842_	\$ 618	\$ 618	+\$31
231/8"	24"	30"	1 ³ ⁄ ₁₆ "	RATW2430_	\$ 556	\$ 556	+\$31
231/8"	24"	36"	13/16"	RATW2436	\$ 571	\$ 571	+\$31
Wood	Comm	on To)S	•	· ·		•
18"	187/8"	601/16"	13/16"	RATCW1860_	\$ 756	\$ 756	+\$50
18"	187/8"	66 ¹ / ₁₆ "	13/16"	RATCW1866_	\$ 796	\$ 796	+\$50
18"	187/8"	721/16"	13/16"	RATCW1872_	\$ 837	\$ 837	+\$50
18"	187/8"	78 ¹ / ₁₆ "	13/16"	RATCW1878_	\$1000	\$1000	+\$50
18"	187/8"	841/16"	13/16"	RATCW1884_	\$1138	\$1138	+\$74
18"	187/8"	901/8"	13/16"	RATCW1890_	\$1202	\$1202	+\$74
18"	187/8"	961/8"	13/16"	RATCW1896_	\$1326	\$1326	+\$74
231/8"	24"	601/16"	13/16"	RATCW2460_	\$ 777	\$ 777	+\$50
231/8"	24"	661/16"	13/16"	RATCW2466_	\$ 816	\$ 816	+\$74
231/8"	24"	721/16"	13/16"	RATCW2472_	\$ 866	\$ 866	+\$74
231/8"	24"	901/8"	1 ³ / ₁₆ "	RATCW2490_	\$1286	\$1286	+\$74



+\$74

231/8"

24"

961/8"

RATCW2496_

\$1418

\$1418

Adjustable Shelves

Adjustable Steel Standard Shelves

For Use with Towers



Tip: Adjustable shelves are for field installation only.

Standard Includes Required to Specify

- 3/4"H adjustable shelf: all paint price groups ► Need help? See Storage
 - · Set of adjustable brackets: black only

· U.S.

Price

- 1 Style number
- 2 Paint color number for shelf
- ► See Surface Materials, page 256.

Spe	ecificatio	on Information
·Dim	ensions	· Style
D	W	Number

Specification Guide.

For Use with Open Side Towers

24"	15"	RXSA2415	\$62
30"	15"	RXSA3015	\$67

For Use with Dual Door Towers and Full Front Towers

24"	15"	RXSAFFT2415	\$62

Adjustable Glass Shelves

For Use with Open Side Towers Only



Tip: Adjustable shelves are for field installation only.

Standard Includes

▶ Need help? • 3/8"H adjustable shelf: frosted glass only See Storage · Set of four adjustable brackets: black only Specification Guide.

Style number

Required to Specify

Spe	cificatio	on Informatio	n
Dimensions D W		• Style Number	·U.S. Price
24"	15"	RXSG2415	\$153
30"	15"	RXSG3015	\$171



Rails

For Use in Pedestals Manufactured after February 22, 2004 For Use in Universal Towers and Universal Workstation Verticals

•	

Tip: Two rails per drawer accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. Exception: Legal-size file folders cannot be filed in 18"D pedestals.

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

	Standard Includes	Required to Specify
Need help? See Storage	Package of two rails: black only	Style number
Specification Gu	ide.	

Specification Information		
·Width	Style Number	·U.S. Price
:	Number	Price
15"	RXADRL15	\$27

Dividers

For Use in Pedestals Manufactured after February 22, 2004 For Use in Universal Towers and Universal Workstation Verticals

Specification Information

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

	Standard Includes	Required to Specify
► Need help? See Storage Specification Guide.	Package of dividers: black only	Style number


Width	·Quantity	• Style Number	· U.S. Price
For Us	e in 6"H Dra	wers	
12"	. 2	RDV1506	\$ 42
For Us	e in 12"H Dı	awers	•
12"	2	RDV1512	\$ 45
12"	10	RDV151210	\$210



Pencil Tray


tray per pedestal.

For Use in Pedestals, Universal Towers, and Universal Workstation Verticals



	Standard Includes	Required to Specify
Need help? See Storage Specification		Style number
Specific	ation Information	
• Style Number	· U.S. Price	
RPXDPT	\$36	

Reference Shelf



	Standard Includes	Required to Specify
leed help? See <i>Storage</i> Specification	' '	Style number
Specific	ation Information	
Style Number	· U.S. Price	
Hamber		

Hanging Folder Bars

For Use with Universal Lateral Files and Universal Combination Cabinets Manufactured on or after October 17, 2005 For Use with 900 Series, 800 Series, and TS 200 Series Lateral Files Manufactured on or after May 5, 1997



	Standard Includes	Required to Specify
► Need help? See Storage Specification Guide.	Hanging folder bar: black only	Style number

Specification Information		
·Width	• Style Number	· U.S. Price
30"	RAHF30	\$15
36"	RAHF36	\$15
42"	RAHF42	\$15



Rails

For Use with Lateral Files and Combination Cabinets





Tip: All drawer sizes require two rails per drawer for maximum capacity front-toback filing.

Note: Actual rail dimensions are 151/2" deep for an 18" deep cabinet and 20" deep for a 24" deep cabinet.

Standard Includes	Required to Specify
 Package of two or four rails: black only 	Style number

► Need help? See Storage Specification Guide.

Style number

Specii	ication	Information
· Depth	· Style	∙U.S.

Depth	· Style	∙U.S.
	Number	Price

Package of Two

18"	800RW	\$36
24"	RXADRL24	\$27

Package of Four

24"	RXADRL2442	\$49

Dividers

For Use in Lateral Files and Combination Cabinets

	Standard Includes	Required to Specify
Need help?	Carton of three dividers: black only	Style number

See Storage Specification Guide.

· Dimensions

w

D

Specification Information ·Style · U.S. Number Price

For Use in 12"H Drawers or 12"H Roll-Out Shelves

117/8"	1/16"	61/4"	800DV12	\$28


н

For Use in 6"H Roll-Out Shelves or Drawers and 9"H Drawers

131/2"	1/16"	35/8"	800DV6	\$28
			•	



Shelf Divider Assembly



	Standard Includes	Required to Specify
Need help? See Storage Specification Guide	Divider bracket: black onlyTwo dividers: clear plastic	Style number

Specification Information				
·Width	•Style Number	·U.S. Price		
30"	RASTDIV30	\$103		
36"	RASTDIV36	\$103		
42"	RASTDIV42	\$103 :		

Bookends



	Standard Includes	Required to Specify
Need help? See Storage Specification Guide.	Package of two or twenty bookends: 6695 Midnight only	Style number

Specification Information		
Style Number	·Quantity	·U.S. Price
KDIV02	2	\$ 33
KDIV20	20	\$309



Wood Drawer Pulls



	Standard Includes	Required to Specify
► Need help?	Pull: wood	1 Style number
See Storage		2 Wood color number
Specification Gu	iide.	3 Options, if selected (see below)
•		See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify
Surface Materials	Customiz stain	No cost	Specify with Customiz stain. ▶ See Surface Materials Reference Manual
Specificat	ion Information		

Specification Information			
• Style Number	·U.S. Price		
RPULL15W	\$179		
RPULL30W	\$244		
RPULL36W	\$277		
RPULL42W	\$309		
	RPULL36W	Style U.S. Number Price RPULL15W \$179 RPULL30W \$244 RPULL36W \$277	Style U.S. Price RPULL15W \$179 RPULL30W \$244 RPULL36W \$277

Counterweight Package

For Use with One-High Laterals




	Standard Includes	Required to Specify
► Need help? See Storage Specification Guide.	Counterweight: black only Attachment hardware	Style number

Package Name	· Style Number	·U.S. Price	· Package · Name	• Style Number	·U.S. Price
Package A	RAACWA	\$233	Package F	RAACWF	\$233
Package B	RAACWB	\$167	Package G	RAACWG	\$233
Package C	RAACWC	\$233	Package H	RAACWH	\$167
Package D	RAACWD	\$128	Package J	RAACWJ	\$233
Package E	RAACWE	\$167			



Counterweight Packages

For Use with Universal 2H, 3H, 4H, and 5H Lateral Files, Combination Cabinets, and Workstation Verticals



		Standard Includes	Required to Specify
)	Need help? See Storage Specification Guide.	Counterweight: black only Attachment hardware	Style number

Package Number	· Style Number	·U.S. Price	· Package Number	• Style Number	·U.S. Price
Package 1	RAACW1	\$128	Package 5	RAACW5	\$233
Package 2	RAACW2	\$128	Package 6	RAACW6	\$233
Package 3	RAACW3	\$128	Package 7	RAACW7	\$233
Package 4	RAACW4	\$167	Package 8	RAACW8	\$233

Counterweight Packages

For Use with 52"H Full Front Towers with Wood Fronts and 52"H Workstation Verticals



Tip: Tower packages 1 and 2 are for 18"D and 24"D units and tower package 3 is for 30"D units.

	Standard Includes	Required to Specify
Need help? See Storage	Counterweight: black onlyAttachment hardware	Style number
Specification Gr	iide	

Specification Information						
Package Name	• Style Number	·U.S. Price				
Tower package	1 RAACT1	\$114				
Tower package	2 RAACT2	\$140				
Tower package (3 RAACT3	\$114				

Anchor Bracket Package for Products with Glides



Tip: Four anchor bracket packages are required for each cabinet.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

Standard Includes Required to Specify

Need help? • Two-piece anchor bracket and attachment hardware See Storage
Specification Guide. Style number

Specifica	tion information
·Style	·U.S.
Number	Price

RAANBRK \$38

Specifying Duo Storage Products

Duo Tall Storage	250
Duo Tall Storage Seismic Package	251
Duo Overhead Storage	252
Duo Slim Storage	253

Duo Tall Storage

► Need help?

page 110

Product details,

Tip: Attaches to Post and Beam 33"H fence height beam or between two 931/2"H posts.

Tip: In post-to-post applications, a 54"W Duo Tall Storage is used with a 5'W beam. 66"W Duo Tall Storage is used with a 6'W beam. 78"W Duo Tall Storage is used with a 7'W beam.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.



Tip: For individual tall storage, only the external side of the interior divider cover has the option to be painted.







Standard Includes

- · Tall Storage box: laminate price group 1
- · Painted steel interior divider cover: paint price group 1
- · Leg, if selected: 4799 Platinum paint
- Fence beam attachment brackets, if selected: 8043 Clear Anodized Aluminum
- Post-to-post attachment brackets, if selected: 4799 Platinum paint

Required to Specify

- 1 Style number
- 2 Laminate color number for box
- 3 Paint color number for interior
- 4 Options, if selected (see below)
- See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify
Surface Materials	Interior divider cover Paint price group 1 Paint price group 2 Paint price group 3	No cost +\$15 +\$27	Specify paint color number. Specify paint color number. Specify paint color number.
	Laminate price group 2 Open Line laminate on box	See information at left +\$74 plus cost of laminate	Specify laminate color number. ▶ See Surface Materials Reference Manual.

Specification Information							
Dim D	nensio W	ns H	•Style Number	·U.S. Base Price			
			:	:			

Individual Tall Storage, Fence Beam Attachment 18" 54" 15" BDTS54PBL \$1077 18" 66" 15" **BDTS66PBL** \$1206 BDTS78PBL 18" 78" 15" \$1353

Sha	Shared Tall Storage, Fence Beam Attachment							
18"	54"	15"	BDTD54PBL	\$1179				
18"	66"	15"	BDTD66PBL	\$1304				
18"	78"	15"	BDTD78PBL	\$1517				
:			:					

Individual Tall Storage, 93 $1\!\!{}^\prime\!\!{}_2$ "H Post-to-Post Attachment							
18"	54"	15"	BDTS54PBP	\$1077			
18"	66"	15"	BDTS66PBP	\$1206			
18"	78"	15"	BDTS78PBP	\$1353			

Shared Tall Storage, 93½"H Post-to-Post Attachment							
18"	54"	15"	BDTD54PBP	\$1179			
18"	66"	15"	BDTD66PBP	\$1304			
18"	78"	15"	BDTD78PBP	\$1517			
:			:				

Duo Tall Storage Seismic PackageFor Use with Duo Tall Storage-to-Post and Beam Fence Application in Seismic Zones



Tip: One seismic package contains enough hardware for 10 Duo Tall Storage

Specification Information			
·Style Number	·U.S.		
Number	Price		
:	<u> </u>		
BDTSPPB	\$780		
•			



Duo Overhead Storage

Tip: Attaches to Post and Beam 33"H fence height beam.

Standard Includes

Required to Specify

► Need help? Product details, page 112

Dimensions

18"

18"

18"

W

66"

78"

Overhead Storage box: laminate price group 1

·U.S.

Base **Price**

\$1034

\$1160

\$1290

- · Painted steel interior divider cover: paint price group 1
- Two stanchion legs: 8043 Clear Anodized Aluminum
- 1 Style number
- 2 Laminate color number for box
- 3 Paint color number for interior
- 4 Options, if selected (see below) See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify
Surface	Interior divider cover		
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$15	Specify paint color number.
	Paint price group 3	+\$27	Specify paint color number.
	Laminate price group 2	See information at left	Specify laminate color number.
	Open Line laminate on box	+\$74 plus cost of laminate	See Surface Materials Reference Manual.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.



\forall	ų.

Tip: For individual overhead storage, only the external side of the interior divider cover has the option to be painted.



Charad Overhead Storage

Specification Information

Individual Overhead Storage

15"

15"

15"

·Style

Number

BDOS54PB

BDOS66PB

BDOS78PB

Snared Uvernead Storage					
18"	54"	15"	BDOD54PB	\$1139	
18"	66"	15"	BDOD66PB	\$1277	
18"	78"	15"	BDOD78PB	\$1431	



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Duo Slim Storage



Tip: Attaches to Post and Beam 33"H fence height beam.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Standard Includes

Required to Specify

► Need help? Product details, page 114

- Slim Storage box: laminate price group 1
 Fence attachment brackets: 8043 Clear Anodized Aluminum
- 1 Style number 2 Laminate color number for box
- 3 Options, if selected (see below)
- ► See Surface Materials, page 256.

	Options	U.S. Price	Required to Specify
Surface Materials	Laminate price group 2Open Line laminate on box	See information at left +\$74 plus cost of laminate	Specify laminate color number. ► See Surface Materials Reference Manual.

· Dim	ension	ıs	· Style	·U.S.
D	W	н	Number	Base Price
25"	54"	7½"	BDS54PB	\$ 957
25"	66"	71/2"	BDS66PB	\$1072
25"	78"	71/2"	BDS78PB	\$1199



Irface Material

Surface Materials

Surface Materials	256
Color Coordination Matrices	262
Directional Laminate Grain Directions	264
Wood Grain Directions	265

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification tools are available to assist you in the specifica-

tion process-the Surface Materials Binders

The global surface materials palette is a core collection of finishes that is available across multiple geographies (Americas/EMEA - Europe. Middle East, and Africa/ APAC - Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see steelcase.com/

Surface Materials

Binders include:

surface-materials.

- · Surface Materials Reference Manual
- A complete set of swatch cards for hard surfaces. vertical surface fabrics, and seating upholstery

Paint

Steelcase Surfaces

Applies to:

- Post base
- Horizontal overhead beam
- Vertical post tube bracket and transition
- Ceiling infeed and trim
- Wall start cover for trough
- Accessory mounting bracket hook
- Duo storage legs and brackets

4799 Platinum Metallic

Applies to:

Technology hub base 4752 Steel

Applies to:

- · Elliptical leg
- 4799 Platinum Metallic 7207 Black

Applies to:

- · Adjustable-height legs
- Cabby legs

Price Group 1

Textured Paint

- 7207 Black
- Sand 7225 Midnight **3** 7239
- Sterling Dark Solid 7250 7278 Dark Bronze

Price Group 2

Smooth Metallic Paint

Champagne Metallic Sterling Metallic

Platinum Metallic

4803 Near Black Metallic

Applies to:

- Universal storage
- Post leas
- Double post C-legs
- Universal table bases
- Duo storage steel interior

Price Group 1

Smooth Paint

4242 Milk

Textured Paint

7207 Black 7225

Sand 7236

Fog **G** 7237

Slate 0 7238 Fieldstone

7239 Midnight

Arctic White 7241

7243 Seagull

Sterling Dark Solid

Dark Bronze

Price Group 2

Metallic Paint

4743 Mineral Metallic

4744 Pearl Metallic

Champagne Metallic 4750 Steel Metallic

4752

Gold Dust Metallic 4788 4798

Sterling Metallic Platinum Metallic

Near Black Metallic 4803

Textured Metallic Paint

7245 Carbon Metallic 7246 Midnight Metallic

Applies to:

2¹/₂" round grommet

Price Group 1

Smooth Paint

7241 Arctic White 7278 Dark Bronze

Price Group 2

Standard Paint

0835 Black **3**

Smooth Metallic Paint

4799 Platinum Metallic

Select Surfaces

Price Group 3

Accent paint

Accent paints allow you to choose from a pre-matched color palette of trend driven colors. Refer to the Surface Materials Reference Manual for more information.

Applies to:

- Post legs
- · Double post C-legs
- Steel security tops
- Universal storage Adjustable shelves

Lux Coatings

- 4B20 Obsidian
- 4B22 Matte Brass 4B23 Burnished Bronze
- 4B24 Night Brosnze
- 4B25 Matte Copper
- 4B26 Smoked Mica
- Blue Steel 4B27
- 4B28 Silver Lilac
- 4B29 Cast Iron
- 4B30 Bright Gold

Price Group 3

Custom Surfaces

PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the Surface Materials Reference Manual for more information about this program.

Accessory Paint

Steelcase Surfaces

Applies to:

- Cabby legs with glides
- Adjustable-height legs with glides
- Universal table bases 4140 Arctic White Gloss 4144 Black Gloss

Metal

Steelcase Surfaces

Applies to:

- · Post and post base extension
- Beam extrusion
- · Infill base assembly
- · Duo storage stanchion legs and brackets

8043 Clear Anodized Aluminum

Applies to:

Hub mount

8044 Black Anodized Aluminum

Applies to:

 Elliptical leg 9201 Polished Chrome

Applies to:

 2¹/₂" round grommet 9201 Polished Chrome 9211 Nickel

Laminate

Steelcase Surfaces

High-Pressure Laminate

Price Group 1

Applies to:

Duo storage boxes

2722 Cream **G**

2730 Arctic White

2746 Black 2759 Warm White **G**

2811 Mist **G**

Seagull 2883 2884 Milk

2885 Dune 2HMG Merle

Applies to:

- · Universal laminate tables
- · Universal storage tops

Fiber Laminate

2850 Vanadium Fiber

Rhyme Fiber **G** 2851

2852 Tungsten Fiber

Vellum Fiber 2859 Novell Fiber

2860 Granite Fiber

Coconut Fiber 2861 2862 Stucco Fiber

Micro Laminate

2920 Marl Micro

Gypsum Micro

2922 Clay Micro 2923 Shadow Micro 3

Patina Laminate

2870 Blonde Bronze Patina

Blackened Bronze

Instant Iron Patina

Solid Laminate 2722 Cream **G**

Arctic White 2746 Black

Warm White **G** 2759

2811 Mist **G** 2883 Seagull

2884 Milk Dune 2HMG Merle

Speckle Laminate

2820 Coffee Speckle 6 Woodrose Speckle 6 2822

2823 Driftwood Speckle

Smoke Speckle 2825 Vanadium Speckle

Tip: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

G = Established

Woodgrain Laminate

2406 Clear Cherry

2409 Clear Maple

2410 Graphite Walnut

2412 Natural Cherry

2422 Medium Cherry

2511 Winter on Maple

2538 Clear Walnut

2539 Warm Oak 6

2592 Blonde on Maple 2714 Natural Walnut

2772 Medium Mahogany

on Walnut **3**

2HAK Clear Oak

2HAN Ash Noce

2HAT Acacia

2HAW Ash Wenge

2HBN Bisque Noce 2HBW Bisque Wenge

2HCN Clay Noce

2HCW Clay Wenge

2HSN Storm Noce

2HSW Storm Wenge

turnstone Laminate Collection

A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy. Please see the turnstone section of village.steelcase.com for swatching information.

2535 Virginia Walnut 2536 Blackwood 2612 Marbled Maple

2614 Chocolate Walnut

2615 Marbled Cherry

Tip: turnstone Collection Laminates are not available on bullnose laminate storage tops

Select Surfaces

High-Pressure Laminate

Price Group 2

Textured Woodgrain Laminate

2TH2 Fawn Cypress

2TH3 Weathered Char 2TH4 Saddle Oak

2TH5 Veranda Teak

2TH6 Persian Cherry

2TH7 Walnut Heights

Textured Industrial Laminate

2UH1 Reclaimed Aggregate

2UH2 Reclaimed Gravel 2UH4 Cement

2UH6 Sheetrock

Custom Surfaces

Open Line Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of \$74 U.S. per worksurface or top, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

When processing orders for Open Line Laminate, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

Laminate Approval and Material Requirements

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

· Visit www.steelcase.com

For additional information, refer to the Steelcase Surface Materials Reference

Manual

Vertical Surface Fabric

Steelcase Surfaces

Applies to:

Infill

5477 Tech White

Applies to:

Screens

B902 Soft White

B903 Fog B904 Sand

Wood

Applies to:

Universal wood veneer tables

Universal storage fronts and tops

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- Do not store products in trailers
- Store products in areas that simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

Steelcase Surfaces

Veneer

Veneers are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the Surface Materials Reference Manual for descriptions of each cut.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch

Flat-cut open-pore finish choices

Wood Group 1

FC/OP Graphite Walnut 3062

FC/OP Clear Cherry (Aged) 3402

FC/OP Natural Cherry **G** 3412 3422 FC/OP Medium Cherry

FC/OP Clear Maple* 3522

FC/OP Amber on Maple 6 3572

FC/OP Blonde on Maple 3592

FC/OP Clear Walnut 3702 3712 FC/OP Natural Walnut

FC/OP Dark Mahogany on Walnut 3722

FC/OP Medium Walnut 3752

3762 FC/OP Dark Walnut

FC/OP Medium Mahogany on Walnut

Quarter-cut open-pore finish choices

Wood Group 1

3042 QC/OP Ash*

3222 QC/OP Clear Maple*

QC/OP Amber on Maple 6 3272

3292 QC/OP Blonde on Maple

QC/QP Clear Walnut 3302 3312 QC/OP Natural Walnut

QC/OP Dark Mahogany on Walnut 3322

3352 QC/OP Medium Walnut OC/OP Dark Walnut 3362

3372 QC/OP Medium Mahogany on Walnut

QC/OP Graphite Walnut

Rift-cut open-pore finish choices

Wood Group 1

3602 RC/OP Desert Oak

RC/OP Warm Oak **3** 3612 3692 RC/OP Espresso Oak

Full-fill finish is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on the wood worksurface or

Flat-cut full-fill finish choices

Wood Group 1

field-installed top only.

FC/FF Graphite Walnut 3064

FC/FF Clear Cherry (Aged) 3404

3414 FC/FF Natural Cherry 6

FC/FF Medium Cherry 3424 FC/FF Clear Maple* 3524

FC/FF Blonde on Maple 3544

FC/FF Amber on Maple 6 3574

FC/FF Clear Walnut 3704 3714 FC/FF Natural Walnut

FC/FF Dark Mahogany on Walnut 3724

FC/FF Medium Walnut 3754

FC/FF Dark Walnut 3764

3774 FC/FF Medium Mahogany on Walnut

Quarter-cut full-fill finish choices

Wood Group 1

3224 QC/FF Clear Maple*
3274 QC/FF Amber on Maple **3**

3294 QC/FF Blonde on Maple 3304 QC/FF Clear Walnut

3314 QC/FF Natural Walnut

3324 QC/FF Dark Mahogany on Walnut

3354 QC/FF Medium Walnut3364 QC/FF Dark Walnut

3374 QC/FF Medium Mahogany on Walnut

3374 QC/FF Medium Manogany on Wa 3384 QC/FF Graphite Walnut

Rift-cut full-fill finish choices

Wood Group 1

3604 RC/FF Desert Oak 3614 RC/FF Warm Oak **3** 3694 RC/FF Espresso Oak

*To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000756 for 3042, 05-0001370 for 3222 or 3224.

Premium Veneers

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is Graded-In as Wood Group 2 and Wood Group 3, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat.

Quarter-cut open-pore finish choices

Wood Group 2

3032 QC/OP Dark Thin Line Bamboo3052 QC/OP Ribbon Sapele

Wood Group 3

3832 QC/OP Figured Anegre 3842 QC/OP Figured Makore

Tip: Full-fill finish is not available on Premium veneers as a standard.

To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000755 for 3032, form number 09-0000758 for 3832, and form number 09-0000759 for 3842.

Established

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/surface-materials under the Select Surfaces section.

Composite Veneers

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneer and matching edge bands are available on most Steelcase brand products. Composites, for use as a solid nosing substitute, are not available. Steelcase does not recommend mixing composite veneers with natural solid nosing because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Graded-In as Wood Group 1 pricing.

Flat-cut open-pore finish choices

Wood Group 1

3JDX FC/OP Oak Composite 3JFX FC/OP Maple Composite 3JHX FC/OP Cherry Composite 3JJX FC/OP Walnut Composite

Quarter-cut open-pore finish choices

Wood Group 1

3F8X QC/OP European Walnut Composite 3GAX QC/OP Gold Teak Composite 3GFX QC/OP Rosewood Composite 3GGX QC/OP Zebrano Composite 3HGX QC/OP Oak Composite 3HVX QC/OP Walnut Composite 3JEX QC/OP Maple Composite

3JGX QC/OP Cherry Composite 3ZNX QC/OP Night Cerused Oak Composite

Natural Veneer

Natural veneer is available in the Select Surfaces offering. Natural veneer may have extended lead-times. Place your order as you normally would for any other finish, calling out the appropriate finish code. Natural veneers are Graded-In as Wood Group 1 pricing.

The following finishes are available through the natural veneer offering:

Flat-cut open-pore finish choices

Wood Group 1

3342 FC/OP Black Walnut 35A2 FC/OP Blanch Maple 37A2 FC/OP Thunder Walnut

Wood Group 3

3082 FC/OP Washed Walnut

Flat-cut full-fill finish choices

Wood Group 1

3734 FC/FF Black Walnut

Wood Group 3

3084 FC/FF Washed Walnut

Quarter-cut open-pore finish choices

Wood Group 1

32A2 QC/OP Blanch Maple 33A2 QC/OP Thunder Walnut 3392 QC/OP Black Walnut

Quarter-cut full-fill finish choices

Wood Group 1

3394 QC/FF Black Walnut

Rift-cut open-pore finish choices

Wood Group 1

36A2 RC/OP Volcanic Oak

Planked Veneer

Planked veneer is available in the Select Surfaces offering. Planked veneer may have extended leadtimes. Place your order as you normally would for any other finish, calling out the appropriate finish code.

The following finishes are available through the planked veneer offering:

Wood Group 1

3P41 OP Planked Cherry 3P51 OP Planked Maple 3P61 OP Planked Oak 3P71 OP Planked Walnut

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid. If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the Surface Materials Reference Manual for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the Surface Materials Reference Manual

Plastic

Steelcase Surfaces

Applies to:

- · Infill end cap
- · Attachment clips for horizontal fence tube and horizontal overhead beam trough
- Wall start cover for beam
- · Accessory mounting bracket collar
- · Post top cap 6694 Slate

Applies to:

 Huddleboard adapter bracket 6643 Fusion Light

Applies to:

- · Technology hub cover
- · Horizontal fence tube
- · Overhead corner trough and beam filler trough
- Vertical post tube
- · Ceiling infeed tube 6644 Fusion Dark

Applies to:

 Connector Black

Applies to:

- 3 mm edge profile on Universal tables except tethered capsule tables
- 1 mm edge profile on Universal storage laminate tops
- 6000 Black 6001 Coffee
- Arctic White 6009 6034 Natural Cherry
- Medium Cherry 6036
- 6037 Winter on Maple 6038 Blonde on Maple 6039 Medium Oak
- 6041 Natural Walnut 6045 Medium Mahogany
- on Walnut 🛭 6052 Milk
- 6053 Seagull 6213 Acacia
- Clear Oak 6219
- Graphite Walnut 6231 6234 Clear Cherry
- 6237 Clear Maple Virginia Walnut 6242
- 6243 Blackwood 6245 Clear Walnut
- 6246 Warm Oak **G** Platinum Solid 6249
- 6271 Plywood 6527
- Merle 6615 Grey V5
- 6619 Ice 📵 6631 Cream
- Dawn **3** 6635 6636 Mist
- 6654 Sand
- Warm White 6655 Marbled Maple 6676
- 6677 Chocolate Walnut
- 6678 Marbled Cherry
- 6694 Slate Midnight 6695
- 6697 Fog 6698 Fieldstone
- Ash Wenge 6703 Storm Wenge 6704
- 6705 Bisque Wenge
- 6706 Clay Wenge 6707 Ash Noce
- 6708 Bisque Noce
- 6709 Clay Noce 6710 Storm Noce

Applies to:

 P-edge profile on Universal laminate tables, except tethered capsule tables

6000 Black 6009 Arctic White

6052 Milk Seagull 6053

Platinum Solid 6249 6527 Merle

6654 Sand 6694 Slate 6695 Midnight

6697 Fog

6698 Fieldstone

Applies to:

• 3 mm edge profile, P-edge profile, and inner edge profile on Universal tethered capsule tables

6000 Black 6009 Arctic White

6654 Sand 6694 Slate

6695 Midnight 6697 Fog

6698 Fieldstone

Applies to Internode components:

- · Receptacles
- Modular infeed cover
- Convenience communication outlet and trireceptacle housings

6000 Black

6009 Arctic White 6249 Platinum Solid

Tungsten **3** 6651 6652 Titanium **3**

Solar Black 6 6653 6654 Sand

6681 Grotto 😉

Select Surfaces

Applies to:

- 3 mm edge profile on Universal tables, except tethered capsule tables
- 1 mm edge profile on Universal Storage laminate top

6T02 Fawn Cypress 6T03 Weathered Char

6T04 Saddle Oak

6T05 Veranda Teak 6T06 Persian Cherry

6T07 Walnut Heights 6T08 Aggregate

6T09 Gravel

6T10 Cement 6T12 Sheetrock

ered defects.

Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light

colors and are not consid-

Seating Upholstery

Steelcase Surfaces

Applies to:

- · Universal mobile pedestal cushion top
- · Basic cushion
- *Not available on basic cushion

Price Group 1

Buzz2

5F03 Tomato

5F04 Red **G** 5F05 Burgundy

Sky **G** 5F06 5F07 Blue

5F08 Navy 5F10 Grape **G** 5F11 Eggplant **G**

5F15 Stone 5F16 Grey

5F17 Black 5G50 Dunegrass 5G51 Sable

Barlev 5G52 5G53 Sunrise

5G54 Carrot 5G55 Pumpkin

5G56 Timber 5G57 Rouge

Chocolate 5G58 5G59 Meadow 5G60 lvy

5G61 Cyan 5G62 Atlantic

5G63 Crocus 5G64 Alpine 5G65 Tornado

Era

5ER0 Cobalt

5FR1 Harbor 5FR2 Blue Nickel

5ER3 Pistachio 5ER4 Canary 5FR5 Comet

5ER6 Truffle 5ER7 Saffron

5ER8 Pink Lemonade 5FR9 Onyx

5ES0 Scarlet 5ES1 Lentil

5FS2 Oatmeal 5ES3 Persimmon

5FS4 Sprout Blue Mint 5ES5

5ES6 Royal Blue 5ES7 Night Owl

Jacks 0

5B61 Taupe 5B63 Camel 5B64 Pewter 5B70 Midnight

Link

5A20 Burgundy

5A23 Green 5A24 Blue

5A25 Navy 5A26 Purple 5A27 Black

5A28 Ocean 5A30 Chamois

New Black

5J10 New Black: Bruce New Black: Henry Tip: New Black upholstery has color numbers in both price group 1 and price group 2.

Playground @ 5F28 Claret 5F31 Nut 5F33 Stone

5F34 Skv 5F35 Navy 5F36 Huckleberry

Charcoal Seating Vinyl **G***

5801 Topaz Foggy Night 5805 5809 Black

5810 Forest 5812 Navy

5F37

5813 Currant Leaf 5814

5815 Seaside 5817 Pebble 5818 Spice

5819 Thistle Coffee 5820 5822 Iris

Price Group 2

Chainmail

5550 Cotton 5551 Space

Silver Dollar 5552 Volcano 5553

Orange Crush 5554 Tricycle 5555

Geranium

Lagoon

Banana 5557 5558 Margarita

5556

5559

* Not available on basic cushion

G = Established

	nt: Connect
5S15 5S16 5S17 5S18 5S19 5S21 5S23 5S24 5S25 5S26 5S27 5S28 5S93 5S94 5S95 5S96 5S96 5S99 5SD1 5SD2 5SD3 5SD4	Coconut Turmeric/Honey Tangerine Scarlet Concord Blue Jay Wasabi Nickel Graphite Licorice Malt Root Beer Blueprint Lizard/Jungle Sailor Quicksilver Canary Lipstick/Merlot Royal Blue Aubergine Peacock Lagoon Saffron
5S29 5S85 5S86 5S88 5S90 5S91 5S92	nt: Trails Bronzite Agate Lapis Quartz Tiger Eye Travertine Topaz
New 5J08 5J09 5J12	Black New Black: Jack New Black: Jame New Black: Harle

Tip: New Black upholstery has color numbers in both price group 1 and price group 2.

Nitelights

5F58 Hazelnut @ 5F61 Earth G 5F62 Shore G 5F63 Moss 5F66 Stone 5F67 Moon

Spyder **0**

5B01 Foggy Night 5B04 Peri

G = Established * Not available on basic cushion

Stand In* 5621 Sleet 5622 Lunar 5623 Cyclone 5624 Eclipse 5625 Powder 5626 Chardonnay 5627 Graham 5628 Sediment 5629 Allspice 5630 Apple 5631 Lava 5632 Cavenne 5633 Plantain 5634 Parsley 5635 Scallion 5636 Atlantis 5691 Orca 5740 Burlap 5741 Porter 5742 Tusk 5743 Puttv 5744 Blueberry 5745 Chartreuse 5746 Mango 5747 Sedona 5748 Juniper 5749 Peanut

Price Group 3

Billiard Multi-Use by Designtex 5H10 Bone 5H11 Poppy

5H12 Tangelo 5H13 Citron 5H14 Avocado 5H15 Hunter 5H16 Indigo 5H17 Mallard 5H18 Teak 5H19 Cumulus 5H20 Pewter 5H21 Gunmetal 5H22 Ink

Gaja - Cradle to Cradle

Certified ™ Silver 5W40 Black 5W41 Pepper 5W42 Pearl Grey 5W43 Crimson 5W44 Ink 5W45 Night Blue 5W46 Petrol 5W48 Sepia 5W49 Umber 5W51 Camellia Red 5W52 Emerald 5W53 Snow Pea 5W54 Olive 5W56 Maroon 5W57 Black Raspberry 5W58 Spruce 5W59 Apple Green 5W60 Deep Blue 5W61 Chili Pepper

Imperma

TM01 Toffee TM02 Pigeon TM03 Fossil TM04 Poppyseed TM05 Auburn G TM06 Cumin TM07 Marble TM08 Cliff TM09 Tarragon 6 TM10 Pesto TM11 Wave TM12 Niagara TM13 Tuscan TM14 Peppercorn **G**

Redeem

TM50 Brick TM52 Cinnamon TM53 Daisy TM54 Pine TM55 Water TM56 Dill TM57 Lavender TM58 Mallard TM59 Caramel

TM60 Greyhound TM61 Mocha TM62 Iceberg TM63 Chestnut TM64 Granite

TM66 Barnwood

Retrieve

TM30 Kelly TM31 Lake TM32 Gala TM33 Papaya TM34 Dandelion TM35 Curry TM36 Lilac TM37 Submarine TM38 Driftwood TM40 Quarry TM42 Shadow TM43 Seal TM44 Chalk

Texel

TM20 Angora TM21 Grist TM22 Galaxy TM23 Terracotta TM24 Nude 6 TM25 Field TM26 Haze

Price Group 5

Bo Peep

5G67 Bone 5G69 Brown Sugar 5G70 Chocolate Chip 5G71 Candlelight 5G72 Honey Mustard 5G73 Marmalade 5G74 Picnic 5G75 Pinot 5G76 Bloom 5G77 Grapevine 5G78 Firefly 5G79 Artichoke 5G80 Serpent 5G81 Carolina 5G82 Blue Bonnet 5G83 Nautical 5G84 Gravel 5G85 Sharkskin

5G86 Kohl

Remix RE01 Rust RE02 Pumpkin RE03 Pebble RE04 Dark Chocolate RE05 Beige RE06 Linen Beige RE08 Concrete Grey RE09 Sky Blue RE10 Blue Jean RE11 Ivy Green RE12 Primavera Yellow

Silk 5L31

5L32 Seaweed 5L33 Boysenberry 5L34 Vermillion 5L35 Marina 5L36 Heather Blue 51.37 Blue Raspberry 5L38 Cauldron 5L39 Flaxen

RE13 Night Blue

5L30 Butterscotch

Dijon

Price Group 6

Brisa*

BR01 Black Onyx BR04 Truffle BR06 Ash BR07 Sage BR08 Celery BR09 Sterling Blue BR10 Night Navy BR11 Cambridge Blue BR12 Abyss BR14 Pompeian Red BR16 Cinnabar BR18 New Sand BR20 White BR21 Moccasin BR22 Buckskin BR24 Mineral BR25 Skyway BR26 Iron BR27 Stormy BR28 Esmeralda BR29 Seaweed BR30 Bone BR31 Caramel BR32 Bridle

Price Group 7

Steelcut Trio*

BR33 Moon

TR01 Mist Grey TR02 Stone Grey TR03 Cassonade Beige TR04 Nutmeg Beige TR06 Licorice Black TR07 Mustard Yellow TR08 Red Currant TR11 Ice Blue TR14 Blue Jay Mix

Leather Price Group

TR15 Brown Frost

Steelcase Leather*

L107 Black L207 Mahogany L220 Soapstone L221 Rocky

260

Elmosoft Leather Price Group

Elmosoft Leather*

- L110 Maritime Blue
- L111 Midnight Blue
- L112 Ebony
- L113 Gunmetal
- L114 Mica L115 Dove Grey
- L116 Plum Pleasure
- L122 Truffle
- L128 Red Birch
- L132 Violet L133 Espresso
- L134 Ruby
- L135 Scarlet
- L138 Bourbon
- L139 Cinder
- L140 Garnet
- L143 Pecan
- L144 Chamois
- L146 Russet
- L147 Saddle
- L151 White
- L709 Sugar
- L711 Parchment
- L712 Buff
- L716 Khaki L717 Cameo
- L721 Rock
- L722 Desert
- L723 Storm
- L725 Teal
- L727 Egyptian Blue
- L728 Bright Blue
- L730 Hunter
- L736 Lemon L737 Sunshine
- L738 Drama
- L740 Dazzle
- L743 Forest Green
- L744 Turtle
- L745 Grass
- L746 Envy L747 Cigar
- L748 Light Chocolate
- L749 Beaver
- L750 Bluffstone
- L751 Sienna
- L752 Oxblood
- L753 Dough L754 Acorn
- L755 Peanut Butter
- L756 Quinoa
- L757 Dark Sand
- L758 Mustard L759 Amber Orange
- L760 Bengal
- L761 Periwinkle
- L762 Canvas
- L763 Macadamia
- L764 True Blue
- L765 Storm Blue L766 Powder Blue
- L767 Blush
- L768 Tropical
- L769 Mauve L770 Cadet
- L771 Powder Mint
- L772 Timberwolf
- L773 Chalice L774 Oil
- L775 Coyote

Select Surfaces

For information

on products within Select Surfaces, includ-

ing accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack,

please refer to the Surface Materials Reference Manual or visit steelcase.com/ surface-materials under the Select Surfaces section.

Custom Surfaces

Price Group COM (Customer's Own Material)

Fabric Approval and Yardage

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

· Visit www.steelcase.com

Not available on basic cushion

Color Coordination Matrices

Recommended Edge Colors for Universal Products—Laminate

Edges

The recommended edge color will complement the laminate color you specify. Edge color is specified separately.

Lami	nate Color		mmended or 1 mm Edge Color		nmended e Color
Fiber	,				
2850	Vanadium Fiber	6654	Sand	6697	Fog
2851	Rhyme Fiber 9	6631	Cream	6654	Sand
2852	Tungsten Fiber	6636	Mist	6654	Sand
2854	Vellum Fiber	6655	Warm White	6697	Fog
2859	Novell Fiber	6001	Coffee	6697	Fog
2860	Granite Fiber	6000	Black	6000	Black
2861	Coconut Fiber	6654	Sand	6654	Sand
2862	Stucco Fiber	6053	Seagull	6053	Seagull
Micro)				
2920	Marl Micro	6053	Seagull	6053	Seagull
2921	Gypsum Micro	6654	Sand	6654	Sand
2922	Clay Micro	6654	Sand	6654	Sand
2923	Shadow Micro 😉	6249	Platinum Solid	6249	Platinum Solid
Patin	ıa				
2870	Blonde Bronze Patina	6654	Sand	6654	Sand
2871	Blackened Bronze Patina	6615	Grey V5	6000	Black
2873	Instant Iron Patina	6615	Grey V5	6000	Black
Solid					
2722	Cream G	6631	Cream	6654	Sand
2730	Arctic White	6009	Arctic White	6009	Arctic White
2746	Black	6000	Black	6000	Black
2759	Warm White 6	6655	Warm White	6654	Sand
2811	Mist G	6636	Mist	6697	Fog
2883	Seagull	6053	Seagull	6053	Seagull
2884	Milk	6052	Milk	6052	Milk
2885	Dune	6654	Sand	6654	Sand
2HMG	Merle	6527	Merle	6527	Merle
Spec	kle				
2820	Coffee Speckle 6	6631	Cream	6654	Sand
2822	Woodrose Speckle 6	6635	Dawn G	6000	Black
2823	Driftwood Speckle	6631	Cream	6000	Black
2824	Smoke Speckle	6636	Mist	6654	Sand
2825	<u> </u>	6619	Ice 3	6697	Fog
Text	ured Industrial—Select Su				
2UH1	Reclaimed Aggregate	6T08	Aggregate	6612	Grey V2 1
	Reclaimed Gravel	6T09	Gravel	6615	Grey V5
· ——	Cement	6T10	Cement	6636	Mist
2UH6	Sheetrock	6T12	Sheetrock	6654	Sand

► Continued on next page

G = Established

Recommended Edge Colors for Universal Products—Laminate, continued


Lami	nate Color		mmended or 1 mm Edge Color		mmended e Color
Text	ured Woodgrain—Select Sเ	ırfaces			
2TH2	Fawn Cypress	6T02	Fawn Cypress	6654	Sand
2TH3	Weathered Char	6T03	Weathered Char	6615	Grey V5
2TH4	Saddle Oak	6T04	Saddle Oak	_	_
2TH5	Veranda Teak	6T05	Veranda Teak	6612	Grey V2 3
2TH6	Persian Cherry	6T06	Persian Cherry	_	_
2TH7	Walnut Heights	6T07	Walnut Heights	_	_
Wood	dgrain				
2406	Clear Cherry	6234	Clear Cherry	6000	Black
2409	Clear Maple	6237	Clear Maple	6654	Sand
2410	Graphite Walnut	6231	Graphite Walnut	6000	Black
2412	Natural Cherry	6034	Natural Cherry	6000	Black
2422	Medium Cherry	6036	Medium Cherry	6000	Black
2511	Winter on Maple	6037	Winter on Maple	6654	Sand
2538	Clear Walnut	6245	Clear Walnut	6000	Black
2539	Warm Oak 6	6246	Warm Oak G	6654	Sand
2592	Blonde on Maple	6038	Blonde on Maple	6654	Sand
2714	Natural Walnut	6041	Natural Walnut	6000	Black
2772	Medium Mahogany on Walnut	6045	Medium Mahogany on Walnut 3	6000	Black
2HAK	Clear Oak	6219	Clear Oak	6654	Sand
2HAN	Ash Noce	6707	Ash Noce	6654	Sand
2HAT	Acacia	6213	Acacia	6655	Warm White Solid
2HAW	Ash Wenge	6703	Ash Wenge	6654	Sand
2HBN	Bisque Noce	6708	Bisque Noce	6631	Cream
2HBW	Bisque Wenge	6705	Bisque Wenge	6631	Cream
2HCN	Clay Noce	6709	Clay Noce	6612	Grey V2 9
2HCW	Clay Wenge	6706	Clay Wenge	6612	Grey V2 6
2HSN	Storm Noce	6710	Storm Wenge	6615	Grey V5
2HSW	Storm Wenge	6704	Storm Wenge	6615	Grey V5
turns	tone Laminate Collection*				
2535	Virginia Walnut	6242	Virginia Walnut	6000	Black
2536	Blackwood	6243	Blackwood	6000	Black
2612	Marbled Maple	6676	Marbled Maple	6000	Black
2614	Chocolate Walnut	6677	Chocolate Walnut	6000	Black
2615	Marbled Cherry	6678	Marbled Cherry	6000	Black

^{*}A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy.

Directional Laminate Grain Directions

Directional laminates


are standard with the grain directions shown.



Wood Grain Directions

The appearance of

wood veneer may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90-degree angle with each other. Please refer to the following illustrations for an understanding of grain direction on your installation.









Square Table

Rectangle Table

Tethered Capsule Table

Resource


Resources

Lock and Keying	268
Style Number Index	270

Lock and Keying

All locking products

are standard with factory-installed, keyed-random locks. Consecutive, specific, and random keying are available as field-installed options. Exceptions: Individual locking drawers are available only with field-installed locks.



Locks consist of a factoryor field-installed lock cylinder and a factory-installed lock

Two types of locks are available - the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key

Factory-Installed Keying

Factory-installed locks are always key random

(standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). All locks within a unit will be keyed alike.

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify field-installed, key specific or key consecutive lock cylinders.

▶ See below.

Kev Random



₩ XF1042

∞ XF1011

Required to Specify

Master key random

Specify with master key random.

Field-Installed Keying

Field-installed locks are only available on products that include factory-installed lock mechanisms.

Specify "plug" when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.

Front-removable lock cylinders must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.

Master

Key

Tip: Lock tools are reusable. You do not need to order additional lock tools with every furniture order.

Key specific means that

Lock cylinders will be shipped separately so that you can install the locks when you are ready.

Three keying choices are available for field installationrandom (standard), specific. and consecutive. All three are also available with master keying, which means that all locks can be opened with a single master key.

Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or key consecutive lock cvlinders.

you can specify any key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). This option can be used to key all the furniture units in a workstation or department

Tip: Designate the quantity per key number in your specification.


▶See example at right.

Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).


Example of a typical lock cylinder specification is shown below:

- 10 LOCK9201FR FR320 LOCK9201FR FR350
- 15 LOCK9201XF XF1100
- Total
- 877102003SR standard lock tool
- 877102002SR master lock tool

Key Random



Key Specific



Field-Installed Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

Tip: You can change lock

cylinders in the field by using the appropriate lock

tool.

Standard Includes Required to Specify

- Lock cylinder, keyed random: 9201 Polished
- 1 Style number Chrome or 9250 Ember Chrome 2 Options, if selected (see below)
- Two keys

Options	U.S. Price	Required to Specify
Key specific	No cost	Select key number from FR305–FR454.
Key consecutive	No cost	Specify <i>key consecutive</i> and must select beginning key number from FR305–FR454.
Master key random	+\$27 each	Specify master key random.
Master key specific	+\$27 each	Specify key number from XF1001–XF1150.
Master key consecutive	+\$27 each	Specify <i>master key consecutive</i> and must select beginning key number from XF1001–XF1150.

Specifica	Specification Information			
·Color	· Style Number	· U.S. Base		
:	•	Price		

FR Series (Standard Keying System) – Lock Cylinder

Polished Chrome	LOCK9201FR	No cost
Ember Chrome	LOCK9250FR	No cost
•	•	

Standard Lock Tool

877102003SR \$27

XF Series (Master Keying System) - Lock Cylinder

Polished Chrome	LOCK9201XF	No additional cost. Price is included in price of furniture with master-keyed locks.
Ember Chrome	LOCK9250XF	No additional cost. Price is included in price of furniture with master-keyed locks.

Master Lock Tool

	877102002SR	\$27
÷	-	
•	•	•



Style Number Index

Style Number	Page	Description	Style Number	Page	Description
32WCP	194	Wire Guide Clip	BCCM	135	Cord/Cable Mgr Clip
800DV12	245	Dividers	ВСН	146	Curtain Hook
00DV6	245	Dividers	BCL	172	U Tbl Dbl Post C-Leg
OORW	245	Rail	BDOD54PB	252	Duo Overhead Storage
77102002SR	269	Master Lock Tool	BDOD66PB	252	Duo Overhead Storage
77102003SR	269	Standard Lock Tool	BDOD78PB	252	Duo Overhead Storage
8765	193	Termination Plate	BDOS54PB	252	Duo Overhead Storage
8766	193	Cable/Fiber Reel	BDOS66PB	252	Duo Overhead Storage
8767	194	Cord Reels	BDOS78PB	252	Duo Overhead Storage
8768	194	Cable Storage Tray	BDS54PB	253	Duo Slim Storage
99CHT	195	Wire Clips	BDS66PB	253	Duo Slim Storage
WAG2	192	Round Grommet	BDS78PB	253	Duo Slim Storage
WVBC	192	Power/Data Box	BDTD54PBL	250	Duo Tall Storage
WVBD	192	Power/Power Box	BDTD54PBP	250	Duo Tall Storage
WVBP	192	Data/Data Box	BDTD66PBL	250	Duo Tall Storage
WVW	192	Wire Mgr	BDTD66PBP	250 250	· ·
ADJ		•			Duo Tall Storage
	170	U Tbl Adj-Hgt Leg	BDTD78PBL	250	Duo Tall Storage
ADJ4	170	U Tbl Adj-Hgt Leg	BDTD78PBP	250	Duo Tall Storage
ADJ4C	170	U Tbl Adj-Hgt Leg	BDTS54PBL	250	Duo Tall Storage
ADJ4M	170	U Tbl Adj-Hgt Leg	BDTS54PBP	250	Duo Tall Storage
ADJC	170	U Tbl Adj-Hgt Leg	BDTS66PBL	250	Duo Tall Storage
AMB	147	Mounting Hook	BDTS66PBP	250	Duo Tall Storage
B042	123	Beam	: BDTS78PBL	250	Duo Tall Storage
B048	123	Beam	BDTS78PBP	250	Duo Tall Storage
B060	123	Beam	BDTSPPB	251	Duo Tall Storage Seismic Package
B072	123	Beam	BEL2142	165	U Tbl Oval
B084	123	Beam	: BEL25	171	U Tbl Elliptical Leg
B096	123	Beam	BEL27	171	U Tbl Elliptical Leg
B108	123	Beam	BEL3042	165	U Tbl Oval
B120	123	Beam	BEL3060	165	Univ Tbl Oval
B132	123	Beam	BEL3648	165	U Tbl Oval
B144	123	Beam	BEL3672	165	U Tbl Oval
B156	123	Beam	BEL4278	165	U Tbl Oval
B168	123	Beam	BEL4896	165	U Tbl Oval
B180	123	Beam	BFB223636	156	U Tbl Cnr, 120°
B192	123	Beam	BFB224242	156	
			•		U Tbl Cnr, 120°
BPT040	134	Horizontal Trough	BFB224848	156	U Tbl Cor. 120°
BPT048	134	Horizontal Trough	BFB334242	156	U Tbl Cnr, 120°
BPT060	134	Horizontal Trough	BFB334848	156	U Tbl Cnr, 120°
BPT072	134	Horizontal Trough	BFFF661	167	Univ FS Tethered Capsule Table
BPT084	134	Horizontal Trough	BFFF721	167	Univ FS Tethered Capsule Table
BPT096	134	Horizontal Trough	BFFF841	167	Univ FS Tethered Capsule Table
BPT108	134	Horizontal Trough	BFFF961	167	Univ FS Tethered Capsule Table
BPT120	134	Horizontal Trough	BFFF962	167	Univ FS Tethered Capsule Table
BPT132	134	Horizontal Trough	BFJ2472L	161	U Tbl Bubl Jetty
BPT144	134	Horizontal Trough	BFJ2472R	161	U Tbl Bubl Jetty
BPT156	134	Horizontal Trough	BFJ2478L	161	Univ Tbl Bubl Jetty
BPT168	134	Horizontal Trough	BFJ2478R	161	U Tbl Bubl Jetty
BPT180	134	Horizontal Trough	BFJ3072L	161	U Tbl Bubl Jetty
BPT192	134	Horizontal Trough	BFJ3072R	161	U Tbl Bubl Jetty
CAB	169	U Tbl Cabby Leg	BFJ3078L	161	Univ Tbl Bubl Jetty
CAB4	169	U Tbl Cabby Leg	BFJ3078R	161	U Tbl Bubl Jetty
CAB4C	169	U Tbl Cabby Leg	BFK2448	157	U Tbl Capsule
CAB4M	169	U Tbl Cabby Leg	BFK3060	157	U Tbl Capsule

; Style			∶ Style		
Number	Page	Description	Number	Page	Description
BFK4284	157	U Tbl Capsule	BHEX48120	166	U Tbl Hex Conf
BFK4896	157	U Tbl Capsule	BHEX48150	166	U Tbl Hex Conf
: BFP2736	159	U Tbl Pnsl	: BHEX48180	166	U Tbl Hex Conf
BFPT040	133	Horiz Fence Tube	ВННСХ	142	Connector
: BFPT048	133	Horiz Fence Tube	: ВННСҮ	142	Connector
BFPT060	133	Horiz Fence Tube	ВННС	142	Connector
: BFPT072	133	Horiz Fence Tube	: ВНМХР	129	Hub Mount
BFPT084	133	Horiz Fence Tube	ВНМҮР	129	Hub Mount
BFPT096	133	Horiz Fence Tube	BIBFF030	124	Infill
BFPT108	133	Horiz Fence Tube	BIBFF042	124	Infill
: BFPT120	133	Horiz Fence Tube	BIBFF054	124	Infill
BFR30	162	U Tbl Round	BIBFF066	124	Infill
BFR36	162	U Tbl Round	: BIBFF078	124	Infill
BFR42	162	U Tbl Round	BIBFF090	124	Infill
BFR48	162	U Tbl Round	BIBFF102	124	Infill
BFR54	162	U Tbl Round	BIBFF114	124	Infill
BFRQ24 BFRQ30	163 163	U Tbl Square	BIBHW030	125	Infill Hardware Package
BFRQ36		Univ Tbl Square	BIBHW054	125	Infill Hardware Package
BFRQ42	163 163	U Tbl Square U Tbl Square	BIBHW066	125 125	Infill Hardware Package Infill Hardware Package
BFRQ48	163	U Tbl Square	BIBHW078	125	Infill Hardware Package
BFRQ54	163	U Tbl Square	· BIBHW090	125	Infill Hardware Package
BFRR3660	164	U Tbl Rectangle	BIBHW102	125	Infill Hardware Package
BFRR3666	164	U Tbl Rectangle	BIBHW114	125	Infill Hardware Package
BFRR3672	164	U Tbl Rectangle	BIBMD030	124	Infill
BFRR4284	164	U Tbl Rectangle	· BIBMD042	124	Infill
BFRR4896	164	U Tbl Rectangle	BIBMD054	124	Infill
BFS2430	153	U Tbl Str	BIBMD066	124	Infill
BFS2436	153	U Tbl Str	BIBMD078	124	Infill
BFS2442	153	Univ Tbl Str	BIBMD090	124	Infill
BFS2448	153	U Tbl Str	BIBMD102	124	Infill
BFS2454	153	U Tbl Str	BIBMD114	124	Infill
: BFS2460	153	U Tbl Str	: BIBTF030	124	Infill
BFS2466	153	U Tbl Str	BIBTF042	124	Infill
: BFS2472	153	U Tbl Str	: BIBTF054	124	Infill
BFS2478	153	U Tbl Str	BIBTF066	124	Infill
: BFS3036	153	U Tbl Str	: BIBTF078	124	Infill
BFS3042	153	U Tbl Str	BIBTF090	124	Infill
: BFS3048	153	U Tbl Str	BIBTF102	124	Infill
BFS3054	153	U Tbl Str	BIBTF114	124	Infill
BFS3060	153	U Tbl Str	BNCAB	169	U Tbl Cabby Leg
BFS3066	153	U Tbl Str	BNCAB4	169	U Tbl Cabby Leg
BFS3072	153	U Tbl Str	BNCAB4C	169	U Tbl Cabby Leg
BFS3078	153	U Tbl Str	BNCAB4M	169	U Tbl Cabby Leg
BFSP48	158	U Tbl Spnr	BNCABC	169	U Tbl Cabby Leg
BFSP52 BFSP60	158	U Tbl Spnr	BNPL	172	U Tbl Post Leg
BFSP64	158 158	U Tbl Spnr U Tbl Spnr	: BNPL4 : BNPL4C	172 172	U Tbl Post Leg U Tbl Post Leg
BFTP48	160	U Tbl Taprd Pnsl	BNPL4M	172	U Tbl Pkg Four
BFTP60	160	U Tbl Taprd Pnsl	BNPLC	172	U Tbl Post Leg
: BHAB	147	Huddleboard Bracket	BPCS	148	Post Base Shim
BHEX3660	166	Univ Tbl Hex Conf	BPDSFB	130	Power and Data Strip
: BHEX3666	166	U Tbl Hex Conf	: BPDSPB1SH		Power and Data Strip
BHEX3672	166	U Tbl Hex Conf	BPDSPB2SH		Power and Data Strip
BHEX4296	166	U Tbl Hex Conf	: BPDSPB3SH		Power and Data Strip
			: 		

Style Number	Page	Description	: Style : Number 	Page	Description
BPDSPB4SHX	132	Power and Data Strip	BXTFHH39	138	Vertical Post Tube
BPDSPBPL	130	Power and Data Strip	BXTFLFH31	138	Vertical Post Tube
BPDSSB	131, 189	Slatwall Attch Brkt	BXTHHT45	136	Vertical Post Tube
BPDSSWPL	131, 189	Pwr & Data Stp w/Crd	BXTLHT52	136	Vertical Post Tube
BPDSWB	131, 189	WS Attachment Brkt	BYCIT	139	Ceil Infd Tube
BPDSWSPL	131, 189	Power and Data Strip	BYJBCK	139	Junct Box Brkt
BPFS10	146	Fence Beam Dust Covers	: BYP36	122	Y-Post w/Large Base
ВРНРНХХ	129	Technology Hub	BYP45	122	Y-Post
BPHPHXY	129	Technology Hub	: BYP95	122	Y-Post
BPHPHXZ	129	Technology Hub	ВҮРГНН39	137	Vertical Post Tube
BPL	172	U Tbl Post Leg	BYPFLF15	137	Vertical Post Tube
BPL4	172	U Tbl Post Leg	BYPFLH31	137	Vertical Post Tube
BPL4C	172	U Tbl Post Leg	BYPS36	122	Y-Post w/Small Base
BPL4M	172	U Tbl Pkg Four	BYPS45	122	Y-Post
BPLC	172	U Tbl Post Leg	BYPS95	122	Y-Post
BPMPH123XX	128	Technology Hub	BYPTC	147	Post Top Cap
BPMPH123XY	128	Technology Hub	: BYPTFT87	137	Vertical Post Tube
BPMPH123XZ	128	Technology Hub	BYPTHF11	138	Vertical Post Tube
BPMPH124XX	128	Technology Hub	: BYPTHFT59	136	Vertical Post Tube
BPMPH124XY	128	Technology Hub	BYPTLFT66	136	Vertical Post Tube
BT26	168	Univ Tbl Base	BYTFHH39	138	Vertical Post Tube
BT36	168	Univ Tbl Base	BYTFLFH31	138	Vertical Post Tube
BTHPHXX	129	Technology Hub	: BYTHHT45	136	Vertical Post Tube
BTHPHXY	129	Technology Hub	BYTLHT52	136	Vertical Post Tube
BTHPHXZ	129	Technology Hub	BZC243060	155	U Tbl Trans
BTJ090	135	Corner Trough	BZC243066	155	U Tbl Trans
BTJ120	135	Corner Trough	BZC243072	155	U Tbl Trans
BTJI	135	Beam Flr Trough	BZC243078	155	U Tbl Trans
BTMPH123XX	128	Technology Hub	BZC302460	155	U Tbl Trans
BTMPH123XY	128	Technology Hub	BZC302466	155	U Tbl Trans
BTMPH123XZ	128	Technology Hub	BZC302472	155	U Tbl Trans
BTMPH124XX	128	Technology Hub	BZC302478	155	U Tbl Trans
BTMPH124XY	128	Technology Hub	BZC303660	155	U Tbl Trans
ВТТВ	173	UN FS Tether Bracket	BZC303666	155	U Tbl Trans
BWSK	144	Wall Start Kit	BZC303672	155	U Tbl Trans
BWSTK	144	Wall Start Kit	BZC303678	155	U Tbl Trans
BX26	168	U Tbl Base	BZC363060	155	U Tbl Trans
BX36	168	U Tbl Base	BZC363066	155	U Tbl Trans
BXCIT	139	Ceil Infd Tube	BZC363072	155	U Tbl Trans
BXILJC	133	In-Line Post Junction Cover	BZC363078	155	U Tbl Trans
BXJBCK	139	Junct Box Brkt	CFENCELC	127	Fence Connector
BXP36	122	X-Post w/Large Base	CFENCERC	127	Fence Connector
BXP45	122	X-Post	CPBFLM044	126	Premium Whiteboard Infill
BXP95	122	X-Post	CPBFLM045	126	Premium Whiteboard Infill
BXPFHH39	137	Vertical Post Tube	: CPBFLM046	126	Premium Whiteboard Infill
BXPFLF15	137	Vertical Post Tube	CPBFLM054	126	Premium Whiteboard Infill
BXPFLH31	137	Vertical Post Tube	: CPBFLM064	126	Premium Whiteboard Infill
BXPS36	122	X-Post w/Small Base	CPBFLM074	126	Premium Whiteboard Infill
BXPS45	122	X-Post	CPBFLM084	126	Premium Whiteboard Infill
BXPS95	122	X-Post	CPBFLM094	126	Premium Whiteboard Infill
BXPTC	147	Post Top Cap	CPBFLM104	126	Premium Whiteboard Infill
BXPTFT87	137	Vertical Post Tube	DALK24	145, 176	Knit Screen
BXPTHF11	138	Vertical Post Tube	DALK30	145, 176	Knit Screen
BXPTHFT59	136	Vertical Post Tube	DALK36	145, 176	Knit Screen
BXPTLFT66	136	Vertical Post Tube	: DALK42	145, 176	Knit Screen

Style			∶ Style		
Number	Page	Description	Number	Page	Description
DAVC	193	Cable Riser	GSGUBCX	180	Connector
DAVCE	193	Cable Riser Extn	GSGUBCY	180	Connector
DSCLAMP	176	Pair of Attchmt Clamp	GSGUBCZ	180	Internode Connector
DSTNUT	145	Attachment Hardware	GSGUFC	179	Mdlr Infeed Cover
GFUCCM	188	Cord and Cable Mg	GSGUFMH12X	143, 179	Internode Infeed
GFUCH	186	Convenience Comm Housing	GSGUFMH12XN	143, 179	Multipurpose Power Infeed
GFUCMC	188	Internode Harness Clip	GSGUFMH12Y	143, 179	Internode Infeed
GFUFFH12X	178	Floor Power Infeed	GSGUFMH12YN	143, 179	Multipurpose Power Infeed
GFUFFH12Y	178	Floor Power Infeed	GSGUFMH12Z	143, 179	Internode Infeed
GFUFFH12Z	178	Floor Power Infeed	GSGUFMH12ZN	143, 179	Multipurpose Power Infeed
GFUFFH6X	178	Floor Power Infeed	: GSGUFMH24X	143, 179	Internode Infeed
GFUFFH6Y	178	Floor Power Infeed	GSGUFMH24XN	143, 179	Multipurpose Power Infeed
GFUFFH6Z	178	Floor Power Infeed	GSGUFMH24Y	143, 179	Internode Infeed
GFUMB	188	Mounting Bracket	GSGUFMH24YN	143, 179	Multipurpose Power Infeed
GFUPMBX	180	Power Module	GSGUFMH24Z	143, 179	Internode Infeed
GFUPMBXNYC	180	Power Module	GSGUFMH24ZN	143, 179	Multipurpose Power Infeed
GFUPMBY	180	Power Module	GSGUFMM12X	143, 179	Internode Infeed
GFUPMBYNYC	180	Power Module	GSGUFMM12XN	143, 179	Multipurpose Power Infeed
GFUPMBZ	180	Power Module	GSGUFMM12Y	143, 179	Internode Infeed
GFUPMBZNYC	180	Internode Power Module	GSGUFMM12YN		Multipurpose Power Infeed
GFUPMX	180	Power Module	GSGUFMM12Z	143, 179	Internode Infeed
GFUPMXNYC	180	Power Module	GSGUFMM12ZN		Multipurpose Power Infeed
GFUPMY	180	Power Module	GSGUFMM24X	143, 179	Internode Infeed
GFUPMYNYC	180	Power Module	GSGUFMM24XN	,	Multipurpose Power Infeed
GFUPMZ	180	Power Module	GSGUFMM24Y	143, 179	Internode Infeed
GFUPMZNYC	180	Internode Power Module	GSGUFMM24YN		Multipurpose Power Infeed
GFUSCM	186	Comm Module	GSGUFMM24Z	143, 179	Internode Infeed
GFUT1G72X	185 185	Convenience Tri-Receptacle	GSGUFMM24ZN		Multipurpose Power Infeed
GFUT1G72Y GFUT1G72Z	185	Convenience Tri-Receptacle Convenience Tri-Receptacle	: GSGUH100X : GSGUH100XN	140, 182 140, 182	Internode Harness Modular Harness
GFUT1S72X	185	Convenience Tri-Receptacle	GSGUH100XN	140, 182	Internode Harness
GFUT1S72X	185	Convenience Tri-Receptacle	GSGUH100YN	140, 183	Modular Harness
GFUT1S72Z	185	Convenience Tri-Receptacle	GSGUH100Z	141, 183	Internode Harness
GFUT2G72X	185	Convenience Tri-Receptacle	GSGUH100ZN	141, 183	Modular Harness
GFUT2G72Y	185	Convenience Tri-Receptacle	GSGUH120X	140, 182	Internode Harness
GFUT2G72Z	185	Convenience Tri-Receptacle	GSGUH120XN	140, 182	Modular Harness
GFUT2S72X	185	Convenience Tri-Receptacle	GSGUH120Y	140, 183	Internode Harness
GFUT2S72Y	185	Convenience Tri-Receptacle	GSGUH120YN	140, 183	Modular Harness
GFUT2S72Z	185	Convenience Tri-Receptacle	GSGUH120Z	141, 183	Internode Harness
GFUT3G72X	185	Convenience Tri-Receptacle	GSGUH120ZN	141, 183	Modular Harness
GFUT3G72Y	185	Convenience Tri-Receptacle	GSGUH12X	140, 182	Internode Harness
GFUT3G72Z	185	Convenience Tri-Receptacle	GSGUH12XN	140, 182	Modular Harness
GFUT3S72X	185	Convenience Tri-Receptacle	: GSGUH12Y	140, 182	Internode Harness
GFUT3S72Y	185	Convenience Tri-Receptacle	GSGUH12YN	140, 182	Modular Harness
GFUT3S72Z	185	Convenience Tri-Receptacle	: GSGUH12Z	141, 183	Internode Harness
GFUT4G72X	185	Convenience Tri-Receptacle	GSGUH12ZN	141, 183	Modular Harness
GFUT4G72Y	185	Convenience Tri-Receptacle	: GSGUH144X	140, 182	Internode Harness
GFUT4S72X	185	Convenience Tri-Receptacle	GSGUH144XN	140, 182	Modular Harness
GFUT4S72Y	185	Convenience Tri-Receptacle	GSGUH144Y	140, 183	Internode Harness
GFUTMB	187	Mounting Bracket	GSGUH144YN	140, 183	Modular Harness
GFUTMC	187	Clamp Kit	GSGUH144Z	141, 183	Internode Harness
GFUTP96	186	Cnvc Tri-Receptacle	GSGUH144ZN	141, 183	Modular Harness
GQTUHCX	142	Connector	GSGUH22X	140, 182	Internode Harness
GQTUHCY	142	Connector	GSGUH22XN	140, 182	Modular Harness
GQTUHCZ	142	Connector	GSGUH22Y	140, 182	Internode Harness

Style Number	Page	Description	∷ Style ∷ Number	Page	Description	
GSGUH22YN	140, 182	Modular Harness	GSGUH88Z	141, 183	Internode Harness	
GSGUH22Z	141, 183	Internode Harness	GSGUH88ZN	141, 183	Modular Harness	
GSGUH22ZN	141, 183	Modular Harness	GSGUHCX	182	Harness Connector	
GSGUH28X	140, 182	Internode Harness	GSGUHCY	183	Internode Connector	
GSGUH28XN	140, 182	Modular Harness	GSGUHCZ	183	Internode Connector	
GSGUH28Y	140, 182	Internode Harness	GSGUHHX	182	Internode Harness	
GSGUH28YN	140, 182	Modular Harness	: GSGUHHY	183	Internode Harness	
GSGUH28Z	141, 183	Internode Harness	GSGUHHZ	183	Internode Harness	
GSGUH28ZN	141, 183	Modular Harness	GSGUHSX	182	Modular Harness	
GSGUH32X	140, 182	Internode Harness	GSGUHSY	183	Modular Harness	
GSGUH32XN	140, 182	Modular Harness	GSGUHSZ	183	Modular Harness	
GSGUH32Y	140, 182	Internode Harness	GSGUR1SGX	184	Internode Receptacle	
GSGUH32YN	140, 182	Modular Harness	: GSGUR1SGY	184	Internode Receptacle	
GSGUH32Z	141, 183	Internode Harness	GSGUR1SGZ	184	Internode Receptacle	
GSGUH32ZN	141, 183	Modular Harness	: GSGUR1SSX	184	Internode Receptacle	
GSGUH38X	140, 182	Internode Harness	GSGUR1SSY	184	Internode Receptacle	
GSGUH38XN	140, 182	Modular Harness	: GSGUR1SSZ	184	Internode Receptacle	
GSGUH38Y	140, 182	Internode Harness	GSGUR1TGX	184	Internode Receptacle	
GSGUH38YN	140, 182	Modular Harness	: GSGUR1TGY	184	Internode Receptacle	
GSGUH38Z	141, 183	Internode Harness	GSGUR1TGZ	184	Internode Receptacle	
GSGUH38ZN	141, 183	Modular Harness	: GSGUR1TSX	184	Internode Receptacle	
GSGUH44X	140, 182	Internode Harness	GSGUR1TSY	184	Internode Receptacle	
GSGUH44XN	140, 182	Modular Harness	: GSGUR1TSZ	184	Internode Receptacle	
GSGUH44Y	140, 182	Internode Harness	GSGUR2SGX	184	Internode Receptacle	
GSGUH44YN	140, 182	Modular Harness	: GSGUR2SGY	184	Internode Receptacle	
GSGUH44Z	141, 183	Internode Harness	GSGUR2SGZ	184	Internode Receptacle	
GSGUH44ZN	141, 183	Modular Harness	: GSGUR2SSX	184	Internode Receptacle	
GSGUH50X	140, 182	Internode Harness	GSGUR2SSY	184	Internode Receptacle	
GSGUH50XN	140, 182	Modular Harness	: GSGUR2SSZ	184	Internode Receptacle	
GSGUH50Y	140, 183	Internode Harness	GSGUR2TGX	184	Internode Receptacle	
GSGUH50YN	140, 183	Modular Harness	: GSGUR2TGY	184	Internode Receptacle	
GSGUH50Z	141, 183	Internode Harness	GSGUR2TGZ	184	Internode Receptacle	
GSGUH50ZN	141, 183	Modular Harness	: GSGUR2TSX	184	Internode Receptacle	
GSGUH54X	140, 182	Internode Harness	GSGUR2TSY	184	Internode Receptacle	
GSGUH54XN	140, 182	Modular Harness	: GSGUR2TSZ	184	Internode Receptacle	
GSGUH54Y	140, 183	Internode Harness	GSGUR3SGX	184	Internode Receptacle	
GSGUH54YN	140, 183	Modular Harness	: GSGUR3SGY	184	Internode Receptacle	
GSGUH54Z	141, 183	Internode Harness	GSGUR3SGZ	184	Internode Receptacle	
GSGUH54ZN	141, 183	Modular Harness	GSGUR3SSX	184	Internode Receptacle	
GSGUH64X	140, 182	Internode Harness	GSGUR3SSY	184	Internode Receptacle	
GSGUH64XN	140, 182	Modular Harness	GSGUR3SSZ	184	Internode Receptacle	
GSGUH64Y	140, 183	Internode Harness	GSGUR3TGX	184	Internode Receptacle	
GSGUH64YN	140, 183	Modular Harness	GSGUR3TGY	184	Internode Receptacle	
GSGUH64Z	141, 183	Internode Harness	GSGUR3TGZ	184	Internode Receptacle	
GSGUH64ZN	141, 183	Modular Harness	GSGUR3TSX	184	Internode Receptacle	
GSGUH76X	140, 182	Internode Harness	GSGUR3TSY	184	Internode Receptacle	
GSGUH76XN	140, 182	Modular Harness	GSGUR3TSZ	184	Internode Receptacle	
GSGUH76Y	140, 183	Internode Harness	GSGUR4SGX	184	Internode Receptacle	
GSGUH76YN	140, 183	Modular Harness	GSGUR4SGY	184	Internode Receptacle	
GSGUH76Z	141, 183	Internode Harness	GSGUR4SSX	184	Internode Receptacle	
GSGUH76ZN	141, 183	Modular Harness	GSGUR4SSY	184	Internode Receptacle	
GSGUH88X	140, 182	Internode Harness	GSGUR4TGX	184	Internode Receptacle	
GSGUH88XN	140, 182	Modular Harness	GSGUR4TGY	184	Internode Receptacle	
GSGUH88Y	140, 183	Internode Harness	GSGUR4TSX	184	Internode Receptacle	
GSGUH88YN	140, 183	Modular Harness	: GSGUR4TSY	184	Internode Receptacle	

∶ Style ∶ Number	Page	Description	: Style : Number	Page	Description	
: 		-	:		<u> </u>	
KDIV02	246	Bookends	RATCL4836_	241	Square Edge Top	
KDIV20	246	Bookends	RATCL4872_	241	Square Edge Top	
LOCK9201FR LOCK9201XF	269 269	Lock Cylinder Lock Cylinder	: RATCW1860_ : RATCW1866_	241 241	Square Edge Top Square Edge Top	
LOCK9251AF	269	Lock Cylinder Lock Cylinder	: RATCW1872_	241	Square Edge Top	
LOCK9250XF	269	Lock Cylinder Lock Cylinder	RATCW1878_	241	Square Edge Top	
: PTDMGB1	190	Power Sphere	: RATCW1884_	241	Square Edge Top	
PTDMGB2	190	Power Sphere	RATCW1890_	241	Square Edge Top	
: PTDMGB3	190	Pwr Comm Sphere	: RATCW1896	241	Square Edge Top	
PTDMGB4	190	Pwr Comm Sphere	RATCW2460_	241	Square Edge Top	
PTDMGB5	191	Comm Sphere	. RATCW2466_	241	Square Edge Top	
PTRSGB1	191	Power Comm Port	RATCW2472_	241	Square Edge Top	
RAACT1	248	Counterweight Pkg	RATCW2490_	241	Square Edge Top	
RAACT2	248	Counterweight Pkg	RATCW2496_	241	Square Edge Top	
: RAACT3	248	Counterweight Pkg	: RATF1830F	238	Steel Security Top	
RAACW1	248	Counterweight Pkg	RATF1830P	238	Steel Security Top	
RAACW2	248	Counterweight Pkg	: RATF1836F	238	Steel Security Top	
RAACW3	248	Counterweight Pkg	RATF1836P	238	Steel Security Top	
: RAACW4	248	Counterweight Pkg	: RATF1842F	238	Steel Security Top	
RAACW5	248	Counterweight Pkg	RATF1842P	238	Steel Security Top	
RAACW6	248	Counterweight Pkg	RATF2430F	238	Steel Security Top	
RAACW7	248	Counterweight Pkg	RATF2430P	238	Steel Security Top	
RAACW8	248	Counterweight Pkg	RATF2436F	238	Steel Security Top	
RAACWA	247	Counterweight Pkg	RATF2436P	238	Steel Security Top	
RAACWB	247	Counterweight Pkg	: RATL1830_	240	Square Edge Top	
RAACWC	247	Counterweight Pkg	RATL1836_	240	Square Edge Top	
RAACWE	247	Counterweight Pkg	RATL1842_	240	Square Edge Top	
RAACWE RAACWF	247 247	Counterweight Pkg Counterweight Pkg	∴ RATL2430_ ∴ RATL2436	240 240	Square Edge Top Square Edge Top	
RAACWG	247	Counterweight Pkg	RATU1830_	240	Square Edge Top	
RAACWH	247	Counterweight Pkg	: RATW1836	241	Square Edge Top	
RAACWJ	247	Counterweight Pkg	RATW1842	241	Square Edge Top	
: RAANBRK	248	Anchor Bracket Pkg	: RATW2430	241	Square Edge Top	
RAHF30	244	Hanging Folder Bars	RATW2436	241	Square Edge Top	
: RAHF36	244	Hanging Folder Bars	: RCH1715	205	Basic Cushion	
RAHF42	244	Hanging Folder Bars	RCH1830	210	Basic Cushion	
RASTDIV30	246	Shelf Div Assembly	RCH1836	210	Basic Cushion	
RASTDIV36	246	Shelf Div Assembly	RCH1842	210	Basic Cushion	
RASTDIV42	246	Shelf Div Assembly	RCH2315	205	Basic Cushion	
RATCL18108_	240	Square Edge Top	RCH2430	210	Basic Cushion	
: RATCL1860_	240	Square Edge Top	: RCH2436	210	Basic Cushion	
RATCL1866_	240	Square Edge Top	RDD182448LA_	223	U Dual Door Tower	
RATCL1872_	240	Square Edge Top	RDD182448LB_	224	U Dual Door Tower	
RATCL1878_	240	Square Edge Top	: RDD182448RA_	226	U Dual Door Tower	
RATCL1884_	240	Square Edge Top	: RDD182448RB_		U Dual Door Tower	
RATCL1890_	240	Square Edge Top	RDD18244LA_	224	U Dual Door Tower	
RATCL1896_	240	Square Edge Top	: RDD18244LB_	224	U Dual Door Tower	
RATCL24108_	241	Square Edge Top	RDD18244RA_	226	U Dual Door Tower	
RATCL2460_	241	Square Edge Top	RDD18244RB_	227	U Dual Door Tower	
RATCL2466_	241	Square Edge Top Square Edge Top	RDD18245LC_	225	U Dual Door Tower	
: RATCL2472_ : RATCL2490_	241 241	Square Edge Top Square Edge Top	: RDD18245LD_ : RDD18245RC_	225 227	U Dual Door Tower U Dual Door Tower	
RATCL2490_	241	Square Edge Top	: RDD18245RD_	227	U Dual Door Tower	
RATCL2496_	241	Square Edge Top	RDD242448LA_	223	U Dual Door Tower	
: RATCL3672_	241	Square Edge Top	: RDD242448LB	224	U Dual Door Tower	
		- daw a -ago tob				

Style Number	Page	Description	: Style : Number	Page	Description	
RDD242448RA_	226	U Dual Door Tower	RPF1825A_	199	U Fixed Pedestal	
RDD242448RB_	226	U Dual Door Tower	RPF1825B_	199	U Fixed Pedestal	
RDD24244LA_	224	U Dual Door Tower	: RPF1827A_	199	U Fixed Pedestal	
RDD24244LB_	224	U Dual Door Tower	RPF1827B_	199	U Fixed Pedestal	
RDD24244RA_	226	U Dual Door Tower	: RPF2425A_	199	U Fixed Pedestal	
RDD24244RB_	227	U Dual Door Tower	RPF2425B_	199	U Fixed Pedestal	
RDD24245LC_	225	U Dual Door Tower	: RPF2427A_	199	U Fixed Pedestal	
RDD24245LD_	225	U Dual Door Tower	RPF2427B_	199	U Fixed Pedestal	
RDD24245RC_	227	U Dual Door Tower	: RPF3025A_	199	U Fixed Pedestal	
RDD24245RD_	227	U Dual Door Tower	RPF3025B_	199	U Fixed Pedestal	
RDV1506	243	Dividers	: RPF3027A_	199	U Fixed Pedestal	
RDV1512	243	Dividers	RPF3027B_	199	U Fixed Pedestal	
RDV151210	243	Dividers	: RPM1821C_	204	U Mobile Pedestal	
RFF24244LR_	229	U Full Front Tower	RPM1827A_	204	U Mobile Pedestal	
RFF24244LS_	229	U Full Front Tower	: RPM1827B_	204	U Mobile Pedestal	
RFF24244LT_	229	U Full Front Tower	RPM2421C_	204	U Mobile Pedestal	
RFF24244RR_	230	U Full Front Tower	RPM2427A_	204	U Mobile Pedestal	
RFF24244RS_	230	U Full Front Tower	RPM2427B_	204	U Mobile Pedestal	
RFF24244RT_	230	U Full Front Tower	RPULL15W	247	Wood Drawer Pull	
RFF24245LU_	230	U Full Front Tower	RPULL30W	247	Wood Drawer Pull	
RFF24245LV_	230	U Full Front Tower	RPULL36W	247	Wood Drawer Pull	
RFF24245LW_	231	U Full Front Tower	RPULL42W	247	Wood Drawer Pull	
RFF24245RU_	231	U Full Front Tower	RPXCK2518F	200	U Conv Kit	
RFF24245RV	231	U Full Front Tower	RPXCK2518P	200	U Conv Kit	
RFF24245RW	231	U Full Front Tower	RPXCK2524F	200	U Conv Kit	
RLF18301_	209	U One-High Lat File	RPXCK2524P	200	U Conv Kit	
RLF18302	209	U Lat File	RPXCK2530F	200	U Conv Kit	
RLF18303_	217	Univ Lat File	RPXCK2530P	200	U Conv Kit	
RLF18304_	217	Univ Lat File	RPXCK2718F	200	U Conv Kit	
RLF18305_	217	Univ Lat File	RPXCK2718P	200	U Conv Kit	
RLF18361	209	U One-High Lat File	RPXCK2724F	200	U Conv Kit	
RLF18362_	209	U Lat File	RPXCK2724P	200	U Conv Kit	
RLF18363	217	Univ Lat File	RPXCK2730F	200	U Conv Kit	
RLF18364_	217	Univ Lat File	RPXCK2730P	200	U Conv Kit	
RLF18365	217	Univ Lat File	RPXDPT	244	Pencil Tray	
RLF18421	209	U One-High Lat File	RPXDRS	244	Reference Shelf	
RLF18422	209	U Lat File	RPXTC24F	204	U Ped Cushion Top	
RLF18423	217	Univ Lat File	RPXTC24P	204	U Ped Cushion Top	
RLF18424	217	Univ Lat File	RPXTCH24F	204	U Ped Cushion Top	
RLF18425	217	Univ Lat File	RPXTCH24P	204	U Ped Cushion Top	
RLF24301_	209	U One-High Lat File	RQS182448LA	220	U Open Side Tower	
RLF24302_	209	U Lat File	RQS182448RA_	221	U Open Side Tower	
RLF24303_	217	Univ Lat File	: RQS18244LA	220	U Open Side Tower	
RLF24304_	217	Univ Lat File	RQS18244RA_	221	U Open Side Tower	
RLF24305_	217	Univ Lat File	RQS18245LC_	220	U Open Side Tower	
RLF24305_	209	U One-High Lat File	RQS18245RC_	221	U Open Side Tower	
RLF24361_ RLF24362_	209	U Lat File	RQS242448LA_	220	U Open Side Tower	
RLF24362_ RLF24363	209	Univ Lat File	RQS242448RA_	220	U Open Side Tower	
_			•		·	
RLF24364_	217	Univ Lat File	RQ\$24244LA_	220	U Open Side Tower	
RLF24365_	217	Univ Lat File	RQS24244RA_	221	U Open Side Tower	
RPDC1830_	212	Cushion Top	RQS24245LC_	220	U Open Side Tower	
RPDC1836_	212	Cushion Top	RQS24245RC_	221	U Open Side Tower	
RPDC1842_	212	Cushion Top	RQS302448LA_	220	U Open Side Tower	
RPDC2430_	212	Cushion Top	RQS302448RA_	221	U Open Side Tower	
RPDC2436_	212	Cushion Top	: RQS30244LA_	220	U Open Side Tower	

Style Number	Page	Description
RQS30244RA_	221	U Open Side Tower
RQS30245LC_	220	U Open Side Tower
RQS30245RC_	221	U Open Side Tower
RSC18301A_	209	U One-High Lat File
RSC18361A_	209	U One-High Lat File
RSC18421A_	209	U One-High Lat File
RSC24301A_	209	U One-High Lat File
RSC24361A_	209	U One-High Lat File
RVD24244LA_	234	U Vrtl Dwr Tower
RVD24244LB_	234	U Vrtl Dwr Tower
RVD24244RA_	235	U Vrtl Dwr Tower
RVD24244RB_	235	U Vrtl Dwr Tower
RVD24245LC_	234	U Vrtl Dwr Tower
RVD24245LD_	234	U Vrtl Dwr Tower
RVD24245RC_	235	U Vrtl Dwr Tower
RVD24245RD_	235	U Vrtl Dwr Tower
RVD30244LA_	234	U Vrtl Dwr Tower
RVD30244LB_	234	U Vrtl Dwr Tower
RVD30244RA_	235	U Vrtl Dwr Tower
RVD30244RB_	235	U Vrtl Dwr Tower
RVD30245LC_	234	U Vrtl Dwr Tower
RVD30245LD_	234	U Vrtl Dwr Tower
RVD30245RC_	235	U Vrtl Dwr Tower
RVD30245RD_	235	U Vrtl Dwr Tower
RWV24154A_	237	U Wrkstation Vrtl
RWV24154B_	237	U Wrkstation Vrtl
RWV24155C_	237	U Wrkstation Vrtl
RWV24155D_	237	U Wrkstation Vrtl
RWV30154A_	237	U Wrkstation Vrtl
RWV30154B_	237	U Wrkstation Vrtl
RWV30155C_	237	U Wrkstation Vrtl
RWV30155D_	237	U Wrkstation Vrtl
RXADRL15	243	Rails
RXADRL24	245	Rails
RXADRL2442	245	Rails
RXSA2415	242	Adj Steel Std Shelf
RXSA3015	242	Adj Steel Std Shelf
RXSAFFT2415	242	Adj Steel Std Shelf
RXSG2415	242	Adjustable Glass Shelf
RXSG3015	242	Adjustable Glass Shelf
UFSTB	211	Lw Stg-to-Bm Thr Brkt
ZFENCELC	127	Fence Connector
ZFENCERC	127	Fence Connector

Trademark List

- The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, Sylvi, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack.
- The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong
- The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora
- The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Liahtolier.
- The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- The following is a registered trademark of Microsoft Corporation, Redmond, WA:
- The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.

- The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.
- The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: Emu.
- The following is a registered trademark of Security People, Inc.: Digilock.
- ™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Ainsley, Akira, Alcove, Alerion, Alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bassline, B-Free, Bira, Bivi, Bixby, Bottomline, Brody, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, Clipper, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, Divisio, Donovan, Dune, Duo, Echo, Edge, Elsna, Empath, Empress, Enea, ēno, EnSync, Enviro, Escapade, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, LessThanFive, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Martini, Mason, Masque, Migration, Millbrae, Mineral, Mingle, Mistic, Mistic Metal, Mistic Wood, Montara650, Montreal, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ology, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, Potrero415, PUCK, QiVi, Quba, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Roam, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, SILQ, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Southside, Stationkits, Steelcase Series, Stiletto, Surprise!, Surround, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Umami, Underscore, Uno, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, Waldorf, Woodruff, Workspring, and X-tenz.
- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- ™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

- ™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following trademark is used under license from Cradle to Cradle Products Innovation Institute, Oakland, CA: Cradle to Cradle Certified.
- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
- The following trademarks are under license from PP Møbler: Bar and Flag Halyard.
- ™ The following trademarks are under license from Viccarbe: Davos, Holy Day, Last Minute, RS, Sistema, and Wrapp.
- ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
- ™ The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
- ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.
- ™ The following is a trademark of Clestra Hauserman: IRYS.
- ™ The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.
- [™] The following are trademarks of PolyVision: a³, e3, Flow, Motif, PolyVision, Sans, and Serif.
- ™ The following is a trademark of Bostock Company, Inc: SnapCab.
- ™ The following is a trademark of Williams-Sonoma. Inc: West Elm.
- ™ The following is a trademark of Elena Marquina Testor: nanimarquina.
- ™ The following is a trademark of Forbo International SA: Forbo.
 - Trademarks used here in are the property of Steelcase. Inc. or of their respective owners.