





**Eyesite Monitor Arms**  
applications guide

# Eyesite Application Configurations


- Bar-over-bar configurations expand the range of possible applications
- Eyesite® VESAs are offered with and without pivot function to increase flexibility
- Monitor arms are available with or without focal adjustment
- All bar-over-bar configurations use a 26" column and include two mounting cable managers




**SINGLE MONITOR SUPPORT**




**DUAL MONITOR SUPPORT**




**TRIPLE MONITOR SUPPORT**



**SINGLE LAPTOP SUPPORT**




**LAPTOP AND MONITOR SUPPORT**



**DUAL MONITOR AND SINGLE LAPTOP SUPPORT**

## EXTENDED COLUMN AND BAR-OVER-BAR CONFIGURATIONS



**ONE-OVER-ONE MONITOR SUPPORT**


Static: FPAS101CC, FPAS101, FPAS101FO, FPAS101OL or FPAS101TM

**COMPONENT BUILDS**

Static: FPCESC, FPCHTV (2)

**MOUNT OPTIONS**

FPCCC, FPCCS, FPCFO, FPCOL, FPCTM or FPCBIVI



**TWO-OVER-TWO MONITOR SUPPORT**


Static: FPAC2BBSCC, FPAC2BBSFO, FPAC2BBSOL or FPAC2BBSTM  
Dynamic Focal Adjustable: FPAC2BBDCC or FPAC2BBDTM

**COMPONENT BUILDS**

Static/Dynamic Combo: FPCESC, FPC2SB (2) or FPC2

**MOUNT OPTIONS**

Static: FPCCC, FPCCS, FPCFO, FPCOL or FPCTM  
Dynamic: FPCCC or FPCTM



**THREE-OVER-THREE MONITOR SUPPORT**

Static: FPAC3BBSCC, FPAC3BBSFO or FPAC3BBSTM


**COMPONENT BUILDS**

Static: FPCESC, FPC3 (2)

**MOUNT OPTIONS**

FPCCC, FPCFO or FPCTM

## MULTIPLE CONFIGURATIONS



FPCESC, FPC1 or FPCFTV, FPC2 or FPC2SB

**MOUNT OPTIONS**


FPCCC, FPCOL or FPCTM

**FRAMEONE**

Static: FPCESC, FPCFTV or FPC2SB

**MOUNT OPTIONS**


FPCCS or FPCFO



FPCESC, FPC2, FPC3 or FPC2SB

**MOUNT OPTIONS**


FPCCC, FPCCS, FPCFO, FPCOL or FPCTM



FPCESC, FPC3 or FPC2SB

**MOUNT OPTIONS**


FPCCC, FPCCS or FPCTM



FPCESC, FPC1 or FPCL1

**MOUNT OPTIONS**


FPCCC, FPCCS, FPCFO, FPCOL or FPCTM



FPCESC, FPCL, FPC2 or FPC2SB, FPC1 or FPCFTV

**MOUNT OPTIONS**


FPCCC, FPCCS, FPCFO, FPCOL or FPCTM



FPCESC, FPC3 or FPCFTV

**MOUNT OPTIONS**


FPCCC, FPCCS, FPCFO, FPCOL or FPCTM



FPCESC, FPCL, FPC2 (2) or FPC2SB (2)

**MOUNT OPTIONS**


FPCCC, FPCCS, FPCFO, FPCOL or FPCTM



FPCESC, FPCL or FPC2SB, FPC3

**MOUNT OPTIONS**

FPCCC, FPCCS, FPCFO, FPCOL or FPCTM









FPCESC, FPCL or FPC2SB, FPC3

**MOUNT OPTIONS**

FPCCC, FPCCS, FPCFO, FPCOL or FPCTM

# Style Numbers and Standard Assemblies

	STYLE NUMBER	STYLE DESCRIPTION
	<b>FPAC1CC</b>	Single Standard Crank Column C-Clamp Mount
	<b>FPAC1CS</b>	Single Standard Crank Column c:scape Bracket Mount
	<b>FPAC1TM</b>	Single Standard Crank Column Through-Mount
	<b>FPAC1FO</b>	Single Standard Crank Column FrameOne Mount
	<b>FPAC1OL</b>	Single Standard Crank Column Ology Bracket Mount
	<b>FPAEC1CC</b>	Single Extended Crank Column C-Clamp Mount
	<b>FPAEC1CS</b>	Single Extended Crank Column c:scape Bracket Mount
	<b>FPAEC1TM</b>	Single Extended Crank Column Through-Mount
	<b>FPAEC1FO</b>	Single Extended Crank Column FrameOne Mount
	<b>FPAEC1OL</b>	Single Extended Crank Column Ology Bracket Mount
	<b>FPAEC1BIVI</b>	Single Extended Crank Column Bivi Mount
	<b>FPAC2CC</b>	Dual Standard Crank Column Yoke Focal Adjustment C-Clamp Mount
	<b>FPAC2CS</b>	Dual Standard Crank Column Yoke Focal Adjustment c:scape Bracket Mount
	<b>FPAC2TM</b>	Dual Standard Crank Column Yoke Focal Adjustment Through-Mount
	<b>FPAC2FO</b>	Dual Standard Crank Column Yoke Focal Adjustment FrameOne Mount
	<b>FPAC2OL</b>	Dual Standard Crank Column Yoke Focal Adjustment Ology Bracket Mount
	<b>FPAEC2CC</b>	Dual Extended Crank Column Yoke Focal Adjustment C-Clamp Mount
	<b>FPAEC2CS</b>	Dual Extended Crank Column Yoke Focal Adjustment c:scape Bracket Mount
	<b>FPAEC2TM</b>	Dual Extended Crank Column Yoke Focal Adjustment Through-Mount
	<b>FPAEC2FO</b>	Dual Extended Crank Column Yoke Focal Adjustment FrameOne Mount
	<b>FPAEC2OL</b>	Dual Extended Crank Column Yoke Focal Adjustment Ology Bracket Mount
	<b>FPAEC2BIVI</b>	Dual Extended Crank Column Yoke Focal Adjustment Bivi Mount
	<b>FPAFC3CC</b>	Triple Standard Crank Column Yoke C-Clamp Mount
	<b>FPAFC3CS</b>	Triple Standard Crank Column Yoke c:scape Bracket Mount
	<b>FPAFC3TM</b>	Triple Standard Crank Column Yoke Through-Mount
	<b>FPAFC3FO</b>	Triple Standard Crank Column Yoke FrameOne Mount
	<b>FPAFC3OL</b>	Triple Standard Crank Column Yoke Ology Bracket Mount
	<b>FPAFEC3CC</b>	Triple Extended Crank Column Yoke C-Clamp Mount
	<b>FPAFEC3CS</b>	Triple Extended Crank Column Yoke c:scape Bracket Mount
	<b>FPAFEC3TM</b>	Triple Extended Crank Column Yoke Through-Mount
	<b>FPAFEC3FO</b>	Triple Extended Crank Column Yoke FrameOne Mount
	<b>FPAFC3OL</b>	Triple Extended Crank Column Yoke Ology Bracket Mount
		<b>FPAS101CC</b>
<b>FPAS101CS</b>		Static One-Over-One Extended Column c:scape Bracket Mount
<b>FPAS101TM</b>		Static One-Over-One Extended Column Through-Mount
<b>FPAS101FO</b>		Static One-Over-One Extended Column FrameOne Mount
<b>FPAS101OL</b>		Static One-Over-One Extended Column Ology Bracket Mount

	STYLE NUMBER	STYLE DESCRIPTION
	<b>FPAC2BBDCC</b>	Static Two-Over-Two Extended Column Yoke Focal Adjustment C-Clamp Mount
	<b>FPAC2BBDTM</b>	Static Two-Over-Two Extended Column Yoke Focal Adjustment Through-Mount
	<b>FPAC2BBDOL</b>	Static Two-Over-Two Extended Column Yoke Focal Adjustment Ology Bracket Mount
	<b>FPAC2BBSCC</b>	Static Two-Over-Two Extended Column Yoke C-Clamp Mount
	<b>FPAC2BBSTM</b>	Static Two-Over-Two Extended Column Yoke Through-Mount
	<b>FPAC2BBSOL</b>	Static Two-Over-Two Extended Column Yoke Ology Bracket Mount
	<b>FPAC2BBSFO</b>	Static Two-Over-Two Extended Column Yoke FrameOne Mount
		<b>FPAC3BBSCC</b>
<b>FPAC3BBSTM</b>		Static Three-Over-Three Extended Column Yoke Through-Mount
<b>FPAC3BBSFO</b>		Static Three-Over-Three Extended Column Yoke FrameOne Mount
	<b>FPALC1CC</b>	Single Laptop Support Standard Crank Column C-Clamp Mount
	<b>FPALC1CS</b>	Single Laptop Support Standard Crank Column c:scape Mount
	<b>FPALC1TM</b>	Single Laptop Support Standard Crank Column Through-Mount
	<b>FPALC1FO</b>	Single Laptop Support Standard Crank Column FrameOne Mount
	<b>FPALC1OL</b>	Single Laptop Support Standard Crank Column Ology Bracket Mount
	<b>FPAELC1CC</b>	Single Laptop Support Extended Crank Column C-Clamp Mount
	<b>FPAELC1CS</b>	Single Laptop Support Extended Crank Column c:scape Mount
	<b>FPAELC1TM</b>	Single Laptop Support Extended Crank Column Through-Mount
	<b>FPAELC1FO</b>	Single Laptop Support Extended Crank Column FrameOne Mount
	<b>FPAELC1OL</b>	Single Laptop Support Extended Crank Column Ology Bracket Mount
	<b>FPAELC1BIVI</b>	Single Laptop Support Extended Crank Column Bivi Mount
	<b>FPALC2CC</b>	Dual Laptop Support Standard Crank Column C-Clamp Mount
	<b>FPALC2CS</b>	Dual Laptop Support Standard Crank Column c:scape Mount
	<b>FPALC2TM</b>	Dual Laptop Support Standard Crank Column Through-Mount
	<b>FPALC2FO</b>	Dual Laptop Support Standard Crank Column FrameOne Mount
	<b>FPALC2OL</b>	Dual Laptop Support Standard Crank Column Ology Bracket Mount
	<b>FPAELC2CC</b>	Dual Laptop Support Extended Crank Column C-Clamp Mount
	<b>FPAELC2CS</b>	Dual Laptop Support Extended Crank Column c:scape Mount
	<b>FPAELC2TM</b>	Dual Laptop Support Extended Crank Column Through-Mount
	<b>FPAELC2FO</b>	Dual Laptop Support Extended Crank Column FrameOne Mount
	<b>FPAELC2OL</b>	Dual Laptop Support Extended Crank Column Ology Bracket Mount
	<b>FPAELC2BIVI</b>	Dual Laptop Support Extended Crank Column Bivi Mount

# General Application and Planning Guidelines

## UNIVERSAL RULES

<b>c:scape®</b>	Bar-over-bar applications are not permitted.
<b>Bivi®</b>	Bar-over-bar applications are not permitted.
<b>Campfire Big Table</b>	Bar-over-bar applications are not permitted.
<b>Airtouch®</b>	Bar-over-bar applications are not permitted.
<b>FrameOne™</b>	Bar-over-bar applications are permitted using only static bars.
<b>Series 3, 5 and 7; Ology™ and Migration™</b>	Bar-over-bar applications are permitted on tables with three legs only (not permitted on freestanding tables or tables with casters).

## RESTRICTIONS

- Bar-over-bar configuration monitors cannot exceed 15 lbs. each
- Bar-over-bar configurations must utilize 26" column
- Only single and dual flat-panel arm applications are permitted for use with two-leg height-adjustable desks



### FOCAL ADJUSTMENT

Adjusts focal depth easily according to personal needs.



### HEIGHT ADJUSTMENT

Adjusts height with built-in Allen wrench or 5/32" drill bit.



### MONITOR ANGLE ADJUSTMENT

Monitors angle precisely to meet individual preferences.



### ON-CENTER MOUNTING

Simplifies installation with on-center mounting and quick-connection points.



### CABLE MANAGEMENT

Secures, organizes and helps protect cables.



### VESA MOUNT

Slides anywhere on the bar, with or without pivot, to accommodate different-sized monitors.



### VESA COVER

Discreetly conceals mount and security feature.



### BAR-OVER-BAR APPLICATION

Supports multiple monitors of varying sizes and weights.



### LAPTOP HOLDER

Accommodates one or two laptops, alone or with monitors.

**Steelcase®**

**Call 800.333.9939 or visit [steelcase.com](http://steelcase.com)**

 [facebook.com/steelcase](https://facebook.com/steelcase)  [twitter.com/steelcase](https://twitter.com/steelcase)  [youtube.com/steelcasetv](https://youtube.com/steelcasetv)

Item #17-0006005 2/18 ©2018 Steelcase Inc. All rights reserved. All specifications subject to change without notice.  
Trademarks used herein are the property of Steelcase Inc. or of their respective owners. Printed in U.S.A. FSC certified.