

Steelcase

Eyesite Single Display Support

User Guide


Eyesite®

Eyesite flat panel monitor arms offer more displays, comfort and control. Eyesite was designed to give users control over the angle and depth of displays—regardless of shape, size and quantity—maximizing display usage while increasing comfort and productivity.


Supports displays on the single flex yoke up to 30".

Single direct mount yoke supports monitors up to 27".

Column height specified impacts range of monitor size.




Eyesite Single Display Support Controls




HEIGHT ADJUSTMENT

To adjust the height of the display, remove top cap and locate the adjustment nut on top of the column. Using the supplied Allen wrench, turn the adjustment nut clockwise to raise displays, or counterclockwise to lower displays. A drill with a $\frac{5}{32}$ " hex bit may be used.



TILT ADJUSTMENT


The viewing angle of the display may be easily adjusted via the feather touch counterbalance feature. Tighten using the supplied Allen wrench.
Tilt: +10°/-90° for easy access to cable connections
Pan: 175°
Rotation: 360° portrait to landscape



FOCAL LENGTH ADJUSTMENT


Use the easy-access handle located on the front of Eyesite to adjust the focal length. Tighten the adjustment nuts, located on the underside of the arm, as needed at each joint using the Allen wrench.
Functional focal length on single flex yoke: 16"
Fixed focal length on single direct mount yoke.

Basics of Monitor Arm Positioning




HEIGHT

Top of the display should be positioned at or slightly below eye level.



DISTANCE

Display should be 20" to 30" from the eyes, or approximately an arm's length away.



ALIGNMENT

Proper alignment is the key to preventing strain. The computer display, keyboard and mouse should be centered to allow the user to see the display without looking downward or to either side. The mouse should be accessible without twisting or reaching. Reference documents should never be flat on the desk, and should be at the same height as or aligned with the display, or above keyboard and below the display.

Steelcase®

Visit steelcase.com

3/16 © 2016 All rights reserved. All specifications subject to change without notice. Printed in U.S.A.