

framery

SERIOUS ABOUT HAPPINESS

# Product Catalog





# Serious about happiness

Happiness is the reason why Framery exists and is at the heart of everything we do. Our silent pods transform open-plan office behavior, enabling people to be more efficient and happier.

Today over 40% of Forbes top 100 companies have happier workplaces because of Framery pods, and the number is growing fast.



# Framery



*Simple yet significant. Framery O is perfect for making important calls or participating in video conferences. Have your discussions in privacy without disturbing your colleagues. Framery O delivers an echo-free and comfortable working environment. The installation is quick and the product is ready to be used the same day the product is delivered.*



# Exte- rior

*At Framery we take our job, and happiness, seriously. We create premium acoustic solutions that are recognized for uncompromising attention to detail and quality. Framery O is a perfect example. The wide range of exterior color and fine-detail options allow you to customize the O pod according to your company's specific needs.*

## MATERIAL

### EXTERIOR


Painted sheet metal or brushed stainless steel.

### GLASS


Sound control laminated glass.

### FRAME

Formica laminate on birch plywood with varnish trim.



## EXTERIOR AND FRAME OPTIONAL COLORS



# Interior

*It's not how much we have, but how much we enjoy. Choose Framery O interior furniture and materials according to your preferences and style of working. Make the Framery O something special – make it yours.*

## TABLE

Table option and color



## ADJUSTABLE TOVI STOOL

Optional color



## ACOUSTIC FELT

Standard

## CARPET

Standard

## MATERIAL

### SOLID WALLS AND ROOF


Sandwich element of sheet metal, birch plywood, recycled acoustic foam and acoustic felt. Anti-static and stain resistant low loop pile carpet for public spaces.

### TABLE

Formica laminate on birch plywood with varnish trim.



## TABLE AND STOOL OPTIONAL COLORS



## TABLE OPTIONS

### REGULAR



### WIDE




## STANDARD


### TABLE SIDE



### ACOUSTIC FELT



### CARPET




### LIGHT



# Product details



Framery O is a result of several years' worth of user research and countless hours of technical, hands-on product design. The user experience has been perfected with clear simple lines and carefully chosen premium materials, both inside and out. The ergonomic comfort has been further ensured with the new Tovi stool that allows you to easily adjust your working position.



Framery's design and engineering teams have gone to extraordinary lengths to make sure that air flows smoothly within the pod to increase the sense of breathability and enjoyment. Moreover, both the LED lighting and electric air circulation system function automatically when you enter the pod, thanks to an integrated occupancy sensor. Power socket is integrated on the table.

# Video Conference Ready

Step into the soundproof world of video conferencing. The tilting screen bracket of O Video Conference Ready enables the attachment of various kinds of screens on the wall of the pod. You can fix a display or an all-in-one computer onto the screen bracket. The LED lighting surrounding the screen provides optimal lighting for video conferences. The control panel enables you to adjust the lighting and airflow.

## FEATURES

### DIMMABLE CEILING- AND SCREEN LIGHT



### CONTROL PANEL

The control panel enables you to adjust:

-  The brightness of the new improved ceiling light
-  The light surrounding the screen
-  The capacity of the airflow


### SCREEN BRACKET

**Screen specifications:** Maximum size 24" with flat VESA 100 x 100 mounting surface. Screen not included.




### WIDE TABLE

White table with cable feed from monitor. Power socket + USB (Pixel TUF)



# Measurements

Our goal is not just to eliminate noise from workplaces, we want to tackle everything that makes people unhappy – and change it. That's why there are no coincidences in our design of Framery O, only carefully calculated solutions in every detail.



\*Power cord can also be installed through the roof.



Minimum recommended space for the air to circulate is 5 cm / 1.9" on the sides and 15 cm / 5.9" above the pod.



# Framery



*Your teamwork is about to get better. Framery Q pod is a silent multi-functional space designed for up to four people. It is ideal for co-working tasks like small meetings or interviews – without disturbances. It was created to improve communication among team members, driving better results and increased happiness. Framery Q is easy to assemble and relocate when necessary. It comes with several model options for you to choose from.*

# Exterior

*One size never fits all. Framery Q can be customized to best represent the look and feel of your team to ensure full enjoyment. The large amount of different exterior colors and frame options make sure that it does not only suit your company's needs, but your professional style as well.*

## MATERIAL

### EXTERIOR

Painted sheet metal or brushed stainless steel.



### GLASS

Sound control laminated glass.



### FRAME

Formica laminate on birch plywood with varnish trim.



## EXTERIOR AND FRAME OPTIONAL COLORS



**DOOR**  
Left or right handed

**EXTERIOR**  
Optional color





**LED LIGHT**  
Standard

**COAT HANGER**  
Standard

**ACOUSTIC FELT**  
Standard

**SCREEN BRACKET**  
Optional for Meeting  
Maggie and Working  
With PAL 90

**TABLE**  
Optional model

**CHAIRS**  
Optional model  
and color



**CARPET**  
Standard

# Interior

*Happiness is all about the details. Remove the obstacles distracting your company's employees from enjoying their work. Choose interior options that you and your co-workers feel the most comfortable with. Work will never be the same again.*

## MATERIAL


### SOLID WALLS AND ROOF

Sandwich element of sheet metal, birch plywood, recycled acoustic foam and acoustic felt. Anti-static and stain resistant low loop pile carpet for public spaces.


### TABLE

White Formica laminate on birch plywood with varnish trim.


## SOFAS OPTIONAL COLORS




LED LIGHT



2 x COAT HANGER




ACOUSTIC FELT



CARPET



3 x POWER SOCKET



OPTIONAL:  
DATA CARTRIDGE  
2 x RJ-45 SOCKETS

**SCREEN BRACKET**  
*Screen specifications:*  
Maximum size 27". Screen  
mounting standard: flat  
VESA 75 x 75, VESA 100 x 100  
Screen not included.

## OPTIONAL CHAIRS AND TABLES

Framery Q is the choice for true professionals, whether you work solo or in a team. The standard seating and table options vary depending on which exact model of the pod you prefer.



# Meeting Maggie

Meeting Maggie is suitable for meetings, brainstorming and much more. Customize to your preferences with three different table options and an optional screen bracket for your display of choice – two Maggie Sofas are always included. Meeting Maggie comes with pleasant LED lighting and three power sockets.



## SOFAS OPTIONAL COLORS



## STANDARD COLOR




## TABLE OPTIONS

White Formica laminate on birch plywood with varnish trim, 3 x power socket.




### TURNABLE TABLE




Depth 53 cm (20.8 in), width 71 cm (28 in), height 70 cm (27.6 in)

### FULL WIDTH TABLE



Depth 60 cm (23.6 in) / 20 cm (7.9 in), width 200 cm (78.7 in), height 70 cm (27.5 in)


### OVAL TABLE



Depth 68 cm (26.8 in), width 71 cm (27.9 in), height 70 cm (27.5 in)


## BACKREST OPTIONS

### L-SHAPE



Left and right / Right and left

### STRAIGHT



Straight



WORKING WITH PAL 110



WORKING WITH PAL 90




# Working with PAL

*A high table and handy bar stools make this decor option very efficient for short-term sessions. The shape of the desk is suitable for the teamwork of two, private sessions or video conferences. Working with PAL comes with pleasant LED lighting, three power sockets and stylish coat hangers. You can also choose a screen bracket to Working With PAL 90 to make your meetings more visual.*



## STOOL FELT CAP COLORS



STOOLS: 2 x PAL 65 cm (25.6 in) / 80 cm (31.5 in), painted white / black, chairs fit under the table. Felt caps optional.  
TABLE: White Formica laminate on birch plywood with varnish trim, 3 x power socket, depth 60 cm (23.6 in) / 33 cm (13 in), height 90 cm (35.4 in) / 110 cm (43.3 in), width 200 cm (78.7 in)  
LIGHTING: LED  
OTHER: 2 x coat hanger. Optional screen bracket for PAL 90. Screen not included.

# NapQ


*Sometimes the most productive thing to do is rest. During long, intensive workdays, NapQ comes to the rescue. The sofa set that can be easily transformed from a workspace into a comfortable bed; allowing you to recharge whenever desired. Just pull the switch to turn off the lighting, lean back on the soft pillows and take a nap underneath the warm blanket.*



## SOFA AND PILLOW COLORS



## STANDARD COLOR




CHAIR: 2 x Maggie sofas  
TABLE: Flippable foot stool, 3 x power socket  
LIGHTING: LED lighting with on/off switch  
OTHER: 3 x pillow and 100 % wool blanket, 2 x coat hanger



# Flip n' Fold

*Flip n' Fold is one of the most convenient and flexible interior alternatives for the Framery Q. Low doorstep, automatic door opener, folding chairs and table enable many different meeting arrangements and easy access with a wheelchair. Automatic air ventilation creates a fresh and comfortable working environment. Flip n' Fold offers a quick escape to privacy in an open plan office. Flip n' Fold is designed for up to four users.*



Flip n' Fold features ADA 2010 compliant T-shaped turning space.



## FOLDABLE CHAIRS

Black plywood and black fabric

## WHEELCHAIR ACCESSIBILITY

### T-SHAPED SPACE

T-shaped turning space

### DOOR

Automatic door opener button (height 105 cm / 41.3")

### THRESHOLD

1:2 Ratio  
1:2 in

### TABLE AND SEATS

Wall mounted foldable table and seats

## SPECIFICATIONS

**SIZE:** 221 cm x 220 cm x 120 cm  
(87 in x 86.6 in x 47.2 in) (h, w, d)

**INTERIOR SIZE:** 210 cm x 200 cm x 110 cm  
(82.7 in x 78.7 in x 43.3 in) (h, w, d)

**TABLE:** 73 cm x 70 cm (28.7 in x 27.5 in)  
(w, d). Table height 72 cm (28.3 in) 2 x power socket and 2 x USB

**DOOR:** Left handed, minimum clear opening width 91.5 cm (36 in)

**OUTSIDE PLATFORM:** 99 cm x 60 cm  
(39 in x 23.6 in)



**WEIGHT:** 700 kg / 1543 lbs



# Product details




The carefully designed details are what make Framery Q the best soundproof multi-person pod ever created. Building your perfect workspace has never been this simple. With the rich model options available you can create a space that works for you. Create, innovate, recharge or collaborate – the possibilities are endless. Framery Q is an evolution in the way we work.



Framery Q has evolved to better accommodate users' needs. The smart air ventilation flows at 66 l/s, which is ten percent more than in any previous versions. Automatically functioning electric air circulation system and LED lighting are user experience at its best, operated by an integrated motion sensor. Several fine features, such as two stylistic coat hangers, guarantee a silent working space like no other.

# Measurements

Spacious, yet beautiful. Framery Q is designed to fit one to four people without sacrificing the compact size or usability of the pod. Every detail has been thoroughly measured, resulting in the best silent multipurpose workspace available.



**WEIGHT**  
700 KG / 1 543 LB

\*Power cord can be installed from either side of the floor or from the roof.



Minimum recommended space for the air to circulate is 5 cm / 1.9" on the sides and 15 cm / 5.9" above the pod.



# Framery

# 2Q

*Double your efficiency. Framery's new model, 2Q is designed for 4-6 people. It's the best place to co-create, brainstorm and have great meetings. Framery's superior sound insulation system guarantees that your meetings won't disturb the office – and the office noise won't disturb you. 2Q comes with two different layouts. A conference table with two height options is optimal for laptop use or workshopping. You can also choose this meetingpod without any furniture, leaving you the option to furnish it however you wish. A low doorstep makes 2Q wheelchair accessible.*

# Exterior

*Exemplify your team's personality. Fully customize the look and feel of Framery 2Q and watch the motivation and productivity soar.*

## MATERIAL


### EXTERIOR

Painted sheet metal or brushed stainless steel.




### GLASS

Sound control laminated glass.



### FRAME

Formica laminate on birch plywood with varnish trim.




## EXTERIOR AND FRAME OPTIONAL COLORS



DOOR  
Left handed

EXTERIOR  
Optional color





**LED LIGHT**  
Standard

**POWER COLUMN**  
Standard

**ACOUSTIC FELT**  
Standard

**SCREEN BRACKET  
OR WHITEBOARD**  
Optional

**CONTROL PANEL**  
Standard

**TABLE**  
Optional  
72 cm (28.3 in)  
and 90 cm (35.4 in)

**CARPET**  
Standard

**WHEELCHAIR  
ACCESSIBLE  
FLOOR**  
Standard

# Interior

*Give Framery 2Q a more premium feel and choose from a wide range of interior options for the complete comfort of you and your colleagues. Working at the office will never be the same as before.*

## MATERIAL

### SOLID WALLS AND ROOF

Sandwich element of sheet metal, birch plywood, recycled acoustic foam and acoustic felt. Anti-static and stain resistant low loop pile carpet for public spaces.

### TABLE

White Formica laminate on birch plywood with varnish trim.

### CONTROL PANEL

The control panel enables you to adjust:



The brightness of the new improved ceiling light




The capacity of the airflow

## WORKING HEIGHT OPTIONS



### STANDARD

Table height: 72 cm / 28.3 in  
4 power outlets in the table  
+ Twin USB fast charger + HDMI



### HIGH

Table height: 90 cm / 35.4 in  
4 power outlets in the table  
+ Twin USB fast charger + HDMI

**Can also be ordered without  
a table or accessories:**

### WITHOUT TABLE


3 power outlets in the power column  
+ Twin USB fast charger

### POWER COLUMN ACCESSORIES

Screen bracket or whiteboard.

**Screen specifications:** Maximum size 50",  
recommended 43". Screen mounting standard: flat  
VESA 100 x 100, with adapter: VESA 200 x 200


# Product details



Character goes a long way. And the carefully designed details are what make the soundproof Framery 2Q a multi-person pod like no other. Create a fully-customized workspace that's unique and works best for you and your team. Relax and recharge, be more creative, more innovative and more collaborative – the possibilities are endless. Framery 2Q personifies the evolution in the way we work.

# Measure- ments

*Gather your team together for a Monday morning meeting or Tuesday afternoon brainstorming session. Framery 2Q is designed to fit 4-6 people.*



**WEIGHT**  
950 KG / 2094 LB

\*Power cord can be installed from the floor or from the roof.



Minimum recommended space above the pod for the air to circulate is 20 cm / 7.9 in.

# Optional colors

# Exterior

## EXTERIOR AND FRAME COLORS MIX-AND-MATCH OPTIONS FOR FRAMERY O, Q & 2Q

*Colors speak louder than words. Each Framery pod can be designed to reflect your company's personality and energy. Choose freely from the various frame and exterior colors available and combine them as you wish. Go with an all black for more sophisticated look, or mix the white outer frames with elegant, brushed stainless steel exterior.*

### STANDARD

#### WHITE

EXTERIOR: GLOSSY RAL 9016  
FRAME: FORMICA K1009 MATT



#### WHITE

EXTERIOR: ULTRAMATT RAL 9016  
FRAME: FORMICA K1009 MATT



#### JET BLACK

EXTERIOR: ULTRAMATT RAL 9005  
FRAME: FORMICA F2253 CR



#### BRUSHED STAINLESS STEEL

EXTERIOR: STAINLESS STEEL  
FRAME: FORMICA F2253 CR



#### PIGLET PINK

EXTERIOR: ULTRAMATT RAL 940-6  
FRAME: FORMICA BASED ON RAL 409-6




#### PURPLE RED

EXTERIOR: ULTRAMATT RAL 3004  
FRAME: FORMICA F7966



#### BURNED ORANGE

EXTERIOR: ULTRAMATT RAL 410-5  
FRAME: FORMICA F2962



#### LEMON

EXTERIOR: ULTRAMATT RAL 1012  
FRAME: FORMICA BASED ON RAL 1012




#### MISTY BLUE

EXTERIOR: ULTRAMATT RAL 620-3  
FRAME: FORMICA 1998



#### 50'S BLUE

EXTERIOR: ULTRAMATT RAL 6034  
FRAME: FORMICA F7879



#### FOREST GREEN

EXTERIOR: ULTRAMATT RAL 750-4  
FRAME: FORMICA F7967




#### SPRING GREEN

EXTERIOR: ULTRAMATT RAL 230-6  
FRAME: FORMICA BASED ON RAL 230-6



#### CLOUDY GRAY

EXTERIOR: ULTRAMATT RAL 850-2  
FRAME: FORMICA F0189



#### PETROL BLUE

EXTERIOR: ULTRAMATT RAL 690-6  
FRAME: FORMICA BASED ON RAL 690-6



### NEW!

#### WHITEBOARD PAINT

EXTERIOR: WHITEBOARD PAINT SURFACE



# Interior

## TABLE COLORS FOR FRAMERY O

*Increase the individuality of your pods and brighten up the workday with unique table colors that pop out even in the darkest of offices. Or if you prefer to keep things more traditional and toned down, we have the options for that too.*


**BLACK**  
FORMICA  
F2253 CR




**CLOUDY GRAY**  
FORMICA  
F0189



**PIGLET PINK**  
FORMICA  
BASED ON RAL 409-6



**50'S BLUE**  
FORMICA  
F7879



**FOREST GREEN**  
FORMICA  
F7967



**PETROL BLUE**  
FORMICA  
BASED ON RAL 690-6




**PURPLE RED**  
FORMICA  
F7966




**BURNED ORANGE**  
FORMICA  
F2962




**LEMON**  
FORMICA  
BASED ON RAL 1012



**SPRING GREEN**  
FORMICA  
BASED ON RAL 230-6



**MISTY BLUE**  
FORMICA  
1998



STANDARD  
**WHITE**  
FORMICA  
K1009 MATT



# Interior


## UPHOLSTERY FOR FRAMERY O & Q

*Spaces that are comfortable and enjoyable to work in, enable the greatest results. To ensure that your chosen pods truly release the potential of your company's employees, choose the upholstery material options that everyone feels most at home with.*

STANDARD (O SEAT)

**LIGHT GRAY**  
KVADRAT


REMIX 2 #123



STANDARD (Q MAGGIE, NAPQ SOFA)

**MAGGIE GRAY**  
KVADRAT

CANVAS #154



**BLACK**  
KVADRAT

REMIX 2 #183



**PIGLET PINK**  
KVADRAT

DIVINA MD #613




**PURPLE RED**  
KVADRAT

DIVINA MD #633




**BURNED ORANGE**  
KVADRAT

DIVINA 3 #542



**LEMON**  
KVADRAT

DIVINA MELANGE 2 #421



**CLOUDY GRAY**  
KVADRAT

DIVINA MD #733



**50'S BLUE**  
KVADRAT

DIVINA MD #813



**FOREST GREEN**  
KVADRAT

DIVINA 3 #876



**SPRING GREEN**  
KVADRAT

DIVINA MELANGE 2 #971



**MISTY BLUE**  
KVADRAT

DIVINA MELANGE 2 #731



**PETROL BLUE**  
KVADRAT

DIVINA MD #843



## MORE ABOUT COLORS

Standard Framery NapQ comes with three different pillow sizes and colors. The small featured pillow comes with Remix2 183 (black), the medium with Remix2 123 (light gray), and the large with Canvas 154 (Maggie gray) upholstery. Like all of our upholsteries, the pillow colors can be customized according to the available fabric options shown on the page. NapQ blanket comes in one standard color option only – as seen in the pictures.

# General product information

*Framery Quality Management System meets ISO 9001 requirements. CE marking is a manufacturer's declaration that a product meets the requirements of relevant EC directives. The EC directives for Framery O, Q and 2Q pods are: Low Voltage Directive (LVD) 2006/95/EC, Electromagnetic Compatibility Directive (EMC) 2004/108/EC, Restriction of Hazardous Substances (RoHS) Directive 2011/65/EU and Ecodesign Directive 2009/125/EC.*

## FIRE SAFETY

No flammable materials are used in Framery products. The fire safety of all surface materials, upholstery and acoustics materials of the products is tested and classified by either national or international standards. Framery O, Q and 2Q exterior sheet metal panels and sound-control laminated glass are of such quality that they may halt heat and fire. Outer frames with laminated surface are IMO certified (French Maritime Authority). Used acoustic foam meets B-s1, d0, EN 13501-1, acoustic felt EN 13501-1 and floor carpet Cfl-s1, EN 13501-1 requirements.

Molded foam used in Tovi stool seat meets CA TB 117:2013 requirements. Fabric meets the performance requirements of BS EN 1021-1 and 1 021-2. According to Inspecta, an EU accredited inspection body, there is no need for installing sprinklers in Framery O, Q or 2Q in Europe. In North America it is recommended to check the requirements with local AHJ / fire inspector.

## SEISMIC SAFETY

In Framery's case, seismic requirements generally refer to the products' ability to stay upright in case of an earthquake. If needed, the products can be fixed to the floor with anchor bolts using the leveling glide screw holes in the floor modules. Instructions are available upon request.

## AIR QUALITY AND FLOW

The indoor air quality of all products is tested by an accredited testing laboratory, VTT Technical Research Centre of Finland, and is found to be well within the limits of M1 emission classification. Total air flow in Framery O pod is 21,5 l/s. Total air flow in the 2018 updated Framery Q pod is 66 l/s. Total air flow in the Framery 2Q pod 121 l/s.

## ECO-EFFICIENCY

Framery products are mainly made of birch plywood. All plywood is produced either in Finland or neighboring countries, while all suppliers are required to have FSC or PEFC certification. A majority of the materials used are recycled or recyclable. The acoustic foam and the interior felt used in the products are up to 60-70 % recycled. A significant part of all steel, aluminum and glass is recycled in their manufacturing processes. Framery O, Q and 2Q are highly energy-efficient. When the products are in use, the standard power consumption of Framery O is 4,82 W while Framery Q uses just under 12 W.

## SERVICE

Framery wear parts (including gas lifts, leveling glides, LED lighting, electric parts, hinges and locks) are warranted. Rigorous maintenance will expand the lifespan of a single pod unit substantially. Diligent maintenance includes regular service calls for the unit (tightening screws, adjusting hinges, etc.) and replacement of wear parts. To find out more about product features and specifics, please visit: [www.frameryacoustics.com](http://www.frameryacoustics.com)

## POWER

**Framery O:** Input: 100-240 VAC, 6.0 A, 50-60 Hz

Output VAC (table socket): 100-240 VAC, 5.6 A, 50-60 Hz

Optional USB Charging: Twin USB Fast charger (TUF) maximum combined output of 5A at 5V DC

**Video Conference Ready:** Input: 100-240 VAC, 10.0 A, 50-60 Hz, Output VAC (table socket): 100-240 VAC, 7.0 A, 50-60 Hz, Optional USB Charging: Twin USB Fast charger (TUF) maximum combined output of 5A at 5V DC

**Framery Q:** Input: 100-240 VAC, 6.0 A, 50-60 Hz

Output VAC (table socket): 100-240 VAC, 5.6 A, 50-60 Hz

Optional USB Charging: Twin USB Fast charger (TUF) maximum combined output of 5A at 5V DC

**Framery 2Q:** Input: 100-240 VAC, 10.0 A, 50-60 Hz

Output VAC (table socket): 100-240 VAC, 7.0 A, 50-60 Hz

Optional USB Charging: Twin USB Fast charger (TUF) maximum combined output of 5A at 5V DC

## CERTIFICATES



# Design your own pod

*[configurator.frameryacoustics.com](https://configurator.frameryacoustics.com)*



# framery

SERIOUS ABOUT HAPPINESS