

**Low Back with Small Seat Task 4105 - SWT2 (Swivel Tilt Control)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 34.75/39.75"h	<b>Weight</b>	42.5 lbs. Armless 49.5 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17"d x 16.25/21.25"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	18.5"	<b>COM</b>	1.25 yds. FoamMesh 1.75 yds. Uph.	
<b>Back Width</b>	18"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	25.75/34" (CR15), 24.75/33" (CR11), 24.25/32.5" (CR12), 25/30.25" (CR14), 26.25/35.5" (CR31), 25.75/35" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Low Back with Small Seat Task 4105 - PSA5 (Posture Back Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 34/41.5"h	<b>Weight</b>	48 lbs. Armless 55 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17.5/20"d x 16.25/21.25"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	17.75/20.25"	<b>COM</b>	1.25 yds. FoamMesh 1.75 yds. Uph.	
<b>Back Width</b>	18"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	26.5/34.5" (CR15), 25.5/33.5" (CR11), 25/33" (CR12), 25.75/30.75" (CR14), 27/36" (CR31), 26.5/35.5" (CCR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Low Back with Small Seat Task 4105 - SSA2 (Simple Synchro Tilt Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 35/41.5"h	<b>Weight</b>	51 lbs. Armless 58 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17/19"d x 16/20"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	19/21.5"	<b>COM</b>	1.25 yds. FoamMesh 1.75 yds. Uph.	
<b>Back Width</b>	18"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	25/32" (CR15), 24/31" (CR11), 23.5/30.5" (CR12), 24.25/28.25" (CR14), 25.5/33.5" (CR31), 25/33" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Low Back with Small Seat Task 4105 - BDB3 (Body Balance Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 35.5/43.5"h	<b>Weight</b>	49.5 lbs. Armless 56.5 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17/19.5"d x 16.75/21.75"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	19/21.5"	<b>COM</b>	1.25 yds. FoamMesh 1.75 yds. Uph.	
<b>Back Width</b>	18"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	26.5/34.75" (CR15), 25.5/33.75" (CR11), 25/33.25" (CR12), 25.5/30.75" (CR14), 27/36.25" (CR31), 26.5/35.75" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Low Back with Small Seat Task 4105 -ASA7 (Advanced Synchro Tilt with Side Tension Knob Control and Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 35.75/43.25"h	<b>Weight</b>	51 lbs. Armless 58 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17/19.5"d x 16.75/21.75"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	19/21.5"	<b>COM</b>	1.25 yds. FoamMesh 1.75 yds. Uph.	
<b>Back Width</b>	18"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	27.75/35.75" (CR15), 26.75/34.75" (CR11), 26.25/34.25" (CR12), 27/32" (CR14), 28.25/37.25" (CR31), 27.75/36.75" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Low Back with Small Seat Task 4105 - MSA2 (Multi-Function Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 34.25/40.75"h	<b>Weight</b>	56 lbs. Armless 63 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17.5/20"d x 16.25/20.25"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	18/20.5"	<b>COM</b>	1.25 yds. FoamMesh 1.75 yds. Uph.	
<b>Back Width</b>	18"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	25.5/32.5" (CR15), 24.5/31.5" (CR11), 24/31" (CR12), 26/30" (CR14), 26/34" (CR31), 25.5/33.5" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

Standard Features	Options Available
<ul style="list-style-type: none"> <li>• Low back</li> <li>• Small seat</li> <li>• Armless</li> <li>• FoamMesh outer back</li> <li>• Upholstered seat</li> <li>• Molded seat and back foam</li> <li>• Swivel Tilt Control</li> <li>• Black nylon base</li> <li>• Hard wheel casters</li> <li>• 300 lbs. weight rated</li> <li>• ANSI/BIFMA X5.1 Conformant</li> <li>• CAL TB 117-2013 Conformant</li> </ul>	<ul style="list-style-type: none"> <li>• Six arms:               <ul style="list-style-type: none"> <li>- Height adjustable arms</li> <li>- Height and width adjustable arms</li> <li>- Fixed cantilever arms</li> <li>- Height adjustable arms</li> <li>- Height and width adjustable arms</li> <li>- Height and width adjustable arms with sliding and lockable pivot pads</li> </ul> </li> <li>• Five controls:               <ul style="list-style-type: none"> <li>- PSA5 Posture Back with Seat Slider</li> <li>- SSA2 Simple Synchro Tilt with Seat Slider</li> <li>- BDB3 Body Balance with Seat Slider</li> <li>- MSA2 Multi-Function with Seat Slider</li> <li>- ASA7 Advanced Synchro Tilt with Side Tension Knob Seat Slider</li> </ul> </li> <li>• Black Ballistic nylon outer back or fully upholstered back</li> <li>• Internal back height adjustment</li> <li>• Polished aluminum base</li> <li>• Soft wheel casters with safety brakes</li> <li>• Soft wheel casters</li> <li>• Glides</li> <li>• Fully assembled chair in carton</li> <li>• CAL TB 133 Conformant</li> </ul>

**Mid Back with Small Seat Task 4106 - SWT2 (Swivel Tilt Control)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 36.75/41.75"h	<b>Weight</b>	46 lbs. Armless 53 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17"d x 16.25/21.25"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	20.5"	<b>COM</b>	1.25 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	25.75/34" (CR15), 24.75/33" (CR11), 24.25/32.5" (CR12), 25/30.25" (CR14), 26.25/35.5" (CR31), 25.75/35" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Mid Back with Small Seat Task 4106 - PSA5 (Posture Back Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 35.5/43"h	<b>Weight</b>	51.5 lbs. Armless 58.5 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17.5/20"d x 16.25/21.25"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	19.25/21.75"	<b>COM</b>	1.25 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	26.5/34.5" (CR15), 25.5/33.5" (CR11), 25/33" (CR12), 25.75/30.75" (CR14), 27/36" (CR31), 26.5/35.5" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Mid Back with Small Seat Task 4106 - SSA2 (Simple Synchro Tilt Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 37/43.5"h	<b>Weight</b>	54.5 lbs. Armless 61.5 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17/19"d x 16/20"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	21/23.5"	<b>COM</b>	1.25 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	25/32" (CR15), 24/31" (CR11), 23.5/30.5" (CR12), 24.25/28.25" (CR14), 25.5/33.5" (CR31), 25/33" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Mid Back with Small Seat Task 4106 - BDB3 (Body Balance Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 37.75/45.5"h	<b>Weight</b>	53 lbs. Armless 60 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17/19.5"d x 16.75/21.75"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	21/23.5"	<b>COM</b>	1.25 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	26.5/34.75" (CR15), 25.5/33.75" (CR11), 25/33.25" (CR12), 25.5/30.75" (CR14), 27/36.25" (CR31), 26.5/35.75" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Mid Back with Small Seat Task 4106 - ASA7 (Advanced Synchro Tilt with Side Tension Knob Control and Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 37.75/45.25"h	<b>Weight</b>	54.5 lbs. Armless 61.5 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17/19.5"d x 16.75/21.75"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	21/23.5"	<b>COM</b>	1.25 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	27.75/35.75" (CR15), 26.75/34.75" (CR11), 26.25/34.25" (ACR12), 27/32" (CR14), 28.25/37.25" (CR31), 27.75/36.75" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Mid Back with Small Seat Task 4106 - MSA2 (Multi-Function Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 36.25/42.75"h	<b>Weight</b>	59.5 lbs. Armless 66.5 lbs. Arms	
<b>Seat Dimensions</b>	19"w x 17.5/20"d x 16.25/20.25"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	20/22.5"	<b>COM</b>	1.25 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	20.75 sq. ft. FoamMesh 32.25 yds. Uph.	
<b>Top of Arm to Floor</b>	25.5/32.5" (CR15), 24.5/31.5" (CR11), 24/31" (CR12), 26/30" (CR14), 26/34" (CR31), 25.5/33.5" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

Standard Features	Options Available
<ul style="list-style-type: none"> <li>• Mid back</li> <li>• Small seat</li> <li>• Armless</li> <li>• FoamMesh outer back</li> <li>• Upholstered seat</li> <li>• Molded seat and back foam</li> <li>• Swivel Tilt Control</li> <li>• Black nylon base</li> <li>• Hard wheel casters</li> <li>• 300 lbs. weight rated</li> <li>• ANSI/BIFMA X5.1 Conformant</li> <li>• CAL TB 117-2013 Conformant</li> </ul>	<ul style="list-style-type: none"> <li>• Six arms:               <ul style="list-style-type: none"> <li>- Height adjustable arms</li> <li>- Height and width adjustable arms</li> <li>- Fixed cantilever arms</li> <li>- Height adjustable arms</li> <li>- Height and width adjustable arms</li> <li>- Height and width adjustable arms with sliding and lockable pivot pads</li> </ul> </li> <li>• Five controls:               <ul style="list-style-type: none"> <li>- PSA5 Posture Back with Seat Slider</li> <li>- SSA2 Simple Synchro Tilt with Seat Slider</li> <li>- BDB3 Body Balance with Seat Slider</li> <li>- MSA2 Multi-Function with Seat Slider</li> <li>- ASA2 Advanced Synchro Tilt with Side Tension Knob Seat Slider</li> </ul> </li> <li>• Black Ballistic nylon outer back or fully upholstered back</li> <li>• Internal back height adjustment</li> <li>• Polished aluminum base</li> <li>• Soft wheel casters with safety brakes</li> <li>• Soft wheel casters</li> <li>• Glides</li> <li>• Fully assembled chair in carton</li> <li>• CAL TB 133 Conformant</li> </ul>

**Mid Back Task 4107 - SWT2 (Swivel Tilt Control)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 37/42"h	<b>Weight</b>	47.5 lbs. Armless 54.5 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18"d x 16.5/21.5"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	20.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	23 sq. ft. FoamMesh 34.5 yds. Uph.	
<b>Top of Arm to Floor</b>	25.75/34" (CR15), 24.75/33" (CR11), 24.25/32.5" (CR12), 25/30.25" (CR14), 26.25/35.5" (CR31), 25.75/35" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Mid Back Task 4107 - PSA5 (Posture Back Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 35.75/43.25"h	<b>Weight</b>	53 lbs. Armless 60.5 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18.5/21"d x 16.5/21.5"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	19.25/21.75"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	23 sq. ft. FoamMesh 34.5 yds. Uph.	
<b>Top of Arm to Floor</b>	26.5/34.5" (CR15), 25.5/33.5" (CR11), 25/33" (CR12), 25.75/30.75" (CR14), 27/36" (CR31), 26.5/35.5" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Mid Back Task 4107 - SSA2 (Simple Synchro Tilt Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 37.5/44"h	<b>Weight</b>	56 lbs. Armless 63 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18/20"d x 16.5/20.5"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	21/23.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	23 sq. ft. FoamMesh 34.5 yds. Uph.	
<b>Top of Arm to Floor</b>	25/32" (CR15), 24/31" (CR11), 23.5/30.5" (CR12), 24.25/28.25" (CR14), 25.5/33.5" (CR31), 25/33" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Mid Back Task 4107 - BDB3 (Body Balance Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 36.5/43"h	<b>Weight</b>	54.5 lbs. Armless 61.5 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18/20.5"d x 16/20"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	21/23.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	23 sq. ft. FoamMesh 34.5 yds. Uph.	
<b>Top of Arm to Floor</b>	26.5/34.75" (CR15), 25.5/33.75" (CR11), 25/33.25" (CR12), 25.5/30.75" (CR14), 27/36.25" (CR31), 26.5/35.75" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**Mid Back Task 4107 - ASA7 (Advanced Synchro Tilt with Side Tension Knob Control and Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 38/45.5"h	<b>Weight</b>	56 lbs. Armless 63 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18/20.5"d x 17/22"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	21/23.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	23 sq. ft. FoamMesh 34.5 yds. Uph.	
<b>Top of Arm to Floor</b>	27.75/35.75" (CR15), 26.75/34.75" (CR11), 26.25/34.25" (CR12), 27/32" (CR14), 28.25/37.25" (CR31), 27.75/36.75" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			



**Mid Back Task 4107 - MSA2 (Multi-Function Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 37.25/43.75"h	<b>Weight</b>	61 lbs. Armless 68 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18.5/21"d x 17.25/21.25"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	20/22.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	23 sq. ft. FoamMesh 34.5 yds. Uph.	
<b>Top of Arm to Floor</b>	25.5/32.5" (CR15), 24.5/31.5" (CR11), 24/31" (CR12), 26/30" (CR14), 26/34" (CR31), 25.5/33.5" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

Standard Features	Options Available
<ul style="list-style-type: none"> <li>• Mid back</li> <li>• Armless</li> <li>• FoamMesh outer back</li> <li>• Upholstered seat</li> <li>• Molded seat and back foam</li> <li>• Swivel Tilt Control</li> <li>• Black nylon base</li> <li>• Hard wheel casters</li> <li>• 300 lbs. weight rated</li> <li>• ANSI/BIFMA X5.1 Conformant</li> <li>• CAL TB 117-2013 Conformant</li> </ul>	<ul style="list-style-type: none"> <li>• Six arms:               <ul style="list-style-type: none"> <li>- Height adjustable arms</li> <li>- Height and width adjustable arms</li> <li>- Fixed cantilever arms</li> <li>- Height adjustable arms</li> <li>- Height and width adjustable arms</li> <li>- Height and width adjustable arms with sliding and lockable pivot pads</li> </ul> </li> <li>• Five controls:               <ul style="list-style-type: none"> <li>- PSA5 Posture Back with Seat Slider</li> <li>- SSA2 Simple Synchro Tilt with Seat Slider</li> <li>- BDB3 Body Balance with Seat Slider</li> <li>- MSA2 Multi-Function with Seat Slider</li> <li>- ASA7 Advanced Synchro Tilt with Side Tension Knob Seat Slider</li> </ul> </li> <li>• Black Ballistic nylon outer back or fully upholstered back</li> <li>• Internal back height adjustment )</li> <li>• Polished aluminum base</li> <li>• Soft wheel casters with safety brakes</li> <li>• Soft wheel casters</li> <li>• Glides</li> <li>• Heavy-Duty</li> <li>• Two Heavy-Duty Arms:               <ul style="list-style-type: none"> <li>- Heavy-Duty height adjustable arms</li> <li>- Heavy-Duty height and width adjustable arms</li> </ul> </li> <li>• Heavy-Duty grade fabric</li> <li>• Heavy-Duty black nylon base with steel insert</li> <li>• HSA6 Heavy-Duty control with SS2 seat slider</li> <li>• 350 lbs. Heavy-Duty weight rated</li> <li>• Fully assembled chair in carton</li> <li>• CAL TB 133 Conformant</li> </ul>

### High Back Task 4110 - SWT2 (Swivel Tilt Control)

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 41/46"h	<b>Weight</b>	48.5 lbs. Armless 55.5 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18"d x 16.5/21.5"h	<b>Cubic Feet</b>	14.5	
<b>Seat to Top of Back</b>	24.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	25.5 sq. ft. FoamMesh 37 yds. Uph.	
<b>Top of Arm to Floor</b>	25.75/34" (CR15), 24.75/33" (CR11), 24.25/32.5" (CR12), 25/30.25" (CR14), 26.25/35.5" (CR31), 25.75/35" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

### High Back Task 4110 - PSA5 (Posture Back Control with Seat Slider)

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 39.75/47.25"h	<b>Weight</b>	54 lbs. Armless 61 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18.5/21"d x 16.5/21.5"h	<b>Cubic Feet</b>	14.5	
<b>Seat to Top of Back</b>	23.25/25.75"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	25.5 sq. ft. FoamMesh 37 yds. Uph.	
<b>Top of Arm to Floor</b>	26.5/34.5" (CR15), 25.5/33.5" (CR11), 25/33" (CR12), 25.75/30.75" (CR14), 27/36" (CR31), 26.5/35.5" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

### High Back Task 4110 - SSA2 (Simple Synchro Tilt Control with Seat Slider)

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 41.5/48"h	<b>Weight</b>	57 lbs. Armless 64 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18/20"d x 16.5/20.5"h	<b>Cubic Feet</b>	14.5	
<b>Seat to Top of Back</b>	25/27.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	25.5 sq. ft. FoamMesh 37 yds. Uph.	
<b>Top of Arm to Floor</b>	25/32" (CR15), 24/31" (CR11), 23.5/30.5" (CR12), 24.25/28.25" (CR14), 25.5/33.5" (CR31), 25/33" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**High Back Task 4110 - BDB3 (Body Balance Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 40.5/47"h	<b>Weight</b>	55.5 lbs. Armless 62.5 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18/20.5"d x 16/20"h	<b>Cubic Feet</b>	14.5	
<b>Seat to Top of Back</b>	25/27.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	25.5 sq. ft. FoamMesh 37 yds. Uph.	
<b>Top of Arm to Floor</b>	26.5/34.75" (CR15), 25.5/33.75" (CR11), 25/33.25" (CR12), 25.5/30.75" (CR14), 27/36.25" (CR31), 26.5/35.75" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**High Back Task 4110 - ASA7 (Advanced Synchro Tilt with Side Tension Knob Control and Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 42/49.5"h	<b>Weight</b>	57 lbs. Armless 64 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18/20.5"d x 17/22"h	<b>Cubic Feet</b>	14.5	
<b>Seat to Top of Back</b>	25/27.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	25.5 sq. ft. FoamMesh 37 yds. Uph.	
<b>Top of Arm to Floor</b>	27.75/35.75" (CR15), 26.75/34.75" (CR11), 26.25/34.25" (CR12), 27/32" (CR14), 28.25/37.25" (CR31), 27.75/36.75" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

**High Back Task 4110 - MSA2 (Multi-Function Control with Seat Slider)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 41.25/47.75"h	<b>Weight</b>	62 lbs. Armless 69 lbs. Arms	
<b>Seat Dimensions</b>	20.75"w x 18.5/21"d x 17.25/21.25"h	<b>Cubic Feet</b>	14.5	
<b>Seat to Top of Back</b>	24/26.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	25.5 sq. ft. FoamMesh 37 yds. Uph.	
<b>Top of Arm to Floor</b>	25.5/32.5" (CR15), 24.5/31.5" (CR11), 24/31" (CR12), 26/30" (CR14), 26/34" (CR31), 25.5/33.5" (CR32)			
<b>Top of Arm to Seat</b>	7/10" (CR15), 8/11" (CR11), 7.5/10.5" (CR12), 8" (CR14), 7/11" (CR31), 6.5/10.5" (CR32)			

Standard Features	Options Available
<ul style="list-style-type: none"> <li>• High back</li> <li>• Armless</li> <li>• FoamMesh outer back</li> <li>• Upholstered seat</li> <li>• Molded seat and back foam</li> <li>• Swivel Tilt control</li> <li>• Black nylon base</li> <li>• Hard wheel casters</li> <li>• 300 lbs. weight rated</li> <li>• ANSI/BIFMA X5.1 Conformant</li> <li>• CAL TB 117-2013 Conformant</li> </ul>	<ul style="list-style-type: none"> <li>• Six arms:               <ul style="list-style-type: none"> <li>- Height adjustable arms</li> <li>- Height and width adjustable arms</li> <li>- Fixed cantilever arms</li> <li>- Height adjustable arms</li> <li>- Height and width adjustable arms</li> <li>- Height and width adjustable arms with sliding and lockable pivot pads</li> </ul> </li> <li>• Five controls:               <ul style="list-style-type: none"> <li>- PSA5 Posture Back with Seat Slider</li> <li>- SSA2 Simple Synchro Tilt with Seat Slider</li> <li>- BDB3 Body Balance with Seat Slider</li> <li>- MSA2 Multi-Function with Seat Slider</li> <li>- ASA7 Advanced Synchro Tilt with Side Tension Knob Seat Slider</li> </ul> </li> <li>• Black Ballistic nylon outer back or fully upholstered back</li> <li>• Internal back height adjustment</li> <li>• Polished aluminum base</li> <li>• Soft wheel casters with safety brakes</li> <li>• Soft wheel casters</li> <li>• Glides</li> <li>• Heavy-Duty</li> <li>• Two Heavy-Duty Arms:               <ul style="list-style-type: none"> <li>- Heavy-Duty height adjustable arms</li> <li>- Heavy-Duty height and width adjustable arms</li> </ul> </li> <li>• Heavy-Duty grade fabric</li> <li>• Heavy-Duty black nylon base with steel insert</li> <li>• HSA6 Heavy-Duty control with SS2 seat slider</li> <li>• 350 lbs. Heavy-Duty weight rated</li> <li>• Fully assembled chair in carton</li> <li>• CAL TB 133 Conformant</li> </ul>

**Mid Back Conference 4114 - SWT2 (Swivel Tilt Control)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 37/42"h	<b>Weight</b>	54.5 lbs.	
<b>Seat Dimensions</b>	20.75"w x 18"d x 16.5/21.5"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	20.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	23 sq. ft. FoamMesh 34.5 yds. Uph.	
<b>Top of Arm to Floor</b>	25/30.25"			
<b>Top of Arm to Seat</b>	8"			

**Mid Back Conference 4114 - KNT2 (Knee Tilt Control)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 36.5/40.5"h	<b>Weight</b>	58 lbs.	
<b>Seat Dimensions</b>	20.75"w x 18"d x 16/20"h	<b>Cubic Feet</b>	12.75	
<b>Seat to Top of Back</b>	20.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.	
<b>Back Width</b>	20.25"	<b>COL</b>	23 sq. ft. FoamMesh 34.5 yds. Uph.	
<b>Top of Arm to Floor</b>	25/30.25"			
<b>Top of Arm to Seat</b>	8"			

**High Back Conference 4116 - SWT2 (Swivel Tilt Control)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 41/46"h	<b>Weight</b>	55.5 lbs.
<b>Seat Dimensions</b>	20.75"w x 18"d x 16.5/21.5"h	<b>Cubic Feet</b>	14.5
<b>Seat to Top of Back</b>	24.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.
<b>Back Width</b>	20.25"	<b>COL</b>	25.5 sq. ft. FoamMesh 37 yds. Uph.
<b>Top of Arm to Floor</b>	25/30.25"		
<b>Top of Arm to Seat</b>	8"		



**High Back Conference 4116 - KNT2 (Knee Tilt Control)**

<b>Overall Dimensions</b>	28.5"w x 28.5"d x 40.5/44.5"h	<b>Weight</b>	59 lbs.
<b>Seat Dimensions</b>	20.75"w x 18"d x 16/20"h	<b>Cubic Feet</b>	14.5
<b>Seat to Top of Back</b>	24.5"	<b>COM</b>	1.5 yds. FoamMesh 2 yds. Uph.
<b>Back Width</b>	20.25"	<b>COL</b>	25.5 sq. ft. FoamMesh 37 yds. Uph.
<b>Top of Arm to Floor</b>	25/30.25"		
<b>Top of Arm to Seat</b>	8"		



Standard Features	Options Available
<ul style="list-style-type: none"> <li>• Fixed Cantilever Arms</li> <li>• FoamMesh outer back</li> <li>• Upholstered seat</li> <li>• Molded seat and back foam</li> <li>• Swivel Tilt control</li> <li>• Black nylon base</li> <li>• Hard wheel casters</li> <li>• 300 lbs. weight rated</li> <li>• ANSI/BIFMA X5.1 Conformant</li> <li>• CAL TB 117-2013 Conformant</li> </ul>	<ul style="list-style-type: none"> <li>• Mid or High Back Conference</li> <li>• Knee Tilt Control</li> <li>• Black Ballistic nylon outer back or fully upholstered back</li> <li>• Polished aluminum base</li> <li>• Soft wheel casters with safety brakes</li> <li>• Soft wheel casters</li> <li>• Glides</li> <li>• Fully assembled chair in carton</li> <li>• CAL TB 133 Conformant</li> </ul>



**Standard Textile Selection**

- <https://ofs.com/resources/textiles>
- All textiles meet CAL TB 117-2013

**Frame Construction**

- Seat
  - 5/8" One-piece, multi-core hardwood plywood
  - Fitted with riveted "T" nuts fixed on both sides of the plywood
- Back
  - 1/2" One-piece, multi-core hardwood plywood
  - Fitted with riveted "T" nuts fixed on both sides of the plywood
- Upholstery
  - FoamMesh: Polypropylene and nylon
- Arms
  - Height and Width Adjustable Arms with Sliding and lockable Pivot Pads
  - Height Adjustable Arms
  - Height and Width Adjustable Arms
  - Fixed Cantilever Arms
  - Height Adjustable Arms
  - Height and Width Adjustable Arms
  - Heavy-Duty Height Adjustable Arms
  - Heavy-Duty Height and Width Adjustable Arms
- Controls
  - SWT2- Swivel Tilt: seat height adjustment, seat and back tilt adjustment, tension control, back height adjustment
  - PSA5 - Posture Back with Seat Slider: single lever controls, back only (fixed seat)
  - SSA2 - Simple Synchro Tilt with Seat Slider: ergonomic control adjusts to the user's body weight and can tilt free or lock in five positions ensuring proper back/lumbar support
  - BDB3 - Body Balance with Seat Slider: weight activated, adjusts to user's body weight, seat height adjustment, back angle adjustment with three position tilt limiter, tension control, back height adjustment
  - ASA7 - Advanced Synchro Tilt with Side Tension Knob and Seat Slider: ergonomic control adjusts to the user's body weight and can tilt free or lock in five positions ensuring proper back/lumbar support
  - MSA2 - Multi-Function with Seat Slider: fully adjustable
  - KNT2 Tilt (4114 and 4116 only): lean back or lock upright
  - HSA6 - Heavy-Duty with Seat Slider: fully adjustable
- Base
  - Nylon: solid injection-molded and glass-reinforced nylon resin
  - Polished Aluminum: manufactured of die-casting process
  - Heavy-Duty black nylon base with steel insert
  - All Bases pass the ANSI/BIFMA strength standards
- Cylinder
  - Variety of Class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria
- Casters
  - Heavy-Duty nylon twin wheel casters are manufactured of injection-molded engineer grade nylon
  - 55 mm diameter large pivot barrels
- Assembly
  - Self-locking, hardened steel, Hex/Socket/Phillips head bolts
  - Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration

**Foam**

- Seat/Back
  - 3D Molded foam
  - 2.5 lb. Density
  - CAL TB 117-2013 Conformant