

GSA prices effective April 1, 2019 (based on January 7, 2019, commercial price list) Published April 2019

Conference Room and Multipurpose Tables Everywhere[™] Tables

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!", a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture FSC Group 71, Part 1

Contract Number: GS-03F-036DA

Contract Period: December 21, 2015 — December 20, 2020

Herman Miller, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax www.HermanMiller.com/government

Business Size: Large

1a. Special Item Numbers (SIN)

SIN 71-1

Packaged Offices

SIN 711-1

Furniture Systems

SIN 711-2

Computer Furniture

SIN 711-3

Filing and Storage Cabinets

SIN 711-11

Tables and Accessories

SIN 711-16

Upholstered Seating

SIN 711-18

Multi-Purpose Seating

SIN 711-91

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local Herman Miller representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour Furniture Project Coordinator: \$49.00 per hour Build-Out Project Manager: \$80.00 per hour

SIN 711-93

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour, which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis. This SIN may only be used with the purchase of new product under SIN 711-1.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 711-94

Design/Layout

Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$65 per hour.

SIN 711-95

Installation Services

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions: Installation will be performed during normal weekday working

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

SIN 711-96

Leasing

Contact Herman Miller participating government dealer for current leasing information.

SIN 711-99

New Product Introductions

continued

SIN 711-500

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local Herman Miller representative to discuss the appropriate use of this SIN.

1b. Lowest Priced Model

SIN 711-1:	G9999.B	\$9
SIN 711-2:	6-5-D	\$40
SIN 711-3:	L29P.15	\$11
SIN 711-11:	DT9A.	\$39
SIN 711-16:	OA401	\$43
SIN 711-18:	AS90598	\$51
SIN 711-99:	BVP3.S	\$12

1c. Not applicable

Maximum Order

SIN 711-1, SIN 711-2

\$500,000 net product value

SIN 711-3, SIN 711-11

\$300,000 net product value

SIN 711-16, SIN 711-18

\$200,000 net product value

SIN 711-93

\$150,000

SIN 711-94

\$150,000

SIN 711-95

\$150,000

SIN 711-96

\$500,000 net product value

SIN 711-99

\$50,000 net product value

SIN 711-500

\$100,000

Minimum Order

\$100 net

Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

Point of Production

Zeeland, Ottawa County, Michigan Spring Lake, Ottawa County, Michigan

6. **Pricing**

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 711-1

Product: Selected Action Office 1, Action Office 2, C-Style Overhead Storage, Ethospace System, Quadrant Pedestals, Supplemental Products, Tu Pedestals, and approved Herman Miller Options

Products.

Standard Lead Time	Single Order Net Purchase	Discount From list
	\$100 - 250,000	73.8%
	\$250,001 - 500,000	76.8%

SIN 711-1

Product: Selected Nevi™ Tables, Nevi Link, Renew™ Tables, Renew Link and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	73.8%

SIN 711-1

Product: Selected Motia® Tables, and approved Herman Miller **Options Products**

Standard Single Order Discount **Lead Time Net Purchase** From List \$100 - 500,000 73.8%

SIN 711-1

Product: Tu Wood Pedestals and approved Herman Miller Options **Products**

Standard Single Order Discount **Lead Time Net Purchase** From List \$100 - 300,000 74.3%

SIN 711-1

Product: Selected Canvas Office Landscape (Beam, Channel, Dock, Group, Metal Storage, Private Office, Vista, Wall, and Wood Storage) and approved Herman Miller Options Products

Standard Single Order Discount **Lead Time Net Purchase** From List \$100 - 500,000 74.8%

continued

SIN 711-1

Product: Selected Layout Studio® and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	60.7%

SIN 711-1

Product: Selected Meridian Pedestals and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	64.2%

SIN 711-1

Product: Selected Thrive Portfolio and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	62%
	\$250.001 - 500.000	66.4%

SIN 711-2

Product: Canvas Metal Desk and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	74.8%

SIN 711-3

Product: Meridian Laterals, Towers, and Storage products and approved Herman Miller Options Products

Standard	Single Order	Discount	From List	Towers &
Lead Time	Net Purchase	Laterals	Verticals	Storage
	\$100 - 300,000	67.3%	66.3%	62.7%

SIN 711-3

Product: Tu Lateral Files, Tu Storage, Tu Towers, Tu Wood Cases, Tu Wood Cubbies, Tu Wood Credenzas, Tu Wood Towers, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 300,000	74.3%

SIN 711-11

Product: Selected Tables and Accessories and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Avive® Tables	\$100 - 250,000	72.8%
	\$250,001 - 500,000	74.8%
Eames® Conference &	\$100 - 250,000	73.6%
Dining Tables	\$250,001 - 300,000	77.6%
Everywhere™ Tables	\$100 - 300,000	73.8%
Headway™ Tables	\$100 - 300,000	73.8%

SIN 711-16

Product: Swoop upholstered seating products and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
Plex® Lounge Furniture	\$100 - 200,000	59.5%
Swoop™	\$100 - 200,000	60.7%
Valor™ Family	\$100 - 200,000	54.91%

SIN 711-18

Product: Selected Seating and approved Herman Miller Options Products

TTOUUCES		
Standard Lead Time	Single Order Net Purchase	Discount From List
Aeron®	\$100 - 200,000	64.5%
Aside®	\$100 - 200,000	64.2%
Caper®	\$100 - 200,000	61.5%
Celle®	\$100 - 200,000	59.7%
Cosm™	\$100 - 200,000	61.7%
Embody®	\$100 - 200,000	59.7%
Keyn	\$100 - 200,000	57.7%
Lino™	\$100 - 200,000	63.7%
Mirra® 2	\$100 - 200,000	61.7%
Sayl®	\$100 - 200,000	62.2%
Setu®	\$100 - 200,000	59.7%
Verus™	\$100 - 200,000	63.7%

SIN 711-99

Product: Selected Exclave[®], Locale[®], Public Office Landscape[®], Resolve[®] System, and approved Herman Miller Options Products

Resolve System, and approve	a Herman Miller Options i	Toducts
Standard	Single Order	Discount
Lead Time	Net Purchase	From List
Exclave	\$100 - 50,000	61.7%
Intent Solution	\$100 - 50,000	58.7%
Locale	\$100 - 50,000	63.7%
Public Office Landscape	\$100 - 50,000	61.7%
Resolve System	\$100 - 50,000	69.8%

continued

7. Quantity Discounts

Reference item #6.

8. Payment Term

Net 30 days

9. Government Commercial Credit Card

- Government commercial credit cards are accepted below the micropurchase threshold.
- Government commercial credit cards are accepted above the micropurchase threshold.

10. Foreign Items

None

11. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact Herman Miller or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

12. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

13. Ordering Address

a. Herman Miller, Inc.,

Government Customer Care 0161

855 East Main Avenue

Zeeland MI 49464.

 For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (www.fss.gsa.gov/schedules).

14. Payment Address.

Herman Miller, Inc. 22764 Network Place Chicago, IL 60673-1227

15. Warranty

Herman Miller, Inc., commercial warranty applies.

16. Export Packing Charge

Prices supplied on request.

17. Terms and Conditions of Government Purchase Card Acceptance

(any thresholds above the micropurchase level)
None.

18. Rental Maintenance and Repair Terms

Not applicable

19. Terms and Conditions of Installation

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

continued

20. Terms and Conditions of Repair Parts

Not applicable

21. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

22. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/government.

23. Preventive Maintenance

Not applicable

24a. Special Attributes.

2018

Herman Miller receives the Corporation of the Year—Consumer Products award from the Michigan Minority Supplier Development Council.

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

As one of the top-scoring companies in the industry for the four-teenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and received the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair won the 2018 Best of NeoCon Gold Award in the Ergonomic Seating Category, the Interior Design HiP Award in the Ergonomic Seating Category, and a #MetropolisLikes Award. Cosm also won Mix Interiors "Product of the Year—Task" award.

For the 11th consecutive year, Herman Miller received a perfect score on the Corporate Equality Index and we were designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly their LGBT-related policies and practices.

2017

Herman Miller was named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller has received a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award.

Herman Miller has earned the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller named one of the Best and Brightest in Wellness for the fifth year in a row.

Working Mother magazine has recognized Herman Miller as one of the 2017 Working Mother 100 Best Companies.

Herman Miller earned our tenth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in our industry for the thirteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and received the Bronze Class distinction for our excellent economic, environmental, and social sustainability performance.

Herman Miller has once again earned the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience.

2016

Herman Miller was recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC). This award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (fifth consecutive year) recognized Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability.

Herman Miller has been recognized by the Michigan Minority Supplier Development Council (MMSDC), as a "Corporation of the Year", and we also received a "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council. Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Spot Stools from Herman Miller Collection receive Interior Design HiP Award for Hospitality Seating at NeoCon 2016.

continued

Herman Miller has been named a 2020 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for twelfth consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

2015

Herman Miller earns ninth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2016 Corporate Equality Index and we were designated as Best Place to Work for LGBT equality.

This is the fourth consecutive year that Herman Miller was named one of Michigan's Best and Brightest Sustainable Companies.

Herman Miller has received the Best and Brightest in Wellness Award for the third year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller received the Forest Stewardship Council (FSC) Leadership Award for longstanding commitment to manufacturing with wood sourced from responsibly managed forests, which reduces environmental impacts by protecting against deforestation and forest degradation.

Herman Miller accepted its second Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller has once again been recognized for its commitment to best-in-class economic, environmental, and societal sustainability, earning a spot on the prestigious Dow Jones Sustainability Index (DJSI) for the twelfth consecutive year. We are the only contract furniture company recognized globally for its corporate sustainability leadership.

Herman Miller selected for inclusion in the 2015 RobecoSAM Sustainability Yearbook; awarded Bronze Class distinction for excellent sustainability performance for the second consecutive year.

Herman Miller received a Michigan Business Pollution Prevention (MBP3) Certificate – a recognition given by the Michigan Department of Environmental Quality (MDEQ) to organizations committed to environmental stewardship, conservation, and sustainable operations. This basic partnership with the MDEQ, which we've maintained since 1998, makes us eligible for our Clean Corporate Citizen (CCC) status that began in 2004 and our Environmental Leader status, which we received for the first time this past year.

MedAssets named Herman Miller Healthcare as Platinum Suppliers. MedAssets, a large group purchasing organization, helps providers enhance operational and financial performance so they can sustainably serve the needs of their community.

Herman Miller honored with five of 20 spots for the Michigan Environmental Leaders Award by the Michigan Department of Environmental Quality for our outstanding, voluntary environmental stewardship.

Renew Sit-to-Stand tables recognized on Record Products 2014 list by Architectural Record.

Herman Miller was again awarded a perfect score in the 2015 Corporate Equality Index. This is the eighth consecutive year we received a perfect score.

2014

Herman Miller has received the Best and Brightest in Wellness Award for the second year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller's Locale wins International Design Excellence Awards (IDEA) Gold in the Office & Productivity category.

Herman Miller achieves eleventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

2013

Herman Miller achieves tenth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller has received the Best and Brightest in Wellness Award. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller Earns Perfect Score on the Corporate Equality Index. We are one of only 303 major U.S. businesses to receive a perfect score in 2013, an achievement we have now obtained seven years in a row.

Herman Miller is listed in Forbes Magazine inaugural "Platinum List" of America's 400 best managed, large companies.

For the second consecutive year, Herman Miller is honored as one of West Michigan's "101 Best and Brightest Sustainable Companies".

2012

Herman Miller accepted its first Excellence in Reusable Packaging Award from the Reusable Packaging Association.

January 2020 HermanMiller for Government

continued

Herman Miller is named "Corporation of the Year" in the commercial products sector by the Michigan Minority Supplier Development Council.

In July 2012 Herman Miller was inducted into the Made in the USA Hall of Fame. Herman Miller is one of only 20 companies across the nation to receive this distinction.

Herman Miller achieves ninth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller is honored as one of West Michigan's 101 Best and Brightest Sustainable Companies.

The Sustainable Asset Management (SAM) group selected Herman Miller for inclusion in "The Sustainability Yearbook 2012" and has awarded Herman Miller both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller was named one of 16 Section Leaders on Climate Counts 2011-2012 Scorecard Report, making us the industry leader for Home and office Furnishings.

SGS International Certification Services, Inc., recognizes Herman Miller's manufacturing sites, Midwest Distribution Center, and Design Yard for initial certification to the OHSAS 18001 standard as well as re-certification to ISO 14001.

2011

Trust Across America, a company dedicated to unraveling the complexities of trustworthy business behavior, listed Herman Miller as one of their "Top Ten Most Trustworthy Companies in America 2011."

The U.S. Environmental Protection Agency (EPA) selected Herman Miller, as a WasteWise Gold Achievement—Climate Change winner.

Herman Miller achieves eighth consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

The Michigan Minority Supplier Development Council (MMSDC) named Herman Miller as its "Corporation of the Year" in the commercial products sector. This was the fifth time Herman Miller has received this award since 2005.

Herman Miller accepted its third Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

Herman Miller receives the Reader's Choice award from TreeHugger's Best of Green: Design and Architecture category for the SAYL chair.

Herman Miller earns Citibank's Global Environmental Vendor of the Year award.

The SAYL chair from Herman Miller was dubbed the "Product Design of the Year" from the 2010 International Design Awards (IDA) jury.

Herman Miller Healthcare's Compass system was awarded a 2011 Medical Design Excellence Award (MDEA) for its research-based design and ability to be used in a variety of healing spaces, while simultaneously improving the overall delivery of healthcare.

The Sustainable Asset Management (SAM) Group selected Herman Miller for inclusion in the "Sustainability Yearbook 2011" and awarded us both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller has received the top rating for a fourth consecutive year in the Human Rights Campaign (HRC) Foundation's eighth annual Corporate Equality Index. The "Best Places to Work for LGBT Equality" distinction is awarded to businesses that scored 100% on the HRC Foundation's 2011 Corporate Equality Index.

Herman Miller again tops contract furniture industry in FORTUNE's 'Most Admired' Companies survey. For the 23rd time in 25 years.

24b. Section 508 Compliance

Not applicable

25. Data Universal Numbering System (DUNS): 00-601-2801

26. Registered in System for Award Management (www.SAM.gov) Database

27. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

28. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Herman Miller Miscellaneous Information:

Federal ID Number: 38-0837640 Commercial and Government Entity Code (CAGE): 40636 Data Universal Numbering System (DUNS) 00-601-2801 Commercial Entity Code (CEC): 00702290J

January 2020 HermanMiller for Government

Introduction	page 2
Everywhere™ Tables	3
Standard-Height Tables	5
Standard-Height Table Legs and Bases	58
Standing-Height Tables	62
Occasional Tables	68
Screens	74
Power and Data Support	88
Accessories	104
Indices	135
By Name	135
By Number	137
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Stain-to-Match Program	
Vary Easy Program	
For the latest materials information, refer to the Materials page	ges on HermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective April 1, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $^{1}/_{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.


20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon <a> a will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Everywhere[™] Tables

Standard-Height Tables Standard-Height Table Legs and Bases Standing-Height Tables Occasional Tables Screens **Power and Data Support** Accessories



Product Information

Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have ½ leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes

18" depth available with square edge only.

C-leg and D-leg cannot be used with either the 18" deep or 36" deep tops.

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.


Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.

Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.

For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.

Note: UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.



Specification Information

	1.
DT1A	
Step	2. Edge
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step	3. Depth
For so	quared-edge (S.)
18	18" deep
24	24" deep
2 4 30	30" deep
36	36" deep
For th	nin-edge (T.) or eased-edge (E.)
24	24" deep
30	30" deep
36	36" deep
Step .	4. Width
Ford	8" deep (18)
48	48" wide
40 60	60" wide
72	72" wide
12	/2 wide
For 22	4" deep (24) or 30" deep (30)
36	36" wide
42	42" wide
48	48" wide
	54" wide
54	
54 60	6o" wide
	6o" wide 66" wide
60	
60 66 72	66" wide 72" wide
60 66 72	66" wide
60 66 72 For 30	66" wide 72" wide 6" deep (36)
60 66 72 For 30	66" wide 72" wide 6" deep (36) 42" wide 48" wide
60 66 72 For 30 42 48 54	66" wide 72" wide 6" deep (36) 42" wide 48" wide 54" wide
60 66 72 For 30 42 48	66" wide 72" wide 6" deep (36) 42" wide 48" wide

Step	5. Surface Material
For s	quared-edge (S.)
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
Р	painted Formcoat® top/edge
For t	hin-edge (T.)
W	veneer top/veneer edge 🛕
P	painted Formcoat® top/edge
For e	rased-edge (E.)
Р	painted Formcoat® top/edge
Step	6. Leg Type
For 1	8" deep (18) or 36" deep (36)
Р	post leg
Т	T-leg
Α	T-leg with height adjustment
For 2	24" deep (24) or 30" deep (30)
Р	post leg
Т	T-leg
Α	T-leg with height adjustment
C	C-leg
D	C-leg with height adjustment

Prices for Steps 1-6.						
	LP	LT	LA	LC	LD	WP
DT1AS. 18 48	\$756	980	1227	_	_	921
60	\$830	1079	1347	_	_	1018
72	\$896	1163	1455	_	_	1105
24 36	\$756	980	1227	980	1227	921
42	\$793	1031	1287	1031	1287	969
48	\$831	1081	1351	1081	1351	1021
54	\$882	1147	1430	1147	1430	1084
60	\$934	1214	1516	1214	1516	1154
66	\$1000	1300	1624	1300	1624	1238
72	\$1072	1391	1736	1391	1736	1329
30 36	\$785	1019	1273	1019	1273	960
42	\$824	1072	1339	1072	1339	1008
48	\$867	1125	1403	1125	1403	1065
54	\$918	1191	1489	1191	1489	1130
60	\$973	1263	1578	1263	1578	1202
66	\$1040	1351	1687	1351	1687	1290
72	\$1113	1444	1807	1444	1807	1387

36 42	\$899	1157	1456	_	_	1290	30 36				\$1467	1173	1467
48	\$912	1149	1469	_	_	1323	42				\$1541	1232	1541
54	\$996	1237	1553	_	_	1430	48				\$1615	1293	1615
60	\$1014	1252	1567	_	_	1477	54				\$1711	1369	1711
66	\$1071	1372	1727	_	_	1675	60				\$1815	1453	1815
72	\$1140	1458	1834	_	_	1754	66				\$1940	1554	1940
							72				\$2076	1662	2076
	WT	WA	WC	WD	PP	PT	36 42				\$1673	_	_
DT1AS. 18 48	\$1214	1530	-	_	870	1128	48				\$1689	_	_
60	\$1342	1689	_	_	957	1241	54				\$1784	_	_
72	\$1453	1831	_	_	1033	1340	60				\$1802	_	_
24 36	\$1214	1530	1214	1530	870	1128	66				\$1966	_	_
42	\$1278	1611	1278	1611	912	1185	72				\$2108	_	_
48	\$1344	1694	1344	1694	958	1243							
54	\$1428	1800	1428	1800	1013	1317		LP	LT	LA	LC	LD	WP
60	\$1516	1912	1516	1912	1077	1397	DT1AT. 24 36	_	_	_	_	_	\$1105
66	\$1627	2049	1627	2049	1151	1496	42	_	_	_	_	_	\$1161
72	\$1745	2196	1745	2196	1232	1598	48	_	_	_	_	_	\$1227
30 36	\$1265	1595	1265	1595	901	1173	54	_	_	_	_	_	\$1303
42	\$1330	1678	1330	1678	949	1232	60	_	_	_	_	_	\$1385
48	\$1400	1764	1400	1764	997	1293	66	_	_	_	_	_	\$1486
54	\$1488	1874	1488	1874	1053	1369	72	_	_	_	_	_	\$1594
60	\$1580	1990	1580	1990	1120	1453	30 36	_	_	_	_	_	\$1151
66	\$1694	2134	1694	2134	1196	1554	42	_	_	_	_	_	\$1211
72	\$1816	2286	1816	2286	1281	1662	48	_	_	_	_	_	\$1278
36 42	\$1552	1826	_	_	1036	1331	54	_	_	_	_	_	\$1356
48	\$1577	1857	_	_	1049	1320	60	_	_	_	_	_	\$1442
54	\$1688	1965	_	_	1146	1423	66	_	_	_	_	_	\$1549
60	\$1737	2039	_	_	1167	1440	72	_				_	\$1662
66	\$2082	2378	_	_	1185	1550	36 42	_	_	_	_	_	\$1549
72	\$2309	2668	_	_	1200	1675	48	_	_	_	_	_	\$1588
							54	_	_	_	_	_	\$1719
				PA	PC	PD	60	_	_	_	_	_	\$1774
DT1AS. 18 48				\$1410	_	_	66	_	_	_	_	_	\$2010
60				\$1550	_	_	72	_	_	_	_	_	\$2102
72				\$1672	_	_							
24 36				\$1410	1128	1410		WT	WA	WC	WD	PP	PT
42				\$1478	1185	1478	DT1AT. 24 36	\$1460	1837	1460	1837	926	1202
48				\$1554	1243	1554	42	\$1532	1933	1532	1933	972	1261
54				\$1647	1317	1647	48	\$1614	2032	1614	2032	1018	1323
60				\$1744	1397	1744	54	\$1715	2160	1715	2160	1080	1402
66				\$1867	1496	1867	60	\$1819	2293	1819	2293	1147	1489
72				\$1996	1598	1996	66	\$1952	2458	1952	2458	1227	1591
							72	\$2095	2635	2095	2635	1311	1702

30 36	\$1517	1915	1517	1915	962	1248	30 36	_	_	_	_	\$962	1248
42	\$1595	2013	1595	2013	1010	1311	42	_	_	_	_	\$1010	1311
48	\$1680	2116	1680	2116	1061	1377	48	_	_	_	_	\$1061	1377
54	\$1783	2249	1783	2249	1124	1461	54	_	_	_	_	\$1124	1461
60	\$1896	2387	1896	2387	1191	1548	60	_	_	_	_	\$1191	1548
66	\$2032	2560	2032	2560	1272	1656	66	_	_	_	_	\$1272	1656
72	\$2179	2743	2179	2743	1362	1771	72	_	_	_	_	\$1362	1771
36 42	\$1862	2191	_	_	1102	1418	36 42	_	_	_	_	\$1102	1418
48	\$1891	2230	_	_	1118	1406	48	_	_	_	_	\$1118	1406
54	\$2025	2356	_	_	1220	1515	54	_	_	_	_	\$1220	1515
60	\$2086	2448	_	_	1243	1536	60	_	_	_	_	\$1243	1536
66	\$2496	2854	_	_	1289	1602	66	_	_	_	_	\$1298	1688
72	\$2771	3200	_	_	1387	1796	72	_	_	_	_	\$1392	1806
				PA	PC	PD					PA	PC	PD
DT1AT. 24 36				\$1502	1202	1502	DT1AE. 24 36				\$1502	1202	1502
42				\$1576	1261	1576	42				\$1576	1261	1576
48				\$1656	1323	1656	48				\$1656	1323	1656
54				\$1754	1402	1754	54				\$1754	1402	1754
60				\$1857	1489	1857	60				\$1857	1489	1857
66				\$1989	1591	1989	66				\$1989	1591	1989
72				\$2127	1702	2127	72				\$2127	1702	2127
30 36				\$1562	1248	1562	30 36				\$1562	1248	1562
42				\$1638	1311	1638	42				\$1638	1311	1638
48				\$1721	1377	1721	48				\$1721	1377	1721
54				\$1824	1461	1824	54				\$1824	1461	1824
60				\$1933	1548	1933	60				\$1933	1548	1933
66				\$2066	1656	2066	66				\$2066	1656	2066
72				\$2212	1771	2212	72				\$2212	1771	2212
36 42				\$1782	_	_	36 42				\$1782	_	_
48 54				\$1799	_	_	48 54				\$1799	_	_
60				\$1902 \$1919	_	_	60				\$1902 \$1919	_	_
66				\$2140	_	_	66				\$2158	_	_
72					_	_	72					_	_
72				\$2247	_	_	12				\$2247	_	_
	WT	WA	WC	WD	PP	PT							
DT1AE. 24 36		- WA	-			1202							
42	_	_	_	_	\$972	1261							
48	_	_	_	_	\$1018	1323							
54	_	_	_	_	\$1010	1402							
60	_	_	_	_	\$1000	1489							
66	_	_	_	_	\$1227	1591							
72	_	_	_	_	\$1311	1702							
12					41711	1,02							


Step 7			Top/E	Edge Finish: Wood Veneer	
			Forve	eneer top/veneer edge (W)	
Top Fi	nish		2U	light brown walnut 🛕	+\$50
For lar	ninate top/thermoplastic edge (L)		40	dark brown walnut 🛕	+\$50
76	light brown walnut	+\$0	ED	aged cherry A	+\$50
91	white	+ \$o	EK	medium red walnut A	+\$50
98	studio white	+\$ 0	EW	medium matte walnut A	+\$50
8Q	folkstone grey	+ \$o	ET	clear on ash 🛕	+\$50
CL	cool grey neutral	+\$o	EU	oak on ash 🛕	+\$50
HF	inner tone light	+\$o	EV	walnut on ash A	+\$50
нм	natural maple	+ \$o	UL	natural maple A	+\$50
HP	light anigre	+\$ 0	UX	walnut on cherry A	+\$50
HT	inner tone	+ \$o			
нх	aged cherry	+ \$o	Top/E	Edge Finish: Opaque Formcoat®	
HY	walnut on cherry	+ \$o	For po	ainted Formcoat® top/edge (P)	
LA	light ash	+ \$o	8Q	folkstone grey	+\$0
LBA	clear on ash	+ \$o	91	white	+\$0
LBR	phantom ecru	+\$ 0	CL	cool grey neutral	+\$ o
LBS	phantom cocoa	+\$ 0	LU	soft white	+\$0
LBU	medium matte walnut	+\$o	WL	sandstone	+\$0
LBV	warm grey teak	+\$ 0	WN	warm grey neutral	+\$0
LBB	oak on ash	+ \$o			
LBC	walnut on ash	+ \$o	Step	8. Edge Finish	
LBD	dark brown walnut	+ \$o	For la	minate top/thermoplastic edge (L)	
LBE	medium red walnut	+ \$o	76	light brown walnut	+ \$o
LBF	neutral twill	+ \$o	8Q	folkstone grey	+\$ o
LBG	sarum twill	+ \$o	91	white	+ \$o
LBH	earthen twill	+ \$o	98	studio white	+ \$o
LBJ	graphite twill	+ \$o	CL	cool grey neutral	+ \$o
LBK	pewter mesh	+ \$o	LA	light ash	+ \$o
LBL	steel mesh	+ \$o	LBA	clear on ash	+\$ o
LBM	crisp linen	+ \$o	LBR	phantom ecru	+\$ o
LBN	classic linen	+ \$o	LBS	phantom cocoa	+ \$o
LBP	casual linen	+ \$o	LBU	medium matte walnut	+ \$o
LBQ	white twill	+ \$o	LBV	warm grey teak	+ \$o
LU	soft white	+\$ 0	LBB	oak on ash	+\$0
WL	sandstone	+\$o	LBC	walnut on ash	+\$0
WN	warm grey neutral	+ \$o	LBD	dark brown walnut	+\$ 0
			LBE	medium red walnut	+\$0
			LBF	neutral twill	+\$0
			LBG	sarum twill	+\$0
			LBH	earthen twill	+\$0
			LBJ	graphite twill	+\$0
			LBK	pewter mesh	+\$0
			LBL	steel mesh	+\$0
			LBM	crisp linen	+\$0
			IDN	classic linon	. \$0

LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нт	inner tone	+\$0
нх	aged cherry	+\$0
ΗY	walnut on cherry	+\$0
LU	soft white	+\$0
9V	tapestry beige	+\$0
Step). Leg Finish	
Metal	lic Paint	
For po	ost leg (P), T-leg (T), or C-leg (C)	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
	Texture Paint	
For po	ost leg (P), T-leg (T), or C-leg (C)	
BK	black	+\$0
	th Paint	
For po	ost leg (P), T-leg (T), or C-leg (C)	
BQ	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
For po	ost leg (P), T-leg (T), or C-leg (C)	
CD	polished aluminum	+\$110

Metal	lic Paint	
For T-	leg with height adjustment (A) or C-leg with height ad	justment (D)
CN	metallic champagne	+\$0
EH	metallic bronze	+\$o
MS	metallic silver	+\$0
	th Paint	
For T-	leg with height adjustment (A) or C-leg with height ad	justment (D)
8Q	folkstone grey	+\$o
91	white	+\$ 0
98	studio white	+\$ 0
BU	black umber	+\$ 0
CL	cool grey neutral	+\$o
G2	graphite satin	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$0
For T-	leg with height adjustment (A) or C-leg with height ad,	justment (D)
CD	polished aluminum	+\$110
Step :	ıo. Casters/Glides	
20	casters	+\$o
57	glides	+\$0
Step	11. Grommets	
For so	nuared-edge (S.) with 18" deep (18)	
NTG	no grommet	+\$0
For 22	4" deep (24), 30" deep (30) AND 36" deep (36)	
NTG	no grommet	+\$o
253	cutout for Y1420. or Y1425 3 port	+\$27
254	cutout for Y1420. or Y1425 5 port	+\$27
255	cutout for Y1420. or Y1425 6 port	+\$27

Square Table

DT1BE. DT1BS. DT1BT.



Product Information

Description


This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have $\frac{1}{2}$ " leveling range. Shipped knocked down.

Notes

48" tops available only with post leg option for optimum stability.
42" top (4242) with 4-column base (X) available only with glides.
Casters are not compatible with this top/base combination.
For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect $^{\text{\tiny M}}$ single circuit electrical product (Y137x.) with post leg (P) option.

Dimensions



Speci	fication Information
Step 1.	
DT1B	
Step 2	. Edge
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3	Depth/Width
3030	30" deep x 30" wide
3636	36" deep x 36" wide
4242	42" deep x 42" wide
4848	48" deep x 48" wide
Step 4	Surface Material
For sq	uared-edge (S.)
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
Р	painted Formcoat® top/edge
For thi	n-edge (T.)
W	veneer top/veneer edge A
Р	painted Formcoat® top/edge
For eas	sed-edge (E.)
Р	painted Formcoat® top/edge
Step 5	Leg/Base Type
For 30	' deep x 30" wide (3030)
Р	post leg
Χ	4-column base
S	single-column base A
For 36	' deep x 36" wide (3636)
Р	post leg
Х	4-column base
S	single-column base A
For 42	' deep x 42" wide (4242)
Р	post leg
X	4-column base
For 48	' deep x 48" wide (4848)
• • • • • • • • • • • • • • • • • • • •	post leg

Prices i	or Ste	05 1-5.			
			P	Х	S
DT1BS.	3030	L	\$718	932	793
		W	\$907	1196	1007
		P	\$826	1074	912
***************************************	3636	L	\$862	1118	951
		W	\$1101	1447	1224
		P	\$992	1286	1092
***************************************	4242	L	\$990	1285	_
		W	\$1272	1672	_
		P	\$1137	1476	_
***************************************	4848	L	\$1108	_	_
		W	\$1494	_	_
		P	\$1273	_	-
			P	х	S
DT1BT.	3030	W	\$1087	1436	1210
		P	\$881	1144	972
***************************************	3636	W	\$1320	1736	1467
		P	\$1054	1368	1163
	4242	W	\$1527	2008	_
		P	\$1211	1574	_
***************************************	4848	W	\$1792	_	_
		P	\$1357	_	_
		P	\$1357 P	_ x	S
DT1BE.	3030			X	- S 972
DT1BE.	3030 3636	P	P		
DT1BE.		P P	P \$881	1144	972

Step 6.			Top/Edge Finish: Wood Veneer			
			For ve	neer top/veneer edge (W)		
Top Fi	nish		2U	light brown walnut 🛕	+\$50	
For lar	ninate top/thermoplastic edge (L)		40	dark brown walnut 🛕	+\$50	
76	light brown walnut	+\$0	ED	aged cherry A	+\$50	
91	white	+\$o	EK	medium red walnut [A]	+\$50	
98	studio white	+\$o	EW	medium matte walnut A	+\$50	
8Q	folkstone grey	+\$o	ET	clear on ash 🛕	+\$50	
CL	cool grey neutral	+\$o	EU	oak on ash 🛕	+\$50	
HF	inner tone light	+\$o	EV	walnut on ash A	+\$50	
нм	natural maple	+\$o	UL	natural maple A	+\$50	
HP	light anigre	+\$o	UX	walnut on cherry A	+\$50	
HT	inner tone	+\$o				
нх	aged cherry	+\$o	Top/E	dge Finish: Opaque Formcoat®		
HY	walnut on cherry	+\$o	For pa	ninted Formcoat® top/edge (P)		
LA	light ash	+\$o	8Q	folkstone grey	+\$0	
LBA	clear on ash	+\$o	91	white	+ \$o	
LBR	phantom ecru	+\$o	CL	cool grey neutral	+ \$o	
LBS	phantom cocoa	+\$o	LU	soft white	+ \$o	
LBU	medium matte walnut	+\$o	WL	sandstone	+\$o	
LBV	warm grey teak	+\$o	WN	warm grey neutral	+ \$o	
LBB	oak on ash	+\$o				
LBC	walnut on ash	+\$o	Step 7	7. Edge Finish		
LBD	dark brown walnut	+\$o	For la	minate top/thermoplastic edge (L)		
LBE	medium red walnut	+\$o	76	light brown walnut	+\$0	
LBF	neutral twill	+\$o	8Q	folkstone grey	+ \$o	
LBG	sarum twill	+\$o	91	white	+ \$o	
LBH	earthen twill	+\$o	98	studio white	+\$ 0	
LBJ	graphite twill	+\$o	CL	cool grey neutral	+\$ 0	
LBK	pewter mesh	+\$o	LA	light ash	+ \$o	
LBL	steel mesh	+\$o	LBA	clear on ash	+\$ o	
LBM	crisp linen	+\$o	LBR	phantom ecru	+\$0	
LBN	classic linen	+\$o	LBS	phantom cocoa	+\$0	
LBP	casual linen	+\$o	LBU	medium matte walnut	+\$ 0	
LBQ	white twill	+\$o	LBV	warm grey teak	+\$ 0	
LU	soft white	+\$o	LBB	oak on ash	+\$ 0	
WL	sandstone	+\$o	LBC	walnut on ash	+\$0	
WN	warm grey neutral	+\$o	LBD	dark brown walnut	+\$ 0	
			LBE	medium red walnut	+\$ 0	
			LBF	neutral twill	+\$0	
			LBG	sarum twill	+\$ 0	
			LBH	earthen twill	+\$0	
			LBJ	graphite twill	+\$ 0	
			LBK	pewter mesh	+\$0	
			LBL	steel mesh	+\$ 0	
			LBM	crisp linen	+\$ 0	
			LBN	classic linen	+\$0	

casual linen

white twill

sandstone

warm grey neutral

LBP

LBQ

WL

WN

HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
Step	8. Leg Finish	
Meta	llic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand	Texture Paint	
ВК	black	+\$0
Smoo	oth Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110
Step	9. Casters/Glides	
20	casters	+\$0
57	glides	+\$0
	-column base (X)	
57	glides	+\$0

+\$o

+\$o

+\$o

+\$o

Round Table

DT1CE. DT1CS. DT1CT.



Product Information

Description

This round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes


48" and 60" tops available only with post leg option for optimum stability.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

Dimensions



Spe	ification Information
Step	1.
DT1C	
Step	2. Edge
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step	3. Diameter
30	30" diameter
36	36" diameter
42	42" diameter
48	48" diameter
60	6o" diameter
Step	4. Surface Material
For si	quared-edge (S.)
I	laminate top/thermoplastic edge
w	veneer top/veneer edge A
P.	painted Formcoat® top/edge
•	painted formedat top/edge
For th	in-edge (T.)
W	veneer top/veneer edge [A]
P	painted Formcoat® top/edge
For e	nsed-edge (E.)
P	painted Formcoat® top/edge
Step	5. Leg/Base Type
For 2	o" diameter (30) or 36" diameter (36)
ر ۱۵۰ P	post leg
Х	4-column base
S	single-column base A
_	
For 4	2" diameter (42)
P	post leg
X	4-column base
For 4	B" diameter (48) or 60" diameter (60)
	post leg

Drices f	nr S	teps 1-5.			
THECS	01 3	терэ 1-5.	Р	Х	S
DT1CS.	30	L	\$824	1074	912
		W	\$1044	1375	1158
		P	\$949	1234	1049
***************************************	36	L	\$992	1285	1046
		W	\$1044	1664	1404
		P	\$1140	1476	1203
***************************************	42	L	\$1137	1412	_
		W	\$1465	1923	_
		P	\$1308	1624	_
	48	L	\$1272	_	_
		W	\$1718	_	_
		P	\$1466	_	_
	60	L	\$1389	_	_
		W	\$1881	_	_
		P	\$1595	_	_
			Р	Х	S
DT1CT.	30	W	\$1252	1651	1391
		P	\$1010	1314	1118
***************************************	36	W	\$1252	1996	1685
		P	\$1213	1574	1282
***************************************	42	W	\$1757	2307	_
		P	\$1394	1730	_
	48	W	\$2060	_	_
		P	\$1559	_	_
	60	W	\$2256	_	_
		Р	\$1700	_	_
			P	Х	S
DT1CE.	30	P	\$1010	1314	1118
***************************************	36	Р	\$1213	1574	1282
	42	P	\$1394	1730	_
	48	P	\$1559	_	_
	60	P	\$1700	_	_
Step 6.					
Top Fin	ish				
		e top/thermoplastic edge	(L)		
38		light			+\$0
39		sert			+\$0
76		nt brown walnut			+\$0
91	wh				+\$0
98		dio white			+\$0
8Q		cstone grey			+\$0
-		<u> </u>			

CL	cool grey neutral	+ \$o	Top/Edge Finish: Opaque Formcoat®		
HF	inner tone light	+ \$o	For painted Formcoat® top/edge (P)		
нм	natural maple	+ \$o	8Q	folkstone grey	+\$c
HP	light anigre	+ \$o	91	white	+\$0
HT	inner tone A	+ \$o	CL	cool grey neutral	+\$0
нх	aged cherry	+ \$o	LU	soft white	+\$0
HY	walnut on cherry	+ \$o	WL	sandstone	+\$0
LA	light ash	+\$o	WN	warm grey neutral	+\$0
LBA	clear on ash	+ \$o			
LBR	phantom ecru	+ \$o	Step	7. Edge Finish	
LBS	phantom cocoa	+\$o	For la	minate top/thermoplastic edge (L)	
LBU	medium matte walnut	+ \$o	76	light brown walnut	+\$0
LBV	warm grey teak	+\$o	8Q	folkstone grey	+\$0
LBB	oak on ash	+\$o	91	white	+\$0
LBC	walnut on ash	+\$o	98	studio white	+\$0
LBD	dark brown walnut	+\$o	CL	cool grey neutral	+\$0
LBE	medium red walnut	+\$o	LA	light ash	+\$0
LBF	neutral twill	+\$o	LBA	clear on ash	+\$0
LBG	sarum twill	+ \$o	LBR	phantom ecru	+\$0
LBH	earthen twill	+\$o	LBS	phantom cocoa	+\$0
LBJ	graphite twill	+\$o	LBU	medium matte walnut	+\$0
LBK	pewter mesh	+\$o	LBV	warm grey teak	+\$0
LBL	steel mesh	+\$o	LBB	oak on ash	+\$0
LBM	crisp linen	+\$o	LBC	walnut on ash	+\$0
LBN	classic linen	+\$o	LBD	dark brown walnut	+\$0
LBP	casual linen	+\$o	LBE	medium red walnut	+\$0
LBQ	white twill	+\$o	LBF	neutral twill	+\$0
LU	soft white	+\$o	LBG	sarum twill	+\$0
WL	sandstone	+\$o	LBH	earthen twill	+\$0
WN	warm grey neutral	+\$o	LBJ	graphite twill	+\$0
			LBK	pewter mesh	+\$0
Top/E	dge Finish: Wood Veneer		LBL	steel mesh	+\$0
For ve	neer top/veneer edge (W)		LBM	crisp linen	+\$0
2U	light brown walnut 🛕	+\$50	LBN	classic linen	+\$0
40	dark brown walnut 🛕	+\$50	LBP	casual linen	+\$0
ED	aged cherry A	+\$50	LBQ	white twill	+\$0
EK	medium red walnut 🛕	+\$50	WL	sandstone	+\$0
EW	medium matte walnut 🛕	+\$50	WN	warm grey neutral	+\$0
ET	clear on ash 🛕	+\$50	HF	inner tone light	+\$0
EU	oak on ash 🛕	+\$50	HM	natural maple	+\$0
EV	walnut on ash A	+\$50	HP	light anigre	+\$0
UL	natural maple A	+\$50	HT	inner tone A	+\$0
UX	walnut on cherry A	+\$50	нх	aged cherry	+\$0
			HY	walnut on cherry	+\$0
			LU	soft white	+\$0

Step	8. Leg/Base Finish	
Meta	llic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand	Texture Paint	
ВК	black	+\$0
Smoo	oth Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110
Step	9. Casters/Glides	
20	casters	+\$0
57	glides	+\$0



Product Information

Description

This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.


Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.



For 72"	wide (72) or 84" wide (84)
P	post leg
E	double 3-column base
G	double 3-column base, spanner

Prices for Steps 1-6.						
	LP	LE	LG	WP	WE	WG
DT1DS. 30 48	\$967	_	1592	1433	_	2407
60	\$1044	_	1721	1553	_	2604
36 60	\$1158	_	1910	1733	_	2899
72	\$1332	2262	2197	2001	3445	3344
42 72	\$1426	2420	2350	2147	3692	3583
84	\$1467	2488	2415	2208	3796	3686
				PP	PE	PG
DT1DS. 30 48				\$1111		1833
60				\$1200	_	1979
36 60				\$1332	_	2197
72				\$1532	2603	2527
42 72				\$1640	2784	2702
84				\$1685	2862	2778
				WD	14/5	we
DT4DT 20 40	LP	LE	LG	WP	WE	WG
DT1DT. 30 48 60	_	_	_	\$1721	_	2886
36 60			<u> </u>	\$1863 \$2080		3123
72	_	_	_	\$2403	-	3478
42 72	·····			\$2577	4134	4013
42 72 84	_	_	_		4431	4299
04	_	_	_	\$2649	4557	4423
				PP	PE	PG
DT1DT. 30 48				\$1184	_	1950
60				\$1279		2105
36 60				\$1419	_	2340
72				\$1631	2771	2690
42 72				\$1746	2963	2878
84				\$1797	3048	2958
				PP	PE	PG
DT1DE. 30 48				\$1184	_	1950
60				\$1279	_	2105
36 60				\$1419	_	2340
72				\$1631	2771	2690
42 72				\$1746	2963	2878
84				\$1797	3048	2958


Step 7	7.		LM	mahogany	+\$0
			LT	light tone A	+\$0
Top Fi	inish		LU	soft white	+\$0
For la	minate top/thermoplastic edge (L)		MT	medium tone	+\$0
1X	vanilla	+\$0	OG	honey maple A	+\$0
28	canyon	+ \$o	WL	sandstone	+\$0
29	misted	+\$o	WN	warm grey neutral	+\$0
2X	wheat	+ \$o	X1	chalk white A	+\$0
38	twilight	+ \$o			
39	desert	+\$o	Top/E	Edge Finish: Wood Veneer	
3X	celery	+\$o	For ve	eneer top/veneer edge (W)	
4X	coriander	+ \$o	2U	light brown walnut 🛕	+\$50
5X	chamomile	+ \$o	40	dark brown walnut 🛕	+\$50
6X	cinnamon	+ \$o	ED	aged cherry A	+\$50
76	light brown walnut	+\$o	EK	medium red walnut 🛕	+\$50
7X	cardamom	+\$o	EW	medium matte walnut 🛽 A	+\$50
8Q	folkstone grey	+\$o	ET	clear on ash 🛕	+\$50
8X	kale	+\$ o	EU	oak on ash 🛕	+\$50
91	white	+\$o	EV	walnut on ash 🛕	+\$50
98	studio white	+\$o	UL	natural maple 🛕	+\$50
CL	cool grey neutral	+\$o	UX	walnut on cherry A	+\$50
HF	inner tone light	+\$o			
нм	natural maple	+\$o	Top/E	Edge Finish: Opaque Formcoat®	
HP	light anigre	+\$ o	For po	ainted Formcoat® top/edge (P)	
HT	inner tone A	+\$ o	8Q	folkstone grey	+\$0
нх	aged cherry	+\$ o	91	white	+\$ o
HY	walnut on cherry	+\$ o	CL	cool grey neutral	+\$ o
LA	light ash	+\$ o	LU	soft white	+\$ o
LBA	clear on ash	+\$o	WL	sandstone	+\$0
LBB	oak on ash	+\$ o	WN	warm grey neutral	+\$ o
LBC	walnut on ash	+\$o			
LBD	dark brown walnut	+\$o	Step	8. Edge Finish	
LBE	medium red walnut	+\$o	For la	minate top/thermoplastic edge (L)	
LBF	neutral twill	+\$o	28	canyon	+\$0
LBG	sarum twill	+ \$o	29	misted	+\$0
LBH	earthen twill	+ \$o	38	twilight	+\$0
LBJ	graphite twill	+\$o	39	desert	+\$0
LBK	pewter mesh	+ \$o	76	light brown walnut	+\$0
LBL	steel mesh	+ \$o	8Q	folkstone grey	+\$0
LBM	crisp linen	+ \$o	8Z	neutral grey	+\$0
LBN	classic linen	+ \$o	91	white	+ \$o
LBP	casual linen	+ \$0	98	studio white	+\$0
LBQ	white twill	+ \$o	9V	tapestry beige	+ \$o
LBR	phantom ecru	+ \$o	BU	black umber A	+ \$o
LBS	phantom cocoa	+ \$0	CL	cool grey neutral	+\$0
LBU	medium matte walnut	+ \$o	CM	cinnamon	+ \$o
LBV	warm grey teak	+ \$o	CO	chamomile	+ \$o

G2	graphite satin	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone A	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
JB	millwork cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LM	mahogany	+\$o
LT	light tone A	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
N3	cool grey	+\$o
OG	honey maple A	+\$ 0
SG	slate grey	+\$o
WA	wheat	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
X1	chalk white A	+\$0
Step 9.	Leg/Base Finish	
Metalli	c Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0

Sand	Texture Paint	
BK	black	+\$0
Smoo	oth Paint	
31110C	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110
CD	polished alaliman	+\$110
Step	10. Casters/Glides	
20	casters	+\$o
57	glides	+\$0
<u> </u>		
	11. Grommets	*
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425 3 port	+\$27
254	cutout for Y1420. or Y1425 5 port	+\$27
255	cutout for Y1420. or Y1425 6 port	+\$27

D-Shaped Table

DT1EE. DT1ES. DT1ET.



Product Information

Description

This D-shaped table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes

Thin edge and eased edge tops available only with 30" deep surfaces. T-leg and T-leg with height adjustment cannot be used with 18" deep tops.

Cable grommet options available through Vary Easy Program for round pass through grommet with $2^1/4^n$ hole clearance. Holes are located 3^n from rear edge and 6^n from end for the L and R options. Covers not provided with painted surface option.


Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.

Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.



Speci	fication Information
Step 1	
DT1E	
Step 2	. Edge
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3	. Depth/Width
For thi	n-edge (T.) or eased-edge (E.)
3060	30" deep x 60" wide
For sq	uared-edge (S.)
1836	18" deep x 36" wide
2448	24" deep x 48" wide
3060	30" deep x 60" wide
Step 4	. Surface Material
For sq	uared-edge (S.)
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For thi	n-edge (T.)
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For ea	sed-edge (E.)
P	painted Formcoat® top/edge
Step 5	. Leg Type
, -	
For 18	. Leg Type " deep x 36" wide (1836) post leg
For 18	" deep x 36" wide (1836)
For 18	" <i>deep x 36" wide (1836)</i> post leg
For 18 P For 30	" deep x 36" wide (1836) post leg " deep x 60" wide (3060) or 24" deep x 48" wide (2448)

Prices f	or Step	OS 1-5.						
						Р	Т	Α
DT1ES.	1836	L				\$754	_	_
		W				\$878	_	_
		Р				 \$868	_	_
	2448					\$904	1419	1719
		W				\$1066	1598	2030
		P				 \$1040	1631	1975
	3060					\$1039	1630	1974
		W				\$1234	1856	2357
		Р				\$1195	1875	2269
						Р	Т	Α
DT1ET.	3060	W				\$1479	2228	2829
		Р				\$1271	1996	2417
						Р	Т	Α
DT1EE.	3060	Р				\$1271	1996	2417
C:								
Step 6.								
Top Fini	ish							
For lam	inate t	op/therm	oplasti	c edge	e (L)			
28	canyo	n				 		+\$0
29	miste							+\$o
38	twilig	ht						+\$ 0
39	deser							+\$0
76		orown wal	lnut					+\$0
91	white	1.1						+\$0
98		o white						+\$0
1X 2X	vanilla							+\$0
2X 3X	wheat							+\$o +\$o
4X	coriar							+\$0
5X	cham							+\$0
6X	cinna							+\$0
7X	carda							+\$0
8X	kale	- 1						+\$0
8Q		one grey						+\$o
CL		rey neutr	al					+\$0
HF		tone light						+\$o
нм	natura	al maple						+ \$0
HP	light a	anigre						+\$ o
HT	inner	tone						+\$o
НХ	aged	cherry						+ \$0
HY		it on cher	ry					+\$o
LA	light a	ash						+\$ 0

LBA	clear on ash	+\$o	Top/Edge Finish: Opaque Formcoat®		
LBR	phantom ecru	+ \$o	For painted Formcoat® top/edge (P)		
LBS	phantom cocoa	+\$o	8Q	folkstone grey	+\$c
LBU	medium matte walnut	+\$o	91	white	+\$0
LBV	warm grey teak	+\$o	CL	cool grey neutral	+\$0
LBB	oak on ash	+\$o	LU	soft white	+\$0
LBC	walnut on ash	+\$o	WL	sandstone	+\$0
LBD	dark brown walnut	+\$o	WN	warm grey neutral	+\$0
LBE	medium red walnut	+ \$o			
LBF	neutral twill	+\$o	Step	7. Edge Finish	
LBG	sarum twill	+\$o	For la	minate top/thermoplastic edge (L)	
LBH	earthen twill	+\$o	76	light brown walnut	+\$0
LBJ	graphite twill	+\$o	8Q	folkstone grey	+\$0
LBK	pewter mesh	+\$o	91	white	+\$0
LBL	steel mesh	+\$o	98	studio white	+\$0
LBM	crisp linen	+\$o	CL	cool grey neutral	+\$0
LBN	classic linen	+\$o	LA	light ash	+\$0
LBP	casual linen	+\$o	LBA	clear on ash	+\$0
LBQ	white twill	+\$o	LBR	phantom ecru	+\$0
LM	mahogany	+\$o	LBS	phantom cocoa	+\$0
LT	light tone	+\$ 0	LBU	medium matte walnut	+\$0
LU	soft white	+\$ 0	LBV	warm grey teak	+\$0
MT	medium tone	+\$o	LBB	oak on ash	+\$0
OG	honey maple	+\$o	LBC	walnut on ash	+\$0
WL	sandstone	+\$o	LBD	dark brown walnut	+\$0
WN	warm grey neutral	+\$o	LBE	medium red walnut	+\$0
X1	chalk white	+ \$o	LBF	neutral twill	+\$0
			LBG	sarum twill	+\$0
Top/Edge Finish: Wood Veneer		LBH	earthen twill	+\$0	
For ve	neer top/veneer edge (W)		LBJ	graphite twill	+\$0
2U	light brown walnut 🛕	+\$50	LBK	pewter mesh	+\$0
40	dark brown walnut 🛕	+\$50	LBL	steel mesh	+\$0
ED	aged cherry A	+\$50	LBM	crisp linen	+\$0
EK	medium red walnut 🖪	+\$50	LBN	classic linen	+\$0
EW	medium matte walnut [A]	+\$50	LBP	casual linen	+\$0
ET	clear on ash 🛕	+\$50	LBQ	white twill	+\$0
EU	oak on ash 🛕	+\$50	WL	sandstone	+\$0
EV	walnut on ash 🛕	+\$50	WN	warm grey neutral	+\$0
UL	natural maple A	+\$50	HF	inner tone light	+\$0
UX	walnut on cherry A	+\$50	нм	natural maple	+\$0
			HP	light anigre	+\$0
			HT	inner tone	+\$0
			нх	aged cherry	+\$0
			HY	walnut on cherry	+\$0
			LU	soft white	+\$0

Step	8. Leg Finish	
Meta	llic Paint	
For p	ost leg (P) or T-leg (T)	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand	Texture Paint	_
For p	ost leg (P) or T-leg (T)	
ВК	black	+\$0
Smoo	oth Paint	
For p	ost leg (P) or T-leg (T)	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$o
G2	graphite satin	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$0
For p	ost leg (P) or T-leg (T)	
CD	polished aluminum	+\$110
Meta	llic Paint	
For T	-leg with height adjustment (A)	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0

Smoo	th Paint	
or T-	leg with height adjustment (A)	
3Q	folkstone grey	+\$ c
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
32	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
ΝТ	medium tone	+\$0
SG	slate grey	+\$0
٨L	sandstone	+\$0
٧N	warm grey neutral	+\$0
or T-	leg with height adjustment (A)	
CD	polished aluminum	+\$110
Step	9. Casters/Glides	
20	casters	+\$0
57	glides	+\$0

Soft Rectangle - Meeting Table

DT1FE. DT1FS. DT1FT.



Product Information

Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes


When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1F

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

30 30" deep

36 36" deep

42 42" deep

Step 4. Width

For 30" deep (30)

48 48" wide

60 60" wide

For 36" deep (36)

60 6o" wide

72 72" wide

For 42" deep (42)

72 72" wide

84 84" wide

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Prices for Steps 1-6.

Step 6	5. Leg/Base Type
For (S	" wide (48) or 60" wide (60)
Р	post leg
G	double 3-column base, spanner
Т	T-leg
Α	T-leg with height adjustment
For 72	" wide (72) or 84" wide (84)
Р	post leg
E	double 3-column base
G	double 3-column base, spanner

	LP	LE	LG	LT	LA	WP
48	\$1111	_	1832	1567	1955	1650
60	\$1200	_	1978	1712	2253	1784
60	\$1332	_	2197	1933	1974	1992
72	\$1532	2603	2526	_	_	2302
84	\$1685	2859	2776	_	_	2538
72	\$1640	2784	2702	_	_	2467
	WE	WG	WT	WA	PP	PE
48	_	\$2766	2502	2492	1276	_
60	_	\$2994	2728	2876	1380	_
60	_	\$3334	3070	2580	1530	_
72	\$3963	3846	_	_	1761	2992
84	\$4366	4237	_	_	1938	3288
72	\$4244	4120	_	_	1886	3200
				PG	PT	PA
48				\$2105	1802	2250
60				\$2272	1971	2591
60				\$2526	2221	2269
72				\$2904	_	_
~ .				\$3192		_
84				43192	_	
72				\$3192	_	_
	LP	LE	LG		_ _ LA	_ WP
	LP —	LE —	LG —	\$3108	_ 	WP \$1978
72	LP - -	LE - -	LG _ _	\$3108		
72	LP - -	LE	LG	\$3108	_	\$1978
72 48 60	LP - - - -		LG	\$3108	_ _	\$1978 \$2143
72 48 60 60	LP		LG - - - -	\$3108	_ _	\$1978 \$2143 \$2390
	60 72 84 72 48 60 60 72 84 72 48 60 60 72	48	48	\$\frac{48}{60}\$\$ \$\frac{\$\frac{1}{1}}{1}\$ \$-\$ \$\frac{1}{8}\frac{2}{6}\$\$ \$\frac{1}{2}\text{00}\$ \$-\$ \$\frac{1}{9}\text{78}\$\$ \$\frac{60}{60}\$\$ \$\frac{\$\frac{1}{3}\text{32}}{2}\$ \$-\$ \$\frac{2}{197}\$\$ \$\frac{1}{5}\text{32}\$ \$\frac{2}{603}\$ \$\frac{2}{5}\text{26}\$ \$\frac{84}{84}\$ \$\frac{\$\frac{1}{640}}{2784}\$ \$\frac{2}{702}\$\$\$ \$\frac{\text{WE}}{\text{WG}}\$ \$\frac{\text{WG}}{\text{WG}}\$ \$\frac{\text{WT}}{\text{48}}\$ \$-\$ \$\frac{\$\frac{2}{5}\text{02}}{2728}\$ \$\frac{60}{-}\$ \$\frac{\$\frac{2}{3}\text{994}}{3963}\$ \$\frac{3}{3}\text{46}\$ \$-\$ \$\frac{\$\frac{2}{3}\text{994}}{4120}\$ \$\frac{2}{-}\$ \$\frac{\$\frac{42}{44}}{4120}\$ \$\frac{4120}{-}\$ \$\frac{48}{60}\$ \$\frac{60}{60}\$ \$\frac{48}{60}\$ \$\frac{60}{60}\$	\$48	\$\frac{48}{60}

			WE	WG	WT	WA	PP	PE
DT1FT.	30	48	_	\$3318	3001	2992	1359	_
		60	_	\$3591	3273	3452	1469	_
	36	60	_	\$3999	3682	3097	1630	_
		72	\$4754	4613	_	_	1877	3186
••••	42	84	\$5238	5084	_	·····	2064	3505
		72	\$5092	4943	-	_	2008	3406
						PG	PT	PA
DT1FT.	30	48				\$2243	2877	3592
		60				\$2422	3145	4136
	36	60				\$2689	3547	3625
		72				\$3093	_	_
	42	84				\$3401	_	_
		72				\$3310	_	_
			WE	WG	WT	WA	PP	PE
DT1FE.	30	48	_	_	_	_	\$1359	_
		60	_	_	_	_	\$1469	_
	36	60	_	_	_	_	\$1630	_
		72	_	_	_	_	\$1877	3186
	42	84	·····	—	·····	·····	\$2064	3505
		72	_	_	_	-	\$2008	3406
						PG	PT	PA
DT1FE.	30	48				\$2243	1919	2397
		60				\$2422	2098	2758
	36	60				\$2689	2365	2417
		72				\$3093	_	_
	42	84				\$3401	_	_
		72				\$3310	_	_
Step 7.								
Step 7. Top Fin	ish							
Top Fin		e top/thermo	oplastic e	dge (L)				
Top Fin	inat	<i>e top/thermo</i>	oplastic e	dge (L)				+\$0
Top Fin For lam 28	<i>inat</i> can	yon	oplastic e	dge (L)				+\$o +\$o
Top Fin <i>For lam</i> 28 29	<i>inat</i> can mis	yon sted	oplastic e	dge (L)				+\$o
Top Fin <i>For lam</i> 28 29 38	<i>inat</i> can mis	yon ited light	oplastic e	dge (L)				+\$0 +\$0
Top Fin For lam 28 29 38 39	can mis twil	yon ited light sert		dge (L)				+\$0 +\$0 +\$0
Top Fin For lam 28 29 38 39	can mis twil des	yon sted light sert st brown wal		dge (L)				+\$0 +\$0 +\$0 +\$0
Top Fin For lam 28 29 38 39 76	can mis twil des ligh	yon sted light sert nt brown wal ite		dge (L)				+\$0 +\$0 +\$0 +\$0 +\$0
Top Fin For lam 28 29 38 39 76 91	can mis twil des ligh whi	yon sted light sert it brown wal ite dio white		dge (L)				+\$0 +\$0 +\$0 +\$0 +\$0 +\$0
Top Fin For lam 28 29 38 39 76 91 98 1X	can mis twil des ligh whi stu	yon Ited Iight Iert It brown wal Ite Iilo white		dge (L)				+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
Top Fin For lam 28 29 38 39 76 91 98 1X 2X	can mis twil des ligh whi stu- van	yon ited light sert it brown wal ite dio white iilla eat		dge (L)				+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
Top Fin For lam 28 29 38 39 76 91 98 1X	can miss twil dess ligh whi stu- van who cele	yon ited light sert it brown wal ite dio white iilla eat		dge (L)				+\$0 +\$0 +\$0 +\$0 +\$0 +\$0

5X	chamomile	+\$o	Top/E	dge Finish	
6X	cinnamon	+\$o	For ve	neer top/veneer edge (W)	
7X	cardamom	+\$o	2U	light brown walnut 🛕	+\$85
8X	kale	+\$o	40	dark brown walnut 🛕	+\$85
8Q	folkstone grey	+\$o	ED	aged cherry A	+\$85
CL	cool grey neutral	+\$o	EK	medium red walnut 🛕	+\$85
HF	inner tone light	+\$o	EW	medium matte walnut 🛕	+\$85
нм	natural maple	+\$o	ET	clear on ash 🛕	+\$85
HP	light anigre	+\$o	EU	oak on ash 🛕	+\$85
HT	inner tone	+\$o	EV	walnut on ash 🛕	+\$85
нх	aged cherry	+\$o	UL	natural maple 🛕	+\$85
HY	walnut on cherry	+\$o	UX	walnut on cherry A	+\$85
LA	light ash	+\$o			
LBA	clear on ash	+\$o	Top/E	dge Finish: Opaque Formcoat®	
LBR	phantom ecru	+\$o	For pa	ninted Formcoat® top/edge (P)	
LBS	phantom cocoa	+\$o	8Q	folkstone grey	+\$0
LBU	medium matte walnut	+\$o	91	white	+\$0
LBV	warm grey teak	+\$o	CL	cool grey neutral	+\$0
LBB	oak on ash	+\$o	LU	soft white	+\$0
LBC	walnut on ash	+\$o	WL	sandstone	+\$0
LBD	dark brown walnut	+\$o	WN	warm grey neutral	+\$0
LBE	medium red walnut	+\$o			
LBF	neutral twill	+\$o	Step 8	3. Edge Finish	
LBG	sarum twill	+\$o	For la	minate top/thermoplastic edge (L)	
LBH	earthen twill	+\$o	76	light brown walnut	+\$0
LBJ	graphite twill	+\$o	8Q	folkstone grey	+\$0
LBK	pewter mesh	+\$o	91	white	+\$ 0
LBL	steel mesh	+\$o	98	studio white	+\$0
LBM	crisp linen	+\$o	CL	cool grey neutral	+\$0
LBN	classic linen	+\$o	LA	light ash	+\$0
LBP	casual linen	+\$o	LBA	clear on ash	+\$0
LBQ	white twill	+\$o	LBR	phantom ecru	+\$0
LM	mahogany	+\$o	LBS	phantom cocoa	+\$0
LT	light tone	+\$o	LBU	medium matte walnut	+\$0
LU	soft white	+\$o	LBV	warm grey teak	+\$0
MT	medium tone	+\$o	LBB	oak on ash	+\$0
OG	honey maple	+\$o	LBC	walnut on ash	+\$ 0
WL	sandstone	+\$o	LBD	dark brown walnut	+\$0
WN	warm grey neutral	+\$o	LBE	medium red walnut	+\$0
X1	chalk white	+\$o	LBF	neutral twill	+\$0
			LBG	sarum twill	+\$0
			LBH	earthen twill	+\$0
			LBJ	graphite twill	+\$0
			LBK	pewter mesh	+\$ 0
			LBL	steel mesh	+\$0
			LBM	crisp linen	+\$0
			LBN	classic linen	+\$o

LBP

LBQ

casual linen

white twill

WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нт	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
X1	chalk white	+\$0
Step	o. Leg/Base Finish	
Metal	lic Paint	
For po	ost leg (P), double 3-column base (E), double 3-column base,	
spanr	er (G), or T-leg (T)	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand	Texture Paint	
For po	ost leg (P), double 3-column base (E), double 3-column base,	
spanr	er (G), or T-leg (T)	
ВК	black	+\$0
	th Paint	
For po	ost leg (P), double 3-column base (E), double 3-column base,	
spanr	er (G), or T-leg (T)	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
	warm grey neutral	+\$0

+\$o

+\$o


+\$110

Metal	lic Paint	
For T-	leg with height adjustment (A)	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Smoo	th Paint	
For T-	leg with height adjustment (A)	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
For T-	leg with height adjustment (A)	
CD	polished aluminum	+\$110
Step :	10. Casters/Glides	
20	casters	+\$0
57	glides	+\$0
Step :	11. Grommets	
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425 3 port	+\$2
254	cutout for Y1420. or Y1425 5 port	+\$2;
255	cutout for Y1420. or Y1425 6 port	+\$27

polished aluminum

Video Oval - Meeting Table

DT1GE. DT1GS. DT1GT.



Product Information

Description

This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.


Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.


For optimum viewing, video camera should be placed 42" from large end of table.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions





Specification Information

Step 1.

DT1G

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

42 42" deep

Step 4. Width

72 72" wide

84 84" wide

Step 5. Surface Material

For squared-edge (S.)

laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 6. Leg/Base Type

E double 3-column base

G double 3-column base, spanner

Prices for Steps 1-6.						
	LE	LG	WE	WG	PE	PG
DT1GS. 42 72	\$2784	2702	4244	4120	3200	3108
84	\$2859	2776	4366	4237	3288	3192
DT1GT. 42 72	_		\$5092	4943	3919	3807
84	_	_	\$5238	5084	4027	3910
DT1GE. 42 72	_		_		\$3406	3310
84	_	_	_	_	\$3505	3401

Step	7.		LM	mahogany	+5
			LT	light tone	+5
Тор F	ïnish		LU	soft white	+5
For la	minate top/thermoplastic edge (L)		MT	medium tone	+5
28	canyon	+\$0	OG	honey maple	+5
29	misted	+\$o	WL	sandstone	+5
88	twilight	+\$0	WN	warm grey neutral	+5
39	desert	+\$0	X1	chalk white	+5
' 6	light brown walnut	+\$0			
91	white	+\$0	Top/E	Edge Finish	
98	studio white	+\$0	For ve	eneer top/veneer edge (W)	
ιX	vanilla	+\$0	2U	light brown walnut 🛕	+\$8
2X	wheat	+\$0	40	dark brown walnut 🛕	+\$8
ВX	celery	+\$o	ED	aged cherry A	+\$8
X	coriander	+\$0	EK	medium red walnut 🖪	+\$8
X	chamomile	+\$0	EW	medium matte walnut 🛕	+\$8
δX	cinnamon	+\$0	ET	clear on ash 🛕	+\$8
7 Χ	cardamom	+\$0	EU	oak on ash 🛕	+\$8
3X	kale	+\$o	EV	walnut on ash 🛕	+\$8
Q	folkstone grey	+\$o	UL	natural maple A	+\$6
L	cool grey neutral	+ \$o	UX	walnut on cherry A	+\$
łF	inner tone light	+ \$o			
IM	natural maple	+ \$o	Top/E	Edge Finish: Opaque Formcoat®	
łΡ	light anigre	+ \$o	For po	ainted Formcoat® top/edge (P)	
łΤ	inner tone	+ \$o	8Q	folkstone grey	+:
ΙX	aged cherry	+\$ o	91	white	+5
łΥ	walnut on cherry	+ \$o	CL	cool grey neutral	+5
Α.	light ash	+\$ o	LU	soft white	+5
.BA	clear on ash	+ \$o	WL	sandstone	+5
.BR	phantom ecru	+\$ o	WN	warm grey neutral	+5
.BS	phantom cocoa	+\$ o			
.BU	medium matte walnut	+\$ o	Step	8. Edge Finish	
.BV	warm grey teak	+ \$o	For la	minate top/thermoplastic edge (L)	
.BB	oak on ash	+\$ o	76	light brown walnut	+5
.BC	walnut on ash	+\$ o	8Q	folkstone grey	+5
.BD	dark brown walnut	+\$ o	91	white	+
BE.	medium red walnut	+\$ o	98	studio white	+
.BF	neutral twill	+\$ o	CL	cool grey neutral	+
.BG	sarum twill	+\$ o	LA	light ash	+
ВН	earthen twill	+\$ o	LBA	clear on ash	+
.BJ	graphite twill	+ \$o	LBR	phantom ecru	+
.BK	pewter mesh	+ \$o	LBS	phantom cocoa	+5
.BL	steel mesh	+ \$o	LBU	medium matte walnut	+
.BM	crisp linen	+ \$o	LBV	warm grey teak	+
.BN	classic linen	+ \$o	LBB	oak on ash	+5
LBP	casual linen	+\$0	LBC	walnut on ash	+5
LBQ	white twill	+\$ o	LBD	dark brown walnut	+5


medium red walnut

LBE

LBF	neutral twill	+\$o
LBG	sarum twill	+\$0
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
НХ	aged cherry	+\$o
HY	walnut on cherry	+\$o
LU	soft white	+\$o
Metalli	c Paint	
CN	metallic champagne	+\$o
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand T	exture Paint	
ВК	black	+\$o
c		
Smooti	n Paint	
Smooti 8Q	n Paint folkstone grey	+\$0
	folkstone grey white	+\$0
8Q	folkstone grey white studio white	+\$0 +\$0
8Q 91 98 BU	folkstone grey white studio white black umber	+\$0 +\$0 +\$0
8Q 91 98 BU CL	folkstone grey white studio white black umber cool grey neutral	+\$0 +\$0 +\$0 +\$0
8Q 91 98 BU CL G2	folkstone grey white studio white black umber cool grey neutral graphite satin	+\$0 +\$0 +\$0 +\$0
8Q 91 98 BU CL G2 HF	folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0
8Q 91 98 BU CL G2 HF	folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
8Q 91 98 BU CL G2 HF LU	folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white medium tone	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
8Q 91 98 BU CL G2 HF LU MT	folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white medium tone slate grey	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
8Q 91 98 BU CL G2 HF LU MT SG	folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white medium tone slate grey sandstone	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
8Q 91 98 BU CL G2 HF LU MT	folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white medium tone slate grey	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0

Step 10	o. Casters/Glides	
20	casters	+\$o
57	glides	+\$o
Step 1	1. Grommets	
NTG	no grommet	+\$o
253	cutout for Y1420. or Y1425 3 port	+\$27
254	cutout for Y1420. or Y1425 5 port	+\$27
255	cutout for Y1420. or Y1425 6 port	+\$27

+\$o



Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.


Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.

Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices. For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.

UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.

Dimensions





Specification Information

Step 1.

DT1H

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

30 30" deep

36 36" deep

Step 4. Width

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

w veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 6. Leg Type

For 30" deep (30)

post leg

T T-leg

A T-leg with height adjustment

C C-leg

D D-leg

For 36" deep (36)

P post leg

T T-leg

A T-leg with height adjustment

Prices for Steps 1-6.						
	LP	LT	LA	LC	LD	WP
DT1HS.30 60	\$1264	1642	2050	1642	2050	1562
66	\$1355	1760	2198	1760	2198	1681
72	\$1445	1878	2347	1878	2347	1800
36 60	\$1340	1701	2067	_	_	1621
66	\$1411	1793	2261	_	_	1739
72	\$1481	1886	2455	_	_	1857
	WT	WA	WC	WD	PP	PT
DT1HS.30 60	\$2053	2585	2053	2585	1454	1887
66	\$2207	2778	2207	2778	1557	2023
72	\$2360	2970	2360	2970	1662	2160
36 60	\$2111	2645	_	_	1542	1955
66	\$2266	2837	_	_	1623	2062
72	\$2418	3030	-	_	1704	2167
				PA	PC	PD
DT1HS. 30 60				\$2357	1887	2357
66				\$2528	2023	2528
72				\$2697	2160	2697
36 60				\$2377	_	
66				\$2599	_	_
72				\$2824	_	_
	LP	LT	LA	LC	LD	WP
DT1HT. 30 60	_	_	_	_	_	\$1874
66	_	_	_	_	_	\$2015
72	_	_	_	_	_	\$2160
36 60	_	·····	_	—	_	\$1944
66	_	_	_	_	_	\$2087
72	_	_	_	_	_	\$2230
	WT	WA	WC	WD	PP	PT
DT1HT. 30 60	\$2462	3104	2462	3104	1548	2010
66	\$2647	3334	2647	3334	1659	2154
72	\$2832	3564	2832	3564	1771	2300
36 60	\$2533	3174			1640	2084
66	\$2718	3403	_	_	1729	2196
72	\$2903	3634	_	_	1815	2308
,-	+-/-/	J-J4			5	
				PA	PC	PD
DT1HT. 30 60				\$2512	2010	2512
66				\$2691	2154	2691
72				\$2873		

	26							· · · · · · · · · · · · · · · · · · ·
	36 6					\$2532	_	_
		66 72				\$2768	_	_
	,	2				\$3006	_	_
			WT	WA	WC	WD	PP	PT
DT1HE.	30 6	60	_	_	_	_	\$1548	2010
		6	_	_	_	_	\$1659	2154
		'2	_	_	_	_	\$1771	2300
	36 6		_	_	_	_	\$1640	2084
		66	_	_	_	_	\$1729	2196
	7	'2	_	_	_	_	\$1815	2308
						PA	PC	PD
DT1HE.	30 6	60				\$2512	2010	2512
	6	66				\$2691	2154	2691
		'2				\$2873	2300	2873
	36 6					\$2532	_	_
		66				\$2768	_	_
	7	2				\$3006	_	_
Top Fini		ton/thormor	plastic ad	(a)				
28	cany	top/thermop	nastic ea	ge (L)				+\$0
29	mist							+\$0
38	twili							+\$o
39	dese							+\$o
76	light	brown walni	ut					+\$o
91	whit							+\$o
98		io white						+\$o
1X	vani							+\$0
2X	whe							+\$0
3X	celei	ry Inder						+\$0
4X 5X		nomile						+\$o +\$o
6X		amon						+\$0 +\$0
7X		amom						+\$0
8X	kale							+\$0
8Q	folks	tone grey						+\$o
CL	cool	grey neutral						+\$o
HF	inne	r tone light						+\$o
нм	natu	ral maple						+\$o
HP	light	anigre						+\$ o
HT		r tone						+\$o
НХ		l cherry						+\$0
HY	waln	ut on cherry						+\$0

LA	light ash	+\$0	•	Edge Finish: Opaque Formcoat®	
LBA	clear on ash	+ \$0	For po	ainted Formcoat® top/edge (P)	
LBR	phantom ecru	+ \$0	8Q	folkstone grey	+\$ 0
LBS	phantom cocoa	+ \$0	91	white	+\$ 0
LBU	medium matte walnut	+ \$0	CL	cool grey neutral	+\$o
LBV	warm grey teak	+ \$0	LU	soft white	+\$o
LBB	oak on ash	+ \$0	WL	sandstone	+\$o
LBC	walnut on ash	+ \$0	WN	warm grey neutral	+\$o
LBD	dark brown walnut	+ \$0			
LBE	medium red walnut	+ \$0	Step	8. Edge Finish	
LBF	neutral twill	+\$0	For la	minate top/thermoplastic edge (L)	
LBG	sarum twill	+\$0	76	light brown walnut	+\$o
LBH	earthen twill	+\$ 0	8Q	folkstone grey	+\$o
LBJ	graphite twill	+\$ 0	91	white	+\$o
LBK	pewter mesh	+\$ 0	98	studio white	+\$o
LBL	steel mesh	+\$ 0	CL	cool grey neutral	+\$o
LBM	crisp linen	+\$ 0	LA	light ash	+\$o
LBN	classic linen	+\$ 0	LBA	clear on ash	+\$o
LBP	casual linen	+\$ 0	LBR	phantom ecru	+\$o
LBQ	white twill	+\$ 0	LBS	phantom cocoa	+\$o
LM	mahogany	+\$ 0	LBU	medium matte walnut	+\$o
LT	light tone	+\$ 0	LBV	warm grey teak	+\$o
LU	soft white	+\$o	LBB	oak on ash	+\$o
MT	medium tone	+\$ 0	LBC	walnut on ash	+\$o
OG	honey maple	+\$ 0	LBD	dark brown walnut	+\$o
WL	sandstone	+\$ 0	LBE	medium red walnut	+\$o
WN	warm grey neutral	+\$0	LBF	neutral twill	+\$o
X1	chalk white	+\$0	LBG	sarum twill	+\$o
			LBH	earthen twill	+\$o
Top/E	dge Finish: Wood Veneer		LBJ	graphite twill	+\$o
For ve	neer top/veneer edge (W)		LBK	pewter mesh	+\$o
2U	light brown walnut 🛕	+\$85	LBL	steel mesh	+\$o
40	dark brown walnut 🛕	+\$85	LBM	crisp linen	+\$o
ED	aged cherry A	+\$85	LBN	classic linen	+\$o
EK	medium red walnut 🛕	+\$85	LBP	casual linen	+\$o
EW	medium matte walnut [A]	+\$85	LBQ	white twill	+\$o
ET	clear on ash	+\$85	WL	sandstone	+\$o
EU	oak on ash	+\$85	WN	warm grey neutral	+\$o
EV	walnut on ash	+\$85	HF	inner tone light	+\$o
UL	natural maple [A]	+\$85	HM	natural maple	+\$o
UX	walnut on cherry A	+\$85	HP	light anigre	+\$o
			HT	inner tone	+\$o
			нх	aged cherry	+\$o
			HY	walnut on cherry	+\$o
			LU	soft white	+\$o

Step	9. Leg Finish	
Metal	lic Paint	
For po	ost leg (P), T-leg (T), C-leg (C), or D-leg (D)	
CN	metallic champagne	+\$o
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand	Texture Paint	
For po	ost leg (P), T-leg (T), C-leg (C), or D-leg (D)	
ВК	black	+\$0
Smoo	th Paint	
For po	ost leg (P), T-leg (T), C-leg (C), or D-leg (D)	
8Q	folkstone grey	+\$o
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+ \$o
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
For po	ost leg (P), T-leg (T), C-leg (C), or D-leg (D)	
CD	polished aluminum	+\$110
Metal	lic Paint	
For T-	leg with height adjustment (A)	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0

Smoo	th Paint	
or T-	leg with height adjustment (A)	
3Q	folkstone grey	+\$0
91	white	+\$o
8	studio white	+\$o
BU	black umber	+\$o
:L	cool grey neutral	+\$o
52	graphite satin	+\$o
łF.	inner tone light	+\$o
.U	soft white	+\$o
ΝT	medium tone	+\$o
SG	slate grey	+\$o
٧L	sandstone	+\$o
WN	warm grey neutral	+\$0
or T-	leg with height adjustment (A)	
D	polished aluminum	+\$110
Step 1	10. Casters/Glides	
20	casters	+\$o
57	glides	+\$0
Step 1	11. Grommets	
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425 3 port	+\$27
254	cutout for Y1420. or Y1425 5 port	+\$27
255	cutout for Y1420, or Y1425, - 6 port	+\$27



Description


This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

48" tops available only with post leg option for optimum stability.
For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect[™] single circuit electrical product (Y137x.) with post leg (P) option.

Dimensions



Specification Information

Step 1.

DT1J

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth/Width

3030 30" deep x 30" wide

3636 36" deep x 36" wide

4242 42" deep x 42" wide

4848 48" deep x 48" wide

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 5. Leg/Base Type

For 30" deep x 30" wide (3030) or 36" deep x 36" wide (3636)

P post leg

S single-column base A

For 42" deep x 42" wide (4242)

P post leg

For 48" deep x 48" wide (4848)

P post leg

Prices for Steps 1-5.		
	P	S
DT1JS. 3030 L	\$847	934
W	\$1072	1189
P	\$973	1076

***************************************	3636 L	\$1016	1122	HF	inner tone light	+\$o
	W	\$1299	1441	нм	natural maple	+\$0
	P	\$1167	1289	HP	light anigre	+\$0
***************************************	4242 L	\$1165		HT	inner tone	+\$0
	W	\$1503	_	нх	aged cherry	+\$0
	P	\$1342	_	HY	walnut on cherry	+\$0
***************************************				LA	·	+\$0
	4848 L W	\$1307	_		light ash clear on ash	+\$0 +\$0
		\$1761	_	LBA		
	Р	\$1503	_	LBR	phantom ecru	+\$0
		_	_	LBS	phantom cocoa	+\$0
		P	<u> </u>	LBU	medium matte walnut	+\$0
DIIJI.	3030 W	\$1284	1426	LBV	warm grey teak	+\$0
	P	\$1037	1147	LBB	oak on ash	+\$0
	3636 W	\$1557	1730	LBC	walnut on ash	+\$0
***************************************	Р	\$1244	1374	LBD	dark brown walnut	+\$0
	4242 W	\$1802	_	LBE	medium red walnut	+ \$0
	Р	\$1428	_	LBF	neutral twill	+ \$0
	4848 W	\$2112	_	LBG	sarum twill	+\$0
	Р	\$1600	_	LBH	earthen twill	+\$ 0
				LBJ	graphite twill	+\$o
		P	S	LBK	pewter mesh	+ \$o
DT1JE.	3030 P	\$1037	1147	LBL	steel mesh	+ \$o
***************************************	3636 P	\$1244	1374	LBM	crisp linen	+\$ 0
***************************************	4242 P	\$1428	_	LBN	classic linen	+\$o
***************************************	4848 P	\$1600	_	LBP	casual linen	+ \$o
				LBQ	white twill	+ \$o
Step 6.				LM	mahogany	+\$o
				LT	light tone	+\$0
Top Fin	ish			LU	soft white	+\$0
	ninate top/thermoplastic edge (L)			MT	medium tone	+\$0
28	canyon		+\$o	OG	honey maple	+\$0
29	misted		+\$0	WL	sandstone	+\$0
38	twilight		+\$0	WN	warm grey neutral	+\$0
39	desert		+\$0	X1	chalk white	+\$0
76	light brown walnut		+\$0	XI.	chaix write	+40
91	white		+\$0	Ton/F	dge Finish: Wood Veneer	
98	studio white		+\$0		eneer top/veneer edge (W)	
				• • • • • • • • • • • • • • • • • • • •		.¢o-
1X	vanilla		+\$o	2U	light brown walnut	+\$85
2X	wheat		+\$0	40 FD	dark brown walnut	+\$85
3X	celery		+\$0	ED	aged cherry	+\$85
4X	coriander		+\$o	EK	medium red walnut	+\$85
5X	chamomile		+\$o	EW	medium matte walnut	+\$85
6X	cinnamon		+\$o	ET	clear on ash	+\$85
7X	cardamom		+\$0	EU	oak on ash	+\$85
8X	kale		+\$o	EV	walnut on ash	+\$85
8Q	folkstone grey		+\$ 0	UL	natural maple	+\$85
CL	cool grey neutral		+\$o	UX	walnut on cherry	+\$85

Top/Edge Finish: Opaque Formcoat®

For po	ainted Formcoat® top/edge (P)	
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step ;	7. Edge Finish	
For la	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$ 0
8Q	folkstone grey	+\$ 0
91	white	+\$ 0
98	studio white	+\$ 0
CL	cool grey neutral	+\$ 0
LA	light ash	+\$ 0
LBA	clear on ash	+\$ 0
LBR	phantom ecru	+\$ 0
LBS	phantom cocoa	+\$ 0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$ 0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$o

Step	8. Leg Finish	
	llic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand	Texture Paint	
ВК	black	+\$0
Smoo	oth Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110
	9. Casters/Glides	
20	casters	+\$0
57	glides	+\$0

Tear Drop Table

DT1KE. DT1KS. DT1KT.



Product Information

Description


This tear drop table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1K A

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Diameter

30 30" diameter

36 36" diameter

Step 4. Surface Material

For eased-edge (E.)

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge

P painted Formcoat® top/edge

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge

P painted Formcoat® top/edge

Step 5. Leg/Base Type

S single-column base A

Prices for S	teps 1-5.	
		S
DT1KS. 30	L	\$959
	W	\$1215
	P	\$1101
36	L	\$1097
	W	\$1475
	P	\$1262
		s
DT1KT. 30	W	\$1461
	P	\$1173
36	W	\$1770
	P	\$1344
		s
DT1KE. 30	P	\$1173

	36 P	\$1344	LBP	casual linen	+\$o
			LBQ	white twill	+\$o
Step 6			LM	mahogany	+\$0
			LT	light tone	+\$0
Top Fi	nish		LU	soft white	+\$0
For la	minate top/thermoplastic edge (L)		MT	medium tone	+\$0
28	canyon	+\$0	OG	honey maple	+\$0
29	misted	+\$o	WL	sandstone	+\$o
38	twilight	+\$o	WN	warm grey neutral	+\$o
39	desert	+\$o	X1	chalk white	+\$o
76	light brown walnut	+\$o			
91	white	+\$o	Top/E	dge Finish: Opaque Formcoat®	
98	studio white	+\$o	For pa	iinted Formcoat® top/edge (P)	
1X	vanilla	+\$0	8Q	folkstone grey	+\$o
2X	wheat	+\$o	91	white	+\$o
3X	celery	+\$o	CL	cool grey neutral	+\$o
4X	coriander	+\$ 0	LU	soft white	+\$o
5X	chamomile	+\$0	WL	sandstone	+\$o
6X	cinnamon	+\$0	WN	warm grey neutral	+\$o
7X	cardamom	+\$0			
8X	kale	+\$0	Top/E	dge Finish: Wood Veneer	
8Q	folkstone grey	+\$0	For ve	neer top/veneer edge (W)	
CL	cool grey neutral	+\$0	2U	light brown walnut 🛕	+\$85
HF	inner tone light	+\$0	40	dark brown walnut 🛕	+\$85
нм	natural maple	+\$0	ED	aged cherry A	+\$85
HP	light anigre	+\$0	EK	medium red walnut 🛕	+\$85
HT	inner tone	+\$0	EW	medium matte walnut 🛕	+\$85
НХ	aged cherry	+\$ 0	ET	clear on ash	+\$85
HY	walnut on cherry	+\$ 0	EU	oak on ash	+\$85
LA	light ash	+\$ 0	EV	walnut on ash	+\$85
LBA	clear on ash	+\$ 0	EY	light anigre [A]	+\$85
LBR	phantom ecru	+\$ 0	UL	natural maple A	+\$85
LBS	phantom cocoa	+\$ 0	UX	walnut on cherry A	+\$85
LBU	medium matte walnut	+\$ 0			
LBV	warm grey teak	+\$ 0		z. Edge Finish	
LBB	oak on ash	+\$ 0	For la	minate top/thermoplastic edge (L)	
LBC	walnut on ash	+\$ 0	76	light brown walnut	+\$0
LBD	dark brown walnut	+\$ 0	8Q	folkstone grey	+\$0
LBE	medium red walnut	+\$ 0	91	white	+\$0
LBF	neutral twill	+\$ 0	98	studio white	+\$0
LBG	sarum twill	+\$ 0	CL	cool grey neutral	+\$0
LBH	earthen twill	+\$ o	LA	light ash	+\$0
LBJ	graphite twill	+\$ 0	LBA	clear on ash	+\$0
LBK	pewter mesh	+\$ 0	LBR	phantom ecru	+\$0
LBL	steel mesh	+\$ o	LBS	phantom cocoa	+\$0
LBM	crisp linen	+\$ o	LBU	medium matte walnut	+\$0
LBN	classic linen	+\$ o	LBV	warm grey teak	+\$o

+\$o

+\$o

LBB	oak on ash	+\$0
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+ \$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LU	soft white	+\$0
Step 8	8. Leg/Base Finish	
Metal	lic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$o
MS	metallic silver	+\$0
Sand	Texture Paint	
BK	black	+\$o

Smoo	oth Paint	
8Q	folkstone grey	+\$0
91	white	+\$ o
98	studio white	+\$ o
BU	black umber	+\$ o
CL	cool grey neutral	+\$ o
G2	graphite satin	+\$ o
HF	inner tone light	+\$ o
LU	soft white	+\$o
MT	medium tone	+ \$o
SG	slate grey	+ \$o
WL	sandstone	+ \$o
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110
Sten	o. Casters/Glides	

20

57

casters

glides



Description

This classroom table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes


Cable grommet options available through Vary Easy Program for round pass through grommet with $2^1/4^{\prime\prime}$ hole clearance. Holes are located $3^{\prime\prime}$ from rear edge and $6^{\prime\prime}$ from end for the L and R options. Covers not provided with painted surface option.

Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.
For additional size, edge, finish, and cable management options, see
Vary Easy Program in Appendices.

UL listed when used with Connect $^{\text{\tiny m}}$ single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.

Dimensions





Specification Information

Step 1.

DT1L

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

For squared-edge (S.)

18 18" deep

24 24" deep

For thin-edge (T.)

24" deep

For eased-edge (E.)

24 24" deep

Step 4. Width

For 18" deep (18)

60 60" wide

For 24" deep (24)

48 48" wide

60 6o" wide

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

w veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge


Ctor (Law Torres						
step 6.	. Leg Type						
Eor 10"	' deep (18)						
P	post leg						······································
	postiteg						
For 24"	" deep (24)						
P	post leg						
Т	T-leg						
A		eight adjustm	ent				
^	1-teg with the	igiit aajastii	iciit				
Dricas f	for Steps 1-6.						
1110031	ю эксрэ 1-0.	LP	LT	LA	WP	WT	WA
DT11S	. 18 60	\$1080		_	1323		
DIILJ.	24 48	\$1080	1403	1756	1325	1746	2201
	60	\$1214	1579	1972	1500	1972	2485
	00	41214	±3/9	19/2	1500	17/2	2400
					PP	PT	PA
DT1LS	. 18 60				\$1241		
	24 48				\$1242	1615	2019
	60				\$1397	1815	2266
					. 577		
		LP	LT	LA	WP	WT	WA
DT1LT.	. 24 48	_			\$1591	2096	2640
	60	_	_	_	\$1799	2364	2980
					4-177	-504	
					PP	PT	PA
DT1LT.	. 24 48				\$1322	1721	2149
	60				\$1488	1933	2414
					, ,	,,,,	
					PP	PT	PA
DT1LE.	. 24 48				\$1322	1721	2149
	60				\$1488	1933	2414
Step 7.	•						
Top Fin	nish						
For lan	ninate top/the	rmoplastic ed	dge (L)				
28	canyon						+\$o
29	misted						+\$o
38	twilight						+\$o
39	desert						+\$o
76	light brown	walnut					+\$o
91	white						+\$o
98	studio white	!					+\$o
1X	vanilla						+\$o
2X	wheat						+\$o
3X	celery						+\$o

Ton/F	Edge Finish: Wood Veneer		LBP	casual linen	+\$0
	eneer top/veneer edge (W)		LBQ	white twill	+\$0
2U	light brown walnut A	+\$85	WL	sandstone	+\$0
40	dark brown walnut 🗚	+\$85	WN	warm grey neutral	+\$0
ED	aged cherry A	+\$85	HF	inner tone light	+\$0
EK	medium red walnut A	+\$85	нм	natural maple	+\$0
EW	medium matte walnut A	+\$85	HP	light anigre	+\$0
ET	clear on ash A	+\$85	HT	inner tone	+\$0
EU	oak on ash A	+\$85	нх	aged cherry	+\$0
EV	walnut on ash	+\$85	HY	walnut on cherry	+\$0
UL	natural maple A	+\$85	LU	soft white	+\$0
			LU	soft writte	+\$0
UX	walnut on cherry A	+\$85	Ston	9. Leg Finish	
Ton/F	Edge Finish: Opaque Formcoat®		Steb !	9. Leg Fillisii	
	ninted Formcoat® top/edge (P)		Motal	lic Paint	
		+\$0			
8Q	folkstone grey			ost leg (P) or T-leg (T)	
91	white	+\$0	CN	metallic champagne	+\$0
CL	cool grey neutral	+\$0	EH	metallic bronze	+\$0
LU	soft white	+\$o	MS	metallic silver	+\$0
WL	sandstone	+\$o	<u></u>	T	
WN	warm grey neutral	+\$0		Texture Paint	
CI (***************************************	ost leg (P) or T-leg (T)	
	8. Edge Finish		BK	black	+\$0
	minate top/thermoplastic edge (L)	A		1. 5. 4	
76	light brown walnut	+\$0		oth Paint	
8Q	folkstone grey	+\$0		ost leg (P) or T-leg (T)	
91	white	+\$0	8Q	folkstone grey	+\$0
98	studio white	+\$0	91	white	+\$0
CL	cool grey neutral	+\$0	98	studio white	+\$0
LA	light ash	+\$0	BU	black umber	+\$0
LBA	clear on ash	+\$0	CL	cool grey neutral	+\$0
LBR	phantom ecru	+\$ 0	G2	graphite satin	+\$0
LBS	phantom cocoa	+\$ 0	HF	inner tone light	+\$0
LBU	medium matte walnut	+\$o	LU	soft white	+\$ 0
LBV	warm grey teak	+\$ 0	MT	medium tone	+\$ 0
LBB	oak on ash	+\$ 0	SG	slate grey	+\$ 0
LBC	walnut on ash	+\$o	WL	sandstone	+\$ o
LBD	dark brown walnut	+\$o	WN	warm grey neutral	+\$0
LBE	medium red walnut	+\$o			
LBF	neutral twill	+\$o	For po	ost leg (P) or T-leg (T)	
LBG	sarum twill	+\$o	CD	polished aluminum	+\$110
LBH	earthen twill	+\$o			
LBJ	graphite twill	+\$o	Metal	lic Paint	
LBK	pewter mesh	+\$o	For T-	leg with height adjustment (A)	
LBL	steel mesh	+\$o	CN	metallic champagne	+\$0
LBM	crisp linen	+\$o	EH	metallic bronze	+\$0
LBN	classic linen	+\$0	MS	metallic silver	+\$0
		• •	-		

Smoo	oth Paint	
For T	-leg with height adjustment (A)	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
For T	-leg with height adjustment (A)	
CD	polished aluminum	+\$110
Step	10. Casters/Glides	
20	casters	+\$0
57	glides	+\$0

Conference Corner Table

DT1ME. DT1MS. DT1MT.



Product Information

Description

This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.


Notes

Tables have an additional (5th) leg for stability.

Additional ganging bracket kits (Y1338.) can be used with adjacent tables.

For additional details on available edge options see Appendices.

Dimensions



Specification Information

Step 1.

DT1M

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

24 24" deep

30 30" deep

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 5. Leg/Base Type

P post leg


Prices for Steps 1-5.	
	P
DT1MS.24 L	\$1211
W	\$1530
P	\$1394
30 L	\$1454
W	\$1857
P	\$1671

		г
DT1MT.24	W	\$1837
	P	\$1482
30	W	\$2230
	P	\$1779

DT1ME.24 P \$1482

***************************************	30 P	\$1779	LBP	casual linen	+ \$o
			LBQ	white twill	+\$0
Step 6	5.		LM	mahogany	+\$0
			LT	light tone	+\$0
Top Fi	nish		LU	soft white	+\$0
For la	minate top/thermoplastic edge (L)		MT	medium tone	+\$0
28	canyon	+\$0	OG	honey maple	+\$0
29	misted	+ \$o	WL	sandstone	+\$0
38	twilight	+ \$o	WN	warm grey neutral	+\$0
39	desert	+ \$o	X1	chalk white	+\$0
76	light brown walnut	+ \$o			
91	white	+ \$o	Top/E	dge Finish: Wood Veneer	
98	studio white	+ \$o	For ve	neer top/veneer edge (W)	
1X	vanilla	+ \$o	2U	light brown walnut 🛕	+\$85
2X	wheat	+ \$o	40	dark brown walnut 🛕	+\$85
3X	celery	+ \$o	ED	aged cherry A	+\$85
4X	coriander	+\$o	EK	medium red walnut A	+\$85
5X	chamomile	+ \$o	EW	medium matte walnut 🛕	+\$85
6X	cinnamon	+ \$o	ET	clear on ash 🛕	+\$85
7X	cardamom	+ \$o	EU	oak on ash 🛕	+\$85
8X	kale	+ \$o	EV	walnut on ash 🛕	+\$85
8Q	folkstone grey	+ \$o	UL	natural maple 🛕	+\$85
CL	cool grey neutral	+ \$o	UX	walnut on cherry A	+\$85
HF	inner tone light	+ \$o			
нм	natural maple	+\$o	Top/E	dge Finish: Opaque Formcoat®	
HP	light anigre	+\$o	For pa	inted Formcoat® top/edge (P)	
HT	inner tone	+\$o	8Q	folkstone grey	+\$0
нх	aged cherry	+\$o	91	white	+\$ 0
HY	walnut on cherry	+\$o	CL	cool grey neutral	+\$ 0
LA	light ash	+ \$o	LU	soft white	+\$0
LBA	clear on ash	+ \$o	WL	sandstone	+\$0
LBR	phantom ecru	+ \$o	WN	warm grey neutral	+\$0
LBS	phantom cocoa	+ \$o			
LBU	medium matte walnut	+ \$o	Step 7	r. Edge Finish	
LBV	warm grey teak	+ \$o	For lai	minate top/thermoplastic edge (L)	
LBB	oak on ash	+ \$o	76	light brown walnut	+\$0
LBC	walnut on ash	+ \$o	8Q	folkstone grey	+\$0
LBD	dark brown walnut	+ \$o	91	white	+\$0
LBE	medium red walnut	+ \$o	98	studio white	+\$0
LBF	neutral twill	+ \$o	CL	cool grey neutral	+\$0
LBG	sarum twill	+ \$o	LA	light ash	+ \$o
LBH	earthen twill	+\$o	LBA	clear on ash	+ \$o
LBJ	graphite twill	+ \$o	LBR	phantom ecru	+ \$o
LBK	pewter mesh	+ \$o	LBS	phantom cocoa	+ \$o
LBL	steel mesh	+ \$o	LBU	medium matte walnut	+ \$o
LBM	crisp linen	+ \$o	LBV	warm grey teak	+\$0
LBN	classic linen	+\$o	LBB	oak on ash	+\$o

LBC	walnut on ash	+\$o	Step 9.	. Casters/Glides	
LBD	dark brown walnut	+\$o	20		+\$0
LBE	medium red walnut	+\$o	57	glides	+\$0
LBF	neutral twill	+\$o			
LBG	sarum twill	+\$o			
LBH	earthen twill	+\$o			
LBJ	graphite twill	+\$o			
LBK	pewter mesh	+\$o			
LBL	steel mesh	+\$o			
LBM	crisp linen	+\$o			
LBN	classic linen	+\$o			
LBP	casual linen	+\$o			
LBQ	white twill	+\$o			
WL	sandstone	+\$o			
WN	warm grey neutral	+\$o			
HF	inner tone light	+\$o			
нм	natural maple	+\$o			
HP	light anigre	+\$o			
HT	inner tone	+\$o			
нх	aged cherry	+\$o			
HY	walnut on cherry	+\$o			
LU	soft white	+ \$o			
Step 8. Metalli	Leg/Base Finish				
CN	metallic champagne	+\$0			
EH	metallic bronze	+\$0			
MS	metallic silver	+\$0			
•	exture Paint	φ-			
ВК	black	+\$0			
Smootl	h Paint				
8Q	folkstone grey	+\$o			
91	white	+\$o			
98	studio white	+\$o			
BU	black umber	+\$o			
CL	cool grey neutral	+\$o			
G2	graphite satin	+\$o			
HF	inner tone light	+\$o			
LU	soft white	+\$o			
MT	medium tone	+\$o			
SG	slate grey	+\$o			
WL	sandstone	+\$o			
WN	warm grey neutral	+\$o			
CD	polished aluminum	+\$110			



Description

This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

Tables have an additional (5th) leg for stability.

3 36" deep tables ganged together make an 84" diameter table.

Additional ganging bracket kits (Y1338.), sold separately, can be used to


ensure proper alignment with adjacent tables.


For additional details on available edge ontions see Appendices

For additional details on available edge options see Appendices.

UL listed when used with Connect™ single circuit electrical product
(Y137x.) with post leg (P) option.

Dimensions





Specification Information

Step 1.

DT1N

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

24" deep

30 30" deep

36 36" deep

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 5. Leg/Base Type

P

P post leg

Prices for Steps 1-5.	
	P
DT1NS. 24 L	\$1211
W	\$1530
P	\$1394
30 L	\$1454
W	\$1857
P	\$1671
36 L	\$1696
W	\$2186
P	\$1949
	P
DT1NT. 24 W	\$1837

\$1482

3	0 W	\$2230	LBF	neutral twill	
	P	\$1779	LBG	sarum twill	
3	6 W	\$2621	LBH	earthen twill	
	P	\$2076	LBJ	graphite twill	
			LBK	pewter mesh	
		Р	LBL	steel mesh	
E. 2	4 P	\$1482	LBM	crisp linen	
3	0 P	\$1779	LBN	classic linen	
3	6 P	\$2076	LBP	casual linen	
		,	LBQ	white twill	
6.			LM	mahogany	
			LT	light tone	
nis	h		LU	soft white	
	 ate top/thermoplastic edge (L)		MT	medium tone	
	anyon	+\$0	OG	honey maple	
	nisted	+\$0	WL	sandstone	
	wilight	+\$0	WN	warm grey neutral	
	esert	+\$0	X1	chalk white	
	ght brown walnut	+\$0			
	vhite	+\$0	Ton/F	dge Finish: Wood Veneer	
	tudio white	+\$0		eneer top/veneer edge (W)	
	anilla	+\$0	2U	light brown walnut A	
	/heat	+\$0	40	dark brown walnut A	
	elery	+\$0	ED	aged cherry A	
	oriander	+\$0	EK	medium red walnut A	
	hamomile	+\$0	EW	medium matte walnut A	
	innamon	+\$0 +\$0	EW		
				clear on ash	
	ardamom	+\$0	EU	oak on ash	
	ale	+\$0	EV	walnut on ash	
	olkstone grey	+\$0	UL	natural maple A	
	ool grey neutral	+\$o	UX	walnut on cherry A	
	nner tone light	+\$0	T /5		
	atural maple	+\$0		Edge Finish: Opaque Formcoat®	
	ght anigre	+\$o		ninted Formcoat® top/edge (P)	
	nner tone	+\$o	8Q	folkstone grey	
	ged cherry	+\$o	91	white	
	valnut on cherry	+\$o	CL	cool grey neutral	
	ght ash	+\$o	LU	soft white	
	lear on ash	+\$o	WL	sandstone	
	hantom ecru	+\$o	WN	warm grey neutral	
	hantom cocoa	+\$o	_		
	nedium matte walnut	+\$o		7. Edge Finish	
	varm grey teak	+\$o		minate top/thermoplastic edge (L)	
	ak on ash	+ \$o	76	light brown walnut	
	valnut on ash	+ \$o	8Q	folkstone grey	
d	ark brown walnut	+\$o	91	white	
n	nedium red walnut	+\$o	98	studio white	


CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+ \$o
LBB	oak on ash	+ \$o
LBC	walnut on ash	+ \$o
LBD	dark brown walnut	+ \$o
LBE	medium red walnut	+ \$o
LBF	neutral twill	+ \$o
LBG	sarum twill	+ \$o
LBH	earthen twill	+ \$o
LBJ	graphite twill	+ \$o
LBK	pewter mesh	+ \$o
LBL	steel mesh	+ \$o
LBM	crisp linen	+ \$o
LBN	classic linen	+ \$o
LBP	casual linen	+ \$o
LBQ	white twill	+ \$o
WL	sandstone	+ \$o
WN	warm grey neutral	+ \$o
HF	inner tone light	+ \$o
нм	natural maple	+ \$o
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
Step 8	3. Leg/Base Finish	
Metal	lic Paint	
CN	metallic champagne	+\$o
EH	metallic bronze	+\$o
MS	metallic silver	+\$0
Sand	Texture Paint	
BK	black	+\$0

Smoo	oth Paint	
ВQ	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$o
CL	cool grey neutral	+\$o
G2	graphite satin	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
CD	polished aluminum	+\$110

Step 9	o. Casters/Glides	
20	casters	+\$o
57	glides	+\$0

Flip-Top Rectangular Table

DT5AE. DT5AS. DT5AT.



Product Information

Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has 2 paddles under the front edge that allow the surface to flip up, minimizing space for storage when not in use. The table has T-legs and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have $^1\!/_2$ " leveling range. Shipped knocked down.

Notes

Thin edge and eased edge tops not available with 18"-deep surfaces. Cable grommet options available through Vary Easy Program for round pass through grommet with $2^1/4$ " hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.

Multiple tables can be nested for storage when surface is flipped up. First table in nest requires 23" of floor space. All additional tables require only 9" of additional space.

Table top overhangs the base by $2^3/4''$ on each end.


For additional details on available edge options see Appendices.

Only fabric modesty panel (Y1114.) will enable flip top table to fold as intended. It is the recommended modesty panel for use with flip top tables. It is full length and folds out of the way for table storage.

For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.

UL listed when used with Connect single circuit electrical product (Y137x.) with T-leg (T) option.

Dimensions




Spec	ification Information
Step	
DT5A	
Step	2. Edge
s.	squared-edge
т.	thin-edge
E.	eased-edge
Step	3. Depth
For so	quared-edge (S.)
18	18" deep
24	24" deep
30	30" deep
For e	nsed-edge (E.)
24	24" deep
30	30" deep
For th	in-edge (T.)
24	24" deep
30	30" deep
Step	4. Width
48	48" wide
60	6o" wide
72	72" wide
Step	5. Surface Material
For so	quared-edge (S.)
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For th	in-edge (T.)
W	veneer top/veneer edge A
Р	painted Formcoat® top/edge
For e	ised-edge (E.)
P	painted Formcoat® top/edge

Prices for Steps 1-6.			
	LT	WT	PT
DT5AS. 18 48	\$1523	1846	1753
60	\$1598	1945	1838
72	\$1679	2044	1930
24 48	\$1554	1885	1787
60	\$1631	1986	1878
72	\$1712	2086	1971
30 48	\$1648	2001	1893
60	\$1796	2187	2064
72	\$1885	2298	2167
DT5AT. 24 48	_	\$2261	1905
60	_	\$2381	1998
72	_	\$2502	2098
30 48	_	\$2403	2018
60	_	\$2622	2199
72	_	\$2756	2308
DT5AE. 24 48			\$1905
60	_	_	\$1998
72	_	_	\$2098
30 48	_	_	\$2018
60	_	_	\$2199
72	_	_	\$2308

Step 6. Leg Type T-leg

Step 7	7.		Top/E	Edge Finish: Wood Veneer	
, ,				eneer top/veneer edge (W)	
Top Fi	inish	-	2U	light brown walnut 🛕	+\$50
	minate top/thermoplastic edge (L)		40	dark brown walnut 🛕	+\$50
76	light brown walnut	+\$0	ED	aged cherry A	+\$50
91	white	+\$o	EK	medium red walnut A	+\$50
98	studio white	+\$0	EW	medium matte walnut A	+\$50
8Q	folkstone grey	+\$0	ET	clear on ash 🛕	+\$50
CL	cool grey neutral	+\$0	EU	oak on ash 🛕	+\$50
HF	inner tone light	+\$0	EV	walnut on ash A	+\$50
нм	natural maple	+\$0	UL	natural maple A	+\$50
HP	light anigre	+\$0	UX	walnut on cherry A	+\$50
нт	inner tone	+\$0	-	namac on onen,	٠٠٠٠٠
нх	aged cherry	+\$0	Ton/F	Edge Finish: Opaque Formcoat®	
HY	walnut on cherry	+\$0		ainted Formcoat® top/edge (P)	
LA	light ash	+\$0	8Q	folkstone grey	+\$0
LBA	clear on ash	+\$0	91	white	+\$0
LBR	phantom ecru	+\$0	CL	cool grey neutral	+\$0
LBS	phantom cocoa	+\$0	LU	soft white	+\$0
LBU	medium matte walnut	+\$0	WL	sandstone	+\$0
LBV	warm grey teak	+\$0	WN	warm grey neutral	+\$0
LBB	oak on ash	+\$0	****	warm grey neutral	+ψ0
LBC	walnut on ash	+\$0	Stan	8. Edge Finish	
LBD	dark brown walnut	+\$0		minate top/thermoplastic edge (L)	
LBE	medium red walnut	+\$0	76	light brown walnut	+\$0
LBF	neutral twill	+\$0	8Q	folkstone grey	+\$0
LBG	sarum twill	+\$0	91	white	+\$0
LBH	earthen twill	+\$0	98	studio white	+\$0
LBJ	graphite twill	+\$0	CL	cool grey neutral	+\$0
LBK	= '	+\$0	LA	= •	+\$0
LBL	pewter mesh steel mesh	+\$0	LBA	light ash clear on ash	+\$0
LBM	crisp linen	+\$0	LBR	phantom ecru	+\$0
LBN	classic linen	+\$0	LBS	phantom cocoa	+\$0
LBP	casual linen	+\$0	LBU	medium matte walnut	+\$0
LBQ	white twill	+\$0	LBV	warm grey teak	+\$0
LU	soft white	+\$0	LBB	oak on ash	+\$0
WL	sandstone	+\$0	LBC	walnut on ash	+\$0
WN	warm grey neutral	+\$ 0	LBD	dark brown walnut	+\$0
			LBE	medium red walnut	+\$0
			LBF	neutral twill	+\$0
			LBG	sarum twill	+\$0
			LBH	earthen twill	+\$0
			LBJ	graphite twill	+\$0
			LBK	pewter mesh	+\$0
			LBL	steel mesh	+\$0
			LBM	crisp linen	+\$0
			LBN	classic linen	+\$0

LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
Step	9. Leg Finish	
Metal	llic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand	Texture Paint	
ВК	black	+\$0
Smoo	oth Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110
Step 1	10. Casters/Glides	
20	casters	+\$0
57	glides	+\$0



Description

This product is a kit of a full set of table legs with attachment hardware. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have $^{1}/_{2}$ " leveling range. Shipped knocked down.

Notes

Height adjustable table legs have a 5" range in 1" increments.

Tabletop must be no more than 30" deep and no less than 24" deep for C and D options. Tabletop must be no more than 36" deep and no less than 18" deep for P, A, and T options.

Tabletops 54" and wider are recommended to have a steel support channel.

Not recommended for tables wider than 84".

Table leg must be located such that the floor glides are not more than 3" from the front and rear sides for table stability.

Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.

1" long screws provided with base are recommended to attach to tabletop. Ensure mounting surface is no less than 1" thick.

Dimensions



Speci Step 1.						
DT2A.						
D 1 27 11						
Step 2	. Depth					
18	18" deep					3
24	24" deep					
30	30" deep					
36	36" deep					
					Step	5. Le
Step 3	. Leg Type					
					Metal	lic F
For 18'	' deep (18) or 36" deep (36)				For po	st l
P	post leg				CN	n
T	T-leg				EH	n
Α	T-leg with height adjustment				MS	n
For 24	" deep (24) or 30" deep (30)				Sand	Tex
P	post leg				For po	st l
Т	T-leg				BK	b
Α	T-leg with height adjustment					
C	C-leg				Smoo	th F
D	C-leg with height adjustment				For po	st l
					8Q	fo
Step 4	. Table Top Surface Material				91	W
					98	S
For po	st leg (P)				BU	b
P	painted table top				CL	C
Z	laminate or veneer table top				G2	g
					HF	ir
	eg (T), T-leg with height adjustr	ment (A), C-leg (C), c	or C-leg w	vith	LU	S
height	adjustment (D)				MT	n
N	laminate, painted or veneer to	able top			SG	S
					WL	S
Prices	for Steps 1-4.				WN	W
	10.0	N	P	Z		
DT2A.	18 P	_	\$569	569	For po	
	T	\$721	_	_	CD	р
	Α	\$1098	_			ı
	24 P	_	\$569	569	Metal	lic F

\$746

\$1135

\$746

\$1150

MS

metallic silver

	30 P	_	\$569	569	
	Т	\$746	_	_	
	Α	\$1135	_	_	
	С	\$746	_	_	
	D	\$1150	_	- —	
	36 P	_	\$569	569	
	Т	\$787	_	_	
	Α	\$1176	_	-	
Step <u>s</u>	5. Leg Finish				
Metal	lic Paint				
For po	ost leg (P), T-leg (T), or C-leg (C)				
CN	metallic champagne			+\$0	
EH	metallic bronze			+\$ 0	
MS	metallic silver			+ \$0	
Sand	Texture Paint				
For po	ost leg (P), T-leg (T), or C-leg (C)				
ВК	black			+\$0	
Smoo	th Paint				
For po	ost leg (P), T-leg (T), or C-leg (C)				
8Q	folkstone grey			+\$ 0	
91	white			+\$ 0	
98	studio white			+\$ 0	
BU	black umber			+\$ o	
CL	cool grey neutral			+\$o	
G2	graphite satin			+\$ o	
HF	inner tone light			+\$ o	
LU	soft white			+\$ 0	
MT	medium tone			+\$o	
SG	slate grey			+\$o	
WL	sandstone			+\$o	
WN	warm grey neutral			+\$0	
For po	ost leg (P), T-leg (T), or C-leg (C)				
CD	polished aluminum			+\$110	
Metal	lic Paint				
For T-	leg with height adjustment (A) or C-leg	g with height d	adjustme	nt (D)	
CN	metallic champagne			+\$0	
EH	metallic bronze			+\$0	


Т

C

D

+\$o

Smoot	th Paint	
For T-l	eg with height adjustment (A) or C-leg with he	eight adjustment (D)
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
For T-le	eg with height adjustment (A) or C-leg with he	eight adjustment (D)
CD	polished aluminum	+\$110
Step 6	. Casters/Glides	
20	casters	+\$o
57	glides	+\$0



Description

This product is a kit of a full set of center column table legs with attachment hardware. It has either single column S or 4 column X leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have $^1/_2$ " leveling range. Shipped knocked down.

Notes

Tabletop must be no more than 42" deep and no less than 30" deep for X base.


Tabletop must be no more than 36 deep and no less than 24 deep for S base.

Table base to be centered side-to-side and left-to-right under tabletop.

Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.

 ${\it 1}''$ long screws provided with base are recommended to attach to tabletop. Ensure mounting surface is no less than ${\it 1}''$ thick.

Dimensions



Specification Information Step 1. DT2B. Step 2. Leg/Base Type 4-column base S single-column base Prices for Steps 1-2. DT2B. X \$795 \$554 Step 3. Leg/Base Finish Metallic Paint CN metallic champagne **+\$**o EΗ metallic bronze +\$o MS metallic silver **+\$**o Sand Texture Paint ВК black **+\$**o Smooth Paint 8Q folkstone grey +\$o 91 white **+\$**o 98 studio white **+\$**o BU black umber +\$0 CLcool grey neutral +\$o G2 graphite satin **+\$**o ΗF inner tone light **+\$**o LU soft white +\$o ΜT medium tone **+\$**o SG slate grey +\$0 WL sandstone +\$o WN warm grey neutral +\$o CD polished aluminum +\$110 Step 4. Casters/Glides 20 casters +\$o glides 57 **+**\$0

Standing-Height Square Table

DT3BE. DT3BS. DT3BT.



Product Information

Description


This 42"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.


Votes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions





Specification Information

Step 1.

DT3B

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth/Width

3030 30" deep x 30" wide3636 36" deep x 36" wide

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 5. Base Type

DT3BE. 3030 P

X 4-column base

Prices for Step	S 1-5.	
		Х
DT3BS. 3030	L	\$971
	W	\$1153
	P	\$1117
3636	L	\$1163
	W	\$1395
	P	\$1340
		х
DT3BT. 3030	W	\$1384
	P	\$1189
3636	W	\$1672
	P	\$1426
		v

\$1189

	3636 P	\$1426		age Finish: wood veneer	
			• • • • • • • • • • • • • • • • • • • •	eneer top/veneer edge (W)	
Step 6	5.		2U	light brown walnut 🛕	+\$50
			40	dark brown walnut 🛕	+\$50
Top Fi			ED	aged cherry A	+\$50
For la	minate top/thermoplastic edge (L)		EK	medium red walnut 🛕	+\$50
76	light brown walnut	+ \$o	EW	medium matte walnut A	+\$50
91	white	+ \$o	ET	clear on ash 🛕	+\$50
98	studio white	+ \$o	EU	oak on ash 🛕	+\$50
8Q	folkstone grey	+ \$o	EV	walnut on ash 🛕	+\$50
CL	cool grey neutral	+ \$o	UL	natural maple 🖪	+\$50
HF	inner tone light	+\$o	UX	walnut on cherry A	+\$50
HM	natural maple	+\$o			
HP	light anigre	+\$o	Top/I	Edge Finish: Opaque Formcoat®	
HT	inner tone	+\$o	For p	ainted Formcoat® top/edge (P)	
нх	aged cherry	+\$o	8Q	folkstone grey	+\$ 0
HY	walnut on cherry	+\$ 0	91	white	+\$0
LA	light ash	+ \$o	CL	cool grey neutral	+\$0
LBA	clear on ash	+\$o	LU	soft white	+\$0
LBR	phantom ecru	+ \$o	WL	sandstone	+\$0
LBS	phantom cocoa	+ \$o	WN	warm grey neutral	+\$0
LBU	medium matte walnut	+\$o			
LBV	warm grey teak	+\$o	Step	7. Edge Finish	
LBB	oak on ash	+\$o	For la	minate top/thermoplastic edge (L)	
LBC	walnut on ash	+\$o	76	light brown walnut	+\$0
LBD	dark brown walnut	+\$o	8Q	folkstone grey	+\$0
LBE	medium red walnut	+\$o	91	white	+\$0
LBF	neutral twill	+\$o	98	studio white	+\$0
LBG	sarum twill	+\$o	CL	cool grey neutral	+\$0
LBH	earthen twill	+\$o	LA	light ash	+\$0
LBJ	graphite twill	+\$o	LBA	clear on ash	+\$0
LBK	pewter mesh	+\$o	LBR	phantom ecru	+\$0
LBL	steel mesh	+\$o	LBS	phantom cocoa	+\$0
LBM	crisp linen	+\$o	LBU	medium matte walnut	+\$0
LBN	classic linen	+\$o	LBV	warm grey teak	+\$0
LBP	casual linen	+\$o	LBB	oak on ash	+\$0
LBQ	white twill	+\$o	LBC	walnut on ash	+\$0
LU	soft white	+\$o	LBD	dark brown walnut	+\$ 0
WL	sandstone	+\$o	LBE	medium red walnut	+\$ 0
WN	warm grey neutral	+\$o	LBF	neutral twill	+\$ 0
			LBG	sarum twill	+\$o
			LBH	earthen twill	+\$0
			LBJ	graphite twill	+\$0
			LBK	pewter mesh	+\$0
			LBL	steel mesh	+\$0
			LBM	crisp linen	+\$0
			LBN	classic linen	+\$0

LBP	casual linen	+\$o
LBQ	white twill	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+ \$o
HY	walnut on cherry	+ \$o
LU	soft white	+ \$o
Step 8	3. Base Finish	
	lic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$o
Sand -	Teyture Paint	
	Texture Paint	+\$0
Sand BK	Texture Paint black	+\$0
ВК		+\$0
ВК	black	+\$0
BK Smoot	black th Paint	
Smoot 8Q	black th Paint folkstone grey	+\$0
Smoot 8Q 91	black th Paint folkstone grey white	+\$0 +\$0
Smoot 8Q 91 98	black th Paint folkstone grey white studio white	+\$0 +\$0
Smoot 8Q 91 98 BU	black th Paint folkstone grey white studio white black umber	+\$0 +\$0 +\$0 +\$0
Smoot 8Q 91 98 BU CL	th Paint folkstone grey white studio white black umber cool grey neutral	+\$0 +\$0 +\$0 +\$0 +\$0
Smoot 8Q 91 98 BU CL G2	th Paint folkstone grey white studio white black umber cool grey neutral graphite satin	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0
Smoot 8Q 91 98 BU CL G2 HF	th Paint folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
Smoot 8Q 91 98 BU CL G2 HF LU	th Paint folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
Smoot 8Q 91 98 BU CL G2 HF LU	black th Paint folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white medium tone	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
Smoot 8Q 91 98 BU CL G2 HF LU MT SG	th Paint folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white medium tone slate grey	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0

Standing-Height Round Table

DT3CE. DT3CS. DT3CT.



Product Information

Description


This 42"-high, round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. The base has glides with $^{1}/_{2}$ " leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT3C

Step	2.	Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Diameter

30 30" diameter

36" diameter

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 5. Base Type

X 4-column base

	Х
DT3CS. 30 L	\$1117
W	\$1324
P	\$1285
36 L	\$1339
W	\$1603
P	\$1541

DT3CT. 30 W	\$1590
P	\$1367
36 W	\$1924
P	\$1638

DT3CE. 30 P \$1367

X


	36 P	\$1638	Top/E	Edge Finish: Wood Veneer	
			For ve	eneer top/veneer edge (W)	
Step 6	ó.		2U	light brown walnut 🛕	+\$50
			40	dark brown walnut 🛕	+\$50
Top Fi	nish		ED	aged cherry A	+\$50
For la	minate top/thermoplastic edge (L)		EK	medium red walnut [A]	+\$50
76	light brown walnut	+\$o	EW	medium matte walnut 🛕	+\$50
91	white	+\$o	ET	clear on ash 🛕	+\$50
98	studio white	+\$o	EU	oak on ash 🛕	+\$50
8Q	folkstone grey	+\$o	EV	walnut on ash 🛕	+\$50
CL	cool grey neutral	+\$o	UL	natural maple 🛕	+\$50
HF	inner tone light	+\$o	UX	walnut on cherry A	+\$50
нм	natural maple	+\$o			
HP	light anigre	+\$o	, ,	Edge Finish: Opaque Formcoat®	
HT	inner tone	+\$o	For p	ainted Formcoat® top/edge (P)	
нх	aged cherry	+\$o	8Q	folkstone grey	+\$0
HY	walnut on cherry	+\$o	91	white	+\$0
LA	light ash	+\$o	CL	cool grey neutral	+\$0
LBA	clear on ash	+\$o	LU	soft white	+\$0
LBR	phantom ecru	+\$o	WL	sandstone	+\$0
LBS	phantom cocoa	+\$o	WN	warm grey neutral	+\$0
LBU	medium matte walnut	+\$o			
LBV	warm grey teak	+\$o	Step	7. Edge Finish	
LBB	oak on ash	+\$o	For la	minate top/thermoplastic edge (L)	
LBC	walnut on ash	+\$o	76	light brown walnut	+\$0
LBD	dark brown walnut	+\$o	8Q	folkstone grey	+\$0
LBE	medium red walnut	+\$o	91	white	+\$0
LBF	neutral twill	+\$o	98	studio white	+\$0
LBG	sarum twill	+ \$o	CL	cool grey neutral	+\$0
LBH	earthen twill	+\$o	LA	light ash	+\$0
LBJ	graphite twill	+\$o	LBA	clear on ash	+\$0
LBK	pewter mesh	+\$o	LBR	phantom ecru	+\$0
LBL	steel mesh	+\$o	LBS	phantom cocoa	+\$0
LBM	crisp linen	+\$o	LBU	medium matte walnut	+\$0
LBN	classic linen	+\$o	LBV	warm grey teak	+\$0
LBP	casual linen	+\$o	LBB	oak on ash	+\$0
LBQ	white twill	+\$o	LBC	walnut on ash	+\$ o
LU	soft white	+\$o	LBD	dark brown walnut	+\$ o
WL	sandstone	+\$o	LBE	medium red walnut	+\$ o
WN	warm grey neutral	+\$o	LBF	neutral twill	+\$ o
			LBG	sarum twill	+\$0
			LBH	earthen twill	+\$0
			LBJ	graphite twill	+\$o
			LBK	pewter mesh	+\$o
			LBL	steel mesh	+\$ o
			LBM	crisp linen	+\$o
			LBN	classic linen	+\$ o

Everywhere" Standing-Height Tables

Standing-Height Round Table

continued

LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
Step 8	3. Base Finish	
Metal	lic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand	Texture Paint	
Sand BK	Texture Paint black	+\$0
ВК		+\$0
ВК	black	+\$0
BK Smoo	black th Paint	
BK Smoo 8Q	black th Paint folkstone grey white studio white	+\$0
BK Smoo 8Q 91	black th Paint folkstone grey white	+\$c +\$c +\$c +\$c
Smoo 8Q 91 98	black th Paint folkstone grey white studio white	+\$c +\$c +\$c +\$c
Smoo 8Q 91 98 BU	black th Paint folkstone grey white studio white black umber	+\$c +\$c +\$c +\$c
Smoo 8Q 91 98 BU CL	black th Paint folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light	+\$c +\$c +\$c +\$c +\$c +\$c
Smoo 8Q 91 98 BU CL G2 HF LU	black th Paint folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white	+\$c +\$c +\$c +\$c +\$c +\$c +\$c
Smoo 8Q 91 98 BU CL G2 HF LU	black th Paint folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white medium tone	+\$c +\$c +\$c +\$c +\$c +\$c +\$c +\$c
Smoo 8Q 91 98 BU CL G2 HF LU MT SG	black th Paint folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white medium tone slate grey	+\$c +\$c +\$c +\$c +\$c +\$c +\$c +\$c
Smoo 8Q 91 98 BU CL G2 HF LU MT SG WL	black th Paint folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white medium tone slate grey sandstone	+\$c +\$c +\$c +\$c +\$c +\$c +\$c +\$c +\$c +\$c
Smoo 8Q 91 98 BU CL G2 HF LU MT SG	black th Paint folkstone grey white studio white black umber cool grey neutral graphite satin inner tone light soft white medium tone slate grey	+\$c +\$c +\$c +\$c +\$c +\$c +\$c +\$c



Description


This 16"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT4B

Step 2. Edge

S. squared-edge

T. thin-edge

Step 3. Depth/Width

2424 24" deep x 24" wide

3030 30" deep x 30" wide

3636 36" deep x 36" wide

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

Step 5. Base Type

S single-column base

Prices for Ste	S 1-5.	
		S
DT4BS. 2424	L	\$741
	W	\$866
	P	\$853
3030	L	\$889
	W	\$1049
	P	\$1023
3636 L	\$1023	
	W	\$1215
	P	\$1176
		s
DT4BT. 2424	W	\$1038
	P	\$908
3030	W	\$1260
	P	\$1087
3636	W	\$1461
	Р	\$1252

Step	6.		LM	mahogany	+\$0
			LT	light tone	+ \$o
Top F	inish		LU	soft white	+ \$o
For la	minate top/thermoplastic edge (L)		MT	medium tone	+\$o
28	canyon	+\$o	OG	honey maple	+\$o
29	misted	+\$ 0	WL	sandstone	+\$ o
38	twilight	+\$o	WN	warm grey neutral	+\$o
39	desert	+\$0	X1	chalk white	+\$o
76	light brown walnut	+\$0			
91	white	+\$0	Top/E	Edge Finish: Wood Veneer	
98	studio white	+\$0	For ve	eneer top/veneer edge (W)	
1X	vanilla	+\$0	2U	light brown walnut 🛕	+\$50
2X	wheat	+\$0	40	dark brown walnut 🛕	+\$50
3X	celery	+\$0	ED	aged cherry A	+\$50
4X	coriander	+\$0	EK	medium red walnut 🛕	+\$50
5X	chamomile	+\$0	EW	medium matte walnut A	+\$50
6X	cinnamon	+\$0	ET	clear on ash 🛕	+\$50
7X	cardamom	+\$ 0	EU	oak on ash 🛕	+\$50
8X	kale	+\$ 0	EV	walnut on ash 🛕	+\$50
8Q	folkstone grey	+\$0	UL	natural maple A	+\$50
CL	cool grey neutral	+\$ 0	UX	walnut on cherry A	+\$50
HF	inner tone light	+\$ 0			
нм	natural maple	+\$ 0	Top/E	Edge Finish: Opaque Formcoat®	
HP	light anigre	+\$ 0	For po	ninted Formcoat® top/edge (P)	
HT	inner tone	+\$ 0	8Q	folkstone grey	+\$ o
HX	aged cherry	+\$o	91	white	+\$o
HY	walnut on cherry	+\$ 0	CL	cool grey neutral	+\$ o
LA	light ash	+\$ 0	LU	soft white	+\$ o
LBA	clear on ash	+\$ 0	WL	sandstone	+\$ o
LBR	phantom ecru	+\$ 0	WN	warm grey neutral	+\$ o
LBS	phantom cocoa	+\$ 0			
LBU	medium matte walnut	+\$ 0	Step 7	7. Edge Finish	
LBV	warm grey teak	+\$0	For la	minate top/thermoplastic edge (L)	
LBB	oak on ash	+\$0	76	light brown walnut	+\$o
LBC	walnut on ash	+\$0	8Q	folkstone grey	+\$o
LBD	dark brown walnut	+\$0	91	white	+\$ o
LBE	medium red walnut	+\$0	98	studio white	+\$o
LBF	neutral twill	+\$0	CL	cool grey neutral	+ \$o
LBG	sarum twill	+\$0	HF	inner tone light	+\$ o
LBH	earthen twill	+\$0	HM	natural maple	+ \$o
LBJ	graphite twill	+ \$o	HP	light anigre	+\$ o
LBK	pewter mesh	+\$ 0	HT	inner tone	+ \$o
LBL	steel mesh	+\$ 0	HX	aged cherry	+\$o
LBM	crisp linen	+\$ 0	HY	walnut on cherry	+ \$o
LBN	classic linen	+\$ 0	LA	light ash	+ \$o
LBP	casual linen	+\$ 0	LBA	clear on ash	+ \$o
LBQ	white twill	+\$o	LBB	oak on ash	+\$o

LBC


LBD

walnut on ash

dark brown walnut

LDD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$ o
LBH	earthen twill	+\$ o
LBJ	graphite twill	+\$ o
LBK	pewter mesh	+\$ o
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$ o
LBQ	white twill	+\$ o
LBR	phantom ecru	+\$ o
LBS	phantom cocoa	+\$ o
LBU	medium matte walnut	+\$ o
LBV	warm grey teak	+\$0
LU	soft white	+\$ o
WL	sandstone	+\$ o
WN	warm grey neutral	+\$0
Step 8	3. Base Finish	
Metal	lic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand	Texture Paint	
BK	black	+\$0
Smoo	th Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

+\$o




Description

This 16"-high, round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices. For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT4C

Step 2. Edge

S. squared-edge

T. thin-edge

Step 3. Diameter

30 30" diameter

36 36" diameter

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

painted Formcoat® top/edge

For thin-edge (T.)

veneer top/veneer edge [A]

painted Formcoat® top/edge

Step 5. Base Type

S single-column base

Prices for Steps 1-5.	
	S
DT4CS. 30 L	\$1021
W	\$1207
Р	\$1175
36 L	\$1175
W	\$1398
P	\$1351
	s
DT4CT. 30 W	\$1447
P	\$1251
36 W	\$1678
P	\$1439

Top Finish


For laminate top/thermoplastic edge (L)

canyon **+\$**o 28 29

misted **+\$**o

38	twilight	+\$o	WN	warm grey neutral	+\$o
39	desert	+\$0	X1	chalk white	+ \$o
76	light brown walnut	+\$o			
91	white	+\$o	Top/E	dge Finish: Wood Veneer	
98	studio white	+\$o	For ve	eneer top/veneer edge (W)	
1X	vanilla	+\$o	2U	light brown walnut 🛕	+\$50
2X	wheat	+\$o	40	dark brown walnut 🛕	+\$50
3X	celery	+\$o	ED	aged cherry A	+\$50
4X	coriander	+\$o	EK	medium red walnut A	+\$50
5X	chamomile	+\$o	EW	medium matte walnut [A]	+\$50
6X	cinnamon	+\$o	ET	clear on ash 🛕	+\$50
7X	cardamom	+\$o	EU	oak on ash 🛕	+\$50
8X	kale	+\$o	EV	walnut on ash 🛕	+\$50
8Q	folkstone grey	+\$o	UL	natural maple A	+\$50
CL	cool grey neutral	+\$0	UX	walnut on cherry A	+\$50
HF	inner tone light	+\$0		· <u>—</u>	
нм	natural maple	+\$0	Top/E	dge Finish: Opaque Formcoat®	
HP	light anigre	+\$0	For po	ninted Formcoat® top/edge (P)	
HT	inner tone	+\$o	8Q	folkstone grey	+\$o
нх	aged cherry	+\$o	91	white	+ \$o
HY	walnut on cherry	+\$o	CL	cool grey neutral	+ \$o
LA	light ash	+\$o	LU	soft white	+\$o
LBA	clear on ash	+\$o	WL	sandstone	+ \$o
LBR	phantom ecru	+\$o	WN	warm grey neutral	+ \$o
LBS	phantom cocoa	+\$o			
LBU	medium matte walnut	+\$o	Step 7	z. Edge Finish	
LBV	warm grey teak	+\$o	For la	minate top/thermoplastic edge (L)	
LBB	oak on ash	+\$o	76	light brown walnut	+\$o
LBC	walnut on ash	+\$o	8Q	folkstone grey	+\$o
LBD	dark brown walnut	+\$o	91	white	+\$o
LBE	medium red walnut	+\$o	98	studio white	+\$o
LBF	neutral twill	+\$o	CL	cool grey neutral	+\$o
LBG	sarum twill	+\$o	HF	inner tone light	+\$o
LBH	earthen twill	+ \$o	нм	natural maple	+\$o
LBJ	graphite twill	+\$o	HP	light anigre	+\$o
LBK	pewter mesh	+ \$o	HT	inner tone	+\$o
LBL	steel mesh	+ \$0	нх	aged cherry	+\$o
LBM	crisp linen	+ \$0	HY	walnut on cherry	+\$o
LBN	classic linen	+ \$0	LA	light ash	+\$o
LBP	casual linen	+ \$0	LBA	clear on ash	+\$o
LBQ	white twill	+ \$0	LBB	oak on ash	+\$o
LM	mahogany	+ \$0	LBC	walnut on ash	+\$o
LT	light tone	+ \$0	LBD	dark brown walnut	+\$o
LU	soft white	+\$0	LBE	medium red walnut	+\$o
MT	medium tone	+ \$o	LBF	neutral twill	+\$o
OG	honey maple	+\$o	LBG	sarum twill	+\$o
WL	sandstone	+\$o	LBH	earthen twill	+\$o

LBJ	grapnite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step	8. Base Finish	
Metal	llic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand	Texture Paint	
BK	black	+\$0
Smoo	oth Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110



Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 4" below surface to hide attachment hardware.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42-1.49

46-1.73

53-2.18

For horizontal fabric direction (R):

 $Width\!-\!Yardage$

40-1.34

42 - 1.51

46-1.62

48-1.71

52-1.81

54-1.90


60-2.07

66-2.27

72-2.46

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT351. A

Step 2. Attachment

C Canvas surface attached A

Step 3. Height

42 42" high A

46 46" high A

53 53" high A

Step 4. Width

40 39¹/₂" wide A

42 42" wide A

46 45¹/₂" wide A

48 48" wide A

52 $51^{1/2}$ wide A

54 54" wide A

60 60" wide A66 66" wide A

72 72" wide A

Step 5. Surface Material

For 39¹/₂" wide (40), 42" wide (42), 45¹/₂" wide (46), or 48" wide (48)

R tackable fabric, horizontal A

T tackable fabric A

For 51¹/₂" wide (52)


R tackable fabric, horizontal A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal A

Prices for S	Steps 1-5.						
		40R	40T	42R	42T	46R	46T
FT351. C	42	\$773	773	799	799	809	809
	46	\$835	835	866	866	909	909
	53	\$1010	1010	1091	1091	1137	1137
		48R	48T	52R	54R	60R	66R
FT351. C	42	\$824	824	891	912	975	1046
	46	\$955	955	1020	1046	1122	1182
	53	\$1152	1152	1202	1218	1238	1273
		_	_			_	

					72R
FT351. C 42					\$1101
46					\$1228
53					\$1298
Step 6. Bracket Finish					
G2 graphite satin A					+\$o
Step 7. Fabric					
	40	42	46	48	52
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$23	23	23	23	27
Price Category 3	+\$54	54	54	54	65
Price Category 4	+\$94	94	94	94	113
***************************************		54	60	66	72
Price Category 1	**********	+\$o	0	0	0
Price Category 2		+\$27	27	33	33
Price Category 3		+\$65	65	78	78
Price Category 4		+\$113	113	135	135



Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 10" below surface for modesty.

Screen can be flush with back edge of surface, or provide a 1" gap. Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

42-1.90

46-2.14

53-2.59

For horizontal fabric direction (R):

Width—Yardage

40-2.87

42-3.02

46-3.22

48 - 3.41

52-3.63

54-3.78


60-4.17

66-4.54

72-4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions




72R

Pari Screen, Surface Attached with Modesty continued

	ification Information
Step 1	
FT353	B. A
Step 2	2. Attachment
C	Canvas surface attached A
Step 3	3. Height
A42	42" high/10" below surface [A]
A46	46" high/10" below surface [A]
A53	53" high/10" below surface A
Step 2	4. Width
40	39 ¹ / ₂ " wide A
42	42" wide A
46	45 ¹ / ₂ " wide A
48	48" wide A
52	51 ¹ / ₂ " wide A
54	54" wide 🛕
60	60" wide A
66	66" wide A
72	72" wide A
Step 5	5. Surface Material
For 20	1/2" wide (40), 42" wide (42), 45 ¹ /2" wide (46), or 48" wide (48)
101 39 R	tackable fabric, horizontal A
T.	tackable fabric A
•	tuckable labile [A]
For 51	¹/2" wide (52)
R	tackable fabric, horizontal 🛽 🔻
 For 54	" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)
R	tackable fabric, horizontal 🛕

						,
FT353	3. C A42					\$1288
	A46					\$1371
	A53					\$1507
Step 6	6. Cable Trough					
NC	no cable way 🛕					+\$o
CW	cable way A					+\$25
Step 7	7. Cable Trough Finish					
G2	graphite satin A					+\$o
Step 8	3. Bracket Finish					
G2	graphite satin A					+ \$0
Step	9. Fabric					
		40	42	46	48	52
Price	Category 1	+\$0	0	0	0	0
Price	Category 2	+\$36	36	36	36	52
Price	Category 3	+\$86	86	86	86	123
Price	Category 4	+\$150	150	150	150	214
•••••			54	60	66	72
Price	Category 1		+\$0	0	0	0
Price	Category 2		+\$52	52	64	64
Price	Category 3		+\$123	123	154	154
Price	Category 4		+\$214	214	267	267



Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is $13^{1/2}$ " or $17^{1/2}$ " above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge. $\,$

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines. Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

42-1.19

46-1.45

For horizontal fabric direction (R):

Width-Yardage


24-0.90

30-1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT354. A

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed A

CR Canvas Surface Attached, End of Run Right Handed A

Step 3. Height

42 42" high A

46 46" high A

Step 4. Width

24 24" wide A

30 30" wide A

36 36" wide A

Step 5. Surface Material


R tackable fabric, horizontal A

T tackable fabric A

Prices for Steps 1-5.						
	24R	24T	30R	30T	36R	36T
FT354. CL 42	\$849	849	879	879	904	904
46	\$894	894	930	930	965	965
CR 42	\$849	849	879	879	904	904
46	\$894	894	930	930	965	965

Step 6	. Bracket Finish	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$o
BK	black A	+\$o
G1	graphite A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o

Step 7. Fabric	
Price Category 1	+ \$o
Price Category 2	+\$17
Price Category 3	+\$40
Price Category 4	+\$70



Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 4" below surface to hide attachment hardware.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42-1.49

46-1.73

53-2.18

For horizontal fabric direction (R):

 $Width\!-\!Yardage$

40-1.34

42-1.51

46-1.62

48-1.71

52-1.81

54-1.90


60-2.07

66-2.27

72-2.46

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT356.

Step 2. Attachment

C Canvas surface attached

Step 3. Height

42 42" high

46 46" high

53 53" high

Step 4. Width

40 39¹/₂" wide

46 45¹/₂" wide

48 48" wide

52 51¹/₂" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 39¹/₂" wide (40), 45¹/₂" wide (46), or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

G2

For 51¹/₂" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal


graphite satin

Prices for S	Steps 1-5.						
		40R	40T	46R	46T	48R	48T
FT356. C	42	\$601	601	639	639	654	654
	46	\$647	647	701	701	747	747
	53	\$839	839	932	932	947	947
			52R	54R	60R	66R	72R
FT356. C	42		\$676	696	753	788	839
	46		\$771	817	884	925	965
	53		\$959	974	1000	1005	1010
Ston 6 Pro	acket Finish						

+\$o

Flat Edge Screen, Surface Attached continued

Step 7. Fabric					
	40	46	48	52	54
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$23	23	23	27	27
Price Category 3	+\$54	54	54	65	65
Price Category 4	+\$94	94	94	113	113
Price Category E	+\$169	169	169	169	169
			60	66	72
Price Category 1			+\$o	0	0
Price Category 2			+\$27	27	27
Price Category 3			+\$65	65	65
Price Category 4			+\$113	113	113
Price Category E			+\$169	169	169



Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 9" below surface for modesty.

Screen can be flush with back edge of surface, or provide a 1" gap. Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

42-1.90

46-2.14

53-2.59

For horizontal fabric direction (R):

Width—Yardage

40-2.87

42-3.02

46-3.22

48 - 3.41

52-3.63

54-3.78


60-4.17

66-4.54

72-4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



72R

Flat Edge Screen, Surface Attached with Modesty continued


Step 2	2. Attachment
C	Canvas surface attached
Step 3	3. Height
A42	42" high/9" below surface
A46	46" high/ 9" below surface
A53	53" high/ 9" below surface
Step 2	ı. Width
40	39 ¹ / ₂ " wide
42	42" wide
46	45 ¹ / ₂ " wide
48	48" wide
52	51 ¹ / ₂ " wide
54	54" wide
60	6o" wide
66	66" wide
72	72" wide
Step 5	;. Surface Material
 For 30	, 1 ¹ / ₂ " wide (40), 42" wide (42), 45 ¹ / ₂ " wide (46), or 48" wide (48)
R	tackable fabric, horizontal
т	tackable fabric

						,
FT357	7. C A42					\$909
	A46					\$984
	A53					\$1109
Step	6. Cable Trough					
NC	no cable way					+\$o
CW	cable way					+\$25
Step	7. Cable Trough Finish					
G2	graphite satin					+\$0
Step 8	8. Bracket Finish					
G2	graphite satin					+\$0
Step	9. Fabric					
		40	42	46	48	52
Price	Category 1	+\$0	0	0	0	0
Price	Category 2	+\$36	36	36	36	52
Price	Category 3	+\$86	86	86	86	123
Price	Category 4	+\$150	150	150	150	214
Price	Category E	+\$169	169	169	169	169
			54	60	66	72
Price	Category 1		+\$o	0	0	0
Price	Category 2		+\$52	52	52	52
Price	Category 3		+\$123	123	123	123
Price	Category 4		+\$214	214	214	214
Price	Category E		+\$169	169	169	169

Prices for Steps 1-5. 40R 46T 40T 42R 42T 46R FT357. C A42 \$647 677 704 647 677 704 A46 \$778 778 830 830 833 833 A53 \$930 930 950 950 955 955 48R 48T 52R 60R 66R 54R FT357. C A42 \$715 849 715 748 752 827 A46 \$842 842 871 914 926 952 A53 \$963 963 1075 969 976 990

wide (72)

tackable fabric, horizontal



Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is $13^{1/2}$ " or $17^{1/2}$ " above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge. $\,$

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines. Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

42-1.19

46-1.45

For horizontal fabric direction (R):

Width-Yardage


24-0.90

30-1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT358.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material


R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.						
	24R	24T	30R	30T	36R	36T
FT358. CL 42	\$526	526	556	556	566	566
46	\$571	571	606	606	627	627
CR 42	\$526	526	556	556	566	566
46	\$571	571	606	606	627	627

Step 6	. Bracket Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
BK	black	+\$o
G1	graphite	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Step 7. Fabric	
Price Category 1	+\$o
Price Category 2	+\$17
Price Category 3	+\$40
Price Category 4	+\$70
Price Category E	+\$169



Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width $^1/_4$ " less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Sten	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
54	54" wide			
60	6o" wide			
66	66" wide			
72	72" wide			

Step 3. Cable Trough

N without added cable troughY with added cable trough


Step 4. Surface Material

L laminate top/thermoplastic edge

W veneer top/veneer edge

Prices for Steps 1-4.		
	L	W
Y1113. 24 N	\$197	349
Υ	\$350	520
30 N	\$214	392
Υ	\$398	594
36 N	\$234	436
Υ	\$433	654
42 N	\$253	480
Υ	\$477	723
48 N	\$272	523
Υ	\$521	793
54 N	\$293	567
Υ	\$565	863
60 N	\$311	610
Υ	\$610	932
66 N	\$311	652
Υ	\$653	1001
72 N	\$337	695
Υ	\$696	1070

Step	5. Finish		98	studio white	+\$0
			BU	black umber	+\$0
For la	minate top/thermoplastic edge (L)		CL	cool grey neutral	+\$0
76	light brown walnut	+\$0	G2	graphite satin	+\$0
8Q	folkstone grey	+\$0	HF	inner tone light	+\$0
91	white	+ \$o	нм	natural maple	+\$0
98	studio white	+\$0	HP	light anigre	+\$0
CL	cool grey neutral	+\$0	HT	inner tone	+\$0
G1	graphite	+ \$o	нх	aged cherry	+\$0
нм	natural maple	+ \$o	HY	walnut on cherry	+\$0
HP	light anigre	+\$ o	LA	light ash	+\$0
нх	aged cherry	+ \$o	LBA	clear on ash	+\$0
HY	walnut on cherry	+\$ o	LBB	oak on ash	+\$0
LA	light ash	+\$0	LBC	walnut on ash	+\$0
LBA	clear on ash	+\$0	LBD	dark brown walnut	+\$0
LBB	oak on ash	+\$0	LBE	medium red walnut	+\$0
LBC	walnut on ash	+\$0	LBF	neutral twill	+\$0
LBD	dark brown walnut	+\$0	LBG	sarum twill	+\$0
LBE	medium red walnut	+\$0	LBH	earthen twill	+\$0
LBF	neutral twill	+\$0	LBJ	graphite twill	+\$0
LBG	sarum twill	+ \$o	LBK	pewter mesh	+\$0
LBH	earthen twill	+\$ o	LBL	steel mesh	+\$0
LBJ	graphite twill	+\$ 0	LBM	crisp linen	+\$0
LBK	pewter mesh	+\$0	LBN	classic linen	+\$0
LBL	steel mesh	+\$0	LBP	casual linen	+\$0
LBM	crisp linen	+\$0	LBQ	white twill	+\$0
LBN	classic linen	+\$0	LBR	phantom ecru	+\$0
LBP	casual linen	+\$ 0	LBS	phantom cocoa	+\$0
LBQ	white twill	+\$0	LBU	medium matte walnut	+\$0
LBR	phantom ecru	+\$0	LBV	warm grey teak	+\$0
LBS	phantom cocoa	+\$0	LU	soft white	+\$0
LBU	medium matte walnut	+\$0	MT	medium tone	+\$0
LBV	warm grey teak	+\$0	WL	sandstone	+\$0
LU	soft white	+\$0	WN	warm grey neutral	+\$0
WL	sandstone	+\$0			
WN	warm grey neutral	+\$0			
For ve	eneer top/veneer edge (W)				
2U	light brown walnut	+\$o			
40	dark brown walnut	+\$o			
UL	natural maple	+\$o			
Step 6	6. Edge Finish				
For la	minate top/thermoplastic edge (L)				
76	light brown walnut	+\$0			
8Q	folkstone grey	+\$o			
91	white	+\$0			



Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is UL listed.

Notes

Cable clips for cord management are intended for a 1-time installation. Clamp versions can be reoriented in the field by a technician.


A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

 $\ensuremath{\mathsf{USB}}$ ports provide 10-watt power to charge most devices and tablets at full speed.


Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black.

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions




Surface Clamp



Grommet Mount

Specification Information Step 1. **Y1414.** A Step 2. Configuration 1 simplex receptacles, 2 powered USB $\boxed{\mathsf{A}}$ K 2 simplex receptacles A Step 3. Cord/Conduit Length 03 3' cord/conduit A 6' cord/conduit A 06 10 10' cord/conduit A Step 4. Attachment grommet mount A G S surface clamp A Prices for Steps 1-4. G S Y1414. J 03 \$351 351 06 \$351 351 10 \$361 361 K 03 \$196 196 06 \$196 196 10 \$206 206 Step 5. Finish BK black 🗚 +\$o 91 white [A] +\$o 98 studio white A +\$o G1 graphite [A] +\$o



Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.

Notes

Cable clips for cord management are intended for a 1-time installation. Clamp versions can be reoriented in the field by a technician.

Jumper length denotes distance between center points of each split point.

Cord length denotes distance from plug end to first split point.

All branch lengths from main power cord to module are 12".


A small LED light illuminates through the USB ports when the USB version is plugged in and powered.


USB ports provide 10-watt power to charge most devices and tablets at full speed.

The cord head contains a circuit breaker when there are more than ${\mathfrak Z}$ simplex receptacles.


Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions






Two Power Modules



Three Power Modules



Four Power Modules

Speci	fication Information
Step 1	
Y1415	. A
Step 2	. Number of Modules
2	two power modules [A]
3	three power modules A
4	four power modules A
Step 3	. Power Type
J	1 simplex receptacles, 2 powered USB, all modules A
K	2 simplex receptacles, all modules A
L	first module has 1 AC plus 2 powered USB all other modules
	have all AC simplexes A
Step 4	. Jumper Length

36" between split points [A]

48" between split points 🖪

60" between split points A

grommet mount A

surface clamp A

6' cord/conduit A

10' cord/conduit A

Step 6. Cord/Conduit Length

G

S

Step 5. Attachment

***************************************	4 J	\$1597	1608	1634	1645	1634	1645
	K	\$975	985	999	1011	999	1011
	L	\$1130	1140	1156	1166	1156	1166
Step 7.	Finish						
91	white A						+\$o
98	studio white A						+\$o
BK	black 🗚						+\$o
G1	graphite A						+\$o

Prices for Steps 1-6. 36G06 36G10 36S06 36S10 48G06 48G10 Y1415. 2 J \$777 K \$465 L \$621 3 J \$1157 K \$706 L \$863 J \$1571 K \$948 \$1104 48506 48510 60G06 60G10 60S06 60S10 Y1415. 2 J \$785 Κ \$474 L \$630

\$1174


\$725

\$879

3 J

K

L



Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes

Clamp mounts on worksurfaces 1"-11/4" thick.

Faceplate color matches unit color.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.


Dimensions






2 simplex receptacles, 2 powered USB





4 simplex receptacles, 2 powered USB






5 simplex receptacles, 2 powered USB






3 simplex receptacles





5 simplex receptacles





6 simplex receptacles


Logic C1000 Universal Clamp Mount Distributor continued

Step	1.
Y142	3. A
Step	2. Configuration
Α	2 simplex receptacles, 2 powered USB A
C	4 simplex receptacles, 2 powered USB A
D	5 simplex receptacles, 2 powered USB A
E	3 simplex receptacles A
F	5 simplex receptacles A
G	6 simplex receptacles A
Step	3. Power Type
Α	power cord with plug end A
В	conduit with open end, for hard-wiring A
Step	4. Cord/Conduit Length
03	3' cord/conduit A
06	6' cord/conduit A
10	10' cord/conduit A

riices ioi	oteps 1-4.			
		0	3 06	10
Y1423. A	Α	\$47	4 474	485
	В	\$52	6 526	536
С	A	\$56	9 569	579
	В	\$62	1 621	632
D	Α	\$60	9 609	620
	В	\$66	1 661	672
Е	A	\$31	8 318	329
	В	\$37	1 371	381
F	A	\$41	4 414	424
	В	\$46	5 465	477
G	A	\$45	3 453	464
	В	\$50	5 505	517

Step	5. Finish	
91	white A	+\$0
98	studio white A	+ \$o
BK	black A	+ \$o
G1	graphite A	+ \$o
MS	metallic silver	+\$0





Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.


Dimensions




2 simplex receptacles, 2 powered USB




4 simplex receptacles, 2 powered USB



5 simplex receptacles, 2 powered USB







+\$o


Logic G1000 Grommet Mounted Electrical Distributor *continued*

	ification Information
Step	
Y142	5. <u>A</u>
Step	2. Configuration
Α	2 simplex receptacles, 2 powered USB A
C	4 simplex receptacles, 2 powered USB A
D	5 simplex receptacles, 2 powered USB A
E	3 simplex receptacles A
F	5 simplex receptacles A
G	6 simplex receptacles A
Step	3. Power Type
Α .	power cord with plug end A
В	conduit with open end, for hard-wiring A
C	IEC connector for Renew Tables A
	4. Cord/Conduit Length
For p	ower cord with plug end (A)
03	3' cord/conduit A
06	6' cord/conduit A
10	10' cord/conduit A
For co	onduit with open end, for hard-wiring (B)
03	3' cord/conduit A
06	6' cord/conduit A
10	10' cord/conduit A
For IE	C connector for Renew Tables (C)

•	F A	\$626	626	638
	В	\$679	679	690
	С	\$638	_	_
	G A	\$696	696	706
	В	\$747	747	760
	C	\$706	_	_
Step 5	. Finish			
91	white A			+\$ 0
98	studio white [A]			+\$ 0
BK	black A			+\$o
G1	graphite A			+\$o

MS

metallic silver [A]




Description

This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

Notes


This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

Dimensions





Grommet - Rectangle



Specification Information

Step 1.


Y1412.

Step 2. Configuration

- 1 mini rectangle grommet
- 2 mini square grommet

Prices for Steps 1-2.	
Y1412. 1	\$28
2	\$32

Step :	3. Finish	
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0




Description


This Logic Power Access Solutions $^{\mathtt{M}}$ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.

Notes


Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.

Dimensions





5 outlet opening (V)



Specification Information


Step 1.

Y1420. A

Step 2. Configuration		
Т	three outlet opening A	
٧	five outlet opening A	
X	six outlet opening A	

Prices for Steps 1-2.		
Y1420. T	\$226	
V	\$248	
X	\$270	

Step 3. Finish				
0				
0				
0				
0				
0				
(




Description

This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.

Dimensions





Specification Information

Step 1.

Y1424. A

Step 2. Size


17" wide tray 🖪

Prices for Steps 1-2.

Y1424. 17

\$248

Step 3. Finish 91 white [A] **+**\$0 98 studio white [A] **+**\$0 BK black A **+**\$0 G1 graphite A **+**\$o MS metallic silver [A] **+**\$0




Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Dimensions



Specification Information

Step 1.

Y1321.

Step 2. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 3. Cord/Conduit Length

03 3' cord/conduit
06 6' cord/conduit
10 10' cord/conduit
20 20' cord/conduit

C+--- . \\\!:-:-- . T-

Prices for Steps 1-3.				
	03	06	10	20
Y1321. A	\$213	213	223	274
В	\$269	269	279	330

Step	4. wiring Type	
4Z	standard	+\$0
Step	5. Finish	
0H	black	+\$0



Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver finish option (ol) or white finish option (ol) and standard wiring (4Z) has painted metal trim with white plastic simplex/data interior. Distributor with black finish option (oH) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.

Dimensions



Specification Information

Step 1.

Y1322.

Step 2. Configuration

1 simplex receptacle, 1 data opening

2 2 simplex receptacles

Step 3. Power Type

A power cord with plug end


B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

3′ cord/conduit
6′ cord/conduit
10′ cord/conduit
20′ cord/conduit

Prices for Steps 1-4.				
	03	06	10	20
Y1322. 1 A	\$254	254	263	314
В	\$309	309	318	367
2 A	\$269	269	279	330
В	\$323	323	335	386

Step	5. Wiring Type	
4Z	standard	+\$0
LZ	PVC-free	+\$39
Step	6. Finish	
ОН	black	+\$0
01	silver	+\$ 0
OJ	white	+\$o



Description

This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver option (oI) and white option (oJ) have painted metal trim with white plastic simplex/data interiors. Black option (oH) has black painted trim with black plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8" wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11" wide.

Dimensions





Specification Information

Step 1.

Y1323.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

4 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

3' cord/conduit6' cord/conduit

10 10' cord/conduit

20 20' cord/conduit

Step 5. Attachment


G grommet mount

S surface clamp

Prices for Steps 1-5. 03G 035 06G 065 10G 105 Y1323. 3 Α \$290 300 290 290 290 300 \$345 345 345 345 355 355 4 Α \$361 361 361 361 370 370 \$418 418 418 418 428 428

		20G	205
Y1323. 3	Α	\$350	350
	В	\$404	404
4	Α	\$423	423
	В	\$477	477

Step 6.	Finish	
ОН	black	+ \$o
01	silver	+\$0
0J	white	+\$0



Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 4 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver anodized finish option (oK) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior. Distributor with silver anodized finish option (oK) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior. Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is $8^{1}/_{4}$ " wide. Overall width for distributor with 3 simplex receptacles, 4 data openings option (5) is $12^{3}/_{4}$ " wide.

Dimensions



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

5 3 simplex receptacles, 4 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length

03 3' cord/conduit
06 6' cord/conduit
10 10' cord/conduit
20 20' cord/conduit

Prices for Steps 1-4.				
	03	06	10	20
Y1324. 3 A	\$404	404	414	465
В	\$460	460	471	521
5 A	\$520	520	530	579
В	\$575	575	581	631

Step 5	. Wiring Type	
4Z	standard	+\$0
LZ	PVC-free	+\$39

Step 6. Finish OK silver anodized +\$0



Description

This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is $8^3/8^{\prime\prime}$ wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is $11^3/8^{\prime\prime}$ wide.

Dimensions



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

7 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length

03 3' cord/conduit
 06 6' cord/conduit
 10 10' cord/conduit
 20 20' cord/conduit

Prices for S	Steps 1-4.				
		03	06	10	20
Y1325. 3	A	\$476	476	487	537
	В	\$532	532	542	592
7	A	\$547	547	560	609
	В	\$603	603	615	665

Step 5	. Finish		
OK	silver anodized	+9	\$o







Description

This plastic clip snaps onto an Everywhere™ table leg to route cables or cords. Finish is clear. Package of 10.

Dimensions







Description

These cord covers attach to Everywhere table T-leg and Y-leg sections that have either casters or glides. The covers are field installed, and are easily removed and reinstalled for ease of cable management.


Notes

The T cover works with both the (T) and (C) base options.


The Y cover works with both the (E) and (G) base options.


To ensure proper height of the covers, select (C) if your table has casters or select (G) if your table has glides.

Dimensions










Y-leg with casters

20*



Y-leg with glides

Specification Information

Step 1.

DT9B.

Step 2.	Leg Type	
T	T-leg	
E	Y-leg	


Prices for Steps 1-2.	
DT9B. T	\$275
E	\$275

Step 3.	Caster or Glide Table	
C	for table with caster base	+\$0
G	for table with glide base	+\$o

Step 4. Leg/Base Finish

Meta	ıllic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+ \$o
MS	metallic silver	+\$0
Sand	l Texture Paint	
BK	black	+\$o

Smoo	oth Paint	
8Q	folkstone grey	+\$0
91	white	+\$ o
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0



Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width $^1/_4$ " less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
54	54" wide			
60	6o" wide			
66	66" wide			
72	72" wide			

Step 3. Cable Trough

N without added cable troughY with added cable trough


Step 4. Surface Material

L laminate top/thermoplastic edge

W veneer top/veneer edge

Prices for Steps 1-4.		
	L	W
/1113. 24 N	\$197	349
Υ	\$350	520
30 N	\$214	392
Υ	\$398	594
36 N	\$234	436
Υ	\$433	654
42 N	\$253	480
Υ	\$477	723
48 N	\$272	523
Υ	\$521	793
54 N	\$293	567
Υ	\$565	863
60 N	\$311	610
Υ	\$610	932
66 N	\$311	652
Υ	\$653	1001
72 N	\$337	695
Υ	\$696	1070

Step	5. Finish		98	studio white	+ \$o
			BU	black umber	+\$o
For la	minate top/thermoplastic edge (L)		CL	cool grey neutral	+\$o
76	light brown walnut	+\$0	G2	graphite satin	+ \$o
8Q	folkstone grey	+ \$o	HF	inner tone light	+ \$o
91	white	+\$0	нм	natural maple	+\$0
98	studio white	+ \$o	HP	light anigre	+ \$o
CL	cool grey neutral	+ \$o	HT	inner tone	+ \$o
G1	graphite	+ \$o	нх	aged cherry	+ \$o
нм	natural maple	+ \$o	HY	walnut on cherry	+ \$o
HP	light anigre	+\$o	LA	light ash	+ \$o
нх	aged cherry	+ \$o	LBA	clear on ash	+ \$o
HY	walnut on cherry	+\$o	LBB	oak on ash	+ \$o
LA	light ash	+\$o	LBC	walnut on ash	+ \$o
LBA	clear on ash	+\$o	LBD	dark brown walnut	+ \$o
LBB	oak on ash	+\$o	LBE	medium red walnut	+ \$o
LBC	walnut on ash	+\$o	LBF	neutral twill	+ \$o
LBD	dark brown walnut	+ \$o	LBG	sarum twill	+ \$o
LBE	medium red walnut	+ \$o	LBH	earthen twill	+ \$o
LBF	neutral twill	+\$o	LBJ	graphite twill	+ \$o
LBG	sarum twill	+\$o	LBK	pewter mesh	+ \$o
LBH	earthen twill	+\$o	LBL	steel mesh	+ \$o
LBJ	graphite twill	+\$o	LBM	crisp linen	+ \$o
LBK	pewter mesh	+\$o	LBN	classic linen	+ \$o
LBL	steel mesh	+\$o	LBP	casual linen	+ \$o
LBM	crisp linen	+\$o	LBQ	white twill	+ \$o
LBN	classic linen	+\$o	LBR	phantom ecru	+ \$o
LBP	casual linen	+\$o	LBS	phantom cocoa	+ \$o
LBQ	white twill	+\$o	LBU	medium matte walnut	+ \$o
LBR	phantom ecru	+\$o	LBV	warm grey teak	+ \$o
LBS	phantom cocoa	+\$o	LU	soft white	+ \$o
LBU	medium matte walnut	+\$o	MT	medium tone	+ \$o
LBV	warm grey teak	+\$o	WL	sandstone	+ \$o
LU	soft white	+\$o	WN	warm grey neutral	+ \$o
WL	sandstone	+\$o			
WN	warm grey neutral	+\$0			
For ve	eneer top/veneer edge (W)				
2U	light brown walnut	+\$0			
40	dark brown walnut	+\$o			
UL	natural maple	+\$0			
Step	6. Edge Finish				
For la	minate top/thermoplastic edge (L)				
76	light brown walnut	+\$0			
8Q	folkstone grey	+\$o			
91	white	+\$o			



Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

For use with flip top table (DT₅Ax.), modesty panel (Y₁₁₁₄.) is recommended to enable optimal folding functionality of the table.

Dimensions



Specification Information


Step 1.

Y1114. A

Step 2	2. Width
24	24" wide A
30	30" wide A
36	36" wide A
42	42" wide A
48	48" wide A
54	54" wide A
60	60" wide A
66	66" wide A
72	72" wide 🛕

Prices for Steps 1-2.	
Y1114. 24	\$180
30	\$196
36	\$212
42	\$225
48	\$240
54	\$270
60	\$283
66	\$299
72	\$310

Step 3. Fabric	
Price Category 1	+\$o




Description

This trough attaches to a table, desk, peninsula, or work surface to hold and conceal cords and cables. It pivots down to allow easy access when laying cords inside, and can be specified with an optional modesty panel. The modesty panel has a fabric surface with aluminum top rail. Attachment hardware is included.

Notes

Specify trough to be equal to or less than the surface width.

Dimensions



Specification Information

Step 1.

Y1200.

Step:	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			


Step 3. I	Modesty Panel Optior
N	no modesty nanel

M modesty panel

Prices for Steps 1-3.		
	N	M
Y1200. 24	\$285	365
30	\$311	410
36	\$343	447
42	\$375	489
48	\$404	531
Step 4. Cable Trough Finish		
AN clear anodized aluminum		+\$o

Step 5. Modesty Panel Fabric	
For modesty panel (M)	
Price Category 1	+ \$o

Cable Management Trough, Work AO382. Surface Suspended




Product Information

Description

This trough attaches under an Action Office® suspended work surface to manage cables. Attachment hardware is included.

Dimensions



Specification Information

Step 1.


A0382.

Step	2. Width			
30	30" wide			
40	40" wide			

Prices for Steps 1-2.	
A0382. 30	\$81
40	\$100
40	\$10

Step	3. Surface Finish	
BU	black umber	+ \$o
MT	medium tone	+\$o






Description

This cord manager routes a cord from the underside of a hutch to the surface when a task light is attached. Color is black. Package of 6.

Dimensions




Specification Information

Step 1.

FV984.

Step	2. Height			
12	12" high			
24	24" high			
30	20 ¹ / ₂ " high			

Prices for Steps 1-2.	
FV984. 12	\$78
24	\$119
30	\$144



Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is UL listed.

Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.


A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

USB ports provide 10-watt power to charge most devices and tablets at full speed.


Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black.

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions




Surface Clamp



Grommet Mount

Specification Information Step 1. **Y1414.** A Step 2. Configuration K 2 simplex receptacles A Step 3. Cord/Conduit Length 03 3' cord/conduit A 6' cord/conduit A 06 10 10' cord/conduit A Step 4. Attachment grommet mount A G S surface clamp A Prices for Steps 1-4. S G Y1414. J 03 \$351 351 06 \$351 351 10 \$361 361 K 03 \$196 196 06 \$196 196 10 \$206 206 Step 5. Finish BK black 🗚 +\$o 91 white [A] +\$o 98 studio white A +\$o G1 graphite [A] +\$o



Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.

Notes

Cable clips for cord management are intended for a 1-time installation. Clamp versions can be reoriented in the field by a technician.

Jumper length denotes distance between center points of each split point.

Cord length denotes distance from plug end to first split point.

All branch lengths from main power cord to module are 12".


A small LED light illuminates through the USB ports when the USB version is plugged in and powered.


USB ports provide 10-watt power to charge most devices and tablets at full speed.

The cord head contains a circuit breaker when there are more than ${\bf 3}$ simplex receptacles.


Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions






Two Power Modules



Three Power Modules



Four Power Modules

Spec	ification Information
Step 1	
Y1415	
Step 2	2. Number of Modules
2	two power modules A
3	three power modules A
4	four power modules A
Step 3	3. Power Type
J	1 simplex receptacles, 2 powered USB, all modules [A]
K	2 simplex receptacles, all modules A
L	first module has 1 AC plus 2 powered USB all other modules
	have all AC simplexes A
Step 2	. Jumper Length
36	36" between split points A
	48" between split points A

	4 J	\$1597	1608	1634	1645	1634	1645
	K	\$975	985	999	1011	999	1011
	L	\$1130	1140	1156	1166	1156	1166
Step	7. Finish						
91	white A						+\$o
98	studio white [Α					+\$o
BK	black 🗚						+\$o
G1	graphite 🗚						+\$o

Prices for	Steps 1-6.						
		36G06	36G10	36506	36 S 10	48G06	48G10
Y1415. 2	J	\$777	787	777	787	785	796
	K	\$465	477	465	477	474	485
	L	\$621	632	621	632	630	641
3	J	\$1157	1167	1157	1167	1174	1185
	K	\$706	718	706	718	725	735
	L	\$863	873	863	873	879	891
4	J	\$1571	1583	1571	1583	1597	1608
	K	\$948	958	948	958	975	985
	L	\$1104	1115	1104	1115	1130	1140
		48506	48510	60G06	60G10	60506	60510
Y1415. 2	J	\$785	796	794	806	794	806
	K	\$474	485	483	493	483	493

641

1185

735

891

639

1192

741

898

649

1202

751

908

639

1192

741

898

649

1202

751

908

\$630

\$1174

\$725

\$879

3 J

K

L

60

G

S

06

10

Step 5. Attachment


60" between split points [A]

grommet mount A

10' cord/conduit A

surface clamp A

Step 6. Cord/Conduit Length 6' cord/conduit A



Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes

Clamp mounts on worksurfaces 1"-11/4" thick.

Faceplate color matches unit color.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.


Dimensions






2 simplex receptacles, 2 powered USB





4 simplex receptacles, 2 powered USB






5 simplex receptacles, 2 powered USB






3 simplex receptacles





5 simplex receptacles





6 simplex receptacles

Logic C1000 Universal Clamp Mount Distributor continued

Specification Information

Step 1.

Y1423. A

Step 2. Configuration

A 2 simplex receptacles, 2 powered USB A

C 4 simplex receptacles, 2 powered USB A

D 5 simplex receptacles, 2 powered USB A

E 3 simplex receptacles A

F 5 simplex receptacles A

G 6 simplex receptacles A

Step 3. Power Type

A power cord with plug end A

B conduit with open end, for hard-wiring A

Step 4. Cord/Conduit Length

03 3' cord/conduit A


06 6' cord/conduit A

10 10' cord/conduit A

Prices for S	Steps 1-4.			
		03	06	10
Y1423. A	Α	\$474	474	485
	В	\$526	526	536
С	A	\$569	569	579
	В	\$621	621	632
D	Α	\$609	609	620
	В	\$661	661	672
E	Α	\$318	318	329
	В	\$371	371	381
F	Α	\$414	414	424
	В	\$465	465	477
G	Α	\$453	453	464
	В	\$505	505	517

Step	5. Finish	
91	white A	+\$0
98	studio white A	+ \$o
BK	black A	+ \$o
G1	graphite A	+ \$o
MS	metallic silver	+\$0





Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB

Refer to Renew[™] Sit-to-Stand Tables and Locale[®] planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



2 simplex receptacles, 2 powered USB



4 simplex receptacles, 2 powered USB




5 simplex receptacles, 2 powered USB



3 simplex receptacles






Logic G1000 Grommet Mounted Electrical Distributor continued

Step	cification Information
Տներ Y142	
1142	5. [A]
Step	2. Configuration
Α	2 simplex receptacles, 2 powered USB A
C	4 simplex receptacles, 2 powered USB A
D	5 simplex receptacles, 2 powered USB A
E	3 simplex receptacles A
F	5 simplex receptacles A
G	6 simplex receptacles A
Step	3. Power Type
Α	power cord with plug end [A]
В	conduit with open end, for hard-wiring A
C	IEC connector for Renew Tables A
Step	4. Cord/Conduit Length
For p	ower cord with plug end (A)
03	3' cord/conduit A
06	6' cord/conduit A
10	10' cord/conduit A
For co	onduit with open end, for hard-wiring (B)
03	3' cord/conduit A
06	6' cord/conduit A
	10' cord/conduit A
10	,
	EC connector for Renew Tables (C)

Prices for S	Steps 1-4.			
		03	06	10
Y1425. A	Α	\$674	674	685
	В	\$727	727	737
	C	\$685	_	_
С	Α	\$782	782	793
	В	\$834	834	846
	C	\$793	_	_
D	A	\$852	852	863
	В	\$904	904	914
	C	\$863	_	_
E	A	\$519	519	529
	В	\$570	570	581
	C	\$529	_	_

	F A	\$626	626	638
	В	\$679	679	690
	C	\$638	_	_
•••••	G A	\$696	696	706
	В	\$747	747	760
	C	\$706	_	_
Step	5. Finish			
91	white A			+\$o
98	studio white A			+\$0
BK	black A			+\$o
G1	graphite 🖪			+\$o
MS	metallic silver A			+\$o




Description

This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

Notes


This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

Dimensions





Grommet - Rectangle



Specification Information

Step 1.

Y1412.

Step 2. Configuration


- 1 mini rectangle grommet
- 2 mini square grommet

Prices for Steps 1-2.	
Y1412. 1	\$28
2	\$32

Step	3. Finish	
91	white	+ \$o
98	studio white	+ \$o
BK	black	+\$0
G1	graphite	+\$0



\$80



Product Information


Description

This kit has 2 clips that attach to the underside of 2 adjacent surfaces, ganging them together to provide stability and allowing electrical components to be routed from 1 surface to another. Finish is black.

Notes

Ganging bracket kit should not be used on 18"-deep Everywhere™ tables.


Dimensions



Specification Information

Step 1.

Y1338.




Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Dimensions



Specification Information

Step 1.

Y1321.

Step 2. Power Type

A power cord with plug end


B conduit with open end, for hard-wiring

Step 3. Cord/Conduit Length

03 3' cord/conduit06 6' cord/conduit10 10' cord/conduit20 20' cord/conduit

Prices for Steps 1-3.				
	03	06	10	20
Y1321. A	\$213	213	223	274
В	\$269	269	279	330

Step 4. Wiring Type					
4Z	standard	+\$0			



Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver finish option (ol) or white finish option (ol) and standard wiring (4Z) has painted metal trim with white plastic simplex/data interior. Distributor with black finish option (oH) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.

Dimensions



Specification Information

Step 1.

Y1322.

Step 2. Configuration

1 simplex receptacle, 1 data opening

2 2 simplex receptacles

Step 3. Power Type

A power cord with plug end


B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

3′ cord/conduit
 6′ cord/conduit
 10′ cord/conduit
 20′ cord/conduit

03	06	10	20
\$254	254	263	314
\$309	309	318	367
\$269	269	279	330
\$323	323	335	386
	\$254 \$309 \$269	\$254 254 \$309 309 \$269 269	\$254 254 263 \$309 309 318 \$269 269 279

Step	5. Wiring Type	
4Z	standard	+\$0
LZ	PVC-free	+\$39
Step	6. Finish	
0H	black	+\$0
01	silver	+\$o
OΙ	white	+\$0



Description

This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver option (ol) and white option (oJ) have painted metal trim with white plastic simplex/data interiors. Black option (oH) has black painted trim with black plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8" wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11" wide.

Dimensions



Specification Information

Step 1.

Y1323.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

4 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

3' cord/conduit
6' cord/conduit
10' cord/conduit
20' cord/conduit

Step 5. Attachment

G grommet mount


S surface clamp

0]

white

Prices for	Step	S 1-5.						
			03G	035	06G	06 S	10G	105
Y1323. 3	A		\$290	290	290	290	300	300
	В		\$345	345	345	345	355	355
4	A		\$361	361	361	361	370	370
	В		\$418	418	418	418	428	428
							20G	205
Y1323. 3	А						\$350	350
	В						\$404	404
4	Α						\$423	423
	В						\$477	477
Step 6. F	inish							
OH b	lack							+\$0
0I s	ilver							+\$0

+\$0



Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 4 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver anodized finish option (oK) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior. Distributor with silver anodized finish option (oK) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior. Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is $8^{1}/_{4}$ " wide. Overall width for distributor with 3 simplex receptacles, 4 data openings option (5) is $12^{3}/_{4}$ " wide.

Dimensions



Specification Information

Step 1.

Y1324.

C -	C C:	
Stan 2	(Onfigu	ration
Jich 2	. Configu	iation

3 2 simplex receptacles, 2 data openings

5 3 simplex receptacles, 4 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length

03 3' cord/conduit
 06 6' cord/conduit
 10 10' cord/conduit
 20 20' cord/conduit

03	06	10	20
\$404	404	414	465
\$460	460	471	521
\$520	520	530	579
\$575	575	581	631
	\$404 \$460 \$520	\$404 404 \$460 460 \$520 520	\$404 404 414 \$460 460 471 \$520 520 530

Step 5.	Wiring Type	
4Z	standard	+\$o
LZ	PVC-free	+\$39

Step 6.	Finish	
0K	silver anodized	+\$o



Description

This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is $8^3/8^n$ wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is $11^3/8^n$ wide.

Dimensions



Specification Information

Step 1.

Y1325.

Step 2. Configuration

2 simplex receptacles, 2 data openings3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length

3′ cord/conduit
6′ cord/conduit
10′ cord/conduit
20′ cord/conduit

Prices for Steps 1-4.				
	03	06	10	20
Y1325. 3 A	\$476	476	487	537
В	\$532	532	542	592
7 A	\$547	547	560	609
В	\$603	603	615	665

Step 5	. Finish	
0K	silver anodized	+\$0

Connect[™] - S720 - Connect Single Y1372. Circuit Power Unit



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. Cord length is 60". A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.


To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.

Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver option (oI) and white option (oJ) have painted metal trim with white plastic simplex/data interiors. Black option (oH) has black painted trim with black plastic simplex/data interior.

Dimensions



Specification Information

Step 1.

Y1372.

Step 2. Configuration

1 simplex receptacle, 1 data opening


2 simplex receptacles

Step 3. Cord Length

60" long

Prices	for Steps 1-3.	
		60
Y1372	2. 1	\$370
	2	\$387
Step	4. Finish	
0H	black	+\$0
01	silver	+\$0 +\$0 +\$0
0J	white	+\$0

Connect[™] - S₇₃₀ - Connect Single Y1373. Circuit Power Unit



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface or with an edge clamp mount. It has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables


To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.

Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver option (oI) and white option (oJ) have painted metal trim with white plastic simplex/data interiors. Black option (oH) has black painted trim with black plastic simplex/data interior.

Dimensions



Specification Information

Step 1.

Y1373.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

Step 3. Cord Length

60 60" long

Step 4. Attachment


G grommet mount

S surface clamp

Prices for Steps 1-4.		
	G	S
Y1373. 3 60	\$418	406

Step	5. Finish	
0H	black	+\$ o
01	silver	+\$ o
0J	white	+\$0

Connect[™] - S740 - Connect Single Y1374. Circuit Power Unit



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.


Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings is $8^1/4^{\prime\prime}$ wide.


Dimensions



Connect[™] - S740 - Connect Single Circuit Power Unit continued

Speci	fication Information	
Step 1.		
Y1374		
Step 2.	Configuration	
3	2 simplex receptacles, 2 data openings	
Step 3.	Cord Length	
60	60" long	
Prices	for Steps 1-3.	
		60
Y1374	3	\$519
Step 4.	Finish	
OK	silver anodized	+\$o

Connect[™] - S750 - Connect Single Y1375. Circuit Power Unit



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The lid can be closed once devices are connected for a clean visual appearance. The distributor has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.


Order single circuit power entry (Y1377.) separately.


Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings is $8^3/8''$ wide.

Dimensions






Connect[™] - S₇₅₀ - Connect Single Circuit Power Unit continued

Speci	fication Information	
Step 1.		
Y1375	•	
Step 2	. Configuration	
3	2 simplex receptacles, 2 data openings	
Step 3	. Cord Length	
60	60" long	
Prices	for Steps 1-3.	
		6
Y1375	. 3	\$58
Step 4	. Finish	
OK	silver anodized	+\$

Connect™ Single Circuit Electrical Y1377. **Power Entry**



Product Information

Description


This standard receptacle 15-amp power entry provides power for single circuit electrical distributors. Up to 8 single circuit modular electrical distributors can be daisy chained and connected in any order. If more than 8 units are connected to this power entry, the system automatically shuts down and a red LED illuminates. A green LED indicates that more $\,$ units can be connected and the system is ready. Standard attachment hardware is included.

Notes

UL listed when used in conjunction with most Everywhere™ fixed height

Order electrical distributors (Y1372., Y1373., Y1374., Y1375.) and single circuit jumpers (Y1378.) separately.

Dimensions



Specification Information

Step 1.


Y1377.

Step 2. Cord Length

6' long 10 10' long

Prices for Steps 1-2.

Y1377. 06 \$474 10 \$497



Description


This electrical jumper provides additional length for the Connect[™] single circuit modular electrical system. Jumpers are available in a variety of lengths and count as one of the 8 electrical distributors allowed per power entry.

Notes

UL listed when used in conjunction with most Everywhere™ fixed height tables

Order electrical distributors (Y1372., Y1373., Y1374., Y1375.) and single circuit power entry (Y1377.) separately.

Dimensions



Specification Information

Step 1.

Y1378.

Step 2.	. Cord Length
12	12" long
24	24" long
36	36" long
48	48" long
60	60" long

Prices for Steps 1-2.	
Y1378. 12	\$98
24	\$106
36	\$116
48	\$126
60	\$134

Everywhere™ Tables	
Cable Management Clip	page(s) 102
Cable Management Trough, Work Surface Suspended	110
Cable Trough	109
Classroom Curve Table	44
Concave Rectangle	34
Conference Corner Table	48
Connect™-Ganging Bracket Kit	12:
Connect™-S100	122, 99
Connect [™] -S200	123, 100
Connect™-S300	124, 10
Connect [™] -S400	125, 102
Connect [™] -S500	126, 103
Connect™ - S720 - Connect Single Circuit Power Unit	127
Connect™ - S730 - Connect Single Circuit Power Unit	128
Connect™ - S740 - Connect Single Circuit Power Unit	129
Connect™ - S750 - Connect Single Circuit Power Unit	13:
Connect™ Single Circuit Electrical By-Pass Jumper	134
Connect™ Single Circuit Electrical Power Entry	133
Cord Manager	111
D-Shaped Table	23
Fabric Modesty Panel	108
Flat Edge Screen, Delineation	82
Flat Edge Screen, Surface Attached	80
Flat Edge Screen, Surface Attached with Modesty	82
Flip-Top Rectangular Table	54
Logic C1000 Universal Clamp Mount Distributor	116, 92
Logic G1000 Grommet Mounted Electrical Distributor	118, 94
Logic G1200 Grommet Pass Thru	97
Logic HD Cable Manager	98
Logic Mini	112, 88
Logic Mini Grommet	120, 96
Logic Mini - Vine	114, 90
Modesty Panel	106, 86
Occasional Table, Round	
Occasional Table, Nouna Occasional Table, Square	77 68
Oval Table	
Pari Screen, Delineation	19
Pari Screen, Surface Attached	78
Pari Screen, Surface Attached with Modesty	74
Rectangular Table	76
Round Corner Table	
Round Table	5:
	15
Soft Square Table	27
Soft Square Table	38
Standard Usinht Table Base	11
Standard-Height Table Base	61

Standard-Height Table Leg	58
Standing-Height Round Table	65
Standing-Height Square Table	62
Tear Drop Table	41
Vertical Cord Covers	105
Video Oval - Meeting Table	31

Suspended page(s) 11 DT1AE. Rectangular Table DT1AS.	10 5
	5
DT1AS.	
DT1AT.	
DT1BE. Square Table	11
DT1BS.	
DT1BT.	.
DT1CE. Round Table	15
DT1CS.	
DT1CT.	
DT1DE. Oval Table	19
DT1DS.	
DT1DT.	<u>.</u>
	23
DT1ES.	
DT1ET.	
	27
DT1FS.	
DT1FT.	<u>.</u>
	31
DT1GS.	
DT1GT.	<u>.</u>
	34
DT1HS.	
DT1HT.	
	38
DT1JS.	
DT1/T.	
	41
DT1KS. DT1KT.	
DT41E CL C T11	
DT1LS.	44
DT1LT.	
	 48
DT1MS.	40
DT1MT.	
DTANE D. LC. T.L.	 51
DT1NS.	<i>J</i> -
DT1NT.	
	58
	61
	:: 62
DT3BS.	
DT3BT.	
	 65

DI3CS.		
DT3CT.		
DT4BS.	Occasional Table, Square	68
DT4BT.		
DT4CS.	Occasional Table, Round	71
DT4CT.		
DT5AE.	Flip-Top Rectangular Table	54
DT5AS.		
DT5AT.		
DT9A.	Cable Management Clip	104
DT9B.	Vertical Cord Covers	105
FT351.	Pari Screen, Surface Attached	74
FT353.	Pari Screen, Surface Attached with Modesty	76
FT354.	Pari Screen, Delineation	78
FT356.	Flat Edge Screen, Surface Attached	80
FT357.	Flat Edge Screen, Surface Attached with Modesty	82
FT358.	Flat Edge Screen, Delineation	84
FV984.	Cord Manager	111
Y1113.	Modesty Panel	106, 86
Y1114.	Fabric Modesty Panel	108
Y1200.	Cable Trough	109
Y1321.	Connect™-S100	122, 99
Y1322.	Connect™-S200	123, 100
Y1323.	Connect™-S300	124, 101
Y1324.	Connect™-S400	125, 102
Y1325.	Connect™-S500	126, 103
Y1338.	Connect™-Ganging Bracket Kit	121
Y1372.	Connect™ - S720 - Connect Single Circuit Power Unit	127
Y1373.	Connect™ - S730 - Connect Single Circuit Power Unit	128
Y1374.	Connect [™] - S740 - Connect Single Circuit Power Unit	129
Y1375.	Connect™ - S750 - Connect Single Circuit Power Unit	131
Y1377.	Connect™ Single Circuit Electrical Power Entry	133
Y1378.	Connect™ Single Circuit Electrical By-Pass Jumper	134
Y1412.	Logic Mini Grommet	120, 96
Y1414.	Logic Mini	112,88
Y1415.	Logic Mini - Vine	114, 90
Y1420.	Logic G1200 Grommet Pass Thru	97
Y1423.	Logic C1000 Universal Clamp Mount Distributor	116, 92
Y1424.	Logic HD Cable Manager	98
Y1425.	Logic G1000 Grommet Mounted Electrical Distributor	118, 94



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon $\boxed{\mathbb{A}}$ will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an $\boxed{\mathbb{A}}$ are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller for Government March 2009



Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

Ordering Products with Stain-to-Match Veneers

- Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
- 2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
- 3. If the sample meets the customers approval, sign the reverse side of the sample, scan and email the approval to:
 - options@hermanmiller.com.
- 4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
- 5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

STA: Stain-to-Match on Recut Ash STB: Stain-to-Match on Beech STC: Stain-to-Match on Cherry STD: Stain-to-Match on Oak

STK: Stain-to-Match on Reltech Anigre (Geiger)

STM: Stain-to-Match on Recut Mahogany

STP: Stain-to-Match on Maple

STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

HermanMiller for Government November 2018



Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

HermanMiller for Government June 2015

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi — Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

[®] HermanMiller, ♠, Action Office, Aeron, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Quadrant, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

AireWeave, Bubbletack, Cellular Suspension, Compass, Connect, Cosm, DOT, Durawrap, Everywhere, Flex-Edge, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lino, Lyris 2, Mora, Motia, Multiscrim, Nelson, Nevi, Pedastools, Plex, Renew, Stackable, Swoop, TriFlex, Twist, Verus and Vista are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 ${}^{\text{S}}\text{Chemsurf}^{\text{\$}}$ is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

 $\mathsf{Microsoft}^{\otimes}$ and $\mathsf{Natural}^{\otimes}$ Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.