



Prices effective January 6, 2020

Published March 2020

Renew™ Sit-to-Stand Tables

Introduction	page 2
Renew™ Sit-to-Stand Tables	3
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	41
Power and Data Support	45
Screens	54
Live Platform™ Enhancements	72
Indices	73
By Name	73
By Number	75
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective January 6, 2020, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable-Height Tables

Sit-to-Stand Table Bases

Power and Data Support


Screens

Live Platform™ Enhancements



Rectangle Table with C-Foot

DU6ACE
DU6ACS
DU6ACT



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range.

Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

On all tables except front crank (FRT) tables, legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8". On front crank (FRT) tables, legs are inset approximately 6" on each side to allow for adequate clearance when rotating the crank handle.

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For crank tables (C or K) with top crank (TOP), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with C-Foot

continued

Specification Information	
Step 1.	
DU6AC A	
Step 2. Edge	
S.	squared-edge A
T.	thin-edge A
E.	eased-edge A
Step 3. Depth	
24	24" deep (23" surface size) A
30	30" deep (29" surface size) A
Step 4. Width	
36	36" wide (34" surface size) A
42	42" wide (40" surface size) A
48	48" wide (46" surface size) A
54	54" wide (52" surface size) A
60	60" wide (58" surface size) A
66	66" wide (64" surface size) A
72	72" wide (70" surface size) A
84	84" wide (82" surface size) A
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	lamine top/thermoplastic edge A
W	veneer top/veneer edge A
P	painted Formcoat® top/edge A
U	lamine top/universal edge A
<i>For thin-edge (T.)</i>	
L	lamine top/thermoplastic edge A
W	veneer top/veneer edge A
P	painted Formcoat® top/edge A
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge A
Step 6. Height Adjustment	
C	crank sit-to-stand A
K	crank seated A
E	electric standard range A
D	electric extended range A

Prices for Steps 1-6.						
		LC	LK	LE	LD	WC WK
DU6ACS.	24 36	\$2253	2253	2788	3302	2553 2553
	42	\$2298	2298	2927	3356	2605 2605
	48	\$2343	2343	3011	3386	2657 2657
	54	\$2389	2389	3071	3453	2710 2710
	60	\$2435	2435	3160	3455	2764 2764
	66	\$2482	2482	3159	3524	2820 2820
	72	\$2532	2532	3286	3593	2876 2876
	84	\$2581	2581	3350	3593	2934 2934
	30 36	\$2388	2321	3094	3359	2631 2631
	42	\$2434	2365	3128	3389	2684 2684
	48	\$2412	2412	3162	3420	2738 2738
	54	\$2459	2459	3225	3486	2792 2792
	60	\$2509	2509	3228	3532	2850 2850
	66	\$2629	2556	3356	3602	2905 2905
	72	\$2683	2607	3356	3672	2964 2964
	84	\$2658	2658	3488	3745	3022 3022
		WE	WD	PC	PK	PE PD
DU6ACS.	24 36	\$3236	3657	2312	2312	2931 3420
	42	\$3334	3716	2357	2357	3018 3475
	48	\$3433	3751	2405	2405	3106 3506
	54	\$3502	3829	2454	2454	3170 3577
	60	\$3606	3832	2503	2503	3265 3580
	66	\$3679	3911	2551	2551	3328 3650
	72	\$3751	3990	2604	2604	3396 3725
	84	\$3826	4074	2656	2656	3465 3798
	30 36	\$3529	3719	2383	2383	3195 3477
	42	\$3567	3754	2430	2430	3229 3508
	48	\$3609	3792	2478	2478	3267 3540
	54	\$3681	3869	2529	2529	3331 3612
	60	\$3756	3921	2579	2579	3401 3660
	66	\$3832	4003	2629	2629	3469 3734
	72	\$3909	4084	2682	2682	3538 3808
	84	\$3986	4168	2737	2737	3609 3883
		UC	UK	UE	UD	
DU6ACS.	24 36	\$2253	2253	2842	3302	
	42	\$2298	2298	2927	3356	
	48	\$2343	2343	3011	3386	
	54	\$2389	2389	3071	3453	
	60	\$2435	2435	3160	3455	
	66	\$2482	2482	3221	3524	
	72	\$2532	2532	3286	3593	
	84	\$2581	2581	3350	3664	

Rectangle Table with C-Foot

continued

	30	36				
			\$2321	2321	3094	3359
	42		\$2365	2365	3128	3389
	48		\$2412	2412	3162	3420
	54		\$2459	2459	3225	3486
	60		\$2509	2509	3291	3532
	66		\$2556	2556	3356	3602
	72		\$2607	2607	3422	3672
	84		\$2658	2658	3488	3745
			LC	LK	LE	LD
					WC	WK
DU6ACT.	24	36	\$2446	2446	3098	3616
					2835	2835
	42		\$2492	2492	3194	3675
					2893	2893
	48		\$2544	2544	3194	3708
					2951	2951
	54		\$2595	2595	3352	3781
					3009	3009
	60		\$2647	2647	3453	3784
					3070	3070
	66		\$2699	2699	3522	3861
					3132	3132
	72		\$2753	2753	3591	3826
					3195	3195
	84		\$2809	2809	3664	4016
					3257	3257
	30	36	\$2521	2521	3378	3678
					2922	2922
	42		\$2569	2569	3318	3711
					2982	2982
	48		\$2621	2621	3455	3746
					3041	3041
	54		\$2674	2674	3524	3821
					3101	3101
	60		\$2727	2727	3494	3870
					3162	3162
	66		\$2782	2782	3669	3948
					3226	3226
	72		\$2836	2836	3635	4025
					3291	3291
	84		\$2894	2894	3817	4106
					3357	3357
			WE	WD	PC	PK
					PE	PD
DU6ACT.	24	36	\$3405	3924	2475	2475
					3118	3556
	42		\$3513	3994	2527	2527
					3216	3619
	48		\$3518	4032	2579	2579
					3314	3653
	54		\$3697	4117	2632	2632
					3385	3733
	60		\$3814	4121	2685	2685
					3487	3735
	66		\$3893	4209	2742	2742
					3560	3814
	72		\$3975	4299	2798	2798
					3634	3894
	84		\$4058	4389	2856	2856
					3709	3977
	30	36	\$3730	3997	2552	2552
					3411	3622
	42		\$3771	4034	2606	2606
					3450	3656
	48		\$3816	4076	2660	2660
					3490	3692
	54		\$3896	4162	2715	2715
					3563	3771
	60		\$3981	4219	2770	2770
					3536	3824
	66		\$4065	4310	2828	2828
					3715	3905
	72		\$4032	4401	2887	2887
					3793	3987
	84		\$4236	4495	2945	2945
					3871	4073

			WE	WD	PC	PK
					PE	PD
DU6ACE.	24	36	—	—	\$2459	2459
					3090	3565
	42		—	—	\$2510	2510
					3190	3628
	48		—	—	\$2562	2562
					3288	3664
	54		—	—	\$2615	2615
					3356	3742
	60		—	—	\$2670	2670
					3461	3744
	66		—	—	\$2724	2724
					3534	3824
	72		—	—	\$2782	2782
					3608	3904
	84		—	—	\$2839	2839
					3682	3987
	30	36	—	—	\$2536	2536
					3385	3631
	42		—	—	\$2590	2590
					3423	3666
	48		—	—	\$2643	2643
					3463	3701
	54		—	—	\$2698	2698
					3435	3780
	60		—	—	\$2755	2755
					3510	3833
	66		—	—	\$2812	2812
					3688	3914
	72		—	—	\$2870	2870
					3765	3997
	84		—	—	\$2930	2930
					3844	4082

Renew™ Adjustable-Height Tables

Step 7. Hidden Power Access

For electric extended range (D)

NNP no power access ☐ +\$0

For crank sit-to-stand (C) or crank seated (K)

NNP no power access ☐ +\$0

PLA leg access ☐ +\$299

For electric standard range (E)

NNP no power access ☐ +\$0

PLA leg access ☐ +\$299

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD simple up down ☐ +\$0

SMT no switch - LO100 ☐ +\$0

SRM digital read out with memory ☐ +\$160

Rectangle Table with C-Foot

continued

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), or 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW	top crank, white handle 	+\$0
TPG	top crank, graphite handle 	+\$0
FRT	front crank, black handle 	+\$40

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW	top crank, white handle 	+\$0
TPG	top crank, graphite handle 	+\$0

Step 9.

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$85
40	dark brown walnut 	+\$85
A2	white ash 	+\$85
ED	aged cherry 	+\$85
EK	medium red walnut 	+\$85
EW	medium matte walnut 	+\$85
ET	clear on ash 	+\$85
EU	oak on ash 	+\$85
EV	walnut on ash 	+\$85
OU	walnut 	+\$85
UL	natural maple 	+\$85
UX	walnut on cherry 	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey 	+\$0
91	white 	+\$0
CL	cool grey neutral 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
OG	honey maple 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
8Z	neutral grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0

Rectangle Table with C-Foot

continued

HP	light anigre A	+\$0
HT	inner tone A	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash A	+\$0
LBA	clear on ash A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut A	+\$0
LBF	neutral twill A	+\$0
LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
OG	honey maple A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

For laminate top/universal edge (U)

PLY	plywood edge A	+\$50
------------	--------------------------------	-------

Step 11. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot A	+\$0
MS	metallic silver leg with metallic silver foot A	+\$0

Sand Texture Paint

BK	black leg with black foot A	+\$0
LFL	black leg with polished aluminum foot A	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$0
98	studio white leg with studio white foot A	+\$0
G2	graphite satin leg with graphite satin foot A	+\$0
WL	sandstone leg with sandstone foot A	+\$0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0
LFF	white leg with polished aluminum foot A	+\$160
LFG	warm grey neutral leg with polished aluminum foot A	+\$160
LFH	graphite satin leg with polished aluminum foot A	+\$160
LFJ	metallic silver leg with polished aluminum foot A	+\$160
LFK	studio white leg with polished aluminum foot A	+\$0

Step 12. Cord Cover/Cable Management

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable A	+\$0
------------	--------------------------------	------

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable A	+\$0
PHD	high density cable trough A	+\$299

Step 13. Power Access Cutout

NNN	no cutout A	+\$0
------------	-----------------------------	------

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54) with high density cable trough (PHD)

NNN	no cutout A	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V A	+\$45


Rectangle Table with C-Foot

continued

Renew™ Adjustable-Height Tables

For 30" deep (29" surface size) (30) with 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with high density cable trough (PHD)		
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
NNN	no cutout ☐	+\$0
Step 14. Casters/Glides		
57	glides ☐	+\$0

Rectangle Counterbalance Table DU6ACG with C-Foot



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Glides have 1/2" leveling range. Shipped knocked down.

Floor to top-of-surface height adjustment range is 27"-46". A nonpowered gas-assisted counterbalance mechanism provides smooth operation throughout the entire height range.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Counterbalance Table with C-Foot *continued*

Specification Information						
Step 1.						
DU6ACG ☐						
Step 2. Edge						
S.	squared-edge ☐					
T.	thin-edge ☐					
E.	eased-edge ☐					
Step 3. Depth						
24	24" deep ☐					
30	30" deep ☐					
Step 4. Width						
48	48" wide ☐					
60	60" wide ☐					
72	72" wide ☐					
Step 5. Surface Material						
For squared-edge (S.)						
L	laminate top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
U	laminate top/universal edge ☐					
For thin-edge (T.)						
L	laminate top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
For eased-edge (E.)						
P	painted Formcoat® top/edge ☐					
Prices for Steps 1-5.						
		48L	48W	48P	48U	60L 60W
DU6ACG S.	24	\$3512	4040	3657	3483	3687 4283
	30	\$3565	4143	3750	3571	3774 4385
	T. 24	\$3789	4395	3979	—	4016 4659
	30	\$3887	4508	4081	—	4113 4771
	E. 24	—	—	\$3940	—	—
	30	—	—	\$4041	—	—
		60P	60U	72L	72W	72P 72U
DU6ACG S.	24	\$3876	3692	3922	4556	4123 3928
	30	\$3964	3779	4011	4659	4217 4016

T.	24	\$4218	—	4274	4958	4486	—	
	30	\$4318	—	4369	5068	4588	—	
E.	24	\$4176	—	—	—	4443	—	
	30	\$4277	—	—	—	4543	—	
Step 6. Cord Cover/Cable Management								
PSC	simple cable	A						+\$0
Step 7.								
Top Finish								
For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)								
76	light brown walnut	A						+\$0
8Q	folkstone grey	A						+\$0
91	white	A						+\$0
98	studio white	A						+\$0
CL	cool grey neutral	A						+\$0
HF	inner tone light	A						+\$0
HM	natural maple	A						+\$0
HP	light anigre	A						+\$0
HT	inner tone	A						+\$0
HX	aged cherry	A						+\$0
HY	walnut on cherry	A						+\$0
LA	light ash	A						+\$0
LBA	clear on ash	A						+\$0
LBR	phantom ecru	A						+\$0
LBS	phantom cocoa	A						+\$0
LBU	medium matte walnut	A						+\$0
LBV	warm grey teak	A						+\$0
LBB	oak on ash	A						+\$0
LBC	walnut on ash	A						+\$0
LBD	dark brown walnut	A						+\$0
LBF	neutral twill	A						+\$0
LBG	sarum twill	A						+\$0
LBH	earthen twill	A						+\$0
LBJ	graphite twill	A						+\$0
LBM	crisp linen	A						+\$0
LBN	classic linen	A						+\$0
LBP	casual linen	A						+\$0
LBQ	white twill	A						+\$0
LU	soft white	A						+\$0
OG	honey maple	A						+\$0
WL	sandstone	A						+\$0
WN	warm grey neutral	A						+\$0

Rectangle Counterbalance Table with C-Foot *continued*

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$85
40	dark brown walnut 	+\$85
A2	white ash 	+\$85
ED	aged cherry 	+\$85
EK	medium red walnut 	+\$85
EW	medium matte walnut 	+\$85
ET	clear on ash 	+\$85
EU	oak on ash 	+\$85
EV	walnut on ash 	+\$85
EY	light anigre 	+\$85
OU	walnut 	+\$85
UL	natural maple 	+\$85
UX	walnut on cherry 	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey 	+\$0
91	white 	+\$0
CL	cool grey neutral 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
OG	honey maple 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

For laminate top/universal edge (U)

PLY	plywood edge 	+\$50
------------	--	-------

Step 9. Leg/Foot Finish

Metallic Paint

MS	metallic silver leg with metallic silver foot 	+\$0
-----------	---	------


Rectangle Counterbalance Table
with C-Foot *continued*

Renew™ Adjustable-Height Tables

Smooth Paint		
G2	graphite satin leg with graphite satin foot A	+\$0
Step 10. Casters/Glides		
57	glides A	+\$0

Rectangle Table with T-Foot

DU6ATE
DU6ATS
DU6ATT



Product Information

Description

This rectangular height-adjustable table has a T-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range.

Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

On all tables except front crank (FRT) tables, legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8". On front crank (FRT) tables, legs are inset approximately 6" on each side to allow for adequate clearance when rotating the crank handle.

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For crank tables (C or K) with top crank (TOP), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (G1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with T-Foot

continued

Specification Information

Step 1.

DU6AT ☐

Step 2. Edge

S. squared-edge ☐

T. thin-edge ☐

E. eased-edge ☐

Step 3. Depth

30 30" deep (29" surface size) ☐

36 36" deep (35" surface size) ☐

Step 4. Width

For 30" deep (29" surface size) (30)

36 36" wide (34" surface size) ☐

42 42" wide (40" surface size) ☐

48 48" wide (46" surface size) ☐

54 54" wide (52" surface size) ☐

60 60" wide (58" surface size) ☐

66 66" wide (64" surface size) ☐

72 72" wide (70" surface size) ☐

84 84" wide (82" surface size) ☐

For 36" deep (35" surface size) (36)

42 42" wide (40" surface size) ☐

48 48" wide (46" surface size) ☐

54 54" wide (52" surface size) ☐

60 60" wide (58" surface size) ☐

66 66" wide (64" surface size) ☐

72 72" wide (70" surface size) ☐

84 84" wide (82" surface size) ☐

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

U laminate top/universal edge ☐

For thin-edge (T.)

L laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For eased-edge (E.)

P painted Formcoat® top/edge ☐

Step 6. Height Adjustment

C crank sit-to-stand ☐

K crank seated ☐

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-6.

		LC	LK	LE	LD	WC	WK
DU6ATS. 30 36	36	\$2321	2321	3094	3359	2787	2787
	42	\$2365	2365	3128	3389	2842	2842
	48	\$2412	2412	3162	3420	2899	2899
	54	\$2459	2459	3225	3486	2958	2958
	60	\$2509	2509	3291	3532	3016	3016
	66	\$2556	2556	3356	3602	3077	3077
	72	\$2607	2607	3356	3672	3139	3139
	84	\$2658	2658	3488	3745	3202	3202
	36 42	\$2435	2435	3221	3457	2928	2928
	48	\$2482	2482	3258	3526	2987	2987
DU6ATS. 36 42	48	\$2532	2532	3322	3596	3048	3048
	54	\$2581	2581	3391	3667	3106	3106
	60	\$2631	2631	3457	3739	3168	3168
	66	\$2683	2683	3525	3814	3232	3232
	72	\$2736	2736	3594	3814	3297	3297
	84						
	36 48	\$3428	4068	2383	2383	2931	3477
	42	\$3531	4103	2430	2430	3017	3508
	48	\$3822	4144	2478	2478	3267	3540
	54	\$3898	4227	2529	2529	3331	3612
DU6ATS. 42 48	60	\$3978	4281	2579	2579	3401	3660
	66	\$4058	4367	2629	2629	3469	3734
	72	\$4140	4455	2682	2682	3538	3808
	84	\$4223	4544	2737	2737	3609	3883
	36 60	\$3691	4190	2503	2503	3207	3582
	42	\$3932	4275	2552	2552	3375	3653
	48	\$4012	4359	2604	2604	3477	3726
	54	\$4066	4446	2656	2656	3584	3802
	60	\$4172	4535	2709	2709	3654	3876
	66	\$4280	4626	2762	2762	3735	3955
DU6ATS. 48 54	72	\$4386	4717	2819	2819	3798	4034
	84						

Rectangle Table with T-Foot

continued

		UC	UK	UE	UD		
DU6ATS. 30	36	\$2321	2321	3094	3359		
	42	\$2365	2365	3128	3389		
	48	\$2412	2412	3162	3420		
	54	\$2459	2459	3225	3486		
	60	\$2509	2509	3291	3532		
	66	\$2556	2556	3356	3602		
	72	\$2607	2607	3422	3672		
	84	\$2658	2658	3488	3745		
36	42	\$2435	2435	3221	3457		
	48	\$2482	2482	3258	3526		
	54	\$2532	2532	3322	3596		
	60	\$2581	2581	3391	3667		
	66	\$2631	2631	3457	3739		
	72	\$2683	2683	3525	3814		
	84	\$2736	2736	3594	3888		
			LC	LK	LE	LD	WC
DU6ATT. 30	36	\$2449	2449	3010	3573	3006	3006
	42	\$2497	2497	3100	3606	3066	3066
	48	\$2621	2547	3455	3638	3129	3129
	54	\$2598	2598	3423	3711	3192	3192
	60	\$2648	2648	3596	3760	3254	3254
	66	\$2702	2702	3563	3835	3320	3320
	72	\$2756	2756	3743	4025	3386	3386
	84	\$2812	2812	3707	3989	3454	3454
36	42	\$2573	2573	3242	3680	3158	3158
	48	\$2622	2622	3521	3754	3222	3222
	54	\$2676	2676	3611	3829	3286	3286
	60	\$2729	2729	3665	3904	3352	3352
	66	\$2784	2784	3730	3983	3420	3420
	72	\$2838	2838	3810	4182	3486	3486
	84	\$2896	2896	3879	4144	3557	3557
			WE	WD	PC	PK	PE
DU6ATT. 30	36	\$3697	4388	2569	2569	3160	3752
	42	\$3810	4427	2621	2621	3256	3784
	48	\$4122	4470	2674	2674	3524	3822
	54	\$4205	4560	2728	2728	3595	3897
	60	\$4293	4618	2782	2782	3669	3948
	66	\$4378	4711	2837	2837	3742	4026
	72	\$4597	4807	2894	2894	3818	4106
	84	\$4554	4902	2951	2951	3893	4189

36	42	\$4082	4520	2699	2699	3584	3864
48		\$4386	4611	2753	2753	3745	3941
54		\$4440	4703	2810	2810	3841	4019
60		\$4574	4796	2866	2866	3932	4221
66		\$4654	4894	2923	2923	4012	4182
72		\$4707	4990	2982	2982	4092	4266
84		\$4815	5091	3040	3040	4172	4352
		WE	WD	PC	PK	PE	PD
DU6ATE. 30	36	—	—	\$2563	2563	3411	3592
	42	—	—	\$2616	2616	3450	3626
	48	—	—	\$2671	2671	3490	3664
	54	—	—	\$2725	2725	3563	3742
	60	—	—	\$2782	2782	3640	3794
	66	—	—	\$2839	2839	3610	3875
	72	—	—	\$2897	2897	3793	3958
	84	—	—	\$2958	2958	3871	4043
36	42	—	—	\$2697	2697	3584	3707
	48	—	—	\$2753	2753	3637	3786
	54	—	—	\$2810	2810	3691	3868
	60	—	—	\$2868	2868	3771	3951
	66	—	—	\$2926	2926	3851	4036
	72	—	—	\$2987	2987	3932	4121
	84	—	—	\$3048	3048	4012	4210

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
-----	-----------------	---	------

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD	simple up down	A	+\$0
SMT	no switch - LO100	A	+\$0
SRM	digital read out with memory	A	+\$160

Renew™ Adjustable-Height Tables

Rectangle Table with T-Foot

continued

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW	top crank, white handle ☐	+\$0
TPG	top crank, graphite handle ☐	+\$0
FRT	front crank, black handle ☐	+\$40

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW	top crank, white handle ☐	+\$0
TPG	top crank, graphite handle ☐	+\$0

Step 9.

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Rectangle Table with T-Foot

continued

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
ED	aged cherry ☐	+\$85
EK	medium red walnut ☐	+\$85
EW	medium matte walnut ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
UX	walnut on cherry ☐	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 10. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0
<i>For laminate top/universal edge (U)</i>		
PLY	plywood edge ☐	+\$50

Step 11. Leg/Foot Finish		
Metallic Paint		
CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0

Rectangle Table with T-Foot

continued

Sand Texture Paint		
BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0

Step 12. Cord Cover/Cable Management

<i>For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42)</i>		
PSC	simple cable ☐	+\$0

<i>For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)</i>		
PHD	high density cable trough ☐	+\$299
PSC	simple cable ☐	+\$0

Step 13. Power Access Cutout

<i>For 36" wide (34" surface size) (36) or 42" wide (40" surface size) (42)</i>		
NNN	no cutout ☐	+\$0


<i>For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)</i>		
NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 14. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Oval Table with T-Foot

DU6DTE
DU6DTS
DU6DTT



Product Information

Description

This oval height-adjustable table has a T-leg configuration for maximum access on all sides of the surface, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Oval Table with T-Foot *continued*

Specification Information							
Step 1.							
DU6DT ☐							
Step 2. Edge							
S.	squared-edge ☐						
T.	thin-edge ☐						
E.	eased-edge ☐						
Step 3. Depth							
30	30" deep ☐						
36	36" deep ☐						
42	42" deep ☐						
Step 4. Width							
60	60" wide ☐						
72	72" wide ☐						
84	84" wide ☐						
Step 5. Surface Material							
For squared-edge (S.)							
L	laminate top/thermoplastic edge ☐						
W	veneer top/veneer edge ☐						
P	painted Formcoat® top/edge ☐						
For thin-edge (T.)							
L	laminate top/thermoplastic edge ☐						
W	veneer top/veneer edge ☐						
P	painted Formcoat® top/edge ☐						
For eased-edge (E.)							
P	painted Formcoat® top/edge ☐						
Step 6. Height Adjustment							
C	crank sit-to-stand ☐						
K	crank seated ☐						
E	electric standard range ☐						
D	electric extended range ☐						
Prices for Steps 1-6.							
		LC	LK	LE	LD	WC	WK
DU6DTS. 30	60	\$2639	2639	3054	3354	3028	3028
	72	\$2692	2692	3056	3422	3216	3216
	84	\$2747	2747	3179	3492	3283	3283

36	60	\$2801	2750	3244	3561	3349	3349
72		\$2858	2806	3310	3635	3418	3418
84		\$2914	2862	3377	3708	3485	3485
42	60	\$2971	2920	3444	3781	3555	3555
72		\$3054	3001	3541	3888	3656	3656
84		\$3138	3085	3640	3998	3759	3759
		WE	WD	PC	PK	PE	PD
DU6DTS. 30	60	\$3648	4085	2718	2718	3207	3522
	72	\$3796	4167	2773	2773	3272	3593
	84	\$3872	4252	2830	2830	3338	3667
36	60	\$3951	4340	2887	2887	3406	3742
72		\$4033	4428	2946	2946	3476	3818
84		\$4114	4516	3004	3004	3546	3895
42	60	\$4195	4607	3066	3066	3616	3971
72		\$4312	4736	3152	3152	3717	4083
84		\$4436	4870	3239	3239	3824	4199
		LC	LK	LE	LD	WC	WK
DU6DTT. 30	60	\$2820	2820	3295	3653	3599	3599
	72	\$2876	2876	3361	3729	3822	3822
	84	\$2936	2936	3464	3805	3900	3900
36	60	\$2996	2996	3535	3883	3980	3980
72		\$3058	3058	3607	3960	4060	4060
84		\$3119	3119	3679	4039	4142	4142
42	60	\$3179	3179	3753	4121	4226	4226
72		\$3270	3270	3857	4236	4345	4345
84		\$3362	3362	3967	4356	4465	4465
		WE	WD	PC	PK	PE	PD
DU6DTT. 30	60	\$4421	4853	2961	2961	3492	3835
	72	\$4466	4953	3021	3021	3564	3914
	84	\$4601	5054	3082	3082	3636	3995
36	60	\$4696	5157	3145	3145	3710	4075
72		\$4791	5262	3209	3209	3786	4159
84		\$4888	5368	3274	3274	3863	4241
42	60	\$4985	5474	3341	3341	3940	4325
72		\$5125	5628	3433	3433	4050	4448
84		\$5271	5788	3530	3530	4165	4575
		WE	WD	PC	PK	PE	PD
DU6DTE. 30	60	—	—	\$3018	3018	3560	3909
	72	—	—	\$3080	3080	3633	3990
	84	—	—	\$3142	3142	3707	4073
36	60	—	—	\$3206	3206	3782	4154
72		—	—	\$3271	3271	3861	4239
84		—	—	\$3336	3336	3938	4323

42 60	—	—	\$3405	3405	4016	4410
72	—	—	\$3500	3500	4129	4535
84	—	—	\$3599	3599	4246	4663

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access [A]	+\$0
PLA	leg access [A]	+\$299

For electric extended range (D)

NNP	no power access [A]	+\$0
------------	---------------------	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down [A]	+\$0
SMT	no switch - LO100 [A]	+\$0
SRM	digital read out with memory [A]	+\$160

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut [A]	+\$0
8Q	folkstone grey [A]	+\$0
91	white [A]	+\$0
98	studio white [A]	+\$0
CL	cool grey neutral [A]	+\$0
HF	inner tone light [A]	+\$0
HM	natural maple [A]	+\$0
HP	light anigre [A]	+\$0
HT	inner tone [A]	+\$0
HX	aged cherry [A]	+\$0
HY	walnut on cherry [A]	+\$0
LA	light ash [A]	+\$0
LBA	clear on ash [A]	+\$0
LBR	phantom ecru [A]	+\$0
LBS	phantom cocoa [A]	+\$0
LBU	medium matte walnut [A]	+\$0
LBV	warm grey teak [A]	+\$0
LBB	oak on ash [A]	+\$0
LBC	walnut on ash [A]	+\$0
LBD	dark brown walnut [A]	+\$0
LBF	neutral twill [A]	+\$0
LBG	sarum twill [A]	+\$0
LBH	earthen twill [A]	+\$0
LBJ	graphite twill [A]	+\$0
LBM	crisp linen [A]	+\$0
LBN	classic linen [A]	+\$0
LBP	casual linen [A]	+\$0
LBQ	white twill [A]	+\$0
LU	soft white [A]	+\$0
OG	honey maple [A]	+\$0
WL	sandstone [A]	+\$0
WN	warm grey neutral [A]	+\$0

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
A2	white ash A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut A	+\$85
EW	medium matte walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
OU	walnut A	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey A	+\$0
91	white A	+\$0
CL	cool grey neutral A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 10. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash A	+\$0
LBA	clear on ash A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut A	+\$0
LBF	neutral twill A	+\$0

LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
OG	honey maple A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
91	white A	+\$0
G1	graphite A	+\$0

Step 12. Leg/Foot Finish		
Metallic Paint		
CN	metallic champagne leg with metallic champagne foot A	+\$0
MS	metallic silver leg with metallic silver foot A	+\$0

Sand Texture Paint		
BK	black leg with black foot A	+\$0
LFL	black leg with polished aluminum foot A	+\$0

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$0
98	studio white leg with studio white foot A	+\$0
G2	graphite satin leg with graphite satin foot A	+\$0
LFF	white leg with polished aluminum foot A	+\$160
LFG	warm grey neutral leg with polished aluminum foot A	+\$160
LFH	graphite satin leg with polished aluminum foot A	+\$160
LFJ	metallic silver leg with polished aluminum foot A	+\$160
LFK	studio white leg with polished aluminum foot A	+\$0
WL	sandstone leg with sandstone foot A	+\$0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0

Step 13. Cord Cover/Cable Management		
PSC	simple cable A	+\$0
PHD	high density cable trough A	+\$299

Oval Table with T-Foot *continued*

Step 14. Power Access Cutout

For simple cable (PSC)

NNN	no cutout	☐	+\$0
------------	-----------	--------------------------	------

For high density cable trough (PHD)

NNN	no cutout	☐	+\$0
------------	-----------	--------------------------	------

CAC	center cutout 6 port - Y1425.D/G or Y1420.X	☐	+\$45
------------	---	--------------------------	-------


CC5	center cutout 5 port - Y1425.C/F or Y1420.V	☐	+\$45
------------	---	--------------------------	-------

Step 15. Casters/Glides

57	glides	☐	+\$0
-----------	--------	--------------------------	------

90° Extended Corner Table with C-Foot

DU6ECE
DU6ECS
DU6ECT



Product Information

Description

This height-adjustable 90° extended corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. It will be on the extended side of the corner. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Extended Corner Table with C-Foot *continued*

Specification Information	
Step 1.	
DU6EC	☐
Step 2. Edge	
S.	squared-edge ☐
T.	thin-edge ☐
E.	eased-edge ☐
Step 3. Depth	
24	24" deep (23" surface size) ☐
30	30" deep (29" surface size) ☐
Step 4. Width	
4260	42" wide left x 60" wide right (40" x 58" surface size) ☐
4272	42" wide left x 72" wide right (40" x 70" surface size) ☐
4860	48" wide left x 60" wide right (46" x 58" surface size) ☐
4872	48" wide left x 72" wide right (46" x 70" surface size) ☐
5454	54" wide left x 54" wide right (52" x 52" surface size) ☐
6042	60" wide left x 42" wide right (58" x 40" surface size) ☐
6048	60" wide left x 48" wide right (58" x 46" surface size) ☐
6060	60" wide left x 60" wide right (58" x 58" surface size) ☐
7242	72" wide left x 42" wide right (70" x 40" surface size) ☐
7248	72" wide left x 48" wide right (70" x 46" surface size) ☐
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	lamine top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
<i>For thin-edge (T.)</i>	
L	lamine top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge ☐
Step 6. Height Adjustment	
C	crank sit-to-stand ☐
K	crank seated ☐
E	electric standard range ☐
D	electric extended range ☐

Prices for Steps 1-6.							
		LC	LK	LE	LD	WC	WK
DU6ECS. 24	4260	\$3951	3951	5176	5534	4871	4871
	4272	\$4021	4021	5271	5636	4969	4969
	4860	\$4090	4093	5164	5742	5068	5068
	4872	\$4162	4165	5260	5849	5169	5169
	5454	\$4078	4078	5450	5473	4353	4353
	6042	\$3951	3951	5176	5534	4871	4871
	6048	\$4090	4093	5367	5742	5068	5068
	6060	\$4149	4153	5553	5578	4442	4442
	7242	\$4021	4021	5271	5636	4969	4969
	7248	\$4202	4165	5466	5849	5169	5169
30	4260	\$4240	4240	5336	5762	5272	5272
	4272	\$4316	4316	5438	5878	5378	5378
	4860	\$4392	4392	5541	5986	5486	5486
	4872	\$4472	4472	5649	6104	5595	5595
	5454	\$4102	4102	5802	5967	5483	5483
	6042	\$4240	4240	5336	5767	5272	5272
	6048	\$4392	4392	5541	5991	5486	5486
	6060	\$4173	4176	5910	6080	5743	5743
	7242	\$4316	4316	5438	5878	5378	5378
	7248	\$4472	4472	5649	6104	5595	5595
		WE	WD	PC	PK	PE	PD
DU6ECS. 24	4260	\$6070	6046	4201	4201	5428	5622
	4272	\$6201	6195	4284	4284	5540	5747
	4860	\$6329	6341	4369	4369	5657	5873
	4872	\$6466	6484	4457	4457	5774	6001
	5454	\$5492	6311	3901	3901	5131	5676
	6042	\$6065	6046	4201	4201	5423	5622
	6048	\$6329	6341	4369	4369	5657	5873
	6060	\$5715	6458	3980	3980	5237	5784
	7242	\$6196	6195	4284	4265	5540	5747
	7248	\$6466	6490	4457	4457	5769	6001
30	4260	\$6078	6078	4547	4547	5480	5644
	4272	\$6220	6235	4637	4637	5604	5777
	4860	\$6366	6392	4729	4729	5729	5914
	4872	\$6515	6547	4824	4824	5852	6053
	5454	\$6366	6419	3924	3924	5340	5109
	6042	\$6078	6078	4547	4547	5480	5644
	6048	\$6366	6392	4729	4729	5729	5914
	6060	\$6586	6583	4005	4005	5462	6305
	7242	\$6220	6235	4637	4637	5604	5777
	7248	\$6510	6547	4824	4824	5852	6053

90° Extended Corner Table with C-Foot *continued*

Renew™ Adjustable-Height Tables

		LC	LK	LE	LD	WC	WK
DU6ECT. 24	4260	\$4408	4408	5507	5782	4996	4996
	4272	\$4487	4487	5607	5893	5107	5107
	4860	\$4569	4569	5710	6004	5219	5219
	4872	\$4651	4651	5816	6119	5332	5332
	5454	\$4552	4552	6107	6033	4409	4409
	6042	\$4408	4408	5507	5782	4996	4996
	6048	\$4569	4569	5710	6004	5219	5219
	6060	\$4635	4635	6221	6149	4510	4510
	7242	\$4487	4487	5607	5893	5107	5107
	7248	\$4651	4651	5816	6119	5332	5332
30	4260	\$4508	4508	5696	5963	5082	5082
	4272	\$4594	4594	5806	6079	5200	5200
	4860	\$4682	4682	5917	6202	5321	5321
	4872	\$4770	4770	6032	6325	5447	5447
	5454	\$4353	4353	6533	6531	5776	5776
	6042	\$4508	4508	5696	5963	5082	5082
	6048	\$4682	4682	5917	6202	5321	5321
	6060	\$4437	4437	6663	6664	6174	6174
	7242	\$4594	4594	5806	6079	5200	5200
	7248	\$4770	4770	6032	6325	5447	5447

		WE	WD	PC	PK	PE	PD
DU6ECT. 24	4260	\$6394	6606	4293	4293	5753	5939
	4272	\$6535	6759	4387	4387	5873	6071
	4860	\$6677	6917	4485	4485	5996	6206
	4872	\$6825	7076	4584	4584	6125	6344
	5454	\$6147	6455	3955	3955	5768	6250
	6042	\$6394	6606	4293	4293	5753	5939
	6048	\$6677	6917	4485	4485	5996	6206
	6060	\$6286	6608	4045	4045	5894	6371
	7242	\$6535	6759	4387	4387	5873	6071
	7248	\$6825	7076	4584	4584	6125	6344
30	4260	\$6424	6637	4346	4346	5776	5987
	4272	\$6578	6804	4448	4448	5908	6130
	4860	\$6732	6973	4552	4552	6042	6276
	4872	\$6890	7144	4660	4660	6178	6425
	5454	\$6795	6757	3642	3642	5994	5794
	6042	\$6424	6637	4346	4346	5776	5987
	6048	\$6732	6973	4552	4552	6042	6276
	6060	\$7021	7124	3734	3734	6134	5937
	7242	\$6578	6804	4448	4448	5908	6130
	7248	\$6890	7144	4660	4660	6178	6425

		WE	WD	PC	PK	PE	PD
DU6ECE. 24	4260	—	—	\$4095	4095	5488	5667
	4272	—	—	\$4187	4187	5604	5793
	4860	—	—	\$4280	4280	5722	5921
	4872	—	—	\$4374	4374	5843	6053
	5454	—	—	\$3773	3773	5504	5267
	6042	—	—	\$4095	4095	5488	5667
	6048	—	—	\$4280	4280	5722	5921
	6060	—	—	\$3859	3859	5623	5387
	7242	—	—	\$4187	4187	5604	5793
	7248	—	—	\$4374	4374	5843	6053
30	4260	—	—	\$4146	4146	5511	5712
	4272	—	—	\$4244	4244	5637	5849
	4860	—	—	\$4344	4344	5765	5988
	4872	—	—	\$4446	4446	5895	6130
	5454	—	—	\$3476	3476	5720	5529
	6042	—	—	\$4146	4146	5511	5712
	6048	—	—	\$4344	4344	5765	5988
	6060	—	—	\$3561	3561	5853	5665
	7242	—	—	\$4244	4244	5637	5849
	7248	—	—	\$4446	4446	5895	6130

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
-----	-----------------	---	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down	A	+\$0
SMT	no switch - LO100	A	+\$0
SRM	digital read out with memory	A	+\$160

90° Extended Corner Table with C-Foot *continued*

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBV	medium matte walnut ☐	+\$0
LBW	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0
ZZ	open line laminate (nonstandard) ☐	+\$20

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
ED	aged cherry ☐	+\$85
EK	medium red walnut ☐	+\$85
EW	medium matte walnut ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
UX	walnut on cherry ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBV	medium matte walnut ☐	+\$0
LBW	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0

90° Extended Corner Table with C-Foot *continued*

LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
OG	honey maple A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white A	+\$0
G1	graphite A	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot A	+\$0
MS	metallic silver leg with metallic silver foot A	+\$0

Sand Texture Paint

BK	black leg with black foot A	+\$0
LFL	black leg with polished aluminum foot A	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$0
98	studio white leg with studio white foot A	+\$0
G2	graphite satin leg with graphite satin foot A	+\$0
WL	sandstone leg with sandstone foot A	+\$0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0
LFF	white leg with polished aluminum foot A	+\$160
LFG	warm grey neutral leg with polished aluminum foot A	+\$160
LFH	graphite satin leg with polished aluminum foot A	+\$160
LFJ	metallic silver leg with polished aluminum foot A	+\$160
LFK	studio white leg with polished aluminum foot A	+\$0

Step 13. Cord Cover/Cable Management

For 24" deep (23" surface size) (24)

PSC	simple cable A	+\$0
------------	--------------------------------	------

For 30" deep (29" surface size) (30)

PSC	simple cable A	+\$0
PHD	high density cable trough A	+\$299

Step 14. Power Access Cutout

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with simple cable (PSC)

NNN	no cutout A	+\$0
------------	-----------------------------	------

For 30" deep (29" surface size) (30) with 42" wide left x 60" wide right (40" x 58" surface size) (4260), 42" wide left x 72" wide right (40" x 70" surface size) (4272), 48" wide left x 60" wide right (46" x 58" surface size) (4860), 48" wide left x 72" wide right (46" x 70" surface size) (4872), 60" wide left x 42" wide right (58" x 40" surface size) (6042), 60" wide left x 48" wide right (58" x 46" surface size) (6048), or 72" wide left x 42" wide right (70" x 40" surface size) (7242), or 72" wide left x 48" wide right (70" x 46" surface size) (7248) with high density cable trough (PHD)

NNN	no cutout A	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
CAC	center cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V A	+\$45

For 30" deep (29" surface size) (30) with 54" wide left x 54" wide right (52" x 52" surface size) (5454), or 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high density cable trough (PHD)


NNN	no cutout A	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V A	+\$45

Step 15. Casters/Glides

57	glides A	+\$0
-----------	--------------------------	------

90° Corner Table with C-Foot

DU6FCE
DU6FCS
DU6FCT



Product Information

Description

This height-adjustable 90° corner table has a C-Leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (G1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Corner Table with C-Foot

continued

Specification Information						
Step 1.						
DU6FC ☐						
Step 2. Edge						
S.	squared-edge ☐					
T.	thin-edge ☐					
E.	eased-edge ☐					
Step 3. Depth						
24	24" deep (23" surface size) ☐					
30	30" deep (29" surface size) ☐					
Step 4. Width						
42	42" wide (40" surface size) ☐					
48	48" wide (46" surface size) ☐					
Step 5. Surface Material						
For squared-edge (S.)						
L	lamine top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
For thin-edge (T.)						
L	lamine top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
For eased-edge (E.)						
P	painted Formcoat® top/edge ☐					
Step 6. Height Adjustment						
C	crank sit-to-stand ☐					
K	crank seated ☐					
E	electric standard range ☐					
D	electric extended range ☐					
Prices for Steps 1-6.						
	LC	LK	LE	LD	WC	WK
DU6FCS. 24 42	\$2531	2531	3127	3521	3038	3038
48	\$2582	2582	3190	3590	3098	3098
30 42	\$2543	2543	3274	3622	3053	3053
48	\$2595	2595	3341	3693	3115	3115

		WE	WD	PC	PK	PE	PD
DU6FCS.	24 42	\$3621	3891	2709	2709	3213	3529
	48	\$3694	3975	2763	2763	3280	3604
	30 42	\$3797	4011	2722	2722	3370	3635
	48	\$3876	4098	2777	2777	3441	3714
		LC	LK	LE	LD	WC	WK
DU6FCT.	24 42	\$2812	2812	3473	3672	2909	2909
	48	\$2868	2868	3543	3749	2974	2974
	30 42	\$2826	2826	3637	3782	2925	2925
	48	\$2883	2883	3710	3864	2991	2991
		WE	WD	PC	PK	PE	PD
DU6FCT.	24 42	\$3626	3988	2741	2741	3343	3656
	48	\$3708	4079	2801	2801	3415	3738
	30 42	\$3819	4118	2757	2757	3517	3776
	48	\$3903	4212	2817	2817	3596	3862
		WE	WD	PC	PK	PE	PD
DU6FCE.	24 42	—	—	\$2714	2714	3309	3619
	48	—	—	\$2773	2773	3381	3701
	30 42	—	—	\$2730	2730	3482	3739
	48	—	—	\$2789	2789	3560	3824

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP

no power access

☐

<

90° Corner Table with C-Foot

continued

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
OG	honey maple 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0
ZZ	open line laminate (nonstandard) 	+\$20

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$85
40	dark brown walnut 	+\$85
A2	white ash 	+\$85
ED	aged cherry 	+\$85
EK	medium red walnut 	+\$85
EW	medium matte walnut 	+\$85
ET	clear on ash 	+\$85
EU	oak on ash 	+\$85
EV	walnut on ash 	+\$85
OU	walnut 	+\$85
UL	natural maple 	+\$85
UX	walnut on cherry 	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey 	+\$0
91	white 	+\$0
CL	cool grey neutral 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0

90° Corner Table with C-Foot

continued

LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white ☐	+\$0
G1	graphite ☐	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0

Step 13. Cord Cover/Cable Management

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 14. Power Access Cutout


NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

120° Corner Table with C-Foot

DU6GCE
DU6GCS
DU6GCT



Product Information

Description

This height-adjustable 120° corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.




For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



120° Corner Table with C-Foot

continued

Specification Information							
Step 1.							
DU6GC ☐							
Step 2. Edge							
S.	squared-edge ☐						
T.	thin-edge ☐						
E.	eased-edge ☐						
Step 3. Depth							
24	24" deep (23" surface size) ☐						
30	30" deep (29" surface size) ☐						
Step 4. Width							
42	42" wide (40" surface size) ☐						
48	48" wide (46" surface size) ☐						
Step 5. Surface Material							
For squared-edge (S.)							
L	laminate top/thermoplastic edge ☐						
W	veneer top/veneer edge ☐						
P	painted Formcoat® top/edge ☐						
For thin-edge (T.)							
L	laminate top/thermoplastic edge ☐						
W	veneer top/veneer edge ☐						
P	painted Formcoat® top/edge ☐						
For eased-edge (E.)							
P	painted Formcoat® top/edge ☐						
Step 6. Height Adjustment							
C	crank sit-to-stand ☐						
K	crank seated ☐						
E	electric standard range ☐						
D	electric extended range ☐						
Prices for Steps 1-6.							
		LC	LK	LE	LD	WC	WK
DU6GCS. 24	42	\$2844	2844	3569	3818	3552	3552
	48	\$2901	2901	3641	3893	3623	3623
	30	42	\$2981	2981	3705	4048	3685
		48	\$3036	3036	3777	4126	3757

		WE	WD	PC	PK	PE	PD
DU6GCS.	24 42	\$4236	4419	3043	3043	3821	4084
	48	\$4330	4519	3103	3103	3896	4165
	30 42	\$4372	4684	3177	3177	3956	4321
	48	\$4466	4787	3239	3239	4033	4407
		LC	LK	LE	LD	WC	WK
DU6GCT.	24 42	\$3159	3159	3698	3951	3732	3732
	48	\$3223	3223	3778	4037	3811	3811
	30 42	\$3296	3296	3835	4195	3867	3867
	48	\$3360	3360	3914	4284	3945	3945
		WE	WD	PC	PK	PE	PD
DU6GCT.	24 42	\$4463	4634	2929	2929	3639	3994
	48	\$4569	4747	2996	2996	3725	4084
	30 42	\$4600	4916	3065	2913	3776	4245
	48	\$4705	5031	3133	2980	3861	4340
		WE	WD	PC	PK	PE	PD
DU6GCE.	24 42	—	—	\$2900	2900	3604	3953
	48	—	—	\$2967	2967	3687	4044
	30 42	—	—	\$3035	2884	3739	4204
	48	—	—	\$3101	2949	3823	4296

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP

no power access

A

+\$0

PLA

leg access

A

+\$299

For electric extended range (D)

NNP

no power access

A

+\$0

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD

simple up down

A

+\$0

SMT

no switch - LO100

A

+\$0

SRM

digital read out with memory

A

+\$160

120° Corner Table with C-Foot

continued

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
OG	honey maple 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0
ZZ	open line laminate (nonstandard) 	+\$20

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$85
40	dark brown walnut 	+\$85
A2	white ash 	+\$85
ED	aged cherry 	+\$85
EK	medium red walnut 	+\$85
EW	medium matte walnut 	+\$85
ET	clear on ash 	+\$85
EU	oak on ash 	+\$85
EV	walnut on ash 	+\$85
OU	walnut 	+\$85
UL	natural maple 	+\$85
UX	walnut on cherry 	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey 	+\$0
91	white 	+\$0
CL	cool grey neutral 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0

120° Corner Table with C-Foot

continued

LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white ☐	+\$0
G1	graphite ☐	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0

Step 13. Cord Cover/Cable Management

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 14. Power Access Cutout


NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Height Adjustable Rectangular Worksurface

DU6WS.



Product Information

Description


This rectangular work surface attaches to a height adjustable base to create a height adjustable table. It has a 1 1/4"-thick laminate top with thermoplastic edge or laminate top with a thermoplastic backed plywood edge.

Notes

Order 2-leg table base kit (DU7A.) separately.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazard.

Dimensions



Specification Information

Step 1.

DU6W ☐

Step 2. Edge

S. squared-edge ☐

Step 3. Depth

24 24" deep (23" surface size) ☐

30 30" deep (29" surface size) ☐

Step 4. Width

48 48" wide (46" surface size) ☐

54 54" wide (52" surface size) ☐

60 60" wide (58" surface size) ☐

66 66" wide (64" surface size) ☐

72 72" wide (70" surface size) ☐

Step 5. Surface Material

L laminate top/thermoplastic edge ☐

U laminate top/universal edge ☐

Prices for Steps 1-5.

		L	U
DU6WS.24	48	\$256	246
	54	\$309	297
	60	\$338	325
	66	\$386	371
	72	\$411	414
30	48	\$329	331
	54	\$396	415
	60	\$432	432
	66	\$494	498
	72	\$556	566

Step 6. Base Type

V pre-drilled holes for V1 base ☐ +\$0

Height Adjustable Rectangular Worksurface *continued*

Step 7. Top Finish

76	light brown walnut ☐	+\$99
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$99
HY	walnut on cherry ☐	+\$99
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

For laminate top/universal edge (U)


PLY	plywood edge ☐	+\$50
------------	---------------------------------------	-------

Step 9. Cutout Option

NNN	no cutout ☐	+\$0
------------	------------------------------------	------

Table Base Kit - 3 Legs

DU7F.



Product Information

Description


This independent 3-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of power access and switch type.

Notes

Order work surface stiffener (FV696.) separately.

See Renew™ Sit-to-Stand Tables planning guide for design information.

Dimensions



Specification Information

Step 1.

DU7F. ☐ A

Step 2. Mechanism

E electric standard range ☐ A

D electric extended range ☐ A

Step 3. Depth

24 24" deep (23" actual) ☐ A

30 30" deep (29" actual) ☐ A

Step 4. Foot Type

C C foot ☐ A

Prices for Steps 1-4.

		C
DU7F. E	24	\$4386
	30	\$4386
D	24	\$4674
	30	\$4674

Step 5. Hidden Power Access

For electric standard range (E)

NNP	no power access ☐ A	+\$0
PLA	leg access ☐ A	+\$299

For electric extended range (D)

NNP	no power access ☐ A	+\$0
------------	--	------

Step 6. Switch Option

SUD	simple up down ☐ A	+\$0
SMT	no switch - LO100 ☐ A	+\$0
SRM	digital read out with memory ☐ A	+\$160

Step 7. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐ A	+\$0
MS	metallic silver leg with metallic silver foot ☐ A	+\$0

Sand Texture Paint

BK	black leg with black foot ☐ A	+\$0
LFL	black leg with polished aluminum foot ☐ A	+\$0


Table Base Kit - 3 Legs *continued*

Renew™ Sit-to-Stand Table Bases

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0
Step 8. Casters/Glides		
57	glides ☐	+\$0

Table Base Kit - 2 Legs

DU7A.



Product Information

Description

This independent 2-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of foot type, power access and switch type.


Notes

Order work surface stiffener (FV696.) separately.

See Renew™ Sit-to-Stand Tables planning guide for design information.

To use 2-leg base kit on work surfaces 72" wide and wider, order motor extension cable service part U1B7600 separately.

Dimensions



Specification Information

Step 1.

DU7A. ☐

Step 2. Mechanism

E electric standard range ☐

D electric extended range ☐

Step 3. Depth

24 24" deep (23" actual) ☐

30 30" deep (29" actual) ☐

Step 4. Foot Type

For 24" deep (23" actual) (24)

C C foot ☐

For 30" deep (29" actual) (30)

T T foot ☐

C C foot ☐

Prices for Steps 1-4.

		T	C
DU7A.	E 24	—	\$2720
	30	\$2720	2720
	D 24	—	\$3052
	30	\$3052	3052

Step 5. Hidden Power Access

For electric standard range (E)

NNP no power access ☐ +\$0

PLA leg access ☐ +\$299

For electric extended range (D)

NNP no power access ☐ +\$0

Step 6. Switch Option

SUD simple up down ☐ +\$0

SMT no switch - LO100 ☐ +\$0

SRM digital read out with memory ☐ +\$160

Step 7. Leg/Foot Finish

Metallic Paint

CN metallic champagne leg with metallic champagne foot ☐ +\$0

MS metallic silver leg with metallic silver foot ☐ +\$0

Table Base Kit - 2 Legs *continued*

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint


8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0

Step 8. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.







Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425. ☐

Step 2. Configuration

A	2 simplex receptacles, 2 powered USB ☐
C	4 simplex receptacles, 2 powered USB ☐
D	5 simplex receptacles, 2 powered USB ☐
E	3 simplex receptacles ☐
F	5 simplex receptacles ☐
G	6 simplex receptacles ☐

Step 3. Power Type

A	power cord with plug end ☐
B	conduit with open end, for hard-wiring ☐
C	IEC connector for Renew Tables ☐

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3' cord/conduit ☐
06	6' cord/conduit ☐
10	10' cord/conduit ☐
20	20' cord/conduit ☐

For conduit with open end, for hard-wiring (B)

03	3' cord/conduit ☐
06	6' cord/conduit ☐
10	10' cord/conduit ☐

For IEC connector for Renew Tables (C)

03	3' cord/conduit ☐
-----------	--

Prices for Steps 1-4.

		03	06	10	20
Y1425. A	A	\$697	697	708	720
	B	\$752	752	762	—
	C	\$708	—	—	—
	C A	\$808	808	821	833
	B	\$862	862	875	—
	C	\$821	—	—	—
	D A	\$881	881	893	903
	B	\$935	935	945	—
	C	\$893	—	—	—
	E A	\$537	537	547	557
	B	\$590	590	601	—
	C	\$547	—	—	—


F A	\$647	647	660	671
B	\$702	702	713	—
C	\$660	—	—	—
G A	\$720	720	730	743
B	\$773	773	786	—
C	\$730	—	—	—

Step 5. Finish

91	white ☐			+\$0
98	studio white ☐			+\$0
BK	black ☐			+\$0
G1	graphite ☐			+\$0
MS	metallic silver ☐			+\$0

Logic C1000 Universal Clamp Mount Distributor

Y1423.



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes



Clamp mounts on worksurfaces 1"-1 1/4" thick.

Faceplate color matches unit color.



Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.



Dimensions





2 simplex receptacles, 2 powered USB





4 simplex receptacles, 2 powered USB





5 simplex receptacles, 2 powered USB



3 simplex receptacles



5 simplex receptacles



6 simplex receptacles

Logic C1000 Universal Clamp Mount Distributor *continued*

Specification Information

Step 1.

Y1423. ☐ A

Step 2. Configuration

- A** 2 simplex receptacles, 2 powered USB ☐ A
- C** 4 simplex receptacles, 2 powered USB ☐ A
- D** 5 simplex receptacles, 2 powered USB ☐ A
- E** 3 simplex receptacles ☐ A
- F** 5 simplex receptacles ☐ A
- G** 6 simplex receptacles ☐ A

Step 3. Power Type

- A** power cord with plug end ☐ A
- B** conduit with open end, for hard-wiring ☐ A

Step 4. Cord/Conduit Length

- 03** 3' cord/conduit ☐ A
- 06** 6' cord/conduit ☐ A
- 10** 10' cord/conduit ☐ A


Prices for Steps 1-4.

		03	06	10
Y1423. A	A	\$490	490	501
	B	\$544	544	554
	C A	\$589	589	599
	B	\$642	642	653
	D A	\$630	630	641
	B	\$684	684	695
	E A	\$329	329	340
	B	\$384	384	394
	F A	\$429	429	439
	B	\$481	481	493
	G A	\$469	469	480
	B	\$523	523	535


Step 5. Finish

- 91** white ☐ A +\$0
- 98** studio white ☐ A +\$0
- BK** black ☐ A +\$0
- G1** graphite ☐ A +\$0
- MS** metallic silver ☐ A +\$0


Logic G1200 Grommet Pass Thru Y1420.




Product Information
Description
This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.
Notes
Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.
Dimensions



3 outlet opening (T)



5 outlet opening (V)




6 outlet opening (X)

Specification Information
Step 1.
Y1420. ☐ A
Step 2. Configuration
T three outlet opening ☐ A
V five outlet opening ☐ A
X six outlet opening ☐ A
Prices for Steps 1-2.
Y1420. T \$234
V \$257
X \$280
Step 3. Finish
91 white ☐ A +\$0
98 studio white ☐ A +\$0
BK black ☐ A +\$0
G1 graphite ☐ A +\$0
MS metallic silver ☐ A +\$0

Logic HD Cable Manager

Y1424.




Product Information

Description

This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.

Dimensions



Specification Information

Step 1.

Y1424. A

Step 2. Size

17 17" wide tray A

Prices for Steps 1-2.

Y1424. 17 \$257

Step 3. Finish

91 white A +\$0

98 studio white A +\$0


BK black A +\$0

G1 graphite A +\$0


MS metallic silver A +\$0

External Cable Manager

DU11B.
DU11S.



Product Information
Description
This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.
Dimensions




Specification Information
Step 1.
DU11
Step 2. Attachment
B. high density trough attachment
S. worksurface attachment
Prices for Steps 1-2.
DU11B.
DU11S.
Step 3. Finish
Price Category 5

\$204
\$204

+\$0

Renew™ Power and Data Support



Product Information

Description


This sensor kit provides an additional system failsafe mechanism for Renew™ tables and Renew Link by detecting possible obstructions and/or unsafe conditions in the travel path of the table. Kit comes with 1 or 2 sensors depending on table width. Renew table and Renew Link bench remain UL Listed with sensor installed.

Notes

Warning: Despite this sensor being in place, there may still be a risk of pinching in exceptional cases, as it is not only the control unit, but also the interaction between the mechanical and electronic systems that is responsible for responding to obstructions. Herman Miller cannot therefore eliminate this residual risk completely or accept any liability. Be sure to maintain a clear path within the envelope of the height adjustable table.

See Renew Link planning guide for design information.

Dimensions




Renew™ Obstruction Sensor Kit

continued

Specification Information	
Step 1.	
DUSG	A
Step 2. Table Width	
1.	60 inches and under A
2.	over 60 inches A
Prices for Steps 1-2.	
DUSG1.	\$106
DUSG2.	\$133

Pari Screen, Height Adjustable Tables Y1116.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

A—1.51

B—1.89

C—1.76

D—2.14

E—2.21

F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

24—0.88

30—1.07

36—1.26

42—1.45

48—1.64

54—1.83

60—2.02

66—2.21

72—2.39

For heights C/D/E/F:

24—1.76

30—2.14

36—2.52

42—2.90

48—3.28

54—3.65


60—4.03

66—4.41

72—4.79

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Pari Screen, Height Adjustable Tables *continued*

Specification Information

Step 1.

Y1116. A

Step 2. Height

A	privacy (42" high) A
B	privacy & modesty (42" high/10" below surface) A
C	privacy (46" high) A
D	privacy & modesty (46" high/10" below surface) A
E	privacy (53" high) A
F	privacy & modesty (53" high/10" below surface) A

Step 3. Width

24	24" wide A
30	30" wide A
36	36" wide A
42	42" wide A
48	48" wide A
54	54" wide A
60	60" wide A
66	66" wide A
72	72" wide A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R	tackable fabric, horizontal A
T	tackable fabric A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R	tackable fabric, horizontal A
----------	---

Prices for Steps 1-4.

		R	T
Y1116. A	24	\$448	448
	30	\$521	521
	36	\$541	541
	42	\$573	573
	48	\$594	594
	54	\$652	—
	60	\$701	—
	66	\$750	—
	72	\$790	—

B	24	\$542	542
	30	\$580	580
	36	\$616	616
	42	\$652	652
	48	\$724	724
	54	\$815	—
	60	\$836	—
	66	\$900	—
	72	\$923	—
C	24	\$509	509
	30	\$546	546
	36	\$584	584
	42	\$620	620
	48	\$684	684
	54	\$752	—
	60	\$839	—
	66	\$879	—
	72	\$915	—
D	24	\$654	654
	30	\$691	691
	36	\$727	727
	42	\$764	764
	48	\$822	822
	54	\$862	—
	60	\$913	—
	66	\$959	—
	72	\$984	—
E	24	\$671	671
	30	\$707	707
	36	\$744	744
	42	\$802	802
	48	\$826	826
	54	\$873	—
	60	\$890	—
	66	\$912	—
	72	\$933	—
F	24	\$738	738
	30	\$775	775
	36	\$812	812
	42	\$849	849
	48	\$914	914
	54	\$946	—
	60	\$981	—
	66	\$1061	—
	72	\$1082	—

Renew™ Screens

Pari Screen, Height Adjustable


Tables *continued*

Step 5. Cable Trough		
<i>For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F)</i>		
NC	no cable way A	+\$0
CW	cable way A	+\$25
Step 6. Fabric		
	Price Category C	+\$101
	Price Category 1	+\$0
	Price Category 2	+\$19
	Price Category 3	+\$41
	Price Category 4	+\$80
	Price Category E	+\$152

Renew™ Screens

Personal Side Screen

Y1117.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1 1/4" thick.

Bottom of attachment bracket extends 1 1/2" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1117. A

Step 2. Height

13 13" high A

Step 3. Surface Material

R tackable fabric, horizontal A

T tackable fabric A

Prices for Steps 1-3.

	R	T
Y1117. 13	\$366	366


Step 4. Fabric

Price Category C	+\$55
Price Category 1	+\$0
Price Category 2	+\$11
Price Category 3	+\$23
Price Category 4	+\$44

Renew™ Screens

Surface-Attached Screen, Flat Edge

Y1118.



Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3³/₄" below work surface.

Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2¹/₂" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

A—1.51

B—1.89

C—1.76

D—2.14

E—2.21

F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

24—0.88

30—1.07

36—1.26

42—1.45

48—1.64

54—1.83

60—2.02

66—2.21

72—2.39

For heights C/D/E/F:

24—1.76

30—2.14

36—2.52

42—2.90

48—3.28

54—3.65


60—4.03

66—4.41

72—4.79

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Surface-Attached Screen, Flat Edge *continued*

Specification Information

Step 1.

Y1118. A

Step 2. Height

A	privacy (42" high) A
B	privacy & modesty (42" high/ 9" below surface) A
C	privacy (46" high) A
D	privacy & modesty (46" high/ 9" below surface) A
E	privacy (53" high) A
F	privacy & modesty (53" high/ 9" below surface) A

Step 3. Width

24	24" wide A
30	30" wide A
36	36" wide A
42	42" wide A
48	48" wide A
54	54" wide A
60	60" wide A
66	66" wide A
72	72" wide A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R	tackable fabric, horizontal A
T	tackable fabric A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R	tackable fabric, horizontal A
----------	---

Prices for Steps 1-4.

	R	T
Y1118. A 24	\$311	311
30	\$336	336
36	\$401	401
42	\$432	432
48	\$463	463
54	\$491	—
60	\$533	—
66	\$558	—
72	\$595	—

B 24	\$387	387
30	\$418	418
36	\$448	448
42	\$479	479
48	\$505	505
54	\$531	—
60	\$586	—
66	\$601	—
72	\$646	—
C 24	\$388	388
30	\$428	428
36	\$462	462
42	\$507	507
48	\$569	569
54	\$599	—
60	\$671	—
66	\$705	—
72	\$756	—
D 24	\$489	489
30	\$546	546
36	\$609	609
42	\$623	623
48	\$648	648
54	\$666	—
60	\$737	—
66	\$799	—
72	\$831	—
E 24	\$529	529
30	\$538	538
36	\$552	552
42	\$650	650
48	\$673	673
54	\$690	—
60	\$721	—
66	\$786	—
72	\$837	—
F 24	\$643	643
30	\$650	650
36	\$662	662
42	\$673	673
48	\$682	682
54	\$691	—
60	\$764	—
66	\$803	—
72	\$971	—

Renew™ Screens


Surface-Attached Screen, Flat Edge *continued*

Renew™ Screens

Step 5. Cable Trough		
<i>For privacy & modesty (42" high/9" below surface) (B), privacy & modesty (46" high/9" below surface) (D), or privacy & modesty (53" high/9" below surface) (F)</i>		
NC	no cable way A	+\$0
CW	cable way A	+\$25
Step 6. Fabric		
	Price Category C	+\$111
	Price Category 1	+\$0
	Price Category 2	+\$21
	Price Category 3	+\$49
	Price Category 4	+\$93
	Price Category E	+\$152
<i>For tackable fabric, horizontal (R)</i>		
	Price Category C	+\$111
	Price Category 1	+\$0
	Price Category 2	+\$21
	Price Category 3	+\$49
	Price Category 4	+\$93

Personal Side Screen,
Rectangular

Y1119.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1 1/4" thick.

Bottom of attachment bracket extends 1 1/2" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage


13—0.94

For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.



Specification Information

Step 1.

Y1119. A

Step 2. Height

13 13" high A

Step 3. Surface Material

R tackable fabric, horizontal A

T tackable fabric A

Prices for Steps 1-3.


	R	T
Y1119. 13	\$357	357

Step 4. Surface Finish

Price Category 1	+\$0
Price Category 2	+\$9
Price Category 3	+\$0
Price Category 4	+\$39
Price Category C	+\$55

Laminate Screen, Surface Attached

Y1120.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width. Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11¹/₈" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.


Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2¹/₂" of work surface for attachment.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

13A privacy (13¹/₂" above worksurface)

13B privacy & modesty (13¹/₂" above worksurface/11¹/₈" below worksurface)

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 4. Surface Material

L	laminate
U	laminate/universal edge

Prices for Steps 1-4.

		L	U
Y1120. 13A	24	\$190	190
	30	\$201	201
	36	\$212	212
	42	\$222	222
	48	\$233	233
	54	\$242	242
	60	\$250	250
	66	\$259	259
	72	\$269	269
13B	24	\$235	235
	30	\$247	247
	36	\$260	260
	42	\$274	274
	48	\$286	286
	54	\$298	298
	60	\$310	310
	66	\$320	320
	72	\$330	330

Laminate Screen, Surface Attached *continued*

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 6. Cable Trough

For privacy (13¹/₂" above worksurface) (13A)

NC	no cable way	+\$0
-----------	--------------	------

For privacy & modesty (13¹/₂" above worksurface/11¹/₈" below worksurface) (13B)

NC	no cable way	+\$0
CW	cable way	+\$25

Step 7. Surface Finish

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Laminate Screen, Surface Attached *continued*

Step 8. Edge Finish

For laminate (L)


76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Modesty Panel

Y1113.



Product Information


Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.
Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.
Modesty panel is field installed.
Brackets are located to work with Connect™ 2-circuit power system.
Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

Step 4. Surface Material

L	laminate top/thermoplastic edge
W	veneer top/veneer edge

Prices for Steps 1-4.

		L	W
Y1113. 24	N	\$204	362
	Y	\$363	538
30	N	\$222	405
	Y	\$412	615
36	N	\$242	451
	Y	\$448	677
42	N	\$262	496
	Y	\$493	748
48	N	\$282	541
	Y	\$539	821
54	N	\$303	587
	Y	\$585	893
60	N	\$322	631
	Y	\$631	963
66	N	\$322	675
	Y	\$676	1035
72	N	\$349	719
	Y	\$720	1106

Modesty Panel *continued*

Renew™ Screens

Step 5. Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For veneer top/veneer edge (W)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0

Step 6. Edge Finish


For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0

BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Fabric Modesty Panel

Y1114.




Product Information
Description
This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.
Notes
Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.
For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.
Dimensions



Specification Information
Step 1.
Y1114. A
Step 2. Width
24 24" wide A
30 30" wide A
36 36" wide A
42 42" wide A
48 48" wide A
54 54" wide A
60 60" wide A
66 66" wide A
72 72" wide A
Prices for Steps 1-2.
Y1114. 24 \$186
30 \$203
36 \$220
42 \$233
48 \$248
54 \$280
60 \$293
66 \$310
72 \$321
Step 3. Fabric
Price Category 1 +\$0

Renew™ Screens



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage



24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT354. ☐ A

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed ☐ A

CR Canvas Surface Attached, End of Run Right Handed ☐ A

Step 3. Height

42 42" high ☐ A

46 46" high ☐ A

Step 4. Width

24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

Step 5. Surface Material

R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

Prices for Steps 1-5.

	24R	24T	30R	30T	36R	36T
FT354. CL 42	\$865	865	896	896	921	921
46	\$911	911	947	947	983	983
CR 42	\$865	865	896	896	921	921
46	\$911	911	947	947	983	983

Step 6. Bracket Finish

8Q folkstone grey ☐ A +\$0

91 white ☐ A +\$0

98 studio white ☐ A +\$0

BK black ☐ A +\$0

G1 graphite ☐ A +\$0

WL sandstone ☐ A +\$0

WN warm grey neutral ☐ A +\$0

Step 7. Fabric

Price Category C +\$107


Price Category 1 +\$0

Price Category 2 +\$17

Price Category 3 +\$40

Price Category 4 +\$70

Price Category E +\$169



Product Information

Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Delineation

continued

Specification Information

Step 1.

FT358.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.

	24R	24T	30R	30T	36R	36T
FT358. CL 42	\$536	536	566	566	577	577
46	\$582	582	618	618	639	639
CR 42	\$536	536	566	566	577	577
46	\$582	582	618	618	639	639

Step 6. Bracket Finish

8Q folkstone grey +\$0

91 white +\$0

98 studio white +\$0

BK black +\$0

G1 graphite +\$0

WL sandstone +\$0

WN warm grey neutral +\$0

Step 7. Fabric

Price Category C +\$102


Price Category 1 +\$0

Price Category 2 +\$17

Price Category 3 +\$40

Price Category 4 +\$70

Price Category E +\$169



Product Information


Description

This smart paddle provides one-touch up and down controls. It communicates availability, nudges to stand or sit, and confirmation of successful pairing of a mobile device. Desk Utilization Sensor provides connection to the Gateway to sense utilization, transfer data to the cloud, and provide haptic feedback for when to stand or sit. 1 Gateway is required for every 1-200 Smart Paddle Kits.

Notes

Kits must be mounted all on right-hand side or all on left-hand side. Cannot mix right and left mounting due to BT signal strength. When ordering Live Platform™ hardware, a subscription service agreement must be signed to activate the system. End user application available as free download to all users and is required to set up goals, preferences, and check-in to a desk.

Dimensions



Specification Information

Step 1.

LO100. A

Step 2. Connection

1 plugs into Logic Data control box A

Step 3. Cord Length

06 6' long A

Prices for Steps 1-3.

	06
LO100. 1	\$140

Step 4. Finish

63 fog A +\$0

Index by Product Name

Renew™ Tables	
90° Corner Table with C-Foot	page(s) 31
90° Extended Corner Table with C-Foot	26
120° Corner Table with C-Foot	35
External Cable Manager	51
Fabric Modesty Panel	67
Flat Edge Screen, Delineation	70
Height Adjustable Rectangular Worksurface	39
Laminate Screen, Surface Attached	62
Logic C1000 Universal Clamp Mount Distributor	47
Logic G1000 Grommet Mounted Electrical Distributor	45
Logic G1200 Grommet Pass Thru	49
Logic HD Cable Manager	50
Modesty Panel	65
Oval Table with T-Foot	21
Pari Screen, Delineation	68
Pari Screen, Height Adjustable Tables	54
Personal Side Screen	57
Personal Side Screen, Rectangular	61
Rectangle Counterbalance Table with C-Foot	11
Rectangle Table with C-Foot	5
Rectangle Table with T-Foot	15
Renew™ Obstruction Sensor Kit	52
Smart Paddle Kit	72
Surface-Attached Screen, Flat Edge	58
Table Base Kit - 2 Legs	43
Table Base Kit - 3 Legs	41

Index by Product Number

DU6ACE Rectangle Table with C-Foot	page(s) 5
DU6ACG Rectangle Counterbalance Table with C-Foot	11
DU6ACS Rectangle Table with C-Foot	5
DU6ACT	
DU6ATE Rectangle Table with T-Foot	15
DU6ATS	
DU6ATT	
DU6DTE Oval Table with T-Foot	21
DU6DTS	
DU6DTT	
DU6ECE 90° Extended Corner Table with C-Foot	26
DU6ECS	
DU6ECT	
DU6FCE 90° Corner Table with C-Foot	31
DU6FCS	
DU6FCT	
DU6GCE 120° Corner Table with C-Foot	35
DU6GCS	
DU6GCT	
DU6WS. Height Adjustable Rectangular Worksurface	39
DU7A. Table Base Kit - 2 Legs	43
DU7F. Table Base Kit - 3 Legs	41
DU11B. External Cable Manager	51
DU11S.	
DUSG1. Renew™ Obstruction Sensor Kit	52
DUSG2.	
FT354. Pari Screen, Delineation	68
FT358. Flat Edge Screen, Delineation	70
LO100. Smart Paddle Kit	72
Y1113. Modesty Panel	65
Y1114. Fabric Modesty Panel	67
Y1116. Pari Screen, Height Adjustable Tables	54
Y1117. Personal Side Screen	57
Y1118. Surface-Attached Screen, Flat Edge	58
Y1119. Personal Side Screen, Rectangular	61
Y1120. Laminate Screen, Surface Attached	62
Y1420. Logic G1200 Grommet Pass Thru	49
Y1423. Logic C1000 Universal Clamp Mount Distributor	47
Y1424. Logic HD Cable Manager	50
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	45



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

Stain-to-Match Program

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:
(800) 654 3910

Stain-to-Match Process

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to:
options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STB: Stain-to-Match on Beech
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STM: Stain-to-Match on Recut Mahogany
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2020 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi—Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

® **HermanMiller**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Capex, Celle, Co/Struc, Daisystone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equi 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Commend, Compass, Connect, Cosm, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Lino, Locale, Logic Mini, Logic Power Access Solutions, Live Platform, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Multiscrim, Nelson, Nevi, Overlay, Pari, Pixelated Support, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Valor, Verus, Vista and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemisurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.