



GSA prices effective April 1, 2019
(based on January 7, 2019, commercial price list)
Published March 2020

Renew™ Sit-to-Stand Tables

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture
FSC Group 71, Part 1
Contract Number: GS-03F-036DA
Contract Period: December 21, 2015—December 20, 2020

Herman Miller, Inc.
855 East Main Avenue
Zeeland, Michigan 49464
(616) 654 3000 Phone
(616) 654 8278 Fax
www.HermanMiller.com/government

Business Size: Large

Contract Information

1a. Special Item Numbers (SIN)

SIN 71-1

Packaged Offices

SIN 711-1

Furniture Systems

SIN 711-2

Computer Furniture

SIN 711-3

Filing and Storage Cabinets

SIN 711-11

Tables and Accessories

SIN 711-16

Upholstered Seating

SIN 711-18

Multi-Purpose Seating

SIN 711-91

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local Herman Miller representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour

Furniture Project Coordinator: \$49.00 per hour

Build-Out Project Manager: \$80.00 per hour

SIN 711-93

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour, which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis. This SIN may only be used with the purchase of new product under SIN 711-1.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 711-94

Design/Layout

Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$65 per hour.

SIN 711-95

Installation Services

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

SIN 711-96

Leasing

Contact Herman Miller participating government dealer for current leasing information.

SIN 711-99

New Product Introductions

Contract Information

continued

SIN 711-500
Order-Level Materials (OLMs)
This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local Herman Miller representative to discuss the appropriate use of this SIN.

1b. Lowest Priced Model

SIN 711-1:	G9999.B	\$9
SIN 711-2:	6-5-D	\$40
SIN 711-3:	L29P.15	\$11
SIN 711-11:	DT9A.	\$39
SIN 711-16:	OA401	\$43
SIN 711-18:	AS90598	\$51
SIN 711-99:	BVP3.S	\$12

1c. Not applicable

2. Maximum Order

SIN 711-1, SIN 711-2
\$500,000 net product value

SIN 711-3, SIN 711-11
\$300,000 net product value

SIN 711-16, SIN 711-18
\$200,000 net product value

SIN 711-93
\$150,000

SIN 711-94
\$150,000

SIN 711-95
\$150,000

SIN 711-96
\$500,000 net product value

SIN 711-99
\$50,000 net product value

SIN 711-500
\$100,000

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.
Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan
Spring Lake, Ottawa County, Michigan

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 711-1
Product: Selected Action Office 1, Action Office 2, C-Style Overhead Storage, Ethospace System, Quadrant Pedestals, Supplemental Products, Tu Pedestals, and approved Herman Miller Options Products.

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	73.8%
	\$250,001 - 500,000	76.8%

SIN 711-1
Product: Selected Nevi™ Tables, Nevi Link, Renew™ Tables, Renew Link and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	73.8%

SIN 711-1
Product: Selected Motia® Tables, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	73.8%

SIN 711-1
Product: Tu Wood Pedestals and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 300,000	74.3%

SIN 711-1
Product: Selected Canvas Office Landscape (Beam, Channel, Dock, Group, Metal Storage, Private Office, Vista, Wall, and Wood Storage) and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	74.8%

Contract Information

continued

SIN 711-1

Product: Selected Layout Studio® and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	60.7%

SIN 711-1

Product: Selected Meridian Pedestals and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	64.2%

SIN 711-1

Product: Selected Thrive Portfolio and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	62%
	\$250,001 - 500,000	66.4%

SIN 711-2

Product: Canvas Metal Desk and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	74.8%

SIN 711-3

Product: Meridian Laterals, Towers, and Storage products and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List	Towers & Storage
	\$100 - 300,000	67.3%	66.3% 62.7%

SIN 711-3

Product: Tu Lateral Files, Tu Storage, Tu Towers, Tu Wood Cases, Tu Wood Cubbies, Tu Wood Credenzas, Tu Wood Towers, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 300,000	74.3%

SIN 711-11

Product: Selected Tables and Accessories and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Avive® Tables	\$100 - 250,000	72.8%
	\$250,001 - 500,000	74.8%
Eames® Conference & Dining Tables	\$100 - 250,000	73.6%
	\$250,001 - 300,000	77.6%
Everywhere™ Tables	\$100 - 300,000	73.8%
Headway™ Tables	\$100 - 300,000	73.8%

SIN 711-16

Product: Swoop upholstered seating products and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Plex® Lounge Furniture	\$100 - 200,000	59.5%
Swoop™	\$100 - 200,000	60.7%
Valor™ Family	\$100 - 200,000	54.91%

SIN 711-18

Product: Selected Seating and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Aeron®	\$100 - 200,000	64.5%
Aside®	\$100 - 200,000	64.2%
Caper®	\$100 - 200,000	61.5%
Celle®	\$100 - 200,000	59.7%
Cosm™	\$100 - 200,000	61.7%
Embody®	\$100 - 200,000	59.7%
Keyn	\$100 - 200,000	57.7%
Lino™	\$100 - 200,000	63.7%
Mirra® 2	\$100 - 200,000	61.7%
Sayl®	\$100 - 200,000	62.2%
Setu®	\$100 - 200,000	59.7%
Verus™	\$100 - 200,000	63.7%

SIN 711-99

Product: Selected Exclave®, Locale®, Public Office Landscape®, Resolve® System, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Exclave	\$100 - 50,000	61.7%
Intent Solution	\$100 - 50,000	58.7%
Locale	\$100 - 50,000	63.7%
Public Office Landscape	\$100 - 50,000	61.7%
Resolve System	\$100 - 50,000	69.8%

Contract Information

continued

7. Quantity Discounts

Reference item #6.

8. Payment Term

Net 30 days

9. Government Commercial Credit Card

- a. Government commercial credit cards are accepted below the micropurchase threshold.
- b. Government commercial credit cards are accepted above the micropurchase threshold.

10. Foreign Items

None

11. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact Herman Miller or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

12. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

13. Ordering Address

- a. Herman Miller, Inc.,
Government Customer Care 0161
855 East Main Avenue
Zeeland MI 49464.
- b. For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (www.fss.gsa.gov/schedules).

14. Payment Address.

Herman Miller, Inc.
22764 Network Place
Chicago, IL 60673-1227

15. Warranty

Herman Miller, Inc., commercial warranty applies.

16. Export Packing Charge

Prices supplied on request.

17. Terms and Conditions of Government Purchase Card Acceptance

(any thresholds above the micropurchase level)

None.

18. Rental Maintenance and Repair Terms

Not applicable

19. Terms and Conditions of Installation

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

Contract Information

continued

20. Terms and Conditions of Repair Parts

Not applicable

Herman Miller has earned the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

21. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

Herman Miller named one of the Best and Brightest in Wellness for the fifth year in a row.

22. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/government.

Working Mother magazine has recognized Herman Miller as one of the 2017 Working Mother 100 Best Companies.

23. Preventive Maintenance

Not applicable

Herman Miller earned our tenth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2017 Corporate Equality Index.

24a. Special Attributes.

2018

Herman Miller receives the Corporation of the Year—Consumer Products award from the Michigan Minority Supplier Development Council.

As one of the top-scoring companies in our industry for the thirteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and received the Bronze Class distinction for our excellent economic, environmental, and social sustainability performance.

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

Herman Miller has once again earned the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience.

As one of the top-scoring companies in the industry for the fourteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and received the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

2016

Herman Miller was recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC). This award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The 101 Best and Brightest Sustainable Companies once again (fifth consecutive year) recognized Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability.

The Cosm Chair won the 2018 Best of NeoCon Gold Award in the Ergonomic Seating Category, the Interior Design HiP Award in the Ergonomic Seating Category, and a #MetropolisLikes Award. Cosm also won Mix Interiors "Product of the Year—Task" award.

Herman Miller has been recognized by the Michigan Minority Supplier Development Council (MMSDC), as a "Corporation of the Year", and we also received a "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council. Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

For the 11th consecutive year, Herman Miller received a perfect score on the Corporate Equality Index and we were designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly their LGBT-related policies and practices.

2017

Herman Miller was named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Herman Miller has received a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award.

Spot Stools from Herman Miller Collection receive Interior Design HiP Award for Hospitality Seating at NeoCon 2016.

Contract Information

continued

Herman Miller has been named a 2020 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for twelfth consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

2015

Herman Miller earns ninth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2016 Corporate Equality Index and we were designated as Best Place to Work for LGBT equality.

This is the fourth consecutive year that Herman Miller was named one of Michigan's Best and Brightest Sustainable Companies.

Herman Miller has received the Best and Brightest in Wellness Award for the third year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller received the Forest Stewardship Council (FSC) Leadership Award for longstanding commitment to manufacturing with wood sourced from responsibly managed forests, which reduces environmental impacts by protecting against deforestation and forest degradation.

Herman Miller accepted its second Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller has once again been recognized for its commitment to best-in-class economic, environmental, and societal sustainability, earning a spot on the prestigious Dow Jones Sustainability Index (DJSI) for the twelfth consecutive year. We are the only contract furniture company recognized globally for its corporate sustainability leadership.

Herman Miller selected for inclusion in the 2015 RobecoSAM Sustainability Yearbook; awarded Bronze Class distinction for excellent sustainability performance for the second consecutive year.

Herman Miller received a Michigan Business Pollution Prevention (MBP3) Certificate – a recognition given by the Michigan Department of Environmental Quality (MDEQ) to organizations committed to environmental stewardship, conservation, and sustainable operations. This basic partnership with the MDEQ, which we've maintained since 1998, makes us eligible for our Clean Corporate Citizen (CCC) status that began in 2004 and our Environmental Leader status, which we received for the first time this past year.

MedAssets named Herman Miller Healthcare as Platinum Suppliers. MedAssets, a large group purchasing organization, helps providers enhance operational and financial performance so they can sustainably serve the needs of their community.

Herman Miller honored with five of 20 spots for the Michigan Environmental Leaders Award by the Michigan Department of Environmental Quality for our outstanding, voluntary environmental stewardship.

Renew Sit-to-Stand tables recognized on Record Products 2014 list by Architectural Record.

Herman Miller was again awarded a perfect score in the 2015 Corporate Equality Index. This is the eighth consecutive year we received a perfect score.

2014

Herman Miller has received the Best and Brightest in Wellness Award for the second year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller's Locale wins International Design Excellence Awards (IDEA) Gold in the Office & Productivity category.

Herman Miller achieves eleventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

2013

Herman Miller achieves tenth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller has received the Best and Brightest in Wellness Award. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller Earns Perfect Score on the Corporate Equality Index. We are one of only 303 major U.S. businesses to receive a perfect score in 2013, an achievement we have now obtained seven years in a row.

Herman Miller is listed in Forbes Magazine inaugural "Platinum List" of America's 400 best managed, large companies.

For the second consecutive year, Herman Miller is honored as one of West Michigan's "101 Best and Brightest Sustainable Companies".

2012

Herman Miller accepted its first Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Contract Information

continued

Herman Miller is named “Corporation of the Year” in the commercial products sector by the Michigan Minority Supplier Development Council.

In July 2012 Herman Miller was inducted into the Made in the USA Hall of Fame. Herman Miller is one of only 20 companies across the nation to receive this distinction.

Herman Miller achieves ninth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller is honored as one of West Michigan’s 101 Best and Brightest Sustainable Companies.

The Sustainable Asset Management (SAM) group selected Herman Miller for inclusion in “The Sustainability Yearbook 2012” and has awarded Herman Miller both the “SAM Sector Leader” and “SAM Sector Mover” distinctions.

Herman Miller was named one of 16 Section Leaders on Climate Counts 2011-2012 Scorecard Report, making us the industry leader for Home and office Furnishings.

SGS International Certification Services, Inc., recognizes Herman Miller’s manufacturing sites, Midwest Distribution Center, and Design Yard for initial certification to the OHSAS 18001 standard as well as re-certification to ISO 14001.

2011

Trust Across America, a company dedicated to unraveling the complexities of trustworthy business behavior, listed Herman Miller as one of their “Top Ten Most Trustworthy Companies in America 2011.”

The U.S. Environmental Protection Agency (EPA) selected Herman Miller, as a WasteWise Gold Achievement—Climate Change winner.

Herman Miller achieves eighth consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world’s largest 2500 companies using economic, environmental, and social criteria, known as the “triple bottom line” of sustainability.

The Michigan Minority Supplier Development Council (MMSDC) named Herman Miller as its “Corporation of the Year” in the commercial products sector. This was the fifth time Herman Miller has received this award since 2005.

Herman Miller accepted its third Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

Herman Miller receives the Reader’s Choice award from TreeHugger’s Best of Green: Design and Architecture category for the SAYL chair.

Herman Miller earns Citibank’s Global Environmental Vendor of the Year award.

The SAYL chair from Herman Miller was dubbed the “Product Design of the Year” from the 2010 International Design Awards (IDA) jury.

Herman Miller Healthcare’s Compass system was awarded a 2011 Medical Design Excellence Award (MDEA) for its research-based design and ability to be used in a variety of healing spaces, while simultaneously improving the overall delivery of healthcare.

The Sustainable Asset Management (SAM) Group selected Herman Miller for inclusion in the “Sustainability Yearbook 2011” and awarded us both the “SAM Sector Leader” and “SAM Sector Mover” distinctions.

Herman Miller has received the top rating for a fourth consecutive year in the Human Rights Campaign (HRC) Foundation’s eighth annual Corporate Equality Index. The “Best Places to Work for LGBT Equality” distinction is awarded to businesses that scored 100% on the HRC Foundation’s 2011 Corporate Equality Index.

Herman Miller again tops contract furniture industry in FORTUNE’s ‘Most Admired’ Companies survey. For the 23rd time in 25 years.

24b. Section 508 Compliance

Not applicable

25. Data Universal Numbering System (DUNS): 00-601-2801

26. Registered in System for Award Management (www.SAM.gov) Database

27. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

28. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Herman Miller Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

Introduction	page 2
Renew™ Sit-to-Stand Tables	3
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	40
Power and Data Support	44
Screens	53
Indices	71
By Name	71
By Number	73
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective April 1, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable-Height Tables


Sit-to-Stand Table Bases

Power and Data Support

Screens

Rectangle Table with C-Foot

DU6ACE
DU6ACS
DU6ACT



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range.

Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

On all tables except front crank (FRT) tables, legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8". On front crank (FRT) tables, legs are inset approximately 6" on each side to allow for adequate clearance when rotating the crank handle.

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For crank tables (C or K) with top crank (TOP), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (G1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with C-Foot

continued

Specification Information	
Step 1.	
DU6AC ☐	
Step 2. Edge	
S.	squared-edge ☐
T.	thin-edge ☐
E.	eased-edge ☐
Step 3. Depth	
24	24" deep (23" surface size) ☐
30	30" deep (29" surface size) ☐
Step 4. Width	
<i>For 24" deep (23" surface size) (24)</i>	
36	36" wide (34" surface size) ☐
42	42" wide (40" surface size) ☐
48	48" wide (46" surface size) ☐
54	54" wide (52" surface size) ☐
60	60" wide (58" surface size) ☐
66	66" wide (64" surface size) ☐
72	72" wide (70" surface size) ☐
84	84" wide (82" surface size) ☐
<i>For 30" deep (29" surface size) (30)</i>	
36	36" wide (34" surface size) ☐
42	42" wide (40" surface size) ☐
48	48" wide (46" surface size) ☐
54	54" wide (52" surface size) ☐
60	60" wide (58" surface size) ☐
66	66" wide (64" surface size) ☐
72	72" wide (70" surface size) ☐
84	84" wide (82" surface size) ☐
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
<i>For thin-edge (T.)</i>	
L	laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐

<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge ☐
Step 6. Height Adjustment	
C	crank sit-to-stand ☐
K	crank seated ☐
E	electric standard range ☐
D	electric extended range ☐
Prices for Steps 1-6.	
	LC LK LE LD WC WK
DU6ACS. 24 36	\$2190 2190 2710 3210 2482 2482
42	\$2234 2234 2845 3262 2532 2532
48	\$2277 2277 2927 3291 2582 2582
54	\$2322 2322 2985 3356 2634 2634
60	\$2367 2367 3072 3358 2687 2687
66	\$2413 2413 3071 3425 2741 2741
72	\$2461 2461 3194 3492 2796 2796
84	\$2508 2508 3256 3492 2852 2852
30 36	\$2321 2256 3008 3265 2558 2558
42	\$2366 2299 3040 3294 2609 2609
48	\$2345 2345 3074 3324 2661 2661
54	\$2390 2390 3135 3389 2714 2714
60	\$2438 2438 3138 3433 2770 2770
66	\$2556 2485 3262 3501 2824 2824
72	\$2608 2534 3262 3569 2881 2881
84	\$2583 2583 3391 3640 2938 2938
	WE WD PC PK PE PD
DU6ACS. 24 36	\$3146 3554 2247 2247 2849 3324
42	\$3241 3613 2291 2291 2934 3378
48	\$3337 3646 2338 2338 3020 3408
54	\$3404 3722 2385 2385 3082 3477
60	\$3505 3725 2433 2433 3173 3480
66	\$3576 3802 2480 2480 3235 3548
72	\$3646 3879 2531 2531 3301 3620
84	\$3719 3960 2581 2581 3368 3692
30 36	\$3430 3616 2316 2316 3105 3380
42	\$3468 3649 2362 2362 3139 3410
48	\$3508 3686 2409 2409 3175 3441
54	\$3578 3761 2458 2458 3238 3511
60	\$3651 3812 2506 2506 3306 3557
66	\$3725 3891 2556 2556 3372 3629
72	\$3800 3970 2607 2607 3439 3701
84	\$3875 4052 2660 2660 3508 3774

Rectangle Table with C-Foot

continued

	LC	LK	LE	LD	WC	WK
DU6ACT. 24 36	\$2377	2377	3012	3515	2756	2756
42	\$2423	2423	3104	3572	2812	2812
48	\$2473	2473	3104	3605	2869	2869
54	\$2522	2522	3258	3676	2925	2925
60	\$2573	2573	3356	3679	2984	2984
66	\$2624	2624	3423	3753	3044	3044
72	\$2676	2676	3490	3719	3105	3105
84	\$2730	2730	3561	3904	3166	3166
30 36	\$2450	2450	3284	3575	2840	2840
42	\$2498	2498	3225	3608	2898	2898
48	\$2548	2548	3358	3641	2956	2956
54	\$2599	2599	3425	3714	3015	3015
60	\$2650	2650	3396	3762	3074	3074
66	\$2704	2704	3566	3838	3136	3136
72	\$2757	2757	3534	3913	3199	3199
84	\$2813	2813	3710	3992	3263	3263
	WE	WD	PC	PK	PE	PD
DU6ACT. 24 36	\$3310	3815	2406	2406	3030	3457
42	\$3415	3882	2456	2456	3126	3518
48	\$3420	3919	2506	2506	3222	3551
54	\$3594	4002	2559	2559	3290	3628
60	\$3707	4006	2610	2610	3390	3630
66	\$3784	4091	2665	2665	3461	3707
72	\$3864	4179	2720	2720	3533	3785
84	\$3945	4267	2776	2776	3606	3866
30 36	\$3625	3885	2481	2481	3316	3521
42	\$3666	3921	2533	2533	3354	3553
48	\$3709	3962	2585	2585	3393	3589
54	\$3787	4046	2639	2639	3464	3666
60	\$3870	4101	2693	2693	3437	3717
66	\$3951	4190	2749	2749	3612	3796
72	\$3919	4278	2806	2806	3687	3876
84	\$4118	4369	2863	2863	3763	3959
	WE	WD	PC	PK	PE	PD
DU6ACE. 24 36	—	—	\$2390	2390	3004	3466
42	—	—	\$2439	2439	3100	3527
48	—	—	\$2491	2491	3196	3561
54	—	—	\$2542	2542	3262	3637
60	—	—	\$2595	2595	3364	3639
66	—	—	\$2648	2648	3435	3717
72	—	—	\$2704	2704	3507	3795
84	—	—	\$2760	2760	3579	3876

30 36	—	—	\$2465	2465	3290	3530
42	—	—	\$2517	2517	3327	3563
48	—	—	\$2569	2569	3366	3598
54	—	—	\$2623	2623	3339	3675
60	—	—	\$2678	2678	3412	3726
66	—	—	\$2733	2733	3585	3805
72	—	—	\$2790	2790	3660	3885
84	—	—	\$2848	2848	3737	3968

Step 7. Hidden Power Access

For electric extended range (D)

NNP no power access **A** +\$0

For crank sit-to-stand (C) or crank seated (K)

NNP no power access **A** +\$0

PLA leg access **A** +\$299

For electric standard range (E)

NNP no power access **A** +\$0

PLA leg access **A** +\$299

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD simple up down **A** +\$0

SRM digital read out with memory **A** +\$160

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), or 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW top crank, white handle **A** +\$0

TPG top crank, graphite handle **A** +\$0

FRT front crank, black handle **A** +\$40

Rectangle Table with C-Foot

continued

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW	top crank, white handle ☐	+\$0
TPG	top crank, graphite handle ☐	+\$0

Step 9.

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
ED	aged cherry ☐	+\$85
EK	medium red walnut ☐	+\$85
EW	medium matte walnut ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
UX	walnut on cherry ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
8Z	neutral grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0

Rectangle Table with C-Foot

continued

HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0

Step 12. Cord Cover/Cable Management

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable ☐	+\$0
------------	---------------------------------------	------

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 13. Power Access Cutout

NNN	no cutout ☐	+\$0
------------	------------------------------------	------

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54) with high density cable trough (PHD)

NNN	no cutout ☐	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45


Rectangle Table with C-Foot

continued

Renew™ Adjustable-Height Tables

For 30" deep (29" surface size) (30) with 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with high density cable trough (PHD)		
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
NNN	no cutout ☐	+\$0
Step 14. Casters/Glides		
57	glides ☐	+\$0

Rectangle Counterbalance Table DU6ACG with C-Foot



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Glides have 1/2" leveling range. Shipped knocked down.

Floor to top-of-surface height adjustment range is 27"-46". A nonpowered gas-assisted counterbalance mechanism provides smooth operation throughout the entire height range.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Counterbalance Table with C-Foot *continued*

Specification Information		
Step 1.		
DU6ACG ☐		
Step 2. Edge		
S.	squared-edge	☐
T.	thin-edge	☐
E.	eased-edge	☐
Step 3. Depth		
24	24" deep	☐
30	30" deep	☐
Step 4. Width		
For 24" deep (24)		
48	48" wide	☐
60	60" wide	☐
72	72" wide	☐
For 30" deep (30)		
48	48" wide	☐
60	60" wide	☐
72	72" wide	☐
Step 5. Surface Material		
For squared-edge (S.)		
L	lamine top/thermoplastic edge	☐
W	veneer top/veneer edge	☐
P	painted Formcoat® top/edge	☐
For thin-edge (T.)		
L	lamine top/thermoplastic edge	☐
W	veneer top/veneer edge	☐
P	painted Formcoat® top/edge	☐
For eased-edge (E.)		
P	painted Formcoat® top/edge	☐

Prices for Steps 1-5.						
	48L	48W	48P	60L	60W	60P
DU6ACG S. 24	\$3414	3927	3554	3584	4163	3768
30	\$3466	4027	3645	3669	4263	3853
T. 24	\$3684	4273	3868	3904	4529	4100
30	\$3778	4382	3967	3998	4638	4198

E. 24	—	—	\$3830	—	—	4060
30	—	—	\$3928	—	—	4157
			72L	72W	72P	
DU6ACG S. 24			\$3813	4429	4008	
30			\$3899	4529	4099	
T. 24			\$4154	4819	4361	
30			\$4247	4927	4460	
E. 24			—	—	\$4319	
30			—	—	\$4416	
Step 6. Cord Cover/Cable Management						
PSC	simple cable	☐				+\$0

Rectangle Counterbalance Table with C-Foot *continued*

Step 7.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
OG	honey maple 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$85
40	dark brown walnut 	+\$85
A2	white ash 	+\$85
ED	aged cherry 	+\$85
EK	medium red walnut 	+\$85
EW	medium matte walnut 	+\$85
ET	clear on ash 	+\$85
EU	oak on ash 	+\$85
EV	walnut on ash 	+\$85
EY	light anigre 	+\$85
OU	walnut 	+\$85
UL	natural maple 	+\$85
UX	walnut on cherry 	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey 	+\$0
91	white 	+\$0
CL	cool grey neutral 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0

Rectangle Counterbalance Table
with C-Foot *continued*

Renew™ Adjustable-Height Tables

LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 9. Leg/Foot Finish

Metallic Paint		
MS	metallic silver leg with metallic silver foot ☐	+\$0


Smooth Paint		
G2	graphite satin leg with graphite satin foot ☐	+\$0

Step 10. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Rectangle Table with T-Foot

DU6ATE
DU6ATS
DU6ATT



Product Information

Description

This rectangular height-adjustable table has a T-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range.

Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

On all tables except front crank (FRT) tables, legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8". On front crank (FRT) tables, legs are inset approximately 6" on each side to allow for adequate clearance when rotating the crank handle.

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For crank tables (C or K) with top crank (TOP), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (G1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with T-Foot

continued

Specification Information	
Step 1.	
DU6AT ☐	
Step 2. Edge	
S.	squared-edge ☐
T.	thin-edge ☐
E.	eased-edge ☐
Step 3. Depth	
30	30" deep (29" surface size) ☐
36	36" deep (35" surface size) ☐
Step 4. Width	
<i>For 30" deep (29" surface size) (30)</i>	
36	36" wide (34" surface size) ☐
42	42" wide (40" surface size) ☐
48	48" wide (46" surface size) ☐
54	54" wide (52" surface size) ☐
60	60" wide (58" surface size) ☐
66	66" wide (64" surface size) ☐
72	72" wide (70" surface size) ☐
84	84" wide (82" surface size) ☐
<i>For 36" deep (35" surface size) (36)</i>	
42	42" wide (40" surface size) ☐
48	48" wide (46" surface size) ☐
54	54" wide (52" surface size) ☐
60	60" wide (58" surface size) ☐
66	66" wide (64" surface size) ☐
72	72" wide (70" surface size) ☐
84	84" wide (82" surface size) ☐
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
<i>For thin-edge (T.)</i>	
L	laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐

<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge ☐
Step 6. Height Adjustment	
C	crank sit-to-stand ☐
K	crank seated ☐
E	electric standard range ☐
D	electric extended range ☐
Prices for Steps 1-6.	
	LC LK LE LD WC WK
DU6ATS. 30 36	\$2256 2256 3008 3265 2709 2709
42	\$2299 2299 3040 3294 2763 2763
48	\$2345 2345 3074 3324 2818 2818
54	\$2390 2390 3135 3389 2875 2875
60	\$2438 2438 3199 3433 2932 2932
66	\$2485 2485 3262 3501 2991 2991
72	\$2534 2534 3262 3569 3051 3051
84	\$2583 2583 3391 3640 3112 3112
36 42	\$2367 2367 3131 3360 2846 2846
48	\$2413 2413 3167 3427 2903 2903
54	\$2461 2461 3229 3495 2962 2962
60	\$2508 2508 3296 3564 3020 3020
66	\$2558 2558 3360 3634 3080 3080
72	\$2608 2608 3426 3707 3142 3142
84	\$2659 2659 3493 3707 3205 3205
	WE WD PC PK PE PD
DU6ATS. 30 36	\$3332 3954 2316 2316 2849 3380
42	\$3432 3989 2362 2362 2933 3410
48	\$3715 4028 2409 2409 3175 3441
54	\$3789 4109 2458 2458 3238 3511
60	\$3867 4161 2506 2506 3306 3557
66	\$3945 4245 2556 2556 3372 3629
72	\$4024 4331 2607 2607 3439 3701
84	\$4105 4417 2660 2660 3508 3774
36 42	\$3588 4073 2433 2433 3117 3482
48	\$3822 4155 2481 2481 3281 3551
54	\$3900 4237 2531 2531 3380 3621
60	\$3952 4322 2581 2581 3484 3695
66	\$4056 4408 2633 2633 3552 3768
72	\$4160 4497 2685 2685 3630 3844
84	\$4264 4586 2740 2740 3692 3921

Rectangle Table with T-Foot

continued

		LC	LK	LE	LD	WC	WK
DU6ATT.	30 36	\$2380	2380	2926	3473	2922	2922
	42	\$2427	2427	3014	3505	2980	2980
	48	\$2548	2476	3358	3537	3041	3041
	54	\$2525	2525	3327	3608	3102	3102
	60	\$2574	2574	3495	3655	3163	3163
	66	\$2627	2627	3464	3728	3227	3227
	72	\$2679	2679	3638	3913	3291	3291
	84	\$2733	2733	3604	3878	3357	3357
	36 42	\$2500	2500	3152	3577	3070	3070
	48	\$2549	2549	3422	3649	3132	3132
	54	\$2601	2601	3510	3722	3194	3194
	60	\$2652	2652	3562	3795	3258	3258
	66	\$2706	2706	3625	3872	3324	3324
	72	\$2759	2759	3703	4066	3389	3389
	84	\$2815	2815	3770	4028	3458	3458
		WE	WD	PC	PK	PE	PD
DU6ATT.	30 36	\$3594	4266	2498	2498	3072	3647
	42	\$3703	4303	2548	2548	3165	3679
	48	\$4007	4345	2599	2599	3425	3715
	54	\$4087	4433	2651	2651	3494	3788
	60	\$4173	4489	2704	2704	3566	3838
	66	\$4256	4580	2758	2758	3637	3914
	72	\$4469	4672	2813	2813	3711	3992
	84	\$4427	4765	2869	2869	3784	4072
	36 42	\$3968	4394	2624	2624	3484	3756
	48	\$4264	4482	2676	2676	3640	3831
	54	\$4316	4572	2731	2731	3734	3907
	60	\$4446	4663	2786	2786	3822	4103
	66	\$4524	4757	2841	2841	3900	4066
	72	\$4576	4851	2898	2898	3978	4146
	84	\$4680	4949	2955	2955	4056	4230
		WE	WD	PC	PK	PE	PD
DU6ATE.	30 36	—	—	\$2492	2492	3316	3491
	42	—	—	\$2543	2543	3354	3525
	48	—	—	\$2596	2596	3393	3561
	54	—	—	\$2649	2649	3464	3637
	60	—	—	\$2704	2704	3539	3688
	66	—	—	\$2760	2760	3509	3767
	72	—	—	\$2816	2816	3687	3847
	84	—	—	\$2875	2875	3763	3930

36 42	—	—	\$2622	2622	3484	3604
48	—	—	\$2676	2676	3536	3681
54	—	—	\$2731	2731	3588	3760
60	—	—	\$2788	2788	3666	3841
66	—	—	\$2844	2844	3744	3923
72	—	—	\$2903	2903	3822	4006
84	—	—	\$2962	2962	3900	4092

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
-----	-----------------	---	------

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD	simple up down	A	+\$0
SRM	digital read out with memory	A	+\$160

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW	top crank, white handle	A	+\$0
TPG	top crank, graphite handle	A	+\$0
FRT	front crank, black handle	A	+\$40

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW	top crank, white handle	A	+\$0
TPG	top crank, graphite handle	A	+\$0

Rectangle Table with T-Foot

continued

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
ED	aged cherry ☐	+\$85
EK	medium red walnut ☐	+\$85
EW	medium matte walnut ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
UX	walnut on cherry ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0

Rectangle Table with T-Foot

continued

LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
OG	honey maple A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 11. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot A	+\$0
MS	metallic silver leg with metallic silver foot A	+\$0

Sand Texture Paint

BK	black leg with black foot A	+\$0
LFL	black leg with polished aluminum foot A	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$0
98	studio white leg with studio white foot A	+\$0
G2	graphite satin leg with graphite satin foot A	+\$0
WL	sandstone leg with sandstone foot A	+\$0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0
LFF	white leg with polished aluminum foot A	+\$160
LFG	warm grey neutral leg with polished aluminum foot A	+\$160
LFH	graphite satin leg with polished aluminum foot A	+\$160
LFJ	metallic silver leg with polished aluminum foot A	+\$160
LFK	studio white leg with polished aluminum foot A	+\$0

Step 12. Cord Cover/Cable Management

<i>For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42)</i>		
PSC	simple cable A	+\$0

<i>For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)</i>		
--	--	--

PHD	high density cable trough A	+\$299
PSC	simple cable A	+\$0

Step 13. Power Access Cutout

<i>For 36" wide (34" surface size) (36) or 42" wide (40" surface size) (42)</i>		
NNN	no cutout A	+\$0

<i>For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)</i>		
--	--	--


NNN	no cutout A	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V A	+\$45

Step 14. Casters/Glides

57	glides A	+\$0
-----------	--------------------------	------

Oval Table with T-Foot

DU6DTE
DU6DTS
DU6DTT



Product Information

Description

This oval height-adjustable table has a T-leg configuration for maximum access on all sides of the surface, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Oval Table with T-Foot *continued*

Specification Information

Step 1.

DU6DT ☐

Step 2. Edge

S. squared-edge ☐

T. thin-edge ☐

E. eased-edge ☐

Step 3. Depth

30 30" deep ☐

36 36" deep ☐

42 42" deep ☐

Step 4. Width

60 60" wide ☐

72 72" wide ☐

84 84" wide ☐

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For thin-edge (T.)

L laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For eased-edge (E.)

P painted Formcoat® top/edge ☐

Step 6. Height Adjustment

C crank sit-to-stand ☐

K crank seated ☐

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-6.

	LC	LK	LE	LD	WC	WK
DU6DTS. 30 60	\$2566	2566	2968	3260	2944	2944
72	\$2617	2617	2970	3326	3126	3126
84	\$2670	2670	3091	3395	3191	3191

36 60	\$2723	2673	3154	3462	3255	3255
72	\$2778	2727	3218	3534	3322	3322
84	\$2832	2782	3283	3605	3388	3388
42 60	\$2888	2838	3348	3676	3456	3456
72	\$2968	2917	3442	3779	3553	3553
84	\$3050	2999	3539	3886	3654	3654

	WE	WD	PC	PK	PE	PD
DU6DTS. 30 60	\$3546	3971	2642	2642	3117	3423
72	\$3690	4051	2696	2696	3180	3492
84	\$3764	4134	2751	2751	3245	3564
36 60	\$3841	4218	2806	2806	3311	3637
72	\$3920	4304	2864	2864	3379	3711
84	\$3999	4390	2920	2920	3447	3786
42 60	\$4078	4478	2980	2980	3515	3860
72	\$4192	4604	3064	3064	3614	3969
84	\$4312	4735	3149	3149	3717	4081

	LC	LK	LE	LD	WC	WK
DU6DTT. 30 60	\$2741	2741	3203	3551	3498	3498
72	\$2796	2796	3267	3624	3715	3715
84	\$2854	2854	3367	3698	3791	3791
36 60	\$2912	2912	3436	3774	3869	3869
72	\$2972	2972	3506	3849	3947	3947
84	\$3031	3031	3576	3926	4026	4026
42 60	\$3091	3091	3648	4006	4108	4108
72	\$3178	3178	3750	4118	4223	4223
84	\$3268	3268	3856	4234	4341	4341

	WE	WD	PC	PK	PE	PD
DU6DTT. 30 60	\$4297	4718	2878	2878	3395	3728
72	\$4342	4814	2937	2937	3465	3805
84	\$4473	4913	2996	2996	3535	3883
36 60	\$4565	5013	3057	3057	3607	3961
72	\$4658	5115	3119	3119	3681	4043
84	\$4751	5218	3182	3182	3755	4123
42 60	\$4846	5322	3247	3247	3830	4205
72	\$4982	5471	3337	3337	3937	4324
84	\$5124	5627	3431	3431	4049	4447

	WE	WD	PC	PK	PE	PD
DU6DTE. 30 60	—	—	\$2934	2934	3461	3800
72	—	—	\$2994	2994	3532	3879
84	—	—	\$3054	3054	3604	3959
36 60	—	—	\$3116	3116	3677	4038
72	—	—	\$3179	3179	3753	4121
84	—	—	\$3243	3243	3828	4203

42 60	—	—	\$3310	3310	3904	4287
72	—	—	\$3402	3402	4013	4408
84	—	—	\$3498	3498	4128	4533

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
------------	-----------------	---	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down	A	+\$0
SRM	digital read out with memory	A	+\$160

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	A	+\$0
8Q	folkstone grey	A	+\$0
91	white	A	+\$0
98	studio white	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HM	natural maple	A	+\$0
HP	light anigre	A	+\$0
HT	inner tone	A	+\$0
HX	aged cherry	A	+\$0
HY	walnut on cherry	A	+\$0
LA	light ash	A	+\$0
LBA	clear on ash	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash	A	+\$0
LBC	walnut on ash	A	+\$0
LBD	dark brown walnut	A	+\$0
LBF	neutral twill	A	+\$0
LBG	sarum twill	A	+\$0
LBH	earthen twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBM	crisp linen	A	+\$0
LBN	classic linen	A	+\$0
LBP	casual linen	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
OG	honey maple	A	+\$0
WL	sandstone	A	+\$0
WN	warm grey neutral	A	+\$0

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut 	+\$85
40	dark brown walnut 	+\$85
A2	white ash 	+\$85
ED	aged cherry 	+\$85
EK	medium red walnut 	+\$85
EW	medium matte walnut 	+\$85
ET	clear on ash 	+\$85
EU	oak on ash 	+\$85
EV	walnut on ash 	+\$85
OU	walnut 	+\$85
UL	natural maple 	+\$85
UX	walnut on cherry 	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey 	+\$0
91	white 	+\$0
CL	cool grey neutral 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Step 10. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0

LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
OG	honey maple 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
91	white 	+\$0
G1	graphite 	+\$0

Step 12. Leg/Foot Finish		
Metallic Paint		
CN	metallic champagne leg with metallic champagne foot 	+\$0
MS	metallic silver leg with metallic silver foot 	+\$0

Sand Texture Paint		
BK	black leg with black foot 	+\$0
LFL	black leg with polished aluminum foot 	+\$0

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot 	+\$0
91	white leg with white foot 	+\$0
98	studio white leg with studio white foot 	+\$0
G2	graphite satin leg with graphite satin foot 	+\$0
LFF	white leg with polished aluminum foot 	+\$160
LFG	warm grey neutral leg with polished aluminum foot 	+\$160
LFH	graphite satin leg with polished aluminum foot 	+\$160
LFJ	metallic silver leg with polished aluminum foot 	+\$160
LFK	studio white leg with polished aluminum foot 	+\$0
WL	sandstone leg with sandstone foot 	+\$0
WN	warm grey neutral leg with warm grey neutral foot 	+\$0

Step 13. Cord Cover/Cable Management		
PSC	simple cable 	+\$0
PHD	high density cable trough 	+\$299

Step 14. Power Access Cutout

For simple cable (PSC)

NNN no cutout ☐ **+\$0**

For high density cable trough (PHD)

NNN no cutout ☐ **+\$0**

CAC center cutout 6 port - Y1425.D/G or Y1420.X ☐ **+\$45**


CC5 center cutout 5 port - Y1425.C/F or Y1420.V ☐ **+\$45**

Step 15. Casters/Glides

57 glides ☐ **+\$0**

90° Extended Corner Table with C-Foot

DU6ECE
DU6ECS
DU6ECT



Product Information

Description

This height-adjustable 90° extended corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have $\frac{1}{2}$ " leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. It will be on the extended side of the corner. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Extended Corner Table with C-Foot *continued*

Specification Information	
Step 1.	
DU6EC	A
Step 2. Edge	
S.	squared-edge A
T.	thin-edge A
E.	eased-edge A
Step 3. Depth	
24	24" deep (23" surface size) A
30	30" deep (29" surface size) A
Step 4. Width	
4260	42" wide left x 60" wide right (40" x 58" surface size) A
4272	42" wide left x 72" wide right (40" x 70" surface size) A
4860	48" wide left x 60" wide right (46" x 58" surface size) A
4872	48" wide left x 72" wide right (46" x 70" surface size) A
5454	54" wide left x 54" wide right (52" x 52" surface size) A
6042	60" wide left x 42" wide right (58" x 40" surface size) A
6048	60" wide left x 48" wide right (58" x 46" surface size) A
6060	60" wide left x 60" wide right (58" x 58" surface size) A
7242	72" wide left x 42" wide right (70" x 40" surface size) A
7248	72" wide left x 48" wide right (70" x 46" surface size) A
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	laminate top/thermoplastic edge A
W	veneer top/veneer edge A
P	painted Formcoat® top/edge A
<i>For thin-edge (T.)</i>	
L	laminate top/thermoplastic edge A
W	veneer top/veneer edge A
P	painted Formcoat® top/edge A
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge A
Step 6. Height Adjustment	
C	crank sit-to-stand A
K	crank seated A
E	electric standard range A
D	electric extended range A

Prices for Steps 1-6.						
		LC	LK	LE	LD	WC WK
DU6ECS. 24 4260		\$3841	3841	5032	5380	4736 4736
4272		\$3909	3909	5124	5479	4830 4830
4860		\$3976	3979	5020	5582	4927 4927
4872		\$4046	4049	5113	5686	5025 5025
5454		\$3964	3964	5298	5321	4231 4231
6042		\$3841	3841	5032	5380	4736 4736
6048		\$3976	3979	5020	5582	4927 4927
6060		\$4033	4037	5398	5422	4318 4318
7242		\$3909	3909	5124	5479	4830 4830
7248		\$4046	4049	5113	5686	5025 5025
30 4260		\$4122	4122	5187	5601	5125 5125
4272		\$4196	4196	5286	5714	5228 5228
4860		\$4270	4270	5387	5819	5333 5333
4872		\$4347	4347	5491	5933	5439 5439
5454		\$3988	3988	5640	5800	5330 5330
6042		\$4122	4122	5187	5601	5125 5125
6048		\$4270	4270	5387	5824	5333 5333
6060		\$4057	4060	5745	5911	5583 5583
7242		\$4196	4196	5286	5714	5228 5228
7248		\$4347	4347	5491	5933	5439 5439
		WE	WD	PC	PK	PE PD
DU6ECS. 24 4260		\$5896	5877	4083	4083	5271 5465
4272		\$6023	6022	4164	4145	5386 5587
4860		\$6153	6164	4247	4247	5499 5709
4872		\$6286	6304	4333	4333	5608 5834
5454		\$5338	6135	3792	3792	4988 5518
6042		\$5896	5877	4083	4083	5271 5465
6048		\$6153	6164	4247	4247	5499 5709
6060		\$5556	6278	3869	3869	5091 5623
7242		\$6023	6022	4164	4145	5386 5587
7248		\$6286	6304	4333	4333	5608 5834
30 4260		\$5909	5909	4420	4420	5328 5486
4272		\$6047	6061	4508	4508	5448 5616
4860		\$6188	6214	4597	4597	5569 5749
4872		\$6328	6365	4689	4689	5689 5884
5454		\$6188	6240	3815	3815	5191 4966
6042		\$5909	5909	4420	4420	5328 5486
6048		\$6188	6214	4597	4597	5569 5749
6060		\$6402	6399	3893	3893	5310 6129
7242		\$6047	6061	4508	4508	5448 5616
7248		\$6328	6365	4689	4689	5689 5884

90° Extended Corner Table with
C-Foot *continued*

	LC	LK	LE	LD	WC	WK
DU6ECT. 24 4260	\$4285	4285	5353	5621	4857	4857
4272	\$4362	4362	5451	5728	4964	4964
4860	\$4441	4441	5551	5837	5073	5073
4872	\$4521	4521	5654	5948	5184	5184
5454	\$4425	4425	5936	5864	4286	4286
6042	\$4285	4285	5353	5621	4857	4857
6048	\$4441	4441	5551	5837	5073	5073
6060	\$4506	4506	6048	5978	4384	4384
7242	\$4362	4362	5451	5728	4964	4964
7248	\$4521	4521	5654	5948	5184	5184
30 4260	\$4382	4382	5537	5796	4940	4940
4272	\$4466	4466	5644	5910	5055	5055
4860	\$4551	4551	5752	6029	5173	5173
4872	\$4637	4637	5863	6149	5295	5295
5454	\$4231	4231	6351	6349	5615	5615
6042	\$4382	4382	5537	5796	4940	4940
6048	\$4551	4551	5752	6029	5173	5173
6060	\$4313	4313	6477	6478	6002	6002
7242	\$4466	4466	5644	5910	5055	5055
7248	\$4637	4637	5863	6149	5295	5295
	WE	WD	PC	PK	PE	PD
DU6ECT. 24 4260	\$6216	6422	4173	4173	5592	5774
4272	\$6353	6571	4265	4265	5709	5902
4860	\$6491	6724	4360	4360	5829	6033
4872	\$6635	6879	4456	4456	5954	6167
5454	\$5976	6275	3844	3844	5607	6076
6042	\$6216	6422	4173	4173	5592	5774
6048	\$6491	6724	4360	4360	5829	6033
6060	\$6111	6424	3932	3932	5729	6193
7242	\$6353	6571	4265	4265	5709	5902
7248	\$6635	6879	4456	4456	5954	6167
30 4260	\$6245	6452	4224	4224	5615	5820
4272	\$6394	6614	4324	4324	5743	5959
4860	\$6544	6778	4425	4425	5873	6101
4872	\$6698	6945	4530	4530	6006	6246
5454	\$6605	6569	3541	3541	5827	5633
6042	\$6245	6452	4224	4224	5615	5820
6048	\$6544	6778	4425	4425	5873	6101
6060	\$6826	6925	3629	3629	5963	5772
7242	\$6394	6614	4324	4324	5743	5959
7248	\$6698	6945	4530	4530	6006	6246

	WE	WD	PC	PK	PE	PD
DU6ECE. 24 4260	—	—	\$3981	3981	5335	5509
4272	—	—	\$4070	4070	5448	5632
4860	—	—	\$4160	4160	5562	5756
4872	—	—	\$4252	4252	5680	5884
5454	—	—	\$3668	3668	5350	5120
6042	—	—	\$3981	3981	5335	5509
6048	—	—	\$4160	4160	5562	5756
6060	—	—	\$3751	3751	5466	5237
7242	—	—	\$4070	4070	5448	5632
7248	—	—	\$4252	4252	5680	5884
30 4260	—	—	\$4030	4030	5357	5553
4272	—	—	\$4126	4126	5480	5686
4860	—	—	\$4222	4222	5604	5821
4872	—	—	\$4322	4322	5730	5959
5454	—	—	\$3379	3379	5560	5375
6042	—	—	\$4030	4030	5357	5553
6048	—	—	\$4222	4222	5604	5821
6060	—	—	\$3462	3462	5690	5507
7242	—	—	\$4126	4126	5480	5686
7248	—	—	\$4322	4322	5730	5959

Renew™ Adjustable-Height Tables

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	☐	+\$0
PLA	leg access	☐	+\$299

For electric extended range (D)

NNP	no power access	☐	+\$0
------------	-----------------	--------------------------	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down	☐	+\$0
SRM	digital read out with memory	☐	+\$160

90° Extended Corner Table with C-Foot *continued*

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
ED	aged cherry ☐	+\$85
EK	medium red walnut ☐	+\$85
EW	medium matte walnut ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
UX	walnut on cherry ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0

90° Extended Corner Table with C-Foot *continued*

LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
OG	honey maple A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white A	+\$0
G1	graphite A	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot A	+\$0
MS	metallic silver leg with metallic silver foot A	+\$0

Sand Texture Paint

BK	black leg with black foot A	+\$0
LFL	black leg with polished aluminum foot A	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$0
98	studio white leg with studio white foot A	+\$0
G2	graphite satin leg with graphite satin foot A	+\$0
WL	sandstone leg with sandstone foot A	+\$0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0
LFF	white leg with polished aluminum foot A	+\$160
LFG	warm grey neutral leg with polished aluminum foot A	+\$160
LFH	graphite satin leg with polished aluminum foot A	+\$160
LFJ	metallic silver leg with polished aluminum foot A	+\$160
LFK	studio white leg with polished aluminum foot A	+\$0

Step 13. Cord Cover/Cable Management

For 24" deep (23" surface size) (24)

PSC	simple cable A	+\$0
------------	--------------------------------	------

For 30" deep (29" surface size) (30)

PSC	simple cable A	+\$0
PHD	high density cable trough A	+\$299

Step 14. Power Access Cutout

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with simple cable (PSC)

NNN	no cutout A	+\$0
------------	-----------------------------	------

For 30" deep (29" surface size) (30) with 42" wide left x 60" wide right (40" x 58" surface size) (4260), 42" wide left x 72" wide right (40" x 70" surface size) (4272), 48" wide left x 60" wide right (46" x 58" surface size) (4860), 48" wide left x 72" wide right (46" x 70" surface size) (4872), 60" wide left x 42" wide right (58" x 40" surface size) (6042), 60" wide left x 48" wide right (58" x 46" surface size) (6048), or 72" wide left x 42" wide right (70" x 40" surface size) (7242), or 72" wide left x 48" wide right (70" x 46" surface size) (7248) with high density cable trough (PHD)

NNN	no cutout A	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
CAC	center cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V A	+\$45

For 30" deep (29" surface size) (30) with 54" wide left x 54" wide right (52" x 52" surface size) (5454), or 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high density cable trough (PHD)


NNN	no cutout A	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X A	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V A	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V A	+\$45

Step 15. Casters/Glides

57	glides A	+\$0
-----------	--------------------------	------

90° Corner Table with C-Foot

DU6FCE
DU6FCS
DU6FCT



Product Information

Description

This height-adjustable 90° corner table has a C-Leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.

For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):




- Painted (P) top finishes: CL, LU

- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Corner Table with C-Foot

continued

Specification Information

Step 1.

DU6FC ☐

Step 2. Edge

S. squared-edge ☐

T. thin-edge ☐

E. eased-edge ☐

Step 3. Depth

24 24" deep (23" surface size) ☐

30 30" deep (29" surface size) ☐

Step 4. Width

42 42" wide (40" surface size) ☐

48 48" wide (46" surface size) ☐

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For thin-edge (T.)

L laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For eased-edge (E.)

P painted Formcoat® top/edge ☐

Step 6. Height Adjustment

C crank sit-to-stand ☐

K crank seated ☐

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-6.

	LC	LK	LE	LD	WC	WK
DU6FCS. 24 42	\$2460	2460	3039	3422	2953	2953
48	\$2509	2509	3100	3489	3012	3012
30 42	\$2472	2472	3182	3521	2967	2967
48	\$2522	2522	3247	3590	3027	3027

	WE	WD	PC	PK	PE	PD
DU6FCS. 24 42	\$3520	3782	2633	2633	3123	3430
48	\$3591	3864	2686	2686	3188	3503
30 42	\$3691	3899	2646	2646	3276	3534
48	\$3768	3984	2699	2699	3345	3611

	LC	LK	LE	LD	WC	WK
DU6FCT. 24 42	\$2733	2733	3376	3569	2828	2828
48	\$2788	2788	3444	3644	2891	2891
30 42	\$2747	2747	3536	3677	2843	2843
48	\$2802	2802	3607	3756	2907	2907

	WE	WD	PC	PK	PE	PD
DU6FCT. 24 42	\$3525	3877	2664	2664	3249	3553
48	\$3605	3965	2723	2723	3320	3633
30 42	\$3712	4003	2680	2680	3419	3671
48	\$3794	4094	2738	2738	3495	3754

	WE	WD	PC	PK	PE	PD
DU6FCE. 24 42	—	—	\$2638	2638	3217	3518
48	—	—	\$2696	2696	3287	3598
30 42	—	—	\$2653	2653	3385	3634
48	—	—	\$2711	2711	3461	3717

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP no power access ☐ +\$0

PLA leg access ☐ +\$299

For electric extended range (D)

NNP no power access ☐ +\$0

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD simple up down ☐ +\$0

SRM digital read out with memory ☐ +\$160

90° Corner Table with C-Foot

continued

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0
ZZ	open line laminate (nonstandard) ☐	+\$20

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
ED	aged cherry ☐	+\$85
EK	medium red walnut ☐	+\$85
EW	medium matte walnut ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
UX	walnut on cherry ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0

90° Corner Table with C-Foot

continued

LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white ☐	+\$0
G1	graphite ☐	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0

Step 13. Cord Cover/Cable Management

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 14. Power Access Cutout


NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

120° Corner Table with C-Foot

DU6GCE
DU6GCS
DU6GCT



Product Information

Description

This height-adjustable 120° corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.

For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):


- Painted (P) top finishes: CL, LU

- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



120° Corner Table with C-Foot

continued

Specification Information

Step 1.

DU6GC ☐

Step 2. Edge

S. squared-edge ☐

T. thin-edge ☐

E. eased-edge ☐

Step 3. Depth

24 24" deep (23" surface size) ☐

30 30" deep (29" surface size) ☐

Step 4. Width

42 42" wide (40" surface size) ☐

48 48" wide (46" surface size) ☐

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For thin-edge (T.)

L laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For eased-edge (E.)

P painted Formcoat® top/edge ☐

Step 6. Height Adjustment

C crank sit-to-stand ☐

K crank seated ☐

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-6.

	LC	LK	LE	LD	WC	WK
DU6GCS. 24 42	\$2764	2764	3470	3711	3453	3453
48	\$2820	2820	3540	3784	3522	3522
30 42	\$2897	2897	3602	3935	3582	3582
48	\$2951	2951	3672	4011	3652	3652

	WE	WD	PC	PK	PE	PD
DU6GCS. 24 42	\$4118	4295	2958	2958	3714	3970
48	\$4210	4393	3017	3017	3787	4049
30 42	\$4250	4553	3089	3089	3845	4201
48	\$4342	4654	3149	3149	3920	4284

	LC	LK	LE	LD	WC	WK
DU6GCT. 24 42	\$3071	3071	3595	3841	3627	3627
48	\$3133	3133	3673	3924	3704	3704
30 42	\$3204	3204	3728	4078	3759	3759
48	\$3266	3266	3805	4164	3835	3835

	WE	WD	PC	PK	PE	PD
DU6GCT. 24 42	\$4339	4505	2847	2847	3538	3882
48	\$4441	4614	2912	2912	3620	3970
30 42	\$4472	4779	2979	2831	3671	4127
48	\$4574	4890	3045	2896	3753	4218

	WE	WD	PC	PK	PE	PD
DU6GCE. 24 42	—	—	\$2819	2819	3503	3843
48	—	—	\$2884	2884	3584	3931
30 42	—	—	\$2950	2803	3634	4086
48	—	—	\$3015	2867	3716	4176

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP no power access ☐ +\$0

PLA leg access ☐ +\$299

For electric extended range (D)

NNP no power access ☐ +\$0

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD simple up down ☐ +\$0

SRM digital read out with memory ☐ +\$160

Renew™ Adjustable-Height Tables

120° Corner Table with C-Foot

continued

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0
ZZ	open line laminate (nonstandard) ☐	+\$20

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
ED	aged cherry ☐	+\$85
EK	medium red walnut ☐	+\$85
EW	medium matte walnut ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
UX	walnut on cherry ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0

120° Corner Table with C-Foot

continued

LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white ☐	+\$0
G1	graphite ☐	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0

Step 13. Cord Cover/Cable Management

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 14. Power Access Cutout


NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Height Adjustable Rectangular Worksurface

DU6WS.



Product Information

Description


This rectangular work surface attaches to a height adjustable base to create a height adjustable table. It has a 1 $\frac{1}{4}$ "-thick laminate top with thermoplastic edge or laminate top with a thermoplastic backed plywood edge.

Notes

Order 2-leg table base kit (DU7A.) separately.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazard.

Dimensions



Specification Information

Step 1.

DU6W ☐ A

Step 2. Edge

S. squared-edge ☐ A

Step 3. Depth

24 24" deep (23" surface size) ☐ A

30 30" deep (29" surface size) ☐ A

Step 4. Width

48 48" wide (46" surface size) ☐ A

54 54" wide (52" surface size) ☐ A

60 60" wide (58" surface size) ☐ A

66 66" wide (64" surface size) ☐ A

72 72" wide (70" surface size) ☐ A

Step 5. Surface Material

L laminate top/thermoplastic edge ☐ A

Prices for Steps 1-5.

	L
DU6WS.24 48	\$249
54	\$300
60	\$329
66	\$375
72	\$399
30 48	\$320
54	\$385
60	\$419
66	\$480
72	\$540

Step 6. Base Type

V pre-drilled holes for V1 base ☐ A +\$0

Height Adjustable Rectangular Worksurface *continued*

Step 7. Top Finish

76	light brown walnut ☐	+\$99
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$99
HY	walnut on cherry ☐	+\$99
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 8. Edge Finish

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0


LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
OG	honey maple ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 9. Cutout Option

NNN	no cutout ☐	+\$0
------------	------------------------------------	------

Table Base Kit - 3 Legs

DU7F.



Product Information


Description

This independent 3-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of power access and switch type.

Notes

Order work surface stiffener (FV696.) separately.
See Renew™ Sit-to-Stand Tables planning guide for design information.

Dimensions



Specification Information

Step 1.

DU7F. ☐

Step 2. Mechanism

- E electric standard range ☐
D electric extended range ☐

Step 3. Depth

- 24 24" deep (23" actual) ☐
30 30" deep (29" actual) ☐

Step 4. Foot Type

- C C foot ☐

Prices for Steps 1-4.

				C
DU7F.	E	24		\$4264
		30		\$4264
	D	24		\$4543
		30		\$4543

Step 5. Hidden Power Access

For electric standard range (E)

- NNP no power access ☐ +\$0
PLA leg access ☐ +\$299

For electric extended range (D)

- NNP no power access ☐ +\$0

Step 6. Switch Option

- SUD simple up down ☐ +\$0
SRM digital read out with memory ☐ +\$160

Step 7. Leg/Foot Finish

Metallic Paint

- CN metallic champagne leg with metallic champagne foot ☐ +\$0
MS metallic silver leg with metallic silver foot ☐ +\$0

Sand Texture Paint

- BK black leg with black foot ☐ +\$0
LFL black leg with polished aluminum foot ☐ +\$0

Table Base Kit - 3 Legs *continued*


Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0

Step 8. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Table Base Kit - 2 Legs DU7A.



Product Information

Description

This independent 2-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of foot type, power access and switch type.

Notes

Order work surface stiffener (FV696.) separately.

See Renew™ Sit-to-Stand Tables planning guide for design information.

To use 2-leg base kit on work surfaces 72" wide and wider, order motor extension cable service part U1B7600 separately.

Dimensions

Specification Information

Step 1.

DU7A. ☐ A

Step 2. Mechanism

E electric standard range ☐ A

D electric extended range ☐ A

Step 3. Depth

24 24" deep (23" actual) ☐ A

30 30" deep (29" actual) ☐ A

Step 4. Foot Type

For 24" deep (23" actual) (24)

C C foot ☐ A

For 30" deep (29" actual) (30)

T T foot ☐ A

C C foot ☐ A

Prices for Steps 1-4.

		T	C
DU7A. E 24		—	\$2644
30		\$2644	2644
D 24		—	\$2966
30		\$2966	2966

Step 5. Hidden Power Access

For electric standard range (E)

NNP no power access ☐ A +\$0

PLA leg access ☐ A +\$299

For electric extended range (D)

NNP no power access ☐ A +\$0

Step 6. Switch Option

SUD simple up down ☐ A +\$0

SRM digital read out with memory ☐ A +\$160

Step 7. Leg/Foot Finish

Metallc Paint

CN metallic champagne leg with metallic champagne foot ☐ A +\$0

MS metallic silver leg with metallic silver foot ☐ A +\$0

Table Base Kit - 2 Legs *continued*

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0


Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0

Step 8. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Logic G1000 Grommet Mounted Electrical Distributor Y1425.




Product Information

Description
This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes
Field cutting of grommet cutout is possible.
IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.
Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.
USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.
Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.
20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425. ☐

Step 2. Configuration

A	2 simplex receptacles, 2 powered USB ☐
C	4 simplex receptacles, 2 powered USB ☐
D	5 simplex receptacles, 2 powered USB ☐
E	3 simplex receptacles ☐
F	5 simplex receptacles ☐
G	6 simplex receptacles ☐

Step 3. Power Type

A	power cord with plug end ☐
B	conduit with open end, for hard-wiring ☐
C	IEC connector for Renew Tables ☐

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3' cord/conduit ☐
06	6' cord/conduit ☐
10	10' cord/conduit ☐

For conduit with open end, for hard-wiring (B)

03	3' cord/conduit ☐
06	6' cord/conduit ☐
10	10' cord/conduit ☐

For IEC connector for Renew Tables (C)

03	3' cord/conduit ☐
-----------	--

Prices for Steps 1-4.

		03	06	10
Y1425. A	A	\$674	674	685
	B	\$727	727	737
	C	\$685	—	—
C	A	\$782	782	793
	B	\$834	834	846
	C	\$793	—	—
D	A	\$852	852	863
	B	\$904	904	914
	C	\$863	—	—
E	A	\$519	519	529
	B	\$570	570	581
	C	\$529	—	—


F	A	\$626	626	638
	B	\$679	679	690
	C	\$638	—	—
G	A	\$696	696	706
	B	\$747	747	760
	C	\$706	—	—

Step 5. Finish

91	white ☐	+\$0
98	studio white ☐	+\$0
BK	black ☐	+\$0
G1	graphite ☐	+\$0
MS	metallic silver ☐	+\$0

Renew™ Power and Data Support

Logic C1000 Universal Clamp Mount Distributor Y1423.




Product Information

Description
This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.


Notes

Clamp mounts on worksurfaces 1"-1 1/4" thick.
Faceplate color matches unit color.
Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.
USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.


Dimensions




2 simplex receptacles, 2 powered USB




4 simplex receptacles, 2 powered USB




5 simplex receptacles, 2 powered USB



3 simplex receptacles



5 simplex receptacles



6 simplex receptacles

Logic C1000 Universal Clamp Mount Distributor *continued*

Specification Information

Step 1.

Y1423. ☐

Step 2. Configuration

- A** 2 simplex receptacles, 2 powered USB ☐
- C** 4 simplex receptacles, 2 powered USB ☐
- D** 5 simplex receptacles, 2 powered USB ☐
- E** 3 simplex receptacles ☐
- F** 5 simplex receptacles ☐
- G** 6 simplex receptacles ☐

Step 3. Power Type

- A** power cord with plug end ☐
- B** conduit with open end, for hard-wiring ☐

Step 4. Cord/Conduit Length

- 03** 3' cord/conduit ☐
- 06** 6' cord/conduit ☐
- 10** 10' cord/conduit ☐


Prices for Steps 1-4.

		03	06	10
Y1423. A	A	\$474	474	485
	B	\$526	526	536
	C A	\$569	569	579
	B	\$621	621	632
	D A	\$609	609	620
	B	\$661	661	672
	E A	\$318	318	329
	B	\$371	371	381
	F A	\$414	414	424
	B	\$465	465	477
	G A	\$453	453	464
	B	\$505	505	517

Step 5. Finish

- 91** white ☐ +\$0
- 98** studio white ☐ +\$0
- BK** black ☐ +\$0
- G1** graphite ☐ +\$0
- MS** metallic silver ☐ +\$0

Logic G1200 Grommet Pass Thru Y1420.



Product Information


Description

This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.


Notes

Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.


Dimensions



3 outlet opening (T)



5 outlet opening (V)



6 outlet opening (X)

Specification Information

Step 1.

Y1420. ☐

Step 2. Configuration

T three outlet opening ☐

V five outlet opening ☐

X six outlet opening ☐

Prices for Steps 1-2.


Y1420. T	\$226
V	\$248
X	\$270

Step 3. Finish


91	white ☐	+\$0
98	studio white ☐	+\$0
BK	black ☐	+\$0
G1	graphite ☐	+\$0
MS	metallic silver ☐	+\$0

Logic HD Cable Manager

Y1424.



Product Information
Description
This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.
Dimensions




Specification Information
Step 1.
Y1424. ☐ A
Step 2. Size
17 17" wide tray ☐ A
Prices for Steps 1-2.
Y1424. 17 \$248
Step 3. Finish
91 white ☐ A +\$0
98 studio white ☐ A +\$0
BK black ☐ A +\$0
G1 graphite ☐ A +\$0
MS metallic silver ☐ A +\$0

Renew™ Power and Data Support

External Cable Manager

DU11B.




Product Information

Description

This cable manager is specifically designed to work with Renew™ Link. It seamlessly routes cables from the central trough up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU11

Step 2. Attachment

B. high density trough attachment

Prices for Steps 1-2.


DU11B. \$201

Step 3. Finish

Price Category 5 A +\$0

Renew™ Obstruction Sensor Kit

DUSG1.
DUSG2.



Product Information

Description


This sensor kit provides an additional system failsafe mechanism for Renew™ tables and Renew Link by detecting possible obstructions and/or unsafe conditions in the travel path of the table. Kit comes with 1 or 2 sensors depending on table width. Renew table and Renew Link bench remain UL Listed with sensor installed.

Notes

Warning: Despite this sensor being in place, there may still be a risk of pinching in exceptional cases, as it is not only the control unit, but also the interaction between the mechanical and electronic systems that is responsible for responding to obstructions. Herman Miller cannot therefore eliminate this residual risk completely or accept any liability. Be sure to maintain a clear path within the envelope of the height adjustable table.

See Renew Link planning guide for design information.

Dimensions



Renew™ Power and Data Support


Renew™ Obstruction Sensor Kit

continued

Specification Information	
Step 1.	
DUSG	A
Step 2. Table Width	
1.	60 inches and under A
2.	over 60 inches A
Prices for Steps 1-2.	
DUSG1.	\$103
DUSG2.	\$129

Pari Screen, Height Adjustable Tables

Y1116.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.
Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

A—1.51

B—1.89

C—1.76

D—2.14

E—2.21

F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

24—0.88

30—1.07

36—1.26

42—1.45

48—1.64

54—1.83

60—2.02

66—2.21

72—2.39

For heights C/D/E/F:

24—1.76

30—2.14

36—2.52

42—2.90

48—3.28

54—3.65


60—4.03

66—4.41

72—4.79

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Pari Screen, Height Adjustable Tables *continued*

Specification Information			
Step 1.			
Y1116. A			
Step 2. Height			
A	privacy (42" high)	A	
B	privacy & modesty (42" high/10" below surface)	A	
C	privacy (46" high)	A	
D	privacy & modesty (46" high/10" below surface)	A	
E	privacy (53" high)	A	
F	privacy & modesty (53" high/10" below surface)	A	
Step 3. Width			
24	24" wide	A	
30	30" wide	A	
36	36" wide	A	
42	42" wide	A	
48	48" wide	A	
54	54" wide	A	
60	60" wide	A	
66	66" wide	A	
72	72" wide	A	
Step 4. Surface Material			
<i>For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)</i>			
R	tackable fabric, horizontal	A	
T	tackable fabric	A	
<i>For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)</i>			
R	tackable fabric, horizontal	A	
Prices for Steps 1-4.			
		R	T
Y1116. A	24	\$433	433
	30	\$503	503
	36	\$523	523
	42	\$554	554
	48	\$574	574
	54	\$631	—
	60	\$678	—
	66	\$725	—
	72	\$764	—

B	24	\$524	524
	30	\$560	560
	36	\$595	595
	42	\$631	631
	48	\$700	700
	54	\$788	—
	60	\$808	—
	66	\$870	—
	72	\$892	—
C	24	\$492	492
	30	\$528	528
	36	\$564	564
	42	\$599	599
	48	\$661	661
	54	\$727	—
	60	\$811	—
	66	\$850	—
	72	\$885	—
D	24	\$633	633
	30	\$668	668
	36	\$703	703
	42	\$739	739
	48	\$794	794
	54	\$834	—
	60	\$883	—
	66	\$928	—
	72	\$951	—
E	24	\$648	648
	30	\$684	684
	36	\$719	719
	42	\$776	776
	48	\$798	798
	54	\$844	—
	60	\$860	—
	66	\$882	—
	72	\$902	—
F	24	\$713	713
	30	\$749	749
	36	\$785	785
	42	\$821	821
	48	\$884	884
	54	\$915	—
	60	\$948	—
	66	\$1026	—
	72	\$1046	—

Pari Screen, Height Adjustable Tables *continued*

Step 5. Cable Trough

For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F)


NC	no cable way	☐ A	+\$0
CW	cable way	☐ A	+\$25

Step 6. Fabric

Price Category 1	☐ A	+\$0
Price Category 2	☐ A	+\$19
Price Category 3	☐ A	+\$41
Price Category 4	☐ A	+\$80
Price Category E	☐ A	+\$152

Personal Side Screen

Y1117.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1 1/4" thick.

Bottom of attachment bracket extends 1 1/2" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions




Specification Information

Step 1.		
Y1117. A		
Step 2. Height		
13	13" high	A
Step 3. Surface Material		
R	tackable fabric, horizontal	A
T	tackable fabric	A
Prices for Steps 1-3.		
	R	T
Y1117. 13	\$353	353
Step 4. Fabric		
Price Category 1	A	+\$0
Price Category 2	A	+\$11
Price Category 3	A	+\$23
Price Category 4	A	+\$44

Surface-Attached Screen, Flat Edge

Y1118.



Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.
Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3³/₄" below work surface.

Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2¹/₂" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

A—1.51

B—1.89

C—1.76

D—2.14

E—2.21

F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

24—0.88

30—1.07

36—1.26

42—1.45

48—1.64

54—1.83

60—2.02

66—2.21

72—2.39

For heights C/D/E/F:

24—1.76

30—2.14

36—2.52

42—2.90

48—3.28

54—3.65


60—4.03

66—4.41

72—4.79

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Surface-Attached Screen, Flat Edge *continued*

Specification Information			
Step 1.			
Y1118. A			
Step 2. Height			
A	privacy (42" high)	A	
B	privacy & modesty (42" high/ 9" below surface)	A	
C	privacy (46" high)	A	
D	privacy & modesty (46" high/ 9" below surface)	A	
E	privacy (53" high)	A	
F	privacy & modesty (53" high/ 9" below surface)	A	
Step 3. Width			
24	24" wide	A	
30	30" wide	A	
36	36" wide	A	
42	42" wide	A	
48	48" wide	A	
54	54" wide	A	
60	60" wide	A	
66	66" wide	A	
72	72" wide	A	
Step 4. Surface Material			
<i>For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)</i>			
R	tackable fabric, horizontal	A	
T	tackable fabric	A	
<i>For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)</i>			
R	tackable fabric, horizontal	A	
Prices for Steps 1-4.			
		R	T
Y1118. A	24	\$300	300
	30	\$325	325
	36	\$388	388
	42	\$417	417
	48	\$447	447
	54	\$475	—
	60	\$515	—
	66	\$540	—
	72	\$575	—

B	24	\$374	374
	30	\$404	404
	36	\$433	433
	42	\$463	463
	48	\$488	488
	54	\$513	—
	60	\$566	—
	66	\$581	—
	72	\$625	—
C	24	\$375	375
	30	\$413	413
	36	\$446	446
	42	\$490	490
	48	\$550	550
	54	\$579	—
	60	\$648	—
	66	\$682	—
	72	\$731	—
D	24	\$473	473
	30	\$528	528
	36	\$589	589
	42	\$602	602
	48	\$627	627
	54	\$643	—
	60	\$712	—
	66	\$773	—
	72	\$803	—
E	24	\$511	511
	30	\$520	520
	36	\$534	534
	42	\$629	629
	48	\$650	650
	54	\$667	—
	60	\$697	—
	66	\$760	—
	72	\$809	—
F	24	\$622	622
	30	\$629	629
	36	\$640	640
	42	\$650	650
	48	\$659	659
	54	\$668	—
	60	\$739	—
	66	\$777	—
	72	\$938	—

Surface-Attached Screen, Flat Edge *continued*

Step 5. Cable Trough

For privacy & modesty (42" high/9" below surface) (B), privacy & modesty (46" high/9" below surface) (D), or privacy & modesty (53" high/9" below surface) (F)

NC	no cable way	☐ A	+\$0
CW	cable way	☐ A	+\$25

Step 6. Fabric


Price Category 1	☐ A	+\$0
Price Category 2	☐ A	+\$21
Price Category 3	☐ A	+\$49
Price Category 4	☐ A	+\$93
Price Category E	☐ A	+\$152

For tackable fabric, horizontal (R)

Price Category 1	☐ A	+\$0
Price Category 2	☐ A	+\$21
Price Category 3	☐ A	+\$49
Price Category 4	☐ A	+\$93

Laminate Screen, Surface Attached

Y1120.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width. Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11¹/₈" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.


Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2¹/₂" of work surface for attachment.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

13A privacy (13¹/₂" above worksurface)

13B privacy & modesty (13¹/₂" above worksurface/11¹/₈" below worksurface)

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 4. Surface Material

L	laminate
U	laminate/universal edge

Prices for Steps 1-4.

		L	U
Y1120. 13A	24	\$184	184
	30	\$194	194
	36	\$204	204
	42	\$214	214
	48	\$225	225
	54	\$234	234
	60	\$242	242
	66	\$250	250
	72	\$260	260
13B	24	\$227	227
	30	\$239	239
	36	\$251	251
	42	\$264	264
	48	\$276	276
	54	\$288	288
	60	\$299	299
	66	\$309	309
	72	\$319	319

Laminate Screen, Surface Attached *continued*

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 6. Cable Trough

For privacy (13¹/₂" above worksurface) (13A)

NC	no cable way	+\$0
-----------	--------------	------

For privacy & modesty (13¹/₂" above worksurface/11¹/₈" below worksurface) (13B)

NC	no cable way	+\$0
CW	cable way	+\$25

Step 7. Surface Finish

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Laminate Screen, Surface Attached *continued*

Step 8. Edge Finish

For laminate (L)


76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Modesty Panel

Y1113.



Product Information


Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.
Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.
Modesty panel is field installed.
Brackets are located to work with Connect™ 2-circuit power system.
Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

Step 4. Surface Material

L	laminate top/thermoplastic edge
W	veneer top/veneer edge

Prices for Steps 1-4.

		L	W
Y1113. 24 N		\$197	349
Y		\$350	520
30 N		\$214	392
Y		\$398	594
36 N		\$234	436
Y		\$433	654
42 N		\$253	480
Y		\$477	723
48 N		\$272	523
Y		\$521	793
54 N		\$293	567
Y		\$565	863
60 N		\$311	610
Y		\$610	932
66 N		\$311	652
Y		\$653	1001
72 N		\$337	695
Y		\$696	1070

Modesty Panel *continued*

Renew™ Screens

Step 5. Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For veneer top/veneer edge (W)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0

Step 6. Edge Finish


For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0

BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Fabric Modesty Panel


Y1114.



Product Information
Description
This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.
Notes
Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.
For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.
Dimensions



Specification Information
Step 1.
Y1114.
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide
Prices for Steps 1-2.
Y1114. 24 \$180
30 \$196
36 \$212
42 \$225
48 \$240
54 \$270
60 \$283
66 \$299
72 \$310
Step 3. Fabric
Price Category 1 +\$0




Product Information

Description
This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes
Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".
Screen width matches work surface depths that have a 1" gap at the back edge.
2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.
End-of-run screen does not work on Canvas Beam.
See planning guide for applications and other compatible product lines.
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
For vertical fabric direction (T):
Height—Yardage
42—1.19
46—1.45
For horizontal fabric direction (R):
Width—Yardage
24—0.90
30—1.10
36—1.30
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information
Step 1.
FT354. ☐ A

Step 2. Attachment Type
CL Canvas Surface Attached, End of Run Left Handed ☐ A

CR Canvas Surface Attached, End of Run Right Handed ☐ A

Step 3. Height
42 42" high ☐ A

46 46" high ☐ A

Step 4. Width
24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

Step 5. Surface Material
R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

Prices for Steps 1-5.

	24R	24T	30R	30T	36R	36T
FT354. CL 42	\$849	849	879	879	904	904
46	\$894	894	930	930	965	965
CR 42	\$849	849	879	879	904	904
46	\$894	894	930	930	965	965

Step 6. Bracket Finish
8Q folkstone grey ☐ A +\$0

91 white ☐ A +\$0

98 studio white ☐ A +\$0

BK black ☐ A +\$0

G1 graphite ☐ A +\$0

WL sandstone ☐ A +\$0


WN warm grey neutral ☐ A +\$0

Step 7. Fabric

Price Category 1 ☐ A +\$0

Price Category 2 ☐ A +\$17

Price Category 3 ☐ A +\$40



Product Information

Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is $13\frac{1}{2}$ " or $17\frac{1}{2}$ " above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Delineation

continued

Specification Information

Step 1.

FT358.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.

	24R	24T	30R	30T	36R	36T
FT358. CL 42	\$526	526	556	556	566	566
46	\$571	571	606	606	627	627
CR 42	\$526	526	556	556	566	566
46	\$571	571	606	606	627	627

Step 6. Bracket Finish

8Q folkstone grey +\$0

91 white +\$0

98 studio white +\$0

BK black +\$0

G1 graphite +\$0

WL sandstone +\$0

WN warm grey neutral +\$0

Step 7. Fabric

Price Category 1 +\$0

Price Category 2 +\$17

Price Category 3 +\$40

Price Category 4 +\$70

Price Category E +\$169

Index by Product Name

Renew™ Tables	
90° Corner Table with C-Foot	page(s) 30
90° Extended Corner Table with C-Foot	25
120° Corner Table with C-Foot	34
External Cable Manager	50
Fabric Modesty Panel	65
Flat Edge Screen, Delineation	68
Height Adjustable Rectangular Worksurface	38
Laminate Screen, Surface Attached	60
Logic C1000 Universal Clamp Mount Distributor	46
Logic G1000 Grommet Mounted Electrical Distributor	44
Logic G1200 Grommet Pass Thru	48
Logic HD Cable Manager	49
Modesty Panel	63
Oval Table with T-Foot	20
Pari Screen, Delineation	66
Pari Screen, Height Adjustable Tables	53
Personal Side Screen	56
Rectangle Counterbalance Table with C-Foot	11
Rectangle Table with C-Foot	5
Rectangle Table with T-Foot	15
Renew™ Obstruction Sensor Kit	51
Surface-Attached Screen, Flat Edge	57
Table Base Kit - 2 Legs	42
Table Base Kit - 3 Legs	40

Index by Product Number

DU6ACE Rectangle Table with C-Foot	page(s) 5
DU6ACG Rectangle Counterbalance Table with C-Foot	11
DU6ACS Rectangle Table with C-Foot	5
DU6ACT	
DU6ATE Rectangle Table with T-Foot	15
DU6ATS	
DU6ATT	
DU6DTE Oval Table with T-Foot	20
DU6DTS	
DU6DTT	
DU6ECE 90° Extended Corner Table with C-Foot	25
DU6ECS	
DU6ECT	
DU6FCE 90° Corner Table with C-Foot	30
DU6FCS	
DU6FCT	
DU6GCE 120° Corner Table with C-Foot	34
DU6GCS	
DU6GCT	
DU6WS. Height Adjustable Rectangular Worksurface	38
DU7A. Table Base Kit - 2 Legs	42
DU7F. Table Base Kit - 3 Legs	40
DU11B. External Cable Manager	50
DUSG1. Renew™ Obstruction Sensor Kit	51
DUSG2.	
FT354. Pari Screen, Delineation	66
FT358. Flat Edge Screen, Delineation	68
Y1113. Modesty Panel	63
Y1114. Fabric Modesty Panel	65
Y1116. Pari Screen, Height Adjustable Tables	53
Y1117. Personal Side Screen	56
Y1118. Surface-Attached Screen, Flat Edge	57
Y1120. Laminate Screen, Surface Attached	60
Y1420. Logic G1200 Grommet Pass Thru	48
Y1423. Logic C1000 Universal Clamp Mount Distributor	46
Y1424. Logic HD Cable Manager	49
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	44



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.



Stain-to-Match Program

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

Ordering Products with Stain-to-Match Veneers

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to:
options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STB: Stain-to-Match on Beech
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STM: Stain-to-Match on Recut Mahogany
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2020 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi—Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

® **HermanMiller**, ●, Action Office, Aeron, Aside, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Motia, Pellicle, Perspectives, Plex, PostureFit, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ AireWeave, Bubbletack, Cellular Suspension, Compass, Connect, Cosm, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lino, Lyris 2, Mora, Multiscrim, Nelson, Nevi, Pedastools, Renew, Stackable, Swoop, TriFlex, Twist, Valor, Verus and Vista are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

®Chemsurf is a registered trademark of Wilsonart International.

®Corian is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

®Geiger is a registered trademark of Geiger International.

®Microsoft and ®Natural Keyboard are registered trademarks of Microsoft Corporation.

®Place Textiles is a registered trademark of Place Textiles.