

GSA prices effective April 1, 2019 (based on January 7, 2019, commercial price list) Published March 2020

## Motia® Sit-to-Stand Tables

## **General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List**

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!", a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture FSC Group 71, Part 1

Contract Number: GS-03F-036DA

Contract Period: December 21, 2015 — December 20, 2020

Herman Miller, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax www.HermanMiller.com/government

Business Size: Large

#### 1a. Special Item Numbers (SIN)

SIN 71-1

**Packaged Offices** 

SIN 711-1

Furniture Systems

SIN 711-2

Computer Furniture

SIN 711-3

Filing and Storage Cabinets

SIN 711-11

Tables and Accessories

SIN 711-16

**Upholstered Seating** 

SIN 711-18

Multi-Purpose Seating

SIN 711-91

**Project Management** 

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local Herman Miller representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour Furniture Project Coordinator: \$49.00 per hour Build-Out Project Manager: \$80.00 per hour

#### SIN 711-93

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour, which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis. This SIN may only be used with the purchase of new product under SIN 711-1.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 711-94

Design/Layout

Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$65 per hour.

SIN 711-95

Installation Services

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

\* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions: Installation will be performed during normal weekday working

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

SIN 711-96

Leasing

Contact Herman Miller participating government dealer for current leasing information.

SIN 711-99

**New Product Introductions** 

HermanMiller for Government January 2020

continued

SIN 711-500

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local Herman Miller representative to discuss the appropriate use of this SIN.

#### 1b. Lowest Priced Model

SIN 711-1:	G9999.B	\$9
SIN 711-2:	6-5-D	\$40
SIN 711-3:	L29P.15	\$11
SIN 711-11:	DT9A.	\$39
SIN 711-16:	OA401	\$43
SIN 711-18:	AS90598	\$51
SIN 711-99:	BVP3.S	\$12

#### 1c. Not applicable

#### **Maximum Order**

SIN 711-1, SIN 711-2

\$500,000 net product value

SIN 711-3, SIN 711-11

\$300,000 net product value

SIN 711-16, SIN 711-18

\$200,000 net product value

SIN 711-93

\$150,000

SIN 711-94

\$150,000

SIN 711-95

\$150,000

SIN 711-96

\$500,000 net product value

SIN 711-99

\$50,000 net product value

SIN 711-500

\$100,000

#### Minimum Order

\$100 net

#### **Geographic Coverage**

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

#### **Point of Production**

Zeeland, Ottawa County, Michigan Spring Lake, Ottawa County, Michigan

#### 6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 711-1

Product: Selected Action Office 1, Action Office 2, C-Style Overhead Storage, Ethospace System, Quadrant Pedestals, Supplemental Products, Tu Pedestals, and approved Herman Miller Options

Products.

Standard Lead Time	Single Order Net Purchase	Discount From list
	\$100 - 250,000	73.8%
	\$250,001 - 500,000	76.8%

SIN 711-1

Product: Selected Nevi™ Tables, Nevi Link, Renew™ Tables, Renew Link and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	73.8%

SIN 711-1

Product: Selected Motia® Tables, and approved Herman Miller **Options Products** 

Standard Single Order Discount **Lead Time Net Purchase** From List \$100 - 500,000 73.8%

SIN 711-1

Product: Tu Wood Pedestals and approved Herman Miller Options **Products** 

Standard Single Order Discount **Lead Time Net Purchase** From List \$100 - 300,000 74.3%

SIN 711-1

Product: Selected Canvas Office Landscape (Beam, Channel, Dock, Group, Metal Storage, Private Office, Vista, Wall, and Wood Storage) and approved Herman Miller Options Products

Standard Single Order Discount **Lead Time Net Purchase** From List \$100 - 500,000 74.8%

HermanMiller for Government January 2020

continued

SIN 711-1

Product: Selected Layout Studio® and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	60.7%

SIN 711-1

Product: Selected Meridian Pedestals and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	64.2%

SIN 711-1

Product: Selected Thrive Portfolio and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	62%
	\$250.001 - 500.000	66.4%

SIN 711-2

Product: Canvas Metal Desk and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	74.8%

SIN 711-3

Product: Meridian Laterals, Towers, and Storage products and approved Herman Miller Options Products

Standard	Single Order	Discount	From List	Towers &
<b>Lead Time</b>	Net Purchase	Laterals	Verticals	Storage
	\$100 - 300,000	67.3%	66.3%	62.7%

SIN 711-3

Product: Tu Lateral Files, Tu Storage, Tu Towers, Tu Wood Cases, Tu Wood Cubbies, Tu Wood Credenzas, Tu Wood Towers, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 300,000	74.3%

#### SIN 711-11

Product: Selected Tables and Accessories and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Avive® Tables	\$100 - 250,000	72.8%
	\$250,001 - 500,000	74.8%
Eames® Conference &	\$100 - 250,000	73.6%
Dining Tables	\$250,001 - 300,000	77.6%
Everywhere™ Tables	\$100 - 300,000	73.8%
Headway™ Tables	\$100 - 300,000	73.8%

SIN 711-16

Product: Swoop upholstered seating products and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
Plex® Lounge Furniture	\$100 - 200,000	59.5%
Swoop™	\$100 - 200,000	60.7%
Valor™ Family	\$100 - 200,000	54.91%

SIN 711-18

Product: Selected Seating and approved Herman Miller Options Products

TTOUUCES		
Standard Lead Time	Single Order Net Purchase	Discount From List
Aeron®	\$100 - 200,000	64.5%
Aside®	\$100 - 200,000	64.2%
Caper®	\$100 - 200,000	61.5%
Celle®	\$100 - 200,000	59.7%
Cosm™	\$100 - 200,000	61.7%
Embody®	\$100 - 200,000	59.7%
Keyn	\$100 - 200,000	57.7%
Lino™	\$100 - 200,000	63.7%
Mirra® 2	\$100 - 200,000	61.7%
Sayl®	\$100 - 200,000	62.2%
Setu®	\$100 - 200,000	59.7%
Verus™	\$100 - 200,000	63.7%

SIN 711-99

Product: Selected Exclave<sup>®</sup>, Locale<sup>®</sup>, Public Office Landscape<sup>®</sup>, Resolve<sup>®</sup> System, and approved Herman Miller Options Products

Resolve System, and approve	a Herman Miller Options i	Toducts
Standard	Single Order	Discount
Lead Time	Net Purchase	From List
Exclave	\$100 - 50,000	61.7%
Intent Solution	\$100 - 50,000	58.7%
Locale	\$100 - 50,000	63.7%
Public Office Landscape	\$100 - 50,000	61.7%
Resolve System	\$100 - 50,000	69.8%

HermanMiller for Government January 2020

continued

#### 7. Quantity Discounts

Reference item #6.

#### 8. Payment Term

Net 30 days

#### 9. Government Commercial Credit Card

- Government commercial credit cards are accepted below the micropurchase threshold.
- Government commercial credit cards are accepted above the micropurchase threshold.

#### 10. Foreign Items

None

#### 11. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact Herman Miller or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

#### 12. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

#### 13. Ordering Address

a. Herman Miller, Inc.,

Government Customer Care 0161

855 East Main Avenue

Zeeland MI 49464.

 For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (www.fss.gsa.gov/schedules).

#### 14. Payment Address.

Herman Miller, Inc. 22764 Network Place Chicago, IL 60673-1227

#### 15. Warranty

Herman Miller, Inc., commercial warranty applies.

#### 16. Export Packing Charge

Prices supplied on request.

#### 17. Terms and Conditions of Government Purchase Card Acceptance

(any thresholds above the micropurchase level)
None.

#### 18. Rental Maintenance and Repair Terms

Not applicable

#### 19. Terms and Conditions of Installation

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

continued

#### 20. Terms and Conditions of Repair Parts

Not applicable

#### 21. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

#### 22. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/government.

#### 23. Preventive Maintenance

Not applicable

#### 24a. Special Attributes.

2018

Herman Miller receives the Corporation of the Year—Consumer Products award from the Michigan Minority Supplier Development Council.

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

As one of the top-scoring companies in the industry for the four-teenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and received the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair won the 2018 Best of NeoCon Gold Award in the Ergonomic Seating Category, the Interior Design HiP Award in the Ergonomic Seating Category, and a #MetropolisLikes Award. Cosm also won Mix Interiors "Product of the Year—Task" award.

For the 11th consecutive year, Herman Miller received a perfect score on the Corporate Equality Index and we were designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly their LGBT-related policies and practices.

#### 2017

Herman Miller was named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller has received a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award.

Herman Miller has earned the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller named one of the Best and Brightest in Wellness for the fifth year in a row.

Working Mother magazine has recognized Herman Miller as one of the 2017 Working Mother 100 Best Companies.

Herman Miller earned our tenth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in our industry for the thirteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and received the Bronze Class distinction for our excellent economic, environmental, and social sustainability performance.

Herman Miller has once again earned the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience.

#### 2016

Herman Miller was recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC). This award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (fifth consecutive year) recognized Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability.

Herman Miller has been recognized by the Michigan Minority Supplier Development Council (MMSDC), as a "Corporation of the Year", and we also received a "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council. Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Spot Stools from Herman Miller Collection receive Interior Design HiP Award for Hospitality Seating at NeoCon 2016.

HermanMiller for Government January 2020

continued

Herman Miller has been named a 2020 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for twelfth consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

#### 2015

Herman Miller earns ninth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2016 Corporate Equality Index and we were designated as Best Place to Work for LGBT equality.

This is the fourth consecutive year that Herman Miller was named one of Michigan's Best and Brightest Sustainable Companies.

Herman Miller has received the Best and Brightest in Wellness Award for the third year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller received the Forest Stewardship Council (FSC) Leadership Award for longstanding commitment to manufacturing with wood sourced from responsibly managed forests, which reduces environmental impacts by protecting against deforestation and forest degradation.

Herman Miller accepted its second Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller has once again been recognized for its commitment to best-in-class economic, environmental, and societal sustainability, earning a spot on the prestigious Dow Jones Sustainability Index (DJSI) for the twelfth consecutive year. We are the only contract furniture company recognized globally for its corporate sustainability leadership.

Herman Miller selected for inclusion in the 2015 RobecoSAM Sustainability Yearbook; awarded Bronze Class distinction for excellent sustainability performance for the second consecutive year.

Herman Miller received a Michigan Business Pollution Prevention (MBP3) Certificate – a recognition given by the Michigan Department of Environmental Quality (MDEQ) to organizations committed to environmental stewardship, conservation, and sustainable operations. This basic partnership with the MDEQ, which we've maintained since 1998, makes us eligible for our Clean Corporate Citizen (CCC) status that began in 2004 and our Environmental Leader status, which we received for the first time this past year.

MedAssets named Herman Miller Healthcare as Platinum Suppliers. MedAssets, a large group purchasing organization, helps providers enhance operational and financial performance so they can sustainably serve the needs of their community.

Herman Miller honored with five of 20 spots for the Michigan Environmental Leaders Award by the Michigan Department of Environmental Quality for our outstanding, voluntary environmental stewardship.

Renew Sit-to-Stand tables recognized on Record Products 2014 list by Architectural Record.

Herman Miller was again awarded a perfect score in the 2015 Corporate Equality Index. This is the eighth consecutive year we received a perfect score.

#### 2014

Herman Miller has received the Best and Brightest in Wellness Award for the second year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller's Locale wins International Design Excellence Awards (IDEA) Gold in the Office & Productivity category.

Herman Miller achieves eleventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

#### 2013

Herman Miller achieves tenth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller has received the Best and Brightest in Wellness Award. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller Earns Perfect Score on the Corporate Equality Index. We are one of only 303 major U.S. businesses to receive a perfect score in 2013, an achievement we have now obtained seven years in a row.

Herman Miller is listed in Forbes Magazine inaugural "Platinum List" of America's 400 best managed, large companies.

For the second consecutive year, Herman Miller is honored as one of West Michigan's "101 Best and Brightest Sustainable Companies".

#### 2012

Herman Miller accepted its first Excellence in Reusable Packaging Award from the Reusable Packaging Association.

January 2020 HermanMiller for Government

continued

Herman Miller is named "Corporation of the Year" in the commercial products sector by the Michigan Minority Supplier Development Council.

In July 2012 Herman Miller was inducted into the Made in the USA Hall of Fame. Herman Miller is one of only 20 companies across the nation to receive this distinction.

Herman Miller achieves ninth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller is honored as one of West Michigan's 101 Best and Brightest Sustainable Companies.

The Sustainable Asset Management (SAM) group selected Herman Miller for inclusion in "The Sustainability Yearbook 2012" and has awarded Herman Miller both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller was named one of 16 Section Leaders on Climate Counts 2011-2012 Scorecard Report, making us the industry leader for Home and office Furnishings.

SGS International Certification Services, Inc., recognizes Herman Miller's manufacturing sites, Midwest Distribution Center, and Design Yard for initial certification to the OHSAS 18001 standard as well as re-certification to ISO 14001.

#### 2011

Trust Across America, a company dedicated to unraveling the complexities of trustworthy business behavior, listed Herman Miller as one of their "Top Ten Most Trustworthy Companies in America 2011."

The U.S. Environmental Protection Agency (EPA) selected Herman Miller, as a WasteWise Gold Achievement—Climate Change winner.

Herman Miller achieves eighth consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

The Michigan Minority Supplier Development Council (MMSDC) named Herman Miller as its "Corporation of the Year" in the commercial products sector. This was the fifth time Herman Miller has received this award since 2005.

Herman Miller accepted its third Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

Herman Miller receives the Reader's Choice award from TreeHugger's Best of Green: Design and Architecture category for the SAYL chair.

Herman Miller earns Citibank's Global Environmental Vendor of the Year award.

The SAYL chair from Herman Miller was dubbed the "Product Design of the Year" from the 2010 International Design Awards (IDA) jury.

Herman Miller Healthcare's Compass system was awarded a 2011 Medical Design Excellence Award (MDEA) for its research-based design and ability to be used in a variety of healing spaces, while simultaneously improving the overall delivery of healthcare.

The Sustainable Asset Management (SAM) Group selected Herman Miller for inclusion in the "Sustainability Yearbook 2011" and awarded us both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller has received the top rating for a fourth consecutive year in the Human Rights Campaign (HRC) Foundation's eighth annual Corporate Equality Index. The "Best Places to Work for LGBT Equality" distinction is awarded to businesses that scored 100% on the HRC Foundation's 2011 Corporate Equality Index.

Herman Miller again tops contract furniture industry in FORTUNE's 'Most Admired' Companies survey. For the 23rd time in 25 years.

#### 24b. Section 508 Compliance

Not applicable

#### 25. Data Universal Numbering System (DUNS): 00-601-2801

# 26. Registered in System for Award Management (www.SAM.gov) Database

#### 27. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

#### 28. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

#### **Herman Miller Miscellaneous Information:**

Federal ID Number: 38-0837640 Commercial and Government Entity Code (CAGE): 40636 Data Universal Numbering System (DUNS) 00-601-2801 Commercial Entity Code (CEC): 00702290J

HermanMiller for Government January 2020

January 2020 HermanMiller for Government

Introduction	page 2
Motia® Sit-to-Stand Tables	3
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	19
Power and Data Support	25
Screens	30
Storage	46
Accessories	52
Indices	53
By Name	53
By Number	55
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	n
Vary Easy Program	
Stain-to-Match Program	
For the latest materials information, refer to the Materia	als pages on HermanMiller.com.

#### A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

# Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

#### Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

#### The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

#### General Information

This book is effective April 1, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest  $^{1}/_{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

#### 20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon <a> a</a> will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.


## Motia® Sit-to-Stand Tables

Adjustable Height Table Sit to Stand Table Bases Power and Data Support

Screens

Storage

Accessories



#### Description

This rectangular height-adjustable table has a C-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Multiple height adjustment options come with a simple up/down touch switch. Glides have  $^{1}/_{2}$ " leveling range. Shipped knocked down. Product is UL Listed.

#### Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width minus 8".


Table includes stiffener located toward back of table for increased leg

See Motia™ Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

#### Dimensions

clearance.



#### **Specification Information**

#### Step 1.

DV6AC A

#### Step 2. Edge

**S.** squared-edge A

#### Step 3. Depth

24" deep (23" surface size) A

**30** 30" deep (29" surface size) A

#### Step 4. Width

**48** 48" wide (46" surface size)

**54** 54" wide (52" surface size) A

**60** 60" wide (58" surface size) A

**66** 66" wide (64" surface size)

72 yide (70" surface size) A

#### Step 5. Surface Material

L laminate top/thermoplastic edge A

U laminate top/universal edge A

#### Step 6. Top Thickness

**04** 11/4" thick A

#### Step 7. Mechanism

electric standard range A

**D** electric extended range A


#### Step 8. Leg Location

1 legs outbound (no surface mounted storage)

Prices for Steps 1-8.				
	L04E1	L04D1	U04E1	U04D1
DV6ACS. 24 48	\$1886	2075	1886	2075
54	\$1952	2135	1952	2135
60	\$1995	2174	1995	2174
66	\$2055	2228	2055	2228
72	\$2113	2280	2113	2280
30 48	\$2001	2190	2001	2190
54	\$2082	2266	2082	2266
60	\$2132	2310	2132	2310
66	\$2209	2382	2209	2382
72	\$2284	2451	2284	2451

Step 9	. Switch Option		91	white A	+\$0
STS	simple up/down touch switch A	+\$o	98	studio white A	+\$0
SUD	simple up down - paddle switch A	+\$50	BU	black umber 🛕	+\$0
RM	digital read out with memory A	+\$160	CL	cool grey neutral A	+\$0
			HF	inner tone light A	+\$0
Step 10	o. Top Finish		HM	natural maple 🛕	+\$0
76	light brown walnut A	<b>+\$</b> o	HP	light anigre A	+\$0
3Q	folkstone grey A	<b>+\$</b> o	HT	inner tone A	+\$0
91	white A	<b>+\$</b> o	нх	aged cherry A	+\$0
98	studio white A	+\$0	HY	walnut on cherry A	+\$
CL	cool grey neutral A	+\$0	JB	millwork cherry A	+\$0
HF	inner tone light A	+\$0	LA	light ash 🛕	+\$0
нм	natural maple A	+\$0	LBA	clear on ash 🛕	+\$0
HP	light anigre A	+\$0	LBB	oak on ash 🛕	+\$0
ΗT	inner tone A	+\$0	LBC	walnut on ash 🛕	+\$0
łΧ	aged cherry A	+\$0	LBD	dark brown walnut 🛕	+\$
HY	walnut on cherry A	+\$o	LBF	neutral twill 🛕	+\$0
-A	light ash 🛕	+\$0	LBG	sarum twill 🛕	+\$0
_BA	clear on ash A	<b>+\$</b> 0	LBH	earthen twill 🛕	+\$
LBB	oak on ash 🛕	+\$0	LBJ	graphite twill A	+\$0
LBC	walnut on ash 🛕	+\$0	LBK	pewter mesh A	+\$
LBD	dark brown walnut 🛕	<b>+\$</b> 0	LBL	steel mesh 🛕	+\$
LBF	neutral twill 🛕	<b>+\$</b> 0	LBM	crisp linen 🖪	+\$0
LBG	sarum twill 🖪	<b>+\$</b> 0	LBN	classic linen 🛕	+\$0
LBH	earthen twill A	<b>+\$</b> 0	LBP	casual linen 🛕	+\$0
LBJ	graphite twill A	<b>+\$</b> 0	LBQ	white twill A	+\$0
LBM	crisp linen A	<b>+\$</b> 0	LBR	phantom ecru A	+\$0
LBN	classic linen A	<b>+\$</b> 0	LBS	phantom cocoa 🛕	+\$0
LBP	casual linen 🛕	<b>+\$</b> 0	LBU	medium matte walnut 🛕	+\$0
LBQ	white twill A	<b>+\$</b> 0	LBV	warm grey teak 🛕	+\$0
LBR	phantom ecru A	<b>+\$</b> 0	LU	soft white A	+\$0
LBS	phantom cocoa A	<b>+\$</b> 0	MT	medium tone A	+\$0
LBU	medium matte walnut [A]	<b>+\$</b> 0	OG	honey maple A	+\$0
LBV	warm grey teak A	<b>+\$</b> 0	WL	sandstone A	+\$
LT	light tone A	<b>+\$</b> 0	WN	warm grey neutral A	+\$0
LU	soft white A	+\$0			
MT	medium tone A	<b>+\$</b> o	For la	minate top/universal edge (U)	
OG	honey maple A	+\$0	PLY	plywood edge A	+\$5
WL	sandstone A	+\$0			
WN	warm grey neutral A	+\$0	Step 1	12. Base Finish	
Step 1:	1. Edge Finish		Metal	lic Paint	
			CN	metallic champagne 🛽 🗚	+\$0
or lan	ninate top/thermoplastic edge (L)		MS	metallic silver A	+\$
76	light brown walnut 🛕	+\$0			
3Q	folkstone grey A	+\$0			
8Z	neutral grey A	+\$o			

Sand	Texture Paint	
BK	black A	+\$o
G1	graphite A	+\$0
Smoo	oth Paint	
8Q	folkstone grey 🛕	+\$0
91	white A	+\$0
98	studio white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
Step	13. Cable Trough	
For 2	4" deep (23" surface size) (24)	
2	hinged cable trough for 24" deep surface 🛕	+\$0
N	no cable trough A	+\$0
For 3	o" deep (29" surface size) (30)	
3	hinged cable trough for 30" deep surface A	+\$0
N	no cable trough A	+\$0
Step	14. Power Access Cutout	
NC	no cutout A	+\$0
Step	15. Glides	
57	glides [A]	+\$0



#### Description

This rectangular height-adjustable table has a T-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Multiple height adjustment options come with a simple up/down touch switch, simple up/down paddle switch, digital readout with memory, or with no switch to accommodate adding Live Platform™ to the table. Glides have ¹/₂" leveling range. Shipped knocked down. Product is UL Listed.

#### Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs specified outbound (1) are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width minus 8".

Table includes stiffener located toward back of table for increased leg


When specifying cable trough option (2 or 3), trough finish will match table base finish.

When specifying a power access cutout (RC, LC, CC), order Logic mini unit (Y1414.) and grommet (Y1412.) separately.

See Motia® Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

#### **Dimensions**



#### Specification Information

#### Step 1.

DV6AT A

#### Step 2. Edge

**S.** squared-edge A

#### Step 3. Depth

24" deep (23" surface size) A

**30** 30" deep (29" surface size) A

#### Step 4. Width

#### For 30" deep (29" surface size) (30)

**48** 48" wide (46" surface size) A

**54** 54" wide (52" surface size) A

**60** 60" wide (58" surface size)

66 66" wide (64" surface size) A

72 yide (70" surface size) A

#### For 24" deep (23" surface size) (24)

**48** 48" wide (46" surface size) A

54" wide (52" surface size) A

**60** 60" wide (58" surface size)

66 66" wide (64" surface size) A

**72** yide (70" surface size) A

#### Step 5. Surface Material

laminate top/thermoplastic edge A

U laminate top/universal edge A

#### Step 6. Top Thickness

04 11/4" thick A

#### Step 7. Mechanism

**E** electric standard range A

**D** electric extended range A

#### Step 8. Leg Location


1 legs outbound (no surface mounted storage) A

Prices f	for Steps 1-8.				
		L04E1	L04D1	U04E1	U04D1
DV6AT	S. 24 48	\$1886	2075	1886	2075
	54	\$1952	2135	1952	2135
	60	\$1995	2174	1995	2174
	66	\$2055	2228	2055	2228
	72	\$2113	2280	2113	2280
***************************************	30 48	\$2001	2190	2001	2190
	54	\$2082	2266	2082	2266
	60	\$2132	2310	2132	2310
	66	\$2209	2382	2209	2382
	72	\$2284	2451	2284	2451
			,,,		15
Step 9.	Switch Option				
STS	simple up/down touch switch	h 🗚			+\$o
SUD	simple up down - paddle swit	_			+\$50
SRM	digital read out with memory				+\$160
SMT	no switch - LO100 A	A			+\$100
JIVI	110 SWILCH - LOTOO A				+\$0
Ctopac	Ton Finish				
	o. Top Finish				, ¢ a
76	light brown walnut A				+\$o
8Q	folkstone grey A				+\$0
91	white A				+\$o
98	studio white A				<b>+\$</b> 0
CL	cool grey neutral A				+\$o
HF	inner tone light A				<b>+</b> \$o
НМ	natural maple 🛕				+\$o
HP	light anigre A				+\$o
НТ	inner tone A				+\$o
нх	aged cherry A				+\$o
HY	walnut on cherry A				+\$0
LA	light ash A				+\$0
LBA	clear on ash A				+\$0
LBR	phantom ecru A				+\$0
LBS					+\$0
	phantom cocoa A				
LBU	medium matte walnut A				+\$o
LBV	warm grey teak A				+\$0
LBB	oak on ash A				+\$0
LBC	walnut on ash A				+\$0
LBD	dark brown walnut 🛕				<b>+\$</b> 0
LBF	neutral twill 🛕				+\$0
LBG	sarum twill 🛕				<b>+</b> \$o
LBH	earthen twill 🛕				+\$o
LBJ	graphite twill A				+\$o
LBM	crisp linen 🛕				+\$o
LBN	classic linen A				+\$o
LBP	casual linen 🛕				+\$o
"	casual tilicii A				+40

WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
For la	minate top/universal edge (U)	
PLY	plywood edge	+\$50
Step :	12. Base Finish	
Metal	llic Paint	
CN	metallic champagne 🛕	+\$0
MS	metallic silver A	+\$0
Sand	Texture Paint	
BK	black 🗚	+\$0
G1	graphite A	+\$0
Smoo	th Paint	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
Step :	13. Cable Trough	
For 22	4" deep (23" surface size) (24)	
2	hinged cable trough for 24" deep surface A	+\$275
N	no cable trough A	+\$0
For 30	o" deep (29" surface size) (30)	
3	hinged cable trough for 30" deep surface A	+\$275
N	no cable trough A	+\$0
Step :	14. Power Access Cutout	
NC	no cutout A	+\$0
RC	right cutout for Logic Mini - Y1414 and Y1412 A	+\$55
LC	left cutout for Logic Mini - Y1414 and Y1412 A	+\$55
CC	center cutout for Logic Mini - A	+\$55
Step	15. Glides	
57	glides A	+\$0

## Extended Corner Table with C-Foot

#### **DV6ECS**



#### Product Information

#### Description

This height-adjustable 90° extended corner table has a C-leg configuration and laminate top with square thermoplastic edge. Multiple height adjustment options come with a simple up/down touch switch. Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

#### Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.


Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width minus 8".

Table includes stiffener located toward back of table for increased leg clearance.

See Motia™ Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

#### Dimensions



#### Specification Information

#### Step 1.

DV6EC A

#### Step 2. Edge

squared-edge A

#### Step 3. Depth

24 24" deep (23" surface size)

30 30" deep (29" surface size)

#### Step 4. Width

4260 42" wide left x 60" wide right (40" x 58" surface size)

42" wide left x 72" wide right (40" x 70" surface size) A 4272

4860 48" wide left x 60" wide right (46" x 58" surface size)

48" wide left x 72" wide right (46" x 70" surface size) 4872

5454 54" wide left x 54" wide right (52" x 52" surface size) 6042 60" wide left x 42" wide right (58" x 40" surface size)

6048 60" wide left x 48" wide right (58" x 46" surface size)

60" wide left x 60" wide right (58" x 58" surface size) 6060

7242 72" wide left x 42" wide right (70" x 40" surface size)

72" wide left x 48" wide right (70" x 46" surface size) 7248

#### Step 5. Surface Material

laminate top/thermoplastic edge A

#### Step 6. Mechanism

electric standard range A

electric extended range A


Prices for Steps 1-6.		
	LE	LD
DV6ECS. 24 4260	\$3355	3695
4272	\$3412	3792
4860	\$3512	3893
4872	\$3596	3982
5454	\$3591	3639
6042	\$3355	3695
6048	\$3512	3893
6060	\$3688	3738
7242	\$3412	3792
7248	\$3596	3982

	30 4260 4272 4860	\$3482 \$3580	3911	WL	sandstone A	+\$o
		J3 3 5 0 U	4016	WN	warm grey neutral 🛕	+\$o
	4800	\$3678	4124		g. eyea.a.a	
	4872	\$3768	4234	Step	o. Edge Finish	
	5454	\$3919	4100	76	light brown walnut 🛕	+\$0
	6042	\$3482	3911	8Q	folkstone grey A	+\$0
	6048	\$3678	4124	8Z	neutral grey A	+\$0
	6060	\$4027	4213	91	white A	+\$0
	7242	\$3580	4016	98	studio white A	+\$0
	7248	\$3768	4234	BU	black umber A	+\$0
	7240	\$3700	4234	CL	cool grey neutral A	+\$0
Sten 7	Switch Option			HF	inner tone light A	+\$0
	simple up/down touch switch A		+\$o	HM	natural maple A	+\$0
3.3	simple up/ down toden switch		140	HP	light anigre A	+\$0
Sten 8	Top Finish			HT	inner tone A	+\$0
	light brown walnut A		+\$0	нх	aged cherry A	+\$0
	folkstone grey A		+\$0	HY	walnut on cherry A	+\$0
	white A		+\$0	JB	millwork cherry A	+\$0
	studio white A		+\$0	LA	light ash A	+\$0
	cool grey neutral A		+\$0	LBA	clear on ash A	+\$0
	inner tone light A		+\$0	LBB	oak on ash A	+\$0
	natural maple A		+\$0	LBC	walnut on ash A	+\$0
	light anigre A		+\$0	LBD	dark brown walnut A	+\$0
	inner tone A		+\$0	LBF	neutral twill	+\$0
	aged cherry A		+\$0	LBG	sarum twill A	+\$0
	walnut on cherry A		+\$0	LBH	earthen twill A	+\$0
	light ash A		+\$0	LBJ	graphite twill A	+\$0
	clear on ash A		+\$0	LBK	pewter mesh [A]	+\$0
	oak on ash A		+\$0	LBL	steel mesh A	+\$0
	walnut on ash A		+\$0	LBM	crisp linen A	+\$0
	dark brown walnut A		+\$0	LBN	classic linen A	+\$0
	neutral twill A		+\$0	LBP	casual linen A	+\$0
	sarum twill A		+\$0	LBQ	white twill A	+\$0
	earthen twill A		+\$0	LBR	phantom ecru A	+\$0
	graphite twill A		+\$0	LBS	phantom cocoa A	+\$0
	crisp linen A		+\$0	LBU	medium matte walnut A	+\$0
LBN	classic linen A		+\$0	LBV	warm grey teak A	+\$0
	casual linen A		+\$0	LU	soft white A	+\$0
	white twill A		+\$0	MT	medium tone A	+\$0
	phantom ecru A		+\$0	OG	honey maple A	+\$0
	phantom cocoa A		+\$0	WL	sandstone A	+\$0
	medium matte walnut A		+\$0	WN	warm grey neutral A	+\$0
	warm grey teak A		+\$0		3 - 7	.40
	light tone A		+\$0			
	soft white A		+\$0			
	medium tone A		+\$0			
	honey maple A		+\$0			

# **Extended Corner Table with** C-Foot continued

Step	10. Base Finish	
Meta	llic Paint	
CN	metallic champagne 🛕	+\$0
MS	metallic silver A	+\$0
Sand	Texture Paint	
BK	black 🖪	+\$0
G1	graphite A	+\$0
Smoo	oth Paint	
8Q	folkstone grey A	+\$0
91	white A	<b>+</b> \$o
98	studio white A	<b>+</b> \$o
WL	sandstone A	<b>+</b> \$o
WN	warm grey neutral A	+\$0
Step	11. Glides	
57	glides A	+\$o

# Motia® Vista™ Rectangular Table DV6GTS with T-Foot



#### Product Information

#### Description

This rectangular height adjustable table has a T-leg configuration and laminate top with square thermoplastic edge, laminate top with thermoplastic backed plywood edge or veneer top and edge. Multiple height adjustment options come with a simple up/down touch switch, simple up/down paddle switch or with no switch to accommodate adding Live Platform™ to the table. Glides have ¹/₂" leveling range. Work surface stiffener included. Shipped knocked down. Product is UL Listed.

#### Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced by 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

When no under-surface mounted storage (L2SCF., L2SDF.) is used, specify legs outbound (1) location.

To use under-surface mounted storage (L2SCF., L2SDF.) on both ends of the surface, specify legs inbound for under surface storage on both ends (2) location.

To use under-surface mounted storage (L2SCF., L2SDF.) on the right- or left-hand end of the surface, specify legs inbound for under surface storage on left or right end (3) location. This will make the table handed. Surface will come with inbound leg holes; the outbound leg holes will need to be field drilled.

#### Table includes stiffener.

When specifying cable trough (2, 3), trough finish will match table base finish.

When specifying a power access cutout (RC, LC, CC), Logic Mini unit (Y1414.) and grommet (Y1412.) must be ordered separately.

When specifying a 24"D $\times$ 54"W table with legs inbound for under surface storage on both ends (2) option, the hinged cable trough option is not available. It is recommended to use the (Y1200.48N) cable trough, ordered separately.


Order the following optional products separately:


- Vista modesty + privacy screen-double sided, height adjustable table (Y1130.)
- Vista modesty screen-double sided, height adjustable table (Y1131.)
- Suspended cubby (L2SCF.)
- Suspended drawer (L2SDF.)


For additional planning information, see planning guide.


For additional product options, see Vary Easy Program in appendices.

#### Dimensions









(3) Legs Inbound (Either Left or Right End) (Front View)

# Motia® Vista™ Rectangular Table with T-Foot continued

Specif	ication Information
Step 1.	
DV6GT	A
Step 2.	Edge
S.	squared-edge A
Step 3.	Depth
24	24" deep (23" surface size) A
30	30" deep (29" surface size) A
Step 4.	Width
48	48" wide (46" surface size) A
54	54" wide (52" surface size) A
60	60" wide (58" surface size) A
66	66" wide (64" surface size) A
72	72" wide (70" surface size) A
Step 5.	Surface Material
L	laminate top/thermoplastic edge A
U	laminate top/universal edge A
W	veneer top/veneer edge A
Step 6.	Top Thickness
04	1 <sup>1</sup> / <sub>4</sub> " thick A
08	1¹/8" thick A
Step 7.	Mechanism
D	electric extended range A
E	electric standard range A
Step 8.	Leg Location
 For 48"	wide (46" surface size) (48) with electric extended range (D) or
-	standard range (E)
1	legs outbound (no surface mounted storage)
 For 54"	wide (52" surface size) (54), 60" wide (58" surface size) (60),
	de (64" surface size) (66), or 72" wide (70" surface size) (72) wid
	standard range (E)
1	legs outbound (no surface mounted storage)
2	legs inbound (for under surface storage on both ends)
3	legs inbound (for under surface storage on left or right end)
_	(10) Instanta (10) ander surface storage on tert of right end)

For 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with electric extended range (D)

legs outbound (no surface mounted storage)

Prices for Steps 1-8.						
	L04D1	L04E1	L04E2	L04E3	L08D1	L08E1
DV6GTS. 24 48	\$2354	2181	_	_	2409	2236
54	\$2418	2245	2245	2245	2473	2300
60	\$2460	2287	2287	2287	2515	2342
66	\$2518	2345	2345	2345	2573	2400
72	\$2574	2401	2401	2401	2629	2456
30 48	\$2366	2193	_	_	2421	2248
54	\$2444	2271	2271	2271	2499	2326
60	\$2493	2320	2320	2320	2548	2375
66	\$2568	2395	2395	2395	2623	2450
72	\$2640	2467	2467	2467	2695	2522
	L08E2	L08E3	U04D1	U04E1	U04E2	U04E3
DV6GTS. 24 48	_	_	\$2354	2181	_	_
54	\$2300	2300	2418	2245	2245	2245
60	\$2342	2342	2460	2287	2287	2287
66	\$2400	2400	2518	2345	2345	2345
72	\$2456	2456	2574	2401	2401	2401
30 48	_	_	\$2366	2193	_	_
54	\$2326	2326	2444	2271	2271	2271
60	\$2375	2375	2493	2320	2320	2320
66	\$2450	2450	2568	2395	2395	2395
72	\$2522	2522	2640	2467	2467	2467
	U08D1	U08E1	U08E2	U08E3	W04D1	W04E1
DV6GTS. 24 48	\$2409	2236	_	_	2706	2533
54	\$2473	2300	2300	2300	2814	2641
60	\$2515	2342	2342	2342	2905	2732
66	\$2573	2400	2400	2400	3014	2841
72	\$2629	2456	2456	2456	3103	2930
30 48	\$2421	2248	_	_	2805	2632
54	\$2499	2326	2326	2326	2937	2764
60	\$2548	2375	2375	2375	3057	2884
66	\$2623	2450	2450	2450	3196	3023
72	\$2695	2522	2522	2522	3312	3139

	W04E2	W04E3	W08D1	W08E1	W08E2	W08E3
DV6GTS. 24 48	_	_	\$2761	2588	_	_
54	\$2641	2641	2869	2696	2696	2696
60	\$2732	2732	2960	2787	2787	2787
66	\$2841	2841	3069	2896	2896	2896
72	\$2930	2930	3158	2985	2985	2985
30 48	_	_	\$2860	2687	_	_
54	\$2764	2764	2992	2819	2819	2819
60	\$2884	2884	3112	2939	2939	2939
66	\$3023	3023	3251	3078	3078	3078
72	\$3139	3139	3367	3194	3194	3194

Step 9.	. Switch Option	
STS	simple up/down - touch switch A	+\$o
SUD	simple up down - paddle switch A	+\$50
SMT	no switch - LO100 A	+\$0

Step :	10.	
Top F	inish	
•	minate top/thermoplastic edge (L) or lamir	nate top/universal edae
(U)		
76	light brown walnut 🛕	+\$0
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
CL	cool grey neutral A	+\$o
HF	inner tone light A	+\$o
нм	natural maple A	+\$o
HP	light anigre 🛕	<b>+\$</b> o
HT	inner tone A	+\$0
нх	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash 🛕	+\$o
LBA	clear on ash 🛕	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBD	dark brown walnut 🛕	+\$0
LBF	neutral twill 🛕	+\$0
LBG	sarum twill A	<b>+</b> \$o
LBH	earthen twill A	<b>+</b> \$o
LBJ	graphite twill A	<b>+</b> \$o
LBM	crisp linen 🖪	<b>+</b> \$o
LBN	classic linen A	<b>+</b> \$o
LBP	casual linen 🛕	+\$o
LBQ	white twill A	+\$o
LT	light tone A	+\$o
LU	soft white A	+\$o
MT	medium tone A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$0
Top F	inish	
For la	minate top/thermoplastic edge (L) or lamir	nate top/universal edge
(U)		
OG	honey maple 🛕	+\$0

Top/	Edge Finish	
For v	eneer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$85
40	dark brown walnut 🛕	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut 🛕	+\$85
ET	clear on ash 🛕	+\$85
EU	oak on ash 🛕	+\$85
EV	walnut on ash 🛕	+\$85
EW	medium matte walnut 🛕	+\$85
UL	natural maple 🛕	+\$85
UX	walnut on cherry	+\$84

Step 1	11. Edge Finish	
For la	minate top/thermoplastic edge (L)	
76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BU	black umber A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
нм	natural maple A	+\$0
HP	light anigre A	+\$0
НТ	inner tone A	+\$0
нх	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash A	+\$o
LBA	clear on ash 🛕	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBD	dark brown walnut 🛕	<b>+</b> \$o
LBF	neutral twill 🖪	<b>+</b> \$o
LBG	sarum twill A	+\$o
LBH	earthen twill A	+\$o
LBJ	graphite twill A	+\$o
LBK	pewter mesh A	<b>+</b> \$o
LBL	steel mesh A	<b>+</b> \$o
LBM	crisp linen 🛕	+\$o
LBN	classic linen A	+\$o
LBP	casual linen 🖪	<b>+</b> \$o
LBQ	white twill A	+\$o
LBU	medium matte walnut 🛕	+\$o
LU	soft white A	+\$o
MT	medium tone A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$0
For la	minate top/thermoplastic edge (L)	
OG	honey maple A	+\$0
For la	minate top/universal edge (U)	


PLY plywood edge A

+\$50

Step :	12. Base Finish	
Smoo	th Paint	
<b>8Q</b>	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
Metal	lic Paint	
CN	metallic champagne 🛽 A	+\$0
EH	metallic bronze A	+\$0
MS	metallic silver A	+\$0
Sand	Texture Paint	
ВК	black 🗚	+\$0
G1	graphite A	+\$0
moun	4" deep (23" surface size) (24), legs outbound (no surfa ted storage) (1) AND legs inbound (for under surface st rright end) (3)	
2	hinged cable trough for 24" deep surface A	+\$275
N	no cable trough A	+\$0
For 30	o" deep (29" surface size) (30) with 48" wide (46" surfac	ce size)
	54" wide (52" surface size) (54), 60" wide (58" surface s	
_	" wide (64" surface size) (66), or 72" wide (70" surface s	
3	hinged cable trough for 30" deep surface A	+\$296
N	no cable trough 🛕	+\$0
	u" deep (23" surface size) (24) with 54" wide (52" surface	
(54) v	vith legs inbound (for under surface storage on both en	
N	no cable trough A	+\$0
Step :	14. Power Access Cutout	
CC	center cutout for Logic Mini - 🛕	+\$55
LC	left cutout for Logic Mini - Y1414 and Y1412 A	+\$55
NC	no cutout A	+\$0
RC	right cutout for Logic Mini - Y1414 and Y1412 A	+\$55
Step :	15. Glides	
57	glides A	+\$0

# Height Adjustable Base Kit with T-Foot





#### Product Information

#### Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a choice of switch type or with no switch to accommodate adding Live Platform™ to the table. Glides have ½" of leveling range. Shipped knocked down. Product is UL Recognized.

#### Notes

With standard  $1^1/8''$  thick work surface, floor to top-of-surface height adjustment ranges are 27''-46'' for the electric standard range (E) option, and 22''-48'' for the electric extended range (D) option.

Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.


Work surface stiffener included.


See Motia® Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

#### Dimensions









#### Specification Information

#### Step 1.

DV7AT. A

#### Step 2. Depth

24 24" deep (23" surface size) A

**30** 30" deep (29" surface size) A

#### Step 3. Mechanism

**E** electric standard range

**D** electric extended range

#### Step 4. Leg Location

1 legs outbound (no surface mounted storage) A

Prices for Steps 1-4.	
	1
DV7AT. 24 E	\$1650
D	\$1839
30 E	\$1681
D	\$1870

Step 5.	. Switch Option	
STS	simple up/down touch switch A	+\$o
SUD	simple up down - paddle switch A	+\$50
SRM	digital read out with memory A	+\$160
SMT	no switch - LO100 A	+\$o

#### Step 6. Leg/Foot Finish


Smooth Paint

# Metallic Paint CN metallic champagne leg with metallic champagne foot A +\$0 MS metallic silver leg with metallic silver foot A +\$0

Sand	Texture Paint	
BK	black leg with black foot 🛽 🖪	+\$0
G1	graphite leg with graphite foot [A]	+\$0

8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$0
98	studio white leg with studio white foot A	+\$0
WL	sandstone leg with sandstone foot A	+\$0
WN	warm grey neutral leg with warm grey neutral foot $\ oxedsymbol{A}$	+\$0

Step	7. Glides	
57	glides A	<b>+</b> \$o



#### Description

This independent 3-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a simple up/down touch switch. Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

#### Notes


With standard  $^{1}/_{8}$ " thick work surface, floor to top-of-surface height adjustment ranges are  $^{2}7$ "- $^{4}6$ " for the electric standard range (E) option, and  $^{2}2$ "- $^{4}8$ " for the electric extended range (D) option.

Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.


Work surface stiffener included.

See Motia  $^{\mathtt{M}}$  Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

#### Dimensions



Standard Height Range




Extended Height Range

Specif	ication Information		
Step 1.			
DV7FC.	A		
Cton a	Donth		
Step 2. <b>24</b>	24" deep (23" surface size) A		
30			
30	30" deep (29" surface size) A		
Step 3.	Mechanism		
E	electric standard range A		
D	electric extended range A		
Prices f	For Steps 1-3.		
		Ε	D
DV7FC.	. 24 \$27	82	3091
	\$27	82	3091
Step 4.	Switch Option		
SRM	digital read out with memory A		+\$160
SUD	simple up down - paddle switch A		+\$50
STS	simple up/down touch switch A		+\$0
Step 5.	Base Finish		
Metalli	c Paint		
CN	metallic champagne A		+\$0
MS	metallic silver A		+\$0
Sand T	exture Paint		
BK	black A		+\$0
G1	graphite A		+\$0
Smooth	n Paint		
8Q	folkstone grey A		+\$0
91	white A		+\$0
98	studio white A		+\$0
WL	sandstone A		+\$0
WN	warm grey neutral A		+\$0
Step 6.	Glides		
57	glides A		+\$0

# Height Adjustable Base Kit with C-Foot

DV7AC.



#### Product Information

#### Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a simple up/down touch switch. Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

#### Notes


With standard  $1^{1}/8^{"}$  thick work surface, floor to top-of-surface height adjustment ranges are  $27^{"}-46^{"}$  for the electric standard range (E) option, and  $22^{"}-48^{"}$  for the electric extended range (D) option.

Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.

Work surface stiffener included.

See Motia  $^{\mathtt{M}}$  Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

#### Dimensions



#### Specification Information

Step 1.

DV7AC. A

· ·		_	
Ste	n o	110	nth

24" deep (23" surface size) A

30" deep (29" surface size) A

#### Step 3. Mechanism

**E** electric standard range A

**D** electric extended range A

#### Step 4. Leg Location

legs outbound (no surface mounted storage) A

Prices for Steps 1-4.	
	1
DV7AC. 24 E	\$1682
D	\$1843
30 E	\$1685
D	\$1870

Step 5	5. Switch Option	
SRM	digital read out with memory A	+\$160
SUD	simple up down - paddle switch 🛕	+\$50
STS	simple up/down touch switch A	+\$o

C+	(   /	
Step	6. Leg/Foot Finish	
Meta	lic Paint	
CN	metallic champagne leg with metallic champagne foot A	+\$0
MS	metallic silver leg with metallic silver foot	+\$0
Sand	Texture Paint	
BK	black leg with black foot 🛽 🖪	+\$0
G1	graphite leg with graphite foot [A]	+\$0
Smoo	th Paint	
8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$0
98	studio white leg with studio white foot A	+\$0
WL	sandstone leg with sandstone foot A	+\$0

ote	p	7.	Gl	Ia	es


WN

57 glides A +\$0

warm grey neutral leg with warm grey neutral foot A

**+\$**o

# Motia® Vista™ Adjustable Base Kit DV7GT. with T-Foot



#### Product Information

#### Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a choice of switch type. Glides have 1/2" of leveling range. Kit includes work surface stiffener. Shipped knocked down. Product is UL Recognized.

#### Notes


With standard  $^{1}/_{8}$ " thick work surface, floor to top-of-surface height adjustment ranges are  $^{2}7$ "- $^{4}6$ " for the electric standard range (E) option, and  $^{2}2$ "- $^{4}8$ " for the electric extended range (D) option.

Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.


To accommodate adding Live Platform  $^{\mathtt{m}}$  to the table, specify no switch - LO100 (SMT) option.

For proper installation of leg kit and design information, see planning guide.

#### Dimensions



(E) Electric Standard Range



#### Specification Information

Step 1.

DV7GT. A

Step 2. Depth

24" deep (23" surface size) A

**30** 30" deep (29" surface size) A

Step 3. Mechanism

**D** electric extended range A

electric standard range A

Step 4. Leg Location

Step 6. Leg/Foot Finish

G1

graphite A

1 legs outbound (no surface mounted storage) A


Prices for Steps 1-4.	
	1
DV7GT. 24 D	\$2106
E	\$1933
30 D	\$2041
E	\$1868

Step 5. Switch Option	
STS simple up/down touch switch A	+\$o
SMT no switch - LO100 A	+\$o
<b>SUD</b> simple up down - paddle switch A	+\$50
<b>SRM</b> digital read out with memory A	+\$160

Smoo	th Paint	
8Q	folkstone grey A	+\$0
91	white A	<b>+\$</b> o
98	studio white A	<b>+\$</b> o
CL	cool grey neutral A	<b>+\$</b> o
WL	sandstone A	<b>+\$</b> o
WN	warm grey neutral A	+\$0
Metal	llic Paint	
CN	metallic champagne 🛕	+\$0
EH	metallic bronze A	<b>+</b> \$o
MS	metallic silver A	+\$0
Sand	Texture Paint	
BK	black 🗚	. 4 -

+\$o






#### Description

This cable manager is specifically designed to work with Renew™ Link. It seamlessly routes cables from the central trough up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.

#### Dimensions



## Specification Information

Step 1.


#### DU11

#### Step 2. Attachment

**B.** high density trough attachement

Prices for Steps 1-2.	
DU11B.	\$201

Step 3. Finish
Price Category 5 A +\$0



#### Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is UL listed.

#### Notes

Cable clips for cord management are intended for a 1-time installation. Clamp versions can be reoriented in the field by a technician.


A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

USB ports provide 10-watt power to charge most devices and tablets at full speed.


Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black.

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

#### Dimensions




Surface Clamp



Grommet Mount

#### Specification Information Step 1. **Y1414.** A Step 2. Configuration K 2 simplex receptacles A Step 3. Cord/Conduit Length 03 3' cord/conduit A 6' cord/conduit A 06 10 10' cord/conduit A Step 4. Attachment grommet mount A G S surface clamp A Prices for Steps 1-4. S G Y1414. J 03 \$351 351 06 \$351 351 10 \$361 361 K 03 \$196 196 06 \$196 196 10 \$206 206 Step 5. Finish BK black 🗚 +\$o 91 white [A] +\$o 98 studio white A +\$o G1 graphite [A] +\$o




#### Description

This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

## Notes


This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

#### **Dimensions**





Grommet - Rectangle



## Specification Information

Step 1.

BK

G1

Y1412.

## Step 2. Configuration

black

graphite

- 1 mini rectangle grommet
- 2 mini square grommet

Prices	s for Steps 1-2.	
Y141	2. 1	\$28
	2	\$32
2.		
Step	3. Finish	
Step <b>91</b>	3. Finish white	+\$0


**+**\$0

**+**\$0

MS

metallic silver A

+\$o



#### Product Information

#### Description

This sheet metal trough is a stand-alone cable management tray that mounts to the underside of a work surface to hold and conceal cords and cables. It can be used with a Logic Mini unit for cord storage or used alone with cords routed through the ends of the trough. Trough holds cords in place when open.

#### Notes

Power strip (Y1500.) is intended to be housed inside the trough for additional power access.


Hinged cable trough works best with a Motia® Vista™ height adjustable table (DV6GT.). Can be used on any other work surface that has the clearance for the overall dimensions listed below.

When specifying a 24"D  $\times$  54"W table with legs inbound for under surface storage on both ends (2) option, the hinged cable trough option is not available. It is recommended to use the (Y1200.48N) cable trough, ordered separately.


Order the following products separately:

- Power strip (Y1500.)
- Logic Mini (Y1414., Y1412.)

#### **Dimensions**



#### Specification Information Step 1. **Y1300.** A Step 2. Work Surface Depth for use with 24" deep work surface A 30 for use with 30" deep work surface A Prices for Steps 1-2. Y1300. 24 \$189 30 \$205 Step 3. Finish Smooth Paint **8Q** folkstone grey A **+\$**o 91 white A +\$o 98 studio white A **+\$**o CLcool grey neutral A **+\$**o WL sandstone A +\$o WN warm grey neutral A **+\$**o Sand Texture Paint ВК black A +\$o G1 graphite A **+\$**o Metallic Paint CN metallic champagne A +\$o EΗ metallic bronze A **+**\$0



#### Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

#### Notes

Privacy and modesty panel actual width is 2" less than specified width. Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8'' and require  $2^1/2''$  of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

A-1.51

B - 1.89

C-1.76

D-2.14

E-2.21

F-2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

24-0.88

30-1.07

36-1.26

42-1.45

48 - 1.64

54-1.83

60-2.02

66-2.21

72-2.39

For heights C/D/E/F:

24-1.76

30-2.14

36-2.52

42-2.90

48-3.28

54-3.65


60-4.03

66-4.41 72-4.79

For information on multiple quantities or directional fabrics, contact

COM Department. See Order Information in Appendices.

#### **Dimensions**



# Pari Screen, Height Adjustable Tables continued

Specif	ication Information			В	24	\$524	F24
Step 1.				ь	30	\$524 \$560	524 560
Y1116.					36	\$595	
11110.	A				42	\$631	595 631
Step 2.	Height				48	\$700	700
A	privacy (42" high)				54	\$788	, 00
В	privacy & modesty (42" high/10" bel	ow surface)			60	\$808	_
c	privacy (46" high) A				66	\$870	_
D	privacy & modesty (46" high/10" bel	low surface)			72	\$892	_
E	privacy (53" high) A			С	24	\$492	492
F	privacy & modesty (53" high/10" bel	ow surface)			30	\$528	528
	, , , , , , , , , , , , , , , , , , , ,	,			36	\$564	564
Step 3.	Width				42	\$599	599
24	24" wide A				48	\$661	661
30	30" wide A				54	\$727	_
36	36" wide A				60	\$811	_
42	42" wide A				66	\$850	_
48	48" wide A				72	\$885	_
54	54" wide A			D	24	\$633	633
60	60" wide A				30	\$668	668
66	66" wide A				36	\$703	703
72	72" wide 🛕				42	\$739	739
					48	\$794	794
Step 4.	Surface Material				54	\$834	_
					60	\$883	_
For 24"	wide (24), 30" wide (30), 36" wide (3	36), 42" wide (42), or 4	i8"		66	\$928	_
wide (4	(8)				72	\$951	_
R	tackable fabric, horizontal 🗚			Е	24	\$648	648
Т	tackable fabric A				30	\$684	684
					36	\$719	719
For 54"	wide (54), 60" wide (60), 66" wide (6	66), or 72" wide (72)			42	\$776	776
R	tackable fabric, horizontal 🛕				48	\$798	798
					54	\$844	_
Prices f	or Steps 1-4.				60	\$860	_
		R	T		66	\$882	_
Y1116.	A 24	\$433	433		72	\$902	_
	30	\$503	503	F	24	\$713	713
	36	\$523	523		30	\$749	749
	42	\$554	554		36	\$785	785
	48	\$574	574		42	\$821	821
	54	\$631	_		48	\$884	884
	60	\$678	_		54	\$915	_
	66	\$725	_		60	\$948	_
	72	\$764	_		66	\$1026	_
					72	\$1046	_

Price Category E A


Step 5	5. Cable Trough	
For pr	ivacy & modesty (42" high/10" below surfa	ce) (B), privacy &
mode.	sty (46" high/10" below surface) (D), or priv	acy & modesty (53"
high/1	no" below surface) (F)	
NC	no cable way 🛕	<b>+</b> \$o
CW	cable way 🛕	+\$25
Step 6	6. Fabric	
Price (	Category 1 A	+\$0
Price (	Category 2 A	+\$19
Price (	Category 3 A	+\$41
Price (	Category 4 A	+\$80

+\$152

353

+\$44

\$353



## Product Information

#### Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

#### Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to  $1^{1}/_{4}$ " thick.

Bottom of attachment bracket extends  $1^{1}/_{2}$ " below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13-0.94


For horizontal fabric direction (R):

 ${\sf Height-Yardage}$ 

13-1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

### Dimensions



## Specification Information

Step 1.

**Y1117.** A

Step 2. Height

Y1117. 13

Price Category 4 A

13" high A


Step 3. Surface Material

**R** tackable fabric, horizontal A

**T** tackable fabric A

Prices for Steps 1-3.	
	R

Step 4. Fabric	
Price Category 1 A	<b>+</b> \$o
Price Category 2 A	+\$11
Price Category 3 A	+\$23



#### Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

#### Notes

Privacy and modesty panel actual width is 2" less than specified width. Privacy screen (A) top edge is 13" above top of work surface; bottom edge is  $3^3/_4$ " below work surface.

Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require  $2^{1}/2$ " of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

A-1.51

B-1.89

C - 1.76

D-2.14

E-2.21

- ----

F - 2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

24-0.88

30-1.07

36-1.26

42-1.45

48-1.64

54-1.83

60-2.02

66 - 2.21

72-2.39

For heights C/D/E/F:

24-1.76

30-2.14

36-2.52

42-2.90

48-3.28

54-3.65


60-4.03

66 - 4.41

72-4.79

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

#### **Dimensions**



# Surface-Attached Screen, Flat Edge continued

	fication Information			В	24	\$374	374
Step 1.					30	\$404	40
1118.	. A				36	\$433	43
					42	\$463	46
Step 2.	. Height				48	\$488	48
A	privacy (42" high) 🗚				54	\$513	-
3	privacy & modesty (42" high/ 9" below	surface) 🗚			60	\$566	-
-	privacy (46" high) 🗚				66	\$581	-
)	privacy & modesty (46" high/ 9" below	surface) 🗚		•••••	72	\$625	
	privacy (53" high) 🗚			C	24	\$375	37
	privacy & modesty (53" high/ 9" below	surface) 🗚			30	\$413	41
					36	\$446	44
Step 3.	. Width				42	\$490	49
24	24" wide A				48	\$550	55
0	30" wide A				54	\$579	-
86	36" wide 🛕				60	\$648	
12	42" wide 🛕				66	\$682	-
18	48" wide 🛕				72	\$731	
4	54" wide 🛕			D	24	\$473	47
0	60" wide 🛕				30	\$528	52
					36	\$589	58
6	66" wide 🛕						) (
	66" wide A 72" wide A				42	\$602	
							60
2					42	\$602	60
72	72" wide A				42 48	\$602 \$627	60
<b>72</b> Step 4.	72" wide A	42" wide (42), or 4	48"		42 48 54	\$602 \$627 \$643	60 62 -
7 <b>2</b> Step 4.	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36),	42" wide (42), or 4	48"		42 48 54 60	\$602 \$627 \$643 \$712	60
7 <b>2</b> Step 4. For 24' vide (4	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36),	42" wide (42), or 4	48"	E	42 48 54 60 66	\$602 \$627 \$643 \$712 \$773	60 62 - - -
72 Gtep 4. For 24' wide (4	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)	42" wide (42), or 4	48"	E	42 48 54 60 66 72	\$602 \$627 \$643 \$712 \$773 \$803	60
72 Step 4. For 24' vide (4	72" wide A  Surface Material  " wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A	42" wide (42), or <u>4</u>	48"	E	42 48 54 60 66 72	\$602 \$627 \$643 \$712 \$773 \$803	60 62 - - - - 51 52
72 Step 4. For 24' wide (4	72" wide A  Surface Material  " wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A		48"	E	42 48 54 60 66 72 24	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520	60 62 - - - - - 51
or 24'  for 54'	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A tackable fabric A		48"	E	42 48 54 60 66 72 24 30 36	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534	60 62 - - - - 51 52 53
72 Step 4. For 24' Wide (2	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A tackable fabric A  "wide (54), 60" wide (60), 66" wide (66),		48"	E	42 48 54 60 66 72 24 30 36 42	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534	60 62 - - - 51 52 53 62
otep 4.  For 24'  vide (2	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A tackable fabric A  "wide (54), 60" wide (60), 66" wide (66),		48"	E	42 48 54 60 66 72 24 30 36 42	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629	60 62 - - - 5 5 52 53 62
72 For 24' wide (2 R	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A  tackable fabric A  "wide (54), 60" wide (60), 66" wide (66), tackable fabric, horizontal A		ή8"	E	42 48 54 60 66 72 24 30 36 42 48 54	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667	60 62 - - - 5 5 52 53 62
Tor 24'  For 54'  Prices	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A  tackable fabric A  "wide (54), 60" wide (60), 66" wide (66), tackable fabric, horizontal A	or 72" wide (72)		E	42 48 54 60 66 72 24 30 36 42 48 54 60	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667	60 62 - - - 5 5 52 53 62
For 24' For 54' R	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A tackable fabric A  "wide (54), 60" wide (60), 66" wide (66), 1 tackable fabric, horizontal A  for Steps 1-4.	or 72" wide (72) R		E	42 48 54 60 66 72 24 30 36 42 48 54 60 66	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697	600 622   53 522 533 622 655 
For 24' For 54' R	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A tackable fabric A  "wide (54), 60" wide (60), 66" wide (66), tackable fabric, horizontal A  for Steps 1-4.	or 72" wide (72)  R \$300			42 48 54 60 66 72 24 30 36 42 48 54 60 66 72	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809	60 62 - - - 5 5 5 5 62 65 - - -
For 24' For 54' R	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A  tackable fabric A  "wide (54), 60" wide (60), 66" wide (66), tackable fabric, horizontal A  for Steps 1-4.  A 24  30	or 72" wide (72)  R  \$300 \$325	T 300 325		42 48 54 60 66 72 24 30 36 42 48 54 60 66 72 24	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809	60 62 - - - 5 5 5 5 5 62 65 - - - - - - - - - - - - - - - - - -
For 24' For 54' R	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A  tackable fabric A  "wide (54), 60" wide (60), 66" wide (66), tackable fabric, horizontal A  for Steps 1-4.  A 24  30  36	or 72" wide (72)  R  \$300 \$325 \$388 \$417	T 300 325 388 417		42 48 54 60 66 72 24 30 36 42 48 54 60 66 72 24 30	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809 \$622 \$622	60 62 5 5 5 5 62 65 62 62 64
For 24' For 54'  Prices	72" wide A  Surface Material  wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A  tackable fabric A  wide (54), 60" wide (60), 66" wide (66), tackable fabric, horizontal A  for Steps 1-4.  A 24  30  36  42	or 72" wide (72)  R  \$300 \$325 \$388 \$417 \$447	T 300 325 388		42 48 54 60 66 72 24 30 36 42 48 54 60 66 72 24 30 36 42 48 54 60 66 72	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809 \$622 \$629 \$640 \$650	60 62 51 52 53 62 65 62 64 65
For 24' For 54'  Prices	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A tackable fabric A  "wide (54), 60" wide (60), 66" wide (66), 1 tackable fabric, horizontal A  for Steps 1-4.  A 24 30 36 42 48	or 72" wide (72)  R  \$300 \$325 \$388 \$417 \$447 \$447	T 300 325 388 417 447		42 48 54 60 66 72 24 30 36 42 48 54 60 66 72 24 30 36 42 48 54 60 66 67 42 48 54 60 66 66 72 48 48 54 66 66 66 72 48 54 66 66 66 66 66 72 48 66 66 66 66 66 66 66 66 66 6	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809 \$622 \$629 \$640 \$650 \$650	60 62 - - - 55 52 53 62 65 - - - - - - - - - - - - - - - - - -
For 24' For 54' R Prices	72" wide A  Surface Material  wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A tackable fabric A  wide (54), 60" wide (60), 66" wide (66), tackable fabric, horizontal A  for Steps 1-4.  A 24 30 36 42 48 54 60	or 72" wide (72)  R  \$300 \$325 \$388 \$417 \$447 \$447 \$515	T 300 325 388 417 447		42 48 54 60 66 72 24 30 36 42 48 54 60 66 72 24 30 36 42	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809 \$622 \$622 \$629 \$640 \$650 \$650 \$650 \$650	60 62 - - - 5 5 52 53 62
For 24' wide (2  R  For 54'  R	72" wide A  Surface Material  "wide (24), 30" wide (30), 36" wide (36), 48)  tackable fabric, horizontal A tackable fabric A  "wide (54), 60" wide (60), 66" wide (66), 140 tackable fabric, horizontal A  for Steps 1-4.  A 24 30 36 42 48 54	or 72" wide (72)  R  \$300 \$325 \$388 \$417 \$447 \$447	T 300 325 388 417 447		42 48 54 60 66 72 24 30 36 42 48 54 60 66 72 24 30 36 42 48 54 60 66 42 48 54 60 66 72 24 30 30 36 42 48 54 60 60 60 60 60 60 60 60 60 60	\$602 \$627 \$643 \$712 \$773 \$803 \$511 \$520 \$534 \$629 \$650 \$667 \$697 \$760 \$809 \$622 \$629 \$640 \$650 \$650	60 62 - - - 53 52 53 62 65 - - - - - - - - - - - - - - - - - -


# Surface-Attached Screen, Flat Edge continued

Step 5. Cable Trough

For privacy & modesty (42" high/9" below surface) (	(B), privacy &
modesty (46" high/9" below surface) (D), or privacy	& modesty (53"
high/9" below surface) (F)	
NC no cable way A	+\$o
<b>CW</b> cable way A	+\$25
Step 6. Fabric	
Price Category 1 A	+\$o
Price Category 2 A	+\$21
Price Category 3 A	+\$49
Price Category 4 A	+\$93
Price Category E A	+\$152
For tackable fabric, horizontal (R)	
Price Category 1 A	+\$o
Price Category 2 A	+\$21
Price Category 3 A	
Price Category 4 A	+\$93

## Laminate Screen, Surface Attached

Y1120.



## Product Information

#### Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

#### Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 111/8" below work surface.


Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite. Attachment brackets are inset from edge of screen by approximately 8" and require  $2^{1}/2$ " of work surface for attachment.

Attachment bracket finish is painted graphite.

#### Dimensions



## Specification Information

#### Step 1.

#### Y1120.

#### Step 2. Height

**13A** privacy  $(13^{1}/2^{\prime\prime})$  above worksurface)

**13B** privacy & modesty (13<sup>1</sup>/<sub>2</sub>" above worksurface/11<sup>1</sup>/<sub>8</sub>" below worksurface)

Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
54	54" wide			
60	6o" wide			
66	66" wide			
72	72" wide			

## Step 4. Surface Material

**L** laminate

**U** laminate/universal edge

Y1120. 13A 24       \$184         30       \$194         36       \$204         42       \$214         48       \$225         54       \$234         60       \$242         66       \$250         72       \$260         13B 24       \$227         30       \$239         36       \$251         42       \$264         48       \$276         54       \$288         60       \$299         66       \$309	
30 \$194 36 \$204 42 \$214 48 \$225 54 \$234 60 \$242 66 \$250 72 \$260  13B 24 \$227 30 \$239 36 \$251 42 \$264 48 \$276 54 \$288 60 \$299	U
36       \$204         42       \$214         48       \$225         54       \$234         60       \$242         66       \$250         72       \$260         13B 24       \$227         30       \$239         36       \$251         42       \$264         48       \$276         54       \$288         60       \$299	184
42 \$214 48 \$225 54 \$234 60 \$242 66 \$250 72 \$260 13B 24 \$227 30 \$239 36 \$251 42 \$264 48 \$276 54 \$288 60 \$299	194
48 \$225 54 \$234 60 \$242 66 \$250 72 \$260 13B 24 \$227 30 \$239 36 \$251 42 \$264 48 \$276 54 \$288 60 \$299	204
54       \$234         60       \$242         66       \$250         72       \$260         13B 24       \$227         30       \$239         36       \$251         42       \$264         48       \$276         54       \$288         60       \$299	214
60       \$242         66       \$250         72       \$260         13B 24       \$227         30       \$239         36       \$251         42       \$264         48       \$276         54       \$288         60       \$299	225
66       \$250         72       \$260         13B 24       \$227         30       \$239         36       \$251         42       \$264         48       \$276         54       \$288         60       \$299	234
72 \$260  13B 24 \$227  30 \$239  36 \$251  42 \$264  48 \$276  54 \$288  60 \$299	242
13B 24       \$227         30       \$239         36       \$251         42       \$264         48       \$276         54       \$288         60       \$299	250
\$239 36 \$251 42 \$264 48 \$276 54 \$288 60 \$299	260
36       \$251         42       \$264         48       \$276         54       \$288         60       \$299	227
42 \$264 48 \$276 54 \$288 60 \$299	239
48 \$276 54 \$288 60 \$299	251
54 \$288 60 \$299	264
60 \$299	276
	288
<b>66</b> \$309	299
	309
<b>72</b> \$319	319

Step	5. Grain Direction	
-		
For 22	4" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 2	48" wide
(48),	54" wide (54), or 60" wide (60)	
VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0
For 66	6" wide (66) or 72" wide (72)	
HRG	horizontal grain	+\$0
Step	6. Cable Trough	
For pi	rivacy (13 <sup>1</sup> / <sub>2</sub> " above worksurface) (13A)	
NC	no cable way	+\$0
For pi	rivacy & modesty (131/2" above worksurface/111/8" below	
works	surface) (13B)	
NC	no cable way	+\$0
CW	cable way	+\$25


Step 7.	Surface Finish	
76	light brown walnut	+\$0
3Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
НM	natural maple	+\$0
ΗP	light anigre	+\$0
НΧ	aged cherry	+\$0
ΗY	walnut on cherry	+\$0
LA.	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
_BF	neutral twill	+\$0
LBG	sarum twill	+\$0
_BH	earthen twill	+\$0
_BJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
.BQ	white twill	+\$0
LU	soft white	+\$0
<b>N</b> L	sandstone	+\$0
٧N	warm grey neutral	+\$0

# Laminate Screen, Surface Attached continued

For las	ninate (L)	
76	light brown walnut	+\$
BQ	folkstone grey	+\$
91	white	+\$
98	studio white	+\$
BU	black umber	+\$
CL	cool grey neutral	+\$
HF	inner tone light	+\$
нм	natural maple	+\$
HP	light anigre	+\$
нх	aged cherry	+\$
HY	walnut on cherry	+4
.A	light ash	+4
LBA	clear on ash	+4
LBR	phantom ecru	+9
.BS	phantom cocoa	+9
.BU	medium matte walnut	+9
.BV	warm grey teak	+9
.BB	oak on ash	+9
LBC	walnut on ash	+9
.BD	dark brown walnut	+9
.BF	neutral twill	+9
.BG	sarum twill	+9
.BU	earthen twill	+9
.BJ	graphite twill	+9
LBK	pewter mesh	+9
LBL	steel mesh	+9
LBM	crisp linen	+9
.BN	classic linen	+9
.BP	casual linen	+9
.BO	white twill	+9
LU	soft white	+9
MT	medium tone	+9
NL.	sandstone	+\$
WN	warm grey neutral	+\$
For lar	ninate/universal edge (U)	

## Vista Privacy + Modesty Screen - Y: Double Sided, Height Adjustable Table





#### Product Information

#### Description

This sheet metal privacy + modesty screen attaches to a Motia® Vista™ height adjustable table. The screen wraps around both ends of the work surface. Attachment hardware included.

#### Notes


Actual screen width is 2" less than specified width.

Privacy top edge is 7" above top of work surface at a 36" datum height. Bottom edge of screen is 15" below top of work surface.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

There is not enough clearance for an open frame screen (FG<sub>345</sub>.) to be mounted above the work surface.

#### **Dimensions**



#### Specification Information

Step 1.

**Y1130.** A

Step 2. Height

A36 36" high/15" below work surface A

## Step 3. Depth

24 24" deep A

**30** 30" deep A

#### Step 4. Width

72

**48** 48" wide A

**54** 54" wide A

**60** 60" wide A

**66** 66" wide A

Prices for Stens 1-4

72" wide 🛕

riices ioi Steps 1-4.					
	48	54	60	66	72
Y1130. A36 24	\$721	751	781	817	864
30	\$754	784	814	856	897

## Step 5. Screen Finish


Smoo	th Paint	
8Q	folkstone grey A	+\$0
91	white A	<b>+\$</b> o
98	studio white A	<b>+</b> \$o
CL	cool grey neutral A	<b>+\$</b> o
WL	sandstone A	<b>+\$</b> o
WN	warm grey neutral A	<b>+</b> \$o

Metal	llic Paint	_
CN	metallic champagne 🛽 🗚	+\$0
EH	metallic bronze A	+\$0
MS	metallic silver A	+\$0

Sand	Texture Paint	
BK	black 🗚	+\$0
G1	graphite 🖪	+\$0

## Vista Modesty Screen - Double Sided, Height Adjustable Table

Y1131.



## Product Information

#### Description

This sheet metal modesty screen attaches to a Motia® Vista™ height adjustable table. The screen wraps around both ends of the work surface. Attachment hardware included.

#### Notes


Actual screen width is 2" less than specified width.

Bottom edge of screen is 15" below top of work surface.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

There is enough clearance for an open frame screen (FG $_{345}$ .) to be mounted above the work surface. Order separately.

#### **Dimensions**



## Specification Information

Α

Step 1.

**Y1131.** A

Step 2.	Depth
24	24" deep

**30** 30" deep A

#### Step 3. Width

**48** 48" wide A


**54** 54" wide A

**60** 60" wide A

66 66" wide A72" wide A

Prices for Steps 1-3.					
	48	54	60	66	72
Y1131. 24	\$587	600	613	669	724
30	\$607	620	633	689	744

Step	4. Screen Finish	
Smoo	th Paint	
8Q	folkstone grey A	<b>+\$</b> 0
91	white A	<b>+\$</b> o
98	studio white A	<b>+\$</b> o
CL	cool grey neutral A	<b>+\$</b> o
WL	sandstone A	<b>+\$</b> o
WN	warm grey neutral A	<b>+</b> \$o
Metal	lic Paint	
CN	metallic champagne 🛕	+\$0
EH	metallic bronze A	<b>+</b> \$o
MS	metallic silver A	<b>+\$</b> o
Sand	Texture Paint	
BK	black 🗚	+\$0
G1	graphite A	+\$0



#### Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

#### Notes

Screen height is  $13^{1/2}$ " or  $17^{1/2}$ " above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines. Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

42-1.19

46-1.45

For horizontal fabric direction (R):

Width-Yardage


24-0.90

30-1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

#### Dimensions



## Specification Information

Step 1.

FT354. A

## Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed A

**CR** Canvas Surface Attached, End of Run Right Handed A

## Step 3. Height

**42** 42" high A

**46** 46" high A

## Step 4. Width

**24** 24" wide A

**30** 30" wide A

**36** 36" wide A

## Step 5. Surface Material


**R** tackable fabric, horizontal A

T tackable fabric A

Prices for Steps 1-5.						
	24R	24T	30R	30T	36R	36T
FT354. CL 42	\$849	849	879	879	904	904
46	\$894	894	930	930	965	965
CR 42	\$849	849	879	879	904	904
46	\$894	894	930	930	965	965

Step 6	s. Bracket Finish	
8Q	folkstone grey A	<b>+</b> \$o
91	white A	<b>+\$</b> o
98	studio white A	<b>+\$</b> 0
BK	black A	<b>+\$</b> 0
G1	graphite A	<b>+\$</b> o
WL	sandstone A	<b>+\$</b> o
WN	warm grey neutral A	+\$0

+\$0
+\$17
+\$40



#### Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

#### Notes

Screen height is  $13^{1/2}$ " or  $17^{1/2}$ " above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines. Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

42-1.19

46-1.45

For horizontal fabric direction (R):

Width-Yardage


24-0.90

30-1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

#### Dimensions



## Specification Information

Step 1.

FT358.

Step 2. Attachment Type

**CL** Canvas Surface Attached, End of Run Left Handed

**CR** Canvas Surface Attached, End of Run Right Handed

Step 3. Height

**42** 42" high

**46** 46" high

Step 4. Width

24" wide

**30** 30" wide

**36**" wide

Step 5. Surface Material


**R** tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.						
	24R	24T	30R	30T	36R	36T
FT358. CL 42	\$526	526	556	556	566	566
46	\$571	571	606	606	627	627
CR 42	\$526	526	556	556	566	566
46	\$571	571	606	606	627	627

Step	6. Bracket Finish	
8Q	folkstone grey	<b>+</b> \$o
91	white	<b>+\$</b> o
98	studio white	<b>+\$</b> o
BK	black	<b>+\$</b> o
G1	graphite	<b>+\$</b> o
WL	sandstone	<b>+\$</b> o
WN	warm grey neutral	+\$o

Step 7. Fabric	
Price Category 1	+\$o
Price Category 2	+\$17
Price Category 3	+\$40
Price Category 4	+\$70
Price Category E	+\$169



#### Description

This suspended cubby mounts to the underside of a tethered, fixed-height or height-adjustable work surface. It has laminate or veneer case and laminate or veneer fronts. Lock is optional. Felt liner included.

## Notes


To use the suspended cubby, surface support positions must be inbound.

Suspended cubby is handed, determined from user viewpoint while facing the surface.

When mounting suspended cubby below a height-adjustable table surface, the minimum height of table must be set at a height higher than the components below it.

See planning guide for more information.

#### Dimensions



6	-16 - 11 - 1 - 5 11 11	
Step	ecification Information	
,	CF. A	
Step	2. Type	
L	left hand A	+\$1025
R	right hand A	+\$1025
Step	3. Case Material	
L	laminate case material A	+\$0
٧	veneer case material A	+\$1100
Step	4. Front Material	
L	laminate front material A	+\$0
٧	veneer front material A	+\$275
Step	5. Pull Type	
Α	arc pull	+\$0
K	bar pull	+\$0
Step	6. Lock	
L	lock A	+\$0


no lock 🛕

-\$25

Step 7	. Case Finish		Step 8	3. Front Finish	
For lan	ninate case material (L)		For la	minate front material (L)	
76	light brown walnut 🛕	+\$0	76	light brown walnut 🛕	+\$0
8Q	folkstone grey A	+\$o	8Q	folkstone grey A	+\$0
91	white A	+\$o	91	white A	+\$0
98	studio white A	+\$o	98	studio white A	+\$0
CL	cool grey neutral A	+\$o	CL	cool grey neutral A	+\$0
G1	graphite A	+\$o	G1	graphite A	+\$0
нм	natural maple A	+\$o	нм	natural maple A	+\$0
HP	light anigre A	<b>+\$</b> 0	HP	light anigre A	+\$0
НХ	aged cherry A	+\$o	нх	aged cherry A	+\$0
HY	walnut on cherry A	+\$o	HY	walnut on cherry A	+\$0
LA	light ash 🛕	+\$o	LA	light ash 🛕	+\$0
LBA	clear on ash A	<b>+</b> \$o	LBA	clear on ash 🛕	+\$0
LBB	oak on ash 🛕	<b>+</b> \$o	LBB	oak on ash 🛕	+\$0
LBC	walnut on ash A	+\$0	LBC	walnut on ash 🛕	+\$0
LBD	dark brown walnut 🛕	+\$0	LBD	dark brown walnut 🛕	+\$0
LBF	neutral twill A	+\$o	LBF	neutral twill 🛕	+\$0
LBG	sarum twill 🗚	+\$o	LBG	sarum twill 🖪	+\$0
LBH	earthen twill 🛕	+\$o	LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$o	LBJ	graphite twill 🛕	+\$0
LBK	pewter mesh A	+\$o	LBK	pewter mesh 🛕	+\$0
LBL	steel mesh A	+\$o	LBL	steel mesh 🛕	+\$0
LBM	crisp linen 🖪	+\$o	LBM	crisp linen 🛕	+\$0
LBN	classic linen A	+\$o	LBN	classic linen 🖪	+\$0
LBP	casual linen A	+\$o	LBP	casual linen 🖪	+\$0
LBQ	white twill A	+\$o	LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$o	LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$o	LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$o	LBU	medium matte walnut 🗚	+\$0
LBV	warm grey teak 🗚	+\$o	LBV	warm grey teak 🛕	+\$0
LU	soft white A	+\$o	LU	soft white A	+\$0
WL	sandstone A	+\$o	WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0	WN	warm grey neutral A	+\$0
For ver	neer case material (V)		For ve	neer front material (V)	
2U	light brown walnut [A]	+\$0	2U	light brown walnut 🗚	+\$0
40	dark brown walnut A	+\$0	40	dark brown walnut A	+\$0
ED	aged cherry A	+\$0	ED	aged cherry A	+\$0
EK	medium red walnut A	+\$0	EK	medium red walnut A	+\$0
ET	clear on ash A	+\$0	ET	clear on ash A	+\$0
EU	oak on ash 🛕	+\$0	EU	oak on ash 🛕	+\$0
EV	walnut on ash A	+\$0	EV	walnut on ash 🛕	+\$0
EW	medium matte walnut A	+\$0	EW	medium matte walnut A	+\$0
UL	natural maple A	+\$0	UL	natural maple A	+\$0
UX	walnut on cherry A	+\$0	UX	walnut on cherry A	+\$0

+\$c +\$c +\$c
+\$c +\$c +\$c +\$c +\$c
+\$c +\$c +\$c +\$c +\$c
+\$0 +\$0 +\$0
+\$c +\$c +\$c +\$c
+\$0 +\$0 +\$0
+\$0 +\$0 +\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$15
+\$15
+\$15
+\$15
+\$1 <u>5</u> +\$1 <u>5</u>
+\$15

-\$25



## Product Information

#### Description

This suspended drawer mounts to the underside of a tethered, fixed-height or height-adjustable work surface. It has laminate or veneer case and laminate or veneer fronts. Lock is optional. Felt liner included.

#### Notes


To use the suspended drawer, surface support positions must be inbound.

Suspended drawer is handed, determined from user viewpoint while facing the surface.

When mounting suspended drawer below a height-adjustable table surface, the minimum height of table must be set at a height higher than the components below it.

See planning guide for more information.

#### Dimensions




Spe	cification Information	
Step	1.	
L2SE	OF. A	
Step	2. Type	
L	left hand A	+\$790
R	right hand A	+\$790
Step	3. Case Material	
L	laminate case material A	+\$o
٧	veneer case material A	+\$850
Step	4. Front Material	
L	laminate front material A	+\$o
٧	veneer front material A	+\$200
Step	5. Pull Type	
Α	arc pull	+\$o
K	bar pull	+\$0
Step	6. Lock	
L	lock A	+\$o

no lock 🛕

Step 7	. Case Finish		Step 8	3. Front Finish	
or lar	ninate case material (L)		For lar	minate front material (L)	
<b>'</b> 6	light brown walnut 🛕	+\$o	76	light brown walnut 🛕	+\$
3Q	folkstone grey A	+\$o	8Q	folkstone grey A	+\$
)1	white A	+\$o	91	white A	+\$
8	studio white A	+\$o	98	studio white A	+\$
L	cool grey neutral A	+\$o	CL	cool grey neutral A	+\$
61	graphite A	<b>+</b> \$o	G1	graphite A	+\$
IM	natural maple A	<b>+</b> \$o	нм	natural maple A	+\$
łΡ	light anigre A	+\$o	HP	light anigre A	+\$
ΙX	aged cherry A	+\$o	нх	aged cherry A	+\$
łΥ	walnut on cherry A	+\$o	HY	walnut on cherry A	+\$
Α.	light ash A	+\$o	LA	light ash 🛕	+\$
.BA	clear on ash A	+\$o	LBA	clear on ash A	+\$
.BB	oak on ash 🛕	+\$o	LBB	oak on ash 🛕	+\$
.BC	walnut on ash A	+\$o	LBC	walnut on ash A	+\$
.BD	dark brown walnut 🛕	+\$o	LBD	dark brown walnut 🛕	+\$
.BF	neutral twill 🖪	<b>+</b> \$o	LBF	neutral twill 🖪	+\$
.BG	sarum twill 🗚	<b>+</b> \$o	LBG	sarum twill A	+\$
.BH	earthen twill A	<b>+</b> \$o	LBH	earthen twill A	+\$
.BJ	graphite twill A	<b>+</b> \$o	LBJ	graphite twill [A]	+\$
.BK	pewter mesh A	<b>+</b> \$o	LBK	pewter mesh A	+\$
.BL	steel mesh 🗚	<b>+</b> \$o	LBL	steel mesh A	+\$
.BM	crisp linen A	<b>+</b> \$o	LBM	crisp linen 🖪	+\$
.BN	classic linen A	<b>+</b> \$o	LBN	classic linen A	+\$
.BP	casual linen 🖪	+\$o	LBP	casual linen 🖪	+\$
.BQ	white twill A	+\$0	LBQ	white twill A	+\$
.BR	phantom ecru A	+\$0	LBR	phantom ecru A	+\$
.BS	phantom cocoa A	+\$0	LBS	phantom cocoa A	+\$
.BU	medium matte walnut [A]	<b>+</b> \$o	LBU	medium matte walnut A	+\$
.BV	warm grey teak A	+\$0	LBV	warm grey teak A	+\$
.U	soft white A	+\$0	LU	soft white A	+\$
۷L	sandstone A	+\$0	WL	sandstone A	+\$
VN	warm grey neutral A	+\$0	WN	warm grey neutral A	+\$
or ve	neer case material (V)		For ve	neer front material (V)	
2U	light brown walnut 🛕	+\$0	2U	light brown walnut A	+\$
10	dark brown walnut [A]	<b>+</b> \$0	40	dark brown walnut 🖪	+\$
D	aged cherry A	<b>+</b> \$o	ED	aged cherry A	+\$
K	medium red walnut A	+\$0	EK	medium red walnut A	+\$
Т	clear on ash 🛕	<b>+</b> \$o	ET	clear on ash 🛕	+\$
U	oak on ash 🛕	<b>+</b> \$o	EU	oak on ash 🛕	+\$
V	walnut on ash A	+\$0	EV	walnut on ash	+\$
W	medium matte walnut [A]	<b>+</b> \$o	EW	medium matte walnut 🗚	+\$
JL	natural maple A	+\$0	UL	natural maple A	+\$
JX	walnut on cherry A	+\$0	UX	walnut on cherry A	+\$

Step	9. Pull Finish	
For ar	rc pull (A)	
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smoo	oth Paint	
For bo	ar pull (K)	
8Q	folkstone grey A	+\$c
91	white A	+\$0
98	studio white A	+\$0
G1	graphite A	+\$0
WL	sandstone A	+\$0
Metal	llic Paint	
For bo	ar pull (K)	
CN	metallic champagne 🛕	+\$c
MS	metallic silver A	+\$0
Sand	Texture Paint	
For bo	ar pull (K)	
79	green apple 🛕	+\$15
BK	black A	+\$15
MY3	yellow oxide A	+\$15
RO	red A	+\$15
TRQ	turquoise A	+\$15
Step :	10. Lock Option	
For lo	ock (L)	
KA	keyed alike	-\$10
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0



#### Description

This stiffener is used to add additional stiffness to a Canvas freestanding surface, Canvas or Ethospace® surface-attached surface, peninsula or any frame-attached surface when a center cantilever cannot be used. Attachment hardware included.


#### Notes

Canvas and Ethospace laminate or veneer surfaces 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever require stiffener(s).

See Canvas Office Landscape® Planning Guide or Ethospace Work Surface Planning Guide for specific stiffener guidelines.

Stiffener hangs below surface and is  $1^{1}/_{4}$ " high.

## Dimensions





## Specification Information

Step 1.

FV696.

Step	Step 2. Width					
34	33 <sup>7</sup> / <sub>8</sub> " wide					
39	38 <sup>5</sup> / <sub>8</sub> " wide					
43	431/4" wide					
48	48" wide					
57	57³/8" wide					
62	62 <sup>1</sup> / <sub>8</sub> " wide					
67	66³/₄" wide					
71	71¹/₂" wide					
81	80 <sup>7</sup> / <sub>8</sub> " wide					

Prices for Steps 1-2.	
FV696. 34	\$70
39	\$72
43	\$72
48	\$72
57	\$72
62	\$72
67	\$72
71	\$72
81	\$72

Motia® Sit-to-Stand Tables	
C-Foot 3 Leg Base Kit	oage(s) 20
Extended Corner Table with C-Foot	11
External Cable Manager	25
Flat Edge Screen, Delineation	44
Height Adjustable Base Kit with C-Foot	22
Height Adjustable Base Kit with T-Foot	19
Hinged Cable Trough	29
Laminate Screen, Surface Attached	37
Logic Mini	26
Logic Mini Grommet	28
Motia® Vista™ Adjustable Base Kit with T-Foot	23
Motia® Vista™ Rectangular Table with T-Foot	14
Pari Screen, Delineation	42
Pari Screen, Height Adjustable Tables	30
Personal Side Screen	33
Rectangular Table with C-Foot	5
Rectangular Table with T-Foot	8
Stiffener	52
Surface-Attached Screen, Flat Edge	34
Suspended Cubby	46
Suspended Drawer	49
Vista Modesty Screen - Double Sided, Height Adjustable Table	41
Vista Privacy + Modesty Screen - Double Sided, Height Adjusta	ble
Table	40

DU11B.	External Cable Manager	oage(s) 25
DV6ACS	Rectangular Table with C-Foot	5
DV6ATS	Rectangular Table with T-Foot	8
DV6ECS	Extended Corner Table with C-Foot	11
DV6GTS	Motia® Vista™ Rectangular Table with T-Foot	14
DV7AC.	Height Adjustable Base Kit with C-Foot	22
DV7AT.	Height Adjustable Base Kit with T-Foot	19
DV7FC.	C-Foot 3 Leg Base Kit	20
DV7GT.	Motia® Vista™ Adjustable Base Kit with T-Foot	23
FT354.	Pari Screen, Delineation	42
FT358.	Flat Edge Screen, Delineation	44
FV696.	Stiffener	52
L2SCF.	Suspended Cubby	46
L2SDF.	Suspended Drawer	49
Y1116.	Pari Screen, Height Adjustable Tables	30
Y1117.	Personal Side Screen	33
Y1118.	Surface-Attached Screen, Flat Edge	34
Y1120.	Laminate Screen, Surface Attached	37
Y1130.	Vista Privacy + Modesty Screen - Double Sided, Heigh	it
	Adjustable Table	40
Y1131.	Vista Modesty Screen - Double Sided, Height Adjusta	ble
	Table	41
Y1300.	Hinged Cable Trough	29
Y1412.	Logic Mini Grommet	28
Y1414.	Logic Mini	26



# 20-Day or Less/Assigned Lead-Time Order Information

## 20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  $\boxed{\mathbb{A}}$  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  $\boxed{\mathbb{A}}$  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

#### **Ordering Procedure**

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

## **Shipments and Delivery**

Per Herman Miller Terms and Conditions.

#### **Changes and Cancellation**

Per Herman Miller Terms and Conditions.

HermanMiller for Government March 2009



#### **Program Overview**

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

#### **Accessing and Specifying Vary Easy**

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

HermanMiller for Government June 2015



#### Stain-to-Match Program

#### **Program Overview**

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

#### **Ordering Products with Stain-to-Match Veneers**

- Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
- 2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
- 3. If the sample meets the customers approval, sign the reverse side of the sample, scan and email the approval to:
  - options@hermanmiller.com.
- 4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
- 5. A purchase order can then be placed.

#### Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

STA: Stain-to-Match on Recut Ash STB: Stain-to-Match on Beech STC: Stain-to-Match on Cherry STD: Stain-to-Match on Oak

STK: Stain-to-Match on Reltech Anigre (Geiger)

STM: Stain-to-Match on Recut Mahogany

STP: Stain-to-Match on Maple

STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

HermanMiller for Government November 2018



For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2020 Herman Miller, Inc., Zeeland, Michigan

#### **Distribution Rights**

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard — Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi — Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

<sup>®</sup> HermanMiller, <sup>®</sup>, Action Office, Aeron, Aside, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Motia, Pellicle, Perspectives, Plex, PostureFit, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

MireWeave, Bubbletack, Cellular Suspension, Compass, Connect, Cosm, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lino, Lyris 2, Mora, Multiscrim, Nelson, Nevi, Pedastools, Renew, Stackable, Swoop, TriFlex, Twist, Valor, Verus and Vista are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 ${}^{\text{S}}\text{Chemsurf}^{\text{\$}}$  is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles  $\!\!\!^{\scriptscriptstyle{(\!0)}}$  is a registered trademark of Place Textiles.