Migrations® BBT™ and Striations BBT™ with Diamond 10[®] Technology coating - Biobased Tile

created via: toxnot.com

by Armstrong Flooring Inc.

CLASSIFICATION: 09 65 00

PRODUCT DESCRIPTION: INSPIRED BY NATURE AND PVC-FREE MIGRATIONS BBT WAS CAREFULLY CURATED TO COORDINATE WITH STRIATIONS BBT WHICH OFFERS A SOPHISTICATED PALETTE OF ORGANIC TONES.



Section 1: Summary

Basic Method/Product Threshold

Health Product Declaration v2.1.1

CONTENT INVENTORY

Inventory Reporting Format ○ Nested Materials Method • Basic Method	Threshold Level ○ 100 ppm ○ 1,000 ppm	Residuals/Impurities Considered Partially Considered Not Considered Explanation(s) provided for Residuals/Impurities?	All Substances Above the T Characterized % weight and role p	Threshold Indicated Are: O Yes Ex/SC ⊙ Yes ONo provided for all substances
Threshold Disclosed Per ○ Material ● Product	erial O Other		Screened Screened using Prior disclosed	O Yes Ex/SC
		● Yes ○ No	Identified Disclosed by Name identifier SC = Special Conditi	○ Yes Ex/SC ⊙ Yes ○No (Specific or Generic) andon (See Notes)
CONTENT IN DESCENDING ORDER OF QUANTITY Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical			contents: 0	enScreen® BM-4/BM-3 st concern GreenScreen®
substances or any health risk. Refer to Section 2 for further details.			•	ist Translator Score: LT - 1

MATERIAL | SUBSTANCE GREENSCREEN SCORE HAZARD TYPE;

CALCIUM CARBONATE LT-UNK ; RECYCLED LIMESTONE NOGS ; BIOBASED POLYESTER RESIN NOGS ;TITANIUM DIOXIDE LT-1 CAN | END;COLORED **PIGMENTS** NOGS;

Nanomaterial: No contents are characterized as a nanomaterial

INVENTORY AND SCREENING NOTES

Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC Content data is not applicable for this product category. VOC emissions: FloorScore®

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

PREPARER: Self-Prepared SCREENING DATE: Third Party Verified?

PUBLISHED DATE: Not published on the HPDC repository VERIFIER: O Yes VERIFICATION #: EXPIRY DATE: Not published on the HPDC repository O No



Section 2: Content in Descending Order of Quantity

Basic Method/Product Threshold

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold
- Basic Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

MIGRATIONS® BBT™ AND STRIATIONS BBT™ WITH DIAMOND 10® TECHNOLOGY COATING

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Considered

RESIDUAL/IMPURITIES NOTES: Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm.

OTHER PRODUCT NOTES:

CALCIUM CARBONATE (Limestone)

ID: 1317-65-3

%: 75-78 GS: LT-UNK RC: None NANO: UNK ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None Found No warnings found on HPD Priority Lists

SUBSTANCE NOTES:

RECYCLED LIMESTONE

ID: NO RN

%: 10-15 GS: NoGS RC: None NANO: UNK ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None Found No warnings found on HPD Priority Lists

SUBSTANCE NOTES:

BIOBASED POLYESTER RESIN

ID: NO RN

%: 11-14 GS: NoGS RC: None NANO: UNK ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None Found No warnings found on HPD Priority Lists

SUBSTANCE NOTES: Propietary ingredient.

TITANIUM DIOXIDE

ID: 13463-67-7

%: 0.5-1	GS: LT-1	RC: None	NANO: UNK	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIS	T TITLES	WARNINGS	
CAN	CA EPA - Prop 65	i	cancer	

CAN IARC 2B
CAN MAK Carc. 4

CAN US CDC - Occupational Occupational Carcinogen

Carcinogens

END TEDX - Potential Endocrine Potential Endocrine Disruptor

Disruptor

SUBSTANCE NOTES: Titanium dioxide is listed as a hazard in respirable form. Titanium dioxide is not in a respirable form in the final product.

COLORED PIGMENTS ID: NO RN

%: < 0.1 GS: NoGS RC: None NANO: UNK ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None Found No warnings found on HPD Priority Lists

SUBSTANCE NOTES: Pigments vary based on pattern.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS FloorScore®

CERTIFYING PARTY: Third Party ISSUE DATE: September 1 2019

EXPIRY DATE: August 31 2020 CERTIFIER OR LAB: SCS Global Services

APPLICABLE FACILITIES: Jackson MS

CERTIFICATE URL: https://www.armstrongflooring.com/pdbupimages-flr/220314.pdf

CERTIFICATE AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Adhesives Recommended for Installation

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Full-Spread Adhesives: S-525 or S-700

See www.armstrongflooring.com for more information.



Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information Armstrong Flooring expresses no opinion and makes no representations as to the applicability suitability accuracy or completeness of the declaration form or the standards rules classifications warnings or criteria utilized or referenced therein. Information herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongflooring.com as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Flooring website for more information on this product.



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Armstrong Flooring Inc.

ADDRESS:

CONTACT NAME: TechLine
ATITLE: Customer Service

PHONE: 1-888-276-7876
EMAIL: fpotechline@armstrongflooring.com

WEBSITE: www.armstrongflooring.com

1085 Hwy 80 West Jackson Mississippi 39204

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU	Aquatic toxicity	GLO	Global warming	PHY	Physical Hazard (reactive)
CAN	Cancer	MAM	Mammalian/systemic/ organ toxicity	REP	Reproductive toxicity
DEV	Developmental toxicity	MUL	Multiple hazards	RES	Respiratory sensitization
END	Endocrine activity	NEU	Neurotoxicity	SKI	Skin sensitization/ Irritation/corrosivity
EYE	Eye irritation/corrosivity	OZO	Ozone depletion	LAN	Land toxicity
GEN	Gene mutation	PBT	Persistent Bioaccumulative Toxic	NF	Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4	Benchmark-4 (prefer – safer chemical)	LT-P1	List Translator Possible Benchmark 1
BM-3	Benchmark-3 (use but still opportunity for improvement)	LT-1	List Translator Likely Benchmark 1
BM-2	Benchmark-2 (use but search for safer substitutes)	LT-UNK	List Translator Benchmark Unknown (insufficient information
BM-1	Benchmark-1 (avoid – chemical of high concern)		from List Translator lists to benchmark)
BM-U	Benchmark Unspecified (insufficient data to benchmark)	NoGS	Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method/Material Threshold Substances listed within each material per threshold indicated per material Nested Method/Product Threshold Substances listed within each material per threshold indicated per product Basic Method/Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nanoscale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Migrations® BBT™ and Striations BBT™ with Diamond 10® Technology coating - Biobased Tile

HPD 2.1.1 created via Toxnot

Preparer Third party preparer, if not self-prepared by manufacturer **Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator $^{\text{TM}}$, and when available, full GreenScreen $^{\text{RM}}$ assessments. The HPD Open Standard v2.1.1 is not:

- -a method for the assessment of exposure or risk associated with product handling or use,
- -a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.