

USG
Ceiling
Solutions





























































































**SPECIALTY CEILINGS
FINISH SELECTORS**



USG  **CGC**

IT'S YOUR WORLD. BUILD IT.™

METAL FINISHES

USG offers metal ceiling panels in several distinctive finishes: Premium Metal, Anodized Metal—Brushed or Polished, Plated Steel Painted Metal and Wood Tones. These color reproductions are shown to represent available finishes and colors. A sample should be reviewed before placing an order.

| Availability | Premium Metals | Anodized Metals | Plated Steel | Painted Metals | | | | | | Diamondflex™ Expanded Metals | Wood Tones | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Flat White | Silver Satin | Matte White | Metallic Copper | Metallic Gold | Metallic Oyster | | | Custom Color ² |
| USG CELEBRATION™ SNAP-IN METAL PANELS |  |  | - |  |  |  |  |  |  |  | - |  |
| USG CELEBRATION™ TORSION SPRING METAL CEILING PANELS | - |  | - |  |  |  |  |  |  |  | - |  |
| USG CELEBRATION™ CANOPIES | - |  | - |  |  |  |  |  |  |  | - |  |
| USG COMPASSO™ STANDARD USG COMPASSO™ ELITE USG COMPASSO™ SLIM PERIMETER TRIMS | - | - |  |  |  | - | - | - | - |  | - |  |
| USG C ² PAIRED COMPASSO™ CHANNEL ACCENTS | - | - |  |  |  | - | - | - | - |  | - |  |
| USG CURVATURA™ 3-DIMENSIONAL CEILING SYSTEM— 2'X2' PANELS | - | - | - |  |  | - |  |  |  |  |  |  |
| USG CURVATURA™ ONE-DIRECTIONAL SYSTEM—2'X6' PANELS | - | - | - |  |  | - |  |  |  |  | - |  |
| USG GEOMETRIX® 3-DIMENSIONAL METAL PANELS | - | - | - |  |  | - | - | - | - |  | - | - |
| USG GRIDWARE™ OPEN CELL DECORATIVE SUSPENSION SYSTEM ¹ | - | - | - |  |  | - | - | - | - |  | - | - |
| USG LIBRETTO® GRIDLESS METAL SYSTEM | - | - | - |  |  |  | - | - | - |  | - | - |
| USG PANZ® METAL PANELS ² |  |  | - |  |  |  |  |  |  |  |  |  |
| USG PARALINE® LINEAR METAL SYSTEM | - |  | - |  |  | - |  |  |  |  | - | - |
| USG PARALINE® PLUS LINEAR METAL SYSTEM | - |  | - |  |  | - |  |  |  |  | - |  |
| USG PIXELS® WALL & CEILING PANELS | - | - | - |  |  | - | - | - | - |  | - | - |


-  Suspension, trim and panel available in same painted color.
-  Suspension and trim available in coordinating painted colors only.

METAL FINISHES


PREMIUM METALS

2'x2' panels only


Aged Copper (1017)



Etched Ice Dark (1016)



Etched Ice Light (1015)




ANODIZED METALS PANELS³

USG Celebration™ and Panz®, 2'x2' and 2'x4' panels only

Brushed Aluminum (058)



Polished Brass (PM21)



Polished Chrome (PM61)




Satin Chrome (PM614)



PLATED METAL (STEEL)³

USG Compasso™—2-1/4", 4", 6" and 8" trim only

Plated Chrome (066)



Notes

1. Also available in Flat Black.
2. Two-foot maximum panel width for painted metallic finishes.
3. Anodized finish subject to "rainbowing"—multicolor patterns exaggerated by critical lighting.

METAL FINISHES


PAINTED METALS

Metallic finishes shown


Metallic Copper (1690)



Metallic Gold (1691)




Metallic Oyster (1652)




Silver Satin (002)



Flat White (050)



Matte White (3708)



ANODIZED METALS LINEAR SYSTEMS³

USG Paralane® only; PII—
Black Reveal not available
with these finishes

Brushed Aluminum (PIA12)




Polished Aluminum (086)




DIAMONDFLEX™

Expanded Metals 2'x2'
panels only


Louvered Bright White




Louvered Bright Silver



Sheer Bright White



Sheer Bright Silver



Notes

1. Also available in Flat Black.
2. Two-foot maximum panel width for painted metallic finishes.
3. Anodized finish subject to "rainbowing"—multicolor patterns exaggerated by critical lighting.

METAL PERFORATIONS

Presenting a complete line of perforation options for:

- USG Celebration™ Metal Panels
- USG Curvatura™ 3-Dimensional Ceiling System
- USG Geometrix® 3-Dimensional Metal Panels
- USG Panz® Metal Panels


Standard Perforations

| Pattern Number | Perforation Pattern | Open Area % ⁵ |
|------------------------------------|--|--------------------------|
| A062 | Round 1/16" Perforations, 0.25" o.c. (without border) | 5% |
| A062A | Round 1/16" Perforations, 0.25" o.c. | 5% |
| A062D (Micro perf.) | Round 0.062" Perforations, 0.124" o.c. | 19% |
| A116 | Round 15/128" Perforations, 0.354" o.c. | 17% |
| A188 | Round 3/16" Perforations, 1" o.c. | 3% |
| A250 | Round 1/4" Perforations, 0.5" o.c. | 39% |
| A500 ^{1,5} | Round 1/2" Perforations, 0.848" o.c. | 55% |
| B079 | Round 5/64" Perforations, 0.312" o.c. | 6% |
| B125 | Round 1/8" Perforations, 0.375" o.c. | 10% |
| B188A | Round 3/16" Perforations, 0.312" o.c. | 33% |
| B197 | Round 13/64" Perforations, 0.316" o.c. | 35% |
| B250 | Round 1/4" Perforations, 0.437" o.c. | 30% |
| B250H (Formerly H250) ⁵ | Round 1/4" Perforations, 0.32" o.c. | 58% |
| B312 | Round 5/16" Perforations, 0.437" o.c. | 46% |
| B500 ^{1,5} | Round 1/2" Perforations, 0.600" o.c. | 63% |
| C030 ⁶ | Round 1/32" Perforations, 0.197" o.c. | 1.8% |
| C040 | Round 5/128" Perforations, 0.197" o.c. | 3.2% |
| C062 ² | Round 1/16" Perforations, 0.351" o.c. | 2% |
| C062A ² | Round 1/16" Perforations, 0.175" o.c. | 10% |
| C116 | Round 15/128" Perforations, 0.344" o.c. | 8% |
| C188 ¹ | Round 3/16" Perforations, 1.414" o.c. | 1% |
| C250A | Round 1/4" Perforations, 0.65" o.c. | 12% |
| C375 ² | Round 3/8" Perforations, 1.125" o.c. | 9% |
| C500 | Round 1/2" Perforations, 1.5" o.c. | 9% |
| D250 ² | Square 1/4" Perforations, 0.75" o.c. | 11% |
| D375 ² | Square 3/8" Perforations, 1.125" o.c. | 11% |
| D500 | Square 1/2" Perforations, 1.5" o.c. | 17% |
| D500D ⁵ | Square 1/2" Perforations, 0.595" o.c. | 70% |
| EC25D ³ | Round 1/4" dia. x 1/16" Embossing, 1.18" o.c.; No Perforation | 0% |
| EC25U3 | Round 1/4" dia. x 1/16" Embossing, 1.18" o.c.; No Perforation | 0% |
| EM25D3 | Round 1/4" dia. x 1/16" Embossing, 1/4" Perforations, 1.14" o.c. | 2% |
| EM25U3 | Round 1/4" dia. x 1/16" Embossing, 1/4" Perforations, 1.14" o.c. | 2% |

METAL PERFORATIONS


STANDARD PERFORATIONS⁴

Pattern No. A062/A062A




Round—1/16" perforations
0.25" o.c., 5% open area

Pattern No. A062D




Round—0.062" perforations 0.124"
o.c., 19% open area
Micro perf.

Pattern No. A116




Round—15/128" perforations
0.354" o.c., 17% open area

Pattern No. A188




Round—3/16" perforations
1" o.c., 3% open area

Pattern No. A250




Round—1/4" perforations
0.5" o.c., 39% open area

Pattern No. A500




Round—1/2" perforations
0.848" o.c., 55% open area not to
be used with the USG Curvatura™
One-Directional Ceiling System

Pattern No. B079




Round—5/64" perforations
0.312" o.c., 6% open area

Pattern No. B125




Round—1/8" perforations
0.375" o.c., 10% open area

Pattern No. B188A




Round—3/16" perforations
0.312" o.c., 33% open area

Pattern No. B197




Round—13/64" perforations
0.316" o.c., 35% open area

Pattern No. B250



Round—1/4" perforations
0.437" o.c., 30% open area

Pattern No. B250H (formerly H250)




Round—1/4" perforations
0.32" o.c., 58% open area

METAL PERFORATIONS


STANDARD PERFORATIONS[®] CONT.

Pattern No. B312




Round—5/16" perforations
0.437" o.c., 46% open area

Pattern No. B500




Round—1/2" perforations
0.600" o.c., 63% open area not to be used with the USG Curvatura™ One-Directional Ceiling System

Pattern No. C030




Round—1/32" perforations
0.197" o.c., 1.8% open area

Pattern No. C040




Round - 5/128" perforations
0.197" o.c., 3.2% open area

Pattern No. C062




Round—1/16" perforations
0.351" o.c., 2% open area

Pattern No. C062A




Round—1/16" perforations
0.175" o.c., 10% open area

Pattern No. C116




Round—15/128" perforations
0.344" o.c., 8% open area

Pattern No. C188




Round—3/16" perforations
1.414" o.c., 1% open area

Pattern No. C250A




Round—1/4" perforations
0.65" o.c., 12% open area

Pattern No. C375




Round—3/8" perforations
1.125" o.c., 9% open area

Pattern No. C500



Round—1/2" perforations
1.5" o.c., 9% open area

Pattern No. D250




Square—1/4" perforations
0.75" o.c., 11% open area

METAL PERFORATIONS


STANDARD PERFORATIONS⁴ CONT.

Pattern No. D375




Square— $\frac{3}{8}$ " perforations
1.125" o.c., 11% open area

Pattern No. D500



Square— $\frac{1}{2}$ " perforations
1.5" o.c., 17% open area


Pattern No. D500D



Square— $\frac{1}{2}$ " perforations
0.595" o.c., 70% open area
(70% open area required for
sprinklers above ceiling)

EMBOSSING ONLY⁴

Pattern No. EM25D




Round— $\frac{1}{4}$ " dia. x $\frac{1}{16}$ " embossing
1.18" o.c., no perforation



Face side

Pattern No. EM25U




Round— $\frac{1}{4}$ " dia. x $\frac{1}{16}$ " embossing
1.18" o.c., no perforation



Face side

EMBOSSING AND PERFORATIONS⁴

Pattern No. EC25D




Round— $\frac{1}{4}$ " perforations 1.41" o.c.,
2% open area Black Acoustibond™
backer standard



Face side

Pattern No. EC25U



Round— $\frac{1}{4}$ " perforation 1.41" o.c.,
2% open area Acoustibond™
backer not available



Face side

Notes

1. Do not use with USG Curvatura™ One-Directional Ceiling System.
2. Standard for USG Geometrix® panels.
3. 2'x2' USG Celebration™ and Panz® panels only.
4. USG Perforation patterns shown at 75% of actual size. When ordering, please refer to the pattern number for perforation samples (for example, "A062"). (All samples are 6"x6".)
5. Panels with an open area \geq 50% offered in 2'x2' only.
6. 2" wide USG Celebration™ Snap-In, Celebration Torsion Spring, Panz® and Curvatura™ panels up to 6' long only.

WOOD FINISHES

**WOOD TONES
FAUX FINISHES^{1,3}**

Coordinating suspension
and/or trim color
available.


Beech (3467)




Dark Bamboo (3465)



Dark Cherry (3468)



Light Bamboo (3466)



Light Cherry (3469)



Maple (3470)



Red Oak (3471)




Walnut (3472)



**USG TRUE™ WOOD
VENEERS^{1,2}**

Coordinating suspension
and/or trim color
available.


Beech




Dark Bamboo




Dark Cherry



Light Bamboo



Light Cherry



Maple



Red Oak



Walnut



Notes


1. Color Disclaimer: Printed and/or online color swatches are only reproductions of actual standards and will vary in appearance due to differences in monitor and printer output.
2. Wood Disclaimer: Wood is a natural grain product with variations in grain, texture and color often ranging from light to dark, thereby affecting the surface look. Product finishes are spray-applied stain or sealer coats.
3. Wood Tone Disclaimer: Faux wood finishes exhibit variations in grain, texture and color often ranging from light to dark, thereby affecting the surface look from one item to another.

USG TRANSLUCENTS™ FINISHES

USG offers luminous ceiling panels in several distinctive styles and finishes. These color reproductions are shown to represent available finishes and colors. Décors are not to scale. A sample should be reviewed before placing an order.

COLOR GALLERY

For USG Billo™, Topo™, Translucents™ Panels and Translucents™ Canopies



DÉCORS

Shown with Coordinating Suspension Color




USG TRANSLUCENTS™ FINISHES

DÉCORS CONT.

Shown with Coordinating
Suspension Color

Clear Matte



White Mesh



White Fiberoptic



Tape



White Haven



Kauri



Silver Spun



Rain



PRODUCT INFORMATION

For the most up-to-date technical information, visit usgdesignstudio.com or cgcdesignstudio.com

CUSTOMER SERVICE

USG: 800 950-3839

CGC: 800 387-2690

TECHNICAL SERVICE

800 USG.4YOU (874-4968)

WEBSITES

usg.com

cgcinc.com

usgdesignstudio.com

cgcdesignstudio.com

SAMPLES/LITERATURE/FAX

USG: 866 528-7089

CGC: Contact Local Sales Rep



SEE US ON YOUTUBE

[USG Corporation](#)



FIND US ON FACEBOOK

[USGBuild](#) or [USGCreate](#)



FOLLOW US ON TWITTER

[USGBuild](#) or [USGCreate](#)



SEE US ON PINTEREST

pinterest.com/USGCorporation

SC2954/rev.11-17

© 2017 USG Corporation and/or its affiliates. All rights reserved. The trademarks USG, CGC, ACOUSTIBOND, BILLO, CELEBRATION, COMPASSO, CURVATURA, DIAMONDFLEX, GEOMETRIX, GRIDWARE, LIBRETTO, PANZ, PARALINE, PIXELS, TOPO, TRANSLUCENTS, TRUE, IT'S YOUR WORLD. BUILD IT., the USG and CGC logo, the design elements and colors, and related marks are trademarks of USG Corporation or its affiliates.

USG  **CGC**

IT'S YOUR WORLD. BUILD IT.™