



This price list includes only Priority Legacy Collection models. These models feature product design and construction prior to June 23, 2014. Please refer to the Priority chapter in the *Kimball Desks & Accessories Price List* for the complete offering which supports every type of work environment from private office to benching.

Price List Effective Dates:

Pricing	03.02.20
Revision	02.17.20

➤ See page











Planning	14.2
Overview	14.2
Private Office Solutions	14.3
Assembled & Modular Caseworks	14.4
Assembled Caseworks	14.5
Factory-Installed Grommet Options	14.6
Modular Support	14.7
Storage Solutions	14.8
Flush-Mount Pedestals	14.9
Pedestals with Spacers	14.10
Mobile Pedestals & Low Storage	14.11
Lateral Files	14.12
16"D Vertical Storage	14.13
24" & 30"D Vertical Storage	14.14
Filing Capacities	14.15
Locking Information	14.16
Pricing	14.17
Surface Materials	14.46
Wood	14.46
Laminate	14.47
Vinyl	14.48

Differences between Priority Legacy and Priority

The Priority Legacy Collection includes models that feature product design and construction features prior to June 23, 2014, the date the enhancements to Priority (53KE models) were introduced. Outlined at right is a comparison of features between the two platforms.

Generally, Priority Legacy features the original product design and construction. Our updated Priority line, which includes the "enhancement" models introduced in 2014, is competitively priced and engineered. Unused features in the original line were removed, with more selectable options and updated construction features.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.

	Priority Legacy	Priority
Hinged access doors on single- and double-pedestal desks	 <p>Standard feature on the approach side</p>	 <p>Feature removed based on customer feedback</p>
Hinged modesty panels on assembled bridges, returns, and kneespace and single-pedestal credenzas	 <p>Standard feature</p>	 <p>Option; fixed modesty panel also available</p>
Cord openings in the pedestal side panel on assembled returns, credenzas, modular storage and lateral files	 <p>Standard feature</p>	 <p>No cord openings for a cleaner aesthetic</p>
Drawer slides on assembled desks, returns, and credenzas	<p>Drawer slides feature metal hat channels</p>	<p>Drawer slides no longer use metal hat channels; filing capacities remain unchanged</p>
Six-inch wing panels on the user side of single- pedestal desks and credenzas	 <p>Standard feature</p>	 <p>Wing panel removed, freeing up kneespace and providing a cleaner aesthetic when used as a freestanding unit</p>
Cord opening on the user side of modular end support panels	 <p>Standard feature</p>	 <p>Cord opening removed</p>
Locking options on assembled casegoods, pedestals, and vertical storage units with pedestal feature	<p>Locking is standard on all undersurface storage</p>	<p>Non-locking is now standard on all storage models. Locking is a selectable option; specify locking when you plan to use it</p>

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Desking configuration

can be created by selecting:

- Worksurfaces
- U-legs, open legs, or end panels
- Undersurface or low storage

Use worksurfaces with low storage to create a layered look. Select from rectangular, wedge, arc-end, or other worksurface shapes.

Vertical storage and over-heads are universal within the Priority series and are available in a variety of door selections.

Exterior surfaces are available in veneer and laminate.


Use vertical storage along with low or undersurface storage to create a work-wall.

Face-mounted locks are standard on all undersurface storage and optional on storage doors above the work-surface.

Overheads can be wall-mounted or Traxx-mounted as shown here.


Support options, such as U-legs, open-frame legs (shown), wood end panels, or pedestals, are designed so that the worksurface appears to “float” $\frac{3}{4}$ " above the support.

Privacy screens and modesty panel/cable surrounds, specified separately, can attach to worksurfaces for additional privacy.



Add mobile storage for enhanced flexibility.

Dimensions:



Materials:

Worksurfaces

- Laminate (HPL) with a vinyl rim
- Laminate (HPL) with a wood rim
- Wood with wood rim

Supports

- Powder-coated steel

Privacy Screens

- Resin

Storage

- Wood
- Laminate (TFL)
- Writable-glass doors on select models

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List* for Priority models that are not part of this Legacy Collection.

Fully assembled and modular casegoods fit an extensive range of design, application, space, and budget challenges.


Wood veneers on wood and laminate with wood rim models are carefully selected and matched to assure proper balance and consistency.

Chassis and drawer/door fronts on laminate models feature thermally fused laminate (TFL). Grain direction runs top to bottom.

Laminate models offer great flexibility in finish selections. The worksurface, rim, drawer/door fronts, and chassis may be specified in different colors.

Pedestals are full height and letter width on assembled units. They connect directly to surfaces.

Drawer fronts are 3/4"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.



Worksurfaces are 1 3/16"-thick, 3-ply, balanced construction and available in wood or high-pressure laminate (HPL).

Worksurface rims are 1/8" thick. Softened and reed rim profiles appear on all four edges of the worksurface. Knife rim profile appears on the user edge and overhangs by 1 1/4"; side and back edges are flat.
Exception: Desks feature knife rim on the approach and user sides.


Hinged access doors allow access to cable routing compartment. Both single- and double-pedestal desks feature two access doors, one on the left and one on the right on the approach side.

Opening below hinged access door allows cord to enter or exit the cable routing compartment on the approach side.


Materials:

- W** Wood worksurface, rim, and chassis
- LW** Laminate (HPL) worksurface, wood rim and wood chassis
- L** Laminate (HPL) worksurface, vinyl rim, and laminate (TFL) chassis

Worksurface Rim Profiles:



P Softened vinyl rim **F** Softened wood rim **M** Reed wood rim



S Knife wood rim

Laminate models are available with a softened vinyl (P) rim profile. Wood and laminate/wood rim models are available with a softened (F), reed (M), or knife (S) rim profile.

Pull Options:

➤ See page 14.8.

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Details

Exterior surfaces are available in veneer and laminate.

Joints are securely fastened with dowels and mechanical fasteners to ensure maximum strength.

Drawer fronts are 3/4"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.


Drawer sides and back are 1/2" thick and wrapped in natural woodgrain vinyl. Bottoms are 3/16" thick.

Optional wood drawers are available on wood and laminate with wood rim/chassis units. Drawer sides and back are 1/2" thick with veneer faces. Bottoms are 1/4" thick with veneer faces. Interiors are sealed, sanded, and finished with a clear durable topcoat.

Drawer suspensions feature black slides with precision steel ball bearings to ensure long-lasting, quiet, smooth operation. Box, file, and lateral file drawers feature full extension slides.

Black filing rods are standard in all file drawers to accommodate various filing requirements.

Face-mounted locks are standard on all desks, credenzas, returns, and undersurface pedestals. Lock cylinders are removable if rekeying is necessary. Key random and key specific options are available.




Technology Features

Hinged access doors allow access to cable routing compartment. Both single and double pedestal desks feature two access doors, one on the left and one on the right on the approach side.


Opening below hinged access door allows cord to enter or exit the cable routing compartment on the approach side.

Structural panel separates the drawers from the cable routing compartment to prevent unwanted access to the drawer contents.


Hinged modesty panel, standard on assembled bridges, returns, kneespace, and single pedestal credenzas, swings inward to allow access to wall outlets. It lifts from the floor and is held in place by leveling feet.



Black half-round grommet is available factory installed at the top center of hinged modesty panels; upcharge applies.




Cord openings are standard on fully assembled desks on the kneespace side of each pedestal just below the worksurface, as well as on the user's side of end panels on single-pedestal desks and single-pedestal credenzas for routing cables to return units.




Two cord openings with black grommets—one in the back lower corner of each pedestal side panel—are standard on assembled returns and credenzas.

A variety of factory-installed worksurface grommet options are available.
➤ See page 14.6.

Connections



Returns and bridges with knife rim profile have a reverse knife edge on abutting edges to provide a flush fit with the adjoining surface.



Flush installation

Recessed installation


Hinged modesty panels can be installed in a flush or recessed location. Flush installation visually lines up modesty panel with the adjoining side panels for an exposed orientation. Recessed installation insets modesty panel 6" from the back edge of the work-surfaces to create an area to store cords and cables. Recessed modesty panel allows the whole unit to be placed flush against the wall.

IMPORTANT: Single-pedestal desks (excluding extended top) and single-pedestal credenzas can be used as standalone units.


Planning	See page 14.2
Pricing	14.17
Surface Materials	14.46

	<i>Left</i> <i>Designator Upcharge</i>		<i>Right</i> <i>Designator Upcharge</i>		<i>Left & Right</i> <i>Designator Upcharge</i>		<i>Center</i> <i>Designator Upcharge</i>		<i>Left, Right, & Ctr.</i> <i>Designator Upcharge</i>	
G1 Plastic Grommets										
Rectangular desks	G1L	+\$66	G1R	+\$66	G1LR	+\$132	—			—
Arc desks	G1L	+\$66	G1R	+\$66	G1LR	+\$132	—			—
Extended desks	G1L	+\$66	G1R	+\$66	G1LR	+\$132	—			—
Executive returns	—		—		—		G1C	+\$66		—
Bridges with modesty panel	—		—		—		G1C	+\$66		—
Kneespace and single-ped credenzas	—		—		—		G1C	+\$66		—
Storage and lateral file credenzas	—		—		G1LR	+\$132	—			—
G19 Metal Grommets										
Rectangular desks	G19L	+\$66	G19R	+\$66	G19LR	+\$132	—			—
Arc desks	G19L	+\$66	G19R	+\$66	G19LR	+\$132	—			—
Extended desks	G19L	+\$66	G19R	+\$66	G19LR	+\$132	—			—
Executive returns	—		—		—		G19C	+\$66		—
Bridges with modesty panel	—		—		—		G19C	+\$66		—
Kneespace and single-ped credenzas	—		—		—		G19C	+\$66		—
Storage and lateral file credenzas	—		—		G19LR	+\$132	—			—

Standard Includes/Available Finishes



G1 plastic grommet is a two-piece unit with snap-in lid. Lid cutout slides open to route cables or can be closed when not in use. Available finish:
MB Matte Black



G19 metal grommet is a two-piece unit with black brush access. Available powdercoat finishes:
405 Designer White
487 Brushed Nickel
490 Polished Chrome
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

How to Specify

- Insert the location *and* finish designator into model number sequence as indicated on the corresponding pricing page.


Note: Specify grommet location and finish together in one step without a space between the location and the finish designators.

For example:

G1LMB = G1 grommet, left, matte black

G19R501 = G19 grommet, right, platinum metallic

IMPORTANT: Only the grommet locations shown in the matrix with a designator and price are available. Note: P-shaped and U-shaped worksurfaces do not offer factory-installed grommet options.




Worksurface grommets are located 3 3/8" from the side edge. Location relative to the approach or back edge is 13 1/2" on arc worksurfaces (to top of arc), 7 1/2" on all rectangular and extended desk worksurfaces, and 3 3/8" for all other surface shapes.

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Details

IMPORTANT: Fully assembled models and modular components may be used in the same configuration.

Modular support components are designed to support classic worksurfaces.




Legacy end supports can support the non-pedestal end of a worksurface to create a single-pedestal desk or credenza in freestanding, L- or U-configurations. End support consists of an end panel, back/modesty panel, and two support panels. The front user's side includes a cut-out for routing cables from the desk to the return. End supports for use with 24" or 25"D worksurfaces include a second cut-out on the kneespace support panel.


IMPORTANT: The following product information is provided here for convenience.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.


Undersurface pedestals, low storage with support drawers or shelves, and modesty panel/cable surround can also support the end of worksurfaces.




Hinged modesty panels are for use in conjunction with undersurface pedestals and worksurfaces to create an enclosed kneewell. A black half-round grommet is available factory-installed at the top center on hinged modesty panels; upcharge applies.




Classic height-adjustable U-leg is 27 $\frac{3}{4}$ "H and adjusts from 24 $\frac{3}{4}$ "–32 $\frac{1}{4}$ " in $\frac{3}{8}$ " increments. U-legs can be used to displace wood end panels on desks, returns or modular return and extension worksurfaces; not intended for use to create a freestanding table. End U-legs are available in 24", 30", and 36"D. Mid-support U-leg is 10"D and is for use on 24"D, 30"D, and 36"D surfaces only. All adjustable U-legs feature a button that indexes into notches in the inner leg member. By depressing the button, the leg releases the lower leg assembly. This gives the user the ability to change the height as needed throughout the day. Legs can be used with classic Priority, Definition or Footprint worksurfaces. For 1 $\frac{3}{16}$ " worksurfaces, support is required every 48"; for 1 $\frac{9}{16}$ " worksurfaces, support is required every 60".




Hinged modesty panels are used to build bridges and returns along with worksurfaces and pedestals.




Full-height wood or laminate modesty panels are for use in conjunction with rectangular, P-shaped, or U-shaped worksurfaces, an end panel, and a square metal column base or wood half-cylinder model. Grain runs horizontal on laminate model. Field installation of grommets is recommended to ensure placement of the grommet on the user's side of the modesty panel.



Partial-height glass modesty panels are for use in with P- or U-shaped worksurfaces, an end panel, and a square metal column base or wood half-cylinder base.




T-leg end panels can also be used to support the end of a worksurface when there is no pedestal. Modesty panel cannot be used in conjunction with T-leg end panels. They cannot be used with a modesty panel.



5" and 11" T-leg end panels are for use on top of low storage to support worksurfaces. 5"H model sits atop 22"H storage; 11"H model is for use with 15"H storage. Component top is required.


Connections

Hinged modesty panel always spans between two pedestals or between a pedestal and an end-support panel. It cannot extend behind the back of a pedestal. They attach to the underside of the worksurface and do not deface the sides of adjacent pedestals. They can be installed flush with pedestal back or recessed. Hinge feature on modesty panels allows easy access to wall power.




Corner-support panels are used with corner worksurface. Assembly includes modesty and wing support panels. Corner worksurface is specified separately.

Planning Factors



The maximum recommended span of an unsupported worksurface is 48"; longer distances require additional support.

Consider the load a worksurface will carry when planning support. Additional support is recommended for surfaces where heavy equipment will be placed. Support can be placed where needed without the limitations of predrilled or predetermined locations.



12"D worksurface mid-support panel (model 53K1128SSW) can be used for additional support. Worksurface support panel does not allow modesty panel to hinge forward. Back edge is chamfered for cable management.

Overheads, highback organizers, and set-on-surface storage are available in a variety of door selections.

Vertical storage can be used in private office, open plan, and benching applications.

Low storage, when used with component worksurfaces and additional support such as a short end panels or modesty panel/cable surround, can provide support for worksurfaces and create a layered affect to the workstation.

Modesty panel/cable surround conceals power and data below the surface and can also provide support in progressive and classic applications.

Face-mounted locks are standard on all undersurface storage and optional on storage doors above the work-surface.


Overheads can be wall-mounted or Traxx-mounted as shown here.

Utilize low storage for storage, extra work area, occasional seating and to divide space.


Stand-alone tables utilizing fixed, round, or square bases complete the office.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List* for Priority models that are not part of this Legacy Collection.

Pull Options:



89 Studio **91 Niche** **90 Trinity** (+\$31 per unit)




61 Helix **63 Link** **64 Wisp**

Available finishes:

405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

IMPORTANT: Specify pull option and finish together in one step, inserting an underscore between.

Example: 89_514 = Studio pull, carbon metallic



61 Helix **63 Link** **64 Wisp**

Available finish:

SF Silver Frost Metallic

IMPORTANT: Specify pull option and finish together in one step.


Example: **61SF** = Helix pull, silver frost metallic

Boring patterns:

Studio	192mm
Niche	96mm
Trinity	160mm
Helix	160mm
Link	160mm
Wisp	192mm

Flush-Mount Pedestals

Details



Undersurface pedestals feature an open top or unfinished and a fully finished back panel. Pedestals connect directly to worksurfaces. Undersurface pedestals are available as:


- Box/box/file
- File/file
- Two-drawer lateral file
- Multi-file
- Hinged-door storage
- Printer/CPU storage

IMPORTANT: Flush-mount storage models with open tops must be used with flush-mount modular worksurfaces, specified separately; they cannot be used with knife rim floating-surface worksurfaces.

Locks are located in the upper right corner of the top drawer face.




Printer/CPU storage organizes printers, CPUs, and paper for easy accessibility.



Support drawers and shelves can be used as support on top of low storage. Component top for Legacy low storage units is required.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.




24"D pedestals feature two cord openings with black grommets—one in the back lower corner of each side panel.

30" and 36"D hinged-door pedestals include one fixed shelf and no cord openings.

Planning Factors



Undersurface pedestals can support the end of worksurfaces. Pedestal depth must match desk worksurface end depth.



Hinged modesty panel always spans between two pedestals or between a pedestal and an end-support panel. It cannot extend behind the back of a pedestal.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.


Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Details

IMPORTANT: Undersurface pedestals with spacers are for use with private office and benching products. They are not for use with flush-mount knife rim worksurfaces.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Undersurface pedestals with spacers are available in 24", 30", and 36"D x 15"W with box/box/file and file/file drawer configurations and 24"D x 30"W two-drawer lateral file; in wood or laminate. Chassis and door/drawer fronts on laminate models feature thermally fused laminate (TFL). Grain runs top to bottom. All units have finished backs and lock in bottom drawer.



Double-sided pedestals are a unique design to Kimball for creating 48"D or 60"D open plan applications. They create a clean aesthetic of one continuous end panel, eliminating the need to position two separate pedestals back to back and add filler panels to fill the gap.

Top of the double-sided pedestal features a 2³/₁₆" opening for cable routing.


3/4" silver-colored spacers on top of pedestals create a floating worksurface affect. Double-sided pedestals include a total of 8 spaces; regular depth pedestals have 4 spacers.

Drawer fronts are 3/4"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.

Optional wood drawers are available on wood units. Drawer sides and back are 1/2" thick with veneer faces. Bottoms are 1/4" thick with veneer faces. Interiors are sealed, sanded, and finished with a clear durable topcoat.

Drawer suspensions feature black slides with precision steel ball bearings to ensure long-lasting, quiet, smooth operation. Box, file, and lateral file drawers feature full extension slides.


Connections



Starter bracket, specified separately, is required to connect pedestals to undersurface support rails and the worksurface.


- One starter bracket is required to connect to each set of undersurface support rails when using with 24", 30", and 36"D surfaces or 36"D or smaller depth storage.
- Two brackets are required when using 48"D or 60"D storage or surfaces.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.



Pedestal stanchion bracket, (model 53KSSDPP) specified separately, is available for use with the 50" and 62"D double-sided pedestals. Double-sided pedestal models for use with stanchions bracket are deeper than the non-stanchion models (48" and 60"D). The difference accommodates two 24" or two 30"D worksurfaces in addition to the thickness of the stanchion plus two tiles for either side of the stanchion. The pedestal stanchion bracket aligns with stanchion support legs and features a vertical member that supports fabric tiles, slat tiles and fabric/slat tiles. Overhead/shelf brackets, specified separately, connect directly to the stanchion, to support center-mount overhead or shelf.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.



Two pedestals can be used in a back-to-back application; however, a double-sided pedestal is recommended for a clean visual. A stanchion bracket could not be used in the two-pedestal application.

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Details

Mobile pedestals and low storage units are available in wood or laminate and are finished on all sides. Laminate units offer flexibility in color selection in on drawer fronts, back and chassis. This option enables you to utilize storage elements to create an environment to meet your brand and image.


Anti-tip mechanism and lock are standard on all mobile pedestals and low storage with drawers. Mobile low storage units also include counterweights.




Mobile cushion-top pedestal provides occasional seating as well as storage. The 24"H box/file mobile pedestal easily stows under surfaces.

Mobile box/box/file and file/file pedestals stow under surfaces in flush-mount applications only. **IMPORTANT:** In applications with an undersurface support rail, these pedestals will not fit underneath the worksurface.

23"H active file provides two divided sections in the top area to place papers and folders for easy access to work-in-progress. The open slot in the rear of the pedestal allows for hanging Pendaflex® folders for hot project files. Lock in bottom drawer locks both box and file drawer. Active file easily stores under the surface.



Low storage is available freestanding or mobile. Units are available in two heights (15³/₁₆" and 21³/₈"H), two widths (30" and 36"W), and in two depths (16" and 24"D). Low storage is available in a



variety of configurations, including open bookcase, open/lateral file and box/lateral file.

Mobile low storage units feature inset casters enabling the mobile and freestanding units to align when sitting next to each other. Mobile low storage cannot be used to support worksurfaces or other storage.


Priority low storage bottom drawers align with other Priority storage units to keep a consistent visual within the office.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List for Priority models that are not part of this Legacy Collection.*


Connections

Use component tops to span multiple low storage units for a cleaner aesthetic.

15"H open bookcase features three holes spaced 3³/₁₆" apart and accepts either three straight or organizer shelves, specified separately.



22"H open bookcase features a fixed shelf. There are two holes spaced 3³/₁₆" apart above the fixed shelf to accept either two straight or organizer shelves. There are 3 holes below the fixed shelf to accept either three straight shelves or organizer shelves, specified separately.



22"H open/lateral file unit accepts either two straight or organizer shelves in open area. If using as a pedestal cushion or component top with an open/lateral, shelves cannot be used in the top position.

Planning Factors

Component tops in either softened or knife rim are required for the box/lateral file units. Knife rim component tops extend 1/4" beyond the drawer fronts.

If using low height storage in conjunction with end panels for support, 1³/₁₆" component tops are required to span the low storage. 5" or 11" end panels are then placed atop the storage and properly align to undersurface height.

If using low height storage as freestanding units, component tops are required for the box/lateral unit but not required on other units.

Low storage cushion, specified separately, is the same thickness as component tops (1³/₁₆") for visual alignment. In depth, the pedestal cushion aligns with the drawer fronts on the low height storage.



Open areas in the low storage accept either straight or organizer shelves. Organizer shelves should be installed with the organizer leg pointed downward. To add color contrast to units, specify shelves in different finish or material than the low storage unit.

33"H highback organizers can be used above freestanding, fixed-height low storage with component tops to divide space and provide additional storage.

If using 24"D low storage in a freestanding application without component tops or with a high-back organizer, pedestal ganging bracket (KACGB1) is recommended. If using 16"D low storage in a freestanding application, ganging bolts are recommended.

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46


Details

IMPORTANT: Storage models with open tops must be used with flush-mount modular worksurfaces, specified separately. They cannot be used with floating worksurfaces with a knife rim.




Three-drawer and four-drawer lateral files with open top are available. These models have an unfinished back.

Locks are located in the upper right corner of the top drawer face.




Finished top two-, three-, and four-drawer lateral files feature an interlock mechanism that allows only one drawer to be open at a time. Two-drawer units feature a finished back and cord openings; three- and four-drawer units have an unfinished back and no cord openings.



Two- and three-drawer lateral files feature two cord openings with black grommets—one in the back lower corner of each side panel.

Connections




Ganging adjacent lateral files is recommended.

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Details

16"D vertical storage is available in space divider and bookcase/lateral file models. Both are offered in laminate or wood.



➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.



Space divider vertical storage units provide storage as well as side-to-side privacy. These units can be positioned so that the overhead section spans above the worksurface while the box/lateral file spans below the surface; open area is 11 9/16". Units are 16"D x 29 15/16"W and 48 7/8"H and available in left or right orientation. Units feature a two piece, non-matched back panel set for the upper and lower sections.

Each space divider unit consists of:

- Bottom section with a wide box/lateral file with lock in bottom drawer; anti-tip device is standard in bottom drawer.
- Middle section with open cubby area on one side and open area on the other.
- Top section with hinged door on one side and cubby area on the other.



Bookcase with two-drawer lateral files are available in nominal heights of 50", 67" and 80"H in wood or laminate. Lock in top drawer position. These units can be used to divide space in open plan areas. Units feature finished backs with finished inset top. Full back units for the 67" and 80"H units feature three-piece matched back panel set. Partial back units have open center sections and feature two-piece non-matched back panel sets.



All bookcase vertical storage models accept straight or organizer shelves in 20 9/16"H center area, specified separately. 50"H units feature bookcase area with five holes spaced 3 1/4" apart. 67" and 80"H units feature center section with five holes spaced 3 1/4" apart.

Top section with center divider is available with one sliding door (non-locking) or two hinged doors in wood, laminate or writable glass. Hinged doors feature pulls in vertical position with locking or non-locking doors. Top section has 7 holes on 67"H model or 17 holes on the 80" model, spaced 1 1/4" apart to accept straight interior shelves for additional organization.

Connections


IMPORTANT: All units must be ganged with provided ganging bolt and are not intended for use as a single, freestanding unit.

Starter brackets, specified separately, can be attached to back of unit. Starter brackets connect to undersurface support rails to support surfaces, displacing the need for a support leg on that side. Storage unit will be defaced.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List* for starter bracket planning information.

Planning Factors

Units are designed so that the middle sections align with worksurface heights; see illustration at left.




Center Back Panel
Installed on Opposite Side

Specify back panels separately in a different material or finish to add a band of color to the center section to create a non-monochromatic aesthetic. Center back panels on full-back models can be removed in the field and replaced with another in a different material or finish, or moved to the front of the unit, exposing the center section to the opposite side.


Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Details



24" and 30"D vertical storage is available in a variety of shelf, door, drawer, and wardrobe configurations.




Open bookcase with letter-width file drawers have finished inset top and are 23½"D and 14¹⁵⁄₁₆"W. Three height options: nominal 42" and 50"H units have finished backs and one adjustable shelf; nominal 67"H unit has unfinished back and one fixed and one adjustable shelf.




Front access vertical storage towers with finished inset top are available in left or right configurations and in nominal heights 42", 50", and 67". Nominal 42" and 50" H units have finished backs for use in open plan. Select from either box/box/file or file/file letter width drawer options with lock. Shelf storage above drawers include and one adjustable shelf; nominal 67"H unit has unfinished back and one fixed and one adjustable shelf. Wardrobe area in applicable models includes removable coat rod and one fixed shelf 12" above bottom panel; interior width is 77⁄₈"W. Door pulls are in vertical application and feature optional locking.



Side-access bookcase vertical storage towers with finished inset top are available in left or right configurations and in nominal heights 42", 50", and 67". Nominal 42" and 50"H units have finished backs for use in open plan. Select from either box/box/file or file/file letter width drawer options with lock. Shelf storage above drawers includes one adjustable shelf; nominal 67"H unit has unfinished back and one fixed and one adjustable shelf. Wardrobe area includes removable coat rod and one fixed shelf 12" above bottom panel; interior width is 77⁄₈"W. Door pulls are in vertical application and feature optional locking.



Single- and double-door units are 68"H nominal heights feature combinations of shelf storage. Single-door units are 18" or 30"W nominal with left or right hinged doors with shelf or wardrobe storage. Double-door unit offers a combination of shelves and lateral file drawers. All doors are optional locking; drawers are standard locking.



Side-access wardrobe units are 29¹¹⁄₁₆"D and are intended for end-of-run applications with wardrobe sections facing outward in left or right

configurations. Available in nominal heights of 42", 50", and 67" with finished inset tops. 42" and 50" units have finished backs for use in open plan; 67" units have unfinished backs. Units are 15"W with either letter width box/box/file or file/file configurations with lock. Front-access single-door storage area has one adjustable shelf on 50"H units; and one fixed and one adjustable shelf in 67" units. Wardrobe area is 77⁄₈"W; 42" wardrobe has one coat hook while the 50" and 67" units contain removable coat rod and fixed shelf 12" above bottom panel.

Connections

Starter brackets, specified separately, can be attached to back of unit. Starter brackets connect to undersurface support rails to support surfaces, displacing the need for a support leg on that side. Storage unit will be defaced.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List* for starter bracket planning information.

Planning Factors

Units are designed to complement floating-work-surface and flush-mount applications.

When using storage in place of support legs, be aware of starter bracket location. In floating-worksurface applications, bracket is mounted ¾" higher than in flush-mount applications.

Description	Exterior Unit or Ped Dimensions		Interior Dimensions		Standard Filing Capacities		
	Nominal Depth	Nominal Width	Inside Depth	Inside Width	Inside Height	Front-to-Back	Side-to-Side
Box Drawers	24"–36"	15" (letter width*)	17"	11½"	2½"	—	—
	24"–36"	18" (legal width*)	17"	14½"	2½"	—	—
Wide Box Drawers	16"	30"	12"	26⅜"	2½"	—	—
	16"	36"	12"	32⅜"	2½"	—	—
File Drawers	24"	15" (letter width*)	17"	12"	9"	Letter	Legal, double letter, and EDP
	24"	18" (legal width*)	17"	15"	9"	Legal	Legal, double letter, and EDP
	30"	15" (letter width*)	17"	12"	9"	Letter	Legal, double letter, and EDP
	30"	18" (legal width*)	17"	15"	9"	Legal	Legal, double letter, and EDP
	36"	15" (letter width*)	25"	12"	9"	Letter	Legal, double letter, and EDP
	36"	18" (legal width*)	25"	15"	9"	Legal	Legal, double letter, and EDP
Lateral Drawers	16"	30"	12"	26⅜"	9"	Legal, letter, and EDP	Letter
	16"	36"	12"	32⅜"	9"	Legal, letter, and EDP	Letter
	24"	30"	15"	26⅜"	9"	Legal, letter, and EDP	Legal and letter
	24"	36"	15"	32⅜"	9"	Legal, letter, and EDP	Legal and letter
Center Drawers	22"	18"	17"	14½"	1½"	—	—
	22"	30"	17"	26⅜"	1½"	—	—
	22"	36"	17"	32⅜"	1½"	—	—

*Refer to the applicable pricing page for width (letter or legal) of the pedestal.

Filing Reference:

- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞".

IMPORTANT: For all pedestals where legal front-to-back filing is standard, letter front-to-back filing is possible by specifying universal file bars separately.

► See the Perks chapter of the *Kimball Desks & Accessories Price List*.

Locking Information

Planning

† GSA Non-Contract

Locking storage units can be specified as:

- Key random with a black lock core with black hinged key (KRB);
- Key random with a silver (matte nickel) lock core with black hinged key (KRS); or
- Key specific (KS)


Black lock cores with black hinged keys are identical to the ones used with other casegoods and systems products.

Silver lock cores are matte nickel and have black hinged keys. These lock cores and keys are identical to the ones used with Definition, Fluent and Hum. Minds at Work. series.


Key Random:

When key random option is selected, key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCB001 to KCCB300 (black) or KCCG001 to KCCG100 (silver).

Randomly numbered lock core(s) will ship standard along with your order for field installation.



KCC*001 KCC*002 KCC*001




KCC*001

With random keying, different furniture units may or may not have the same key number. If you must have all locks keyed differently or all locks keyed the same, choose the key specific option.


Key Specific:

When key specific option is selected, the storage unit will be pre-drilled to accept a lock core; however, no lock cores will be shipped standard with the unit. If lock cores are standard on the unit, the price of the unit is reduced by the price of the lock core or cores.

You must specify lock core(s) separately for key specific option; specify any key number from KCCB001 to KCCB300 (black) or KCCG001 to KCCG100 (silver).



KCC*005 KCC*005 KCC*005



KCC*005

To key all the furniture units in a workstation or department alike, choose the key specific option and order the quantity of locks needed for your installation.

Installing Locks:

Standard key that ships with the lock core can be used for the initial installation of the lock core in the field.

Changing Locks:

IMPORTANT: A change key, specified separately, is required to remove lock cores in the field.

Change key model KCCB1CK allows removal of lock cores within these ranges:
KCCB001-KCCB300
KCCG001-KCCG100

Master Keys:

Master key model KC2GMK will unlock any lock within these key ranges:
KCCB001-KCCB300
KCCG001-KCCG100

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Model/Key Range	Price
-----------------	-------



Black Lock Cores with Black Hinged Key

KCCB001 to KCCB300 †	\$27
----------------------	------

Silver Lock Core with Black Hinged Key

KCCG001 to KCCG100 †	\$27
----------------------	------

Change Key

KCCB1CK †	\$9
-----------	-----



Master Key

KC2GMK †	\$15
----------	------


How to Specify

- 1 Specify exact key number for lock cores or model number for change or master key

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



Approach side



D	W	H	KW	KH	AO	Model	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Rectangular Top									
Softened or Reed Rim									
30"	60"	28¾"	30"	27½"	5¾"	53K3060DDFB	\$2699	\$4130	\$4130
30"	66"	28¾"	36"	27½"	5¾"	53K3066DDFB	2733	4167	4167
30"	72"	28¾"	42"	27½"	5¾"	53K3072DDFB	2778	4231	4231
36"	72"	28¾"	42"	27½"	5¾"	53K3672DDFB	2876	4380	4380
Knife Rim									
32"	60"	28¾"	30"	27½"	5¾"	53K3260DDFB	—	\$4187	\$4187
32"	66"	28¾"	36"	27½"	5¾"	53K3266DDFB	—	4272	4272
32"	72"	28¾"	42"	27½"	5¾"	53K3272DDFB	—	4359	4359
38"	72"	28¾"	42"	27½"	5¾"	53K3872DDFB	—	4487	4487
Arc Top									
Softened or Reed Rim									
30"	60"	28¾"	30"	27½"	6⅞"	53K3060DDFBA	\$2754	\$4212	\$4212
36"	72"	28¾"	42"	27½"	6⅞"	53K3672DDFBA	2926	4458	4458
Knife Rim									
32"	60"	28¾"	30"	27½"	6⅞"	53K3260DDFBA	—	\$4358	\$4358
38"	72"	28¾"	42"	27½"	6⅞"	53K3872DDFBA	—	4582	4582

*Knife rim overhangs user side by 1¼".
Arc top depth dimensions represent the widest point.

Center Drawers
➤ See the Priority chapter in the
Kimball Desks & Accessories
Price List.

Standard Includes

- Box/box/file letter-width pedestal, left
- File/file letter-width pedestal, right
- One lock per pedestal
- Breakfront modesty panel
- Two hinged access doors
- Two cord openings

How to Specify



- 1 Model
- 2 Worksurface/chassis materials:
L = HPL/TFL
LW = HPL/Wood
W = Wood/Wood
- 3 Pedestal option:
8 = BBF/FF
- 4 Rim profile:
P = Softened vinyl (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
- 5 Pull option: ➤ See page 14.8 for designators.
- 6 Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify 2 lock cores separately
- 7 Worksurface grommet option:
➤ See page 14.6 for designators.
X = No grommet
- 8 Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 9 Worksurface finish designator
- 10 Drawer front finish designator (omit for LW and W models)
- 11 Chassis finish designator (omit for LW and W)
- 12 Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
- 13 Rim finish designator (omit for W models)
- 14 Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

Single-Pedestal Desks



Rectangular Top

Pricing

GSA SIN 711-8



Approach side



Approach side

D	W	H	KW	KH	AO	Model	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Pedestal on Right									
Softened or Reed Rim									
30"	66"	28¾"	50"	27½"	5¾"	53K3066DRFB	\$2601	\$3844	\$3844
36"	72"	28¾"	56"	27½"	5¾"	53K3672DRFB	2732	4038	4038
Knife Rim									
32"	66"	28¾"	50"	27½"	5¾"	53K3266DRFB	—	\$3951	\$3951
38"	72"	28¾"	56"	27½"	5¾"	53K3872DRFB	—	4144	4144
Pedestal on Left									
Softened or Reed Rim									
30"	66"	28¾"	50"	27½"	5¾"	53K3066DLFB	\$2601	\$3844	\$3844
36"	72"	28¾"	56"	27½"	5¾"	53K3672DLFB	2732	4038	4038
Knife Rim									
32"	66"	28¾"	50"	27½"	5¾"	53K3266DLFB	—	\$3951	\$3951
38"	72"	28¾"	56"	27½"	5¾"	53K3872DLFB	—	4144	4144

*Knife rim overhangs user side by 1¼".

Single-pedestal desks can be used as standalone units.

Center Drawers

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Standard Includes

- Box/box/file letter-width pedestal
- One lock
- Breakfront modesty panel
- Two hinged access doors
- Two cord openings

How to Specify



- ① Model
- ② Worksurface/chassis materials:
L = HPL/TFL
LW = HPL/Wood
W = Wood/Wood
- ③ Pedestal option:
1 = BBF
- ④ Rim profile:
P = Softened vinyl (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
- ⑤ Pull option:
➤ See page 14.8 for designators.
- ⑥ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- ⑦ Worksurface grommet option:
➤ See page 14.6 for designators.
X = No grommet
- ⑧ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- ⑨ Worksurface finish designator
- ⑩ Drawer front finish designator (omit for LW and W models)
- ⑪ Chassis finish designator (omit for LW and W)
- ⑫ Rim finish price group (omit for L & W models):
STD = Group 1
STD2 = Group 2 (+20%)
- ⑬ Rim finish designator (omit for W models)
- ⑭ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

Single-Pedestal Desks

Arc Top

Pricing

GSA SIN 711-8



D	W	H	KW	KH	AO	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Pedestal on Right									
Softened or Reed Rim									
30"	66"	28¾"	50"	27½"	5¾"	53K3066DRFBA	\$2654	\$3922	—
36"	72"	28¾"	56"	27½"	5¾"	53K3672DRFBA	\$2788	\$4120	—
Knife Rim									
32"	66"	28¾"	50"	27½"	5¾"	53K3266DRFBA	—	—	\$4030
38"	72"	28¾"	56"	27½"	5¾"	53K3872DRFBA	—	—	4228

Pedestal on Left									
Softened or Reed Rim									
30"	66"	28¾"	50"	27½"	5¾"	53K3066DLFBA	\$2654	\$3922	—
36"	72"	28¾"	56"	27½"	5¾"	53K3672DLFBA	\$2788	\$4120	—
Knife Rim									
32"	66"	28¾"	50"	27½"	5¾"	53K3266DLFBA	—	—	\$4030
38"	72"	28¾"	56"	27½"	5¾"	53K3872DLFBA	—	—	4228

*Knife rim overhangs user side by 1¼".
Arc top depth dimensions represent the widest point.

Single-pedestal desks can be used as standalone units.

Center Drawers

►See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Planning	►See page 14.2
Pricing	14.17
Surface Materials	14.46

Standard Includes

- Box/box/file letter-width pedestal
- One lock
- Breakfront modesty panel
- Two hinged access doors
- Two cord openings

How to Specify



- ① Model
- ② Worksurface/chassis materials:
L = HPL/TFL
LW = HPL/Wood
W = Wood/Wood
- ③ Pedestal option:
1 = BBF
- ④ Rim profile:
P = Softened vinyl (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
- ⑤ Pull option:
 ►See page 14.8 for designators.
- ⑥ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- ⑦ Worksurface grommet option:
 ►See page 14.6 for designators.
X = No grommet
- ⑧ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- ⑨ Worksurface finish designator
- ⑩ Drawer front finish designator (omit for LW and W models)
- ⑪ Chassis finish designator (omit for LW and W)
- ⑫ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
- ⑬ Rim finish designator (omit for W models)
- ⑭ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

Single-Pedestal Desks



Extended Top

Pricing

GSA SIN 711-8



Approach side



Approach side

D	W	H	KW	KH	AO	Model	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Pedestal on Right									
Softened or Reed Rim									
42"	72"	28¾"	56"	27½"	5¾"	53K4272DRFEB	\$3016	\$4461	\$4461
Knife Rim									
44"	72"	28¾"	56"	27½"	5¾"	53K4472DRFEB	—	\$4599	\$4599

Pedestal on Left									
Softened or Reed Rim									
42"	72"	28¾"	56"	27½"	5¾"	53K4272DLFEB	\$3016	\$4461	\$4461
Knife Rim									
44"	72"	28¾"	56"	27½"	5¾"	53K4472DLFEB	—	\$4599	\$4599

*Knife rim overhangs user side by 1¼".

IMPORTANT: Single-pedestal extended top desks are not intended for use as stand-alone units.

Center Drawers

►See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Planning	►See page 14.2
Pricing	14.17
Surface Materials	14.46

Standard Includes

- Box/box/file letter-width pedestal
- One lock
- Breakfront modesty panel
- Two hinged access doors
- Two cord openings

How to Specify

- 1 Model
- 2 Worksurface/chassis materials:
L = HPL/TFL
LW = HPL/Wood
W = Wood/Wood
- 3 Pedestal option:
1 = BBF
- 4 Rim profile:
P = Softened vinyl (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
- 5 Pull option:
 ►See page 14.8 for designators.
- 6 Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- 7 Worksurface grommet option:
 ►See page 14.6 for designators.
X = No grommet
- 8 Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 9 Worksurface finish designator
- 10 Drawer front finish designator (omit for LW and W models)
- 11 Chassis finish designator (omit for LW and W)
- 12 Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
- 13 Rim finish designator (omit for W models)
- 14 Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

Standard Includes





- File/file letter-width pedestal or 36"W multi-file pedestal (two box drawers, one file drawer, and one lateral file drawer)
- One lock in file/file pedestal; two locks in multi-file pedestal
- Hinged modesty panel (ships unattached; assembly required)
- Two cord openings
- Front-to-back grain direction on worksurface on file/file returns and wood multi-file returns; side-to-side on laminate multi-file return

How to Specify


- 1 Model
- 2 Worksurface/chassis materials:
L = HPL/TFL
LW = HPL/Wood
W = Wood/Wood
- 3 Pedestal option:
2 = File/file **10** = Multi-file
- 4 Rim profile:
P = Softened vinyl (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
- 5 Pull option:
 ➤ See page 14.8 for designators.
- 6 Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27 per lock); specify lock core(s) separately
- 7 Worksurface grommet option:
 ➤ See page 14.6 for designators.
X = No grommet
- 8 Modesty panel grommet option:
MG1MB = Center (+\$66)
X = No grommet
- 9 Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 10 Worksurface finish designator
- 11 Drawer front finish designator (omit for LW and W models)
- 12 Chassis finish designator (omit for LW and W)
- 13 Rim finish price group (omit for L & W models):
STD = Group 1 **STD2** = Group 2 (+20%)
- 14 Rim finish designator (omit for W models)
- 15 Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

<i>D</i>	<i>W</i>	<i>H</i>	<i>KW</i>	<i>KH</i>	<i>Model</i>	<i>HPL Top TFL Chassis (L)</i>	<i>HPL Top Wood Chassis (LW)</i>	<i>Wood Top Wood Chassis (W)</i>
File/File Pedestal on Right								
Softened or Reed Rim								
24"	42"	28¾"	27"	27½"	53K2442RREF	\$1563	\$2423	\$2423
24"	48"	28¾"	33"	27½"	53K2448RREF	1595	2475	2475
Knife Rim								
25"	42"	28¾"	27"	27½"	53K2542RREF	—	\$2513	\$2513
25"	48"	28¾"	33"	27½"	53K2548RREF	—	2567	2567
File/File Pedestal on Left								
Softened or Reed Rim								
24"	42"	28¾"	27"	27½"	53K2442RLEF	\$1563	\$2423	\$2423
24"	48"	28¾"	33"	27½"	53K2448RLEF	1595	2475	2475
Knife Rim								
25"	42"	28¾"	27"	27½"	53K2542RLEF	—	\$2513	\$2513
25"	48"	28¾"	33"	27½"	53K2548RLEF	—	2567	2567
Multi-File Pedestal on Right								
Softened or Reed Rim								
24"	66"	28¾"	30"	27½"	53K2466RREF	\$2436	\$3751	\$3751
Knife Rim								
25"	66"	28¾"	30"	27½"	53K2566RREF	—	\$3852	\$3852
Multi-File Pedestal on Left								
Softened or Reed Rim								
24"	66"	28¾"	30"	27½"	53K2466RLEF	\$2436	\$3751	\$3751
Knife Rim								
25"	66"	28¾"	30"	27½"	53K2566RLEF	—	\$3852	\$3852

*Knife rim overhangs user side by 1¼".



Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



D	W	H	KH	Model	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
With Modesty Panel							
Softened or Reed Rim							
24"	30"	28¾"	27½"	53K2430BEF	\$563	\$1071	\$1071
24"	36"	28¾"	27½"	53K2436BEF	584	1116	1116
24"	42"	28¾"	27½"	53K2442BEF	609	1156	1156
24"	48"	28¾"	27½"	53K2448BEF	636	1207	1207
Knife Rim							
25"	30"	28¾"	27½"	53K2530BEF	—	\$1154	\$1154
25"	36"	28¾"	27½"	53K2536BEF	—	1201	1201
25"	42"	28¾"	27½"	53K2542BEF	—	1247	1247
25"	48"	28¾"	27½"	53K2548BEF	—	1304	1304

*Knife rim overhangs user side by 1¼".

Standard Includes

- Hinged modesty panel (ships unattached; assembly required)
- Front-to-back grain direction on worksurface

How to Specify

- 1 Model
- 2 Worksurface/modesty panel materials:
L = HPL/TFL
LW = HPL/Wood
W = Wood/Wood
- 3 Rim profile:
P = Softened vinyl (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
- 4 Worksurface grommet option:
 ➤ See page 14.6 for designators.
X = No grommet
- 5 Modesty panel grommet option:
MG1MB = Center (+\$66)
X = No grommet
- 6 Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Worksurface finish designator
- 8 Chassis finish designator (omit for LW and W models)
- 9 Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
- 10 Rim finish designator (omit for W models)



Credenzas

Storage and Kneespace

Pricing

†GSA SIN 711-9

††GSA SIN 711-8



D	W	H	KW	KH	Model	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Storage †								
Softened or Reed Rim								
24"	66"	28¾"			53K2466CSF	\$2902	\$4269	\$4269
24"	72"	28¾"			53K2472CSF	2980	4402	4402
Knife Rim								
25"	66"	28¾"			53K2566CSF	—	\$4395	\$4395
25"	72"	28¾"			53K2572CSF	—	4533	4533
Kneespace ††								
Softened or Reed Rim								
24"	66"	28¾"	36"	27½"	53K2466CKF	\$2614	\$3865	\$3865
24"	72"	28¾"	42"	27½"	53K2472CKF	2634	3896	3896
Knife Rim								
25"	66"	28¾"	36"	27½"	53K2566CKF	—	\$3963	\$3963
25"	72"	28¾"	42"	27½"	53K2572CKF	—	4000	4000





*Knife rim overhangs user side by 1¼".

Standard Includes

- Two file/file letter-width pedestals
- Two hinged doors and one adjustable shelf in center section of storage credenza (locking)
- Three locks in storage credenza; two locks in kneespace model
- Hinged modesty panel on kneespace credenzas
- Finished back
- Two cord openings in each pedestal with black grommets

How to Specify

- 1 Model
- 2 Worksurface/chassis materials:
L = HPL/TFL
LW = HPL/Wood
W = Wood/Wood
- 3 Pedestal option:
2 = File/file
- 4 Rim profile:
P = Softened vinyl (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
- 5 Pull option:
 ➤ See page 14.8 for designators.
- 6 Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27 per lock); specify lock core(s) separately
- 7 Worksurface grommet option:
 ➤ See page 14.6 for designators.
X = No grommet
- 8 Modesty panel grommet option (omit for storage credenza):
MG1MB = Center (+\$66)
X = No grommet
- 9 Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 10 Worksurface finish designator
- 11 Drawer front finish designator (omit for LW and W models)
- 12 Chassis finish designator (omit for LW and W)
- 13 Rim finish price group (omit for L & W models):
STD = Group 1
STD2 = Group 2 (+20%)
- 14 Rim finish designator (omit for W models)
- 15 Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)



D	W	H	KW	KH	Model	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Single-Pedestal on Right								
Softened or Reed Rim								
24"	66"	28¾"	50"	27½"	53K2466CRF	\$2441	\$3607	\$3607
24"	72"	28¾"	56"	27½"	53K2472CRF	2477	3660	3660
Knife Rim								
25"	66"	28¾"	50"	27½"	53K2566CRF	—	\$3709	\$3709
25"	72"	28¾"	56"	27½"	53K2572CRF	—	3761	3761
Single-Pedestal on Left								
Softened or Reed Rim								
24"	66"	28¾"	50"	27½"	53K2466CLF	\$2441	\$3607	\$3607
24"	72"	28¾"	56"	27½"	53K2472CLF	2477	3660	3660
Knife Rim								
25"	66"	28¾"	50"	27½"	53K2566CLF	—	\$3709	\$3709
25"	72"	28¾"	56"	27½"	53K2572CLF	—	3761	3761
Lateral File on Right								
Softened or Reed Rim								
24"	72"	28¾"	41¼"	27½"	53K2472CRF	\$2632	\$3891	\$3891
Knife Rim								
25"	72"	28¾"	41¼"	27½"	53K2572CRF	—	\$3947	\$3947
Lateral File on Left								
Softened or Reed Rim								
24"	72"	28¾"	41¼"	27½"	53K2472CLF	\$2632	\$3891	\$3891
Knife Rim								
25"	72"	28¾"	41¼"	27½"	53K2572CLF	—	\$3947	\$3947

*Knife rim overhangs user side by 1¼".

IMPORTANT: Single-pedestal credenzas may be used as stand-alone units.

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Standard Includes

- File/file letter-width pedestal or 30"W lateral file
- One lock
- Hinged modesty
- Finished back
- Two cord openings with black grommets

How to Specify

- ① Model
- ② Worksurface/chassis materials:
L = HPL/TFL
LW = HPL/Wood
W = Wood/Wood
- ③ Pedestal option:
2 = File/File **6** = Lateral File
- ④ Rim profile:
P = Softened vinyl (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
- ⑤ Pull option:
➤ See page 14.8 for designators.
- ⑥ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- ⑦ Worksurface grommet option:
➤ See page 14.6 for designators.
X = No grommet
- ⑧ Modesty panel grommet option:
MG1MB = Center (+\$66)
X = No grommet
- ⑨ Worksurface finish price group:
STD = Group 1 **STD2** = Group 2 (+20%)
- ⑩ Worksurface finish designator
- ⑪ Drawer front finish designator (omit for LW and W models)
- ⑫ Chassis finish designator (omit for LW and W)
- ⑬ Rim finish price group (omit for L & W models):
STD = Group 1 **STD2** = Group 2 (+20%)
- ⑭ Rim finish designator (omit for W models)
- ⑮ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

Support Panels

For Use with Rectangular and Arc Worksurfaces


Pricing

GSA SIN 711-8

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



D	W	H	Model	Laminate	Wood
Right End Support					
For Use with 24" and 25"D Rectangular Worksurfaces					
23 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K2418SESR	\$670	\$1104
For Use with 30" and 32"D Rectangular Worksurfaces					
29 ⁵ / ₈ "	15"	27 ⁵ / ₈ "	53K3015SESR	\$680	\$1121
For Use with 30" and 32"D Rectangular Worksurfaces and 36"D Arc Worksurfaces					
29 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K3018SESR	\$688	\$1135
For Use with 36" and 38"D Rectangular Worksurfaces and 42"D Arc Worksurfaces					
35 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K3618SESR	\$699	\$1153
Left End Support					
For Use with 24" and 25"D Rectangular Worksurfaces					
23 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K2418SESL	\$670	\$1104
For Use with 30" and 32"D Rectangular Worksurfaces					
29 ⁵ / ₈ "	15"	27 ⁵ / ₈ "	53K3015SESL	\$680	\$1121
For Use with 30" and 32"D Rectangular Worksurfaces and 36"D Arc Worksurfaces					
29 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K3018SESL	\$688	\$1135
For Use with 36" and 38"D Rectangular Worksurfaces and 42"D Arc Worksurfaces					
35 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K3618SESL	\$699	\$1153



IMPORTANT: End-support panels are used to support the non-pedestal end of a worksurface.

Worksurfaces and Mid-Support Panels
➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Standard Includes

- End-support panel
- Attachment hardware
- One cord opening

How to Specify

- ① Model
- ② Material:
L = Laminate
W = Wood
- ③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- ④ Finish designator

Undersurface Storage

15" and 18"W Pedestals

Pricing

GSA SIN 711-8

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Box/Box/File					
Letter Width					
23 ⁵ / ₈ "	15"	27 ⁵ / ₈ "	53K2415PUBBF	\$1043	\$1384
29 ⁵ / ₈ "	15"	27 ⁵ / ₈ "	53K3015PUBBF	1103	1454
Legal Width					
23 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K2418PUBBF	\$1074	\$1415
29 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K3018PUBBF	1133	1496
35 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K3618PUBBF	1194	1575
File/File					
Letter Width					
23 ⁵ / ₈ "	15"	27 ⁵ / ₈ "	53K2415PUFF	\$1013	\$1336
29 ⁵ / ₈ "	15"	27 ⁵ / ₈ "	53K3015PUFF	1074	1395
Legal Width					
23 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K2418PUFF	\$1043	\$1368
29 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K3018PUFF	1104	1438
35 ⁵ / ₈ "	18"	27 ⁵ / ₈ "	53K3618PUFF	1148	1507

Standard Includes

- Finished back panel
- Open top
- Lock
- Two cord openings with black grommets on 24"D pedestals only; one in the back lower corner of each side panel.

How to Specify

- ① Model
- ② Material:
L = Laminate
W = Wood
- ③ Pull option:
➤ See page 14.8 for designators.
- ④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- ⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- ⑥ Wood finish designator (omit for L model)
- ⑦ Drawer front finish designator (omit for W model)
- ⑧ Chassis finish designator (omit for W model)
- ⑨ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

Worksurfaces and
Ganging Brackets
➤ See the Priority chapter in
the *Kimball Desks &
Accessories Price List*.


Undersurface Storage

30" and 36"W Pedestals

Pricing

GSA SIN 711-8

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46




<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Hinged-Door Storage					
23 ⁵ / ₈ "	30"	27 ⁵ / ₈ "	53K2430PUH	\$1400	\$1847
23 ⁵ / ₈ "	36"	27 ⁵ / ₈ "	53K2436PUH	1511	1999




Two-Drawer Lateral File					
23 ⁵ / ₈ "	30"	27 ⁵ / ₈ "	53K2430LFM2	\$1393	\$2297
23 ⁵ / ₈ "	36"	27 ⁵ / ₈ "	53K2436LFM2	1487	2458



Multi-File					
Box/Box/Open/Lateral File					
23 ¹ / ₂ "	30"	27 ⁵ / ₈ " (shown)	53K2430PUBBR	\$1777	\$2370
23 ¹ / ₂ "	36"	27 ⁵ / ₈ "	53K2436PUBBR	1917	2552



Box/Box/File/Lateral File					
23 ⁵ / ₈ "	30"	27 ⁵ / ₈ "	53K2430PUBBFL	\$1848	\$2442
23 ⁵ / ₈ "	36"	27 ⁵ / ₈ "	53K2436PUBBFL	1990	2625



Printer/CPU Storage					
23 ⁵ / ₈ "	36"	27 ⁵ / ₈ "	53K2436PUPU	\$1511	\$1999

IMPORTANT: Worksurfaces must be specified separately.

Worksurfaces and Ganging Brackets

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Standard Includes

- Finished back panel
- Open top
- Lock (except on printer/CPU storage model)
- Adjustable shelf on hinged-door model
- One lock on hinged-door, two-drawer lateral file, and box/box/open/lateral multi-file pedestal; two locks on box/box/file/lateral multi-file pedestal
- Door and drawer pull on each door/drawer; lateral file drawer on box/box/file/lateral multi-file pedestal has two pulls
- One adjustable shelf at top of printer/CPU storage; printer (bottom) shelf has a 100 lb. weight limit
- Interlock mechanism (allows only one drawer to be open at a time to help prevent tipping)
- Two cord openings with black grommets; one in the back lower corner of each side panel

How to Specify

- 1 Model
- 2 Material:
L = Laminate
W = Wood
- 3 Pull option (omit for printer/CPU storage model):
➤ See page 14.8 for designators.
- 4 Lock option (omit for printer/cpu storage):
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27 per lock); specify lock core(s) separately
- 5 Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- 6 Wood finish designator (omit for L model)
- 7 Drawer front finish designator (omit for W model)
- 8 Chassis finish designator (omit for W model)
- 9 Wood interior drawer option (omit for standard drawers, L models, and printer/cpu storage):
WD = Wood interior drawers (+5%)

Undersurface Storage

15" and 30"W with Spacers

Pricing

GSA SIN 711-2

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Box/Box/File					
Letter Width					
23½"	14½/16"	279/16"	53K2415PUBBFS	\$1073	\$1414
29½/16"	14½/16"	279/16"	53K3015PUBBFS	1132	1484
355/8"	14½/16"	279/16"	53K3615PUBBFS	1190	1558



File/File					
Letter Width					
23½"	14½/16"	279/16"	53K2415PUFFS	\$1042	\$1368
29½/16"	14½/16"	279/16"	53K3015PUFFS	1104	1421
355/8"	14½/16"	279/16"	53K3615PUFFS	1149	1480



Lateral File					
23½"	29½/16"	279/16"	53K2430LFM2S	\$1420	\$2328

Standard Includes

- Enclosed top with four spacers
- Finished back panel
- Lock

How to Specify

- 1 Model
- 2 Material:
L = Laminate
W = Wood
- 3 Pull option:
➤ See page 14.8 for designators.
- 4 Lock option:
KRB = Key random, black hinged key
KRS = Key random, silver key
KS = Key specific (-\$27); specify lock core separately
- 5 Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- 6 Wood finish designator (omit for L model)
- 7 Drawer front finish designator (omit for W model)
- 8 Chassis finish designator (omit for W model)
- 9 Chassis back finish designator (omit for W model)
- 10 Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

IMPORTANT: Starter bracket must be specified separately.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.







Undersurface Storage

Double-Sided with Spacers

Pricing

GSA SIN 711-2

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Box/Box/File — Box/Box/File					
47 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K4815PUD1	\$2297	\$3050
59 ³ / ₄ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K6015PUD1	2427	3200
For Use with Stanchions					
50 ³ / ₁₆ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K5015PUD1S	\$2330	\$3100
62 ¹ / ₄ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K6215PUD1S	2460	3232
File/File — File/File					
47 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K4815PUD2	\$2230	\$2945
59 ³ / ₄ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K6015PUD2	2363	3067
For Use with Stanchions					
50 ³ / ₁₆ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K5015PUD2S	\$2263	\$2975
62 ¹ / ₄ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K6215PUD2S	2397	3100
Box/Box/File — File/File					
47 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K4815PUD8	\$2265	\$2995
59 ³ / ₄ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K6015PUD8	2396	3132
For Use with Stanchions					
50 ³ / ₁₆ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K5015PUD8S	\$2294	\$3030
62 ¹ / ₄ "	14 ¹⁵ / ₁₆ "	27 ⁹ / ₁₆ "	53K6215PUD8S	2428	3164

IMPORTANT: Specify stanchions separately for 50" and 62"W pedestals.

IMPORTANT: Starter bracket must be specified separately. Specify 2 for end application, specify 4 for mid-support application.
➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Standard Includes

- One lock per pedestal side
- Enclosed top with 8 spacers
- One cord opening in top of pedestal

How to Specify

- 1 Model
- 2 Material:
L = Laminate
W = Wood
- 3 Pull option:
➤ See page 14.8 for designators.
- 4 Lock option:
KRB = Key random, black hinged key
KRS = Key random, silver key
KS = Key specific (-\$54); specify two lock cores separately
- 5 Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- 6 Wood finish designator (omit for L model)
- 7 Drawer front finish designator (omit for W model)
- 8 Chassis finish designator (omit for W model)
- 9 Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)



D	W	H	Model	Fabric Price Grade						
				1 or COM	2	3 or COL	4	5	6	7
Box/File with Cushion Top										
Laminate										
23"	14 ¹⁵ / ₁₆ "	23 ⁹ / ₁₆ "	53K2415PMBFCL	\$1344	\$1373	\$1390	\$1409	\$1435	\$1462	\$1490
Wood										
23"	14 ¹⁵ / ₁₆ "	23 ⁹ / ₁₆ "	53K2415PMBFCW	\$1789	\$1818	\$1835	\$1854	\$1880	\$1907	\$1935



D	W	H	Model	Price
Box/Box/File				
Laminate				
23"	14 ¹⁵ / ₁₆ "	27 ⁵ / ₁₆ "	53K2415PMBBFL	\$1484
Wood				
23"	14 ¹⁵ / ₁₆ "	27 ⁵ / ₁₆ "	53K2415PMBBFW	\$1977



File/File				
Laminate				
23"	14 ¹⁵ / ₁₆ "	27 ⁵ / ₁₆ "	53K2415PMFFL	\$1412
Wood				
23"	14 ¹⁵ / ₁₆ "	27 ⁵ / ₁₆ "	53K2415PMFFW	\$1883



Active File				
Laminate				
22 ¹³ / ₁₆ "	14 ¹⁵ / ₁₆ "	23"	53K2215PMAFL	\$1354
Wood				
22 ¹³ / ₁₆ "	14 ¹⁵ / ₁₆ "	23"	53K2215PMAFW	\$1672

Standard Includes

- Lock
- Finished front, back, sides, and 3/4"-thick self-edge top
- Anti-tip device on bottom drawer
- Dual-wheel locking casters
- Upholstered cushion top on box/file model: seating upholstery (except leather)
COM yardage = .8 yard 54"W non-directional fabric
- Active file model top area: two sections for storage and hanging Pendaflex® folders in the rear section

How to Specify

- ① Model
- ② Pull option:
➤ See page 14.8 for designators.
- ③ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- ④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- ⑤ Wood finish designator (omit for L model)
- ⑥ Front laminate designator (omit for W model)
- ⑦ Chassis laminate designator (omit for W model)
- ⑧ Back laminate designator (omit for W model)
- ⑨ Fabric grade (include for cushion-top model only)
- ⑩ Fabric designator (include for cushion-top model only)
- ⑪ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

Low Storage

Wide Box/Lateral File

Pricing

GSA SIN 711-2

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
22"H					
16"	29 ¹⁵ / ₁₆ "	21 ³ / ₈ "	53K163022PFBLF	\$1119	\$1837
16"	35 ⁷ / ₈ "	21 ³ / ₈ "	53K163622PFBLF	1199	1964
23 ¹ / ₂ "	29 ¹⁵ / ₁₆ "	21 ³ / ₈ "	53K243022PFBLF	1305	2135
23 ¹ / ₂ "	35 ⁷ / ₈ "	21 ³ / ₈ " (shown)	53K243622PFBLF	1395	2285

Standard Includes

- Finished front, back, and sides
- Open top
- Anti-tip device on bottom drawer
- Lock

How to Specify

- ① Model
- ② Material:
L = Laminate
W = Wood
- ③ Pull option:
➤ See page 14.8 for designators.
- ④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- ⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- ⑥ Wood finish designator (omit for L model)
- ⑦ Front laminate designator (omit for W model)
- ⑧ Chassis laminate designator (omit for W model)
- ⑨ Back laminate designator (omit for W model)
- ⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

IMPORTANT: Low storage must be used with a component top or cushion top.

➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Standard Includes

15"H

- Finished front, back, sides, and subtop
- Anti-tip device on bottom drawer
- Lock
- Four non-locking casters on mobile units

22"H

- Finished front, back, and sides
- 1 fixed shelf in 22"H model
- 2 holes spaced 3¼" apart to accept straight shelves and organizer shelves, specified separately
- Anti-tip device on bottom drawer
- Lock
- Four non-locking casters on mobile units

How to Specify

- 1 Model
- 2 Material:
L = Laminate
W = Wood
- 3 Pull option:
➤ See page 14.8 for designators.
- 4 Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- 5 Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- 6 Wood finish designator (omit for L model)
- 7 Front laminate designator (omit for W model)
- 8 Chassis laminate designator (omit for W model)
- 9 Back laminate designator (omit for W model)
- 10 Wood interior drawer option (omit for standard drawer and L models):
WD = Wood interior drawer (+5%)



D	W	H	Model	Laminate	Wood
15"H					
Fixed					
16"	29½"	15¾"	53K163015LF1	\$723	\$1187
16"	35⅞"	15¾"	53K163615LF1	771	1265
23½"	29½"	15¾" (shown)	53K243015LF1	840	1378
23½"	35⅞"	15¾"	53K243615LF1	901	1475
Mobile					
16"	29½"	15¾" (shown)	53K163015LFM1	\$798	\$1304
16"	35⅞"	15¾"	53K163615LFM1	848	1393
23½"	29½"	15¾"	53K243015LFM1	924	1517
23½"	35⅞"	15¾"	53K243615LFM1	988	1621
22"H					
Fixed					
16"	29½"	21¾" (shown)	53K163022PFOLF	\$964	\$1580
16"	35⅞"	21¾"	53K163622PFOLF	1030	1688
23½"	29½"	21¾"	53K243022PFOLF	1119	1837
23½"	35⅞"	21¾"	53K243622PFOLF	1199	1964
Mobile					
16"	29½"	21¾"	53K163022PMOLF	\$1062	\$1740
16"	35⅞"	21¾"	53K163622PMOLF	1133	1860
23½"	29½"	21¾"	53K243022PMOLF	1233	2022
23½"	35⅞"	21¾" (shown)	53K243622PMOLF	1318	2160

IMPORTANT: Low storage must be used with a component top if adding an open-frame or U-leg on top to support a worksurface.

Component Tops, Cushion Tops, Straight Shelves, and Organizer Shelves
➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Lateral Files without Top

For Use with Rectangular Worksurfaces

Pricing

GSA SIN 711-8



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Three Drawers					
23 ⁵ / ₈ "	30"	40 ¹ / ₈ "	53K2430LFM3	\$2094	\$3193
23 ⁵ / ₈ "	36"	40 ¹ / ₈ "	53K2436LFM3	2277	3468
Four Drawers					
23 ⁵ / ₈ "	30"	52 ⁵ / ₈ "	53K2430LFM4	\$2382	\$3628
23 ⁵ / ₈ "	36"	52 ⁵ / ₈ "	53K2436LFM4	2589	3945

IMPORTANT:
Worksurfaces must be specified separately.

Rectangular Worksurfaces and Ganging Brackets
➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Standard Includes

- Unfinished back panel
- Open top
- Lock
- Interlock mechanism (allows only one drawer to be open at a time to help prevent tipping)
- Two cord openings with black grommets on three-drawer model; one in the back lower corner of each side panel

How to Specify

- ① Model
- ② Material:
 L = Laminate
 W = Wood
- ③ Pull option:
 ➤ See page 14.8 for designators.
- ④ Lock option:
 KRB = Key random, black lock core
 KRS = Key random, silver lock core
 KS = Key specific (-\$27); specify lock core separately
- ⑤ Wood finish price group (omit for L model):
 STD = Group 1
 STD2 = Group 2 (+20%)
- ⑥ Wood finish designator (omit for L model)
- ⑦ Drawer front finish designator (omit for W model)
- ⑧ Chassis finish designator (omit for W model)
- ⑨ Wood interior drawer option (omit for standard drawers and L models):
 WD = Wood interior drawers (+5%)

Lateral Files with Top

Freestanding

Pricing

GSA SIN 711-8

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Standard Includes


- Lock
- Interlock mechanism (allows only one drawer to be open at a time)
- Finished top with rim on four sides
- Finished back on two- and three-drawer models; unfinished back on four-drawer model
- Two cord openings with black grommets on two- and three-drawer models

How to Specify

- 1 Model
- 2 Worksurface/chassis materials:
L = HPL/TFL
LW = HPL/Wood
W = Wood/Wood
- 3 Rim profile:
P = Softened vinyl (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
- 4 Pull option:
➤ See page 14.8 for designators.
- 5 Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- 6 Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Worksurface finish designator
- 8 Drawer front finish designator (omit for LW and W models)
- 9 Chassis finish designator (omit for LW and W models)
- 10 Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
- 11 Rim finish designator (omit for W models)
- 12 Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

D	W	H	Model	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Two Drawers						
Softened or Reed Rim						
24"	30"	28¾"	53K2430LFF2	\$1617	\$2467	\$2467
24"	36"	28¾"	53K2436LFF2	1758	2681	2681
Knife Rim						
25"	30"	28¾"	53K2530LFF2	—	\$2541	\$2541
25"	36"	28¾"	53K2536LFF2	—	2762	2762
Three Drawers						
Softened or Reed Rim						
24"	30"	41½/16"	53K2430LFF3	\$2285	\$3482	\$3482
24"	36"	41½/16"	53K2436LFF3	2481	3784	3784
Knife Rim						
25"	30"	41½/16"	53K2530LFF3	—	\$3584	\$3584
25"	36"	41½/16"	53K2536LFF3	—	3896	3896
Four Drawers						
Softened or Reed Rim						
24"	30"	54"	53K2430LFF4	\$2595	\$3955	\$3955
24"	36"	54"	53K2436LFF4	2822	4298	4298
Knife Rim						
25"	30"	54"	53K2530LFF4	—	\$4073	\$4073
25"	36"	54"	53K2536LFF4	—	4427	4427

*Knife rim overhangs user side by 1¼".





16"D Vertical Storage

Bookcases with Lateral File

Pricing

GSA SIN 711-2

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Full Back					
16"	35 7/8"	48 7/8"	53K3650LFFOFF	\$3498	\$4551
Partial Back					
16"	35 7/8"	48 7/8"	53K3650LFFOPF	\$3213	\$4120

Standard Includes

- Bottom section: two lateral file drawers with lock
- Upper section: 5 holes spaced 3 1/4" apart to accept straight shelves and organizer shelves
- Finished back: two-piece matched set on full-back model
- Finished inset top
- Ganging bolt

How to Specify

- 1 Model
- 2 Material:
L = Laminate
W = Wood
- 3 Pull option:
➤ See page 14.8 for designators.
- 4 Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- 5 Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- 6 Wood finish designator (omit for L model)
- 7 Front laminate designator (omit for W model)
- 8 Chassis laminate designator (omit for W model)
- 9 Back laminate designator (omit for W model)
- 10 Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified
separately.

Straight Shelves, Organizer
Shelves, Back Panels
➤ See the Priority chapter
in the *Kimball Desks &
Accessories Price List*.


16"D Vertical Storage

Bookcases with Solid Hinged Doors and Lateral File


Pricing

GSA SIN 711-2

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Full Back					
16"	35 ⁷ / ₈ "	66 ⁷ / ₈ "	53K3667LFFOHFF	\$3896	\$4914
16"	35 ⁷ / ₈ "	79 ⁹ / ₁₆ " (shown)	53K3680LFFOHFF	4438	5755



Partial Back					
16"	35 ⁷ / ₈ "	66 ⁷ / ₈ "	53K3667LFFOHFF	\$3612	\$4631
16"	35 ⁷ / ₈ "	79 ⁹ / ₁₆ " (shown)	53K3680LFFOHFF	4152	5326

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves, Organizer
Shelves, Back Panels
➤ See the Priority chapter
in the *Kimball Desks &
Accessories Price List*.

Standard Includes

- Bottom section: two lateral file drawers with lock
- Middle section: 5 holes spaced 3¹/₄" apart to accept straight shelves and organizer shelves
- Top section: adjustable shelf with 3 holes spaced 1¹/₄" apart
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

- ① Model
- ② Material:
 L = Laminate
 W = Wood
- ③ Pull option:
 ➤ See page 14.8 for designators.
- ④ Lock option:
 KRB = Locking doors and drawers, key random, black lock cores (+\$69)
 KRS = Locking doors and drawers, key random, silver lock cores (+\$69)
 KS = Locking doors and drawers, key specific (+\$18); specify 2 lock cores separately
 XKRB = Non-locking doors; locking drawers, key random, black lock core
 XKRS = Non-locking doors; locking drawers, key random, silver lock core
 XKS = Non-locking doors; locking drawers, key specific (-\$27); specify 1 lock core separately
- ⑤ Wood finish price group (omit for L model):
 STD = Group 1
 STD2 = Group 2 (+20%)
- ⑥ Wood finish designator (omit for L model)
- ⑦ Front laminate designator (omit for W model)
- ⑧ Chassis laminate designator (omit for W model)
- ⑨ Back laminate designator (omit for W model)
- ⑩ Wood interior drawer option (omit for standard drawers and L models):
 WD = Wood interior drawers (+5%)


16"D Vertical Storage

Pricing


Bookcases with Writable Glass Hinged Doors and Lateral File

GSA SIN 711-2

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Full Back					
16"	35 ⁷ / ₈ "	66 ⁷ / ₈ "	53K3667LFFOHFFG2	\$4228	\$5492
16"	35 ⁷ / ₈ "	79 ³ / ₁₆ " (shown)	53K3680LFFOHFFG2	4818	6245



Partial Back					
16"	35 ⁷ / ₈ "	66 ⁷ / ₈ "	53K3667LFFOHHPFG2	\$3925	\$5036
16"	35 ⁷ / ₈ "	79 ³ / ₁₆ " (shown)	53K3680LFFOHHPFG2	4516	5788

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves, Organizer Shelves, Back Panels
➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Standard Includes

- Bottom section: two lateral file drawers with lock
- Middle section: 5 holes spaced 3¹/₄" apart to accept straight shelves and organizer shelves
- Top section: adjustable shelf with 3 holes spaced 1¹/₄" apart
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

- ① Model
- ② Material:
L = Laminate
W = Wood
- ③ Pull option:
➤ See page 14.8 for designators.
- ④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- ⑤ Glass pattern:
202G = Ice Gloss
- ⑥ Door frame finish:
511 = Silver Satin
- ⑦ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- ⑧ Wood finish designator (omit for L model)
- ⑨ Front laminate designator (omit for W model)
- ⑩ Chassis laminate designator (omit for W model)
- ⑪ Back laminate designator (omit for W model)
- ⑫ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)



16"D Vertical Storage

Bookcases with Solid Sliding Door and Lateral File

Pricing

GSA SIN 711-2

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Full Back					
16"	35 7/8"	66 7/8"	53K3667LFFOSFF	\$3534	\$4599
16"	35 7/8"	79 3/16" (shown)	53K3680LFFOSFF	4023	5227
Partial Back					
16"	35 7/8"	66 7/8"	53K3667LFFOSPF	\$3250	\$4169
16"	35 7/8"	79 3/16" (shown)	53K3680LFFOSPF	3739	4794

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified
separately.

Straight Shelves, Organizer
Shelves, Back Panels
➤ See the Priority chapter
in the *Kimball Desks &
Accessories Price List*.

Standard Includes

- Bottom section: two lateral file drawers with lock
- Middle section: 5 holes spaced 3 1/4" apart to accept straight shelves and organizer shelves
- Top section: non-locking sliding door and center divider with 7 holes on 67" model or 17 holes on 80" model, spaced 1 1/4" apart to accept shelves
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

- 1 Model
- 2 Material:
L = Laminate
W = Wood
- 3 Pull option:
➤ See page 14.8 for designators.
- 4 Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- 5 Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- 6 Wood finish designator (omit for L model)
- 7 Front laminate designator (omit for W model)
- 8 Chassis laminate designator (omit for W model)
- 9 Back laminate designator (omit for W model)
- 10 Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)



16"D Vertical Storage

Pricing

Bookcases with Writable Glass Sliding Door and Lateral File

GSA SIN 711-2

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



20 9/16"

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Full Back					
16"	35 7/8"	66 7/8"	53K3667LFFOSFFG2	\$3836	\$4988
16"	35 7/8"	79 9/16" (shown)	53K3680LFFOSFFG2	4366	5668
Partial Back					
16"	35 7/8"	66 7/8"	53K3667LFFOSPFG2	\$3533	\$4529
16"	35 7/8"	79 9/16" (shown)	53K3680LFFOSPFG2	4062	5209

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves, Organizer Shelves, Back Panels
➤ See the Priority chapter in the *Kimball Desks & Accessories Price List*.

Standard Includes

- Bottom section: two lateral file drawers with lock
- Middle section: 5 holes spaced 3 1/4" apart to accept straight shelves and organizer shelves
- Top section: non-locking sliding door and center divider with 7 holes on 67" model or 3 holes on 80" model, spaced 1 1/4" apart to accept shelves
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

- ① Model
- ② Material:
L = Laminate
W = Wood
- ③ Pull option:
➤ See page 14.8 for designators.
- ④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- ⑤ Glass pattern:
202G = Ice Gloss
- ⑥ Door frame finish:
511 = Silver Satin
- ⑦ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- ⑧ Wood finish designator (omit for L model)
- ⑨ Front laminate designator (omit for W model)
- ⑩ Chassis laminate designator (omit for W model)
- ⑪ Back laminate designator (omit for W model)
- ⑫ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)



16"D Vertical Storage

Space Dividers

Pricing

GSA SIN 711-2

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



11 9/16"

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Right					
16"	29 15/16"	48 7/8"	53K3050SDHBF RP	\$3678	\$4728
Left					
16"	29 15/16"	48 7/8"	53K3050SDHBFLP	\$3678	\$4728

Standard Includes

- Bottom section: wide box/lateral file with lock
- Middle section: cubby area on one side; open (no side or back panels) on the other
- Top section: hinged door on one side; cubby area on the other
- Partially finished back: two-piece non-matched set for top and bottom sections and open middle section
- Anti-tip device on bottom drawer

How to Specify

- 1 Model
- 2 Material:
L = Laminate
W = Wood
- 3 Pull option:
➤ See page 14.8 for designators.
- 4 Lock option:
KRB = Locking solid door and drawers, key random, black lock cores (+\$69)
KRS = Locking solid doors and drawers, key random, silver lock cores (+\$69)
KS = Locking solid door and drawers, key specific (+\$18); specify 2 lock cores separately
XKRB = Non-locking door; locking drawers, key random, black lock core
XKRS = Non-locking door; locking drawers, key random, silver lock core
XKS = Non-locking door; locking drawers, key specific (-\$27); specify 1 lock core separately
- 5 Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- 6 Wood finish designator (omit for L model)
- 7 Front laminate designator (omit for W model)
- 8 Chassis laminate designator (omit for W model)
- 9 Back laminate designator (omit for W model)
- 10 Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

24"D Vertical Storage

Open Bookcases with File/File

Pricing

GSA SIN 711-2



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
File/File					
23½"	14¹⁵⁄₁₆"	41¹¹⁄₁₆"	53K1542VBFFF	\$2578	\$3392
23½"	14¹⁵⁄₁₆"	48⁷⁄₈" (shown)	53K1550VBFFF	2714	3571
23½"	14¹⁵⁄₁₆"	66⁷⁄₈"	53K1567VBFF	2859	3758

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46

Standard Includes

- Two letter-width file drawers
- Lock
- Shelf storage above drawers: one adjustable shelf on 42" and 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

- ① Model
- ② Material:
L = Laminate
W = Wood
- ③ Pull option:
➤ See page 14.8 for designators.
- ④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-\$27); specify lock core separately
- ⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- ⑥ Wood finish designator (omit for L model)
- ⑦ Front laminate designator (omit for W model)
- ⑧ Chassis laminate designator (omit for W model)
- ⑨ Back laminate designator (omit for W model)
- ⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)



24"D Vertical Storage Towers

Front Access

Pricing

GSA SIN 711-8

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



D	W	H	Model	Laminate	Wood
Box/Box/File					
Wardrobe Hinged Right					
23 1/2"	23 3/4"	41 1 1/16"	53K2442VWHRBBFF	\$3151	\$4037
23 1/2"	23 3/4"	48 7/8"	53K2450VWHRBBFF	3247	4164
23 1/2"	23 3/4"	66 7/8" (shown)	53K2467VWHRBBF	3268	3970
Wardrobe Hinged Left					
23 1/2"	23 3/4"	41 1 1/16"	53K2442VWHLBBFF	\$3151	\$4037
23 1/2"	23 3/4"	48 7/8"	53K2450VWHLBBFF	3247	4164
23 1/2"	23 3/4"	66 7/8"	53K2467VWHLBBF	3268	3970
File/File					
Wardrobe Hinged Right					
23 1/2"	23 3/4"	41 1 1/16"	53K2442VWHRFFF	\$3089	\$3960
23 1/2"	23 3/4"	48 7/8"	53K2450VWHRFFF	3187	4081
23 1/2"	23 3/4"	66 7/8" (shown)	53K2467VWHRFF	3224	3925
Wardrobe Hinged Left					
23 1/2"	23 3/4"	41 1 1/16"	53K2442VWHLFFF	\$3089	\$3960
23 1/2"	23 3/4"	48 7/8"	53K2450VWHLFFF	3187	4081
23 1/2"	23 3/4"	66 7/8"	53K2467VWHLFF	3224	3925

Standard Includes

- Box/box file or file/file letter-width pedestal
- Lock on box/box/file or file/file pedestal
- Shelf storage above drawers: one adjustable shelf on 42" and 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Wardrobe area with removable coat rod and one fixed shelf 12" above bottom panel; interior width 7 7/8"W
- Doors with adjustable hinges on shelf storage and wardrobe sections
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

- ① Model
- ② Material:
L = Laminate W = Wood
- ③ Pull option:
➤ See page 14.8 for designators.
- ④ Lock option:
KRB = Locking doors and drawers, key random, black lock cores (+\$138)
KRS = Locking doors and drawers, key random, silver lock cores (+\$138)
KS = Locking doors and drawers, key specific (+\$54); specify 3 lock cores separately
XKRB = Non-locking doors; locking drawers, key random, black lock cores
XKRS = Non-locking doors; locking drawers, key random, silver lock cores
XKS = Non-locking doors; locking drawers, key specific (-\$27); specify 1 lock core separately
- ⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- ⑦ Wood finish designator (omit for L model)
- ⑧ Front laminate designator (omit for W model)
- ⑨ Chassis laminate designator (omit for W model)
- ⑩ Back laminate designator (omit for W model)
- ⑪ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)


24"D Vertical Storage Towers

Side-Access Bookcase

Pricing

GSA SIN 711-2

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



D	W	H	Model	Laminate	Wood
Box/Box/File					
Wardrobe Hinged Right					
23 1/2"	23 3/4"	41 11/16"	53K2442VBWHRBBFF	\$3317	\$4250
23 1/2"	23 3/4"	48 7/8"	53K2450VBWHRBBFF	3420	4384
23 1/2"	23 3/4"	66 7/8"	53K2467VBWHRBBF	3599	4613
Wardrobe Hinged Left					
23 1/2"	23 3/4"	41 11/16"	53K2442VBWHLBBFF	\$3317	\$4250
23 1/2"	23 3/4"	48 7/8"	53K2450VBWHLBBFF	3420	4384
23 1/2"	23 3/4"	66 7/8" (shown)	53K2467VBWHLBBF	3599	4613
File/File					
Wardrobe Hinged Right					
23 1/2"	23 3/4"	41 11/16"	53K2442VBWHRFFF	\$3250	\$4168
23 1/2"	23 3/4"	48 7/8"	53K2450VBWHRFFF	3353	4297
23 1/2"	23 3/4"	66 7/8" (shown)	53K2467VBWHRFF	3529	4523
Wardrobe Hinged Left					
23 1/2"	23 3/4"	41 11/16"	53K2442VBWHLFFF	\$3250	\$4168
23 1/2"	23 3/4"	48 7/8"	53K2450VBWHLFFF	3353	4297
23 1/2"	23 3/4"	66 7/8"	53K2467VBWHLFF	3529	4523

Standard Includes

- Box/box file or file/file letter-width pedestal
- Lock on box/box/file or file/file pedestal
- Shelf storage above drawers: one adjustable shelf on 42" and 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Wardrobe area with removable coat rod and one fixed shelf 12" above bottom panel; interior width 7 7/8"W
- Doors with adjustable hinges on shelf storage and wardrobe sections
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

- 1 Model
- 2 Material:
L = Laminate W = Wood
- 3 Pull option:
➤ See page 14.8 for designators.
- 4 Lock option:
KRB = Locking doors and drawers, key random, black lock cores (+\$69)
KRS = Locking doors and drawers, key random, silver lock cores (+\$69)
KS = Locking doors and drawers, key specific (+\$18); specify 2 lock cores separately
XKRB = Non-locking doors; locking drawers, key random, black lock core
XKRS = Non-locking doors; locking drawers, key random, silver lock core
XKS = Non-locking doors; locking drawers, key specific (-\$27); specify 1 lock core separately
- 5 Wood finish price group (omit for L model):
STD = Group 1 STD2 = Group 2 (+20%)
- 7 Wood finish designator (omit for L model)
- 8 Front laminate designator (omit for W model)
- 9 Chassis laminate designator (omit for W model)
- 10 Back laminate designator (omit for W model)
- 11 Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)


24"D Vertical Storage Cabinets

Double Doors

Pricing

GSA SIN 711-8

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Laminate</i>	<i>Wood</i>
Lateral File					
23½"	29½/16"	66⅞"	53K3067VHF2	\$3609	\$4773
23½"	35⅞"	66⅞"	53K3667VHF2	3800	5022

Standard Includes

- Doors with adjustable hinges
- Unfinished back
- Finished inset top
- Two lateral file drawers
- Lock in lateral file
- One adjustable shelf (top)
- Two fixed shelves (including bottom shelf)

How to Specify

- ① Model
- ② Material:
L = Laminate **W** = Wood
- ③ Pull option:
➤ See page 14.8 for designators.
- ④ Lock option:
KRB = Locking doors and drawers, key random, black lock cores (+\$69)
KRS = Locking doors and drawers, key random, silver lock cores (+\$69)
KS = Locking doors and drawers, key specific (+\$18); specify 2 lock cores separately
XKRB = Non-locking doors; locking drawers, key random, black lock core
XKRS = Non-locking doors; locking drawers, key random, silver lock core
XKS = Non-locking doors; locking drawers, key specific (-\$27); specify 1 lock core separately
- ⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
- ⑥ Wood finish designator (omit for L model)
- ⑦ Front laminate designator (omit for W model)
- ⑧ Chassis laminate designator (omit for W model)
- ⑨ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)


30"D Vertical Storage Towers

Side-Access Wardrobe

Pricing

GSA SIN 711-2

Planning	➤ See page 14.2
Pricing	14.17
Surface Materials	14.46



D	W	H	Model	Laminate	Wood
Box/Box/File					
Wardrobe Hinged Right					
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	41 ¹¹ / ₁₆ "	53K1542VWHRBBFF	\$3548	\$4550
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	48 ⁷ / ₈ "	53K1550VWHRBBFF	3659	4689
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	66 ⁷ / ₈ "	53K1567VWHRBBF	3851	4939
Wardrobe Hinged Left					
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	41 ¹¹ / ₁₆ " (shown)	53K1542VWHLBBFF	\$3548	\$4550
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	48 ⁷ / ₈ "	53K1550VWHLBBFF	3659	4689
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	66 ⁷ / ₈ "	53K1567VWHLBBF	3851	4939
File/File					
Wardrobe Hinged Right					
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	41 ¹¹ / ₁₆ "	53K1542VWHRFFF	\$3480	\$4461
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	48 ⁷ / ₈ "	53K1550VWHRFFF	3585	4599
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	66 ⁷ / ₈ "	53K1567VWHRFF	3774	4840
Wardrobe Hinged Left					
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	41 ¹¹ / ₁₆ "	53K1542VWHLFFF	\$3480	\$4461
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	48 ⁷ / ₈ "	53K1550VWHLFFF	3585	4599
29 ¹¹ / ₁₆ "	14 ¹⁵ / ₁₆ "	66 ⁷ / ₈ " (shown)	53K1567VWHLFF	3774	4840

Standard Includes

- Box/box file or file/file letter-width pedestal
- Lock on box/box/file or file/file pedestal
- Front-access single-door storage area: one adjustable shelf on 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Coat hook in side-access area
- One fixed shelf 12" above bottom panel in side access area of 50" and 67"H units;; interior width 7⁷/₈"W
- Doors with adjustable hinges on shelf storage and wardrobe sections
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

- ① Model
- ② Material:
L = Laminate W = Wood
- ③ Pull option:
➤ See page 14.8 for designators.
- ④ Lock option:
KRB = Locking doors and drawers, key random, black lock cores (+\$138)
KRS = Locking doors and drawers, key random, silver lock cores (+\$138)
KS = Locking doors and drawers, key specific (+\$54); specify 3 lock cores separately
XKRB = Non-locking doors; locking drawers, key random, black lock core
XKRS = Non-locking doors; locking drawers, key random, silver lock core
XKS = Non-locking doors; locking drawers, key specific (-\$27); specify 1 lock core separately
- ⑤ Wood finish price group (omit for L model):
STD = Group 1 STD2 = Group 2 (+20%)
- ⑦ Wood finish designator (omit for L model)
- ⑧ Front laminate designator (omit for W model)
- ⑨ Chassis laminate designator (omit for W model)
- ⑩ Back laminate designator (omit for W model)
- ⑪ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+5%)

➤ See the *Kimball Surface Materials Reference Guide* at www.kimball.com for a complete overview of the Kimball materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) overview
- Alliance program
- TB133 process

IMPORTANT: Wood finishes applied to solid hardwood are complementary to the same wood finish applied to wood veneer, but not an exact match.

➤ Contact Customer Service for more information.

Wood

Applies to:

- Priority worksurfaces & tables
- Priority storage

Group 1

MC Amber Cherry
CC Cordoba Cherry
MH Mocha Cherry
SC Sedona Cherry

IM Brighton Maple
TM Huntington Maple

ES Espresso Walnut
MW Midtown Walnut
TW Tribeca Walnut
UW Urban Walnut

CO Canyon Straight Grain
DF Driftwood Straight Grain
YO Monterey Straight Grain
NW Tuscan Straight Grain

Group 2

CS Coco Sapele
SS Sienna Sapele

CZ Clear Zebrawood

➤ See the *Kimball Surface Materials Reference Guide* at www.kimball.com for a complete overview of the Kimball materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) overview
- Alliance program
- TB133 process

Customer-specified laminate (CSL) is available for HPL surfaces.

➤ See the *Surface Materials Reference Guide* at www.kimball.com.

HPL

Applies to:

- Priority worksurfaces & tables

Woodgrain

MC	Amber Cherry
CC	Cordoba Cherry
MH	Mocha Cherry
SC	Sedona Cherry
IM	Brighton Maple
TM	Huntington Maple

MW	Midtown Walnut
TW	Tribeca Walnut
UW	Urban Walnut

CO	Canyon Straight Grain
DF	Driftwood Straight Grain
YO	Monterey Straight Grain
NW	Tuscan Straight Grain

CZ	Clear Zebrawood
----	-----------------

Solid

480	Antique White
403	Chamois
462	Cinder
440	Cloud
405	Designer White
450	Fog
488	Frosty White
461	Graphite
416	Putty
420	Sandstone
425	Shadow
460	Storm
419	Wallaby

Pattern

874	Bronze Legacy
842	Canyon Zephyr
823	Carbon Evolv
841	Desert Zephyr
862	Grey Glace
844	Loden Zephyr
843	Misted Zephyr
846	Morro Zephyr
812	Mushroom Tigris
808	Nickel Evolv
807	Silcon Evolv
873	Tawny Legacy
805	Titanium Evolv
809	Tungsten Evolv
802	White Nebula
814	White Tigris

TFL

Applies to:

- Priority storage fronts and chassis

Woodgrain

MC	Amber Cherry
CC	Cordoba Cherry
MH	Mocha Cherry
SC	Sedona Cherry
IM	Brighton Maple
TM	Huntington Maple

MW	Midtown Walnut
TW	Tribeca Walnut
UW	Urban Walnut

CO	Canyon Straight Grain
DF	Driftwood Straight Grain
YO	Monterey Straight Grain
NW	Tuscan Straight Grain

CZ	Clear Zebrawood
----	-----------------

Solid

480	Antique White
403	Chamois
462	Cinder
440	Cloud
405	Designer White
450	Fog
488	Frosty White
461	Graphite
420	Sandstone
425	Shadow
460	Storm
419	Wallaby

➤ See the *Kimball Surface Materials Reference Guide* at www.kimball.com for a complete overview of the Kimball materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) overview
- Alliance program
- TB133 process

Vinyl

Applies to:

- Softened rim (P) on worksurfaces
- Worksurface wire manager

Woodgrain¹

MC	Amber Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CZ	Clear Zebrawood
CC	Cordoba Cherry
DF	Driftwood Straight Grain
TM	Huntington Maple
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
NW	Tuscan Straight Grain
UW	Urban Walnut

Solid

480	Antique White
403	Chamois
462	Cinder
440	Cloud
485	Dark Chocolate
405	Designer White
450	Fog
488	Frosty White
461	Graphite
420	Sandstone
425	Shadow
460	Storm
419	Wallaby

¹ Not available on
worksurface wire manager