
FILES

Product Pages

368



SAMPLE MODEL NUMBER:

DIMENSIONS

CARTONED CUBIC

210 lbs.

30.0

- 1. Base Model
- 21N2436LFF2L KRB HN2

LIST

2. Locking

3.	Lamina

	MODEL NO./DESCRIPTION	PRICE	D	W	Н	Α	KW	WEIGHT	FEET
ARROWOOD LAMINATE	Q21N2436LFF2L	\$ 1059	23¾	35¾	29½	_	-	184 lbs.	17.7
LATERAL FILE 2 DRAWER	21N2436LFF2L	1059	23¾	35¾	29½	-	-	184 lbs.	17.7
	Front-to-back filing is standard with lateral files	s: A rode per drawer are includ	ad						

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Unit features a semi-finished back

21N2436LFF3L

· Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 23

ARROWOOD LAMINATE LATERAL FILE **3 DRAWER**



- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- · Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 23

\$ 1726

23¾

35¾

441/2

ARROWOOD LAMINATE LATERAL FILE **4 DRAWER**




- 21N2436LFF4L \$ 2395 291 lbs. 40.2
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
 Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- · Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 23

210 lbs.

210 lbs.

30.0

30.0



31N2136LFF3W

TO ORDER, SPECIFY:

SAMPLE MODEL NUMBER:

- 1. Base Model
- 2. Locking
- 3. Finish

31N2136LFF2W KRB DW

	MODEL NO./DESC	RIPTION		LIST PRICE	DI D	MENSIO W	NS H	Α	KW	CARTONED WEIGHT	CUBIC FEET
ARROWOOD VENEER	Q31N2136LFF2W	Wood Top	\$	1654	21	35½	29½	-	-	193 lbs.	15.6
LATERAL FILE 2 DRAWER	31N2136LFF2W	Wood Top		1654	21	35½	29½	-	-	193 lbs.	15.6
	31N2136LFF2LW	HPL Top		1590	21	35½	29½	-	-	201 lbs.	15.6
•	 Random lock core 	is standard with lateral files; (KRB, KRS) and specified lock d Veneer for detailed product	core (KS2B, KS2S)	available		wood Ven	eer offer	ing star	ting on pa	ge 37	

ARROWOOD VENEER LATERAL FILE 3 DRAWER



- 31N2136LFF3LW HPL Top 2091 21 361/16 43%

Wood Top

Front-to-back filing is standard with lateral files; 4 rods per drawer are included
 Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
 Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 37


ARROWOOD VENEER LATERAL FILE **4 DRAWER**



31N2136LFF4W Wood Top \$ 2702 21 361/16 575/16 291 lbs. 40.2 31N2136LFF4LW HPL Top 291 lbs. 2668 21 361/16 575/16 40.2

2146

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- · Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 37



SAMPLE MODEL NUMBER:

50N2137LFF2W 81AB KRB MH

- 1. Base Model

- 3. Locking
- Pull Option

/1	Fir	nicr

		LIST	DI	MENSIO	NS			CARTONED	CUBIC
MODEL NO./DESCI	RIPTION	PRICE	D	W	Н	Α	KW	WEIGHT	FEET
Q50N2137LFF2W	Wood Top	\$ 2158	21	371/4	29½	-	-	158 lbs.	15.6
50N2137LFF2W	Wood Top	2158	21	371/4	29½	-	-	158 lbs.	15.6
50N2137LFF2LW	HPL Top	2158	21	371/4	29½	-	-	123 lbs.	15.6

- **BARRINGTON LATERAL FILE** 2 DRAWER
- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Lateral file has an unfinished back
- · Random lock core (KRB) and specified lock core (KS2B) available
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 59

BARRINGTON LATERAL FILE 3 DRAWER



50N2137LFF3W 2888 Wood Top \$ 211/16 371/4 4311/16 190 lbs. 24.0 50N2137LFF3LW HPL Top 2888 211/16 190 lbs. 24.0 371/4 4311/16

\$ 3618

21

371/4

55%

236 lbs.

29.4

- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Lateral file has an unfinished back
- · Random lock core (KRB) and specified lock core (KS1B) available
- · Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 59

BARRINGTON LATERAL FILE 4 DRAWER



- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Lateral file has an unfinished back

50N2137LFF4W

· Random lock core (KRB) and specified lock core (KS1B) available

Wood Top


• Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 59

210 lbs.

265 lbs.

30.0

32.9



TO ORDER, SPECIFY:

SAMPLE MODEL NUMBERS: ECN2238LFF3W 79SN KRB

- 1. Base Model
- 2. Pull Option
- 3. Locking
- 4. Finish

			LIST	DIN	IENSION	NS			CARTONED	CUBIC
MODEL NO./DESCRIF	PTION	F	PRICE	D	W	Н	Α	KW	WEIGHT	FEET
QECN2238LFF2W		\$	2614	221/4	38¾6	29½	-	-	155 lbs.	17.8
ECN2238LFF2W			2614	221/4	38¾6	29½	-	-	155 lbs.	17.8

3290

221/4

221/4

38¾16

383/16

 $41^{15}/_{16}$

54½

- **ESCALADE LATERAL FILE** 2 DRAWER
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
 Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 81

ESCALADE LATERAL FILE 3 DRAWER



ECN2238LFF3W \$

- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Lateral file has an unfinished back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
 Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 81

ESCALADE LATERAL FILE 4 DRAWER




• Front-to-back filing is standard with lateral files; 4 rods per drawer are included

Ś 3968

· Lateral file has an unfinished back

ECN2238LFF4W

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 81



SAMPLE MODEL NUMBER:

- 1. Base Model
- Rim Profile
- 3. Pull Option
- 4. Locking
- Finish 5.

19N2436LFF2W TD 84MB KRB TF

DIMENSIONS

36

CARTONED CUBIC

282 lbs.

32.0

	MODEL NO./DESCR	RIPTION	PRICE	D	W	Н	Α	KW	WEIGHT	FEET
FLOURISH LATERAL FILE	Q19N2436LFF2W	Wood Top	\$ 1638	23%6	36	29	-	-	160 lbs.	17.0
2 DRAWER	19N2436LFF2W	Wood Top	1638	231/16	36	29	-	-	160 lbs.	17.0
	19N2436LFF2LW	TFL Top	1574	23%6	36	29	-	-	160 lbs.	17.0

- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 103

FLOURISH LATERAL FILE 3 DRAWER




19N2436LFF3W Wood Top \$ 2136 231/16 36 43% 248 lbs. 31.9 19N2436LFF3LW TFL Top 2071 231/16 36 43% 248 lbs. 31.9

2673

LIST

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
 Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 103

FLOURISH LATERAL FILE **4 DRAWER**



- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


Wood Top

19N2436LFF4W

• Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 103

29.4

236 lbs.



TO ORDER, SPECIFY:

SAMPLE MODEL NUMBER:

- 2. Pull Option
- 3. Locking
- 4. Finish

Base Model	51N2137LFF2W	82AB	KRB	C١

				LIST	DI	MENSIO	NS			CARTONED	CUBIC
	MODEL NO./DESCR	IPTION	I	PRICE	D	W	Н	Α	KW	WEIGHT	FEET
ROOSEVELT LATERAL FILE	51N2137LFF2W	Wood Top	\$	2020	21	371/4	29½	-	-	158 lbs.	15.6
2 DRAWER	Q51N2137LFF2LW	Laminate Top		1949	21	371/4	29½	-	-	123 lbs.	15.6
	51N2137LFF2LW	Laminate Top		1949	21	371/4	29½	-	-	123 lbs.	15.6

- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Random lock core (KRB) and specified lock core (KS2B) available
- · Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 159

ROOSEVELT LATERAL FILE 3 DRAWER



51N2137LFF3W Wood Top \$ 2777 211/16 371/4 4311/16 190 lbs. 24.0 51N2137LFF3LW 190 lbs. Laminate Top 2707 211/16 371/4 4311/16 24.0

3435

21

371/4

55%

- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Random lock core (KRB) and specified lock core (KS1B) available
- · Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 159

ROOSEVELT LATERAL FILE 4 DRAWER




- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available

Wood Top

51N2137LFF4W

· Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 159



1. Model Number

- 2. Pull
- 3. Locking
- 4. Paint

• See pages 535-536 of Casegoods Book 2 for all options available in WaveWorks Metal

SAMPLE MODEL NUMBER:

WW1842LFF2M 5 KRB 462

WAVE	EWOI	RKS	MET	ΆL
LATE	RAL	FILE		



MODEL NO./DESCR	RIPTION	_	RICE
WW1842LFF2M	2 Drawer	\$	947
QWW1836LFF2M	2 Drawer		832
WW1836LFF2M	2 Drawer		832
WW1830LFF2M	2 Drawer		777
WW36CW2M	Counterweight		163

DII	MENSIO	NS			CARTONED	CUBIC
D	W	Н	Α	KW	WEIGHT	FEET
18	42	271/4	-	-	121 lbs.	16.4
18	36	271/4	-	-	113 lbs.	14.2
18	36	271/4	-	-	113 lbs.	14.2
18	30	271/4	-	-	100 lbs.	12.0
11/8	231/4	11%	-	-	37 lbs.	0.1


· Counterweight must be used unless ganging multiple lateral file units



WW1842LFF3M	3 Drawer	\$ 1245
WW1836LFF3M	3 Drawer	1140
WW1830LFF3M	3 Drawer	1081
WW36CW2M	Counterweight	163

18	42	39¾6	-	-	164 lbs.	23.0
18	36	39¾6	-	-	146 lbs.	19.9
18	30	39¾6	-	-	128 lbs.	16.8
11/8	231/4	11%	-	_	37 lbs.	0.1


· Counterweight must be used unless ganging multiple lateral file units



0		
WW36CW2M	Counterweight	163
WW1830LFF4M	4 Drawer	1227
WW1836LFF4M	4 Drawer	1293
QWW1836LFF4M	4 Drawer	1293
WW1842LFF4M	4 Drawer	\$ 1534

18	42	51%	-	-	191 lbs.	29.5
18	36	51%	-	-	169 lbs.	25.6
18	36	51%	-	_	169 lbs.	25.6
18	30	51%	-	-	148 lbs.	21.7
1%	231/4	11%	-	-	37 lbs.	0.1

· Counterweight must be used unless ganging multiple lateral file units



WW1842LFF5M	5 Drawer	\$ 1856
WW1836LFF5M	5 Drawer	1710
WW1830LFF5M	5 Drawer	1607
WW36CW2M	Counterweight	163

18	42	64½	-	-	212 lbs.	36.8
18	36	64½	-	-	187 lbs.	31.9
18	30	64½	-	-	162 lbs.	26.9
11/8	231/4	11%	-	-	37 lbs.	0.1

· Counterweight must be used unless ganging multiple lateral file units



WW36CW2M	Counterweight	163
WW1830LFF5DM	5 Drawer with Recessed Door	1738
WW1836LFF5DM	5 Drawer with Recessed Door	1812
WW1842LFF5DM	5 Drawer with Recessed Door	\$ 1969

18	42	64½	-	-	212 lbs.	36.8
18	36	64½	-	-	187 lbs.	31.9
18	30	64½	-	-	162 lbs.	26.9
11/8	231/4	11%	-	-	37 lbs.	0.1

$\boldsymbol{\cdot}$ Counterweight must be used unless ganging multiple lateral file units

- Drawer fronts are picture framed
- File drawers accommodate side-to-side letter/legal filing
- · Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware on page 581 of Casegoods Book 2
- Counterweight must be ordered separately, specify model only
- Knockouts are standard to allow for ganging side-by-side
- File cannot be moved loaded
- Quick Delivery lateral files are available in Cinder (462) and Platinum Metallic (501) finishes
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- · Pulls must be field installed for freestanding lateral files
- Reference WaveWorks Metals for detailed product information, finishes and entire WaveWorks Metal offering starting on page 533 of Casegoods Book 2

