
WAVEWORKS

COMPONENTS

Component Units

440

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3684WSSADW M F X D1BL403 X 83 $\frac{1}{2}$ MH
 WWN3684WSSADL M V440 X D1L440 X 83 440
 WWN3684WSSADLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--------------------------------------------------|------------|-------------------|-------------------|------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| ARC COMPONENT | | | | | | | | |
| 1$\frac{1}{16}$" TOP THICKNESS | | | | | | | | |
| WWN3684WSSADW Wood | \$ 1634 | 36 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 132 lbs. | 5.4 |
| WWN3684WSSADLW Laminate/Wood | 1634 | 36 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 132 lbs. | 5.4 |
| WWN3684WSSADL Laminate | 1160 | 36 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 132 lbs. | 5.4 |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| WWN3672WSSADW Wood | \$ 1412 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 120 lbs. | 4.7 |
| WWN3672WSSADLW Laminate/Wood | 1412 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 120 lbs. | 4.7 |
| WWN3672WSSADL Laminate | 1009 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 120 lbs. | 4.7 |
| 1$\frac{1}{16}$" TOP THICKNESS | | | | | | | | |
| WW3684WSSADW Wood | \$ 1475 | 36 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 132 lbs. | 5.4 |
| WW3684WSSADLW Laminate/Wood | 1475 | 36 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 132 lbs. | 5.4 |
| WW3684WSSADL Laminate | 1002 | 36 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 132 lbs. | 5.4 |
| WW3684WSSADLL TFL | 803 | 36 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 132 lbs. | 5.4 |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| WW3672WSSADW Wood | \$ 1252 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 120 lbs. | 4.7 |
| WW3672WSSADLW Laminate/Wood | 1252 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 120 lbs. | 4.7 |
| WW3672WSSADL Laminate | 853 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 120 lbs. | 4.7 |
| WW3672WSSADLL TFL | 681 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 120 lbs. | 4.7 |



- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: right or left; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth to a minimum of 30 $\frac{1}{16}$ "
- When ordering a worksurface with a size modification, specify desired depth
- For use with 29" deep component pedestals
- For additional worksurface support, specify Undersurface Support Rail, see page 528
- Modified width not available
- For undersurface wire managers, see page 741

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1¹/₆" worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3684WSSDW M F X D1BL403 X 83¹/₂ MH
 WW3684WSSDL M V440 X D1L440 X 83 440
 WW3684WSSDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|-----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|---------------|--------------------------------|--------------------------------|--------------------------------|-------------------------------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| RECTANGULAR WORKSURFACE 36" DEPTH  | 1¹/₆" TOP THICKNESS | | | | | | | | | |
| | WWN3684WSSDW | Wood | \$ 1399 | 36 ¹ / ₆ | 83 ¹ / ₆ | 1 ¹ / ₆ | — | — | 132 lbs. | 5.4 |
| | WWN3684WSSDLW | Laminate/Wood | 1399 | 36 ¹ / ₆ | 83 ¹ / ₆ | 1 ¹ / ₆ | — | — | 132 lbs. | 5.4 |
| | WWN3684WSSDL | Laminate | 992 | 36 ¹ / ₆ | 83 ¹ / ₆ | 1 ¹ / ₆ | — | — | 132 lbs. | 5.4 |
| | WWN3678WSSDW | Wood | \$ 1301 | 36 ¹ / ₆ | 77 ¹ / ₆ | 1 ¹ / ₆ | — | — | 120 lbs. | 4.7 |
| | WWN3678WSSDLW | Laminate/Wood | 1301 | 36 ¹ / ₆ | 77 ¹ / ₆ | 1 ¹ / ₆ | — | — | 120 lbs. | 4.7 |
| | WWN3678WSSDL | Laminate | 927 | 36 ¹ / ₆ | 77 ¹ / ₆ | 1 ¹ / ₆ | — | — | 120 lbs. | 4.7 |
| | WWN3672WSSDW | Wood | \$ 1208 | 36 ¹ / ₆ | 71 ¹ / ₆ | 1 ¹ / ₆ | — | — | 95 lbs. | 4.0 |
| | WWN3672WSSDLW | Laminate/Wood | 1208 | 36 ¹ / ₆ | 71 ¹ / ₆ | 1 ¹ / ₆ | — | — | 95 lbs. | 4.0 |
| | WWN3672WSSDL | Laminate | 863 | 36 ¹ / ₆ | 71 ¹ / ₆ | 1 ¹ / ₆ | — | — | 95 lbs. | 4.0 |
| | WWN3666WSSDW | Wood | \$ 1175 | 36 ¹ / ₆ | 66 | 1 ¹ / ₆ | — | — | 90 lbs. | 3.8 |
| | WWN3666WSSDLW | Laminate/Wood | 1175 | 36 ¹ / ₆ | 66 | 1 ¹ / ₆ | — | — | 90 lbs. | 3.8 |
| WWN3666WSSDL | Laminate | 820 | 36 ¹ / ₆ | 66 | 1 ¹ / ₆ | — | — | 90 lbs. | 3.8 | |
| WWN3660WSSDW | Wood | \$ 1158 | 36 ¹ / ₆ | 60 | 1 ¹ / ₆ | — | — | 87 lbs. | 3.5 | |
| WWN3660WSSDLW | Laminate/Wood | 1158 | 36 ¹ / ₆ | 60 | 1 ¹ / ₆ | — | — | 87 lbs. | 3.5 | |
| WWN3660WSSDL | Laminate | 777 | 36 ¹ / ₆ | 60 | 1 ¹ / ₆ | — | — | 87 lbs. | 3.5 | |

- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in ¹/₆" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 29" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 741

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3684WSSDW M F G1C D1BL403 X 83 $\frac{1}{2}$ TF
 WW3684WSSDL M V405 G1C D1BL403 83 $\frac{1}{2}$ TF
 WW3684WSSDLW M F G1C D1BL403 X 83 $\frac{1}{2}$ TF TF

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|------------------------------------------------------|------------|-------------------|-------------------|------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| RECTANGULAR WORKSURFACE 36" DEPTH (CONTINUED) | | | | | | | | |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| WW3684WSSDW Wood | \$ 1258 | 36 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 132 lbs. | 5.4 |
| WW3684WSSDLW Laminate/Wood | 1258 | 36 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 132 lbs. | 5.4 |
| WW3684WSSDL Laminate | 856 | 36 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 132 lbs. | 5.4 |
| WW3684WSSDLL TFL | 684 | 36 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 132 lbs. | 5.4 |
| WW3678WSSDW Wood | \$ 1165 | 36 $\frac{1}{16}$ | 77 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 120 lbs. | 4.7 |
| WW3678WSSDLW Laminate/Wood | 1165 | 36 $\frac{1}{16}$ | 77 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 120 lbs. | 4.7 |
| WW3678WSSDL Laminate | 791 | 36 $\frac{1}{16}$ | 77 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 120 lbs. | 4.7 |
| WW3678WSSDLL TFL | 633 | 36 $\frac{1}{16}$ | 77 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 120 lbs. | 4.7 |
| WW3672WSSDW Wood | \$ 1071 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 95 lbs. | 4.0 |
| WW3672WSSDLW Laminate/Wood | 1071 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 95 lbs. | 4.0 |
| WW3672WSSDL Laminate | 728 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 95 lbs. | 4.0 |
| WW3672WSSDLL TFL | 583 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 95 lbs. | 4.0 |
| WW3666WSSDW Wood | \$ 1038 | 36 $\frac{1}{16}$ | 66 | 1 $\frac{3}{16}$ | — | — | 90 lbs. | 3.8 |
| WW3666WSSDLW Laminate/Wood | 1038 | 36 $\frac{1}{16}$ | 66 | 1 $\frac{3}{16}$ | — | — | 90 lbs. | 3.8 |
| WW3666WSSDL Laminate | 684 | 36 $\frac{1}{16}$ | 66 | 1 $\frac{3}{16}$ | — | — | 90 lbs. | 3.8 |
| WW3666WSSDLL TFL | 548 | 36 $\frac{1}{16}$ | 66 | 1 $\frac{1}{2}$ | — | — | 90 lbs. | 3.8 |
| WW3660WSSDW Wood | \$ 1019 | 36 $\frac{1}{16}$ | 60 | 1 $\frac{3}{16}$ | — | — | 87 lbs. | 3.5 |
| WW3660WSSDLW Laminate/Wood | 1019 | 36 $\frac{1}{16}$ | 60 | 1 $\frac{3}{16}$ | — | — | 87 lbs. | 3.5 |
| WW3660WSSDL Laminate | 642 | 36 $\frac{1}{16}$ | 60 | 1 $\frac{3}{16}$ | — | — | 87 lbs. | 3.5 |
| WW3660WSSDLL TFL | 513 | 36 $\frac{1}{16}$ | 60 | 1 $\frac{1}{2}$ | — | — | 87 lbs. | 3.5 |



- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 29" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 741

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1¹/₈" worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)


SAMPLE MODEL NUMBERS:

WWN3096WSSDW M F G1C D1BL403 X 83¹/₂ TF
 WWN3096WSSDL M V405 G1C D1BL403 83¹/₂ TF
 WWN3096WSSDLW M F G1C D1BL403 X 83¹/₂ TF TF

• See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|----------------------------------------------------|--------------------------------------------------|---------------|------------|---------------------------------|---------------------------------|-------------------------------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| RECTANGULAR WORKSURFACE 30" DEPTH | 1¹/₈" TOP THICKNESS | | | | | | | | | |
| | WWN3096WSSDW | Wood | \$ 1301 | 30 ³ / ₁₆ | 95 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 152 lbs. | 6.2 |
| | WWN3096WSSDLW | Laminate/Wood | 1301 | 30 ³ / ₁₆ | 95 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 152 lbs. | 6.2 |
| | WWN3096WSSDL | Laminate | 851 | 30 ³ / ₁₆ | 95 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 152 lbs. | 6.2 |
| | WWN3090WSSDW | Wood | \$ 1255 | 30 ³ / ₁₆ | 89 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 142 lbs. | 5.8 |
| | WWN3090WSSDLW | Laminate/Wood | 1255 | 30 ³ / ₁₆ | 89 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 142 lbs. | 5.8 |
| | WWN3090WSSDL | Laminate | 827 | 30 ³ / ₁₆ | 89 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 142 lbs. | 5.8 |
| | WWN3084WSSDW | Wood | \$ 1208 | 30 ³ / ₁₆ | 83 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 132 lbs. | 5.4 |
| | WWN3084WSSDLW | Laminate/Wood | 1208 | 30 ³ / ₁₆ | 83 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 132 lbs. | 5.4 |
| | WWN3084WSSDL | Laminate | 803 | 30 ³ / ₁₆ | 83 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 132 lbs. | 5.4 |
| | WWN3078WSSDW | Wood | \$ 1116 | 30 ³ / ₁₆ | 77 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 124 lbs. | 5.0 |
| | WWN3078WSSDLW | Laminate/Wood | 1116 | 30 ³ / ₁₆ | 77 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 124 lbs. | 5.0 |
| | WWN3078WSSDL | Laminate | 737 | 30 ³ / ₁₆ | 77 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 124 lbs. | 5.0 |
| | WWN3072WSSDW | Wood | \$ 1020 | 30 ³ / ₁₆ | 71 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 95 lbs. | 4.0 |
| | WWN3072WSSDLW | Laminate/Wood | 1020 | 30 ³ / ₁₆ | 71 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 95 lbs. | 4.0 |
| | WWN3072WSSDL | Laminate | 674 | 30 ³ / ₁₆ | 71 ¹ / ₁₆ | 1 ¹ / ₈ | — | — | 95 lbs. | 4.0 |
| | WWN3066WSSDW | Wood | \$ 989 | 30 ³ / ₁₆ | 66 | 1 ¹ / ₈ | — | — | 88 lbs. | 3.7 |
| | WWN3066WSSDLW | Laminate/Wood | 989 | 30 ³ / ₁₆ | 66 | 1 ¹ / ₈ | — | — | 88 lbs. | 3.7 |
| | WWN3066WSSDL | Laminate | 629 | 30 ³ / ₁₆ | 66 | 1 ¹ / ₈ | — | — | 88 lbs. | 3.7 |
| | WWN3060WSSDW | Wood | \$ 968 | 30 ³ / ₁₆ | 60 | 1 ¹ / ₈ | — | — | 81 lbs. | 3.3 |
| | WWN3060WSSDLW | Laminate/Wood | 968 | 30 ³ / ₁₆ | 60 | 1 ¹ / ₈ | — | — | 81 lbs. | 3.3 |
| | WWN3060WSSDL | Laminate | 586 | 30 ³ / ₁₆ | 60 | 1 ¹ / ₈ | — | — | 81 lbs. | 3.3 |

RECTANGULAR WORKSURFACE
30" DEPTH



- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in 1/8" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- For undersurface wire managers, see page 741

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminated models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:

WW3084WSSDW M F X D1BL403 X 83 $\frac{1}{2}$ MH
 WW3084WSSDL M V440 X D1L440 X 83 440
 WW3084WSSDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--------------------------------------------------------------|------------|-------------------|--------------------|------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED) | | | | | | | | |
| 1$\frac{3}{16}$" TOP THICKNESS (CONTINUED) | | | | | | | | |
| WWN3054WSSDW Wood | \$ 951 | 30 $\frac{3}{16}$ | 54 | 1 $\frac{3}{16}$ | — | — | 74 lbs. | 3.0 |
| WWN3054WSSDLW Laminate/Wood | 951 | 30 $\frac{3}{16}$ | 54 | 1 $\frac{3}{16}$ | — | — | 74 lbs. | 3.0 |
| WWN3054WSSDL Laminate | 549 | 30 $\frac{3}{16}$ | 54 | 1 $\frac{3}{16}$ | — | — | 74 lbs. | 3.0 |
| WWN3048WSSDW Wood | \$ 934 | 30 $\frac{3}{16}$ | 48 | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.7 |
| WWN3048WSSDLW Laminate/Wood | 934 | 30 $\frac{3}{16}$ | 48 | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.7 |
| WWN3048WSSDL Laminate | 512 | 30 $\frac{3}{16}$ | 48 | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.7 |
| 1$\frac{1}{2}$" TOP THICKNESS | | | | | | | | |
| WW3096WSSDW Wood | \$ 1165 | 30 $\frac{3}{16}$ | 95 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 152 lbs. | 6.2 |
| WW3096WSSDLW Laminate/Wood | 1165 | 30 $\frac{3}{16}$ | 95 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 152 lbs. | 6.2 |
| WW3096WSSDL Laminate | 716 | 30 $\frac{3}{16}$ | 95 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 152 lbs. | 6.2 |
| WW3096WSSDLL TFL | 572 | 30 $\frac{3}{16}$ | 95 $\frac{15}{16}$ | 1 $\frac{1}{2}$ | — | — | 152 lbs. | 6.2 |
| WW3090WSSDW Wood | \$ 1119 | 30 $\frac{3}{16}$ | 89 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 142 lbs. | 5.8 |
| WW3090WSSDLW Laminate/Wood | 1119 | 30 $\frac{3}{16}$ | 89 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 142 lbs. | 5.8 |
| WW3090WSSDL Laminate | 693 | 30 $\frac{3}{16}$ | 89 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 142 lbs. | 5.8 |
| WW3090WSSDLL TFL | 552 | 30 $\frac{3}{16}$ | 89 $\frac{15}{16}$ | 1 $\frac{1}{2}$ | — | — | 142 lbs. | 5.8 |
| WW3084WSSDW Wood | \$ 1071 | 30 $\frac{3}{16}$ | 83 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 132 lbs. | 5.4 |
| WW3084WSSDLW Laminate/Wood | 1071 | 30 $\frac{3}{16}$ | 83 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 132 lbs. | 5.4 |
| WW3084WSSDL Laminate | 666 | 30 $\frac{3}{16}$ | 83 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 132 lbs. | 5.4 |
| WW3084WSSDLL TFL | 532 | 30 $\frac{3}{16}$ | 83 $\frac{15}{16}$ | 1 $\frac{1}{2}$ | — | — | 132 lbs. | 5.4 |
| WW3078WSSDW Wood | \$ 976 | 30 $\frac{3}{16}$ | 77 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 124 lbs. | 5.0 |
| WW3078WSSDLW Laminate/Wood | 976 | 30 $\frac{3}{16}$ | 77 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 124 lbs. | 5.0 |
| WW3078WSSDL Laminate | 600 | 30 $\frac{3}{16}$ | 77 $\frac{15}{16}$ | 1 $\frac{3}{16}$ | — | — | 124 lbs. | 5.0 |
| WW3078WSSDLL TFL | 482 | 30 $\frac{3}{16}$ | 77 $\frac{15}{16}$ | 1 $\frac{1}{2}$ | — | — | 124 lbs. | 5.0 |



- TFL worksurfaces are 1 $\frac{1}{2}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- For undersurface wire managers, see page 741

WAVEWORKS COMPONENTS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3066WSSDW M F X D1B403 X 83 $\frac{1}{2}$ MH
 WW3066WSSDL M V440 X D1L440 X 83 440
 WW3066WSSDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | CARTONED WEIGHT | CUBIC FEET | |
|--------------------------------------------------------------|----------------------------|-------------------|-------------------|-------------------|------------------|---|-----------------|------------|-----|
| | | | D | W | H | A | | | KW |
| RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED) | | | | | | | | | |
| 1$\frac{3}{16}$" TOP THICKNESS (CONTINUED) | | | | | | | | | |
| | QWW3072WSSDW Wood | \$ 883 | 30 $\frac{3}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 95 lbs. | 4.0 |
| | WW3072WSSDW Wood | 883 | 30 $\frac{3}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 95 lbs. | 4.0 |
| | WW3072WSSDLW Laminate/Wood | 883 | 30 $\frac{3}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 95 lbs. | 4.0 |
| | WW3072WSSDL Laminate | 540 | 30 $\frac{3}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 95 lbs. | 4.0 |
| | QWW3072WSSDLL TFL | 432 | 30 $\frac{3}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 95 lbs. | 4.0 |
| | WW3072WSSDLL TFL | 432 | 30 $\frac{3}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 95 lbs. | 4.0 |
| | WW3066WSSDW Wood | \$ 850 | 30 $\frac{3}{16}$ | 66 | 1 $\frac{3}{16}$ | — | — | 88 lbs. | 3.7 |
| | WW3066WSSDLW Laminate/Wood | 850 | 30 $\frac{3}{16}$ | 66 | 1 $\frac{3}{16}$ | — | — | 88 lbs. | 3.7 |
| | WW3066WSSDL Laminate | 495 | 30 $\frac{3}{16}$ | 66 | 1 $\frac{3}{16}$ | — | — | 88 lbs. | 3.7 |
| | WW3066WSSDLL TFL | 396 | 30 $\frac{3}{16}$ | 66 | 1 $\frac{1}{2}$ | — | — | 88 lbs. | 3.7 |
| | WW3060WSSDW Wood | \$ 831 | 30 $\frac{3}{16}$ | 60 | 1 $\frac{3}{16}$ | — | — | 81 lbs. | 3.3 |
| | WW3060WSSDLW Laminate/Wood | 831 | 30 $\frac{3}{16}$ | 60 | 1 $\frac{3}{16}$ | — | — | 81 lbs. | 3.3 |
| WW3060WSSDL Laminate | 451 | 30 $\frac{3}{16}$ | 60 | 1 $\frac{3}{16}$ | — | — | 81 lbs. | 3.3 | |
| WW3060WSSDLL TFL | 361 | 30 $\frac{3}{16}$ | 60 | 1 $\frac{1}{2}$ | — | — | 81 lbs. | 3.3 | |
| WW3054WSSDW Wood | \$ 812 | 30 $\frac{3}{16}$ | 54 | 1 $\frac{3}{16}$ | — | — | 74 lbs. | 3.0 | |
| WW3054WSSDLW Laminate/Wood | 812 | 30 $\frac{3}{16}$ | 54 | 1 $\frac{3}{16}$ | — | — | 74 lbs. | 3.0 | |
| WW3054WSSDL Laminate | 415 | 30 $\frac{3}{16}$ | 54 | 1 $\frac{3}{16}$ | — | — | 74 lbs. | 3.0 | |
| WW3054WSSDLL TFL | 332 | 30 $\frac{3}{16}$ | 54 | 1 $\frac{1}{2}$ | — | — | 74 lbs. | 3.0 | |
| WW3048WSSDW Wood | \$ 795 | 30 $\frac{3}{16}$ | 48 | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.7 | |
| WW3048WSSDLW Laminate/Wood | 795 | 30 $\frac{3}{16}$ | 48 | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.7 | |
| WW3048WSSDL Laminate | 378 | 30 $\frac{3}{16}$ | 48 | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.7 | |
| WW3048WSSDLL TFL | 302 | 30 $\frac{3}{16}$ | 48 | 1 $\frac{1}{2}$ | — | — | 67 lbs. | 2.7 | |

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- For undersurface wire managers, see page 741

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying work surface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " work surface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Work surface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2496WSSDW M F X D1BL403 X 92 $\frac{3}{4}$ MH
 WWN2496WSSDL M V440 X D1L440 X 92 440
 WWN2496WSSDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-------------------------------------------------|------------|------------|------------------|-----------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| RECTANGULAR WORKSURFACE 24" DEPTH | | | | | | | | |
| 1$\frac{1}{8}$" TOP THICKNESS | | | | | | | | |
| WWN2496WSSDW Wood | \$ 1210 | 24 | 95 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 95 lbs. | 3.6 |
| WWN2496WSSDLW Laminate/Wood | 1210 | 24 | 95 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 95 lbs. | 3.6 |
| WWN2496WSSDL Laminate | 766 | 24 | 95 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 95 lbs. | 3.6 |
| WWN2490WSSDW Wood | \$ 1163 | 24 | 89 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 130 lbs. | 3.4 |
| WWN2490WSSDLW Laminate/Wood | 1163 | 24 | 89 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 130 lbs. | 3.4 |
| WWN2490WSSDL Laminate | 742 | 24 | 89 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 130 lbs. | 3.4 |
| WWN2484WSSDW Wood | \$ 1117 | 24 | 83 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 88 lbs. | 3.4 |
| WWN2484WSSDLW Laminate/Wood | 1117 | 24 | 83 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 88 lbs. | 3.4 |
| WWN2484WSSDL Laminate | 718 | 24 | 83 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 88 lbs. | 3.4 |
| WWN2478WSSDW Wood | \$ 1022 | 24 | 77 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 90 lbs. | 3.3 |
| WWN2478WSSDLW Laminate/Wood | 1022 | 24 | 77 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 90 lbs. | 3.3 |
| WWN2478WSSDL Laminate | 653 | 24 | 77 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 90 lbs. | 3.3 |
| WWN2472WSSDW Wood | \$ 927 | 24 | 71 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 85 lbs. | 3.2 |
| WWN2472WSSDLW Laminate/Wood | 927 | 24 | 71 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 85 lbs. | 3.2 |
| WWN2472WSSDL Laminate | 586 | 24 | 71 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 85 lbs. | 3.2 |
| WWN2466WSSDW Wood | \$ 899 | 24 | 66 | 1 $\frac{1}{8}$ | — | — | 81 lbs. | 3.0 |
| WWN2466WSSDLW Laminate/Wood | 899 | 24 | 66 | 1 $\frac{1}{8}$ | — | — | 81 lbs. | 3.0 |
| WWN2466WSSDL Laminate | 552 | 24 | 66 | 1 $\frac{1}{8}$ | — | — | 81 lbs. | 3.0 |
| WWN2460WSSDW Wood | \$ 875 | 24 | 60 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 2.8 |
| WWN2460WSSDLW Laminate/Wood | 875 | 24 | 60 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 2.8 |
| WWN2460WSSDL Laminate | 532 | 24 | 60 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 2.8 |



- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a work surface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional work surface support when using in table desking applications, see undersurface support rails on page 528
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 741

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/
Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2454WSSDW M F X D1BL403 X 92 $\frac{3}{4}$ MH
 WWN2454WSSDL M V440 X D1L440 X 92 440
 WWN2454WSSDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|---------------|------------|------------------|------------------|-----------------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)  | 1$\frac{1}{8}$" TOP THICKNESS (CONTINUED) | | | | | | | | | |
| | WWN2454WSSDW | Wood | \$ 857 | 24 | 54 | 1 $\frac{1}{8}$ | — | — | 74 lbs. | 2.5 |
| | WWN2454WSSDLW | Laminate/Wood | 857 | 24 | 54 | 1 $\frac{1}{8}$ | — | — | 74 lbs. | 2.5 |
| | WWN2454WSSDL | Laminate | 487 | 24 | 54 | 1 $\frac{1}{8}$ | — | — | 74 lbs. | 2.5 |
| | WWN2448WSSDW | Wood | \$ 841 | 24 | 48 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 67 lbs. | 2.3 |
| | WWN2448WSSDLW | Laminate/Wood | 841 | 24 | 48 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 67 lbs. | 2.3 |
| | WWN2448WSSDL | Laminate | 452 | 24 | 48 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 67 lbs. | 2.3 |
| | WWN2442WSSDW | Wood | \$ 810 | 24 | 42 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 65 lbs. | 2.0 |
| | WWN2442WSSDLW | Laminate/Wood | 810 | 24 | 42 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 65 lbs. | 2.0 |
| | WWN2442WSSDL | Laminate | 421 | 24 | 42 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 65 lbs. | 2.0 |
| | WWN2436WSSDW | Wood | \$ 784 | 24 | 36 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 63 lbs. | 1.8 |
| | WWN2436WSSDLW | Laminate/Wood | 784 | 24 | 36 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 63 lbs. | 1.8 |
| WWN2436WSSDL | Laminate | 395 | 24 | 36 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 63 lbs. | 1.8 | |
| WWN2430WSSDW | Wood | \$ 769 | 24 | 30 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 61 lbs. | 1.5 | |
| WWN2430WSSDLW | Laminate/Wood | 769 | 24 | 30 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 61 lbs. | 1.5 | |
| WWN2430WSSDL | Laminate | 369 | 24 | 30 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 61 lbs. | 1.5 | |
| WWN2424WSSDW | Wood | \$ 752 | 24 | 24 | 1 $\frac{1}{8}$ | — | — | 1.5 | | |
| WWN2424WSSDLW | Laminate/Wood | 752 | 24 | 24 | 1 $\frac{1}{8}$ | — | — | 1.5 | | |
| WWN2424WSSDL | Laminate | 350 | 24 | 24 | 1 $\frac{1}{8}$ | — | — | 1.5 | | |

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 741

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying work surface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 3/8" work surface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Work surface Type
3. Rim
4. PVC Rim Color (laminated models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:


WW2478WSSDW M F X D1BL403 X 76 1/2 MH
 WW2478WSSDL M V440 X D1L440 X 76 440
 WW2478WSSDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|--------------------------------|------------|------------|--------|-------|---|----|----------------|------|
| | | D | W | H | A | KW | WEIGHT | FEET |
| RECTANGULAR WORKSURFACE | | | | | | | | |
| 24" DEPTH (CONTINUED) | | | | | | | | |
| 1 3/8" TOP THICKNESS | | | | | | | | |
| WW2496WSSDW Wood | \$ 1072 | 24 | 95 1/2 | 1 3/8 | — | — | 95 lbs. | 3.6 |
| WW2496WSSDLW Laminate/Wood | 1072 | 24 | 95 1/2 | 1 3/8 | — | — | 95 lbs. | 3.6 |
| WW2496WSSDL Laminate | 631 | 24 | 95 1/2 | 1 3/8 | — | — | 95 lbs. | 3.6 |
| WW2496WSSDLL TFL | 505 | 24 | 95 1/2 | 1 1/2 | — | — | 95 lbs. | 3.6 |
| WW2490WSSDW Wood | \$ 1026 | 24 | 89 1/2 | 1 3/8 | — | — | 130 lbs. | 3.4 |
| WW2490WSSDLW Laminate/Wood | 1026 | 24 | 89 1/2 | 1 3/8 | — | — | 130 lbs. | 3.4 |
| WW2490WSSDL Laminate | 606 | 24 | 89 1/2 | 1 3/8 | — | — | 130 lbs. | 3.4 |
| WW2490WSSDLL TFL | 487 | 24 | 89 1/2 | 1 1/2 | — | — | 130 lbs. | 3.4 |
| WW2484WSSDW Wood | \$ 977 | 24 | 83 1/2 | 1 3/8 | — | — | 88 lbs. | 3.4 |
| WW2484WSSDLW Laminate/Wood | 977 | 24 | 83 1/2 | 1 3/8 | — | — | 88 lbs. | 3.4 |
| WW2484WSSDL Laminate | 582 | 24 | 83 1/2 | 1 3/8 | — | — | 88 lbs. | 3.4 |
| WW2484WSSDLL TFL | 465 | 24 | 83 1/2 | 1 1/2 | — | — | 88 lbs. | 3.4 |
| WW2478WSSDW Wood | \$ 884 | 24 | 77 1/2 | 1 3/8 | — | — | 90 lbs. | 3.3 |
| WW2478WSSDLW Laminate/Wood | 884 | 24 | 77 1/2 | 1 3/8 | — | — | 90 lbs. | 3.3 |
| WW2478WSSDL Laminate | 517 | 24 | 77 1/2 | 1 3/8 | — | — | 90 lbs. | 3.3 |
| WW2478WSSDLL TFL | 413 | 24 | 77 1/2 | 1 1/2 | — | — | 90 lbs. | 3.3 |
| QWW2472WSSDW Wood | \$ 788 | 24 | 71 1/2 | 1 3/8 | — | — | 85 lbs. | 3.2 |
| WW2472WSSDW Wood | 788 | 24 | 71 1/2 | 1 3/8 | — | — | 85 lbs. | 3.2 |
| WW2472WSSDLW Laminate/Wood | 788 | 24 | 71 1/2 | 1 3/8 | — | — | 85 lbs. | 3.2 |
| WW2472WSSDL Laminate | 451 | 24 | 71 1/2 | 1 3/8 | — | — | 85 lbs. | 3.2 |
| QWW2472WSSDLL TFL | 361 | 24 | 71 1/2 | 1 1/2 | — | — | 85 lbs. | 3.2 |
| WW2472WSSDLL TFL | 361 | 24 | 71 1/2 | 1 1/2 | — | — | 85 lbs. | 3.2 |
| WW2466WSSDW Wood | \$ 758 | 24 | 66 | 1 3/8 | — | — | 81 lbs. | 3.0 |
| WW2466WSSDLW Laminate/Wood | 758 | 24 | 66 | 1 3/8 | — | — | 81 lbs. | 3.0 |
| WW2466WSSDL Laminate | 418 | 24 | 66 | 1 3/8 | — | — | 81 lbs. | 3.0 |
| WW2466WSSDLL TFL | 335 | 24 | 66 | 1 1/2 | — | — | 81 lbs. | 3.0 |
| WW2460WSSDW Wood | \$ 737 | 24 | 60 | 1 3/8 | — | — | 76 lbs. | 2.8 |
| WW2460WSSDLW Laminate/Wood | 737 | 24 | 60 | 1 3/8 | — | — | 76 lbs. | 2.8 |
| WW2460WSSDL Laminate | 396 | 24 | 60 | 1 3/8 | — | — | 76 lbs. | 2.8 |
| WW2460WSSDLL TFL | 317 | 24 | 60 | 1 1/2 | — | — | 76 lbs. | 2.8 |



- TFL worksurfaces are 1 1/2" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in 1/8" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a work surface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional work surface support when using in table desking applications, see undersurface support rails on page 528
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 741

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 3/8" worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2454WSSDW M F X D1BL403 X 76 1/2 MH
 WW2454WSSDL M V440 X D1L440 X 76 440
 WW2454WSSDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|--------------------------------------------------------------------|-----------------------------------------|---------------|------------|--------|--------|-------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED) | 1 3/8" TOP THICKNESS (CONTINUED) | | | | | | | | | |
| | WW2454WSSDW | Wood | \$ 718 | 24 | 54 | 1 3/8 | — | — | 74 lbs. | 2.5 |
| | WW2454WSSDLW | Laminate/Wood | 718 | 24 | 54 | 1 3/8 | — | — | 74 lbs. | 2.5 |
| | WW2454WSSDL | Laminate | 350 | 24 | 54 | 1 3/8 | — | — | 74 lbs. | 2.5 |
| | WW2454WSSDLL | TFL | 281 | 24 | 54 | 1 1/2 | — | — | 74 lbs. | 2.5 |
| | WW2448WSSDW | Wood | \$ 702 | 24 | 48 1/2 | 1 3/8 | — | — | 67 lbs. | 2.3 |
| | WW2448WSSDLW | Laminate/Wood | 702 | 24 | 48 1/2 | 1 3/8 | — | — | 67 lbs. | 2.3 |
| | WW2448WSSDL | Laminate | 318 | 24 | 48 1/2 | 1 3/8 | — | — | 67 lbs. | 2.3 |
| | QWW2448WSSDLL | TFL | 255 | 24 | 48 1/2 | 1 1/2 | — | — | 67 lbs. | 2.3 |
| | WW2448WSSDLL | TFL | 255 | 24 | 48 1/2 | 1 1/2 | — | — | 67 lbs. | 2.3 |
| | WW2442WSSDW | Wood | \$ 671 | 24 | 42 1/2 | 1 3/8 | — | — | 65 lbs. | 2.0 |
| | WW2442WSSDLW | Laminate/Wood | 671 | 24 | 42 1/2 | 1 3/8 | — | — | 65 lbs. | 2.0 |
| | WW2442WSSDL | Laminate | 286 | 24 | 42 1/2 | 1 3/8 | — | — | 65 lbs. | 2.0 |
| | WW2442WSSDLL | TFL | 228 | 24 | 42 1/2 | 1 1/2 | — | — | 65 lbs. | 2.0 |
| | WW2436WSSDW | Wood | \$ 646 | 24 | 36 1/2 | 1 3/8 | — | — | 63 lbs. | 1.8 |
| | WW2436WSSDLW | Laminate/Wood | 646 | 24 | 36 1/2 | 1 3/8 | — | — | 63 lbs. | 1.8 |
| WW2436WSSDL | Laminate | 261 | 24 | 36 1/2 | 1 3/8 | — | — | 63 lbs. | 1.8 | |
| WW2436WSSDLL | TFL | 208 | 24 | 36 1/2 | 1 1/2 | — | — | 63 lbs. | 1.8 | |
| WW2430WSSDW | Wood | \$ 628 | 24 | 30 1/2 | 1 3/8 | — | — | 61 lbs. | 1.5 | |
| WW2430WSSDLW | Laminate/Wood | 628 | 24 | 30 1/2 | 1 3/8 | — | — | 61 lbs. | 1.5 | |
| WW2430WSSDL | Laminate | 234 | 24 | 30 1/2 | 1 3/8 | — | — | 61 lbs. | 1.5 | |
| WW2430WSSDLL | TFL | 187 | 24 | 30 1/2 | 1 1/2 | — | — | 61 lbs. | 1.5 | |
| WW2424WSSDW | Wood | \$ 612 | 24 | 24 | 1 3/8 | — | — | 1.5 | | |
| WW2424WSSDLW | Laminate/Wood | 612 | 24 | 24 | 1 3/8 | — | — | 1.5 | | |
| WW2424WSSDL | Laminate | 207 | 24 | 24 | 1 3/8 | — | — | 1.5 | | |
| WW2424WSSDLL | TFL | 166 | 24 | 24 | 1 3/8 | — | — | 1.5 | | |

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth
- TFL worksurfaces are 1 1/8" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in 1/8" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 741

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color
10. Veneer Rim Finish (laminate models)

SAMPLE MODEL NUMBER:


WW24A78WSSDL M V440 X D1L440 X 76 440

- See pages 334-339 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-------------------------------------------------------------|------------------------|------------|------------|-------------------|------------------|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| RECTANGULAR WORKSURFACE 24" DEEP FOR STORAGE CRENZAS | | | | | | | | | |
| 1$\frac{1}{16}$" TOP THICKNESS | | | | | | | | | |
| | WWN24A96WSSDL Laminate | \$ 766 | 24 | 96 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 95 lbs. | 3.6 |
| | WWN24A90WSSDL Laminate | 742 | 24 | 90 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 130 lbs. | 3.4 |
| | WWN24A84WSSDL Laminate | 718 | 24 | 84 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 88 lbs. | 3.4 |
| | WWN24A78WSSDL Laminate | 653 | 24 | 78 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 90 lbs. | 3.3 |
| | WWN24A72WSSDL Laminate | 586 | 24 | 72 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 85 lbs. | 3.2 |
| | WWN24A66WSSDL Laminate | 552 | 24 | 66 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 81 lbs. | 3.0 |
| | WWN24A60WSSDL Laminate | 532 | 24 | 60 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 76 lbs. | 2.8 |
| 1$\frac{1}{2}$" TOP THICKNESS | | | | | | | | | |
| | WW24A96WSSDL Laminate | \$ 631 | 24 | 96 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 95 lbs. | 3.6 |
| | WW24A96WSSDLL TFL | 505 | 24 | 96 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 95 lbs. | 3.6 |
| | WW24A90WSSDL Laminate | \$ 606 | 24 | 90 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 130 lbs. | 3.4 |
| | WW24A90WSSDLL TFL | 487 | 24 | 90 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 130 lbs. | 3.4 |
| | WW24A84WSSDL Laminate | \$ 582 | 24 | 84 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 88 lbs. | 3.4 |
| | WW24A84WSSDLL TFL | 465 | 24 | 84 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 88 lbs. | 3.4 |
| | WW24A78WSSDL Laminate | \$ 517 | 24 | 78 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 90 lbs. | 3.3 |
| | WW24A78WSSDLL TFL | 413 | 24 | 78 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 90 lbs. | 3.3 |
| | WW24A72WSSDL Laminate | \$ 451 | 24 | 72 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 85 lbs. | 3.2 |
| | QWW24A72WSSDLL TFL | 361 | 24 | 72 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 85 lbs. | 3.2 |
| | WW24A72WSSDLL TFL | 361 | 24 | 72 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 85 lbs. | 3.2 |
| | WW24A66WSSDL Laminate | \$ 418 | 24 | 66 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 81 lbs. | 3.0 |
| | WW24A66WSSDLL TFL | 335 | 24 | 66 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 81 lbs. | 3.0 |
| | WW24A60WSSDL Laminate | \$ 396 | 24 | 60 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 76 lbs. | 2.8 |
| | QWW24A60WSSDLL TFL | 317 | 24 | 60 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 76 lbs. | 2.8 |
| | WW24A60WSSDLL TFL | 317 | 24 | 60 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 76 lbs. | 2.8 |



- TFL worksurfaces are 1 $\frac{1}{2}$ " thick
- For use in storage credenza application
- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- For use with 23" deep component pedestals
- For use when 2 or more laminate pedestals are ganged together under a common top

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1⁵/₁₆" worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminated models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:

WWN2460WSSVDW M F X D1BL403 X 55¹/₂ MH
 WWN2460WSSVDL M V440 X D1L440 X 55 440
 WWN2460WSSVDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--------------------------------|---------------------------------------------------|------------|------------|---------------------------------|--------------------------------|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| RECTANGULAR WORKSURFACE | 1⁵/₁₆" TOP THICKNESS | | | | | | | | |
| 24" DEPTH | | | | | | | | | |
| | WWN2460WSSVDW Wood | \$ 875 | 24 | 60 | 1 ⁵ / ₁₆ | — | — | 76 lbs. | 2.8 |
| | WWN2460WSSVDLW Laminate/Wood | 875 | 24 | 60 | 1 ⁵ / ₁₆ | — | — | 76 lbs. | 2.8 |
| | WWN2460WSSVDL Laminate | 532 | 24 | 60 | 1 ⁵ / ₁₆ | — | — | 76 lbs. | 2.8 |
| | WWN2454WSSVDW Wood | \$ 857 | 24 | 54 | 1 ⁵ / ₁₆ | — | — | 74 lbs. | 2.5 |
| | WWN2454WSSVDLW Laminate/Wood | 857 | 24 | 54 | 1 ⁵ / ₁₆ | — | — | 74 lbs. | 2.5 |
| | WWN2454WSSVDL Laminate | 487 | 24 | 54 | 1 ⁵ / ₁₆ | — | — | 74 lbs. | 2.5 |
| | WWN2448WSSVDW Wood | \$ 841 | 24 | 48 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 67 lbs. | 2.3 |
| | WWN2448WSSVDLW Laminate/Wood | 841 | 24 | 48 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 67 lbs. | 2.3 |
| | WWN2448WSSVDL Laminate | 452 | 24 | 48 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 67 lbs. | 2.3 |
| | WWN2442WSSVDW Wood | \$ 810 | 24 | 42 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 65 lbs. | 2.0 |
| | WWN2442WSSVDLW Laminate/Wood | 810 | 24 | 42 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 65 lbs. | 2.0 |
| | WWN2442WSSVDL Laminate | 421 | 24 | 42 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 65 lbs. | 2.0 |
| | WWN2436WSSVDW Wood | \$ 784 | 24 | 36 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 63 lbs. | 1.8 |
| | WWN2436WSSVDLW Laminate/Wood | 784 | 24 | 36 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 63 lbs. | 1.8 |
| | WWN2436WSSVDL Laminate | 395 | 24 | 36 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 63 lbs. | 1.8 |
| | WWN2430WSSVDW Wood | \$ 769 | 24 | 30 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 61 lbs. | 1.5 |
| | WWN2430WSSVDLW Laminate/Wood | 769 | 24 | 30 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 61 lbs. | 1.5 |
| | WWN2430WSSVDL Laminate | 369 | 24 | 30 ¹ / ₁₆ | 1 ⁵ / ₁₆ | — | — | 61 lbs. | 1.5 |

- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Grain direction runs front-to-back
- Intended to be used when building an L or U configuration utilizing component worksurfaces
- For worksurfaces with grain direction running left-to-right, refer to pages 446-449
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- For undersurface wire managers, see page 741

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2460WSSVDW M F X D1BL403 X 55 $\frac{1}{2}$ MH
 WW2460WSSVDL M V440 X D1L440 X 55 440
 WW2460WSSVDLW M F X D1B440 X X MH MH


- See pages 334-339 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|--------------------------------------------------|------------|------------|-------------------|------------------|---|----|----------------|------|
| | | D | W | H | A | KW | WEIGHT | FEET |
| RECTANGULAR WORKSURFACE | | | | | | | | |
| 24" DEPTH (CONTINUED) | | | | | | | | |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| QWW2460WSSVDW Wood | \$ 737 | 24 | 60 | 1 $\frac{3}{16}$ | — | — | 76 lbs. | 2.8 |
| WW2460WSSVDW Wood | 737 | 24 | 60 | 1 $\frac{3}{16}$ | — | — | 76 lbs. | 2.8 |
| WW2460WSSVDLW Laminate/Wood | 737 | 24 | 60 | 1 $\frac{3}{16}$ | — | — | 76 lbs. | 2.8 |
| WW2460WSSVDL Laminate | 396 | 24 | 60 | 1 $\frac{3}{16}$ | — | — | 76 lbs. | 2.8 |
| WW2460WSSVDLL TFL | 317 | 24 | 60 | 1 $\frac{3}{16}$ | — | — | 76 lbs. | 2.8 |
| WW2454WSSVDW Wood | \$ 718 | 24 | 54 | 1 $\frac{3}{16}$ | — | — | 74 lbs. | 2.5 |
| WW2454WSSVDLW Laminate/Wood | 718 | 24 | 54 | 1 $\frac{3}{16}$ | — | — | 74 lbs. | 2.5 |
| WW2454WSSVDL Laminate | 350 | 24 | 54 | 1 $\frac{3}{16}$ | — | — | 74 lbs. | 2.5 |
| WW2454WSSVDLL TFL | 281 | 24 | 54 | 1 $\frac{3}{16}$ | — | — | 74 lbs. | 2.5 |
| QWW2448WSSVDW Wood | \$ 702 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.3 |
| WW2448WSSVDW Wood | 702 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.3 |
| WW2448WSSVDLW Laminate/Wood | 702 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.3 |
| WW2448WSSVDL Laminate | 318 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.3 |
| QWW2448WSSVDLL TFL | 255 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.3 |
| WW2448WSSVDLL TFL | 255 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 67 lbs. | 2.3 |
| WW2442WSSVDW Wood | \$ 671 | 24 | 42 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 65 lbs. | 2.0 |
| WW2442WSSVDLW Laminate/Wood | 671 | 24 | 42 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 65 lbs. | 2.0 |
| WW2442WSSVDL Laminate | 286 | 24 | 42 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 65 lbs. | 2.0 |
| WW2442WSSVDLL TFL | 228 | 24 | 42 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 65 lbs. | 2.0 |
| WW2436WSSVDW Wood | \$ 646 | 24 | 36 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 63 lbs. | 1.8 |
| WW2436WSSVDLW Laminate/Wood | 646 | 24 | 36 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 63 lbs. | 1.8 |
| WW2436WSSVDL Laminate | 261 | 24 | 36 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 63 lbs. | 1.8 |
| WW2436WSSVDLL TFL | 208 | 24 | 36 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 63 lbs. | 1.8 |
| WW2430WSSVDW Wood | \$ 628 | 24 | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 61 lbs. | 1.5 |
| WW2430WSSVDLW Laminate/Wood | 628 | 24 | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 61 lbs. | 1.5 |
| WW2430WSSVDL Laminate | 234 | 24 | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 61 lbs. | 1.5 |
| WW2430WSSVDLL TFL | 187 | 24 | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 61 lbs. | 1.5 |

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



Direction of arrow designates woodgrain direction

- TFL worksurfaces are 1 $\frac{3}{16}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Grain direction runs front-to-back
- Intended to be used when building an L or U configuration utilizing component worksurfaces
- For worksurfaces with grain direction running left-to-right, refer to pages 446-449
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- For undersurface wire managers, see page 741

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying work surface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " work surface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Work surface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/
Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)


SAMPLE MODEL NUMBERS:

WVN1896WSSDW M F X D1BL403 X 94 $\frac{1}{2}$ MH
 WVN1896WSSDL M V440 X D1L440 X 94 440
 WVN1896WSSDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|----------------------------------------------------|-------------------------------------------------|---------------|------------|------------------|------------------|-----------------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| RECTANGULAR WORKSURFACE 18" DEPTH | 1$\frac{1}{8}$" TOP THICKNESS | | | | | | | | | |
| | WVN1896WSSDW | Wood | \$ 1126 | 18 $\frac{1}{8}$ | 95 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 75 lbs. | 3.0 |
| | WVN1896WSSDLW | Laminate/Wood | 1126 | 18 $\frac{1}{8}$ | 95 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 75 lbs. | 3.0 |
| | WVN1896WSSDL | Laminate | 713 | 18 $\frac{1}{8}$ | 95 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 75 lbs. | 3.0 |
| | WVN1890WSSDW | Wood | \$ 1083 | 18 $\frac{1}{8}$ | 89 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 71 lbs. | 2.9 |
| | WVN1890WSSDLW | Laminate/Wood | 1083 | 18 $\frac{1}{8}$ | 89 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 71 lbs. | 2.9 |
| | WVN1890WSSDL | Laminate | 693 | 18 $\frac{1}{8}$ | 89 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 71 lbs. | 2.9 |
| | WVN1884WSSDW | Wood | \$ 1038 | 18 $\frac{1}{8}$ | 83 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 66 lbs. | 2.7 |
| | WVN1884WSSDLW | Laminate/Wood | 1038 | 18 $\frac{1}{8}$ | 83 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 66 lbs. | 2.7 |
| | WVN1884WSSDL | Laminate | 667 | 18 $\frac{1}{8}$ | 83 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 66 lbs. | 2.7 |
| | WVN1878WSSDW | Wood | \$ 951 | 18 $\frac{1}{8}$ | 77 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 61 lbs. | 2.5 |
| | WVN1878WSSDLW | Laminate/Wood | 951 | 18 $\frac{1}{8}$ | 77 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 61 lbs. | 2.5 |
| | WVN1878WSSDL | Laminate | 606 | 18 $\frac{1}{8}$ | 77 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 61 lbs. | 2.5 |
| | WVN1872WSSDW | Wood | \$ 862 | 18 $\frac{1}{8}$ | 71 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 57 lbs. | 2.3 |
| | WVN1872WSSDLW | Laminate/Wood | 862 | 18 $\frac{1}{8}$ | 71 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 57 lbs. | 2.3 |
| | WVN1872WSSDL | Laminate | 544 | 18 $\frac{1}{8}$ | 71 $\frac{1}{8}$ | 1 $\frac{1}{8}$ | — | — | 57 lbs. | 2.3 |
| | WVN1866WSSDW | Wood | \$ 836 | 18 $\frac{1}{8}$ | 66 | 1 $\frac{1}{8}$ | — | — | 52 lbs. | 2.2 |
| | WVN1866WSSDLW | Laminate/Wood | 836 | 18 $\frac{1}{8}$ | 66 | 1 $\frac{1}{8}$ | — | — | 52 lbs. | 2.2 |
| | WVN1866WSSDL | Laminate | 515 | 18 $\frac{1}{8}$ | 66 | 1 $\frac{1}{8}$ | — | — | 52 lbs. | 2.2 |
| | WVN1860WSSDW | Wood | \$ 814 | 18 $\frac{1}{8}$ | 60 | 1 $\frac{1}{8}$ | — | — | 48 lbs. | 2.0 |
| | WVN1860WSSDLW | Laminate/Wood | 814 | 18 $\frac{1}{8}$ | 60 | 1 $\frac{1}{8}$ | — | — | 48 lbs. | 2.0 |
| | WVN1860WSSDL | Laminate | 494 | 18 $\frac{1}{8}$ | 60 | 1 $\frac{1}{8}$ | — | — | 48 lbs. | 2.0 |

RECTANGULAR WORKSURFACE
18" DEPTH



- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a work surface with a size modification, specify desired depth and/or width
- To provide additional work surface support when using in table desking applications, see undersurface support rails on page 528
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 741

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WVN1854WSSDW M F X D1BL403 X 94 $\frac{3}{8}$ MH
 WVN1854WSSDL M V440 X D1L440 X 94 440
 WVN1854WSSDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-------------------------------------------------------------|------------|------------------|------------------|-----------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED) | | | | | | | | |
| 1$\frac{1}{8}$" TOP THICKNESS (CONTINUED) | | | | | | | | |
| WVN1854WSSDW Wood | \$ 796 | 18 $\frac{3}{8}$ | 54 | 1 $\frac{1}{8}$ | — | — | 43 lbs. | 1.8 |
| WVN1854WSSDLW Laminate/Wood | 796 | 18 $\frac{3}{8}$ | 54 | 1 $\frac{1}{8}$ | — | — | 43 lbs. | 1.8 |
| WVN1854WSSDL Laminate | 452 | 18 $\frac{3}{8}$ | 54 | 1 $\frac{1}{8}$ | — | — | 43 lbs. | 1.8 |
| WVN1848WSSDW Wood | \$ 782 | 18 $\frac{3}{8}$ | 48 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 38 lbs. | 1.6 |
| WVN1848WSSDLW Laminate/Wood | 782 | 18 $\frac{3}{8}$ | 48 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 38 lbs. | 1.6 |
| WVN1848WSSDL Laminate | 420 | 18 $\frac{3}{8}$ | 48 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 38 lbs. | 1.6 |
| WVN1842WSSDW Wood | \$ 752 | 18 $\frac{3}{8}$ | 42 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 34 lbs. | 1.5 |
| WVN1842WSSDLW Laminate/Wood | 752 | 18 $\frac{3}{8}$ | 42 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 34 lbs. | 1.5 |
| WVN1842WSSDL Laminate | 391 | 18 $\frac{3}{8}$ | 42 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 34 lbs. | 1.5 |
| WVN1836WSSDW Wood | \$ 731 | 18 $\frac{3}{8}$ | 36 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 29 lbs. | 1.3 |
| WVN1836WSSDLW Laminate/Wood | 731 | 18 $\frac{3}{8}$ | 36 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 29 lbs. | 1.3 |
| WVN1836WSSDL Laminate | 368 | 18 $\frac{3}{8}$ | 36 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 29 lbs. | 1.3 |
| WVN1830WSSDW Wood | \$ 713 | 18 $\frac{3}{8}$ | 30 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 24 lbs. | 1.1 |
| WVN1830WSSDLW Laminate/Wood | 713 | 18 $\frac{3}{8}$ | 30 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 24 lbs. | 1.1 |
| WVN1830WSSDL Laminate | 343 | 18 $\frac{3}{8}$ | 30 $\frac{1}{2}$ | 1 $\frac{1}{8}$ | — | — | 24 lbs. | 1.1 |
| WVN1824WSSDW Wood | \$ 693 | 18 $\frac{3}{8}$ | 24 | 1 $\frac{1}{8}$ | — | — | | 1.1 |
| WVN1824WSSDLW Laminate/Wood | 693 | 18 $\frac{3}{8}$ | 24 | 1 $\frac{1}{8}$ | — | — | | 1.1 |
| WVN1824WSSDL Laminate | 324 | 18 $\frac{3}{8}$ | 24 | 1 $\frac{1}{8}$ | — | — | | 1.1 |



- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 741

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 3/8" worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1896WSSDW M F X D1BL403 X 94 3/8 MH
 WW1896WSSDL M V440 X D1L440 X 94 440
 WW1896WSSDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|------------------------------------------------------|----------------------------|------------|------------|---------|--------|----|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED) | | | | | | | | | |
| 1 3/8" TOP THICKNESS | | | | | | | | | |
| | WW1896WSSDW Wood | \$ 998 | 18 1/8" | 95 1/8" | 1 3/8" | -- | -- | 75 lbs. | 3.0 |
| | WW1896WSSDLW Laminate/Wood | 998 | 18 1/8" | 95 1/8" | 1 3/8" | -- | -- | 75 lbs. | 3.0 |
| | WW1896WSSDL Laminate | 588 | 18 1/8" | 95 1/8" | 1 3/8" | -- | -- | 75 lbs. | 3.0 |
| | WW1896WSSDLL TFL | 470 | 18 1/8" | 95 1/8" | 1 1/2" | -- | -- | 75 lbs. | 3.0 |
| | WW1890WSSDW Wood | \$ 954 | 18 1/8" | 89 1/8" | 1 3/8" | -- | -- | 71 lbs. | 2.9 |
| | WW1890WSSDLW Laminate/Wood | 954 | 18 1/8" | 89 1/8" | 1 3/8" | -- | -- | 71 lbs. | 2.9 |
| | WW1890WSSDL Laminate | 565 | 18 1/8" | 89 1/8" | 1 3/8" | -- | -- | 71 lbs. | 2.9 |
| | WW1890WSSDLL TFL | 452 | 18 1/8" | 89 1/8" | 1 1/2" | -- | -- | 71 lbs. | 2.9 |
| | WW1884WSSDW Wood | \$ 909 | 18 1/8" | 83 1/8" | 1 3/8" | -- | -- | 66 lbs. | 2.7 |
| | WW1884WSSDLW Laminate/Wood | 909 | 18 1/8" | 83 1/8" | 1 3/8" | -- | -- | 66 lbs. | 2.7 |
| | WW1884WSSDL Laminate | 542 | 18 1/8" | 83 1/8" | 1 3/8" | -- | -- | 66 lbs. | 2.7 |
| | WW1884WSSDLL TFL | 433 | 18 1/8" | 83 1/8" | 1 1/2" | -- | -- | 66 lbs. | 2.7 |
| | WW1878WSSDW Wood | \$ 820 | 18 1/8" | 77 1/8" | 1 3/8" | -- | -- | 61 lbs. | 2.5 |
| | WW1878WSSDLW Laminate/Wood | 820 | 18 1/8" | 77 1/8" | 1 3/8" | -- | -- | 61 lbs. | 2.5 |
| | WW1878WSSDL Laminate | 480 | 18 1/8" | 77 1/8" | 1 3/8" | -- | -- | 61 lbs. | 2.5 |
| | WW1878WSSDLL TFL | 384 | 18 1/8" | 77 1/8" | 1 1/2" | -- | -- | 61 lbs. | 2.5 |
| | WW1872WSSDW Wood | \$ 734 | 18 1/8" | 71 1/8" | 1 3/8" | -- | -- | 57 lbs. | 2.3 |
| | WW1872WSSDLW Laminate/Wood | 734 | 18 1/8" | 71 1/8" | 1 3/8" | -- | -- | 57 lbs. | 2.3 |
| | WW1872WSSDL Laminate | 418 | 18 1/8" | 71 1/8" | 1 3/8" | -- | -- | 57 lbs. | 2.3 |
| | WW1872WSSDLL TFL | 335 | 18 1/8" | 71 1/8" | 1 1/2" | -- | -- | 57 lbs. | 2.3 |
| | WW1866WSSDW Wood | \$ 706 | 18 1/8" | 66" | 1 3/8" | -- | -- | 52 lbs. | 2.2 |
| | WW1866WSSDLW Laminate/Wood | 706 | 18 1/8" | 66" | 1 3/8" | -- | -- | 52 lbs. | 2.2 |
| | WW1866WSSDL Laminate | 388 | 18 1/8" | 66" | 1 3/8" | -- | -- | 52 lbs. | 2.2 |
| | WW1866WSSDLL TFL | 310 | 18 1/8" | 66" | 1 1/2" | -- | -- | 52 lbs. | 2.2 |
| | WW1860WSSDW Wood | \$ 685 | 18 1/8" | 60" | 1 3/8" | -- | -- | 48 lbs. | 2.0 |
| | WW1860WSSDLW Laminate/Wood | 685 | 18 1/8" | 60" | 1 3/8" | -- | -- | 48 lbs. | 2.0 |
| | WW1860WSSDL Laminate | 369 | 18 1/8" | 60" | 1 3/8" | -- | -- | 48 lbs. | 2.0 |
| | WW1860WSSDLL TFL | 295 | 18 1/8" | 60" | 1 1/2" | -- | -- | 48 lbs. | 2.0 |



- TFL worksurfaces are 1 1/8" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in 1/8" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 741

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminated models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:


WW1848WSSDW M F X D1BL403 X 45 $\frac{1}{2}$ MH
 WW1848WSSDL M V440 X D1L440 X 45 440
 WW1848WSSDLW M F X D1B440 X X MH MH

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-------------------------------------------------------------|------------|------------------|-------------------|-----------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED) | | | | | | | | |
| 1$\frac{3}{8}$" TOP THICKNESS (CONTINUED) | | | | | | | | |
| WW1854WSSDW Wood | \$ 669 | 18 $\frac{3}{8}$ | 54 | 1 $\frac{3}{8}$ | — | — | 43 lbs. | 1.8 |
| WW1854WSSDLW Laminate/Wood | 669 | 18 $\frac{3}{8}$ | 54 | 1 $\frac{3}{8}$ | — | — | 43 lbs. | 1.8 |
| WW1854WSSDL Laminate | 327 | 18 $\frac{3}{8}$ | 54 | 1 $\frac{3}{8}$ | — | — | 43 lbs. | 1.8 |
| WW1854WSSDLL TFL | 261 | 18 $\frac{3}{8}$ | 54 | 1 $\frac{1}{2}$ | — | — | 43 lbs. | 1.8 |
| WW1848WSSDW Wood | \$ 654 | 18 $\frac{3}{8}$ | 48 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 38 lbs. | 1.6 |
| WW1848WSSDLW Laminate/Wood | 654 | 18 $\frac{3}{8}$ | 48 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 38 lbs. | 1.6 |
| WW1848WSSDL Laminate | 294 | 18 $\frac{3}{8}$ | 48 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 38 lbs. | 1.6 |
| WW1848WSSDLL TFL | 235 | 18 $\frac{3}{8}$ | 48 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 38 lbs. | 1.6 |
| WW1842WSSDW Wood | \$ 624 | 18 $\frac{3}{8}$ | 42 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 34 lbs. | 1.5 |
| WW1842WSSDLW Laminate/Wood | 624 | 18 $\frac{3}{8}$ | 42 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 34 lbs. | 1.5 |
| WW1842WSSDL Laminate | 266 | 18 $\frac{3}{8}$ | 42 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 34 lbs. | 1.5 |
| WW1842WSSDLL TFL | 213 | 18 $\frac{3}{8}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 34 lbs. | 1.5 |
| WW1836WSSDW Wood | \$ 601 | 18 $\frac{3}{8}$ | 36 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 29 lbs. | 1.3 |
| WW1836WSSDLW Laminate/Wood | 601 | 18 $\frac{3}{8}$ | 36 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 29 lbs. | 1.3 |
| WW1836WSSDL Laminate | 242 | 18 $\frac{3}{8}$ | 36 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 29 lbs. | 1.3 |
| WW1836WSSDLL TFL | 193 | 18 $\frac{3}{8}$ | 36 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 29 lbs. | 1.3 |
| WW1830WSSDW Wood | \$ 586 | 18 $\frac{3}{8}$ | 30 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 24 lbs. | 1.1 |
| WW1830WSSDLW Laminate/Wood | 586 | 18 $\frac{3}{8}$ | 30 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 24 lbs. | 1.1 |
| WW1830WSSDL Laminate | 218 | 18 $\frac{3}{8}$ | 30 $\frac{1}{16}$ | 1 $\frac{3}{8}$ | — | — | 24 lbs. | 1.1 |
| WW1830WSSDLL TFL | 175 | 18 $\frac{3}{8}$ | 30 $\frac{1}{16}$ | 1 $\frac{1}{2}$ | — | — | 24 lbs. | 1.1 |
| WW1824WSSDW Wood | \$ 569 | 18 $\frac{3}{8}$ | 24 | 1 $\frac{3}{8}$ | — | — | 1.1 | 1.1 |
| WW1824WSSDLW Laminate/Wood | 569 | 18 $\frac{3}{8}$ | 24 | 1 $\frac{3}{8}$ | — | — | 1.1 | 1.1 |
| WW1824WSSDL Laminate | 191 | 18 $\frac{3}{8}$ | 24 | 1 $\frac{3}{8}$ | — | — | 1.1 | 1.1 |
| WW1824WSSDLL TFL | 157 | 18 $\frac{3}{8}$ | 24 | 1 $\frac{3}{8}$ | — | — | 1.1 | 1.1 |

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 741



PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color
10. Veneer Rim Finish (laminate models)

SAMPLE MODEL NUMBER:

WWN18A96WSSDL M V440 X D1L440 X 76 440

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|---------------------------------------------------------------|--------------------------------------------------|--------------------------------------------------|------------------|-------------------|-------------------|------------------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| RECTANGULAR WORKSURFACE 18" DEEP FOR STORAGE CREDENZAS | 1$\frac{1}{16}$" TOP THICKNESS | | | | | | | | | |
| | WWN18A96WSSDL | Laminate | \$ 713 | 18 $\frac{3}{8}$ | 96 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 75 lbs. | 3.0 |
| | WWN18A90WSSDL | Laminate | 693 | 18 $\frac{3}{8}$ | 90 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 71 lbs. | 2.9 |
| | WWN18A84WSSDL | Laminate | 667 | 18 $\frac{3}{8}$ | 84 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 66 lbs. | 2.7 |
| | WWN18A78WSSDL | Laminate | 606 | 18 $\frac{3}{8}$ | 78 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 61 lbs. | 2.5 |
| | WWN18A72WSSDL | Laminate | 544 | 18 $\frac{3}{8}$ | 72 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 57 lbs. | 2.3 |
| | WWN18A66WSSDL | Laminate | 515 | 18 $\frac{3}{8}$ | 66 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 52 lbs. | 2.2 |
| | WWN18A60WSSDL | Laminate | 494 | 18 $\frac{3}{8}$ | 60 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 48 lbs. | 2.0 |
| | | 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| | WW18A96WSSDL | Laminate | \$ 588 | 18 $\frac{3}{8}$ | 96 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 75 lbs. | 3.0 |
| | WW18A96WSSDLL | TFL | 470 | 18 $\frac{3}{8}$ | 96 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 75 lbs. | 3.0 |
| | WW18A90WSSDL | Laminate | \$ 565 | 18 $\frac{3}{8}$ | 90 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 71 lbs. | 2.9 |
| | WW18A90WSSDLL | TFL | 452 | 18 $\frac{3}{8}$ | 90 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 71 lbs. | 2.9 |
| | WW18A84WSSDL | Laminate | \$ 542 | 18 $\frac{3}{8}$ | 84 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 66 lbs. | 2.7 |
| WW18A84WSSDLL | TFL | 433 | 18 $\frac{3}{8}$ | 84 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 66 lbs. | 2.7 | |
| WW18A78WSSDL | Laminate | \$ 480 | 18 $\frac{3}{8}$ | 78 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 61 lbs. | 2.5 | |
| WW18A78WSSDLL | TFL | 384 | 18 $\frac{3}{8}$ | 78 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 61 lbs. | 2.5 | |
| WW18A72WSSDL | Laminate | \$ 418 | 18 $\frac{3}{8}$ | 72 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 57 lbs. | 2.3 | |
| WW18A72WSSDLL | TFL | 335 | 18 $\frac{3}{8}$ | 72 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 57 lbs. | 2.3 | |
| WW18A66WSSDL | Laminate | \$ 388 | 18 $\frac{3}{8}$ | 66 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 52 lbs. | 2.2 | |
| WW18A66WSSDLL | TFL | 310 | 18 $\frac{3}{8}$ | 66 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 52 lbs. | 2.2 | |
| WW18A60WSSDL | Laminate | \$ 369 | 18 $\frac{3}{8}$ | 60 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 48 lbs. | 2.0 | |
| WW18A60WSSDLL | TFL | 295 | 18 $\frac{3}{8}$ | 60 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 48 lbs. | 2.0 | |



- TFL worksurfaces are 1 $\frac{3}{16}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 528
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 741
- For use when 2 or more laminate pedestals are ganged together under a common top

WAVEWORKS

PRODUCT SPECIFICATIONS

- Laminate only available, see page 336 for options


TO ORDER, SPECIFY:

- Model Number
- Laminate Color
- Modified Width

SAMPLE MODEL NUMBER:

WW9604WSBL MC

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|------------------------------|------------|------------|-----|---|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| BACKSPLASH | | | | | | | | |
| LAMINATE BACKSPLASHES | | | | | | | | |
| WW9604WSBL Laminate | \$ 341 | 1 | 95% | 4 | - | - | 0.9 | |
| WW9004WSBL Laminate | 341 | 1 | 90 | 4 | - | - | 0.9 | |
| WW8404WSBL Laminate | 308 | 1 | 84 | 4 | - | - | 0.8 | |
| WW7804WSBL Laminate | 281 | 1 | 78 | 4 | - | - | 0.8 | |
| WW7204WSBL Laminate | 281 | 1 | 72 | 4 | - | - | 0.7 | |
| WW6604WSBL Laminate | 254 | 1 | 66 | 4 | - | - | 0.7 | |
| WW6004WSBL Laminate | 238 | 1 | 60 | 4 | - | - | 0.6 | |
| WW5404WSBL Laminate | 238 | 1 | 54 | 4 | - | - | 0.5 | |
| WW4804WSBL Laminate | 200 | 1 | 48 | 4 | - | - | 0.5 | |
| WW4204WSBL Laminate | 200 | 1 | 42 | 4 | - | - | 0.4 | |
| WW3604WSBL Laminate | 173 | 1 | 36 | 4 | - | - | 0.4 | |
| WW3004WSBL Laminate | 162 | 1 | 30 | 4 | - | - | 0.3 | |
| WW2404WSBL Laminate | 140 | 1 | 24 | 4 | - | - | 0.3 | |




- Laminate Self edge
- Backsplashes can be ordered in 1/8" increments in width to the next smallest available size at no upcharge
- May be used with Waveworks Component worksurfaces

SIDESPLASH

LAMINATE SIDESPLASHES

| | | | | | | | |
|---------------------|--------|---|-----|---|---|---|-----|
| WW2304WSEL Laminate | \$ 138 | 1 | 22% | 4 | - | - | 0.3 |
| WW1704WSEL Laminate | 125 | 1 | 17 | 4 | - | - | 0.2 |



- Laminate Self edge
- Sidesplash can be ordered in 1/8" increments in width to the next smallest available size at no upcharge
- May be used with Waveworks Component worksurfaces

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported Solid Surface worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- See page 336 for options

TO ORDER, SPECIFY:

1. Model Number
2. Solid Surface Color
3. Grommet

SAMPLE MODEL NUMBER:

WW1896WSSS X A 7201

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | D | W | H | A | KW | CARTONED WEIGHT | CUBIC FEET |
|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|------------|---------|---------|-----|-----|---|---|----|-----------------|------------|
| | | | GRADE A | GRADE B | GRADE C | | | | | | | |
| SOLID SURFACE WORKSURFACE  | SOLID SURFACE WORKSURFACES 18" DEPTH | | | | | | | | | | | |
| | WW1896WSSS | Solid Surface | \$ 2363 | \$ 2699 | \$ 3131 | 18½ | 95½ | 1 | — | — | | 3.6 |
| | WW1890WSSS | Solid Surface | 2234 | 2549 | 2954 | 18½ | 90 | 1 | — | — | | 3.4 |
| | WW1884WSSS | Solid Surface | 2104 | 2398 | 2776 | 18½ | 84 | 1 | — | — | | 3.1 |
| | WW1878WSSS | Solid Surface | 1974 | 2247 | 2598 | 18½ | 78 | 1 | — | — | | 2.9 |
| | WW1872WSSS | Solid Surface | 1844 | 2096 | 2420 | 18½ | 72 | 1 | — | — | | 2.7 |
| | WW1866WSSS | Solid Surface | 1714 | 1945 | 2242 | 18½ | 66 | 1 | — | — | | 2.5 |
| | WW1860WSSS | Solid Surface | 1585 | 1795 | 2065 | 18½ | 60 | 1 | — | — | | 2.3 |
| | WW1854WSSS | Solid Surface | 1455 | 1644 | 1887 | 18½ | 54 | 1 | — | — | | 2.0 |
| | WW1848WSSS | Solid Surface | 1325 | 1493 | 1709 | 18½ | 48 | 1 | — | — | | 1.8 |
| | WW1842WSSS | Solid Surface | 1195 | 1342 | 1531 | 18½ | 42 | 1 | — | — | | 1.6 |
| | WW1836WSSS | Solid Surface | 1065 | 1191 | 1353 | 18½ | 36 | 1 | — | — | | 1.4 |
| | WW1830WSSS | Solid Surface | 936 | 1041 | 1176 | 18½ | 30 | 1 | — | — | | 1.2 |
| | WW1824WSSS | Solid Surface | 806 | 890 | 998 | 18½ | 24 | 1 | — | — | | 1.0 |

- Not intended for use with adjustable height bases
- Intended to be fully pedestal supported; not to exceed a maximum span of 48" of unsupported space
- Sink and waste ring cutouts available as a By Design product modification, and exact template of cutout will be needed

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported Solid Surface worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- See page 336 for options

TO ORDER, SPECIFY:

1. Model Number
2. Solid Surface Color
3. Grommet

SAMPLE MODEL NUMBER:

WW2496WSSS X A 7201

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|---------------------------------------------|------------|------------|---------|----|-----|----|-----------------|------------|-----|
| | | D | W | H | A | KW | | | |
| SOLID SURFACE WORKSURFACE | | | | | | | | | |
| SOLID SURFACE WORKSURFACES 24" DEPTH | | | | | | | | | |
| WW2496WSSS Solid Surface | \$ 2964 | \$ 3412 | \$ 3988 | 24 | 95½ | 1 | — | — | 4.4 |
| WW2490WSSS Solid Surface | 2802 | 3222 | 3762 | 24 | 90 | 1 | — | — | 4.2 |
| WW2484WSSS Solid Surface | 2612 | 3004 | 3508 | 24 | 84 | 1 | — | — | 3.9 |
| WW2478WSSS Solid Surface | 2504 | 2868 | 3336 | 24 | 78 | 1 | — | — | 3.6 |
| WW2472WSSS Solid Surface | 2396 | 2732 | 3164 | 24 | 72 | 1 | — | — | 3.3 |
| WW2466WSSS Solid Surface | 2261 | 2569 | 2965 | 24 | 66 | 1 | — | — | 3.1 |
| WW2460WSSS Solid Surface | 2072 | 2352 | 2712 | 24 | 60 | 1 | — | — | 2.8 |
| WW2454WSSS Solid Surface | 1882 | 2134 | 2458 | 24 | 54 | 1 | — | — | 2.5 |
| WW2448WSSS Solid Surface | 1774 | 1998 | 2286 | 24 | 48 | 1 | — | — | 2.3 |
| WW2442WSSS Solid Surface | 1612 | 1808 | 2060 | 24 | 42 | 1 | — | — | 2.0 |
| WW2436WSSS Solid Surface | 1504 | 1672 | 1888 | 24 | 36 | 1 | — | — | 1.7 |
| WW2430WSSS Solid Surface | 1342 | 1482 | 1662 | 24 | 30 | 1 | — | — | 1.4 |
| WW2424WSSS Solid Surface | 1179 | 1291 | 1435 | 24 | 24 | 1 | — | — | 1.2 |

- Not intended for use with adjustable height bases
- Intended to be fully pedestal supported; not to exceed a maximum span of 48" of unsupported space
- Sink and waste ring cutouts available as a By Design product modification, and exact template of cutout will be needed



PRODUCT SPECIFICATIONS


• Solid Surface available, see page 336 for options

TO ORDER, SPECIFY:

1. Model Number


SAMPLE MODEL NUMBER:

WW9604WSBS N A 7101

| | MODEL NO./DESCRIPTION | LIST PRICE | | | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|---------------------------------------------------------------------------------------------------------------------|----------------------------------|------------|---------|---------|------------|------------------|---|---|----|-----------------|------------|
| | | GRADE A | GRADE B | GRADE C | D | W | H | A | KW | | |
| SOLID SURFACE BACKSPASH  | SOLID SURFACE BACKSPASHES | | | | | | | | | | |
| | WW9604WSBS Solid Surface | \$ 1179 | \$ 1255 | \$ 1352 | 1 | 95 $\frac{1}{8}$ | 4 | — | — | | 0.9 |
| | WW9004WSBS Solid Surface | 1179 | 1249 | 1339 | 1 | 90 | 4 | — | — | | 0.9 |
| | WW8404WSBS Solid Surface | 1146 | 1210 | 1293 | 1 | 84 | 4 | — | — | | 0.8 |
| | WW7804WSBS Solid Surface | 1092 | 1154 | 1233 | 1 | 78 | 4 | — | — | | 0.8 |
| | WW7204WSBS Solid Surface | 1092 | 1148 | 1220 | 1 | 72 | 4 | — | — | | 0.7 |
| | WW6604WSBS Solid Surface | 984 | 1034 | 1099 | 1 | 66 | 4 | — | — | | 0.7 |
| | WW6004WSBS Solid Surface | 876 | 924 | 985 | 1 | 60 | 4 | — | — | | 0.6 |
| | WW5404WSBS Solid Surface | 768 | 810 | 864 | 1 | 54 | 4 | — | — | | 0.5 |
| | WW4804WSBS Solid Surface | 713 | 749 | 796 | 1 | 48 | 4 | — | — | | 0.5 |
| | WW4204WSBS Solid Surface | 659 | 693 | 736 | 1 | 42 | 4 | — | — | | 0.4 |
| | WW3604WSBS Solid Surface | 605 | 633 | 669 | 1 | 36 | 4 | — | — | | 0.4 |
| | WW3004WSBS Solid Surface | 551 | 573 | 602 | 1 | 30 | 4 | — | — | | 0.3 |
| WW2404WSBS Solid Surface | 497 | 517 | 542 | 1 | 24 | 4 | — | — | | 0.3 | |

• Intended for use with Solid Surface worksurfaces

SOLID SURFACE SIDESPLASH



| | SOLID SURFACE SIDESPLASHES | GRADE A | GRADE B | GRADE C | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--|----------------------------|---------|---------|---------|------------|----|---|---|----|-----------------|------------|
| | | | | | D | W | H | A | KW | | |
| | WW2304WSES Solid Surface | \$ 497 | \$ 514 | \$ 535 | 1 | 23 | 4 | — | — | | 0.3 |
| | WW1704WSES Solid Surface | 389 | 403 | 421 | 1 | 17 | 4 | — | — | | 0.3 |

• Intended for use with Solid Surface worksurfaces

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)


SAMPLE MODEL NUMBERS:

WWN2436CPTW R MC
 WWN2436CPTL VMC MC
 WWn2436CPTLW R 440 MC

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--------------------------------------------------|------------|------------|----|------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| CORNICE TOP 24" DEEP | | | | | | | | |
| 1$\frac{1}{16}$" TOP THICKNESS | | | | | | | | |
| WWN2436CPTW Wood | \$ 763 | 24 | 36 | 1 $\frac{1}{16}$ | — | — | 45 lbs. | 1.5 |
| WWN2436CPTLW Laminate/Wood Rim | 763 | 24 | 36 | 1 $\frac{1}{16}$ | — | — | 45 lbs. | 1.5 |
| WWN2436CPTL Laminate | 742 | 24 | 36 | 1 $\frac{1}{16}$ | — | — | 45 lbs. | 1.5 |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| WWN2418CPTW Wood | \$ 729 | 24 | 18 | 1 $\frac{3}{16}$ | — | — | 28 lbs. | 1.0 |
| WWN2418CPTLW Laminate/Wood Rim | 729 | 24 | 18 | 1 $\frac{3}{16}$ | — | — | 28 lbs. | 1.0 |
| WWN2418CPTL Laminate | 706 | 24 | 18 | 1 $\frac{3}{16}$ | — | — | 28 lbs. | 1.0 |
| 1$\frac{1}{16}$" TOP THICKNESS | | | | | | | | |
| WW2436CPTW Wood | \$ 625 | 24 | 36 | 1 $\frac{1}{16}$ | — | — | 45 lbs. | 1.5 |
| WW2436CPTLW Laminate/Wood Rim | 625 | 24 | 36 | 1 $\frac{1}{16}$ | — | — | 45 lbs. | 1.5 |
| WW2436CPTL Laminate | 607 | 24 | 36 | 1 $\frac{1}{16}$ | — | — | 45 lbs. | 1.5 |
| WW2436CPTLL TFL | 487 | 24 | 36 | 1 $\frac{1}{16}$ | — | — | 45 lbs. | 1.5 |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| WW2418CPTW Wood | \$ 589 | 24 | 18 | 1 $\frac{3}{16}$ | — | — | 28 lbs. | 1.0 |
| WW2418CPTLW Laminate/Wood Rim | 589 | 24 | 18 | 1 $\frac{3}{16}$ | — | — | 28 lbs. | 1.0 |
| WW2418CPTL Laminate | 573 | 24 | 18 | 1 $\frac{3}{16}$ | — | — | 28 lbs. | 1.0 |
| WW2418CPTLL TFL | 459 | 24 | 18 | 1 $\frac{3}{16}$ | — | — | 28 lbs. | 1.0 |

CORNICE TOP
24" DEEP



- TFL cornice tops are 1 $\frac{1}{8}$ " thick
- 24" deep cornice tops for use on entertainment cabinets, wardrobes (double and single), storage cabinets (double and single), and ADA main shell storage tower
- Not intended to be used to create freestanding pedestals

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WVN15108CPTW R MC
 WVN15108CPTL VMC MC
 WVN15108CPTLW R 440 MC

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-----------------------------------|------------------|------------------|-----------------|-----------------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| CORNICE TOP 15" DEEP  | 1$\frac{1}{8}$" TOP THICKNESS | | | | | | | | | |
| | WVN15120CPTW | Wood | \$ 898 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{1}{8}$ | — | — | lbs. | |
| | WVN15120CPTFW | Wood/Finished Bottom | 2282 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{1}{8}$ | — | — | lbs. | |
| | WVN15120CPTLW | Laminate/Wood Rim | 898 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{1}{8}$ | — | — | lbs. | |
| | WVN15120CPTFLW | Laminate/Wood Rim/Finished Bottom | 2282 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{1}{8}$ | — | — | lbs. | |
| | WVN15120CPTL | Laminate | 573 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{1}{8}$ | — | — | lbs. | |
| | WVN15120CPTFL | Laminate/Finished Bottom | 1917 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{1}{8}$ | — | — | lbs. | |
| | WVN15108CPTW | Wood | \$ 1273 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{1}{8}$ | — | — | 86 lbs. | 3.5 |
| | WVN15108CPTFW | Wood/Finished Bottom | 2654 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{1}{8}$ | — | — | 86 lbs. | 3.5 |
| | WVN15108CPTLW | Laminate/Wood Rim | 1273 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{1}{8}$ | — | — | 86 lbs. | 3.5 |
| | WVN15108CPTFLW | Laminate/Wood Rim/Finished Bottom | 2654 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{1}{8}$ | — | — | 86 lbs. | 3.5 |
| | WVN15108CPTL | Laminate | 1238 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{1}{8}$ | — | — | 86 lbs. | 3.5 |
| | WVN15108CPTFL | Laminate/Finished Bottom | 2584 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{1}{8}$ | — | — | 86 lbs. | 3.5 |
| | WVN15102CPTW | Wood | \$ 1139 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{1}{8}$ | — | — | 81 lbs. | 3.3 |
| | WVN15102CPTFW | Wood/Finished Bottom | 2597 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{1}{8}$ | — | — | 81 lbs. | 3.3 |
| | WVN15102CPTLW | Laminate/Wood Rim | 1139 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{1}{8}$ | — | — | 81 lbs. | 3.3 |
| | WVN15102CPTFLW | Laminate/Wood Rim/Finished Bottom | 2597 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{1}{8}$ | — | — | 81 lbs. | 3.3 |
| | WVN15102CPTL | Laminate | 1107 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{1}{8}$ | — | — | 81 lbs. | 3.3 |
| WVN15102CPTFL | Laminate/Finished Bottom | 2522 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{1}{8}$ | — | — | 81 lbs. | 3.3 | |
| WVN1596CPTW | Wood | \$ 1035 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 3.1 | |
| WVN1596CPTFW | Wood/Finished Bottom | 2533 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 3.1 | |
| WVN1596CPTLW | Laminate/Wood Rim | 1035 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 3.1 | |
| WVN1596CPTFLW | Laminate/Wood Rim/Finished Bottom | 2533 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 3.1 | |
| WVN1596CPTL | Laminate | 1006 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 3.1 | |
| WVN1596CPTFL | Laminate/Finished Bottom | 2464 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 3.1 | |
| WVN1590CPTW | Wood | \$ 943 | 15 $\frac{1}{2}$ | 90 | 1 $\frac{1}{8}$ | — | — | 71 lbs. | 2.9 | |
| WVN1590CPTFW | Wood/Finished Bottom | 2476 | 15 $\frac{1}{2}$ | 90 | 1 $\frac{1}{8}$ | — | — | 71 lbs. | 2.9 | |
| WVN1590CPTLW | Laminate/Wood Rim | 943 | 15 $\frac{1}{2}$ | 90 | 1 $\frac{1}{8}$ | — | — | 71 lbs. | 2.9 | |
| WVN1590CPTFLW | Laminate/Wood Rim/Finished Bottom | 2476 | 15 $\frac{1}{2}$ | 90 | 1 $\frac{1}{8}$ | — | — | 71 lbs. | 2.9 | |
| WVN1590CPTL | Laminate | 918 | 15 $\frac{1}{2}$ | 90 | 1 $\frac{1}{8}$ | — | — | 71 lbs. | 2.9 | |
| WVN1590CPTFL | Laminate/Finished Bottom | 2406 | 15 $\frac{1}{2}$ | 90 | 1 $\frac{1}{8}$ | — | — | 71 lbs. | 2.9 | |

- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)


SAMPLE MODEL NUMBERS:

WWN1584CPTW R MC
 WWN1584CPTL VMC MC
 WWN1584CPTLW R 440 MC

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-------------------------------------------------------------|-----------------------------------|------------|------------------|----|-----------------|----|-----------------|-------------|
| | | D | W | H | A | KW | | |
| CORNICE TOP | | | | | | | | |
| 15" DEEP (CONTINUED) | | | | | | | | |
| 1$\frac{1}{8}$" TOP THICKNESS (CONTINUED) | | | | | | | | |
| WWN1584CPTW | Wood | \$ 854 | 15 $\frac{1}{8}$ | 84 | 1 $\frac{1}{8}$ | — | — | 66 lbs. 2.7 |
| WWN1584CPTFW | Wood/Finished Bottom | 1730 | 15 $\frac{1}{8}$ | 84 | 1 $\frac{1}{8}$ | — | — | 66 lbs. 2.7 |
| WWN1584CPTLW | Laminate/Wood Rim | 854 | 15 $\frac{1}{8}$ | 84 | 1 $\frac{1}{8}$ | — | — | 66 lbs. 2.7 |
| WWN1584CPTFLW | Laminate/Wood Rim/Finished Bottom | 1730 | 15 $\frac{1}{8}$ | 84 | 1 $\frac{1}{8}$ | — | — | 66 lbs. 2.7 |
| WWN1584CPTL | Laminate | 830 | 15 $\frac{1}{8}$ | 84 | 1 $\frac{1}{8}$ | — | — | 66 lbs. 2.7 |
| WWN1584CPTFL | Laminate/Finished Bottom | 1682 | 15 $\frac{1}{8}$ | 84 | 1 $\frac{1}{8}$ | — | — | 66 lbs. 2.7 |
| <hr/> | | | | | | | | |
| WWN1578CPTW | Wood | \$ 818 | 15 $\frac{1}{8}$ | 78 | 1 $\frac{1}{8}$ | — | — | 62 lbs. 2.5 |
| WWN1578CPTFW | Wood/Finished Bottom | 1640 | 15 $\frac{1}{8}$ | 78 | 1 $\frac{1}{8}$ | — | — | 62 lbs. 2.5 |
| WWN1578CPTLW | Laminate/Wood Rim | 818 | 15 $\frac{1}{8}$ | 78 | 1 $\frac{1}{8}$ | — | — | 62 lbs. 2.5 |
| WWN1578CPTFLW | Laminate/Wood Rim/Finished Bottom | 1640 | 15 $\frac{1}{8}$ | 78 | 1 $\frac{1}{8}$ | — | — | 62 lbs. 2.5 |
| WWN1578CPTL | Laminate | 797 | 15 $\frac{1}{8}$ | 78 | 1 $\frac{1}{8}$ | — | — | 62 lbs. 2.5 |
| WWN1578CPTFL | Laminate/Finished Bottom | 1592 | 15 $\frac{1}{8}$ | 78 | 1 $\frac{1}{8}$ | — | — | 62 lbs. 2.5 |
| <hr/> | | | | | | | | |
| WWN1572CPTW | Wood | \$ 784 | 15 $\frac{1}{8}$ | 72 | 1 $\frac{1}{8}$ | — | — | 56 lbs. 2.3 |
| WWN1572CPTFW | Wood/Finished Bottom | 1543 | 15 $\frac{1}{8}$ | 72 | 1 $\frac{1}{8}$ | — | — | 56 lbs. 2.3 |
| WWN1572CPTLW | Laminate/Wood Rim | 784 | 15 $\frac{1}{8}$ | 72 | 1 $\frac{1}{8}$ | — | — | 56 lbs. 2.3 |
| WWN1572CPTFLW | Laminate/Wood Rim/Finished Bottom | 1543 | 15 $\frac{1}{8}$ | 72 | 1 $\frac{1}{8}$ | — | — | 56 lbs. 2.3 |
| WWN1572CPTL | Laminate | 762 | 15 $\frac{1}{8}$ | 72 | 1 $\frac{1}{8}$ | — | — | 56 lbs. 2.3 |
| WWN1572CPTFL | Laminate/Finished Bottom | 1500 | 15 $\frac{1}{8}$ | 72 | 1 $\frac{1}{8}$ | — | — | 56 lbs. 2.3 |
| <hr/> | | | | | | | | |
| WWN1566CPTW | Wood | \$ 755 | 15 $\frac{1}{8}$ | 66 | 1 $\frac{1}{8}$ | — | — | 52 lbs. 2.2 |
| WWN1566CPTLW | Laminate/Wood Rim | 755 | 15 $\frac{1}{8}$ | 66 | 1 $\frac{1}{8}$ | — | — | 52 lbs. 2.2 |
| WWN1566CPTL | Laminate | 736 | 15 $\frac{1}{8}$ | 66 | 1 $\frac{1}{8}$ | — | — | 52 lbs. 2.2 |
| <hr/> | | | | | | | | |
| WWN1560CPTW | Wood | \$ 729 | 15 $\frac{1}{8}$ | 60 | 1 $\frac{1}{8}$ | — | — | 48 lbs. 2.0 |
| WWN1560CPTLW | Laminate/Wood Rim | 729 | 15 $\frac{1}{8}$ | 60 | 1 $\frac{1}{8}$ | — | — | 48 lbs. 2.0 |
| WWN1560CPTL | Laminate | 706 | 15 $\frac{1}{8}$ | 60 | 1 $\frac{1}{8}$ | — | — | 48 lbs. 2.0 |

- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered



PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1554CPTW R MC
 WWN1554CPTL VMC MC
 WWN1554CPTLW R 440 MC

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-------------------|------------------|------------------|-----------------|-----------------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| CORNICE TOP 15" DEEP (CONTINUED)  | 1$\frac{1}{8}$" TOP THICKNESS (CONTINUED) | | | | | | | | | |
| | WWN1554CPTW | Wood | \$ 702 | 15 $\frac{1}{8}$ | 54 | 1 $\frac{1}{8}$ | — | — | 44 lbs. | 1.8 |
| | WWN1554CPTLW | Laminate/Wood Rim | 702 | 15 $\frac{1}{8}$ | 54 | 1 $\frac{1}{8}$ | — | — | 44 lbs. | 1.8 |
| | WWN1554CPTL | Laminate | 682 | 15 $\frac{1}{8}$ | 54 | 1 $\frac{1}{8}$ | — | — | 44 lbs. | 1.8 |
| | WWN1548CPTW | Wood | \$ 673 | 15 $\frac{1}{8}$ | 48 | 1 $\frac{1}{8}$ | — | — | 40 lbs. | 1.6 |
| | WWN1548CPTLW | Laminate/Wood Rim | 673 | 15 $\frac{1}{8}$ | 48 | 1 $\frac{1}{8}$ | — | — | 40 lbs. | 1.6 |
| | WWN1548CPTL | Laminate | 655 | 15 $\frac{1}{8}$ | 48 | 1 $\frac{1}{8}$ | — | — | 40 lbs. | 1.6 |
| | WWN1542CPTW | Wood | \$ 646 | 15 $\frac{1}{8}$ | 42 | 1 $\frac{1}{8}$ | — | — | 36 lbs. | 1.4 |
| | WWN1542CPTLW | Laminate/Wood Rim | 646 | 15 $\frac{1}{8}$ | 42 | 1 $\frac{1}{8}$ | — | — | 36 lbs. | 1.4 |
| | WWN1542CPTL | Laminate | 626 | 15 $\frac{1}{8}$ | 42 | 1 $\frac{1}{8}$ | — | — | 36 lbs. | 1.4 |
| | WWN1536CPTW | Wood | \$ 612 | 15 $\frac{1}{8}$ | 36 | 1 $\frac{1}{8}$ | — | — | 32 lbs. | 1.2 |
| | WWN1536CPTLW | Laminate/Wood Rim | 612 | 15 $\frac{1}{8}$ | 36 | 1 $\frac{1}{8}$ | — | — | 32 lbs. | 1.2 |
| WWN1536CPTL | Laminate | 594 | 15 $\frac{1}{8}$ | 36 | 1 $\frac{1}{8}$ | — | — | 32 lbs. | 1.2 | |
| WWN1530CPTW | Wood | \$ 589 | 15 $\frac{1}{8}$ | 30 | 1 $\frac{1}{8}$ | — | — | 28 lbs. | 1.0 | |
| WWN1530CPTLW | Laminate/Wood Rim | 589 | 15 $\frac{1}{8}$ | 30 | 1 $\frac{1}{8}$ | — | — | 28 lbs. | 1.0 | |
| WWN1530CPTL | Laminate | 573 | 15 $\frac{1}{8}$ | 30 | 1 $\frac{1}{8}$ | — | — | 28 lbs. | 1.0 | |
| WWN1518CPTW | Wood | \$ 561 | 15 $\frac{1}{8}$ | 18 | 1 $\frac{1}{8}$ | — | — | 21 lbs. | 0.7 | |
| WWN1518CPTLW | Laminate/Wood Rim | 561 | 15 $\frac{1}{8}$ | 18 | 1 $\frac{1}{8}$ | — | — | 21 lbs. | 0.7 | |
| WWN1518CPTL | Laminate | 545 | 15 $\frac{1}{8}$ | 18 | 1 $\frac{1}{8}$ | — | — | 21 lbs. | 0.7 | |

- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

WAVEWORKS

COMPONENTS

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)


SAMPLE MODEL NUMBERS:

WW15108CPTW R MC
 WW15108CPTL VMC MC
 WW15108CPTLW R 440 MC

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|-------------------------------------------------|------------|------------------|-----|-----------------|---|----|----------------|------|
| | | D | W | H | A | KW | WEIGHT | FEET |
| CORNICE TOP | | | | | | | | |
| 15" DEEP (CONTINUED) | | | | | | | | |
| 1$\frac{3}{8}$" TOP THICKNESS | | | | | | | | |
| WW15120CPTW Wood | \$ 768 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{3}{8}$ | — | — | lbs. | |
| WW15120CPTFW Wood/Finished Bottom | 2153 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{3}{8}$ | — | — | lbs. | |
| WW15120CPTLW Laminate/Wood Rim | 768 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{3}{8}$ | — | — | lbs. | |
| WW15120CPTFLW Laminate/Wood Rim/Finished Bottom | 2153 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{3}{8}$ | — | — | lbs. | |
| WW15120CPTL Laminate | 443 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{3}{8}$ | — | — | lbs. | |
| WW15120CPTFL Laminate/Finished Bottom | 1787 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{3}{8}$ | — | — | lbs. | |
| WW15120CPTLL TFL | 389 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{3}{8}$ | — | — | lbs. | |
| WW15120CPTFLL TFL/Finished Bottom | 1464 | 15 $\frac{1}{2}$ | 120 | 1 $\frac{3}{8}$ | — | — | lbs. | |
| WW15108CPTW Wood | \$ 1134 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{3}{8}$ | — | — | 86 lbs. | 3.5 |
| WW15108CPTFW Wood/Finished Bottom | 2518 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{3}{8}$ | — | — | 86 lbs. | 3.5 |
| WW15108CPTLW Laminate/Wood Rim | 1134 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{3}{8}$ | — | — | 86 lbs. | 3.5 |
| WW15108CPTFLW Laminate/Wood Rim/Finished Bottom | 2518 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{3}{8}$ | — | — | 86 lbs. | 3.5 |
| WW15108CPTL Laminate | 1103 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{3}{8}$ | — | — | 86 lbs. | 3.5 |
| WW15108CPTFL Laminate/Finished Bottom | 2446 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{3}{8}$ | — | — | 86 lbs. | 3.5 |
| WW15108CPTLL TFL | 883 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{3}{8}$ | — | — | 86 lbs. | 3.5 |
| WW15108CPTFLL TFL/Finished Bottom | 1957 | 15 $\frac{1}{2}$ | 108 | 1 $\frac{3}{8}$ | — | — | 86 lbs. | 3.5 |
| WW15102CPTW Wood | \$ 1000 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{3}{8}$ | — | — | 81 lbs. | 3.3 |
| WW15102CPTFW Wood/Finished Bottom | 2456 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{3}{8}$ | — | — | 81 lbs. | 3.3 |
| WW15102CPTLW Laminate/Wood Rim | 1000 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{3}{8}$ | — | — | 81 lbs. | 3.3 |
| WW15102CPTFLW Laminate/Wood Rim/Finished Bottom | 2456 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{3}{8}$ | — | — | 81 lbs. | 3.3 |
| WW15102CPTL Laminate | 971 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{3}{8}$ | — | — | 81 lbs. | 3.3 |
| WW15102CPTFL Laminate/Finished Bottom | 2388 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{3}{8}$ | — | — | 81 lbs. | 3.3 |
| WW15102CPTLL TFL | 777 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{3}{8}$ | — | — | 81 lbs. | 3.3 |
| WW15102CPTFLL TFL/Finished Bottom | 1910 | 15 $\frac{1}{2}$ | 102 | 1 $\frac{3}{8}$ | — | — | 81 lbs. | 3.3 |
| WW1596CPTW Wood | \$ 895 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{3}{8}$ | — | — | 76 lbs. | 3.1 |
| WW1596CPTFW Wood/Finished Bottom | 2394 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{3}{8}$ | — | — | 76 lbs. | 3.1 |
| WW1596CPTLW Laminate/Wood Rim | 895 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{3}{8}$ | — | — | 76 lbs. | 3.1 |
| WW1596CPTFLW Laminate/Wood Rim/Finished Bottom | 2394 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{3}{8}$ | — | — | 76 lbs. | 3.1 |
| WW1596CPTL Laminate | 870 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{3}{8}$ | — | — | 76 lbs. | 3.1 |
| WW1596CPTFL Laminate/Finished Bottom | 2328 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{3}{8}$ | — | — | 76 lbs. | 3.1 |
| WW1596CPTLL TFL | 697 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{3}{8}$ | — | — | 76 lbs. | 3.1 |
| WW1596CPTFLL TFL/Finished Bottom | 1862 | 15 $\frac{1}{2}$ | 96 | 1 $\frac{3}{8}$ | — | — | 76 lbs. | 3.1 |

- TFL cornice tops are 1 $\frac{3}{8}$ " thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"



WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1572CPTW R MC
 WW1572CPTL VMC MC
 WW1572CPTLW R 440 MC

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-------------------------------------------------------------|-----------------------------------|------------|------------------|----|-----------------|----|-----------------|-------------|
| | | D | W | H | A | KW | | |
| CORNICE TOP | | | | | | | | |
| 15" DEEP (CONTINUED) | | | | | | | | |
| 1$\frac{3}{8}$" TOP THICKNESS (CONTINUED) | | | | | | | | |
| WW1572CPTW | Wood | \$ 646 | 15 $\frac{1}{2}$ | 72 | 1 $\frac{3}{8}$ | — | — | 56 lbs. 2.3 |
| WW1572CPTFW | Wood/Finished Bottom | 1406 | 15 $\frac{1}{2}$ | 72 | 1 $\frac{3}{8}$ | — | — | 56 lbs. 2.3 |
| WW1572CPTLW | Laminate/Wood Rim | 646 | 15 $\frac{1}{2}$ | 72 | 1 $\frac{3}{8}$ | — | — | 56 lbs. 2.3 |
| WW1572CPTFLW | Laminate/Wood Rim/Finished Bottom | 1406 | 15 $\frac{1}{2}$ | 72 | 1 $\frac{3}{8}$ | — | — | 56 lbs. 2.3 |
| WW1572CPTL | Laminate | 626 | 15 $\frac{1}{2}$ | 72 | 1 $\frac{3}{8}$ | — | — | 56 lbs. 2.3 |
| WW1572CPTFL | Laminate/Finished Bottom | 1368 | 15 $\frac{1}{2}$ | 72 | 1 $\frac{3}{8}$ | — | — | 56 lbs. 2.3 |
| WW1572CPTLL | TFL | 502 | 15 $\frac{1}{2}$ | 72 | 1 $\frac{3}{8}$ | — | — | 56 lbs. 2.3 |
| WW1572CPTLL | TFL/Finished Bottom | 1093 | 15 $\frac{1}{2}$ | 72 | 1 $\frac{3}{8}$ | — | — | 56 lbs. 2.3 |
| <hr/> | | | | | | | | |
| WW1566CPTW | Wood | \$ 618 | 15 $\frac{1}{2}$ | 66 | 1 $\frac{3}{8}$ | — | — | 52 lbs. 2.2 |
| WW1566CPTLW | Laminate/Wood Rim | 618 | 15 $\frac{1}{2}$ | 66 | 1 $\frac{3}{8}$ | — | — | 52 lbs. 2.2 |
| WW1566CPTL | Laminate | 600 | 15 $\frac{1}{2}$ | 66 | 1 $\frac{3}{8}$ | — | — | 52 lbs. 2.2 |
| WW1566CPTLL | TFL | 482 | 15 $\frac{1}{2}$ | 66 | 1 $\frac{3}{8}$ | — | — | 52 lbs. 2.2 |
| <hr/> | | | | | | | | |
| WW1560CPTW | Wood | \$ 589 | 15 $\frac{1}{2}$ | 60 | 1 $\frac{3}{8}$ | — | — | 48 lbs. 2.0 |
| WW1560CPTLW | Laminate/Wood Rim | 589 | 15 $\frac{1}{2}$ | 60 | 1 $\frac{3}{8}$ | — | — | 48 lbs. 2.0 |
| WW1560CPTL | Laminate | 573 | 15 $\frac{1}{2}$ | 60 | 1 $\frac{3}{8}$ | — | — | 48 lbs. 2.0 |
| WW1560CPTLL | TFL | 459 | 15 $\frac{1}{2}$ | 60 | 1 $\frac{3}{8}$ | — | — | 48 lbs. 2.0 |
| <hr/> | | | | | | | | |
| WW1554CPTW | Wood | \$ 563 | 15 $\frac{1}{2}$ | 54 | 1 $\frac{3}{8}$ | — | — | 44 lbs. 1.8 |
| WW1554CPTLW | Laminate/Wood Rim | 563 | 15 $\frac{1}{2}$ | 54 | 1 $\frac{3}{8}$ | — | — | 44 lbs. 1.8 |
| WW1554CPTL | Laminate | 548 | 15 $\frac{1}{2}$ | 54 | 1 $\frac{3}{8}$ | — | — | 44 lbs. 1.8 |
| WW1554CPTLL | TFL | 438 | 15 $\frac{1}{2}$ | 54 | 1 $\frac{3}{8}$ | — | — | 44 lbs. 1.8 |
| <hr/> | | | | | | | | |
| WW1548CPTW | Wood | \$ 535 | 15 $\frac{1}{2}$ | 48 | 1 $\frac{3}{8}$ | — | — | 40 lbs. 1.6 |
| WW1548CPTLW | Laminate/Wood Rim | 535 | 15 $\frac{1}{2}$ | 48 | 1 $\frac{3}{8}$ | — | — | 40 lbs. 1.6 |
| WW1548CPTL | Laminate | 519 | 15 $\frac{1}{2}$ | 48 | 1 $\frac{3}{8}$ | — | — | 40 lbs. 1.6 |
| WW1548CPTLL | TFL | 415 | 15 $\frac{1}{2}$ | 48 | 1 $\frac{3}{8}$ | — | — | 40 lbs. 1.6 |



- TFL cornice tops are 1 $\frac{3}{8}$ " thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1542CPTW R MC
 WW1542CPTL VMC MC
 WW1542CPTLW R 440 MC

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-------------------|------------------|------------------|-----------------|-----------------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| CORNICE TOP 15" DEEP (CONTINUED)  | 1$\frac{3}{8}$" TOP THICKNESS (CONTINUED) | | | | | | | | | |
| | WW1542CPTW | Wood | \$ 508 | 15 $\frac{1}{2}$ | 42 | 1 $\frac{3}{8}$ | — | — | 36 lbs. | 1.4 |
| | WW1542CPTLW | Laminate/Wood Rim | 508 | 15 $\frac{1}{2}$ | 42 | 1 $\frac{3}{8}$ | — | — | 36 lbs. | 1.4 |
| | WW1542CPTL | Laminate | 493 | 15 $\frac{1}{2}$ | 42 | 1 $\frac{3}{8}$ | — | — | 36 lbs. | 1.4 |
| | WW1542CPTLL | TFL | 395 | 15 $\frac{1}{2}$ | 42 | 1 $\frac{1}{2}$ | — | — | 36 lbs. | 1.4 |
| | WW1536CPTW | Wood | \$ 479 | 15 $\frac{1}{2}$ | 36 | 1 $\frac{3}{8}$ | — | — | 32 lbs. | 1.2 |
| | WW1536CPTLW | Laminate/Wood Rim | 479 | 15 $\frac{1}{2}$ | 36 | 1 $\frac{3}{8}$ | — | — | 32 lbs. | 1.2 |
| | WW1536CPTL | Laminate | 465 | 15 $\frac{1}{2}$ | 36 | 1 $\frac{3}{8}$ | — | — | 32 lbs. | 1.2 |
| | WW1536CPTLL | TFL | 372 | 15 $\frac{1}{2}$ | 36 | 1 $\frac{1}{2}$ | — | — | 32 lbs. | 1.2 |
| | WW1530CPTW | Wood | \$ 450 | 15 $\frac{1}{2}$ | 30 | 1 $\frac{3}{8}$ | — | — | 28 lbs. | 1.0 |
| | WW1530CPTLW | Laminate/Wood Rim | 450 | 15 $\frac{1}{2}$ | 30 | 1 $\frac{3}{8}$ | — | — | 28 lbs. | 1.0 |
| | WW1530CPTL | Laminate | 436 | 15 $\frac{1}{2}$ | 30 | 1 $\frac{3}{8}$ | — | — | 28 lbs. | 1.0 |
| WW1530CPTLL | TFL | 348 | 15 $\frac{1}{2}$ | 30 | 1 $\frac{1}{2}$ | — | — | 28 lbs. | 1.0 | |
| WW1518CPTW | Wood | \$ 422 | 15 $\frac{1}{2}$ | 18 | 1 $\frac{3}{8}$ | — | — | 21 lbs. | 0.7 | |
| WW1518CPTLW | Laminate/Wood Rim | 422 | 15 $\frac{1}{2}$ | 18 | 1 $\frac{3}{8}$ | — | — | 21 lbs. | 0.7 | |
| WW1518CPTL | Laminate | 411 | 15 $\frac{1}{2}$ | 18 | 1 $\frac{3}{8}$ | — | — | 21 lbs. | 0.7 | |
| WW1518CPTLL | TFL | 330 | 15 $\frac{1}{2}$ | 18 | 1 $\frac{1}{2}$ | — | — | 21 lbs. | 0.7 | |

- TFL cornice tops are 1 $\frac{1}{2}$ " thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- WWN4296WSCEDLW7 M F X D1B403 MH
 WWN4296WSCEDLL7 M V440 X D1L420 440
 WWN4296WSCEDLLW7 M F X D1R420 MH MH
- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|------------------|---------------|---------|----|-------------------|------------------|-----------------|------------|---------|-----|
| | | | D | W | H | A | KW | | | | |
| EXTENDED CORNER WORKSURFACE (CONTINUED)  Left shown | 1$\frac{1}{16}$" TOP THICKNESS (CONTINUED) | | | | | | | | | | |
| | | LEFT | RIGHT | | | | | | | | |
| | WWN4296WSCEDLW7 | WWN4296WSCEDRW7 | Wood | \$ 1983 | 42 | 95 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 96 lbs. | 7.0 |
| | WWN4296WSCEDLLW7 | WWN4296WSCEDRLW7 | Laminate/Wood | 1983 | 42 | 95 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 96 lbs. | 7.0 |
| | WWN4296WSCEDLL7 | WWN4296WSCEDRL7 | Laminate | 1467 | 42 | 95 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 96 lbs. | 7.0 |
| | WWN4284WSCEDLW7 | WWN4284WSCEDRW7 | Wood | \$ 1923 | 42 | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 84 lbs. | 6.2 |
| | WWN4284WSCEDLLW7 | WWN4284WSCEDRLW7 | Laminate/Wood | 1923 | 42 | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 84 lbs. | 6.2 |
| | WWN4284WSCEDLL7 | WWN4284WSCEDRL7 | Laminate | 1395 | 42 | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 84 lbs. | 6.2 |
| | WWN4272WSCEDLW7 | WWN4272WSCEDRW7 | Wood | \$ 1557 | 42 | 72 | 1 $\frac{1}{16}$ | — | — | 72 lbs. | 5.4 |
| | WWN4272WSCEDLLW7 | WWN4272WSCEDRLW7 | Laminate/Wood | 1557 | 42 | 72 | 1 $\frac{1}{16}$ | — | — | 72 lbs. | 5.4 |
| | WWN4272WSCEDLL7 | WWN4272WSCEDRL7 | Laminate | 1321 | 42 | 72 | 1 $\frac{1}{16}$ | — | — | 72 lbs. | 5.4 |
| | WWN4266WSCEDLW7 | WWN4266WSCEDRW7 | Wood | \$ 1511 | 42 | 66 | 1 $\frac{1}{16}$ | — | — | 66 lbs. | 4.9 |
| WWN4266WSCEDLLW7 | WWN4266WSCEDRLW7 | Laminate/Wood | 1511 | 42 | 66 | 1 $\frac{1}{16}$ | — | — | 66 lbs. | 4.9 | |
| WWN4266WSCEDLL7 | WWN4266WSCEDRL7 | Laminate | 1259 | 42 | 66 | 1 $\frac{1}{16}$ | — | — | 66 lbs. | 4.9 | |
| WWN4260WSCEDLW7 | WWN4260WSCEDRW7 | Wood | \$ 1419 | 42 | 60 | 1 $\frac{1}{16}$ | — | — | 60 lbs. | 4.5 | |
| WWN4260WSCEDLLW7 | WWN4260WSCEDRLW7 | Laminate/Wood | 1419 | 42 | 60 | 1 $\frac{1}{16}$ | — | — | 60 lbs. | 4.5 | |
| WWN4260WSCEDLL7 | WWN4260WSCEDRL7 | Laminate | 1201 | 42 | 60 | 1 $\frac{1}{16}$ | — | — | 60 lbs. | 4.5 | |
| WWN4254WSCEDLW7 | WWN4254WSCEDRW7 | Wood | \$ 1371 | 42 | 54 | 1 $\frac{1}{16}$ | — | — | 54 lbs. | 4.1 | |
| WWN4254WSCEDLLW7 | WWN4254WSCEDRLW7 | Laminate/Wood | 1371 | 42 | 54 | 1 $\frac{1}{16}$ | — | — | 54 lbs. | 4.1 | |
| WWN4254WSCEDLL7 | WWN4254WSCEDRL7 | Laminate | 1170 | 42 | 54 | 1 $\frac{1}{16}$ | — | — | 54 lbs. | 4.1 | |

- Wire Manager available on left side, back or right side; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- For additional worksurface support, specify Undersurface Support Rail, see page 528
- Modified width and depth not available on this shape
- Intended for use with 30" and 24" deep worksurfaces
- For undersurface wire managers, see page 741

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3696WSCEDLW2 M F X D1B403 MH
 WWN3696WSCEDLL2 M V440 X D1L440 440
 WWN3696WSCEDLLW2 M F X D1R440 MH MH

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--------------------------------------------------------------|------------|-------------------|-------------------|------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| EXTENDED CORNER WORKSURFACE (CONTINUED) | | | | | | | | |
| 1$\frac{1}{16}$" TOP THICKNESS (CONTINUED) | | | | | | | | |
| | | | | | | | | |
| WWN3696WSCEDLW2 | \$ 1890 | 35 $\frac{1}{16}$ | 95 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 106 lbs. | 5.9 |
| WWN3696WSCEDLLW2 | 1890 | 35 $\frac{1}{16}$ | 95 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 106 lbs. | 5.9 |
| WWN3696WSCEDLL2 | 1398 | 35 $\frac{1}{16}$ | 95 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 106 lbs. | 5.9 |
| WWN3684WSCEDLW2 | \$ 1831 | 35 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 93 lbs. | 5.2 |
| WWN3684WSCEDLLW2 | 1831 | 35 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 93 lbs. | 5.2 |
| WWN3684WSCEDLL2 | 1327 | 35 $\frac{1}{16}$ | 83 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 93 lbs. | 5.2 |
| WWN3672WSCEDLW2 | \$ 1482 | 35 $\frac{1}{16}$ | 72 | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.9 |
| WWN3672WSCEDLLW2 | 1482 | 35 $\frac{1}{16}$ | 72 | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.9 |
| WWN3672WSCEDLL2 | 1258 | 35 $\frac{1}{16}$ | 72 | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.9 |
| WWN3666WSCEDLW2 | \$ 1438 | 35 $\frac{1}{16}$ | 66 | 1 $\frac{1}{16}$ | — | — | 72 lbs. | 3.6 |
| WWN3666WSCEDLLW2 | 1438 | 35 $\frac{1}{16}$ | 66 | 1 $\frac{1}{16}$ | — | — | 72 lbs. | 3.6 |
| WWN3666WSCEDLL2 | 1198 | 35 $\frac{1}{16}$ | 66 | 1 $\frac{1}{16}$ | — | — | 72 lbs. | 3.6 |
| WWN3660WSCEDLW2 | \$ 1351 | 35 $\frac{1}{16}$ | 60 | 1 $\frac{1}{16}$ | — | — | 65 lbs. | 3.3 |
| WWN3660WSCEDLLW2 | 1351 | 35 $\frac{1}{16}$ | 60 | 1 $\frac{1}{16}$ | — | — | 65 lbs. | 3.3 |
| WWN3660WSCEDLL2 | 1145 | 35 $\frac{1}{16}$ | 60 | 1 $\frac{1}{16}$ | — | — | 65 lbs. | 3.3 |
| WWN3654WSCEDLW2 | \$ 1304 | 35 $\frac{1}{16}$ | 54 | 1 $\frac{1}{16}$ | — | — | 58 lbs. | 3.0 |
| WWN3654WSCEDLLW2 | 1304 | 35 $\frac{1}{16}$ | 54 | 1 $\frac{1}{16}$ | — | — | 58 lbs. | 3.0 |
| WWN3654WSCEDLL2 | 1114 | 35 $\frac{1}{16}$ | 54 | 1 $\frac{1}{16}$ | — | — | 58 lbs. | 3.0 |



Left shown

- Wire Manager available on left side, back or right side; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- For additional worksurface support, specify Undersurface Support Rail, see page 528
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 741

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- WW4896WSCEDLW7 M F X D1B403 MH
 WW4896WSCEDLL7 M V440 X D1L440 440
 WW4896WSCEDLLW7 M F X D1R440 MH MH
- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | | |
|--------------------------------------------------|-----------------|---------------|---------|----|-------------------|------------------|-----------------|------------|----------|-----|
| | | D | W | H | A | KW | | | | |
| EXTENDED CORNER WORKSURFACE (CONTINUED) | | | | | | | | | | |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | | | |
| LEFT | | | | | | | | | | |
| RIGHT | | | | | | | | | | |
| WW4896WSCEDLW7 | WW4896WSCEDRW7 | Wood | \$ 1926 | 48 | 95 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 102 lbs. | 7.9 |
| WW4896WSCEDLLW7 | WW4896WSCEDRLW7 | Laminate/Wood | 1926 | 48 | 95 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 102 lbs. | 7.9 |
| WW4896WSCEDLL7 | WW4896WSCEDRL7 | Laminate | 1388 | 48 | 95 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 102 lbs. | 7.9 |
| WW4896WSCEDLLL7 | WW4896WSCEDRLL7 | TFL | 1112 | 48 | 95 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 102 lbs. | 7.9 |
| WW4884WSCEDLW7 | WW4884WSCEDRW7 | Wood | \$ 1861 | 48 | 83 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 90 lbs. | 7.0 |
| WW4884WSCEDLLW7 | WW4884WSCEDRLW7 | Laminate/Wood | 1861 | 48 | 83 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 90 lbs. | 7.0 |
| WW4884WSCEDLL7 | WW4884WSCEDRL7 | Laminate | 1309 | 48 | 83 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 90 lbs. | 7.0 |
| WW4884WSCEDLLL7 | WW4884WSCEDRLL7 | TFL | 1049 | 48 | 83 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 90 lbs. | 7.0 |
| WW4872WSCEDLW7 | WW4872WSCEDRW7 | Wood | \$ 1478 | 48 | 72 | 1 $\frac{3}{16}$ | — | — | 78 lbs. | 6.0 |
| WW4872WSCEDLLW7 | WW4872WSCEDRLW7 | Laminate/Wood | 1478 | 48 | 72 | 1 $\frac{3}{16}$ | — | — | 78 lbs. | 6.0 |
| WW4872WSCEDLL7 | WW4872WSCEDRL7 | Laminate | 1233 | 48 | 72 | 1 $\frac{3}{16}$ | — | — | 78 lbs. | 6.0 |
| WW4872WSCEDLLL7 | WW4872WSCEDRLL7 | TFL | 988 | 48 | 72 | 1 $\frac{3}{16}$ | — | — | 78 lbs. | 6.0 |
| WW4866WSCEDLW7 | WW4866WSCEDRW7 | Wood | \$ 1426 | 48 | 66 | 1 $\frac{3}{16}$ | — | — | 72 lbs. | 5.5 |
| WW4866WSCEDLLW7 | WW4866WSCEDRLW7 | Laminate/Wood | 1426 | 48 | 66 | 1 $\frac{3}{16}$ | — | — | 72 lbs. | 5.5 |
| WW4866WSCEDLL7 | WW4866WSCEDRL7 | Laminate | 1171 | 48 | 66 | 1 $\frac{3}{16}$ | — | — | 72 lbs. | 5.5 |
| WW4866WSCEDLLL7 | WW4866WSCEDRLL7 | TFL | 936 | 48 | 66 | 1 $\frac{3}{16}$ | — | — | 72 lbs. | 5.5 |
| WW4860WSCEDLW7 | WW4860WSCEDRW7 | Wood | \$ 1330 | 48 | 60 | 1 $\frac{3}{16}$ | — | — | 66 lbs. | 5.1 |
| WW4860WSCEDLLW7 | WW4860WSCEDRLW7 | Laminate/Wood | 1330 | 48 | 60 | 1 $\frac{3}{16}$ | — | — | 66 lbs. | 5.1 |
| WW4860WSCEDLL7 | WW4860WSCEDRL7 | Laminate | 1112 | 48 | 60 | 1 $\frac{3}{16}$ | — | — | 66 lbs. | 5.1 |
| WW4860WSCEDLLL7 | WW4860WSCEDRLL7 | TFL | 890 | 48 | 60 | 1 $\frac{3}{16}$ | — | — | 66 lbs. | 5.1 |
| WW4854WSCEDLW7 | WW4854WSCEDRW7 | Wood | \$ 1283 | 48 | 54 | 1 $\frac{3}{16}$ | — | — | 60 lbs. | 4.6 |
| WW4854WSCEDLLW7 | WW4854WSCEDRLW7 | Laminate/Wood | 1283 | 48 | 54 | 1 $\frac{3}{16}$ | — | — | 60 lbs. | 4.6 |
| WW4854WSCEDLL7 | WW4854WSCEDRL7 | Laminate | 1077 | 48 | 54 | 1 $\frac{3}{16}$ | — | — | 60 lbs. | 4.6 |
| WW4854WSCEDLLL7 | WW4854WSCEDRLL7 | TFL | 860 | 48 | 54 | 1 $\frac{3}{16}$ | — | — | 60 lbs. | 4.6 |



Left shown

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire Manager available on left side, back or right side; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- For additional worksurface support, specify Undersurface Support Rail, see page 528
- Modified width and depth not available on this shape
- Intended for use with 36" and 24" deep worksurfaces
- For undersurface wire managers, see page 741

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3672WSUDW M F X D1B440 X MH
 WWN3672WSUDL M F440 X D1B440 71 $\frac{1}{2}$ 440
 WWN3672WSUDLW M V X X 71 $\frac{1}{2}$ 440 MH

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------|------------|-------------------|------------------|-----------------|---|---------|-----------------|------------|
| | | | D | W | H | A | KW | | |
|  | U-SHAPED WORKSURFACE 1$\frac{1}{8}$" THICKNESS | | | | | | | | |
| | WWN3672WSUDW Wood | \$ 1641 | 36 $\frac{1}{16}$ | 72 | 1 $\frac{1}{8}$ | — | — | 79 lbs. | 3.8 |
| | WWN3672WSUDLW Laminate/Wood | 1641 | 36 $\frac{1}{16}$ | 72 | 1 $\frac{1}{8}$ | — | — | 79 lbs. | 3.8 |
| | WWN3672WSUDL Laminate | 957 | 36 $\frac{1}{16}$ | 72 | 1 $\frac{1}{8}$ | — | — | 79 lbs. | 3.8 |
| | WWN3072WSUDW Wood | \$ 1452 | 30 $\frac{1}{16}$ | 72 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 3.6 |
| | WWN3072WSUDLW Laminate/Wood | 1452 | 30 $\frac{1}{16}$ | 72 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 3.6 |
| | WWN3072WSUDL Laminate | 766 | 30 $\frac{1}{16}$ | 72 | 1 $\frac{1}{8}$ | — | — | 76 lbs. | 3.6 |
| | WWN3066WSUDW Wood | \$ 1379 | 30 $\frac{1}{16}$ | 65 $\frac{3}{4}$ | 1 $\frac{1}{8}$ | — | — | 70 lbs. | 3.3 |
| | WWN3066WSUDLW Laminate/Wood | 1379 | 30 $\frac{1}{16}$ | 65 $\frac{3}{4}$ | 1 $\frac{1}{8}$ | — | — | 70 lbs. | 3.3 |
| | WWN3066WSUDL Laminate | 697 | 30 $\frac{1}{16}$ | 65 $\frac{3}{4}$ | 1 $\frac{1}{8}$ | — | — | 70 lbs. | 3.3 |
| | WWN2460WSUDW Wood | \$ 947 | 24 | 60 | 1 $\frac{1}{8}$ | — | — | 69 lbs. | 2.8 |
| | WWN2460WSUDLW Laminate/Wood | 947 | 24 | 60 | 1 $\frac{1}{8}$ | — | — | 69 lbs. | 2.8 |
| WWN2460WSUDL Laminate | 586 | 24 | 60 | 1 $\frac{1}{8}$ | — | — | 69 lbs. | 2.8 | |
| WWN2448WSUDW Wood | \$ 853 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{1}{8}$ | — | — | 57 lbs. | 2.3 | |
| WWN2448WSUDLW Laminate/Wood | 853 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{1}{8}$ | — | — | 57 lbs. | 2.3 | |
| WWN2448WSUDL Laminate | 532 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{1}{8}$ | — | — | 57 lbs. | 2.3 | |

- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- For additional worksurface support, specify Undersurface Support Rail, see page 528
- For undersurface wire managers, see page 741
- Not recommended for use with Epicenter slat wall

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 3/16" worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

| | | | | | | |
|--------------|---|------|-----|--------|--------|--------|
| WW3672WSUDW | M | F | X | D1B440 | X | MH |
| WW3672WSUDL | M | F440 | X | D1B440 | 71 1/2 | 440 |
| WW3672WSUDLW | M | V | X X | | 71 1/2 | 440 MH |

• See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|-----------------------------------------|--------------------------|---------------|------------|---------|--------|--------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| U-SHAPED WORKSURFACE (CONTINUED) | 1 3/16" THICKNESS | | | | | | | | | |
| | WW3672WSUDW | Wood | \$ 1500 | 36 1/16 | 72 | 1 3/16 | — | — | 79 lbs. | 3.8 |
| | WW3672WSUDLW | Laminate/Wood | 1500 | 36 1/16 | 72 | 1 3/16 | — | — | 79 lbs. | 3.8 |
| | WW3672WSUDL | Laminate | 821 | 36 1/16 | 72 | 1 3/16 | — | — | 79 lbs. | 3.8 |
| | WW3672WSUDLL | TFL | 657 | 36 1/16 | 72 | 1 1/2 | — | — | 79 lbs. | 3.8 |
| | WW3072WSUDW | Wood | \$ 1315 | 30 1/16 | 72 | 1 3/16 | — | — | 76 lbs. | 3.6 |
| | WW3072WSUDLW | Laminate/Wood | 1315 | 30 1/16 | 72 | 1 3/16 | — | — | 76 lbs. | 3.6 |
| | WW3072WSUDL | Laminate | 631 | 30 1/16 | 72 | 1 3/16 | — | — | 76 lbs. | 3.6 |
| | WW3072WSUDLL | TFL | 505 | 30 1/16 | 72 | 1 1/2 | — | — | 76 lbs. | 3.6 |
| | WW3066WSUDW | Wood | \$ 1241 | 30 1/16 | 65 3/4 | 1 3/16 | — | — | 70 lbs. | 3.3 |
| | WW3066WSUDLW | Laminate/Wood | 1241 | 30 1/16 | 65 3/4 | 1 3/16 | — | — | 70 lbs. | 3.3 |
| | WW3066WSUDL | Laminate | 562 | 30 1/16 | 65 3/4 | 1 3/16 | — | — | 70 lbs. | 3.3 |
| WW3066WSUDLL | TFL | 449 | 30 1/16 | 65 3/4 | 1 1/2 | — | — | 70 lbs. | 3.3 | |
| WW2460WSUDW | Wood | \$ 809 | 24 | 60 | 1 3/16 | — | — | 69 lbs. | 2.8 | |
| WW2460WSUDLW | Laminate/Wood | 809 | 24 | 60 | 1 3/16 | — | — | 69 lbs. | 2.8 | |
| WW2460WSUDL | Laminate | 451 | 24 | 60 | 1 3/16 | — | — | 69 lbs. | 2.8 | |
| WW2460WSUDLL | TFL | 361 | 24 | 60 | 1 1/2 | — | — | 69 lbs. | 2.8 | |
| WW2448WSUDW | Wood | \$ 713 | 24 | 48 1/16 | 1 3/16 | — | — | 57 lbs. | 2.3 | |
| WW2448WSUDLW | Laminate/Wood | 713 | 24 | 48 1/16 | 1 3/16 | — | — | 57 lbs. | 2.3 | |
| WW2448WSUDL | Laminate | 396 | 24 | 48 1/16 | 1 3/16 | — | — | 57 lbs. | 2.3 | |
| WW2448WSUDLL | TFL | 317 | 24 | 48 1/16 | 1 1/2 | — | — | 57 lbs. | 2.3 | |

- TFL worksurfaces are 1 1/2" thick
- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in 1/16" increments in width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- For additional worksurface support, specify Undersurface Support Rail, see page 528
- For undersurface wire managers, see page 741
- Not recommended for use with Epicenter slat wall

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBER:

WWN3672WSUERW2 M V X X MC

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|----------------------------------------------|------------|-------------------|-------------------|------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| EXTENDED U-SHAPED WORKSURFACE | | | | | | | | |
| 1$\frac{1}{16}$" THICKNESS | | | | | | | | |
| LEFT | | | | | | | | |
| RIGHT | | | | | | | | |
| WWN4872WSUELW2 | \$ 1786 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN4872WSUERW2 | 1786 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN4872WSUELLW2 | 1786 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN4872WSUERLW2 | 1786 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN4872WSUELL2 | 1141 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN4872WSUERL2 | 1141 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN4872WSUELW3 | \$ 1846 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN4872WSUERW3 | 1846 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN4872WSUELLW3 | 1846 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN4872WSUERLW3 | 1846 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN4872WSUELL3 | 1184 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN4872WSUERL3 | 1184 | 48 | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 91 lbs. | 5.4 |
| WWN3672WSUELW2 | \$ 1684 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |
| WWN3672WSUERW2 | 1684 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |
| WWN3672WSUELLW2 | 1684 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |
| WWN3672WSUERLW2 | 1684 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |
| WWN3672WSUELL2 | 1076 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |
| WWN3672WSUERL2 | 1076 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |
| WWN3672WSUELW3 | \$ 1741 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |
| WWN3672WSUERW3 | 1741 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |
| WWN3672WSUELLW3 | 1741 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |
| WWN3672WSUERLW3 | 1741 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |
| WWN3672WSUELL3 | 1116 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |
| WWN3672WSUERL3 | 1116 | 36 $\frac{1}{16}$ | 71 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 79 lbs. | 3.8 |



Left shown

- Wire Manager available on back; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 741
- Not recommended for use with Epicenter slat wall
- Models ending in 2 – utilize with 24" deep worksurfaces
- Models ending in 3 – utilize with 30" deep worksurfaces

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 3/16" worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBER:

WW3672WSUERW2 M V X X MC

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | | |
|---------------------------------------------------------------------------------------------------------------------------------------|--------------------------|----------------|---------------|----------|----------|----------|---------|-----------------|------------|---------|-----|
| | | | D | W | H | A | KW | | | | |
| EXTENDED U-SHAPED WORKSURFACE (CONTINUED)  | 1 3/16" THICKNESS | | | | | | | | | | |
| | | LEFT | RIGHT | | | | | | | | |
| | WW4872WSUELW2 | WW4872WSUERW2 | Wood | \$ 1608 | 48 | 71 1/16" | 1 3/16" | — | — | 91 lbs. | 5.4 |
| | WW4872WSUELLW2 | WW4872WSUERLW2 | Laminate/Wood | 1608 | 48 | 71 1/16" | 1 3/16" | — | — | 91 lbs. | 5.4 |
| | WW4872WSUELL2 | WW4872WSUERL2 | Laminate | 1028 | 48 | 71 1/16" | 1 3/16" | — | — | 91 lbs. | 5.4 |
| | WW4872WSUELLL2 | WW4872WSUERLL2 | TFL | 822 | 48 | 71 1/16" | 1 3/16" | — | — | 91 lbs. | 5.4 |
| | WW4872WSUELW3 | WW4872WSUERW3 | Wood | \$ 1662 | 48 | 71 1/16" | 1 3/16" | — | — | 91 lbs. | 5.4 |
| | WW4872WSUELLW3 | WW4872WSUERLW3 | Laminate/Wood | 1662 | 48 | 71 1/16" | 1 3/16" | — | — | 91 lbs. | 5.4 |
| | WW4872WSUELL3 | WW4872WSUERL3 | Laminate | 1066 | 48 | 71 1/16" | 1 3/16" | — | — | 91 lbs. | 5.4 |
| | WW4872WSUELLL3 | WW4872WSUERLL3 | TFL | 854 | 48 | 71 1/16" | 1 3/16" | — | — | 91 lbs. | 5.4 |
| | WW3672WSUELW2 | WW3672WSUERW2 | Wood | \$ 1517 | 36 1/16" | 71 1/16" | 1 3/16" | — | — | 79 lbs. | 3.8 |
| | WW3672WSUELLW2 | WW3672WSUERLW2 | Laminate/Wood | 1517 | 36 1/16" | 71 1/16" | 1 3/16" | — | — | 79 lbs. | 3.8 |
| WW3672WSUELL2 | WW3672WSUERL2 | Laminate | 969 | 36 1/16" | 71 1/16" | 1 3/16" | — | — | 79 lbs. | 3.8 | |
| WW3672WSUELLL2 | WW3672WSUERLL2 | TFL | 776 | 36 1/16" | 71 1/16" | 1 3/16" | — | — | 79 lbs. | 3.8 | |
| WW3672WSUELW3 | WW3672WSUERW3 | Wood | \$ 1568 | 36 1/16" | 71 1/16" | 1 3/16" | — | — | 79 lbs. | 3.8 | |
| WW3672WSUELLW3 | WW3672WSUERLW3 | Laminate/Wood | 1568 | 36 1/16" | 71 1/16" | 1 3/16" | — | — | 79 lbs. | 3.8 | |
| WW3672WSUELL3 | WW3672WSUERL3 | Laminate | 1006 | 36 1/16" | 71 1/16" | 1 3/16" | — | — | 79 lbs. | 3.8 | |
| WW3672WSUELLL3 | WW3672WSUERLL3 | TFL | 805 | 36 1/16" | 71 1/16" | 1 3/16" | — | — | 79 lbs. | 3.8 | |

- TFL worksurfaces are 1 1/4" thick
- Wire Manager available on back; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 741
- Not recommended for use with Epicenter slat wall
- Models ending in 2 – utilize with 24" deep worksurfaces
- Models ending in 3 – utilize with 30" deep worksurfaces

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

| | | | | | | |
|----------------|---|------|-----|--------|-------------------|--------|
| WWN3072WSPDLW | M | F | X | D1B440 | 59 $\frac{1}{16}$ | AC |
| WWN3072WSPDLLW | M | F | X X | | X | 440 AC |
| WWN3072WSPDLL | M | V440 | X | D1B440 | X | 440 |

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--------------------------------------------------|------------|------------|-------------------|----|------------------|----|-----------------|-------------|
| | | D | W | H | A | KW | | |
| P-SHAPED WORKSURFACE | | | | | | | | |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| LEFT | | | | | | | | |
| RIGHT | | | | | | | | |
| WWN3072WSPDLW | Wood | \$ 1713 | 30 $\frac{3}{16}$ | 72 | 1 $\frac{3}{16}$ | — | — | 69 lbs. 3.6 |
| WWN3072WSPDLLW | Lam/Wood | 1713 | 30 $\frac{3}{16}$ | 72 | 1 $\frac{3}{16}$ | — | — | 69 lbs. 3.6 |
| WWN3072WSPDLL | Laminate | 1224 | 30 $\frac{3}{16}$ | 72 | 1 $\frac{3}{16}$ | — | — | 69 lbs. 3.6 |
| 1$\frac{1}{16}$" TOP THICKNESS | | | | | | | | |
| LEFT | | | | | | | | |
| RIGHT | | | | | | | | |
| WW3072WSPDLW | Wood | \$ 1574 | 30 $\frac{3}{16}$ | 72 | 1 $\frac{1}{16}$ | — | — | 69 lbs. 3.6 |
| WW3072WSPDLLW | Lam/Wood | 1574 | 30 $\frac{3}{16}$ | 72 | 1 $\frac{1}{16}$ | — | — | 69 lbs. 3.6 |
| WW3072WSPDLL | Laminate | 1088 | 30 $\frac{3}{16}$ | 72 | 1 $\frac{1}{16}$ | — | — | 69 lbs. 3.6 |
| WW3072WSPDLLL | TFL | 870 | 30 $\frac{3}{16}$ | 72 | 1 $\frac{1}{16}$ | — | — | 69 lbs. 3.6 |



Right shown

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in width to a minimum of 59 $\frac{1}{16}$ " at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- For additional worksurface support, specify Undersurface Support Rail, see page 528
- For undersurface wire managers, see page 741
- Not recommended for use with Epicenter slat wall

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

| | | | | | | |
|------------------|---|------|---|--------|-------------------|--------|
| WWN3672WSPEDLW2 | M | F | X | D1B440 | 59 $\frac{1}{16}$ | AC |
| WWN3672WSPEDLLW2 | M | F | X | X | X | 440 AC |
| WWN3672WSPEDLL2 | M | V440 | X | D1B440 | X | 440 |

• See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--------------------------------------------------|------------------|---------------|---------|-------------------|----|------------------|-----------------|-------------|
| | | D | W | H | A | KW | | |
| EXTENDED CORNER P-SHAPED WORKSURFACE | | | | | | | | |
| | | | | | | | | |
| 1$\frac{1}{2}$" TOP THICKNESS | | | | | | | | |
| LEFT | RIGHT | | | | | | | |
| WWN3672WSPEDLW2 | WWN3672WSPEDRW2 | Wood | \$ 1903 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{1}{2}$ | — | 73 lbs. 4.9 |
| WWN3672WSPEDLLW2 | WWN3672WSPEDRLW2 | Laminate/Wood | 1903 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{1}{2}$ | — | 73 lbs. 4.9 |
| WWN3672WSPEDLL2 | WWN3672WSPEDRL2 | Laminate | 1367 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{1}{2}$ | — | 73 lbs. 4.9 |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| LEFT | RIGHT | | | | | | | |
| WWN3672WSPEDLW3 | WWN3672WSPEDRW3 | Wood | \$ 1956 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{3}{16}$ | — | 73 lbs. 4.9 |
| WWN3672WSPEDLLW3 | WWN3672WSPEDRLW3 | Laminate/Wood | 1956 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{3}{16}$ | — | 73 lbs. 4.9 |
| WWN3672WSPEDLL3 | WWN3672WSPEDRL3 | Laminate | 1403 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{3}{16}$ | — | 73 lbs. 4.9 |
| 1$\frac{1}{2}$" TOP THICKNESS | | | | | | | | |
| LEFT | RIGHT | | | | | | | |
| WW3672WSPEDLW2 | WW3672WSPEDRW2 | Wood | \$ 1765 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{1}{2}$ | — | 73 lbs. 4.9 |
| WW3672WSPEDLLW2 | WW3672WSPEDRLW2 | Laminate/Wood | 1765 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{1}{2}$ | — | 73 lbs. 4.9 |
| WW3672WSPEDLL2 | WW3672WSPEDRL2 | Laminate | 1228 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{1}{2}$ | — | 73 lbs. 4.9 |
| WW3672WSPEDLLL2 | WW3672WSPEDRLL2 | TFL | 983 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{1}{2}$ | — | 73 lbs. 4.9 |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| LEFT | RIGHT | | | | | | | |
| WW3672WSPEDLW3 | WW3672WSPEDRW3 | Wood | \$ 1817 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{3}{16}$ | — | 73 lbs. 4.9 |
| WW3672WSPEDLLW3 | WW3672WSPEDRLW3 | Laminate/Wood | 1817 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{3}{16}$ | — | 73 lbs. 4.9 |
| WW3672WSPEDLL3 | WW3672WSPEDRL3 | Laminate | 1266 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{3}{16}$ | — | 73 lbs. 4.9 |
| WW3672WSPEDLLL3 | WW3672WSPEDRLL3 | TFL | 1012 | 35 $\frac{3}{16}$ | 72 | 1 $\frac{3}{16}$ | — | 73 lbs. 4.9 |

- TFL worksurfaces are 1 $\frac{1}{4}$ " thick
- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- Models ending in 2 - utilize with 24" deep worksurfaces
- Models ending in 3 - utilize with 30" deep worksurfaces
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- For additional worksurface support, specify Undersurface Support Rail, see page 528
- Modified width and depth not available on this shape
- For undersurface wire managers, see page 741

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

| | | | | | |
|-----------------|---|------|---|--------|--------|
| WWN4272WSCSDW2 | M | F | X | D1B440 | AC |
| WWN4242WSCSDLW2 | M | F | X | X | 440 AC |
| WWN4242WSCSDL2 | M | V440 | X | X | AC2 |

- See pages 334-339 for all options available in WaveWorks

| CORNER WORKSURFACE | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|-------------------|-------------------|-------------------|------------------|---|---------|-----------------|------------|
| | | | D | W | H | A | KW | | |
|  <p>Grain direction runs diagonally</p> | 1$\frac{1}{16}$" TOP THICKNESS | | | | | | | | |
| | WWN4242WSCSDW2 Wood | \$ 1231 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 |
| | WWN4242WSCSDLW2 Laminate/Wood | 1231 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 |
| | WWN4242WSCSDL2 Laminate | 821 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 |
| | • Will accommodate 24" deep extension worksurfaces on both sides | | | | | | | | |
| | WWN4242WSCSDW3 Wood | \$ 1375 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 |
| | WWN4242WSCSDLW3 Laminate/Wood | 1375 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 |
| | WWN4242WSCSDL3 Laminate | 914 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 |
| | • Will accommodate 30" deep extension worksurfaces on both sides | | | | | | | | |
| | WWN4242WSCSDW7 Wood | \$ 1375 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 |
| | WWN4242WSCSDLW7 Laminate/Wood | 1375 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 |
| | WWN4242WSCSDL7 Laminate | 914 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 |
| • Will accommodate 1 left 30" deep and 1 right 24" deep extension worksurface | | | | | | | | | |
| WWN4242WSCSDW9 Wood | \$ 1375 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 | |
| WWN4242WSCSDLW9 Laminate/Wood | 1375 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 | |
| WWN4242WSCSDL9 Laminate | 914 | 42 $\frac{1}{16}$ | 42 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 59 lbs. | 3.8 | |
| • Will accommodate 1 left 24" deep and 1 right 30" deep extension worksurface | | | | | | | | | |
| WWN3636WSCSDW2 Wood | \$ 1142 | 36 $\frac{1}{16}$ | 36 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 45 lbs. | 3.8 | |
| WWN3636WSCSDLW2 Laminate/Wood | 1142 | 36 $\frac{1}{16}$ | 36 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 45 lbs. | 3.8 | |
| WWN3636WSCSDL2 Laminate | 764 | 36 $\frac{1}{16}$ | 36 $\frac{1}{16}$ | 1 $\frac{1}{16}$ | — | — | 45 lbs. | 3.8 | |
| • Will accommodate 24" deep extension worksurfaces on both sides | | | | | | | | | |
| • Grain direction runs diagonally | | | | | | | | | |
| • If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.) | | | | | | | | | |
| • 42" corner worksurfaces have 25" on front edge | | | | | | | | | |
| • 36" corner worksurfaces have 17" on front edge | | | | | | | | | |
| • Corner worksurface assembled to corner unit is not intended for freestanding unit | | | | | | | | | |
| • Wire Manager available on left side, right side or left & right sides; see page 339 for wire manager colors and upcharge | | | | | | | | | |
| • When ordering a wire manager, a wire manager filler can be ordered separately; see page 532 | | | | | | | | | |
| • Modified width and depth not available on this shape | | | | | | | | | |
| • For undersurface wire managers, see page 741 | | | | | | | | | |

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 3/16" worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

| | | | | | |
|----------------|---|------|---|--------|--------|
| WW4242WSCSDW2 | M | F | X | D1B440 | AC |
| WW4242WSCSDLW2 | M | F | X | X | 440 AC |
| WW4242WSCSDL2 | M | V440 | X | X | AC2 |

• See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------|------------|---------|---------|--------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| <p>CORNER WORKSURFACE (CONTINUED)</p>  <p>Grain direction runs diagonally</p> | 1 3/16" TOP THICKNESS | | | | | | | | | |
| | WW4242WSCSDW2 | Wood | \$ 1090 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 |
| | WW4242WSCSDLW2 | Laminate/Wood | 1090 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 |
| | WW4242WSCSDL2 | Laminate | 685 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 |
| | WW4242WSCDLL2 | TFL | 549 | 42 1/16 | 42 1/16 | 1 1/2 | — | — | 59 lbs. | 3.8 |
| | • Will accommodate 24" deep extension worksurfaces on both sides | | | | | | | | | |
| | WW4242WSCSDW3 | Wood | \$ 1200 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 |
| | WW4242WSCSDLW3 | Laminate/Wood | 1200 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 |
| | WW4242WSCSDL3 | Laminate | 755 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 |
| | WW4242WSCDLL3 | TFL | 604 | 42 1/16 | 42 1/16 | 1 1/2 | — | — | 59 lbs. | 3.8 |
| | • Will accommodate 30" deep extension worksurfaces on both sides | | | | | | | | | |
| | WW4242WSCSDW7 | Wood | \$ 1200 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 |
| WW4242WSCSDLW7 | Laminate/Wood | 1200 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 | |
| WW4242WSCSDL7 | Laminate | 755 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 | |
| WW4242WSCDLL7 | TFL | 604 | 42 1/16 | 42 1/16 | 1 1/2 | — | — | 59 lbs. | 3.8 | |
| • Will accommodate 1 left 30" deep and 1 right 24" deep extension worksurface | | | | | | | | | | |
| WW4242WSCSDW9 | Wood | \$ 1200 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 | |
| WW4242WSCSDLW9 | Laminate/Wood | 1200 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 | |
| WW4242WSCSDL9 | Laminate | 755 | 42 1/16 | 42 1/16 | 1 3/16 | — | — | 59 lbs. | 3.8 | |
| WW4242WSCDLL9 | TFL | 604 | 42 1/16 | 42 1/16 | 1 1/2 | — | — | 59 lbs. | 3.8 | |
| • Will accommodate 1 left 24" deep and 1 right 30" deep extension worksurface | | | | | | | | | | |
| WW3636WSCSDW2 | Wood | \$ 1004 | 36 1/16 | 36 1/16 | 1 3/16 | — | — | 45 lbs. | 3.8 | |
| WW3636WSCSDLW2 | Laminate/Wood | 1004 | 36 1/16 | 36 1/16 | 1 3/16 | — | — | 45 lbs. | 3.8 | |
| WW3636WSCSDL2 | Laminate | 629 | 36 1/16 | 36 1/16 | 1 3/16 | — | — | 45 lbs. | 3.8 | |
| WW3636WSCDLL2 | TFL | 504 | 36 1/16 | 36 1/16 | 1 1/2 | — | — | 45 lbs. | 3.8 | |
| • Will accommodate 24" deep extension worksurfaces on both sides | | | | | | | | | | |
| <ul style="list-style-type: none"> • TFL worksurfaces are 1 1/8" thick • Grain direction runs diagonally • If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.) • 42" corner worksurfaces have 25" on front edge • 36" corner worksurfaces have 17" on front edge • Corner worksurface assembled to corner unit is not intended for freestanding unit • Wire Manager available on left side, right side or left & right sides; see page 339 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 532 • Modified width and depth not available on this shape • For undersurface wire managers, see page 741 | | | | | | | | | | |

WAVEWORKS

COMPONENTS

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 340 for grommet locations; and page 339 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Laminate Top Color/
Veneer Top Finish
7. Veneer Rim Finish (laminate/wood models)


SAMPLE MODEL NUMBERS:

WWN60WSHRDW M F X D1B440 MH
 WWN60WSHRDLW M F X X MH MH
 WWN60WSHRDL M V440 X D1B440 MH

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--------------------------------------------------|------------|------------|-------------------|------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| HALF ROUND WORKSURFACE | | | | | | | | |
| 1$\frac{1}{16}$" TOP THICKNESS | | | | | | | | |
| WWN60WSHRDW Wood | \$ 909 | 30 | 60 | 1 $\frac{1}{16}$ | — | — | 69 lbs. | 2.8 |
| WWN60WSHRDLW Laminate/Wood | 909 | 30 | 60 | 1 $\frac{1}{16}$ | — | — | 69 lbs. | 2.8 |
| WWN60WSHRDL Laminate | 577 | 30 | 60 | 1 $\frac{1}{16}$ | — | — | 69 lbs. | 2.8 |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| WWN48WSHRDW Wood | \$ 780 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 57 lbs. | 2.3 |
| WWN48WSHRDLW Laminate/Wood | 780 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 57 lbs. | 2.3 |
| WWN48WSHRDL Laminate | 503 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 57 lbs. | 2.3 |
| 1$\frac{1}{16}$" TOP THICKNESS | | | | | | | | |
| WW60WSHRDW Wood | \$ 773 | 30 | 60 | 1 $\frac{1}{16}$ | — | — | 69 lbs. | 2.8 |
| WW60WSHRDLW Laminate/Wood | 773 | 30 | 60 | 1 $\frac{1}{16}$ | — | — | 69 lbs. | 2.8 |
| WW60WSHRDL Laminate | 442 | 30 | 60 | 1 $\frac{1}{16}$ | — | — | 69 lbs. | 2.8 |
| WW60WSHRDLL TFL | 354 | 30 | 60 | 1 $\frac{1}{16}$ | — | — | 69 lbs. | 2.8 |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| WW48WSHRDW Wood | \$ 642 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 57 lbs. | 2.3 |
| WW48WSHRDLW Laminate/Wood | 642 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 57 lbs. | 2.3 |
| WW48WSHRDL Laminate | 369 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 57 lbs. | 2.3 |
| WW48WSHRDLL TFL | 295 | 24 | 48 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 57 lbs. | 2.3 |

HALF ROUND WORKSURFACE



- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Rim profile on radius edge of surface only
- Only available grommet option is center location
- Do not specify worksurface type
- Wire Manager available on back side-the straight side of the worksurface; see page 339 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 532
- Modified width and depth not available on this shape
- For undersurface wire managers, see page 741

PRODUCT SPECIFICATIONS

- Rim on radius edge of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1¹/₁₆" worksurface spans should not exceed 60"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2424WSQRW R HN
 WWN2424WSQRL V405 405
 WWN2424WSQRLW R 405 HN

• See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | | | |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|---------------|------------|---------------------------------|---------------------------------|--------------------------------|----|----------------|---------|-----|--|
| | | | D | W | H | A | KW | WEIGHT | FEET | | |
| <p>QUARTER ROUND WORKSURFACE</p>  | 1¹/₁₆" TOP THICKNESS | | | | | | | | | | |
| | WWN2424WSQRW | Wood | \$ 769 | 24 | 24 | 1 ¹ / ₁₆ | — | — | 25 lbs. | 1.1 | |
| | WWN2424WSQRLW | Laminate/Wood | 769 | 24 | 24 | 1 ¹ / ₁₆ | — | — | 25 lbs. | 1.1 | |
| | WWN2424WSQRL | Laminate | 494 | 24 | 24 | 1 ¹ / ₁₆ | — | — | 25 lbs. | 1.1 | |
| | • Utilize with 24" deep worksurfaces | | | | | | | | | | |
| | WWN3030WSQRW | Wood | \$ 895 | 30 ¹ / ₁₆ | 30 ¹ / ₁₆ | 1 ¹ / ₁₆ | — | — | 33 lbs. | 2.0 | |
| | WWN3030WSQRLW | Laminate/Wood | 895 | 30 ¹ / ₁₆ | 30 ¹ / ₁₆ | 1 ¹ / ₁₆ | — | — | 33 lbs. | 2.0 | |
| | WWN3030WSQRL | Laminate | 568 | 30 ¹ / ₁₆ | 30 ¹ / ₁₆ | 1 ¹ / ₁₆ | — | — | 33 lbs. | 2.0 | |
| | • Utilize with 30" deep worksurfaces | | | | | | | | | | |
| | WWN3024WSQRW | Wood | \$ 1254 | 30 ¹ / ₁₆ | 24 | 1 ¹ / ₁₆ | — | — | 33 lbs. | 2.0 | |
| | WWN3024WSQRLW | Laminate/Wood | 1254 | 30 ¹ / ₁₆ | 24 | 1 ¹ / ₁₆ | — | — | 33 lbs. | 2.0 | |
| | WWN3024WSQRL | Laminate | 838 | 30 ¹ / ₁₆ | 24 | 1 ¹ / ₁₆ | — | — | 33 lbs. | 2.0 | |
| | • Utilize with 24" deep worksurface on left and 30" deep worksurface on right | | | | | | | | | | |
| | WWN2430WSQRW | Wood | \$ 1254 | 24 | 30 ¹ / ₁₆ | 1 ¹ / ₁₆ | — | — | 33 lbs. | 2.0 | |
| | WWN2430WSQRLW | Laminate/Wood | 1254 | 24 | 30 ¹ / ₁₆ | 1 ¹ / ₁₆ | — | — | 33 lbs. | 2.0 | |
| WWN2430WSQRL | Laminate | 838 | 24 | 30 ¹ / ₁₆ | 1 ¹ / ₁₆ | — | — | 33 lbs. | 2.0 | | |
| • Utilize with 30" deep worksurface on left and 24" deep worksurface on right | | | | | | | | | | | |
| • Rim profile on radius edge of worksurface only | | | | | | | | | | | |
| • Grommet option not available | | | | | | | | | | | |

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on radius edge of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 528 for support options
- Refer to pages 717-760 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2424WSQRW R HN
 WW2424WSQRL V405 405
 WW2424WSQRLW R 405 HN

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-------------------------------------------------------------------------------|------------|-------------------|-------------------|------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| QUARTER ROUND WORKSURFACE (CONTINUED) | | | | | | | | |
| 1$\frac{3}{16}$" TOP THICKNESS | | | | | | | | |
| WW2424WSQRW Wood | \$ 628 | 24 | 24 | 1 $\frac{3}{16}$ | — | — | 25 lbs. | 1.1 |
| WW2424WSQRLW Laminate/Wood | 628 | 24 | 24 | 1 $\frac{3}{16}$ | — | — | 25 lbs. | 1.1 |
| WW2424WSQRL Laminate | 359 | 24 | 24 | 1 $\frac{3}{16}$ | — | — | 25 lbs. | 1.1 |
| WW2424WSQRL TFL | 288 | 24 | 24 | 1 $\frac{3}{16}$ | — | — | 25 lbs. | 1.1 |
| • Utilize with 24" deep worksurfaces | | | | | | | | |
| WW3030WSQRW Wood | \$ 755 | 30 $\frac{1}{16}$ | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| WW3030WSQRLW Laminate/Wood | 755 | 30 $\frac{1}{16}$ | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| WW3030WSQRL Laminate | 433 | 30 $\frac{1}{16}$ | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| WW3030WSQRL TFL | 346 | 30 $\frac{1}{16}$ | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| • Utilize with 30" deep worksurfaces | | | | | | | | |
| WW3024WSQRW Wood | \$ 1150 | 30 $\frac{1}{16}$ | 24 | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| WW3024WSQRLW Laminate/Wood | 1150 | 30 $\frac{1}{16}$ | 24 | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| WW3024WSQRL Laminate | 723 | 30 $\frac{1}{16}$ | 24 | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| WW3024WSQRL TFL | 578 | 30 $\frac{1}{16}$ | 24 | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| • Utilize with 24" deep worksurface on left and 30" deep worksurface on right | | | | | | | | |
| WW2430WSQRW Wood | \$ 1150 | 24 | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| WW2430WSQRLW Laminate/Wood | 1150 | 24 | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| WW2430WSQRL Laminate | 723 | 24 | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| WW2430WSQRL TFL | 578 | 24 | 30 $\frac{1}{16}$ | 1 $\frac{3}{16}$ | — | — | 33 lbs. | 2.0 |
| • Utilize with 30" deep worksurface on left and 24" deep worksurface on right | | | | | | | | |
| • TFL worksurfaces are 1 $\frac{3}{16}$ " thick | | | | | | | | |
| • Rim profile on radius edge of worksurface only | | | | | | | | |
| • Grommet option not available | | | | | | | | |



PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 641-644 for applicable bases


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Veneer Top Finish
6. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:

WWN36WSRNW F MC
 WWN36WSRNLW F 440 MH
 WWN36WSRNL V440 440

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------------|------------|------------|--------|--------|---|---------|----------------|------|
| | | | | D | W | H | A | KW | WEIGHT | FEET |
| ROUND TABLE TOP 1 1/16" THICK  | 30" ROUND | | | | | | | | | |
| | 1 1/16" TOP THICKNESS | | | | | | | | | |
| | WWN30WSRNW | Wood | \$ 752 | 30 1/16 | — | 1 1/16 | — | — | 33 lbs. | 2.0 |
| | WWN30WSRNLW | Laminate/Wood | 752 | 30 1/16 | — | 1 1/16 | — | — | 33 lbs. | 2.0 |
| | WWN30WSRNL | Laminate | 391 | 30 1/16 | — | 1 1/16 | — | — | 33 lbs. | 2.0 |
| | 36" ROUND | | | | | | | | | |
| | WWN36WSRNW | Wood | \$ 886 | 36 1/16 | — | 1 1/16 | — | — | 40 lbs. | 3.0 |
| | WWN36WSRNLW | Laminate/Wood | 886 | 36 1/16 | — | 1 1/16 | — | — | 40 lbs. | 3.0 |
| | WWN36WSRNL | Laminate | 460 | 36 1/16 | — | 1 1/16 | — | — | 40 lbs. | 3.0 |
| | 42" ROUND | | | | | | | | | |
| | WWN42WSRNW | Wood | \$ 1030 | 42 1/16 | — | 1 1/16 | — | — | 54 lbs. | 3.8 |
| | WWN42WSRNLW | Laminate/Wood | 1030 | 42 1/16 | — | 1 1/16 | — | — | 54 lbs. | 3.8 |
| WWN42WSRNL | Laminate | 552 | 42 1/16 | — | 1 1/16 | — | — | 54 lbs. | 3.8 | |
| 48" ROUND | | | | | | | | | | |
| WWN48WSRNW | Wood | \$ 1145 | 48 1/16 | — | 1 1/16 | — | — | 71 lbs. | 4.5 | |
| WWN48WSRNLW | Laminate/Wood | 1145 | 48 1/16 | — | 1 1/16 | — | — | 71 lbs. | 4.5 | |
| WWN48WSRNL | Laminate | 622 | 48 1/16 | — | 1 1/16 | — | — | 71 lbs. | 4.5 | |

- Zip rim does not have "run-out" on round tops
- Reference pages 641-644 for applicable bases
- See Tables Price List pages 142-151 for coordinating conference table tops

WAVEWORKS

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 641-644 for applicable bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Veneer Top Finish
6. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:

WW36WSRNW F MC
 WW36WSRNLW F 440 MH
 WW36WSRNL V440 440

- See pages 334-339 for all options available in WaveWorks

ROUND TABLE TOP 1 3/16" THICK



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-----------------------|--------------------|------------------------------|---|-----------|---|----------|-----------------|------------|
| | | D | W | H | A | KW | | |
| 30" ROUND | | 1 3/16" TOP THICKNESS | | DI | | H | | |
| WW30WSRNW | Wood \$ 633 | 30 3/16 | — | 1 3/16 | — | — | 33 lbs. | 2.0 |
| WW30WSRNLW | Laminate/Wood 633 | 30 3/16 | — | 1 3/16 | — | — | 33 lbs. | 2.0 |
| WW30WSRNL | Laminate 276 | 30 3/16 | — | 1 3/16 | — | — | 33 lbs. | 2.0 |
| WW30WSRNLL | TFL 222 | 30 3/16 | — | 1 3/16 | — | — | 33 lbs. | 2.0 |
| 36" ROUND | | | | | | | | |
| WW36WSRNW | Wood \$ 747 | 36 3/16 | — | 1 3/16 | — | — | 40 lbs. | 3.0 |
| WW36WSRNLW | Laminate/Wood 747 | 36 3/16 | — | 1 3/16 | — | — | 40 lbs. | 3.0 |
| WW36WSRNL | Laminate 324 | 36 3/16 | — | 1 3/16 | — | — | 40 lbs. | 3.0 |
| WW36WSRNLL | TFL 261 | 36 3/16 | — | 1 3/16 | — | — | 40 lbs. | 3.0 |
| 42" ROUND | | | | | | | | |
| WW42WSRNW | Wood \$ 891 | 42 3/16 | — | 1 3/16 | — | — | 54 lbs. | 3.8 |
| WW42WSRNLW | Laminate/Wood 891 | 42 3/16 | — | 1 3/16 | — | — | 54 lbs. | 3.8 |
| WW42WSRNL | Laminate 418 | 42 3/16 | — | 1 3/16 | — | — | 54 lbs. | 3.8 |
| WW42WSRNLL | TFL 335 | 42 3/16 | — | 1 3/16 | — | — | 54 lbs. | 3.8 |
| 48" ROUND | | | | | | | | |
| WW48WSRNW | Wood \$ 1006 | 48 3/16 | — | 1 3/16 | — | — | 71 lbs. | 4.5 |
| WW48WSRNLW | Laminate/Wood 1006 | 48 3/16 | — | 1 3/16 | — | — | 71 lbs. | 4.5 |
| WW48WSRNL | Laminate 488 | 48 3/16 | — | 1 3/16 | — | — | 71 lbs. | 4.5 |
| WW48WSRNLL | TFL 390 | 48 3/16 | — | 1 3/16 | — | — | 71 lbs. | 4.5 |

- TFL worksurfaces are 1 3/8" thick
- Zip rim does not have "run-out" on round tops
- Reference pages 641-644 for applicable bases
- See Tables Price List pages 142-151 for coordinating conference table tops

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 641-644 for applicable bases

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Veneer Top Finish
6. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:

WWN3636WSSQW F MC
 WWN3636WSSQLW F 440 MH
 WWN3636WSSQL V440 440

- See pages 334-339 for all options available in WaveWorks

**SQUARE TABLE TOP
1 1/16" THICK**



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|-----------------------------------------|------------|------------|---------|--------|---|----|----------------|------|
| | | D | W | H | A | KW | WEIGHT | FEET |
| 30" SQUARE 1 1/16" TOP THICKNESS | | | | | | | | |
| WWN3030WSSQW Wood | \$ 745 | 30 1/16 | 30 1/16 | 1 1/16 | — | — | 33 lbs. | 2.0 |
| WWN3030WSSQLW Laminate/Wood | 745 | 30 1/16 | 30 1/16 | 1 1/16 | — | — | 33 lbs. | 2.0 |
| WWN3030WSSQL Laminate | 395 | 30 1/16 | 30 1/16 | 1 1/16 | — | — | 33 lbs. | 2.0 |
| 36" SQUARE | | | | | | | | |
| WWN3636WSSQW Wood | \$ 875 | 36 1/16 | 36 1/16 | 1 1/16 | — | — | 45 lbs. | 3.0 |
| WWN3636WSSQLW Laminate/Wood | 875 | 36 1/16 | 36 1/16 | 1 1/16 | — | — | 45 lbs. | 3.0 |
| WWN3636WSSQL Laminate | 463 | 36 1/16 | 36 1/16 | 1 1/16 | — | — | 45 lbs. | 3.0 |
| 42" SQUARE | | | | | | | | |
| WWN4242WSSQW Wood | \$ 1011 | 42 1/16 | 42 1/16 | 1 1/16 | — | — | 59 lbs. | 3.8 |
| WWN4242WSSQLW Laminate/Wood | 1011 | 42 1/16 | 42 1/16 | 1 1/16 | — | — | 59 lbs. | 3.8 |
| WWN4242WSSQL Laminate | 549 | 42 1/16 | 42 1/16 | 1 1/16 | — | — | 59 lbs. | 3.8 |
| 48" SQUARE | | | | | | | | |
| WWN4848WSSQW Wood | \$ 1128 | 48 1/16 | 48 1/16 | 1 1/16 | — | — | 76 lbs. | 4.5 |
| WWN4848WSSQLW Laminate/Wood | 1128 | 48 1/16 | 48 1/16 | 1 1/16 | — | — | 76 lbs. | 4.5 |
| WWN4848WSSQL Laminate | 615 | 48 1/16 | 48 1/16 | 1 1/16 | — | — | 76 lbs. | 4.5 |

- Reference pages 641-644 for applicable bases
- See Tables Price List pages 142-151 for coordinating conference table tops

WAVEWORKS

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 641-644 for applicable bases
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/ Veneer Top Finish
6. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:


WW3036WSSQW F MC
 WW3036WSSQLW F 440 MH
 WW3036WSSQL V440 440

- See pages 334-339 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

SQUARE TABLE TOP 1 1/8" THICK



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|----------------------------------------|------------|------------|---------|--------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| 30" SQUARE 1 1/8" TOP THICKNESS | | | | | | | | |
| WW3030WSSQW Wood | \$ 627 | 30 1/16 | 30 1/16 | 1 1/16 | — | — | 33 lbs. | 2.0 |
| WW3030WSSQLW Laminate/Wood | 627 | 30 1/16 | 30 1/16 | 1 1/16 | — | — | 33 lbs. | 2.0 |
| WW3030WSSQL Laminate | 270 | 30 1/16 | 30 1/16 | 1 1/16 | — | — | 33 lbs. | 2.0 |
| WW3030WSSQLL TFL | 217 | 30 1/16 | 30 1/16 | 1 1/16 | — | — | 33 lbs. | 2.0 |
| 36" SQUARE | | | | | | | | |
| QWW3636WSSQW Wood | \$ 737 | 36 1/16 | 36 1/16 | 1 1/16 | — | — | 45 lbs. | 3.0 |
| WW3636WSSQW Wood | 737 | 36 1/16 | 36 1/16 | 1 1/16 | — | — | 45 lbs. | 3.0 |
| WW3636WSSQLW Laminate/Wood | 737 | 36 1/16 | 36 1/16 | 1 1/16 | — | — | 45 lbs. | 3.0 |
| WW3636WSSQL Laminate | 318 | 36 1/16 | 36 1/16 | 1 1/16 | — | — | 45 lbs. | 3.0 |
| QWW3636WSSQLL TFL | 255 | 36 1/16 | 36 1/16 | 1 1/16 | — | — | 45 lbs. | 3.0 |
| WW3636WSSQLL TFL | 255 | 36 1/16 | 36 1/16 | 1 1/16 | — | — | 45 lbs. | 3.0 |
| 42" SQUARE | | | | | | | | |
| WW4242WSSQW Wood | \$ 872 | 42 1/16 | 42 1/16 | 1 1/16 | — | — | 59 lbs. | 3.8 |
| WW4242WSSQLW Laminate/Wood | 872 | 42 1/16 | 42 1/16 | 1 1/16 | — | — | 59 lbs. | 3.8 |
| WW4242WSSQL Laminate | 415 | 42 1/16 | 42 1/16 | 1 1/16 | — | — | 59 lbs. | 3.8 |
| WW4242WSSQLL TFL | 332 | 42 1/16 | 42 1/16 | 1 1/16 | — | — | 59 lbs. | 3.8 |
| 48" SQUARE | | | | | | | | |
| WW4848WSSQW Wood | \$ 990 | 48 1/16 | 48 1/16 | 1 1/16 | — | — | 76 lbs. | 4.5 |
| WW4848WSSQLW Laminate/Wood | 990 | 48 1/16 | 48 1/16 | 1 1/16 | — | — | 76 lbs. | 4.5 |
| WW4848WSSQL Laminate | 477 | 48 1/16 | 48 1/16 | 1 1/16 | — | — | 76 lbs. | 4.5 |
| WW4848WSSQLL TFL | 382 | 48 1/16 | 48 1/16 | 1 1/16 | — | — | 76 lbs. | 4.5 |

- TFL worksurfaces are 1 1/8" thick
- Reference pages 641-644 for applicable bases
- See Tables Price List pages 142-151 for coordinating conference table tops

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. PVC Rim Color (laminite models)
4. End Panel Usage
5. Laminate Top Color (laminite models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN48110CMPTW F OEP AD
 WWN48110CMPTLW V MH 1EP MH
 WWN48110CMPTL VMH 2EP MH

- See pages 334-339 for all options available in WaveWorks

**COMPONENT TOP
(MODULAR STORAGE)
48" DEPTH**



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|------------------------------|------------|------------|----------|--------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| 1 1/16" TOP THICKNESS | | | | | | | | |
| WWN48110CMPTW Wood | \$ 1708 | 47 1/2 | 110 3/16 | 1 1/16 | — | — | lbs. | |
| WWN48110CMPTLW Laminate/Wood | 1708 | 47 1/2 | 110 3/16 | 1 1/16 | — | — | lbs. | |
| WWN48110CMPTL Laminate | 1163 | 47 1/2 | 110 3/16 | 1 1/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN48104CMPTW Wood | \$ 1654 | 47 1/2 | 104 3/16 | 1 1/16 | — | — | lbs. | |
| WWN48104CMPTLW Laminate/Wood | 1654 | 47 1/2 | 104 3/16 | 1 1/16 | — | — | lbs. | |
| WWN48104CMPTL Laminate | 1136 | 47 1/2 | 104 3/16 | 1 1/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN4898CMPTW Wood | \$ 1600 | 47 1/2 | 98 3/4 | 1 1/16 | — | — | lbs. | |
| WWN4898CMPTLW Laminate/Wood | 1600 | 47 1/2 | 98 3/4 | 1 1/16 | — | — | lbs. | |
| WWN4898CMPTL Laminate | 1109 | 47 1/2 | 98 3/4 | 1 1/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN4892CMPTW Wood | \$ 1553 | 47 1/2 | 92 1/4 | 1 1/16 | — | — | lbs. | |
| WWN4892CMPTLW Laminate/Wood | 1553 | 47 1/2 | 92 1/4 | 1 1/16 | — | — | lbs. | |
| WWN4892CMPTL Laminate | 1084 | 47 1/2 | 92 1/4 | 1 1/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN4874CMPTW Wood | \$ 1318 | 47 1/2 | 74 3/16 | 1 1/16 | — | — | lbs. | |
| WWN4874CMPTLW Laminate/Wood | 1318 | 47 1/2 | 74 3/16 | 1 1/16 | — | — | lbs. | |
| WWN4874CMPTL Laminate | 927 | 47 1/2 | 74 3/16 | 1 1/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN4868CMPTW Wood | \$ 1290 | 47 1/2 | 68 3/16 | 1 1/16 | — | — | lbs. | |
| WWN4868CMPTLW Laminate/Wood | 1290 | 47 1/2 | 68 3/16 | 1 1/16 | — | — | lbs. | |
| WWN4868CMPTL Laminate | 894 | 47 1/2 | 68 3/16 | 1 1/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN4862CMPTW Wood | \$ 1266 | 47 1/2 | 62 3/16 | 1 1/16 | — | — | lbs. | |
| WWN4862CMPTLW Laminate/Wood | 1266 | 47 1/2 | 62 3/16 | 1 1/16 | — | — | lbs. | |
| WWN4862CMPTL Laminate | 874 | 47 1/2 | 62 3/16 | 1 1/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN4838CMPTW Wood | \$ 1120 | 47 1/2 | 38 3/8 | 1 1/16 | — | — | lbs. | |
| WWN4838CMPTLW Laminate/Wood | 1120 | 47 1/2 | 38 3/8 | 1 1/16 | — | — | lbs. | |
| WWN4838CMPTL Laminate | 691 | 47 1/2 | 38 3/8 | 1 1/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN4832CMPTW Wood | \$ 934 | 47 1/2 | 32 3/8 | 1 1/16 | — | — | lbs. | |
| WWN4832CMPTLW Laminate/Wood | 934 | 47 1/2 | 32 3/8 | 1 1/16 | — | — | lbs. | |
| WWN4832CMPTL Laminate | 512 | 47 1/2 | 32 3/8 | 1 1/16 | — | — | lbs. | |

- For use when specifying modular storage/lateral files back to back
- Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately
- See page 527 for end panel

WAVEWORKS

COMPONENTS

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. PVC Rim Color (laminite models)
4. End Panel Usage
5. Laminate Top Color (laminite models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW48110CMPTW F OEP AD
 WW48110CMPTLW V MH 1EP MH
 WW48110CMPTL VMH 2EP MH

- See pages 334-339 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 48" DEPTH (CONTINUED)



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-----------------------------|------------|------------|----------|--------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| 1 1/8" TOP THICKNESS | | | | | | | | |
| WW48110CMPTW Wood | \$ 1578 | 47 1/2 | 110 1/16 | 1 3/16 | — | — | lbs. | |
| WW48110CMPTLW Laminate/Wood | 1578 | 47 1/2 | 110 1/16 | 1 3/16 | — | — | lbs. | |
| WW48110CMPTL Laminate | 1033 | 47 1/2 | 110 1/16 | 1 3/16 | — | — | lbs. | |
| WW48110CMPTLL TFL | 925 | 47 1/2 | 110 1/16 | 1 3/16 | — | — | lbs. | |
| WW48104CMPTW Wood | \$ 1524 | 47 1/2 | 104 3/16 | 1 3/16 | — | — | lbs. | |
| WW48104CMPTLW Laminate/Wood | 1524 | 47 1/2 | 104 3/16 | 1 3/16 | — | — | lbs. | |
| WW48104CMPTL Laminate | 1006 | 47 1/2 | 104 3/16 | 1 3/16 | — | — | lbs. | |
| WW48104CMPTLL TFL | 898 | 47 1/2 | 104 3/16 | 1 3/16 | — | — | lbs. | |
| WW4898CMPTW Wood | \$ 1470 | 47 1/2 | 98 3/4 | 1 3/16 | — | — | lbs. | |
| WW4898CMPTLW Laminate/Wood | 1470 | 47 1/2 | 98 3/4 | 1 3/16 | — | — | lbs. | |
| WW4898CMPTL Laminate | 979 | 47 1/2 | 98 3/4 | 1 3/16 | — | — | lbs. | |
| WW4898CMPTLL TFL | 870 | 47 1/2 | 98 3/4 | 1 3/16 | — | — | lbs. | |
| WW4892CMPTW Wood | \$ 1424 | 47 1/2 | 92 1/2 | 1 3/16 | — | — | lbs. | |
| WW4892CMPTLW Laminate/Wood | 1424 | 47 1/2 | 92 1/2 | 1 3/16 | — | — | lbs. | |
| WW4892CMPTL Laminate | 954 | 47 1/2 | 92 1/2 | 1 3/16 | — | — | lbs. | |
| WW4892CMPTLL TFL | 846 | 47 1/2 | 92 1/2 | 1 3/16 | — | — | lbs. | |
| WW4874CMPTW Wood | \$ 1188 | 47 1/2 | 74 3/16 | 1 3/16 | — | — | lbs. | |
| WW4874CMPTLW Laminate/Wood | 1188 | 47 1/2 | 74 3/16 | 1 3/16 | — | — | lbs. | |
| WW4874CMPTL Laminate | 797 | 47 1/2 | 74 3/16 | 1 3/16 | — | — | lbs. | |
| WW4874CMPTLL TFL | 688 | 47 1/2 | 74 3/16 | 1 3/16 | — | — | lbs. | |
| WW4868CMPTW Wood | \$ 1160 | 47 1/2 | 68 3/16 | 1 3/16 | — | — | lbs. | |
| WW4868CMPTLW Laminate/Wood | 1160 | 47 1/2 | 68 3/16 | 1 3/16 | — | — | lbs. | |
| WW4868CMPTL Laminate | 764 | 47 1/2 | 68 3/16 | 1 3/16 | — | — | lbs. | |
| WW4868CMPTLL TFL | 656 | 47 1/2 | 68 3/16 | 1 3/16 | — | — | lbs. | |
| WW4862CMPTW Wood | \$ 1136 | 47 1/2 | 62 3/16 | 1 3/16 | — | — | lbs. | |
| WW4862CMPTLW Laminate/Wood | 1136 | 47 1/2 | 62 3/16 | 1 3/16 | — | — | lbs. | |
| WW4862CMPTL Laminate | 745 | 47 1/2 | 62 3/16 | 1 3/16 | — | — | lbs. | |
| WW4862CMPTLL TFL | 636 | 47 1/2 | 62 3/16 | 1 3/16 | — | — | lbs. | |

- For use when specifying modular storage/lateral files back to back
- Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately
- TFL worksurfaces are 1 1/8" thick
- See page 527 for end panel
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminite models)
4. End Panel Usage
5. Laminate Top Color (laminite models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW4838CMPTW F 0EP AD
 WW4838CMPTLW V MH 1EP MH
 WW4838CMPTL VMH 2EP MH

• See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|---------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|---------------|------------|--------|--------|--------|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| COMPONENT TOP (MODULAR STORAGE) 48" DEPTH (CONTINUED)  | 1 1/16" TOP THICKNESS (CONTINUED) | | | | | | | | |
| | WW4838CMPTW | Wood | \$ 991 | 47 1/2 | 38 3/8 | 1 1/16 | — | — | lbs. |
| | WW4838CMPTLW | Laminate/Wood | 991 | 47 1/2 | 38 3/8 | 1 1/16 | — | — | lbs. |
| | WW4838CMPTL | Laminate | 561 | 47 1/2 | 38 3/8 | 1 1/16 | — | — | lbs. |
| | WW4838CMPTLL | TFL | 452 | 47 1/2 | 38 3/8 | 1 1/16 | — | — | lbs. |
| | WW4832CMPTW | Wood | \$ 804 | 47 1/2 | 32 3/8 | 1 1/16 | — | — | lbs. |
| | WW4832CMPTLW | Laminate/Wood | 804 | 47 1/2 | 32 3/8 | 1 1/16 | — | — | lbs. |
| | WW4832CMPTL | Laminate | 382 | 47 1/2 | 32 3/8 | 1 1/16 | — | — | lbs. |
| | WW4832CMPTLL | TFL | 274 | 47 1/2 | 32 3/8 | 1 1/16 | — | — | lbs. |

- For use when specifying modular storage/lateral files back to back
- Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately
- TFL worksurfaces are 1 1/8" thick
- See page 527 for end panel

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Laminate Top Color (laminated models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN24108CMPTW F 0EP AD
 WWN24108CMPTLW V MH 1EP MH
 WWN24108CMPTL VMH 2EP MH

- See pages 334-339 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 24" DEPTH



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|------------------------------|------------|------------|---------|-------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| 1 1/8" TOP THICKNESS | | | | | | | | |
| WWN24108CMPTW Wood | \$ 1302 | 24 | 107 7/8 | 1 1/8 | — | — | lbs. | |
| WWN24108CMPTLW Laminate/Wood | 1302 | 24 | 107 7/8 | 1 1/8 | — | — | lbs. | |
| WWN24108CMPTL Laminate | 816 | 24 | 107 7/8 | 1 1/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN24102CMPTW Wood | \$ 1255 | 24 | 101 1/8 | 1 1/8 | — | — | lbs. | |
| WWN24102CMPTLW Laminate/Wood | 1255 | 24 | 101 1/8 | 1 1/8 | — | — | lbs. | |
| WWN24102CMPTL Laminate | 791 | 24 | 101 1/8 | 1 1/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN2496CMPTW Wood | \$ 1210 | 24 | 95 7/8 | 1 1/8 | — | — | lbs. | |
| WWN2496CMPTLW Laminate/Wood | 1210 | 24 | 95 7/8 | 1 1/8 | — | — | lbs. | |
| WWN2496CMPTL Laminate | 766 | 24 | 95 7/8 | 1 1/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN2490CMPTW Wood | \$ 1163 | 24 | 89 1/8 | 1 1/8 | — | — | lbs. | |
| WWN2490CMPTLW Laminate/Wood | 1163 | 24 | 89 1/8 | 1 1/8 | — | — | lbs. | |
| WWN2490CMPTL Laminate | 742 | 24 | 89 1/8 | 1 1/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN2472CMPTW Wood | \$ 927 | 24 | 71 1/8 | 1 1/8 | — | — | lbs. | |
| WWN2472CMPTLW Laminate/Wood | 927 | 24 | 71 1/8 | 1 1/8 | — | — | lbs. | |
| WWN2472CMPTL Laminate | 586 | 24 | 71 1/8 | 1 1/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN2466CMPTW Wood | \$ 899 | 24 | 66 | 1 1/8 | — | — | lbs. | |
| WWN2466CMPTLW Laminate/Wood | 899 | 24 | 66 | 1 1/8 | — | — | lbs. | |
| WWN2466CMPTL Laminate | 552 | 24 | 66 | 1 1/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN2460CMPTW Wood | \$ 875 | 24 | 60 | 1 1/8 | — | — | lbs. | |
| WWN2460CMPTLW Laminate/Wood | 875 | 24 | 60 | 1 1/8 | — | — | lbs. | |
| WWN2460CMPTL Laminate | 532 | 24 | 60 | 1 1/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN2436CMPTW Wood | \$ 784 | 24 | 36 1/8 | 1 1/8 | — | — | lbs. | |
| WWN2436CMPTLW Laminate/Wood | 784 | 24 | 36 1/8 | 1 1/8 | — | — | lbs. | |
| WWN2436CMPTL Laminate | 395 | 24 | 36 1/8 | 1 1/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN2430CMPTW Wood | \$ 769 | 24 | 30 1/8 | 1 1/8 | — | — | lbs. | |
| WWN2430CMPTLW Laminate/Wood | 769 | 24 | 30 1/8 | 1 1/8 | — | — | lbs. | |
| WWN2430CMPTL Laminate | 369 | 24 | 30 1/8 | 1 1/8 | — | — | lbs. | |

- For use as a common top when specifying modular storage/lateral files

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Laminate Top Color (laminated models)
5. Finish (wood models)


SAMPLE MODEL NUMBERS:

WW24108CMPTW F 0EP AD
 WW24108CMPTLW V MH 1EP MH
 WW24108CMPTL VMH 2EP MH

• See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC WEIGHT | CUBIC FEET |
|-----------------------------|------------|------------|---------|-------|---|----|-----------------------|------------|
| | | D | W | H | A | KW | | |
| 1 1/8" TOP THICKNESS | | | | | | | | |
| WW24108CMPTW Wood | \$ 1163 | 24 | 107 1/8 | 1 3/8 | — | — | lbs. | |
| WW24108CMPTLW Laminate/Wood | 1163 | 24 | 107 1/8 | 1 3/8 | — | — | lbs. | |
| WW24108CMPTL Laminate | 656 | 24 | 107 1/8 | 1 3/8 | — | — | lbs. | |
| WW24108CMPTLL TFL | 542 | 24 | 107 1/8 | 1 3/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WW24102CMPTW Wood | \$ 1117 | 24 | 101 1/8 | 1 3/8 | — | — | lbs. | |
| WW24102CMPTLW Laminate/Wood | 1117 | 24 | 101 1/8 | 1 3/8 | — | — | lbs. | |
| WW24102CMPTL Laminate | 656 | 24 | 101 1/8 | 1 3/8 | — | — | lbs. | |
| WW24102CMPTLL TFL | 523 | 24 | 101 1/8 | 1 3/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WW2496CMPTW Wood | \$ 1072 | 24 | 95 1/8 | 1 3/8 | — | — | lbs. | |
| WW2496CMPTLW Laminate/Wood | 1072 | 24 | 95 1/8 | 1 3/8 | — | — | lbs. | |
| WW2496CMPTL Laminate | 631 | 24 | 95 1/8 | 1 3/8 | — | — | lbs. | |
| WW2496CMPTLL TFL | 505 | 24 | 95 1/8 | 1 3/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WW2490CMPTW Wood | \$ 1026 | 24 | 89 1/8 | 1 3/8 | — | — | lbs. | |
| WW2490CMPTLW Laminate/Wood | 1026 | 24 | 89 1/8 | 1 3/8 | — | — | lbs. | |
| WW2490CMPTL Laminate | 606 | 24 | 89 1/8 | 1 3/8 | — | — | lbs. | |
| WW2490CMPTLL TFL | 487 | 24 | 89 1/8 | 1 3/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WW2472CMPTW Wood | \$ 788 | 24 | 71 1/8 | 1 3/8 | — | — | lbs. | |
| WW2472CMPTLW Laminate/Wood | 788 | 24 | 71 1/8 | 1 3/8 | — | — | lbs. | |
| WW2472CMPTL Laminate | 451 | 24 | 71 1/8 | 1 3/8 | — | — | lbs. | |
| WW2472CMPTLL TFL | 361 | 24 | 71 1/8 | 1 3/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WW2466CMPTW Wood | \$ 758 | 24 | 66 | 1 3/8 | — | — | lbs. | |
| WW2466CMPTLW Laminate/Wood | 758 | 24 | 66 | 1 3/8 | — | — | lbs. | |
| WW2466CMPTL Laminate | 418 | 24 | 66 | 1 3/8 | — | — | lbs. | |
| WW2466CMPTLL TFL | 335 | 24 | 66 | 1 3/8 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WW2460CMPTW Wood | \$ 737 | 24 | 60 | 1 3/8 | — | — | lbs. | |
| WW2460CMPTLW Laminate/Wood | 737 | 24 | 60 | 1 3/8 | — | — | lbs. | |
| WW2460CMPTL Laminate | 396 | 24 | 60 | 1 3/8 | — | — | lbs. | |
| WW2460CMPTLL TFL | 317 | 24 | 60 | 1 3/8 | — | — | lbs. | |

**COMPONENT TOP
 (MODULAR STORAGE)
 24" DEPTH
 (CONTINUED)**



- For use as a common top when specifying modular storage/lateral files
- TFL worksurfaces are 1 1/8" thick
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

WAVEWORKS

COMPONENTS

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminite models)
4. Laminate Top Color (laminite models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:


WW2436CMPTW F 0EP AD
 WW2436CMPTLW V MH 1EP MH
 WW2436CMPTL VMH 2EP MH

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|------------------------------------------|------------|------------|---------|--------|---|----|----------------|------|
| | | D | W | H | A | KW | WEIGHT | FEET |
| 1 3/16" TOP THICKNESS (CONTINUED) | | | | | | | | |
| WW2436CMPTW Wood | \$ 646 | 24 | 36 1/16 | 1 3/16 | - | - | lbs. | |
| WW2436CMPTLW Laminate/Wood | 646 | 24 | 36 1/16 | 1 3/16 | - | - | lbs. | |
| WW2436CMPTL Laminate | 261 | 24 | 36 1/16 | 1 3/16 | - | - | lbs. | |
| WW2436CMPTLL TFL | 208 | 24 | 36 1/16 | 1 3/16 | - | - | lbs. | |
| <hr/> | | | | | | | | |
| WW2430CMPTW Wood | \$ 628 | 24 | 30 1/16 | 1 3/16 | - | - | lbs. | |
| WW2430CMPTLW Laminate/Wood | 628 | 24 | 30 1/16 | 1 3/16 | - | - | lbs. | |
| WW2430CMPTL Laminate | 234 | 24 | 30 1/16 | 1 3/16 | - | - | lbs. | |
| WW2430CMPTLL TFL | 187 | 24 | 30 1/16 | 1 3/16 | - | - | lbs. | |

- For use as a common top when specifying modular storage/lateral files
- TFL worksurfaces are 1 1/8" thick

COMPONENT TOP (MODULAR STORAGE) 24" DEPTH (CONTINUED)



PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Laminate Top Color (laminated models)
5. Finish (wood models)


SAMPLE MODEL NUMBERS:

WWN3018CMPTW F DW
 WWN3018CMPTLW F SM SM
 WWN3018CMPTL V462 SK

• See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC WEIGHT | FEET |
|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------|------------|---------|--------|--------|----|-----------------------|------|
| | | | D | W | H | A | KW | | |
| COMPONENT TOP (PULLOUT STORAGE)  | 1 3/8" TOP THICKNESS | | | | | | | | |
| | WWN3018CMPTW | Wood | \$ 713 | 29 1/16 | 18 7/8 | 1 3/16 | — | — | lbs. |
| | WWN3018CMPTLW | Laminate/Wood | 713 | 29 1/16 | 18 7/8 | 1 3/16 | — | — | lbs. |
| | WWN3018CMPTL | Laminate | 343 | 29 1/16 | 18 7/8 | 1 3/16 | — | — | lbs. |
| | WWN2418CMPTW | Wood | \$ 693 | 24 | 18 7/8 | 1 3/16 | — | — | lbs. |
| | WWN2418CMPTLW | Laminate/Wood | 693 | 24 | 18 7/8 | 1 3/16 | — | — | lbs. |
| | WWN2418CMPTL | Laminate | 346 | 24 | 18 7/8 | 1 3/16 | — | — | lbs. |
| | 1 3/8" TOP THICKNESS | | | | | | | | |
| | WW3018CMPTW | Wood | \$ 586 | 29 1/16 | 18 7/8 | 1 3/16 | — | — | lbs. |
| | WW3018CMPTLW | Laminate/Wood | 586 | 29 1/16 | 18 7/8 | 1 3/16 | — | — | lbs. |
| | WW3018CMPTL | Laminate | 218 | 29 1/16 | 18 7/8 | 1 3/16 | — | — | lbs. |
| | WW3018CMPTLL | TFL | 175 | 29 1/16 | 18 7/8 | 1 | — | — | lbs. |
| WW2418CMPTW | Wood | \$ 569 | 24 | 18 7/8 | 1 3/16 | — | — | lbs. | |
| WW2418CMPTLW | Laminate/Wood | 569 | 24 | 18 7/8 | 1 3/16 | — | — | lbs. | |
| WW2418CMPTL | Laminate | 191 | 24 | 18 7/8 | 1 3/16 | — | — | lbs. | |
| WW2418CMPTLL | TFL | 157 | 24 | 18 7/8 | 1 | — | — | lbs. | |

COMPONENT TOP (PULLOUT STORAGE)



| | | | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|--------|--------|--------|---|---|------|
| 1 3/8" TOP THICKNESS | | | | | | | | |
| WWN4818CMPTW | Wood | \$ 782 | 47 1/2 | 18 7/8 | 1 3/16 | — | — | lbs. |
| WWN4818CMPTLW | Laminate/Wood | 782 | 47 1/2 | 18 7/8 | 1 3/16 | — | — | lbs. |
| WWN4818CMPTL | Laminate | 420 | 47 1/2 | 18 7/8 | 1 3/16 | — | — | lbs. |
| <ul style="list-style-type: none"> • For use when specifying pull out storage back to back • Spacers available for wire management see page 77 | | | | | | | | |
| 1 3/8" TOP THICKNESS | | | | | | | | |
| WW4818CMPTW | Wood | \$ 654 | 47 1/2 | 18 7/8 | 1 3/16 | — | — | lbs. |
| WW4818CMPTLW | Laminate/Wood | 654 | 47 1/2 | 18 7/8 | 1 3/16 | — | — | lbs. |
| WW4818CMPTL | Laminate | 294 | 47 1/2 | 18 7/8 | 1 3/16 | — | — | lbs. |
| WW4818CMPTLL | TFL | 235 | 47 1/2 | 18 7/8 | 1 | — | — | lbs. |
| <ul style="list-style-type: none"> • For use when specifying pull out storage back to back • Spacers available for wire management see page 77 • Grain direction runs horizontal | | | | | | | | |

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. PVC Rim Color (laminite models)
4. Laminate Top Color (laminite models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN6018CMPTW F DW
 WWN6018CMPTLW F SM SM
 WWN6018CMPTL V462 SK

- See pages 334-339 for all options available in WaveWorks

COMPONENT TOP (PULLOUT STORAGE) 60" DEPTH



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-----------------------------|------------|------------|--------|--------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| 1 1/8" TOP THICKNESS | | | | | | | | |
| WWN7218CMPTW Wood | \$ 862 | 71 7/16 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WWN7218CMPTLW Laminate/Wood | 862 | 71 7/16 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WWN7218CMPTL Laminate | 544 | 71 7/16 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN6618CMPTW Wood | \$ 836 | 65 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WWN6618CMPTLW Laminate/Wood | 836 | 65 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WWN6618CMPTL Laminate | 483 | 65 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN6018CMPTW Wood | \$ 782 | 59 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WWN6018CMPTLW Laminate/Wood | 782 | 59 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WWN6018CMPTL Laminate | 420 | 59 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WWN5418CMPTW Wood | \$ 796 | 53 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WWN5418CMPTLW Laminate/Wood | 796 | 53 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WWN5418CMPTL Laminate | 452 | 53 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| 1 3/8" TOP THICKNESS | | | | | | | | |
| WW7218CMPTW Wood | \$ 734 | 71 7/16 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW7218CMPTLW Laminate/Wood | 734 | 71 7/16 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW7218CMPTL Laminate | 418 | 71 7/16 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW7218CMPTLL TFL | 335 | 71 7/16 | 18 3/8 | 1 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WW6618CMPTW Wood | \$ 706 | 65 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW6618CMPTLW Laminate/Wood | 706 | 65 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW6618CMPTL Laminate | 388 | 65 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW6618CMPTLL TFL | 310 | 65 1/2 | 18 3/8 | 1 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WW6018CMPTW Wood | \$ 685 | 59 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW6018CMPTLW Laminate/Wood | 685 | 59 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW6018CMPTL Laminate | 369 | 59 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW6018CMPTLL TFL | 295 | 59 1/2 | 18 3/8 | 1 | — | — | lbs. | |
| <hr/> | | | | | | | | |
| WW5418CMPTW Wood | \$ 669 | 53 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW5418CMPTLW Laminate/Wood | 669 | 53 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW5418CMPTL Laminate | 327 | 53 1/2 | 18 3/8 | 1 3/16 | — | — | lbs. | |
| WW5418CMPTLL TFL | 261 | 53 1/2 | 18 3/8 | 1 | — | — | lbs. | |

- For use when specifying pull out storage back to back
- Spacers available for wire management see page 77
- Grain direction runs horizontal on veneer models
- Grain direction runs horizontal on laminate models 60" wide and smaller. On 66" and 72" wide models, the grain direction runs vertical

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2918PUBBFW 2PL G22 KRB MC
 WW2918PUBBFL 2PL G22 KRB MC 440

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|------------------|-------------------|------------------|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
|  <p>PEDESTAL - UNDERSURFACE BOX/BOX/FILE 35" DEEP</p> | WW3518PUBBFW Wood | \$ 1539 | 34 $\frac{1}{8}$ | 17 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | — | 105 lbs. | 12.6 |
| | WW3518PUBBFL Laminate | 972 | 34 $\frac{1}{8}$ | 17 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | — | 105 lbs. | 12.6 |
| | WW3515PUBBFW Wood | \$ 1457 | 34 $\frac{1}{8}$ | 14 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | — | 93 lbs. | 10.5 |
| | WW3515PUBBFL Laminate | 920 | 34 $\frac{1}{8}$ | 14 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | — | 93 lbs. | 10.5 |

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application

| | | | | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|---------|------------------|-------------------|------------------|---|---|---------|------|
|  <p>PEDESTAL - UNDERSURFACE BOX/BOX/FILE 29" DEEP</p> | WW2918PUBBFW Wood | \$ 1453 | 28 $\frac{7}{8}$ | 17 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | — | 95 lbs. | 10.6 |
| | WW2918PUBBFL Laminate | 908 | 28 $\frac{7}{8}$ | 17 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | — | 95 lbs. | 10.6 |
| | WW2915PUBBFW Wood | \$ 1370 | 28 $\frac{7}{8}$ | 14 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | — | 83 lbs. | 8.5 |
| | WW2915PUBBFL Laminate | 856 | 28 $\frac{7}{8}$ | 14 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | — | 83 lbs. | 8.5 |

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$187 to the list price

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW2318PUBBFW 2PL G22 KRB MC
 WW2318PUBBFL 2PL G22 KRB MC 440

- See pages 334-339 for all options available in WaveWorks




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|------------------------------------------------------|------------------------|------------|---------------------------------|---------------------------------|--------------------------------|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| PEDESTAL - UNDERSURFACE BOX/BOX/FILE 23" DEEP | WW2318PUBBFW Wood | \$ 1361 | 22 ³ / ₁₆ | 17 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 75 lbs. | 11.4 |
| | WW2318PUBBFL Laminate | 853 | 22 ³ / ₁₆ | 17 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 75 lbs. | 11.4 |
| | QWW2315PUBBFW Wood | \$ 1289 | 22 ³ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 70 lbs. | 9.9 |
| | WW2315PUBBFW Wood | 1289 | 22 ³ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 70 lbs. | 9.9 |
| | QWW2315PUBBFL Laminate | 802 | 22 ³ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 70 lbs. | 9.9 |
| | WW2315PUBBFL Laminate | 802 | 22 ³ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 70 lbs. | 9.9 |



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$187 to the list price

| | | | | | | | | | |
|------------------------------------------------------|-----------------------|---------|---------------------------------|---------------------------------|--------------------------------|---|---|---------|-----|
| PEDESTAL - UNDERSURFACE BOX/BOX/FILE 17" DEEP | WW1718PUBBFW Wood | \$ 1361 | 16 ³ / ₁₆ | 17 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 50 lbs. | 9.1 |
| | WW1718PUBBFL Laminate | 853 | 16 ³ / ₁₆ | 17 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 50 lbs. | 9.1 |
| | WW1715PUBBFW Wood | \$ 1289 | 16 ³ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 45 lbs. | 7.9 |
| | WW1715PUBBFL Laminate | 802 | 16 ³ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 45 lbs. | 7.9 |



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW2918PUFFW 2PL G22 KRB MC
WW2918PUFFL 2PL G22 KRB MC 440

- See pages 334-339 for all options available in WaveWorks




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|---------------------------------------------------|-----------------------|------------|--------------------|--------------------|--------------------|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| PEDESTAL - UNDERSURFACE FILE/FILE 35" DEEP | WW3518PUFFW Wood | \$ 1539 | 34 $\frac{3}{8}$ " | 17 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 105 lbs. | 12.6 |
| | WW3518PUFFL Laminate | 972 | 34 $\frac{3}{8}$ " | 17 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 105 lbs. | 12.6 |
| | WW3515PUFFW Wood | \$ 1457 | 34 $\frac{3}{8}$ " | 14 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 93 lbs. | 10.5 |
| | WW3515PUFFL Laminate | 920 | 34 $\frac{3}{8}$ " | 14 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 93 lbs. | 10.5 |




- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application

| | | | | | | | | | |
|---------------------------------------------------|----------------------|---------|--------------------|--------------------|--------------------|---|---|---------|------|
| PEDESTAL - UNDERSURFACE FILE/FILE 29" DEEP | WW2918PUFFW Wood | \$ 1453 | 28 $\frac{3}{8}$ " | 17 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 95 lbs. | 10.6 |
| | WW2918PUFFL Laminate | 908 | 28 $\frac{3}{8}$ " | 17 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 95 lbs. | 10.6 |
| | WW2915PUFFW Wood | \$ 1370 | 28 $\frac{3}{8}$ " | 14 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 83 lbs. | 8.5 |
| | WW2915PUFFL Laminate | 856 | 28 $\frac{3}{8}$ " | 14 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 83 lbs. | 8.5 |



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$187 to the list price

| | | | | | | | | | |
|---------------------------------------------------|-----------------------|---------|--------------------|--------------------|--------------------|---|---|---------|------|
| PEDESTAL - UNDERSURFACE FILE/FILE 23" DEEP | WW2318PUFFW Wood | \$ 1361 | 22 $\frac{3}{8}$ " | 17 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 75 lbs. | 11.4 |
| | WW2318PUFFL Laminate | 853 | 22 $\frac{3}{8}$ " | 17 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 75 lbs. | 11.4 |
| | QWW2315PUFFW Wood | \$ 1289 | 22 $\frac{3}{8}$ " | 14 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 70 lbs. | 9.9 |
| | WW2315PUFFW Wood | 1289 | 22 $\frac{3}{8}$ " | 14 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 70 lbs. | 9.9 |
| | QWW2315PUFFL Laminate | 802 | 22 $\frac{3}{8}$ " | 14 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 70 lbs. | 9.9 |
| | WW2315PUFFL Laminate | 802 | 22 $\frac{3}{8}$ " | 14 $\frac{1}{8}$ " | 27 $\frac{3}{4}$ " | — | — | 70 lbs. | 9.9 |



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$187 to the list price

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW1718PUFFW 2PL G22 KRB MC
 WW1718PUFFL 2PL G22 KRB MC 440


- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|---------------------------------------------------|-----------------------|------------|---------------------------------|---------------------------------|--------------------------------|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| PEDESTAL - UNDERSURFACE FILE/FILE 17" DEEP | WW1718PUFFW Wood | \$ 1361 | 16 ¹ / ₁₆ | 17 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 56 lbs. | 9.1 |
| | WW1718PUFFL Laminate | 853 | 16 ¹ / ₁₆ | 17 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 56 lbs. | 9.1 |
| | WW1715PUFFW Wood | \$ 1289 | 16 ¹ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 45 lbs. | 7.9 |
| | WW1715PUFFL Laminate | 802 | 16 ¹ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 45 lbs. | 7.9 |

• Tops and backs are open; specify component worksurfaces and backs to finish as needed
 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
 • Not intended for use in a freestanding application



SUPPORT PEDESTAL



| | LEFT | RIGHT | | | DIMENSIONS | | | | | CARTONED CUBIC | |
|--|---------------|---------------|----------|--------|---------------------------------|---------------------------------|--------------------------------|---|----|----------------|------|
| | | | | | D | W | H | A | KW | WEIGHT | FEET |
| | WW351829SESLW | WW351829SESRW | Wood | \$ 990 | 35 ¹ / ₁₆ | 17 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 101 lbs. | 4.0 |
| | WW351829SESLL | WW351829SESRL | Laminate | 609 | 35 ¹ / ₁₆ | 17 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 101 lbs. | 4.0 |
| | WW351529SESLW | WW351529SESRW | Wood | \$ 936 | 35 ¹ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 89 lbs. | 3.5 |
| | WW351529SESLL | WW351529SESRL | Laminate | 577 | 35 ¹ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 89 lbs. | 3.5 |
| | WW291829SESLW | WW291829SESRW | Wood | \$ 931 | 29 ¹ / ₁₆ | 17 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 95 lbs. | 3.0 |
| | WW291829SESLL | WW291829SESRL | Laminate | 574 | 29 ¹ / ₁₆ | 17 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 95 lbs. | 3.0 |
| | WW291529SESLW | WW291529SESRW | Wood | \$ 878 | 29 ¹ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 83 lbs. | 2.5 |
| | WW291529SESLL | WW291529SESRL | Laminate | 542 | 29 ¹ / ₁₆ | 14 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 83 lbs. | 2.5 |

• Specify component worksurfaces and backs to finish as needed
 • For use when creating single pedestal desks from components
 • Not intended for use in a freestanding application

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW2336LFM2W 2PL G22 KRB MC
 WW2336LFM2L 2PL G22 KRB MC 440

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | KW | CARTONED WEIGHT | CUBIC FEET |
|---------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|---------------------------------|---------------------------------|---------------------------------|--------------------------------|----|-----------------|---------------|
| | | | D | W | H | A | | | |
| LATERAL FILE UNIT UNDERSURFACE  | 23" DEPTH | | | | | | | | |
| | WW2336LFM2W | Wood | \$ 1734 | 22 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 120 lbs. 20.4 |
| | WW2336LFM2L | Laminate | 957 | 22 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 120 lbs. 20.4 |
| | 17" DEPTH | | | | | | | | |
| | WW2330LFM2W | Wood | \$ 1598 | 22 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 101 lbs. 17.4 |
| | WW2330LFM2L | Laminate | 931 | 22 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 101 lbs. 17.4 |
| | WW1736LFM2W | Wood | \$ 1734 | 16 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 119 lbs. 16.3 |
| | WW1736LFM2L | Laminate | 957 | 16 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 119 lbs. 16.3 |
| WW1730LFM2W | Wood | \$ 1598 | 16 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 105 lbs. 13.7 | |
| WW1730LFM2L | Laminate | 931 | 16 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 105 lbs. 13.7 | |

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front
- Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$248 to the list price

LATERAL FILE - 3 DRAWER MODULAR



| | | | | | | | | |
|-------------|----------|---------|---------------------------------|---------------------------------|---------------------------------|---|---|---------------|
| WW2436LFM3W | Wood | \$ 3117 | 23 ³ / ₁₆ | 35 ⁷ / ₁₆ | 40 ³ / ₁₆ | — | — | 210 lbs. 30.0 |
| WW2436LFM3L | Laminate | 1995 | 23 ³ / ₁₆ | 35 ⁷ / ₁₆ | 40 ³ / ₁₆ | — | — | 210 lbs. 30.0 |
| WW2430LFM3W | Wood | \$ 3009 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 40 ³ / ₁₆ | — | — | lbs. |
| WW2430LFM3L | Laminate | 1941 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 40 ³ / ₁₆ | — | — | lbs. |

- Top of unit is finished with flat edge detail
- Interlock mechanism allows only 1 drawer to be open at a time
- For use with component common top when ganging units together
- Unit has full finished back
- Do not specify pedestal grommet option
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW2436LFM4W 2PL G22 KRB MC
 WW2436LFM4L 2PL G22 KRB MC 440

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------|---------------------------------|---------------------------------|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| LATERAL FILE - 4 DRAWER MODULAR  | WW2436LFM4W Wood | \$ 3635 | 23 ³ / ₁₆ | 35 ⁷ / ₈ | 52 ¹ / ₁₆ | — | — | 265 lbs. | 33.4 |
| | WW2436LFM4L Laminate | 2302 | 23 ³ / ₁₆ | 35 ⁷ / ₈ | 52 ¹ / ₁₆ | — | — | 265 lbs. | 33.4 |
| | WW2430LFM4W Wood | \$ 3527 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 52 ¹ / ₁₆ | — | — | lbs. | |
| | WW2430LFM4L Laminate | 2247 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 52 ¹ / ₁₆ | — | — | lbs. | |
| | <ul style="list-style-type: none"> • Top of unit is finished with flat edge detail • Interlock mechanism allows only 1 drawer to be open at a time • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front | | | | | | | | |

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------|---------------------------------|---------------------------------|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| DOUBLE DOOR STORAGE/LATERAL FILE MODULAR  | WW2436LFM1H1W Wood | \$ 2901 | 23 ³ / ₁₆ | 35 ⁷ / ₈ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2436LFM1H1L Laminate | 1778 | 23 ³ / ₁₆ | 35 ⁷ / ₈ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2430LFM1H1W Wood | \$ 2765 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2430LFM1H1L Laminate | 1751 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 40 ³ / ₁₆ | — | — | lbs. | |
| | <ul style="list-style-type: none"> • Top of unit is finished with flat edge detail • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front | | | | | | | | |

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|---------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------|---------------------------------|---------------------------------|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| OPEN CUBBY/2 LATERAL FILES MODULAR  | WW2436LFM201W Wood | \$ 2684 | 23 ³ / ₁₆ | 35 ⁷ / ₈ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2436LFM201L Laminate | 1670 | 23 ³ / ₁₆ | 35 ⁷ / ₈ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2430LFM201W Wood | \$ 2549 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2430LFM201L Laminate | 1643 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 40 ³ / ₁₆ | — | — | lbs. | |
| | <ul style="list-style-type: none"> • Top of unit is finished with flat edge detail • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front | | | | | | | | |

WAVEWORKS

COMPONENTS

PRODUCT SPECIFICATIONS

- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Paint Color
5. Finish
6. Laminate Door/Drawer Color
7. Laminate Color Chassis

SAMPLE MODEL NUMBERS:


WW2436LFM1SS4W 61R KRB 462 AD
 WW2436LFM1SS4L 61R KRB 462 405 AD

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------|---------------------------------|---------------------------------|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| 4 METAL SLIDING SHELVES/LATERAL FILE MODULAR | WW2436LFM1SS4W Wood | \$ 3831 | 23 ³ / ₁₆ | 35 ⁷ / ₈ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2436LFM1SS4L Laminate | 3004 | 23 ³ / ₁₆ | 35 ⁷ / ₈ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2430LFM1SS4W Wood | \$ 3696 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2430LFM1SS4L Laminate | 2976 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 40 ³ / ₁₆ | — | — | lbs. | |
| | <ul style="list-style-type: none"> • Top of unit is finished with flat edge detail • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front | | | | | | | | |



| | | | | | | | | | |
|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------------------------------|---------------------------------|---------------------------------|---|---|------|--|
| 2 METAL SLIDING SHELVES/2 LATERAL FILES MODULAR | WW2436LFM2SS2W Wood | \$ 3399 | 23 ³ / ₁₆ | 35 ⁷ / ₈ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2436LFM2SS2L Laminate | 2571 | 23 ³ / ₁₆ | 35 ⁷ / ₈ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2430LFM2SS2W Wood | \$ 3264 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 40 ³ / ₁₆ | — | — | lbs. | |
| | WW2430LFM2SS2L Laminate | 2544 | 23 ³ / ₁₆ | 29 ¹ / ₁₆ | 40 ³ / ₁₆ | — | — | lbs. | |
| | <ul style="list-style-type: none"> • Top of unit is finished with flat edge detail • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front | | | | | | | | |



WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2336PUHW 2PL G22 KRB MC
 WW2336PUHL 2PL G22 KRB MC 440

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|---------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|---------------------------------|---------------------------------|---------------------------------|--------------------------------|----|-----------------|------------|------|
| | | | D | W | H | A | KW | | | |
| DOUBLE DOOR UNIT UNDERSURFACE  | 23" DEPTH | | | | | | | | | |
| | WW2336PUHW | Wood | \$ 1388 | 22 ³ / ₁₆ | 35 ⁷ / ₈ | 27 ³ / ₄ | — | — | 110 lbs. | 20.4 |
| | WW2336PUHL | Laminate | 834 | 22 ³ / ₁₆ | 35 ⁷ / ₈ | 27 ³ / ₄ | — | — | 110 lbs. | 20.4 |
| | WW2330PUHW | Wood | \$ 1252 | 22 ³ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 91 lbs. | 17.4 |
| | WW2330PUHL | Laminate | 785 | 22 ³ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 91 lbs. | 17.4 |
| | WW2324PUHW | Wood | \$ 1201 | 22 ³ / ₁₆ | 23 ³ / ₄ | 27 ³ / ₄ | — | — | 80 lbs. | 16.0 |
| | WW2324PUHL | Laminate | 754 | 22 ³ / ₁₆ | 23 ³ / ₄ | 27 ³ / ₄ | — | — | 80 lbs. | 16.0 |
| | 17" DEPTH | | | | | | | | | |
| | WW1736PUHW | Wood | \$ 1388 | 16 ¹ / ₁₆ | 35 ⁷ / ₈ | 27 ³ / ₄ | — | — | 119 lbs. | 16.3 |
| | WW1736PUHL | Laminate | 834 | 16 ¹ / ₁₆ | 35 ⁷ / ₈ | 27 ³ / ₄ | — | — | 119 lbs. | 16.3 |
| | WW1730PUHW | Wood | \$ 1252 | 16 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 78 lbs. | 13.7 |
| | WW1730PUHL | Laminate | 785 | 16 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 78 lbs. | 13.7 |
| WW1724PUHW | Wood | \$ 1201 | 16 ¹ / ₁₆ | 23 ³ / ₄ | 27 ³ / ₄ | — | — | 75 lbs. | 10.8 | |
| WW1724PUHL | Laminate | 754 | 16 ¹ / ₁₆ | 23 ³ / ₄ | 27 ³ / ₄ | — | — | 75 lbs. | 10.8 | |

- Tops are open, backs are unfinished; specify component worksurfaces and backs to finish as needed
- Units feature an adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW233629PU33W 2PL G22 KRB MC
WW233629PU33L 2PL G22 KRB MC 440

- See pages 334-339 for all options available in WaveWorks


**BOOKCASE
UNDERSURFACE**



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|------------------------|------------|---------------------------------|---------------------------------|--------------------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| 23" DEPTH | | | | | | | | |
| WW233629PU0SW Wood | \$ 1247 | 22 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 90 lbs. | 20.4 |
| WW233629PU0SL Laminate | 749 | 22 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 90 lbs. | 20.4 |
| 17" DEPTH | | | | | | | | |
| WW173629PU0SW Wood | \$ 1247 | 16 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 119 lbs. | 16.3 |
| WW173629PU0SL Laminate | 749 | 16 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 119 lbs. | 16.3 |
| WW173029PU0SW Wood | \$ 1195 | 16 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 90 lbs. | 13.7 |
| WW173029PU0SL Laminate | 722 | 16 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 90 lbs. | 13.7 |
| WW172429PU0SW Wood | \$ 1146 | 16 ¹ / ₁₆ | 23 ³ / ₄ | 27 ³ / ₄ | — | — | 57 lbs. | 11.0 |
| WW172429PU0SL Laminate | 694 | 16 ¹ / ₁₆ | 23 ³ / ₄ | 27 ³ / ₄ | — | — | 57 lbs. | 11.0 |

• Unit features standard adjustable shelf
• Specify component worksurfaces and backs to finish as needed

**MIXED STORAGE CABINET
UNDERSURFACE**



Left shown

| OPEN STORAGE ON LEFT | | OPEN STORAGE ON RIGHT | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|----------------------|---------------|-----------------------|--|------------|---------------------------------|---------------------------------|--------------------------------|---|----|-----------------|------------|
| 23" DEPTH | | | | | D | W | H | A | KW | | |
| WW233629PU33W | WW233629PU32W | Wood | | \$ 2056 | 22 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 90 lbs. | 20.4 |
| WW233629PU33L | WW233629PU32L | Laminate | | 1285 | 22 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 90 lbs. | 20.4 |
| WW233029PU33W | WW233029PU32W | Wood | | \$ 1921 | 22 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 85 lbs. | 18.0 |
| WW233029PU33L | WW233029PU32L | Laminate | | 1258 | 22 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 85 lbs. | 18.0 |
| 17" DEPTH | | | | | | | | | | | |
| WW173629PU33W | WW173629PU32W | Wood | | \$ 2056 | 16 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 119 lbs. | 16.3 |
| WW173629PU33L | WW173629PU32L | Laminate | | 1285 | 16 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 27 ³ / ₄ | — | — | 119 lbs. | 16.3 |
| WW173029PU33W | WW173029PU32W | Wood | | \$ 1921 | 16 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 90 lbs. | 13.7 |
| WW173029PU33L | WW173029PU32L | Laminate | | 1258 | 16 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 90 lbs. | 13.7 |

• Specify component worksurfaces and backs to finish as needed
• Locking only on lateral file
• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
• When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW233629PU11W 2PL G22 KS1B MC
 WW233629PU11L 2PL G22 KS1B MC 440

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|----------------------------------------|------------|---------------------------------|---------------------------------|--------------------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| MULTI-FILE CABINET UNDERSURFACE | | | | | | | | |
| FILE DRAWER ON LEFT 23" DEPTH | | | | | | | | |
| WW233629PU11W | \$ 2521 | 22 ¹ / ₁₆ | 35 ⁷ / ₈ | 27 ³ / ₄ | — | — | 90 lbs. | 20.4 |
| WW233629PU11L | 1752 | 22 ¹ / ₁₆ | 35 ⁷ / ₈ | 27 ³ / ₄ | — | — | 90 lbs. | 20.4 |
| FILE DRAWER ON RIGHT | | | | | | | | |
| WW233029PU11W | \$ 2386 | 22 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 85 lbs. | 18.0 |
| WW233029PU11L | 1727 | 22 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 85 lbs. | 18.0 |
| 17" DEPTH | | | | | | | | |
| WW173629PU11W | \$ 2521 | 16 ¹ / ₁₆ | 35 ⁷ / ₈ | 27 ³ / ₄ | — | — | 119 lbs. | 16.3 |
| WW173629PU11L | 1752 | 16 ¹ / ₁₆ | 35 ⁷ / ₈ | 27 ³ / ₄ | — | — | 119 lbs. | 16.3 |
| WW173029PU11W | \$ 2386 | 16 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 90 lbs. | 13.7 |
| WW173029PU11L | 1727 | 16 ¹ / ₁₆ | 29 ¹ / ₁₆ | 27 ³ / ₄ | — | — | 90 lbs. | 13.7 |



Left shown

- Specify component worksurfaces and backs to finish as needed
- Locking only on file drawer and lateral file
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW233622PUOSW 2PL G22 KS1B MC
WW233622PUOSL 2PL G22 KS1B MC

- See pages 334-339 for all options available in WaveWorks


 Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

**STORAGE CABINET
METAL SLIDING SHELVES**



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------|-------------------|------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| WW233629PUOSSW Wood | \$ 2533 | 22 | 35 $\frac{1}{8}$ | 27 $\frac{3}{4}$ | — | — | 90 lbs. | 20.4 |
| WW233629PUOSSL Laminate | 1706 | 22 | 35 $\frac{1}{8}$ | 27 $\frac{3}{4}$ | — | — | 90 lbs. | 20.4 |
| • Weight capacity: 49 pounds per shelf | | | | | | | | |
| WW233029PUOSSW Wood | \$ 2492 | 22 | 29 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | — | 85 lbs. | 18.0 |
| WW233029PUOSSL Laminate | 1678 | 22 | 29 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | — | 85 lbs. | 18.0 |
| • Weight capacity: 40 pounds per shelf | | | | | | | | |
| WW232429PUOSSW Wood | \$ 2451 | 22 | 23 $\frac{3}{4}$ | 27 $\frac{3}{4}$ | — | — | 80 lbs. | 16.0 |
| WW232429PUOSSL Laminate | 1649 | 22 | 23 $\frac{3}{4}$ | 27 $\frac{3}{4}$ | — | — | 80 lbs. | 16.0 |
| • Weight capacity: 31 pounds per shelf | | | | | | | | |
| • Specify component worksurfaces and backs to finish as needed | | | | | | | | |
| • Unit features 4 metal shelves on full extension slides | | | | | | | | |
| • Shelf sizes are: 18 $\frac{1}{4}$ D x 32 $\frac{1}{8}$ W, 18 $\frac{1}{4}$ D x 26 $\frac{1}{8}$ W, or 18 $\frac{1}{4}$ D x 20 $\frac{1}{8}$ W of storage space and feature a non skid surface | | | | | | | | |
| • Not intended for a freestanding application | | | | | | | | |

**BOOKCASE
UNDERSURFACE -
BOX/FILE HEIGHT**



| 23" DEPTH | | | | | | | | | |
|-------------------------------------------|----------|---------|-------------------|-------------------|-------------------|---|---|---------|------|
| QWW233622PUOSW | Wood | \$ 1247 | 22 $\frac{1}{16}$ | 35 $\frac{1}{8}$ | 21 $\frac{1}{16}$ | — | — | 90 lbs. | 20.4 |
| WW233622PUOSW | Wood | 1247 | 22 $\frac{1}{16}$ | 35 $\frac{1}{8}$ | 21 $\frac{1}{16}$ | — | — | 90 lbs. | 20.4 |
| QWW233622PUOSL | Laminate | 749 | 22 $\frac{1}{16}$ | 35 $\frac{1}{8}$ | 21 $\frac{1}{16}$ | — | — | 90 lbs. | 20.4 |
| WW233622PUOSL | Laminate | 749 | 22 $\frac{1}{16}$ | 35 $\frac{1}{8}$ | 21 $\frac{1}{16}$ | — | — | 90 lbs. | 20.4 |
| | | | | | | | | | |
| QWW233022PUOSW | Wood | \$ 1195 | 22 $\frac{1}{16}$ | 29 $\frac{1}{16}$ | 21 $\frac{1}{16}$ | — | — | 85 lbs. | 18.0 |
| WW233022PUOSW | Wood | 1195 | 22 $\frac{1}{16}$ | 29 $\frac{1}{16}$ | 21 $\frac{1}{16}$ | — | — | 85 lbs. | 18.0 |
| QWW233022PUOSL | Laminate | 722 | 22 $\frac{1}{16}$ | 29 $\frac{1}{16}$ | 21 $\frac{1}{16}$ | — | — | 85 lbs. | 18.0 |
| WW233022PUOSL | Laminate | 722 | 22 $\frac{1}{16}$ | 29 $\frac{1}{16}$ | 21 $\frac{1}{16}$ | — | — | 85 lbs. | 18.0 |
| | | | | | | | | | |
| WW232422PUOSW | Wood | \$ 1146 | 22 $\frac{1}{16}$ | 23 $\frac{3}{4}$ | 21 $\frac{1}{16}$ | — | — | 80 lbs. | 16.0 |
| WW232422PUOSL | Laminate | 694 | 22 $\frac{1}{16}$ | 23 $\frac{3}{4}$ | 21 $\frac{1}{16}$ | — | — | 80 lbs. | 16.0 |
| | | | | | | | | | |
| 17" DEPTH | | | | | | | | | |
| WW173622PUOSW | Wood | \$ 1247 | 16 $\frac{1}{8}$ | 35 $\frac{1}{8}$ | 21 $\frac{1}{16}$ | — | — | 95 lbs. | 12.5 |
| WW173622PUOSL | Laminate | 749 | 16 $\frac{1}{8}$ | 35 $\frac{1}{8}$ | 21 $\frac{1}{16}$ | — | — | 95 lbs. | 12.5 |
| | | | | | | | | | |
| WW173022PUOSW | Wood | \$ 1195 | 16 $\frac{1}{8}$ | 29 $\frac{1}{16}$ | 21 $\frac{1}{16}$ | — | — | 97 lbs. | 10.8 |
| WW173022PUOSL | Laminate | 722 | 16 $\frac{1}{8}$ | 29 $\frac{1}{16}$ | 21 $\frac{1}{16}$ | — | — | 97 lbs. | 10.8 |
| | | | | | | | | | |
| WW172422PUOSW | Wood | \$ 1146 | 16 $\frac{1}{8}$ | 23 $\frac{3}{4}$ | 21 $\frac{1}{16}$ | — | — | 67 lbs. | 8.4 |
| WW172422PUOSL | Laminate | 694 | 16 $\frac{1}{8}$ | 23 $\frac{3}{4}$ | 21 $\frac{1}{16}$ | — | — | 67 lbs. | 8.4 |
| • Unit features standard adjustable shelf | | | | | | | | | |

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW233622PUBLW 2PL G22 KS1B MC
 WW233622PUBLL 2PL G22 KS1B MC 440

- See pages 334-339 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

BOX/LATERAL FILE UNDERSURFACE - BOX/FILE HEIGHT



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-------------------------|------------|---------------------------------|---------------------------------|---------------------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| 23" DEPTH | | | | | | | | |
| QWW233622PUBLW Wood | \$ 1684 | 22 ³ / ₁₆ | 35 ⁷ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 90 lbs. | 20.4 |
| WW233622PUBLW Wood | 1684 | 22 ³ / ₁₆ | 35 ⁷ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 90 lbs. | 20.4 |
| QWW233622PUBLL Laminate | 908 | 22 ³ / ₁₆ | 35 ⁷ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 90 lbs. | 20.4 |
| WW233622PUBLL Laminate | 908 | 22 ³ / ₁₆ | 35 ⁷ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 90 lbs. | 20.4 |
| 23" DEPTH | | | | | | | | |
| QWW233022PUBLW Wood | \$ 1550 | 22 ³ / ₁₆ | 29 ⁹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 85 lbs. | 18.0 |
| WW233022PUBLW Wood | 1550 | 22 ³ / ₁₆ | 29 ⁹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 85 lbs. | 18.0 |
| QWW233022PUBLL Laminate | 882 | 22 ³ / ₁₆ | 29 ⁹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 85 lbs. | 18.0 |
| WW233022PUBLL Laminate | 882 | 22 ³ / ₁₆ | 29 ⁹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 85 lbs. | 18.0 |
| 17" DEPTH | | | | | | | | |
| WW173622PUBLW Wood | \$ 1684 | 16 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 95 lbs. | 12.5 |
| WW173622PUBLL Laminate | 908 | 16 ¹ / ₁₆ | 35 ⁷ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 95 lbs. | 12.5 |
| 17" DEPTH | | | | | | | | |
| WW173022PUBLW Wood | \$ 1550 | 16 ¹ / ₁₆ | 29 ⁹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 90 lbs. | 10.8 |
| WW173022PUBLL Laminate | 882 | 16 ¹ / ₁₆ | 29 ⁹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 90 lbs. | 10.8 |

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW231822PUBFW 2PL G22 KS1B MC
 WW231822PUBFL 2PL G22 KS1B MC 440

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|------------|---------------------------------|---------------------------------|---------------------------------|----|-----------------|------------|------|
| | | | D | W | H | A | KW | | | |
| BOX/FILE HEIGHT PEDESTAL UNDERSURFACE - BOX/FILE HEIGHT  | 23" DEPTH | | | | | | | | | |
| | WW231822PUBFW | Wood | \$ 1314 | 22 ¹ / ₁₆ | 17 ¹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 70 lbs. | 10.0 |
| | WW231822PUBFL | Laminate | 804 | 22 ¹ / ₁₆ | 17 ¹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 70 lbs. | 10.0 |
| | 17" DEPTH | | | | | | | | | |
| | WW231522PUBFW | Wood | \$ 1239 | 22 ¹ / ₁₆ | 14 ¹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 65 lbs. | 8.0 |
| | WW231522PUBFL | Laminate | 752 | 22 ¹ / ₁₆ | 14 ¹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 65 lbs. | 8.0 |
| | WW171822PUBFW | Wood | \$ 1314 | 16 ¹ / ₁₆ | 17 ¹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 42 lbs. | 7.3 |
| | WW171822PUBFL | Laminate | 804 | 16 ¹ / ₁₆ | 17 ¹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 42 lbs. | 7.3 |
| | WW171522PUBFW | Wood | \$ 1239 | 16 ¹ / ₁₆ | 14 ¹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 34 lbs. | 6.3 |
| | WW171522PUBFL | Laminate | 752 | 16 ¹ / ₁₆ | 14 ¹ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 34 lbs. | 6.3 |

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Not intended to be used as a hanging pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application

GANGING BRACKET



| | | | | | | | | | |
|--------|-----------------|-------|--------------------------------|--------------------------------|--------------------------------|---|---|--------|-----|
| NACGB1 | Ganging Bracket | \$ 74 | 5 ³ / ₁₆ | 1 ³ / ₁₆ | 1 ¹ / ₁₆ | — | — | 2 lbs. | 0.1 |
|--------|-----------------|-------|--------------------------------|--------------------------------|--------------------------------|---|---|--------|-----|

- Specify base model only
- Shipped 1 per kit
- Can be used when 2 or more pedestals or cabinets are positioned side by side creating a built up appearance without defacing the outside of the units

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW233633PUHL 2PL G22 KRG MC 440

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------|-------------------|-------------------|---|----|-----------------|------------|--|
| | | | D | W | H | A | KW | | | |
| STORAGE CABINET METAL SLIDING SHELVES UNDERSURFACE BOX/FILE HEIGHT  | WW233622PUOSSW Wood | \$ 2341 | 22 | 35 $\frac{5}{16}$ | 21 $\frac{1}{16}$ | — | — | 90 lbs. | 20.4 | |
| | WW233622PUOSSL Laminate | 1575 | 22 | 35 $\frac{5}{16}$ | 21 $\frac{1}{16}$ | — | — | 90 lbs. | 20.4 | |
| | • Weight capacity: 49 pounds per shelf | | | | | | | | | |
| | WW233022PUOSSW Wood | \$ 2298 | 22 | 29 $\frac{1}{16}$ | 21 $\frac{1}{16}$ | — | — | 85 lbs. | 18.0 | |
| | WW233022PUOSSL Laminate | 1548 | 22 | 29 $\frac{1}{16}$ | 21 $\frac{1}{16}$ | — | — | 85 lbs. | 18.0 | |
| | • Weight capacity: 40 pounds per shelf | | | | | | | | | |
| | WW232422PUOSSW Wood | \$ 2259 | 22 | 23 $\frac{3}{4}$ | 21 $\frac{1}{16}$ | — | — | 80 lbs. | 16.0 | |
| | WW232422PUOSSL Laminate | 1520 | 22 | 23 $\frac{3}{4}$ | 21 $\frac{1}{16}$ | — | — | 80 lbs. | 16.0 | |
| | • Weight capacity: 31 pounds per shelf | | | | | | | | | |
| | • Specify component worksurfaces and backs to finish as needed | | | | | | | | | |
| | • Unit features 3 metal shelves on full extension slides | | | | | | | | | |
| | • Shelf sizes are: 18 $\frac{1}{4}$ D x 32 $\frac{1}{16}$ W, 18 $\frac{1}{4}$ D x 26 $\frac{1}{16}$ W, or 18 $\frac{1}{4}$ D x 20 $\frac{1}{16}$ W of storage space and a non skid surface | | | | | | | | | |
| • Not intended for a freestanding application | | | | | | | | | | |

DOUBLE DOOR UNDERSURFACE COUNTER HEIGHT CABINET



23" DEPTH

| | | | | | | | |
|-----------------------|---------|-------------------|-------------------|-------------------|---|---|------|
| WW233633PUHL Laminate | \$ 1169 | 22 $\frac{1}{16}$ | 35 $\frac{5}{16}$ | 33 $\frac{1}{16}$ | — | — | 23.0 |
| WW233033PUHL Laminate | 1146 | 22 $\frac{1}{16}$ | 29 $\frac{1}{16}$ | 33 $\frac{1}{16}$ | — | — | 19.7 |
| WW232433PUHL Laminate | 1124 | 22 $\frac{1}{16}$ | 23 $\frac{1}{16}$ | 33 $\frac{1}{16}$ | — | — | 16.4 |

17" DEPTH

| | | | | | | | |
|-----------------------|---------|-------------------|-------------------|-------------------|---|---|------|
| WW173633PUHL Laminate | \$ 1071 | 16 $\frac{1}{16}$ | 35 $\frac{5}{16}$ | 33 $\frac{1}{16}$ | — | — | 18.2 |
| WW173033PUHL Laminate | 1051 | 16 $\frac{1}{16}$ | 29 $\frac{1}{16}$ | 33 $\frac{1}{16}$ | — | — | 15.6 |
| WW172433PUHL Laminate | 1032 | 16 $\frac{1}{16}$ | 23 $\frac{1}{16}$ | 33 $\frac{1}{16}$ | — | — | 12.9 |

- Tops are open, backs are unfinished; specify component worksurfaces and counter height back panels to finish as needed
- Units feature one adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS


- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 532) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW233633PUOSL 2PL G22 KRB MC 440
 • See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC WEIGHT | CUBIC FEET |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|--------------------------------|---------------------------------|---------------------------------|---------------------------------|----|-----------------------|------------|
| | | | D | W | H | A | KW | | |
| OPEN CABINET COUNTER HEIGHT  | 23" DEPTH | | | | | | | | |
| | WW233633PUOSL | Laminate | \$ 992 | 22 | 35 ⁷ / ₈ | 33 ¹ / ₁₆ | — | — | 22.4 |
| | WW233033PUOSL | Laminate | 969 | 22 | 29 ¹ / ₁₆ | 33 ¹ / ₁₆ | — | — | 19.1 |
| | WW232433PUOSL | Laminate | 946 | 22 | 23 ¹ / ₁₆ | 33 ¹ / ₁₆ | — | — | 15.9 |
| | 17" DEPTH | | | | | | | | |
| | WW173633PUOSL | Laminate | \$ 948 | 16 ¹ / ₈ | 35 ⁷ / ₈ | 33 ¹ / ₁₆ | — | — | 17.9 |
| WW173033PUOSL | Laminate | 926 | 16 ¹ / ₈ | 29 ¹ / ₁₆ | 33 ¹ / ₁₆ | — | — | 15.0 | |
| WW172433PUOSL | Laminate | 903 | 16 ¹ / ₈ | 23 ¹ / ₁₆ | 33 ¹ / ₁₆ | — | — | 12.4 | |

- Tops are open, backs are unfinished; specify component worksurfaces and counter height back panels to finish as needed
- Units feature adjustable/fixd shelf

4 DRAWER COUNTER HEIGHT CABINET



| | | | | | | | | | |
|---------------|------------------|----------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---|------|------|
| | 23" DEPTH | | | | | | | | |
| | WW233633PU4BL | Laminate | \$ 1489 | 22 ¹ / ₁₆ | 35 ⁷ / ₈ | 33 ¹ / ₁₆ | — | — | 23.0 |
| | WW233033PU4BL | Laminate | 1435 | 22 ¹ / ₁₆ | 29 ¹ / ₁₆ | 33 ¹ / ₁₆ | — | — | 19.7 |
| | WW232433PU4BL | Laminate | 1381 | 22 ¹ / ₁₆ | 23 ¹ / ₁₆ | 33 ¹ / ₁₆ | — | — | 16.4 |
| | 17" DEPTH | | | | | | | | |
| | WW173633PU4BL | Laminate | \$ 1489 | 16 ¹ / ₁₆ | 35 ⁷ / ₈ | 33 ¹ / ₁₆ | — | — | 18.2 |
| WW173033PU4BL | Laminate | 1435 | 16 ¹ / ₁₆ | 29 ¹ / ₁₆ | 33 ¹ / ₁₆ | — | — | 15.6 | |
| WW172433PU4BL | Laminate | 1381 | 16 ¹ / ₁₆ | 23 ¹ / ₁₆ | 33 ¹ / ₁₆ | — | — | 12.9 | |

- Locking top drawer only
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Tops are open, backs are unfinished; specify component worksurfaces and counter height back panels to finish as needed

UNDERSURFACE FILLER PANELS



| | | | | | | | | |
|-------------|--|--------|-----------------------------|---|---------------------------------|---|---|-----|
| WW0633CPFPL | | \$ 130 | ³ / ₄ | 6 | 33 ³ / ₈ | — | — | 0.3 |
| WW0628CPFPL | | 119 | ³ / ₄ | 6 | 27 ¹ / ₁₆ | — | — | 0.3 |

- To be used with undersurface storage cabinets and pedestals to fill in space as needed
- Can be field cut to desired width

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 336 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW3627MPW M G21 X MH
 WW1827MPW MC
 WW1837MPL 440

- See pages 334-339 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

WAVEWORKS


| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|----------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|------------|-----|-----|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| MODESTY/BACK PANEL LATERAL FILE  | WW3627MPW Wood | \$ 411 | ¾ | 35¾ | 27¾ | — | — | 24 lbs. | 2.1 |
| | WW3627MPL Laminate | 185 | ¾ | 35¾ | 27¾ | — | — | 24 lbs. | 2.1 |
| | WW3027MPW Wood | \$ 378 | ¾ | 29¾ | 27¾ | — | — | 21 lbs. | 1.8 |
| | WW3027MPL Laminate | 163 | ¾ | 29¾ | 27¾ | — | — | 21 lbs. | 1.8 |

- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain


COMPONENTS

| | | | | | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------|--------|---|-----|-----|---|---|---------|-----|
| MODESTY/BACK PANEL LATERAL FILE  | WW3627MPVL Laminate | \$ 185 | ¾ | 35¾ | 27¾ | — | — | 24 lbs. | 2.1 |
| | WW3027MPVL Laminate | 163 | ¾ | 29¾ | 27¾ | — | — | 21 lbs. | 1.8 |

- Grain direction runs vertically

| | | | | | | | | | |
|--------------------------------------------------------------------------------------------------------------------------|---------------------|--------|---|-----|-----|---|---|---------|-----|
| MODESTY/BACK PANEL PEDESTAL  | WW1827MPW Wood | \$ 362 | ¾ | 17¼ | 27¾ | — | — | 14 lbs. | 1.1 |
| | WW1827MPL Laminate | 139 | ¾ | 17¼ | 27¾ | — | — | 14 lbs. | 1.1 |
| | QWW1527MPW Wood | \$ 356 | ¾ | 14¼ | 27¾ | — | — | 13 lbs. | 1.0 |
| | WW1527MPW Wood | 356 | ¾ | 14¼ | 27¾ | — | — | 13 lbs. | 1.0 |
| | QWW1527MPL Laminate | 121 | ¾ | 14¼ | 27¾ | — | — | 13 lbs. | 1.0 |
| | WW1527MPL Laminate | 121 | ¾ | 14¼ | 27¾ | — | — | 13 lbs. | 1.0 |

- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

| | | | | | | | | | |
|--------------------------------------------------------------------------------------------------------------------------|---------------------|--------|---|-----|-----|---|---|---------|-----|
| MODESTY/BACK PANEL PEDESTAL  | WW1827MPVL Laminate | \$ 139 | ¾ | 17¼ | 27¾ | — | — | 14 lbs. | 1.1 |
| | WW1527MPVL Laminate | 121 | ¾ | 14¼ | 27¾ | — | — | 13 lbs. | 1.0 |

- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 336 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:


1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1821MPW MC
WW1821MPL 440

- See pages 334-339 for all options available in WaveWorks


| | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|------------------------------------------------------|-----------------------|----------|------------|------------|----------------------------------|----------------------------------|---|----|-----------------|------------|
| | | | | D | W | H | A | KW | | |
| MODESTY/BACK PANEL PEDESTAL (BOX/FILE HEIGHT) | WW1821MPW | Wood | \$ 214 | ¾ | 17 ¹³ / ₁₆ | 20 ²⁹ / ₃₂ | — | — | 9 lbs. | 1.0 |
| | WW1821MPL | Laminate | 79 | ¾ | 17 ¹³ / ₁₆ | 20 ²⁹ / ₃₂ | — | — | 9 lbs. | 1.0 |
| | WW1521MPW | Wood | \$ 182 | ¾ | 14 ¹³ / ₁₆ | 20 ²⁹ / ₃₂ | — | — | 8 lbs. | 0.9 |
| | WW1521MPL | Laminate | 60 | ¾ | 14 ¹³ / ₁₆ | 20 ²⁹ / ₃₂ | — | — | 8 lbs. | 0.9 |



- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY/BACK PANEL PEDESTAL (BOX/FILE HEIGHT)

| | | | | | | | | | |
|------------|----------|-------|---|----------------------------------|----------------------------------|---|---|--------|-----|
| WW1821MPVL | Laminate | \$ 79 | ¾ | 17 ¹³ / ₁₆ | 20 ²⁹ / ₃₂ | — | — | 9 lbs. | 1.0 |
| WW1521MPVL | Laminate | 60 | ¾ | 14 ¹³ / ₁₆ | 20 ²⁹ / ₃₂ | — | — | 8 lbs. | 0.9 |



- Grain direction runs vertically

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 336 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW9627MPW M G21 94½ CW

- See pages 334-339 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|--------------------------------------------------------|------------|------------|-----|-----|---|----|----------------|------|
| | | D | W | H | A | KW | WEIGHT | FEET |
| MODESTY PANEL FULL OVERLAY (WORKSURFACE HEIGHT) | | | | | | | | |
| WW9627MPW Wood | \$ 721 | ¾ | 95¾ | 27¾ | — | — | 65 lbs. | 11.8 |
| WW9627MPL Laminate | 381 | ¾ | 95¾ | 27¾ | — | — | 65 lbs. | 11.8 |
| WW9027MPW Wood | \$ 680 | ¾ | 89¾ | 27¾ | — | — | 62 lbs. | 11.1 |
| WW9027MPL Laminate | 361 | ¾ | 89¾ | 27¾ | — | — | 62 lbs. | 11.1 |
| WW8427MPW Wood | \$ 642 | ¾ | 83¾ | 27¾ | — | — | 58 lbs. | 10.4 |
| WW8427MPL Laminate | 340 | ¾ | 83¾ | 27¾ | — | — | 58 lbs. | 10.4 |
| WW7827MPW Wood | \$ 606 | ¾ | 77¾ | 27¾ | — | — | 51 lbs. | 7.2 |
| WW7827MPL Laminate | 321 | ¾ | 77¾ | 27¾ | — | — | 51 lbs. | 7.2 |
| QWW7227MPW Wood | \$ 571 | ¾ | 71¾ | 27¾ | — | — | 44 lbs. | 3.9 |
| WW7227MPW Wood | 571 | ¾ | 71¾ | 27¾ | — | — | 44 lbs. | 3.9 |
| QWW7227MPL Laminate | 302 | ¾ | 71¾ | 27¾ | — | — | 44 lbs. | 3.9 |
| WW7227MPL Laminate | 302 | ¾ | 71¾ | 27¾ | — | — | 44 lbs. | 3.9 |
| WW6627MPW Wood | \$ 541 | ¾ | 65¼ | 27¾ | — | — | 41 lbs. | 3.6 |
| WW6627MPL Laminate | 288 | ¾ | 65¼ | 27¾ | — | — | 41 lbs. | 3.6 |
| QWW6027MPW Wood | \$ 509 | ¾ | 59¼ | 27¾ | — | — | 38 lbs. | 3.3 |
| WW6027MPW Wood | 509 | ¾ | 59¼ | 27¾ | — | — | 38 lbs. | 3.3 |
| QWW6027MPL Laminate | 265 | ¾ | 59¼ | 27¾ | — | — | 38 lbs. | 3.3 |
| WW6027MPL Laminate | 265 | ¾ | 59¼ | 27¾ | — | — | 38 lbs. | 3.3 |
| WW5427MPW Wood | \$ 482 | ¾ | 53¼ | 27¾ | — | — | 35 lbs. | 3.0 |
| WW5427MPL Laminate | 253 | ¾ | 53¼ | 27¾ | — | — | 35 lbs. | 3.0 |
| QWW4827MPW Wood | \$ 444 | ¾ | 47¾ | 27¾ | — | — | 33 lbs. | 2.7 |
| WW4827MPW Wood | 444 | ¾ | 47¾ | 27¾ | — | — | 33 lbs. | 2.7 |
| WW4827MPL Laminate | 233 | ¾ | 47¾ | 27¾ | — | — | 33 lbs. | 2.7 |
| WW4227MPW Wood | \$ 430 | ¾ | 41¾ | 27¾ | — | — | 29 lbs. | 2.4 |
| WW4227MPL Laminate | 207 | ¾ | 41¾ | 27¾ | — | — | 29 lbs. | 2.4 |
| WW3627MPW Wood | \$ 411 | ¾ | 35¾ | 27¾ | — | — | 24 lbs. | 2.1 |
| WW3627MPL Laminate | 185 | ¾ | 35¾ | 27¾ | — | — | 24 lbs. | 2.1 |
| WW3027MPW Wood | \$ 378 | ¾ | 29¾ | 27¾ | — | — | 21 lbs. | 1.8 |
| WW3027MPL Laminate | 163 | ¾ | 29¾ | 27¾ | — | — | 21 lbs. | 1.8 |

- Modified widths are available on modesty panels in ¼" increments; when ordering a modified width, specify the modesty panel ¼" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 336 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW96A27MPL M G21 94½ MC


- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|------------|-------------------|-------------------|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| MODESTY PANEL FULL OVERLAY FOR STORAGE CRENZAS (WORKSURFACE HEIGHT)  | WW96A27MPL Laminate | \$ 381 | ¾ | 95¾ | 27¾ ₁₆ | — | — | 65 lbs. | 11.8 |
| | WW90A27MPL Laminate | 361 | ¾ | 89¾ | 27¾ ₁₆ | — | — | 62 lbs. | 11.1 |
| | WW84A27MPL Laminate | 340 | ¾ | 83¾ | 27¾ ₁₆ | — | — | 58 lbs. | 10.4 |
| | WW78A27MPL Laminate | 321 | ¾ | 77¾ | 27¾ ₁₆ | — | — | 51 lbs. | 7.2 |
| | WW72A27MPL Laminate | 302 | ¾ | 71¾ | 27¾ ₁₆ | — | — | 44 lbs. | 3.9 |
| | WW66A27MPL Laminate | 288 | ¾ | 65¾ ₁₆ | 27¾ ₁₆ | — | — | 41 lbs. | 3.6 |
| | WW60A27MPL Laminate | 265 | ¾ | 59¾ ₁₆ | 27¾ ₁₆ | — | — | 38 lbs. | 3.3 |

- Modified widths are available on modesty panels in ¼" increments; when ordering a modified width, specify the modesty panel ¼" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

| | | | | | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|---|-------------------|-------------------|---|---|---------|-----|
| MODESTY PANEL FULL OVERLAY (WORKSURFACE HEIGHT)  | WW6027MPVL Laminate | \$ 265 | ¾ | 59¾ ₁₆ | 27¾ ₁₆ | — | — | 38 lbs. | 3.3 |
| | WW5427MPVL Laminate | 253 | ¾ | 53¾ ₁₆ | 27¾ ₁₆ | — | — | 35 lbs. | 3.0 |
| | QWW4827MPVL Laminate | 233 | ¾ | 47¾ | 27¾ ₁₆ | — | — | 33 lbs. | 2.7 |
| | WW4827MPVL Laminate | 233 | ¾ | 47¾ | 27¾ ₁₆ | — | — | 33 lbs. | 2.7 |
| | WW4227MPVL Laminate | 207 | ¾ | 41¾ | 27¾ ₁₆ | — | — | 29 lbs. | 2.4 |
| | WW3627MPVL Laminate | 185 | ¾ | 35¾ | 27¾ ₁₆ | — | — | 24 lbs. | 2.1 |
| | WW3027MPVL Laminate | 163 | ¾ | 29¾ | 27¾ ₁₆ | — | — | 21 lbs. | 1.8 |

- Modified widths are available on modesty panels in ¼" increments; when ordering a modified width, specify the modesty panel ¼" narrower than the corresponding worksurface
- Grain direction runs vertically

| | | | | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|---|-------------------|-------------------|---|---|---------|-----|
| MODESTY PANEL FULL OVERLAY FOR STORAGE CRENZAS (WORKSURFACE HEIGHT)  | WW60A27MPVL Laminate | \$ 265 | ¾ | 59¾ ₁₆ | 27¾ ₁₆ | — | — | 38 lbs. | 3.3 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|---|-------------------|-------------------|---|---|---------|-----|

- Modified widths are available on modesty panels in ¼" increments; when ordering a modified width, specify the modesty panel ¼" narrower than the corresponding worksurface
- Grain direction runs vertically

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 336 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW9621MPW M G21 94½ CW

- See pages 334-339 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|-----------------------------------------------------|---------------|------------|---------------------------------|----------------------------------|---|----|----------------|------|
| | | D | W | H | A | KW | WEIGHT | FEET |
| MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT | | | | | | | | |
| WW9621MPW Wood | \$ 592 | ¾ | 95% | 20 ²⁹ / ₃₂ | — | — | 60 lbs. | 4.1 |
| WW9621MPL Laminate | 317 | ¾ | 95% | 20 ²⁹ / ₃₂ | — | — | 60 lbs. | 4.1 |
| WW9021MPW Wood | \$ 552 | ¾ | 89% | 20 ²⁹ / ₃₂ | — | — | 57 lbs. | 4.0 |
| WW9021MPL Laminate | 296 | ¾ | 89% | 20 ²⁹ / ₃₂ | — | — | 57 lbs. | 4.0 |
| WW8421MPW Wood | \$ 513 | ¾ | 83% | 20 ²⁹ / ₃₂ | — | — | 53 lbs. | 3.9 |
| WW8421MPL Laminate | 275 | ¾ | 83% | 20 ²⁹ / ₃₂ | — | — | 53 lbs. | 3.9 |
| WW7821MPW Wood | \$ 478 | ¾ | 77% | 20 ²⁹ / ₃₂ | — | — | 46 lbs. | 3.8 |
| WW7821MPL Laminate | 258 | ¾ | 77% | 20 ²⁹ / ₃₂ | — | — | 46 lbs. | 3.8 |
| QWW7221MPW Wood | \$ 442 | ¾ | 71% | 20 ²⁹ / ₃₂ | — | — | 39 lbs. | 3.7 |
| WW7221MPW Wood | 442 | ¾ | 71% | 20 ²⁹ / ₃₂ | — | — | 39 lbs. | 3.7 |
| WW7221MPL Laminate | 237 | ¾ | 71% | 20 ²⁹ / ₃₂ | — | — | 39 lbs. | 3.7 |
| WW6621MPW Wood | \$ 411 | ¾ | 65 ¹ / ₁₆ | 20 ²⁹ / ₃₂ | — | — | 36 lbs. | 3.4 |
| WW6621MPL Laminate | 222 | ¾ | 65 ¹ / ₁₆ | 20 ²⁹ / ₃₂ | — | — | 36 lbs. | 3.4 |
| QWW6021MPW Wood | \$ 379 | ¾ | 59 ¹ / ₁₆ | 20 ²⁹ / ₃₂ | — | — | 33 lbs. | 3.1 |
| WW6021MPW Wood | 379 | ¾ | 59 ¹ / ₁₆ | 20 ²⁹ / ₃₂ | — | — | 33 lbs. | 3.1 |
| WW6021MPL Laminate | 199 | ¾ | 59 ¹ / ₁₆ | 20 ²⁹ / ₃₂ | — | — | 33 lbs. | 3.1 |

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 1/16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 336 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW5421MPW M G21 94½ CW

- See pages 334-339 for all options available in WaveWorks




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-----------------------------------------------------------------|-----------------------|------------|------------|---------------------------------|---------------------------------|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT (CONTINUED) | WW5421MPW Wood | \$ 354 | ¾ | 53 ¹ / ₁₆ | 20 ⁷ / ₃₂ | — | — | 30 lbs. | 2.8 |
| | WW5421MPL Laminate | 194 | ¾ | 53 ¹ / ₁₆ | 20 ⁷ / ₃₂ | — | — | 30 lbs. | 2.8 |
| | WW4821MPW Wood | \$ 317 | ¾ | 47 ⁷ / ₈ | 20 ⁷ / ₃₂ | — | — | 28 lbs. | 2.5 |
| | WW4821MPL Laminate | 187 | ¾ | 47 ⁷ / ₈ | 20 ⁷ / ₃₂ | — | — | 28 lbs. | 2.5 |
| | WW4221MPW Wood | \$ 298 | ¾ | 41 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 24 lbs. | 2.1 |
| | WW4221MPL Laminate | 174 | ¾ | 41 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 24 lbs. | 2.1 |
| | QWW3621MPW Wood | \$ 282 | ¾ | 35 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 19 lbs. | 1.9 |
| | WW3621MPW Wood | 282 | ¾ | 35 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 19 lbs. | 1.9 |
| | QWW3621MPL Laminate | 153 | ¾ | 35 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 19 lbs. | 1.9 |
| | WW3621MPL Laminate | 153 | ¾ | 35 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 19 lbs. | 1.9 |
| | QWW3021MPW Wood | \$ 248 | ¾ | 29 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 16 lbs. | 1.6 |
| | WW3021MPW Wood | 248 | ¾ | 29 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 16 lbs. | 1.6 |
| | QWW3021MPL Laminate | 133 | ¾ | 29 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 16 lbs. | 1.6 |
| | WW3021MPL Laminate | 133 | ¾ | 29 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 16 lbs. | 1.6 |

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 3/16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL FULL OVERLAY FOR STORAGE CRENZAS BOX/FILE HEIGHT



| | | | | | | | | |
|----------------------|--------|---|---------------------------------|---------------------------------|---|---|---------|-----|
| WW96A21MPL Laminate | \$ 317 | ¾ | 95 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 60 lbs. | 4.1 |
| WW90A21MPL Laminate | 296 | ¾ | 89 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 57 lbs. | 4.0 |
| WW84A21MPL Laminate | 275 | ¾ | 83 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 53 lbs. | 3.9 |
| WW78A21MPL Laminate | 258 | ¾ | 77 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 46 lbs. | 3.8 |
| QWW72A21MPL Laminate | 237 | ¾ | 71 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 39 lbs. | 3.7 |
| WW72A21MPL Laminate | 237 | ¾ | 71 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 39 lbs. | 3.7 |
| WW66A21MPL Laminate | 222 | ¾ | 65 ¹ / ₁₆ | 20 ⁷ / ₃₂ | — | — | 36 lbs. | 3.4 |
| QWW60A21MPL Laminate | 199 | ¾ | 59 ¹ / ₁₆ | 20 ⁷ / ₃₂ | — | — | 33 lbs. | 3.1 |
| WW60A21MPL Laminate | 199 | ¾ | 59 ¹ / ₁₆ | 20 ⁷ / ₃₂ | — | — | 33 lbs. | 3.1 |

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 3/16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 336 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW6021MPVL G21 52½ MC


- See pages 334-339 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|------------|---------------------------------|---------------------------------|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT  | WW6021MPVL Laminate | \$ 199 | ¾ | 59 ¹ / ₁₆ | 20 ⁷ / ₃₂ | — | — | 33 lbs. | 3.1 |
| | WW5421MPVL Laminate | 194 | ¾ | 53 ¹ / ₁₆ | 20 ⁷ / ₃₂ | — | — | 30 lbs. | 2.8 |
| | WW4821MPVL Laminate | 187 | ¾ | 47 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 28 lbs. | 2.5 |
| | WW4221MPVL Laminate | 174 | ¾ | 41 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 24 lbs. | 2.1 |
| | QWW3621MPVL Laminate | 153 | ¾ | 35 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 19 lbs. | 1.9 |
| | WW3621MPVL Laminate | 153 | ¾ | 35 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 19 lbs. | 1.9 |
| | QWW3021MPVL Laminate | 133 | ¾ | 29 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 16 lbs. | 1.6 |
| | WW3021MPVL Laminate | 133 | ¾ | 29 ³ / ₄ | 20 ⁷ / ₃₂ | — | — | 16 lbs. | 1.6 |

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 1/16" narrower than the corresponding worksurface
- Grain direction runs vertically

| | | | | | | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---|---------------------------------|---------------------------------|---|---|---------|-----|
| MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS BOX/FILE HEIGHT  | WW60A21MPVL Laminate | \$ 199 | ¾ | 59 ¹ / ₁₆ | 20 ⁷ / ₃₂ | — | — | 33 lbs. | 3.1 |
| | <ul style="list-style-type: none"> • Full Overlay Modesty to be used on box/file height storage and when layering surfaces • Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 1/16" narrower than the corresponding worksurface • Grain direction runs vertically | | | | | | | | |

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 336 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:


WW6027MPKW G21 52½ CW

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------|------------|------------|-----|-----|---|----|-----------------|------------|
| | | | | D | W | H | A | KW | | |
| MODESTY PANEL BREAKFRONT (WORKSURFACE HEIGHT)  | WW6027MPKW | Wood | \$ 509 | ¾ | 59⅞ | 27⅞ | — | — | 38 lbs. | 3.3 |
| | WW6027MPKL | Laminate | 265 | ¾ | 59⅞ | 27⅞ | — | — | 38 lbs. | 3.3 |
| | WW5427MPKW | Wood | \$ 482 | ¾ | 53⅞ | 27⅞ | — | — | 35 lbs. | 3.0 |
| | WW5427MPKL | Laminate | 253 | ¾ | 53⅞ | 27⅞ | — | — | 35 lbs. | 3.0 |
| | WW4827MPKW | Wood | \$ 444 | ¾ | 47⅞ | 27⅞ | — | — | 33 lbs. | 2.7 |
| | WW4827MPKL | Laminate | 233 | ¾ | 47⅞ | 27⅞ | — | — | 33 lbs. | 2.7 |
| | WW4227MPKW | Wood | \$ 430 | ¾ | 41⅞ | 27⅞ | — | — | 29 lbs. | 2.4 |
| | WW4227MPKL | Laminate | 207 | ¾ | 41⅞ | 27⅞ | — | — | 29 lbs. | 2.4 |
| | WW3627MPKW | Wood | \$ 411 | ¾ | 35⅞ | 27⅞ | — | — | 24 lbs. | 2.1 |
| | WW3627MPKL | Laminate | 185 | ¾ | 35⅞ | 27⅞ | — | — | 24 lbs. | 2.1 |
| | WW3027MPKW | Wood | \$ 378 | ¾ | 29⅞ | 27⅞ | — | — | 21 lbs. | 1.8 |
| | WW3027MPKL | Laminate | 163 | ¾ | 29⅞ | 27⅞ | — | — | 21 lbs. | 1.8 |

- Modified widths are available on modesty panels in ⅞" increments; when ordering a modified width, specify the modesty panel ⅞" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL BREAKFRONT (WORKSURFACE HEIGHT)



| | | | | | | | | | |
|-------------|----------|--------|---|-----|-----|---|---|---------|-----|
| WW6027MPKVL | Laminate | \$ 265 | ¾ | 59⅞ | 27⅞ | — | — | 38 lbs. | 3.3 |
| WW5427MPKVL | Laminate | 253 | ¾ | 53⅞ | 27⅞ | — | — | 35 lbs. | 3.0 |
| WW4827MPKVL | Laminate | 233 | ¾ | 47⅞ | 27⅞ | — | — | 33 lbs. | 2.7 |
| WW4227MPKVL | Laminate | 207 | ¾ | 41⅞ | 27⅞ | — | — | 29 lbs. | 2.4 |
| WW3627MPKVL | Laminate | 185 | ¾ | 35⅞ | 27⅞ | — | — | 24 lbs. | 2.1 |
| WW3027MPKVL | Laminate | 163 | ¾ | 29⅞ | 27⅞ | — | — | 21 lbs. | 1.8 |

- Modified widths are available on modesty panels in ⅞" increments; when ordering a modified width, specify the modesty panel ⅞" narrower than the corresponding worksurface
- Grain direction runs vertically

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 336 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ½ height modesty panel gives full cable access to wall outlet

TO ORDER, SPECIFY:


1. Model Number
2. Modesty Type
3. Modified Width
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW8108MPW M 80½ CL
WW8108MPL M X 405

- See pages 334-339 for all options available in WaveWorks


½ HEIGHT MODESTY PANEL FOR SINGLE PEDESTAL UNIT



| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|-----------------------|------------|------------|-----|----|---|----|----------------|------|
| | | D | W | H | A | KW | WEIGHT | FEET |
| WW8108MPW Wood | \$ 489 | ¾ | 80% | 8½ | — | — | 16 lbs. | 1.3 |
| WW8108MPL Laminate | 263 | ¾ | 80% | 8½ | — | — | 16 lbs. | 1.3 |
| WW6908MPW Wood | \$ 439 | ¾ | 68½ | 8½ | — | — | 13 lbs. | 1.1 |
| WW6908MPL Laminate | 226 | ¾ | 68½ | 8½ | — | — | 13 lbs. | 1.1 |
| WW5708MPW Wood | \$ 384 | ¾ | 56½ | 8½ | — | — | 14 lbs. | 1.1 |
| WW5708MPL Laminate | 190 | ¾ | 56½ | 8½ | — | — | 14 lbs. | 1.1 |
| WW5108MPW Wood | \$ 340 | ¾ | 50½ | 8½ | — | — | 13 lbs. | 1.0 |
| WW5108MPL Laminate | 171 | ¾ | 50½ | 8½ | — | — | 13 lbs. | 1.0 |
| WW4508MPW Wood | \$ 323 | ¾ | 44¾ | 8½ | — | — | 12 lbs. | 0.9 |
| WW4508MPL Laminate | 155 | ¾ | 44¾ | 8½ | — | — | 12 lbs. | 0.9 |
| WW3908MPW Wood | \$ 303 | ¾ | 38¾ | 8½ | — | — | 12 lbs. | 0.8 |
| WW3908MPL Laminate | 135 | ¾ | 38¾ | 8½ | — | — | 12 lbs. | 0.8 |
| WW3308MPW Wood | \$ 293 | ¾ | 32¾ | 8½ | — | — | 11 lbs. | 0.7 |
| WW3308MPL Laminate | 115 | ¾ | 32¾ | 8½ | — | — | 11 lbs. | 0.7 |
| WW2708MPW Wood | \$ 276 | ¾ | 26¾ | 8½ | — | — | 10 lbs. | 0.6 |
| WW2708MPL Laminate | 92 | ¾ | 26¾ | 8½ | — | — | 10 lbs. | 0.6 |

- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Modified widths are available on modesty panels in ½" increments
- Used in conjunction with 1 15" pedestal
- Modesty grommet option not available
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

½ HEIGHT MODESTY PANEL FOR SINGLE PEDESTAL UNIT



| | | | | | | | | |
|---------------------|--------|---|-----|----|---|---|---------|-----|
| WW5708MPVL Laminate | \$ 190 | ¾ | 56½ | 8½ | — | — | 14 lbs. | 1.1 |
| WW5108MPVL Laminate | 171 | ¾ | 50½ | 8½ | — | — | 13 lbs. | 1.0 |
| WW4508MPVL Laminate | 155 | ¾ | 44¾ | 8½ | — | — | 12 lbs. | 0.9 |
| WW3908MPVL Laminate | 135 | ¾ | 38¾ | 8½ | — | — | 12 lbs. | 0.8 |
| WW3308MPVL Laminate | 115 | ¾ | 32¾ | 8½ | — | — | 11 lbs. | 0.7 |
| WW2708MPVL Laminate | 92 | ¾ | 26¾ | 8½ | — | — | 10 lbs. | 0.6 |

- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Modified widths are available on modesty panels in ½" increments
- Used in conjunction with 1 15" pedestal
- Modesty grommet option not available
- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 336 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ½ height modesty panel gives full cable access to wall outlet

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW9608MPW M MC

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|--------------------------------------------------------|-----------------------|------------|------------|---------------------------------|----|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| ½ HEIGHT MODESTY PANEL FOR DOUBLE PEDESTAL UNIT | WW9608MPW Wood | \$ 576 | ¾ | 95% | 8% | — | — | 18 lbs. | 1.5 |
| | WW9608MPL Laminate | 318 | ¾ | 95% | 8% | — | — | 18 lbs. | 1.5 |
| | WW9008MPW Wood | \$ 545 | ¾ | 89% | 8% | — | — | 18 lbs. | 1.5 |
| | WW9008MPL Laminate | 296 | ¾ | 89% | 8% | — | — | 18 lbs. | 1.5 |
| | WW8408MPW Wood | \$ 512 | ¾ | 83% | 8% | — | — | 17 lbs. | 1.4 |
| | WW8408MPL Laminate | 274 | ¾ | 83% | 8% | — | — | 17 lbs. | 1.4 |
| | WW7808MPW Wood | \$ 478 | ¾ | 77% | 8% | — | — | 17 lbs. | 1.4 |
| | WW7808MPL Laminate | 253 | ¾ | 77% | 8% | — | — | 17 lbs. | 1.4 |
| | WW7208MPW Wood | \$ 444 | ¾ | 71% | 8% | — | — | 17 lbs. | 1.4 |
| | WW7208MPL Laminate | 233 | ¾ | 71% | 8% | — | — | 17 lbs. | 1.4 |
| | WW6608MPW Wood | \$ 417 | ¾ | 65 ¹ / ₁₆ | 8% | — | — | 16 lbs. | 1.3 |
| | WW6608MPL Laminate | 216 | ¾ | 65 ¹ / ₁₆ | 8% | — | — | 16 lbs. | 1.3 |
| | WW6008MPW Wood | \$ 386 | ¾ | 59 ¹ / ₁₆ | 8% | — | — | 15 lbs. | 1.2 |
| | WW6008MPL Laminate | 193 | ¾ | 59 ¹ / ₁₆ | 8% | — | — | 15 lbs. | 1.2 |
| | WW5408MPW Wood | \$ 349 | ¾ | 53 ¹ / ₁₆ | 8% | — | — | 14 lbs. | 1.1 |
| | WW5408MPL Laminate | 185 | ¾ | 53 ¹ / ₁₆ | 8% | — | — | 14 lbs. | 1.1 |
| | WW4808MPW Wood | \$ 333 | ¾ | 47 ¹ / ₁₆ | 8% | — | — | 13 lbs. | 1.0 |
| | WW4808MPL Laminate | 163 | ¾ | 47 ¹ / ₁₆ | 8% | — | — | 13 lbs. | 1.0 |
| | WW4208MPW Wood | \$ 315 | ¾ | 41 ³ / ₄ | 8% | — | — | 12 lbs. | 0.9 |
| | WW4208MPL Laminate | 145 | ¾ | 41 ³ / ₄ | 8% | — | — | 12 lbs. | 0.9 |
| | WW3608MPW Wood | \$ 298 | ¾ | 35 ³ / ₄ | 8% | — | — | 11 lbs. | 0.7 |
| | WW3608MPL Laminate | 121 | ¾ | 35 ³ / ₄ | 8% | — | — | 11 lbs. | 0.7 |
| | WW3008MPW Wood | \$ 283 | ¾ | 29 ³ / ₄ | 8% | — | — | 10 lbs. | 0.6 |
| | WW3008MPL Laminate | 105 | ¾ | 29 ³ / ₄ | 8% | — | — | 10 lbs. | 0.6 |

½ HEIGHT MODESTY PANEL FOR DOUBLE PEDESTAL UNIT



- Must also specify pedestal back panel to complete pedestal back if used in the kneewall area
- Modified widths are available on modesty panels in 1/16" increments
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 336 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ½ height modesty panel gives full cable access to wall outlet


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modified Width
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:


WW6008MPVL M X 405

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|------------|---------------------------------|-------------------------------|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| ½ HEIGHT MODESTY PANEL FOR DOUBLE PEDESTAL UNIT  | WW6008MPVL Laminate | \$ 193 | ¾ | 59 ¹ / ₁₆ | 8 ³ / ₈ | — | — | 15 lbs. | 1.2 |
| | WW5408MPVL Laminate | 185 | ¾ | 53 ¹ / ₁₆ | 8 ³ / ₈ | — | — | 14 lbs. | 1.1 |
| | WW4808MPVL Laminate | 163 | ¾ | 47 ¹ / ₁₆ | 8 ³ / ₈ | — | — | 13 lbs. | 1.0 |
| | WW4208MPVL Laminate | 145 | ¾ | 41 ³ / ₄ | 8 ³ / ₈ | — | — | 12 lbs. | 0.9 |
| | WW3608MPVL Laminate | 121 | ¾ | 35 ³ / ₄ | 8 ³ / ₈ | — | — | 11 lbs. | 0.7 |
| | WW3008MPVL Laminate | 105 | ¾ | 29 ³ / ₄ | 8 ³ / ₈ | — | — | 10 lbs. | 0.6 |

- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Modified widths are available on modesty panels in 1/16" increments
- Grain direction runs vertically


COUNTER HEIGHT MODESTY PANELS



| | | | | | | | |
|-----------|--------|---|---------------------------------|--------------------------------|---|---|----------|
| WW9633MPL | \$ 402 | ¾ | 95 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 4.0 lbs. |
| WW9033MPL | 380 | ¾ | 89 ³ / ₈ | 33 ³ / ₈ | — | — | 3.8 lbs. |
| WW8433MPL | 357 | ¾ | 83 ³ / ₈ | 33 ³ / ₈ | — | — | 3.6 lbs. |
| WW7833MPL | 334 | ¾ | 77 ³ / ₈ | 33 ³ / ₈ | — | — | 3.4 lbs. |
| WW7233MPL | 312 | ¾ | 71 ³ / ₈ | 33 ³ / ₈ | — | — | 3.1 lbs. |
| WW6633MPL | 289 | ¾ | 65 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 2.9 lbs. |
| WW6033MPL | 266 | ¾ | 59 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 2.7 lbs. |
| WW5433MPL | 243 | ¾ | 53 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 2.5 lbs. |
| WW4833MPL | 220 | ¾ | 47 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 2.2 lbs. |
| WW4233MPL | 209 | ¾ | 41 ³ / ₄ | 33 ³ / ₈ | — | — | 2.0 lbs. |
| WW3633MPL | 187 | ¾ | 35 ³ / ₄ | 33 ³ / ₈ | — | — | 1.8 lbs. |
| WW3033MPL | 177 | ¾ | 29 ³ / ₄ | 33 ³ / ₈ | — | — | 1.5 lbs. |
| WW2433MPL | 165 | ¾ | 23 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 1.3 lbs. |

- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty 3/16" narrower than the corresponding worksurface
- Laminate modesty has horizontal grain direction

COUNTER HEIGHT MODESTY PANELS



| | | | | | | | |
|------------|--------|---|---------------------------------|--------------------------------|---|---|----------|
| WW6033MPVL | \$ 266 | ¾ | 59 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 2.7 lbs. |
| WW5433MPVL | 243 | ¾ | 53 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 2.5 lbs. |
| WW4833MPVL | 220 | ¾ | 47 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 2.2 lbs. |
| WW4233MPVL | 209 | ¾ | 41 ³ / ₄ | 33 ³ / ₈ | — | — | 2.0 lbs. |
| WW3633MPVL | 187 | ¾ | 35 ³ / ₄ | 33 ³ / ₈ | — | — | 1.8 lbs. |
| WW3033MPVL | 177 | ¾ | 29 ³ / ₄ | 33 ³ / ₈ | — | — | 1.5 lbs. |
| WW2433MPVL | 164 | ¾ | 23 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 1.3 lbs. |

- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty 3/16" narrower than the corresponding worksurface
- Laminate modesty has vertical grain direction

PRODUCT SPECIFICATIONS

- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:


1. Model Number
2. Modesty Type
3. Modified Width
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW3672MP2W MC

- See pages 334-339 for all options available in WaveWorks



| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|---------------------------------------|-----------------------|------------|--------------------------------|---------------------------------|--------------------------------|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| END PANEL (COUNTER HEIGHT) | WW2333EPL | \$ 138 | 1 ³ / ₁₆ | 22 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 1.7 | |
| | WW1733EPL | 116 | 1 ³ / ₁₆ | 17 ¹ / ₁₆ | 33 ³ / ₈ | — | — | 1.3 | |



- For use with counter height cabinets
- End Panels are required when pedestals are not used to support the end of a unit or workstations
- End Panels are 1" shallower than worksurface to accommodate a modesty panel or filler strip
- Modified depths are available on 24" end panels in 1/16" increments when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface
- Modesty panels are recommended when building a shell unit

**MODESTY PANEL
FOR GLASS TOP DESK**



| | | | | | | | | | |
|------------|-----------------------|--------|-----|--------|---------|---|---|---------|-----|
| WW3627MP2W | Wood—Full Modesty | \$ 411 | 3/4 | 35 3/4 | 27 3/16 | — | — | 24 lbs. | 2.1 |
| WW3627MP2L | Laminate—Full Modesty | 185 | 3/4 | 35 3/4 | 27 3/16 | — | — | 24 lbs. | 2.1 |
| WW3608MP2W | Wood—1/2 Modesty | \$ 298 | 3/4 | 35 3/4 | 8 3/8 | — | — | 11 lbs. | 0.7 |
| WW3608MP2L | Laminate—1/2 Modesty | 121 | 3/4 | 35 3/4 | 8 3/8 | — | — | 11 lbs. | 0.7 |



- To be used on glass top desk, WW3672DDFGW8 or WW3672DDFGL8
- Both modesty heights fit between the pedestals
- Do not specify modesty type
- Modified width not available
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

**MODESTY PANEL
FOR GLASS TOP DESK**

| | | | | | | | | | |
|-------------|-----------------------|--------|-----|--------|---------|---|---|---------|-----|
| WW3627MPV2L | Laminate—Full Modesty | \$ 185 | 3/4 | 35 3/4 | 27 3/16 | — | — | 24 lbs. | 2.1 |
| WW3608MPV2L | Laminate—1/2 Modesty | \$ 121 | 3/4 | 35 3/4 | 8 3/8 | — | — | 11 lbs. | 0.7 |



- To be used on glass top desk, WW3672DDFGW8 or WW3672DDFGL8
- Both modesty heights fit between the pedestals
- Do not specify modesty type
- Modified width not available
- Grain direction runs vertically

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3528EPW G1EL 33½ CW
WW3528EPL G1EL X 405


- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|---------------------------|-----------------------|------------|------------|----|---|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| MESH MODESTY PANEL | NAC5408MPM | \$ 274 | ¼ | 54 | 8 | — | — | 5 lbs. | 0.7 |
| | NAC4808MPM | 242 | ¼ | 48 | 8 | — | — | 4 lbs. | 0.6 |
| | NAC4208MPM | 215 | ¼ | 42 | 8 | — | — | 4 lbs. | 0.5 |



- Specify model number only
- Used only for privacy, not support
- Offers horizontal cable management
- Fabric is a black mesh material


END PANEL (WORKSURFACE HEIGHT)



| | | | | | | | | | |
|------------|----------|--------|-----|----|-----|---|---|---------|-----|
| WW4728EPW | Wood | \$ 603 | 47½ | 1¾ | 27¾ | — | — | 47 lbs. | 2.6 |
| WW4728EPL | Laminate | 364 | 47½ | 1¾ | 27¾ | — | — | 47 lbs. | 2.6 |
| WW4128EPW | Wood | \$ 577 | 41½ | 1¾ | 27¾ | — | — | 41 lbs. | 2.3 |
| WW4128EPL | Laminate | 347 | 41½ | 1¾ | 27¾ | — | — | 41 lbs. | 2.3 |
| WW3528EPW | Wood | \$ 549 | 35½ | 1¾ | 27¾ | — | — | 35 lbs. | 1.9 |
| WW3528EPL | Laminate | 331 | 35½ | 1¾ | 27¾ | — | — | 35 lbs. | 1.9 |
| WW2928EPW | Wood | \$ 496 | 29½ | 1¾ | 27¾ | — | — | 30 lbs. | 1.3 |
| WW2928EPL | Laminate | 283 | 29½ | 1¾ | 27¾ | — | — | 30 lbs. | 1.3 |
| QWW2328EPW | Wood | \$ 482 | 22½ | 1¾ | 27¾ | — | — | 25 lbs. | 1.1 |
| WW2328EPW | Wood | 482 | 22½ | 1¾ | 27¾ | — | — | 25 lbs. | 1.1 |
| QWW2328EPL | Laminate | 259 | 22½ | 1¾ | 27¾ | — | — | 25 lbs. | 1.1 |
| WW2328EPL | Laminate | 259 | 22½ | 1¾ | 27¾ | — | — | 25 lbs. | 1.1 |
| WW1728EPW | Wood | \$ 451 | 17½ | 1¾ | 27¾ | — | — | 23 lbs. | 1.0 |
| WW1728EPL | Laminate | 240 | 17½ | 1¾ | 27¾ | — | — | 23 lbs. | 1.0 |

- End panels are required when pedestals are not used to support the end of a unit or workstation
- End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip
- Modified depths are available on 35", 29", and 23" end panels in ½" increments; when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface
- Modesty panels are recommended when building a shell unit

END PANEL (BOX/FILE HEIGHT)



| | | | | | | | | | |
|-----------|----------|--------|-----|----|-----|---|---|---------|-----|
| WW2421EPW | Wood | \$ 465 | 22½ | 1¾ | 21½ | — | — | 20 lbs. | 0.9 |
| WW2421EPL | Laminate | 240 | 22½ | 1¾ | 21½ | — | — | 20 lbs. | 0.9 |
| WW1821EPW | Wood | \$ 435 | 17½ | 1¾ | 21½ | — | — | 18 lbs. | 0.8 |
| WW1821EPL | Laminate | 226 | 17½ | 1¾ | 21½ | — | — | 18 lbs. | 0.8 |

- End panels are required when pedestals are not used to support the end of a unit or workstation
- End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip
- Modified depths are available on 24" end panels in ½" increments; when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface
- Modesty panels are recommended when building a shell unit

PRODUCT SPECIFICATIONS

- End panels, filler panels, and support panels shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminated models)
3. Finish (wood models)


SAMPLE MODEL NUMBERS:

WW4840EPW MC
 WW4840EPL MC

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|-------------------------------------|-----------------------|------------|------------------|-------------------|-------------------|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| END PANELS (MODULAR STORAGE) | WW4840EPW Wood | \$ 703 | 1 $\frac{3}{16}$ | 47 $\frac{3}{16}$ | 40 $\frac{3}{16}$ | — | — | lbs. | |
| | WW4840EPL Laminate | 270 | 1 $\frac{3}{16}$ | 47 $\frac{3}{16}$ | 40 $\frac{3}{16}$ | — | — | lbs. | |

- For use when 2 vertical storage units are used back to back



WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1228SSW G1EL CW
WW1228SSL G1EL 405

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC | |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------|---------------------------------|---------------------------------|---|----|----------------|------|
| | | | D | W | H | A | KW | WEIGHT | FEET |
| SUPPORT PANEL (WORKSURFACE HEIGHT) | WW1228SSW Wood | \$ 333 | 11 ⁷ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | — | — | 15 lbs. | 0.8 |
| | WW1228SSL Laminate | 121 | 11 ⁷ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | — | — | 15 lbs. | 0.8 |
| | <ul style="list-style-type: none"> • For use as added support • Specify wood or laminate only | | | | | | | | |
| SUPPORT PANEL (BOX/FILE HEIGHT) | WW1221SSW Wood | \$ 318 | 11 ⁷ / ₁₆ | 1 ³ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 15 lbs. | 0.8 |
| | WW1221SSL Laminate | 105 | 11 ⁷ / ₁₆ | 1 ³ / ₁₆ | 21 ⁷ / ₁₆ | — | — | 15 lbs. | 0.8 |
| | <ul style="list-style-type: none"> • For use as added support • Specify wood or laminate only | | | | | | | | |
| SUPPORT PANEL (COUNTER HEIGHT) | WW1233SSL | \$ 141 | 1 ³ / ₁₆ | 11 ⁷ / ₁₆ | 33 ³ / ₈ | — | — | | 1.0 |
| | <ul style="list-style-type: none"> • For use as added support • Specify laminate only | | | | | | | | |
| SUPPORT PANEL U-STYLE | NAC1228UBC Concrete | \$ 414 | 1 ¹ / ₂ | 12 | 28 | — | — | 12 lbs. | 3.1 |
| | NAC1228UBB Cinder | 414 | 1 ¹ / ₂ | 12 | 28 | — | — | 12 lbs. | 3.1 |
| | NAC1228UBI Iron | 414 | 1 ¹ / ₂ | 12 | 28 | — | — | 12 lbs. | 3.1 |
| | NAC1228UBS Platinum Metallic | 414 | 1 ¹ / ₂ | 12 | 28 | — | — | 12 lbs. | 3.1 |
| | NAC1228UBN Satin Nickel Metallic | 414 | 1 ¹ / ₂ | 12 | 28 | — | — | 12 lbs. | 3.1 |
| | NAC1228UBH Designer White | 414 | 1 ¹ / ₂ | 12 | 28 | — | — | 12 lbs. | 3.1 |
| | <ul style="list-style-type: none"> • For use as added support • Adjustable glides are standard • Specify model number only • Metal mounting plate attached to support panel | | | | | | | | |
| UNDERSURFACE SUPPORT RAIL (WORKSURFACE) | QNAC0248SUR | \$ 200 | 2 ³ / ₄ | 48 | 1 | — | — | 5 lbs. | 0.5 |
| | NAC0248SUR | 200 | 2 ³ / ₄ | 48 | 1 | — | — | 5 lbs. | 0.5 |
| | QNAC0236SUR | 171 | 2 ³ / ₄ | 36 | 1 | — | — | 3 lbs. | 0.3 |
| | NAC0236SUR | 171 | 2 ³ / ₄ | 36 | 1 | — | — | 3 lbs. | 0.3 |
| | <ul style="list-style-type: none"> • Specify model number only • Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1³/₁₆" worksurface and greater than 60" on a 1¹/₁₆" worksurface • Specify the 36" model to be used up to 66" worksurfaces • Specify the 48" model to be used up to 72" worksurfaces • Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces | | | | | | | | |

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4828STW G1EL MH
WW4828STL X 480

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET | |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|------------|---------------------------------|--------------------------------|--------------------------------|----|-----------------|------------|-----|
| | | | D | W | H | A | KW | | | |
| T-SUPPORT PANEL (WORKSURFACE HEIGHT)  | WW4828STW | Wood | \$ 955 | 47 ⁷ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 55 lbs. | 3.4 |
| | WW4828STL | Laminate | 487 | 47 ⁷ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 55 lbs. | 3.4 |
| | WW4228STW | Wood | \$ 914 | 41 ¹ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 49 lbs. | 3.4 |
| | WW4228STL | Laminate | 488 | 41 ¹ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 49 lbs. | 3.4 |
| | WW3628STW | Wood | \$ 867 | 35 ⁵ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 43 lbs. | 2.9 |
| | WW3628STL | Laminate | 442 | 35 ⁵ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 43 lbs. | 2.9 |
| | WW3028STW | Wood | \$ 820 | 29 ¹ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 38 lbs. | 2.5 |
| | WW3028STL | Laminate | 394 | 29 ¹ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 38 lbs. | 2.5 |
| | WW2428STW | Wood | \$ 800 | 22 ¹ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 32 lbs. | 2.1 |
| | WW2428STL | Laminate | 366 | 22 ¹ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 32 lbs. | 2.1 |
| | WW1828STW | Wood | \$ 748 | 17 ¹ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 28 lbs. | 1.8 |
| | WW1828STL | Laminate | 342 | 17 ¹ / ₁₆ | 1 ³ / ₁₆ | 27 ³ / ₄ | – | – | 28 lbs. | 1.8 |

- Specify with U-surfaces, P-surfaces, and extended P-surfaces

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WWN3605STW G1EL MH
WWN3605STL X 480

- See pages 334-339 for all options available in WaveWorks

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|------------------------------------------------------------------------------------|------------|---------------------------------|--------------------------------|--------------------------------|---|----|-----------------|------------|
| | | D | W | H | A | KW | | |
| INTENDED FOR USE WITH 1⁵/₁₆" THICK WORKSURFACE MODELS | | | | | | | | |
| WWN3605STW Wood | \$ 434 | 35 ⁷ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 21 lbs. | 2.0 |
| WWN3605STL Laminate | 220 | 35 ⁷ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 21 lbs. | 2.0 |
| WWN3505STW Wood | \$ 412 | 35 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 21 lbs. | 2.0 |
| WWN3505STL Laminate | 209 | 35 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 21 lbs. | 2.0 |
| WWN3005STW Wood | \$ 411 | 29 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 19 lbs. | 1.8 |
| WWN3005STL Laminate | 197 | 29 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 19 lbs. | 1.8 |
| WWN2905STW Wood | \$ 390 | 29 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 19 lbs. | 1.8 |
| WWN2905STL Laminate | 187 | 29 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 19 lbs. | 1.8 |
| WWN2405STW Wood | \$ 400 | 22 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 16 lbs. | 1.6 |
| WWN2405STL Laminate | 184 | 22 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 16 lbs. | 1.6 |
| WWN1805STW Wood | \$ 374 | 17 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 12 lbs. | 1.4 |
| WWN1805STL Laminate | 170 | 17 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 12 lbs. | 1.4 |
| WWN2305STW Wood | \$ 380 | 22 ³ / ₈ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 16 lbs. | 1.6 |
| WWN2305STL Laminate | 174 | 22 ³ / ₈ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 16 lbs. | 1.6 |
| WWN1705STW Wood | \$ 356 | 17 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 12 lbs. | 1.4 |
| WWN1705STL Laminate | 162 | 17 ¹ / ₁₆ | 1 ³ / ₁₆ | 4 ⁷ / ₁₆ | — | — | 12 lbs. | 1.4 |

T-SUPPORT PANEL BOX/FILE HEIGHT



- Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces
- 36, 30, 24, and 18 models not to be used with modesty panels
- 35, 29, 23, and 17 models are 1" shallower than worksurface to accommodate a modesty panel

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3606STW G1EL MH
WW3606STL X 480

- See pages 334-339 for all options available in WaveWorks

**T-SUPPORT PANEL
BOX/FILE HEIGHT (CONTINUED)**



| MODEL NO./DESCRIPTION | | LIST PRICE | DIMENSIONS | | | | | CARTONED CUBIC |
|---------------------------------------------------------------|----------|------------|------------|-------|-------|---|----|----------------|
| | | | D | W | H | A | KW | WEIGHT FEET |
| INTENDED FOR USE WITH 1 5/16" THICK WORKSURFACE MODELS | | | | | | | | |
| WW3606STW | Wood | \$ 434 | 35 7/8 | 1 3/8 | 5 1/2 | — | — | 21 lbs. 2.0 |
| WW3606STL | Laminate | 220 | 35 7/8 | 1 3/8 | 5 1/2 | — | — | 21 lbs. 2.0 |
| WW3506STW | Wood | \$ 412 | 35 7/8 | 1 3/8 | 5 1/2 | — | — | 21 lbs. 2.0 |
| WW3506STL | Laminate | 209 | 35 7/8 | 1 3/8 | 5 1/2 | — | — | 21 lbs. 2.0 |
| QWW3006STW | Wood | \$ 411 | 29 1/8 | 1 3/8 | 5 1/2 | — | — | 19 lbs. 1.8 |
| WW3006STW | Wood | 411 | 29 1/8 | 1 3/8 | 5 1/2 | — | — | 19 lbs. 1.8 |
| QWW3006STL | Laminate | 197 | 29 1/8 | 1 3/8 | 5 1/2 | — | — | 19 lbs. 1.8 |
| WW3006STL | Laminate | 197 | 29 1/8 | 1 3/8 | 5 1/2 | — | — | 19 lbs. 1.8 |
| WW2906STW | Wood | \$ 390 | 29 1/2 | 1 3/8 | 5 1/2 | — | — | 19 lbs. 1.8 |
| WW2906STL | Laminate | 187 | 29 1/2 | 1 3/8 | 5 1/2 | — | — | 19 lbs. 1.8 |
| WW2406STW | Wood | \$ 400 | 22 1/8 | 1 3/8 | 5 1/2 | — | — | 16 lbs. 1.6 |
| WW2406STL | Laminate | 184 | 22 1/8 | 1 3/8 | 5 1/2 | — | — | 16 lbs. 1.6 |
| WW1806STW | Wood | \$ 374 | 17 1/8 | 1 3/8 | 5 1/2 | — | — | 12 lbs. 1.4 |
| WW1806STL | Laminate | 170 | 17 1/8 | 1 3/8 | 5 1/2 | — | — | 12 lbs. 1.4 |
| WW2306STW | Wood | \$ 380 | 22 3/8 | 1 3/8 | 5 1/2 | — | — | 16 lbs. 1.6 |
| WW2306STL | Laminate | 174 | 22 3/8 | 1 3/8 | 5 1/2 | — | — | 16 lbs. 1.6 |
| WW1706STW | Wood | \$ 356 | 17 3/8 | 1 3/8 | 5 1/2 | — | — | 12 lbs. 1.4 |
| WW1706STL | Laminate | 162 | 17 3/8 | 1 3/8 | 5 1/2 | — | — | 12 lbs. 1.4 |

- Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces
- 36, 30, 24, and 18 models not to be used with modesty panels
- 35, 29, 23, and 17 models are 1" shallower than worksurface to accommodate a modesty panel

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required





TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW28CPFSW G1EL MH
WW28CPFSL X 480

- See pages 334-339 for all options available in WaveWorks

| | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS | | | | | CARTONED WEIGHT | CUBIC FEET |
|--------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------|---------------------------------|---------------------------------|---|----|-----------------|------------|
| | | | D | W | H | A | KW | | |
| FILLER STRIP WORKSURFACE HEIGHT  | WW28CPFSW Wood | \$ 53 | ¾ | 2½ ¹ / ₁₆ | 27 ¹ / ₁₆ | — | — | 5 lbs. | 0.1 |
| | WW28CPFSL Laminate | 38 | ¾ | 2½ ¹ / ₁₆ | 27 ¹ / ₁₆ | — | — | 5 lbs. | 0.1 |
| | <ul style="list-style-type: none"> • When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths • Specify wood or laminate | | | | | | | | |
| FILLER STRIP (BOX/FILE HEIGHT)  | WW21CPFSW Wood | \$ 37 | ¾ | 2½ ¹ / ₁₆ | 21 ¹ / ₁₆ | — | — | 3 lbs. | 0.1 |
| | WW21CPFSL Laminate | 25 | ¾ | 2½ ¹ / ₁₆ | 21 ¹ / ₁₆ | — | — | 3 lbs. | 0.1 |
| | <ul style="list-style-type: none"> • When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths • Specify wood or laminate | | | | | | | | |
| FILLER STRIP (COUNTER HEIGHT)  | WW33CPFSL | \$ 130 | ¾ | 2½ ¹ / ₁₆ | 33 ³ / ₁₆ | — | — | | 0.2 |
| | <ul style="list-style-type: none"> • When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths • Specify laminate only | | | | | | | | |
| WORKSURFACE WIRE MANAGER FILLER CAP  | NAC01WMFMM | \$ 18 | 1 | 1 | 1 | — | — | 1 lbs. | 0.5 |
| | <ul style="list-style-type: none"> • Specify paint color • Paint options and recommendations are listed on page 335 | | | | | | | | |