

---

# WAVEWORKS

## METAL

|                           |     |
|---------------------------|-----|
| Product Specifications    | 534 |
| Configuration Options     | 535 |
| Specification Tips        | 537 |
| Modesty Panels            | 537 |
| Metals Planning Guide     | 538 |
| Metal Arrangements Models | 542 |
| Metal Units               | 566 |

# WAVEWORKS METAL

## PRODUCT SPECIFICATIONS

### PEDESTALS AND STORAGE UNITS

- Leveling glides with 1/4" of adjustment featured on all units except mobile pedestals
- Powder coated paint

### DRAWERS

- 3/8" thick drawer front consists of 22-gauge cold-rolled steel
- Silencing bumpers ensure quiet drawer operation
- Cinder steel drawer interiors
- Drawer body consists of 22-gauge cold-rolled steel
- Drawers cannot be bottom loaded
- See interior drawer dimensions below

### DRAWER PULLS

- Available in 3 styles, refer to page 535 for styles and colors
- Full overlay drawers on all cabinets unless otherwise noted (exceptions are 2 and 4 drawer freestanding lateral files)

### DRAWER SUSPENSION

- File drawers have full extension, progressive action slides with precision steel ball bearings
- Box drawers have full extension slides with ball bearing rollers
- All suspensions have a lifetime warranty

### FILING

- See filing capabilities below

### LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 726

### CONSTRUCTION

#### UNDERSURFACE STORAGE

- Outer chassis is a single piece U-case of 22-gauge cold-rolled steel
- Inner components consist of O-frame of 20-gauge cold-rolled steel

#### FREESTANDING LATERAL FILES/WARDROBE

- Outer chassis consists of 22-gauge cold-rolled steel
- Lateral file top is mechanically fastened

#### ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers; see pages 542-565
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


#### FREESTANDING LATERAL FILES

- Dual-interlock system ensures only 1 drawer may be opened at a time

| DRAWER DESCRIPTION        | INTERIOR DIMENSIONS               |                                   |                                   | FRONT-TO-BACK FILING CAPABILITIES |
|---------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
|                           | WIDTH                             | DEPTH                             | HEIGHT                            |                                   |
| Box Drawers               | 12 <sup>3</sup> / <sub>16</sub> " | 20"                               | 3 <sup>3</sup> / <sub>8</sub> "   | N/A                               |
| File Drawers              | 12 <sup>3</sup> / <sub>16</sub> " | 20"                               | 10 <sup>3</sup> / <sub>16</sub> " | Letter Front-To-Back              |
| 30" ULF                   | 26 <sup>1</sup> / <sub>16</sub> " | 15 <sup>5</sup> / <sub>16</sub> " | 9 <sup>3</sup> / <sub>8</sub> "   | Letter and Legal Side-To-Side     |
| 36" ULF                   | 32 <sup>1</sup> / <sub>16</sub> " | 15 <sup>5</sup> / <sub>16</sub> " | 9 <sup>3</sup> / <sub>8</sub> "   | Letter and Legal Side-To-Side     |
| Freestanding Lateral File | 32 <sup>7</sup> / <sub>16</sub> " | 15 <sup>5</sup> / <sub>16</sub> " | 9 <sup>3</sup> / <sub>8</sub> "   | Letter and Legal Side-To-Side     |


#### RAILROADED TACK BOARD

- Shaded rectangle portrays a railroaded tack board




| DIMENSION KEY |                         |
|---------------|-------------------------|
| D             | Depth                   |
| W             | Width                   |
| H             | Height                  |
| A             | Overhang: Approach Side |
| KW            | Kneespace Width         |

**RIM PROFILE OPTIONS**



**Softened PVC (V)**



**Reed PVC (N)**

**PVC REED RIM**

|     |          |
|-----|----------|
| AC2 | Autumn 2 |
| CL  | Caramel  |
| CW  | Cordovan |
| DW  | Judicial |
| HN2 | Honey 2  |
| MC  | Amber    |
| MH  | Mocha    |
| NM  | Natural  |
| TF  | Truffle  |

**PVC SOFTENED RIM**

|     |                       |
|-----|-----------------------|
| AC2 | Autumn 2              |
| AD  | Almond                |
| CL  | Caramel               |
| CW  | Cordovan              |
| DW  | Judicial              |
| HN2 | Honey 2               |
| IM  | Brighton              |
| MC  | Amber                 |
| MH  | Mocha                 |
| NM  | Natural               |
| PB  | Portobello            |
| PT  | Portico               |
| SK  | Skyline               |
| SM  | Sonoma                |
| TF  | Truffle               |
| 405 | Designer White        |
| 419 | Wallaby               |
| 425 | Shadow                |
| 440 | Cloud                 |
| 461 | Graphite              |
| 462 | Cinder                |
| 478 | Platinum Grey         |
| 488 | Frosty White          |
| 491 | Designer White Linear |
| 492 | Cinder Linear         |
| 792 | Sable                 |
| 793 | Acorn                 |

**LAMINATE WORKSURFACES**

**WOODGRAIN LAMINATE**

|     |            |
|-----|------------|
| AC2 | Autumn 2   |
| AD  | Almond     |
| CL  | Caramel    |
| CW  | Cordovan   |
| DW  | Judicial   |
| HN2 | Honey 2    |
| IM  | Brighton   |
| MC  | Amber      |
| MH  | Mocha      |
| NM  | Natural    |
| PB  | Portobello |
| PT  | Portico    |
| SK  | Skyline    |
| SM  | Sonoma     |
| TF  | Truffle    |
| 792 | Sable      |
| 793 | Acorn      |

**SOLID LAMINATE**

|     |                       |
|-----|-----------------------|
| 405 | Designer White        |
| 419 | Wallaby               |
| 425 | Shadow                |
| 440 | Cloud                 |
| 461 | Graphite              |
| 462 | Cinder                |
| 478 | Platinum Grey         |
| 488 | Frosty White          |
| 491 | Designer White Linear |
| 492 | Cinder Linear         |

**PATTERN LAMINATE**

|     |                    |
|-----|--------------------|
| 814 | White Tigris       |
| 818 | Crisp Linen        |
| 819 | Flax Gauze         |
| 821 | Elemental Concrete |
| 822 | Smoke Quarstone    |
| 874 | Bronze Legacy      |

- CSL available; see page 21 for program details and upcharge
- CSL not available on TFL

**GALLERY LAMINATE**

|                       |                 |
|-----------------------|-----------------|
| Grade 1 – 5% upcharge |                 |
| G1001                 | Citadel         |
| G1011                 | Pepperdust      |
| Grade 2 – 6% upcharge |                 |
| G1002                 | Planked Raw Oak |
| G1003                 | Evening Notte   |
| G1004                 | Kirsche         |
| G1005                 | Midnight Run    |
| G1006                 | Sepia Walnut    |
| G1007                 | Serotina        |
| G1008                 | Timeless        |
| G1009                 | White Nebbia    |
| G1012                 | Phantom Ecru    |

**CHASSIS PAINT COLORS**

|     |                        |
|-----|------------------------|
| 405 | Designer White         |
| 419 | Wallaby                |
| 425 | Shadow                 |
| 440 | Cloud                  |
| 461 | Graphite               |
| 462 | Cinder                 |
| 485 | Dark Chocolate         |
| 488 | Frosty White           |
| 501 | Platinum Metallic*     |
| 503 | Satin Nickel Metallic* |
| 504 | Taupe Metallic*        |
| 505 | Satin Bronze Metallic* |

\*10% List Upcharge

**LOCKING**

**KEY RANDOM**

|     |        |
|-----|--------|
| KRB | Black  |
| KRS | Silver |

**KEY SPECIFIC**

|      |                          |
|------|--------------------------|
| KS1B | Black, 1 lock per unit   |
| KS1S | Silver, 1 lock per unit  |
| KS2B | Black, 2 locks per unit  |
| KS2S | Silver, 2 locks per unit |
| KS3B | Black, 3 locks per unit  |
| KS3S | Silver, 3 locks per unit |
| KS4B | Black, 4 locks per unit  |
| KS4S | Silver, 4 locks per unit |

Unit list price will be reduced by \$18 per lock when selecting Key Specific option. Must order specific lock cores separately (\$18 list each). See page 726 for Key Specific model numbers.

**GALLERY PVC SOFTENED RIM**

|                       |                 |
|-----------------------|-----------------|
| Grade 1 – 5% upcharge |                 |
| G1001                 | Citadel         |
| G1011                 | Pepperdust      |
| Grade 2 – 6% upcharge |                 |
| G1002                 | Planked Raw Oak |
| G1003                 | Evening Notte   |
| G1004                 | Kirsche         |
| G1005                 | Midnight Run    |
| G1006                 | Sepia Walnut    |
| G1007                 | Serotina        |
| G1008                 | Timeless        |
| G1009                 | White Nebbia    |
| G1012                 | Phantom Ecru    |

See page 21 for Gallery program details and upcharges

**PULL OPTIONS**



**Integrated (5)**



**Beam (87)**

|      |   |
|------|---|
| 87MB | Cinder  |
| 87CC | Concrete  |
| 87IR | Iron  |
| 87PL | Platinum Metallic                               |
| 87SN | Satin Nickel Metallic<br>(Boring Pattern 128mm) |



**Malibu (7)**

|     |   |
|-----|---|
| 7MB | Cinder  |
| 7CC | Concrete  |
| 7IR | Iron  |
| 7PL | Platinum Metallic                               |
| 7SN | Satin Nickel Metallic<br>(Boring Pattern 128mm) |

# WAVEWORKS METAL - CONFIGURATION OPTIONS


## WORKSURFACE GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

### Round Grommet, Nylon Plastic

\$25 list for each grommet


- G1L Left
- G1R Right
- G1LR Left & Right
- G1C Center
- G1LC Left & Center
- G1RC Right & Center
- G1A Left, Right & Center



### Racetrack Grommet, Cinder

\$30 list for each grommet


- G11MBL Left
- G11MBR Right
- G11MBLR Left & Right
- G11MBC Center
- G11MBLC Left & Center
- G11MBRC Right & Center
- G11MBA Left, Right & Center




### Cutout Option for 1 Touch Pivoting Power Grommet

\$25 list upcharge per cutout location

- CUT-G17L Left
- CUT-G17R Right
- CUT-G17LR Left & Right
- CUT-G17C Center
- CUT-G17LC Left & Center
- CUT-G17RC Right & Center
- CUT-G17A Left, Right & Center




• Reference page 340 for cutout locations of CUT-G17




### NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 733 for pricing and details



### NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 733 for pricing and details




### NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 733 for pricing and details

### Racetrack Grommet, Satin Nickel Metallic

\$30 list for each grommet


- G11SNL Left
- G11SNR Right
- G11SNLR Left & Right
- G11SNC Center
- G11SNLC Left & Center
- G11SNRC Right & Center
- G11SNA Left, Right & Center



### Racetrack Grommet, Platinum Metallic

\$30 list for each grommet

- G11PLL Left
- G11PLR Right
- G11PLLR Left & Right
- G11PLC Center
- G11PLLC Left & Center
- G11PLRC Right & Center
- G11PLA Left, Right & Center



## TACK BOARD FABRIC OPTIONS

Dune (Grade A)  
100% Polyester

- 8600 Drift
- 8601 Windblown
- 8602 Erosion
- 8603 Haze
- 8604 Kamelos
- 8606 Pebble
- 8607 Gecho
- 8608 Nectar
- 8610 Clear Sky
- 8614 Basin
- 8615 Raven
- 8620 Darkness
- 8621 Golden

Repetition (Grade A)  
100% Pre-Consumer  
Recycled Polyester

- 3700 Ash
- 3703 White
- 3705 Willow
- 3709 Java
- 3713 Stainless
- 3715 Almond
- 3721 Reed
- 3744 Tawny
- 3775 Grey Green

COM (Grade B)

Pact (Grade B)


65% Pre-Consumer Recycled Polyester,  
35% Post-Consumer Recycled Polyester

- 25401 Aloe
- 25402 Azure
- 25403 Calla
- 25404 Coastal
- 25405 Delft
- 25406 Dove
- 25407 Dragon
- 25408 Eureka
- 25409 Fern
- 25410 Harbour
- 25411 Lily
- 25412 Lime
- 25413 Midnight
- 25414 Nectar
- 25415 Patina
- 25416 Putty
- 25417 Roast
- 25418 Roma
- 25419 Rubine
- 25420 Sketch
- 25421 Tanzanite
- 25422 Taupe
- 25423 Toasty

**MODESTY PANELS**


**FULL OVERLAY MODESTY PANELS - METAL**

- Main modesty panels are used in conjunction with component worksurfaces to create modular units, and specified to create a recessed modesty panel




**KNEESPACE MODESTY PANELS - METAL**

- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3";
- Modesty panel not applicable for attachment to suspended pedestals




**FULL END PANEL**

- Designed for securement to modesty panel
- Intended use for single pedestal desks/credenzas




**HALF END PANEL**

- Designed for securement to modesty panel
- Utilize on all corner surfaces with cylinder leg and for continuous surface connections when needing additional support




**SUPPORT PANEL**

- Designed for securement to modesty panel
- Utilize on 36" corner worksurfaces only with cylinder leg and for continuous surface connections




**RETURN SUPPORT PANEL**

- Designed for securement to modesty panel
- Utilize 1 return support panel for returns
- Utilize 2 return support panels for bridge units
- Use WW0827SRM to create 24" deep return
- Use WW1227SRM to create 30" deep return




**CORNER POST**

- Creates corner unit utilizing modesty panels
- Designed to secure modesty panels to corner unit
- Corner post must be used with modesty panels




METALS PLANNING - KNEESPACE MODESTY

RECTANGULAR WORKSURFACES—DOUBLE PEDESTAL DESK/CREDENZA



| RECTANGULAR WORKSURFACES      | WORKSURFACE WIDTH | MODESTY PANEL MODEL NUMBERS |
|-------------------------------|-------------------|-----------------------------|
| Double Pedestal Desk/Credenza | 96"               | WW6623MPM                   |
|                               | 84"               | WW5423MPM                   |
|                               | 72"               | WW4223MPM                   |
|                               | 66"               | WW3623MPM                   |
|                               | 60"               | WW3023MPM                   |


RECTANGULAR WORKSURFACES-SHELL



| RECTANGULAR WORKSURFACES                  | WORKSURFACE WIDTH | MODESTY PANEL MODEL NUMBERS |
|---|-------------------|-----------------------------|
| Shell (24", 30" and 36" deep shell units) | 96"               | WW9423MPM                   |
|   | 84"               | WW8223MPM                   |
|   | 72"               | WW7023MPM                   |
|   | 66"               | WW6423MPM                   |
|   | 60"               | WW5823MPM                   |
|   | 54"               | WW5223MPM                   |
|   | 48"               | WW4523MPM                   |
|   | 42"               | WW4023MPM                   |
|   | 36"               | WW3423MPM                   |
|   | 30"               | WW2823MPM                   |


**METALS PLANNING - KNEESPACE MODESTY (CONTINUED)**

**RECTANGULAR WORKSURFACES—SINGLE PEDESTAL DESK/CREDENZA**



| RECTANGULAR WORKSURFACES      | WORKSURFACE WIDTH | MODESTY PANEL MODEL NUMBERS |
|-------------------------------|-------------------|-----------------------------|
| Single Pedestal Desk/Credenza | 96"               | WW8023MPM                   |
|                               | 84"               | WW6823MPM                   |
|                               | 72"               | WW5623MPM                   |
|                               | 66"               | WW5023MPM                   |
|                               | 60"               | WW4323MPM                   |
|                               | 54"               | WW3823MPM                   |
|                               | 48"               | WW3223MPM                   |
|                               | 42"               | WW2623MPM                   |
|                               | 36"               | WW2023MPM                   |
|                               | 30"               | WW1423MPM                   |


**RECTANGULAR WORKSURFACES—2 PEDESTALS (SIDE-BY-SIDE)**



| RECTANGULAR WORKSURFACES   | WORKSURFACE WIDTH | MODESTY PANEL MODEL NUMBERS |
|----------------------------|-------------------|-----------------------------|
| 2 Pedestals (side-by-side) | 96"               | WW6523MPM                   |
|                            | 84"               | WW52A23MPM                  |
|                            | 72"               | WW40A23MPM                  |
|                            | 66"               | WW3523MPM                   |
|                            | 60"               | WW2923MPM                   |
|                            | 54"               | WW2323MPM                   |
|                            | 48"               | WW1723MPM                   |


METALS PLANNING - KNEESPACE MODESTY (CONTINUED)

EXTENDED CORNER WORKSURFACES—SHELL



| EXTENDED CORNER WORKSURFACES | WORKSURFACE WIDTH | MODESTY PANEL MODEL NUMBERS |
|------------------------------|-------------------|-----------------------------|
| Shell                        | 96"               | WW8323MPM                   |
|                              | 84"               | WW7123MPM                   |
|                              | 72"               | WW5923MPM                   |
|                              | 66"               | WW5323MPM                   |
|                              | 60"               | WW4723MPM                   |
|                              | 54"               | WW4123MPM                   |
|                              | 36"               | WW2323MPM                   |

EXTENDED CORNER WORKSURFACES—SINGLE PEDESTAL




| EXTENDED CORNER WORKSURFACES  | WORKSURFACE WIDTH | MODESTY PANEL MODEL NUMBERS |
|-------------------------------|-------------------|-----------------------------|
| Single Pedestal Desk/Credenza | 96"               | WW6923MPM                   |
|                               | 84"               | WW5723MPM                   |
|                               | 72"               | WW4423MPM                   |
|                               | 66"               | WW3923MPM                   |
|                               | 60"               | WW3323MPM                   |
|                               | 54"               | WW2723MPM                   |



**METALS PLANNING - KNEESPACE MODESTY (CONTINUED)**

**EXTENDED CORNER WORKSURFACES—2 PEDESTALS (SIDE BY SIDE)**



| EXTENDED CORNER WORKSURFACES | WORKSURFACE WIDTH | MODESTY PANEL MODEL NUMBERS |
|------------------------------|-------------------|-----------------------------|
| 2 Pedestals (side-by-side)   | 96"               | WW54A23MPM                  |
|                              | 84"               | WW42A23MPM                  |
|                              | 72"               | WW3123MPM                   |

# WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

### SAMPLE MODEL NUMBER:

WW3672DDFLM8 NCL 5 G1LR KRB CL 461

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY               | LIST PRICE | DIMENSIONS                      |                                 |                                 |                                 |     | CARTONED CUBIC                  |          |      |
|--|-----------------------|-------------------|------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|-----|---------------------------------|----------|------|
|  |                       |                   |            | D                               | W                               | H                               | A                               | KW  | WEIGHT                          | FEET     |      |
| <b>DOUBLE PEDESTAL DESK FULL PEDESTAL</b><br>  | WW3672DDFLM8          |                   | \$ 1897    | 36 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35% | 255 lbs.                        | 31.3     |      |
|  | consists of           |                   |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3672WSSDL           | Worksurface       | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3015PUBBFM          | B/B/F Pedestal    | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3015PUFFM           | F/F Pedestal      | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW4223MPM             | Kneespace Modesty | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3066DDFLM8          |                   |            | \$ 1647                         | 30 <sup>3</sup> / <sub>16</sub> | 66                              | 28 <sup>1</sup> / <sub>16</sub> | —   | 35%                             | 229 lbs. | 30.8 |
|  | consists of           |                   |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3066WSSDL           | Worksurface       | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3015PUBBFM          | B/B/F Pedestal    | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3015PUFFM           | F/F Pedestal      | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3623MPM             | Kneespace Modesty | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3060DDFLM8          |                   |            | \$ 1591                         | 30 <sup>3</sup> / <sub>16</sub> | 60                              | 28 <sup>1</sup> / <sub>16</sub> | —   | 29 <sup>1</sup> / <sub>16</sub> | 221 lbs. | 30.2 |
|  | consists of           |                   |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3060WSSDL           | Worksurface       | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
| WW3015PUBBFM   | B/B/F Pedestal        | 1                 |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
| WW3015PUFFM  | F/F Pedestal          | 1                 |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
| WW3023MPM  | Kneespace Modesty     | 1                 |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
| <ul style="list-style-type: none"> <li>• Assembly required</li> <li>• 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                       |                   |            |                                 |                                 |                                 |                                 |     |                                 |          |      |

|  |                   |                   |         |                                 |                                 |     |     |     |                                 |          |      |
|--|-------------------|-------------------|---------|---------------------------------|---------------------------------|-----|-----|-----|---------------------------------|----------|------|
| <b>DOUBLE PEDESTAL DESK FULL PEDESTAL TFL</b><br>  | WW3672DDFLLM8     |                   | \$ 1752 | 36 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28% | —   | 35% | 255 lbs.                        | 31.3     |      |
|  | consists of       |                   |         |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3672WSSDLL      | Worksurface       | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3015PUBBFM      | B/B/F Pedestal    | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3015PUFFM       | F/F Pedestal      | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW4223MPM         | Kneespace Modesty | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3066DDFLLM8     |                   |         | \$ 1548                         | 30 <sup>3</sup> / <sub>16</sub> | 66  | 28% | —   | 35%                             | 229 lbs. | 30.8 |
|  | consists of       |                   |         |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3066WSSDLL      | Worksurface       | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3015PUBBFM      | B/B/F Pedestal    | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3015PUFFM       | F/F Pedestal      | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3623MPM         | Kneespace Modesty | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3060DDFLLM8     |                   |         | \$ 1501                         | 30 <sup>3</sup> / <sub>16</sub> | 60  | 28% | —   | 29 <sup>1</sup> / <sub>16</sub> | 221 lbs. | 30.2 |
|  | consists of       |                   |         |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3060WSSDLL      | Worksurface       | 1       |                                 |                                 |     |     |     |                                 |          |      |
| WW3015PUBBFM   | B/B/F Pedestal    | 1                 |         |                                 |                                 |     |     |     |                                 |          |      |
| WW3015PUFFM  | F/F Pedestal      | 1                 |         |                                 |                                 |     |     |     |                                 |          |      |
| WW3023MPM  | Kneespace Modesty | 1                 |         |                                 |                                 |     |     |     |                                 |          |      |
| <ul style="list-style-type: none"> <li>• Assembly required</li> <li>• 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                   |                   |         |                                 |                                 |     |     |     |                                 |          |      |

## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

### SAMPLE MODEL NUMBER:

WW3672DDYLM3 NCL 5 G1LR KRB CL 461

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY             | LIST PRICE | DIMENSIONS                      |                                 |                                 |                                 |     | CARTONED CUBIC                  |          |      |
|--|-----------------------|-----------------|------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|-----|---------------------------------|----------|------|
|  |                       |                 |            | D                               | W                               | H                               | A                               | KW  | WEIGHT                          | FEET     |      |
| <b>DOUBLE PEDESTAL DESK</b><br><b>¾ PEDESTAL</b><br>  | WW3672DDYLM3          |                 | \$ 2264    | 36 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35% | 276 lbs.                        | 24.7     |      |
|  | consists of           |                 |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3672WSSDL           | Worksurface     | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3015PUBFM           | B/F Pedestal    | 2          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW7227MPM             | Overlay Modesty | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3027EPM             | End panel       | 2          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3066DDYLM3          |                 |            | \$ 2018                         | 30 <sup>3</sup> / <sub>16</sub> | 66                              | 28 <sup>1</sup> / <sub>16</sub> | —   | 35%                             | 250 lbs. | 24.3 |
|  | consists of           |                 |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3066WSSDL           | Worksurface     | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3015PUBFM           | B/F Pedestal    | 2          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW6627MPM             | Overlay Modesty | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3027EPM             | End panel       | 2          |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3060DDYLM3          |                 |            | \$ 1960                         | 30 <sup>3</sup> / <sub>16</sub> | 60                              | 28 <sup>1</sup> / <sub>16</sub> | —   | 29 <sup>1</sup> / <sub>16</sub> | 241 lbs. | 23.7 |
|  | consists of           |                 |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
|  | WW3060WSSDL           | Worksurface     | 1          |                                 |                                 |                                 |                                 |     |                                 |          |      |
| WW3015PUBFM  | B/F Pedestal          | 2               |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
| WW6027MPM  | Overlay Modesty       | 1               |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
| WW3027EPM  | End panel             | 2               |            |                                 |                                 |                                 |                                 |     |                                 |          |      |
| <ul style="list-style-type: none"> <li>• Assembly required</li> <li>• 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                       |                 |            |                                 |                                 |                                 |                                 |     |                                 |          |      |

|  |                 |                 |         |                                 |                                 |     |     |     |                                 |          |      |
|--|-----------------|-----------------|---------|---------------------------------|---------------------------------|-----|-----|-----|---------------------------------|----------|------|
| <b>DOUBLE PEDESTAL DESK</b><br><b>¾ PEDESTAL TFL</b><br>  | WW3672DDYLLM3   |                 | \$ 2119 | 36 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28% | —   | 35% | 276 lbs.                        | 24.7     |      |
|  | consists of     |                 |         |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3672WSSDLL    | Worksurface     | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3015PUBFM     | B/F Pedestal    | 2       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW7227MPM       | Overlay Modesty | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3027EPM       | End panel       | 2       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3066DDYLLM3   |                 |         | \$ 1919                         | 30 <sup>3</sup> / <sub>16</sub> | 66  | 28% | —   | 35%                             | 250 lbs. | 24.3 |
|  | consists of     |                 |         |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3066WSSDLL    | Worksurface     | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3015PUBFM     | B/F Pedestal    | 2       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW6627MPM       | Overlay Modesty | 1       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3027EPM       | End panel       | 2       |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3060DDYLLM3   |                 |         | \$ 1870                         | 30 <sup>3</sup> / <sub>16</sub> | 60  | 28% | —   | 29 <sup>1</sup> / <sub>16</sub> | 241 lbs. | 23.7 |
|  | consists of     |                 |         |                                 |                                 |     |     |     |                                 |          |      |
|  | WW3060WSSDLL    | Worksurface     | 1       |                                 |                                 |     |     |     |                                 |          |      |
| WW3015PUBFM  | B/F Pedestal    | 2               |         |                                 |                                 |     |     |     |                                 |          |      |
| WW6027MPM  | Overlay Modesty | 1               |         |                                 |                                 |     |     |     |                                 |          |      |
| WW3027EPM  | End panel       | 2               |         |                                 |                                 |     |     |     |                                 |          |      |
| <ul style="list-style-type: none"> <li>• Assembly required</li> <li>• 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                 |                 |         |                                 |                                 |     |     |     |                                 |          |      |

# WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

### SAMPLE MODEL NUMBER:

WW3672DLFLM1 NCL 5 G1LR KRB CL 461

- See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION       | QTY | LIST PRICE | DIMENSIONS                      |                                 |                                 |   |                                 | CARTONED CUBIC |      |
|---|-----------------------------|-----|------------|---------------------------------|---------------------------------|---------------------------------|---|---------------------------------|----------------|------|
|   |                             |     |            | D                               | W                               | H                               | A | KW                              | WEIGHT         | FEET |
| <b>SINGLE PEDESTAL DESK FULL PEDESTAL</b> | WW3672DLFLM1 Left           |     | \$ 1702    | 36 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 52 <sup>1</sup> / <sub>16</sub> | 219 lbs.       | 19.7 |
|   | WW3672DRFLM1 Right          |     | 1702       | 37 <sup>1</sup> / <sub>16</sub> | 72 <sup>1</sup> / <sub>16</sub> | 29 <sup>1</sup> / <sub>16</sub> | — | 52 <sup>1</sup> / <sub>16</sub> | 219 lbs.       | 19.7 |
|   | consists of                 |     |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3672WSSDL Worksurface     | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3015PUBBFM B/B/F Pedestal | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW5623MPM Kneespace Modesty | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3027EPM End Panel         | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3066DLFLM1 Left           |     | \$ 1463    | 30 <sup>3</sup> / <sub>16</sub> | 66                              | 28 <sup>1</sup> / <sub>16</sub> | — | 49 <sup>1</sup> / <sub>16</sub> | 193 lbs.       | 19.2 |
|   | WW3066DRFLM1 Right          |     | 1463       | 30 <sup>3</sup> / <sub>16</sub> | 66                              | 28 <sup>1</sup> / <sub>16</sub> | — | 49 <sup>1</sup> / <sub>16</sub> | 193 lbs.       | 19.2 |
|   | consists of                 |     |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3066WSSDL Worksurface     | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3015PUBBFM B/B/F Pedestal | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW5023MPM Kneespace Modesty | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3027EPM End Panel         | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3060DLFLM1 Left           |     | \$ 1408    | 30 <sup>3</sup> / <sub>16</sub> | 60                              | 28 <sup>1</sup> / <sub>16</sub> | — | —                               | 184 lbs.       | 18.6 |
|   | WW3060DRFLM1 Right          |     | 1408       | 30 <sup>3</sup> / <sub>16</sub> | 60                              | 28 <sup>1</sup> / <sub>16</sub> | — | —                               | 184 lbs.       | 18.6 |
|   | consists of                 |     |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3060WSSDL Worksurface     | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3015PUBBFM B/B/F Pedestal | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW4323MPM Kneespace Modesty | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3027EPM End Panel         | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3048DLFLM1 Left           |     | \$ 1305    | 30 <sup>3</sup> / <sub>16</sub> | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | —                               | 168 lbs.       | 17.7 |
|   | WW3048DRFLM1 Right          |     | 1305       | 30 <sup>3</sup> / <sub>16</sub> | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | —                               | 168 lbs.       | 17.7 |
|   | consists of                 |     |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3048WSSDL Worksurface     | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3015PUBBFM B/B/F Pedestal | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3223MPM Kneespace Modesty | 1   |            |                                 |                                 |                                 |   |                                 |                |      |
|   | WW3027EPM End Panel         | 1   |            |                                 |                                 |                                 |   |                                 |                |      |



Right Shown

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

### SAMPLE MODEL NUMBER:

WW3672DLFLLM1 NCL 5 G1LR KRB CL 461

- See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION | QTY               | LIST PRICE                      | DIMENSIONS                      |                                 |                                |   |                                 | CARTONED CUBIC |      |  |
|---|-----------------------|-------------------|---------------------------------|---------------------------------|---------------------------------|--------------------------------|---|---------------------------------|----------------|------|--|
|   |                       |                   |                                 | D                               | W                               | H                              | A | KW                              | WEIGHT         | FEET |  |
| <b>SINGLE PEDESTAL DESK</b><br><b>FULL PEDESTAL TFL</b><br><br>Right Shown | WW3672DLFLLM1         | Left              | \$ 1557                         | 36 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | 52 <sup>1</sup> / <sub>16</sub> | 219 lbs.       | 19.7 |  |
|   | WW3672DRFLLM1         | Right             | 1557                            | 37 <sup>1</sup> / <sub>16</sub> | 72 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | 52 <sup>1</sup> / <sub>16</sub> | 219 lbs.       | 19.7 |  |
|   | consists of           |                   |                                 |                                 |                                 |                                |   |                                 |                |      |  |
|   | WW3672WSSDLL          | Worksurface       | 1                               |                                 |                                 |                                |   |                                 |                |      |  |
|   | WW3015PUBBFM          | B/B/F Pedestal    | 1                               |                                 |                                 |                                |   |                                 |                |      |  |
|   | WW5623MPM             | Kneespace Modesty | 1                               |                                 |                                 |                                |   |                                 |                |      |  |
|   | WW3027EPM             | End Panel         | 1                               |                                 |                                 |                                |   |                                 |                |      |  |
|   | WW3066DLFLLM1         | Left              | \$ 1364                         | 30 <sup>3</sup> / <sub>16</sub> | 66                              | 28 <sup>7</sup> / <sub>8</sub> | — | 49 <sup>1</sup> / <sub>16</sub> | 193 lbs.       | 19.2 |  |
|   | WW3066DRFLLM1         | Right             | 1364                            | 30 <sup>3</sup> / <sub>16</sub> | 66                              | 28 <sup>7</sup> / <sub>8</sub> | — | 49 <sup>1</sup> / <sub>16</sub> | 193 lbs.       | 19.2 |  |
|   | consists of           |                   |                                 |                                 |                                 |                                |   |                                 |                |      |  |
|   | WW3066WSSDLL          | Worksurface       | 1                               |                                 |                                 |                                |   |                                 |                |      |  |
|   | WW3015PUBBFM          | B/B/F Pedestal    | 1                               |                                 |                                 |                                |   |                                 |                |      |  |
|   | WW5023MPM             | Kneespace Modesty | 1                               |                                 |                                 |                                |   |                                 |                |      |  |
|   | WW3027EPM             | End Panel         | 1                               |                                 |                                 |                                |   |                                 |                |      |  |
|   | WW3060DLFLLM1         | Left              | \$ 1318                         | 30 <sup>3</sup> / <sub>16</sub> | 60                              | 28 <sup>7</sup> / <sub>8</sub> | — | —                               | 184 lbs.       | 18.6 |  |
|   | WW3060DRFLLM1         | Right             | 1318                            | 30 <sup>3</sup> / <sub>16</sub> | 60                              | 28 <sup>7</sup> / <sub>8</sub> | — | —                               | 184 lbs.       | 18.6 |  |
|   | consists of           |                   |                                 |                                 |                                 |                                |   |                                 |                |      |  |
|   | WW3060WSSDLL          | Worksurface       | 1                               |                                 |                                 |                                |   |                                 |                |      |  |
| WW3015PUBBFM  | B/B/F Pedestal        | 1                 |                                 |                                 |                                 |                                |   |                                 |                |      |  |
| WW4323MPM   | Kneespace Modesty     | 1                 |                                 |                                 |                                 |                                |   |                                 |                |      |  |
| WW3027EPM   | End Panel             | 1                 |                                 |                                 |                                 |                                |   |                                 |                |      |  |
| WW3048DLFLLM1   | Left                  | \$ 1229           | 30 <sup>3</sup> / <sub>16</sub> | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub>  | —                              | — | 168 lbs.                        | 17.7           |      |  |
| WW3048DRFLLM1   | Right                 | 1229              | 30 <sup>3</sup> / <sub>16</sub> | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub>  | —                              | — | 168 lbs.                        | 17.7           |      |  |
| consists of   |                       |                   |                                 |                                 |                                 |                                |   |                                 |                |      |  |
| WW3048WSSDLL  | Worksurface           | 1                 |                                 |                                 |                                 |                                |   |                                 |                |      |  |
| WW3015PUBBFM  | B/B/F Pedestal        | 1                 |                                 |                                 |                                 |                                |   |                                 |                |      |  |
| WW3223MPM   | Kneespace Modesty     | 1                 |                                 |                                 |                                 |                                |   |                                 |                |      |  |
| WW3027EPM   | End Panel             | 1                 |                                 |                                 |                                 |                                |   |                                 |                |      |  |

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

# WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

### SAMPLE MODEL NUMBER:

WW3672DLYLM3 NTF 7MB G1A KS1B TF 405

- See pages 535-536 for all options available in WaveWorks Metal

|                             | MODEL NO./DESCRIPTION | QTY             | LIST PRICE | DIMENSIONS                      |                                 |                                 |   |                                 | CARTONED WEIGHT | CUBIC FEET |
|-----------------------------|-----------------------|-----------------|------------|---------------------------------|---------------------------------|---------------------------------|---|---------------------------------|-----------------|------------|
|                             |                       |                 |            | D                               | W                               | H                               | A | KW                              |                 |            |
| <b>SINGLE PEDESTAL DESK</b> | WW3672DLYLM3          | Left            | \$ 1878    | 36 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 52 <sup>1</sup> / <sub>16</sub> | 230 lbs.        | 16.4       |
| <b>¾ PEDESTAL</b>           | WW3672DRYLM3          | Right           | 1878       | 37 <sup>1</sup> / <sub>16</sub> | 72 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 52 <sup>1</sup> / <sub>16</sub> | 230 lbs.        | 16.4       |
|                             | consists of           |                 |            |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3672WSSDL           | Worksurface     | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3015PUBFM           | B/F Pedestal    | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW7227MPM             | Overlay Modesty | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3027EPM             | End Panel       | 2          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3066DLYLM3          | Left            | \$ 1632    | 30 <sup>3</sup> / <sub>16</sub> | 66                              | 28 <sup>1</sup> / <sub>16</sub> | — | 49 <sup>1</sup> / <sub>16</sub> | 174 lbs.        | 15.0       |
|                             | WW3066DRYLM3          | Right           | 1632       | 30 <sup>3</sup> / <sub>16</sub> | 66                              | 28 <sup>1</sup> / <sub>16</sub> | — | 49 <sup>1</sup> / <sub>16</sub> | 174 lbs.        | 15.0       |
|                             | consists of           |                 |            |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3066WSSDL           | Worksurface     | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3015PUBFM           | B/F Pedestal    | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW6627MPM             | Overlay Modesty | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3027EPM             | End Panel       | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3060DLYLM3          | Left            | \$ 1574    | 30 <sup>3</sup> / <sub>16</sub> | 60                              | 28 <sup>1</sup> / <sub>16</sub> | — | —                               | 195 lbs.        | 15.4       |
|                             | WW3060DRYLM3          | Right           | 1574       | 30 <sup>3</sup> / <sub>16</sub> | 60                              | 28 <sup>1</sup> / <sub>16</sub> | — | —                               | 195 lbs.        | 15.4       |
|                             | consists of           |                 |            |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3060WSSDL           | Worksurface     | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3015PUBFM           | B/F Pedestal    | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW6027MPM             | Overlay Modesty | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3027EPM             | End Panel       | 2          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3048DLYLM3          | Left            | \$ 1494    | 30 <sup>3</sup> / <sub>16</sub> | 48 <sup>7</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | —                               | 178 lbs.        | 14.4       |
|                             | WW3048DRYLM3          | Right           | 1494       | 30 <sup>3</sup> / <sub>16</sub> | 48 <sup>7</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | —                               | 178 lbs.        | 14.4       |
|                             | consists of           |                 |            |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3048WSSDL           | Worksurface     | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3015PUBFM           | B/F Pedestal    | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW4827MPM             | Overlay Modesty | 1          |                                 |                                 |                                 |   |                                 |                 |            |
|                             | WW3027EPM             | End Panel       | 2          |                                 |                                 |                                 |   |                                 |                 |            |



Right Shown

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

### SAMPLE MODEL NUMBER:

WW3672DLYLLM3 NTF 7MB G1A KS1B TF 405

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY             | LIST PRICE                      | DIMENSIONS                      |                                 |                                |   |                                 | CARTONED CUBIC |          |      |
|--|-----------------------|-----------------|---------------------------------|---------------------------------|---------------------------------|--------------------------------|---|---------------------------------|----------------|----------|------|
|  |                       |                 |                                 | D                               | W                               | H                              | A | KW                              | WEIGHT         | FEET     |      |
| <b>SINGLE PEDESTAL DESK</b><br><b>¾ PEDESTAL TFL</b><br><br>Right Shown | WW3672DLYLLM3         | Left            | \$ 1733                         | 36 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | 52 <sup>1</sup> / <sub>16</sub> | 230 lbs.       | 16.4     |      |
|  | WW3672DRYLLM3         | Right           | 1733                            | 37 <sup>1</sup> / <sub>16</sub> | 72 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | 52 <sup>1</sup> / <sub>16</sub> | 230 lbs.       | 16.4     |      |
|  | consists of           |                 |                                 |                                 |                                 |                                |   |                                 |                |          |      |
|  | WW3672WSSDLL          | Worksurface     | 1                               |                                 |                                 |                                |   |                                 |                |          |      |
|  | WW3015PUBFM           | B/F Pedestal    | 1                               |                                 |                                 |                                |   |                                 |                |          |      |
|  | WW7227MPM             | Overlay Modesty | 1                               |                                 |                                 |                                |   |                                 |                |          |      |
|  | WW3027EPM             | End Panel       | 2                               |                                 |                                 |                                |   |                                 |                |          |      |
|  | WW3066DLYLLM3         | Left            | \$ 1533                         | 30 <sup>3</sup> / <sub>16</sub> | 66                              | 28 <sup>7</sup> / <sub>8</sub> | — | 49 <sup>1</sup> / <sub>16</sub> | 174 lbs.       | 15.0     |      |
|  | WW3066DRYLLM3         | Right           | 1533                            | 30 <sup>3</sup> / <sub>16</sub> | 66                              | 28 <sup>7</sup> / <sub>8</sub> | — | 49 <sup>1</sup> / <sub>16</sub> | 174 lbs.       | 15.0     |      |
|  | consists of           |                 |                                 |                                 |                                 |                                |   |                                 |                |          |      |
|  | WW3066WSSDLL          | Worksurface     | 1                               |                                 |                                 |                                |   |                                 |                |          |      |
|  | WW3015PUBFM           | B/F Pedestal    | 1                               |                                 |                                 |                                |   |                                 |                |          |      |
|  | WW6627MPM             | Overlay Modesty | 1                               |                                 |                                 |                                |   |                                 |                |          |      |
|  | WW3027EPM             | End Panel       | 1                               |                                 |                                 |                                |   |                                 |                |          |      |
|  | WW3060DLYLLM3         | Left            | \$ 1484                         | 30 <sup>3</sup> / <sub>16</sub> | 60                              | 28 <sup>7</sup> / <sub>8</sub> | — | —                               | —              | 195 lbs. | 15.4 |
|  | WW3060DRYLLM3         | Right           | 1484                            | 30 <sup>3</sup> / <sub>16</sub> | 60                              | 28 <sup>7</sup> / <sub>8</sub> | — | —                               | —              | 195 lbs. | 15.4 |
|  | consists of           |                 |                                 |                                 |                                 |                                |   |                                 |                |          |      |
|  | WW3060WSSDLL          | Worksurface     | 1                               |                                 |                                 |                                |   |                                 |                |          |      |
| WW3015PUBFM  | B/F Pedestal          | 1               |                                 |                                 |                                 |                                |   |                                 |                |          |      |
| WW6027MPM  | Overlay Modesty       | 1               |                                 |                                 |                                 |                                |   |                                 |                |          |      |
| WW3027EPM  | End Panel             | 2               |                                 |                                 |                                 |                                |   |                                 |                |          |      |
| WW3048DLYLLM3  | Left                  | \$ 1418         | 30 <sup>3</sup> / <sub>16</sub> | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub>  | —                              | — | —                               | 178 lbs.       | 14.4     |      |
| WW3048DRYLLM3  | Right                 | 1418            | 30 <sup>3</sup> / <sub>16</sub> | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub>  | —                              | — | —                               | 178 lbs.       | 14.4     |      |
| consists of  |                       |                 |                                 |                                 |                                 |                                |   |                                 |                |          |      |
| WW3048WSSDLL   | Worksurface           | 1               |                                 |                                 |                                 |                                |   |                                 |                |          |      |
| WW3015PUBFM  | B/F Pedestal          | 1               |                                 |                                 |                                 |                                |   |                                 |                |          |      |
| WW4827MPM  | Overlay Modesty       | 1               |                                 |                                 |                                 |                                |   |                                 |                |          |      |
| WW3027EPM  | End Panel             | 2               |                                 |                                 |                                 |                                |   |                                 |                |          |      |

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

## WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW3672DULM V478 X 478 480

- See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION | QTY           | LIST PRICE | DIMENSIONS                      |                                 |                                 |                                 |    | CARTONED WEIGHT | CUBIC FEET |     |
|---|-----------------------|---------------|------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----|-----------------|------------|-----|
|   |                       |               |            | D                               | W                               | H                               | A                               | KW |                 |            |     |
| <b>U-SHAPE DESK</b><br> | WW3672DULM            |               | \$ 1269    | 36 <sup>1</sup> / <sub>16</sub> | 72                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | —  | 126 lbs.        | 5.3        |     |
|   | consists of           |               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
|   | WW3672WSUDL           | Worksurface   | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|   | WW3627EPM             | End Panel     | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|   | WW1227SSM             | Support Panel | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|   | WW3072DULM            |               |            | \$ 1049                         | 30 <sup>1</sup> / <sub>16</sub> | 72                              | 28 <sup>1</sup> / <sub>16</sub> | —  | —               | 116 lbs.   | 5.0 |
|   | consists of           |               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
|   | WW3072WSUDL           | Worksurface   | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|   | WW3027EPM             | End Panel     | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|   | WW1227SSM             | Support Panel | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|   | WW3066DULM            |               |            | \$ 980                          | 30 <sup>1</sup> / <sub>16</sub> | 65 <sup>3</sup> / <sub>4</sub>  | 28 <sup>1</sup> / <sub>16</sub> | —  | —               | 110 lbs.   | 4.7 |
|   | consists of           |               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
|   | WW3066WSUDL           | Worksurface   | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|   | WW3027EPM             | End Panel     | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|   | WW1227SSM             | Support Panel | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW2460DULM  |                       |               | \$ 839     | 24                              | 60                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | —  | 104 lbs.        | 4.0        |     |
| consists of   |                       |               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW2460WSUDL   | Worksurface           | 1             |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW2427EPM   | End Panel             | 1             |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW1227SSM   | Support Panel         | 1             |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW2448DULM  |                       |               | \$ 784     | 24                              | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | —  | 97 lbs.         | 4.2        |     |
| consists of   |                       |               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW2448WSUDL   | Worksurface           | 1             |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW2427EPM   | End Panel             | 1             |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW1227SSM   | Support Panel         | 1             |            |                                 |                                 |                                 |                                 |    |                 |            |     |

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 645-648 for support base options
- Assembly required



## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW3672DULLM V478 X 478 480

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY           | LIST PRICE | DIMENSIONS        |                   |                  |                  |    | CARTONED WEIGHT | CUBIC FEET |     |
|--|-----------------------|---------------|------------|-------------------|-------------------|------------------|------------------|----|-----------------|------------|-----|
|  |                       |               |            | D                 | W                 | H                | A                | KW |                 |            |     |
| <b>U-SHAPE DESK</b><br><b>TFL</b><br> | WW3672DULLM           |               | \$ 1105    | 36 $\frac{1}{16}$ | 72                | 28 $\frac{3}{8}$ | –                | –  | 126 lbs.        | 5.3        |     |
|  | consists of           |               |            |                   |                   |                  |                  |    |                 |            |     |
|  | WW3672WSUDLL          | Worksurface   | 1          |                   |                   |                  |                  |    |                 |            |     |
|  | WW3627EPM             | End Panel     | 1          |                   |                   |                  |                  |    |                 |            |     |
|  | WW1227SSM             | Support Panel | 1          |                   |                   |                  |                  |    |                 |            |     |
|  | WW3072DULLM           |               |            | \$ 923            | 30 $\frac{1}{16}$ | 72               | 28 $\frac{3}{8}$ | –  | –               | 116 lbs.   | 5.0 |
|  | consists of           |               |            |                   |                   |                  |                  |    |                 |            |     |
|  | WW3072WSUDLL          | Worksurface   | 1          |                   |                   |                  |                  |    |                 |            |     |
|  | WW3027EPM             | End Panel     | 1          |                   |                   |                  |                  |    |                 |            |     |
|  | WW1227SSM             | Support Panel | 1          |                   |                   |                  |                  |    |                 |            |     |
|  | WW3066DULLM           |               |            | \$ 867            | 30 $\frac{1}{16}$ | 65 $\frac{3}{4}$ | 28 $\frac{3}{8}$ | –  | –               | 110 lbs.   | 4.7 |
|  | consists of           |               |            |                   |                   |                  |                  |    |                 |            |     |
|  | WW3066WSUDLL          | Worksurface   | 1          |                   |                   |                  |                  |    |                 |            |     |
| WW3027EPM  | End Panel             | 1             |            |                   |                   |                  |                  |    |                 |            |     |
| WW1227SSM  | Support Panel         | 1             |            |                   |                   |                  |                  |    |                 |            |     |
| WW2460DULLM  |                       |               | \$ 749     | 24                | 60                | 28 $\frac{3}{8}$ | –                | –  | 104 lbs.        | 4.0        |     |
| consists of  |                       |               |            |                   |                   |                  |                  |    |                 |            |     |
| WW2460WSUDLL   | Worksurface           | 1             |            |                   |                   |                  |                  |    |                 |            |     |
| WW2427EPM  | End Panel             | 1             |            |                   |                   |                  |                  |    |                 |            |     |
| WW1227SSM  | Support Panel         | 1             |            |                   |                   |                  |                  |    |                 |            |     |
| WW2448DULLM  |                       |               | \$ 705     | 24                | 48 $\frac{1}{16}$ | 28 $\frac{3}{8}$ | –                | –  | 97 lbs.         | 4.2        |     |
| consists of  |                       |               |            |                   |                   |                  |                  |    |                 |            |     |
| WW2448WSUDLL   | Worksurface           | 1             |            |                   |                   |                  |                  |    |                 |            |     |
| WW2427EPM  | End Panel             | 1             |            |                   |                   |                  |                  |    |                 |            |     |
| WW1227SSM  | Support Panel         | 1             |            |                   |                   |                  |                  |    |                 |            |     |

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 645-648 for support base options
- Assembly required

## WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW3672DUFLM V478 X 478 480

- See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION | QTY               | LIST PRICE | DIMENSIONS        |                   |                   |                   |    | CARTONED WEIGHT | CUBIC FEET |     |
|---|-----------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|----|-----------------|------------|-----|
|   |                       |                   |            | D                 | W                 | H                 | A                 | KW |                 |            |     |
| <b>U-SHAPE DESK WITH MODESTY</b><br>  | WW3672DUFLM           |                   | \$ 1303    | 36 $\frac{1}{16}$ | 72                | 28 $\frac{1}{16}$ | —                 | —  | 134 lbs.        | 6.5        |     |
|   | consists of           |                   |            |                   |                   |                   |                   |    |                 |            |     |
|   | WW3672WSUDL           | Worksurface       | 1          |                   |                   |                   |                   |    |                 |            |     |
|   | WW3627EPM             | End Panel         | 1          |                   |                   |                   |                   |    |                 |            |     |
|   | WW5323MPM             | Kneespace Modesty | 1          |                   |                   |                   |                   |    |                 |            |     |
|   | WW3072DUFLM           |                   |            | \$ 1083           | 30 $\frac{1}{16}$ | 72                | 28 $\frac{1}{16}$ | —  | —               | 124 lbs.   | 6.2 |
|   | consists of           |                   |            |                   |                   |                   |                   |    |                 |            |     |
|   | WW3072WSUDL           | Worksurface       | 1          |                   |                   |                   |                   |    |                 |            |     |
|   | WW3027EPM             | End Panel         | 1          |                   |                   |                   |                   |    |                 |            |     |
|   | WW5323MPM             | Kneespace Modesty | 1          |                   |                   |                   |                   |    |                 |            |     |
| WW3066DUFLM   |                       |                   | \$ 1012    | 30 $\frac{1}{16}$ | 65 $\frac{3}{4}$  | 28 $\frac{1}{16}$ | —                 | —  | 116 lbs.        | 5.7        |     |
| consists of   |                       |                   |            |                   |                   |                   |                   |    |                 |            |     |
| WW3066WSUDL   | Worksurface           | 1                 |            |                   |                   |                   |                   |    |                 |            |     |
| WW3027EPM   | End Panel             | 1                 |            |                   |                   |                   |                   |    |                 |            |     |
| WW4723MPM   | Kneespace Modesty     | 1                 |            |                   |                   |                   |                   |    |                 |            |     |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• 3" or 4" support base must be ordered separately; see pages 645-648 for support base options</li> <li>• Assembly required</li> <li>• Non-defacing column kit WWSBNDF must be ordered separately; see page 578</li> </ul> |                       |                   |            |                   |                   |                   |                   |    |                 |            |     |

|   |                   |                   |         |                   |                   |                  |                  |   |          |          |     |
|---|-------------------|-------------------|---------|-------------------|-------------------|------------------|------------------|---|----------|----------|-----|
| <b>U-SHAPE DESK WITH MODESTY TFL</b><br>  | WW3672DUFLLM      |                   | \$ 1139 | 36 $\frac{1}{16}$ | 72                | 28 $\frac{1}{8}$ | —                | — | 134 lbs. | 6.5      |     |
|   | consists of       |                   |         |                   |                   |                  |                  |   |          |          |     |
|   | WW3672WSUDLL      | Worksurface       | 1       |                   |                   |                  |                  |   |          |          |     |
|   | WW3627EPM         | End Panel         | 1       |                   |                   |                  |                  |   |          |          |     |
|   | WW5323MPM         | Kneespace Modesty | 1       |                   |                   |                  |                  |   |          |          |     |
|   | WW3072DUFLLM      |                   |         | \$ 957            | 30 $\frac{1}{16}$ | 72               | 28 $\frac{1}{8}$ | — | —        | 124 lbs. | 6.2 |
|   | consists of       |                   |         |                   |                   |                  |                  |   |          |          |     |
|   | WW3072WSUDLL      | Worksurface       | 1       |                   |                   |                  |                  |   |          |          |     |
|   | WW3027EPM         | End Panel         | 1       |                   |                   |                  |                  |   |          |          |     |
|   | WW5323MPM         | Kneespace Modesty | 1       |                   |                   |                  |                  |   |          |          |     |
| WW3066DUFLLM  |                   |                   | \$ 899  | 30 $\frac{1}{16}$ | 65 $\frac{3}{4}$  | 28 $\frac{1}{8}$ | —                | — | 116 lbs. | 5.7      |     |
| consists of   |                   |                   |         |                   |                   |                  |                  |   |          |          |     |
| WW3066WSUDLL  | Worksurface       | 1                 |         |                   |                   |                  |                  |   |          |          |     |
| WW3027EPM   | End Panel         | 1                 |         |                   |                   |                  |                  |   |          |          |     |
| WW4723MPM   | Kneespace Modesty | 1                 |         |                   |                   |                  |                  |   |          |          |     |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• 3" or 4" support base must be ordered separately; see pages 645-648 for support base options</li> <li>• Assembly required</li> <li>• Non-defacing column kit WWSBNDF must be ordered separately; see page 578</li> </ul> |                   |                   |         |                   |                   |                  |                  |   |          |          |     |

## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW3072DPLLM V405 X 405 461

- See pages 535-536 for all options available in WaveWorks Metal


|                     | MODEL NO./DESCRIPTION       | QTY | LIST PRICE | DIMENSIONS        |    |                   |   |    | CARTONED WEIGHT | CUBIC FEET |
|---------------------|-----------------------------|-----|------------|-------------------|----|-------------------|---|----|-----------------|------------|
|                     |                             |     |            | D                 | W  | H                 | A | KW |                 |            |
| <b>P-SHAPE DESK</b> | WW3072DPLLM Left            |     | \$ 1506    | 30 $\frac{1}{16}$ | 72 | 28 $\frac{1}{16}$ | — | —  | 109 lbs.        | 5.0        |
|                     | WW3072DPRLM Right           |     | 1506       | 30 $\frac{1}{16}$ | 72 | 28 $\frac{1}{16}$ | — | —  | 109 lbs.        | 5.0        |
|                     | consists of                 |     |            |                   |    |                   |   |    |                 |            |
|                     | WW3072WSPDLL/RL Worksurface | 1   |            |                   |    |                   |   |    |                 |            |
|                     | WW3027EPM End Panel         | 1   |            |                   |    |                   |   |    |                 |            |
|                     | WW1227SSM Support Panel     | 1   |            |                   |    |                   |   |    |                 |            |



Left shown

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 645-648 for support base options
- Assembly required


|                         |                               |   |         |                   |    |                   |   |   |          |     |
|-------------------------|-------------------------------|---|---------|-------------------|----|-------------------|---|---|----------|-----|
| <b>P-SHAPE DESK TFL</b> | WW3072DPLLLM Left             |   | \$ 1288 | 30 $\frac{1}{16}$ | 72 | 28 $\frac{1}{16}$ | — | — | 109 lbs. | 5.0 |
|                         | WW3072DPRLM Right             |   | 1288    | 30 $\frac{1}{16}$ | 72 | 28 $\frac{1}{16}$ | — | — | 109 lbs. | 5.0 |
|                         | consists of                   |   |         |                   |    |                   |   |   |          |     |
|                         | WW3072WSPDLLL/RLL Worksurface | 1 |         |                   |    |                   |   |   |          |     |
|                         | WW3027EPM End Panel           | 1 |         |                   |    |                   |   |   |          |     |
|                         | WW1227SSM Support Panel       | 1 |         |                   |    |                   |   |   |          |     |



Left shown

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 645-648 for support base options
- Assembly required


|                                  |                             |   |         |                   |    |                   |   |   |          |     |
|----------------------------------|-----------------------------|---|---------|-------------------|----|-------------------|---|---|----------|-----|
| <b>P-SHAPE DESK WITH MODESTY</b> | WW3072DPLFLM Left           |   | \$ 1540 | 30 $\frac{1}{16}$ | 72 | 28 $\frac{1}{16}$ | — | — | 117 lbs. | 6.2 |
|                                  | WW3072DPRFLM Right          |   | 1540    | 30 $\frac{1}{16}$ | 72 | 28 $\frac{1}{16}$ | — | — | 117 lbs. | 6.2 |
|                                  | consists of                 |   |         |                   |    |                   |   |   |          |     |
|                                  | WW3072WSPDLL/RL Worksurface | 1 |         |                   |    |                   |   |   |          |     |
|                                  | WW3027EPM End Panel         | 1 |         |                   |    |                   |   |   |          |     |
|                                  | WW5323MPM Kneespace Modesty | 1 |         |                   |    |                   |   |   |          |     |



Left shown

- Not recommended as a freestanding unit
- 3" or 4" support base must be ordered separately; see pages 645-648 for support base options
- Assembly required
- Non-defacing column kit WWSBNDF must be ordered separately; see page 578

|                                      |                               |   |         |                   |    |                   |   |   |          |     |
|--------------------------------------|-------------------------------|---|---------|-------------------|----|-------------------|---|---|----------|-----|
| <b>P-SHAPE DESK WITH MODESTY TFL</b> | WW3072DPLFLLM Left            |   | \$ 1322 | 30 $\frac{1}{16}$ | 72 | 28 $\frac{1}{16}$ | — | — | 117 lbs. | 6.2 |
|                                      | WW3072DPRFLLM Right           |   | 1322    | 30 $\frac{1}{16}$ | 72 | 28 $\frac{1}{16}$ | — | — | 117 lbs. | 6.2 |
|                                      | consists of                   |   |         |                   |    |                   |   |   |          |     |
|                                      | WW3072WSPDLLL/RLL Worksurface | 1 |         |                   |    |                   |   |   |          |     |
|                                      | WW3027EPM End Panel           | 1 |         |                   |    |                   |   |   |          |     |
|                                      | WW5323MPM Kneespace Modesty   | 1 |         |                   |    |                   |   |   |          |     |



Left shown

- Not recommended as a freestanding unit
- 3" or 4" support base must be ordered separately; see pages 645-648 for support base options
- Assembly required
- Non-defacing column kit WWSBNDF must be ordered separately; see page 578

# WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately



### TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW4242CFSLM3 V405 G1C 405 461

- See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION | QTY                  | LIST PRICE | DIMENSIONS                      |                                 |                                 |                                 |    | CARTONED CUBIC |          |     |
|---|-----------------------|----------------------|------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----|----------------|----------|-----|
|   |                       |                      |            | D                               | W                               | H                               | A                               | KW | WEIGHT         | FEET     |     |
| <b>CORNER UNIT</b><br>  | WW4242CFSLM3          |                      | \$ 1520    | 42 <sup>1</sup> / <sub>16</sub> | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | —  | 111 lbs.       | 8.0      |     |
|   | consists of           |                      |            |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW4242WSCSDL3         | Worksurface          | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW0827SPM             | Corner post          | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW2923MPM             | Kneespace Modesty    | 2          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW0827SRM             | Return Support Panel | 2          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW4242CFSLM2          |                      |            | \$ 1450                         | 42 <sup>1</sup> / <sub>16</sub> | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —  | —              | 111 lbs. | 8.0 |
|   | consists of           |                      |            |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW4242WSCSDL2         | Worksurface          | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW0827SPM             | Corner post          | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW2923MPM             | Kneespace Modesty    | 2          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW0827SRM             | Return Support Panel | 2          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW3636CFSLM2          |                      |            | \$ 1382                         | 36 <sup>1</sup> / <sub>16</sub> | 36 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —  | —              | 91 lbs.  | 7.6 |
|   | consists of           |                      |            |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW3636WSCSDL2         | Worksurface          | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
| WW0827SPM   | Corner post           | 1                    |            |                                 |                                 |                                 |                                 |    |                |          |     |
| WW2323MPM   | Kneespace Modesty     | 2                    |            |                                 |                                 |                                 |                                 |    |                |          |     |
| WW0827SRM   | Return Support Panel  | 2                    |            |                                 |                                 |                                 |                                 |    |                |          |     |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Models ending in 3 must be connected to 30" deep worksurface</li> <li>• Models ending in 2 must be connected to 24" deep worksurface</li> <li>• Assembly required</li> </ul> |                       |                      |            |                                 |                                 |                                 |                                 |    |                |          |     |
| <b>CORNER UNIT TFL</b><br>  | WW4242CFSLM3          |                      | \$ 1369    | 42 <sup>1</sup> / <sub>16</sub> | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>3</sup> / <sub>16</sub> | —                               | —  | 111 lbs.       | 8.0      |     |
|   | consists of           |                      |            |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW4242WSCDLL3         | Worksurface          | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW0827SPM             | Corner post          | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW2923MPM             | Kneespace Modesty    | 2          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW0827SRM             | Return Support Panel | 2          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW4242CFSLM2          |                      |            | \$ 1314                         | 42 <sup>1</sup> / <sub>16</sub> | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>3</sup> / <sub>16</sub> | —  | —              | 111 lbs. | 8.0 |
|   | consists of           |                      |            |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW4242WSCDLL2         | Worksurface          | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW0827SPM             | Corner post          | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW2923MPM             | Kneespace Modesty    | 2          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW0827SRM             | Return Support Panel | 2          |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW3636CFSLM2          |                      |            | \$ 1257                         | 36 <sup>1</sup> / <sub>16</sub> | 36 <sup>1</sup> / <sub>16</sub> | 28 <sup>3</sup> / <sub>16</sub> | —  | —              | 91 lbs.  | 7.6 |
|   | consists of           |                      |            |                                 |                                 |                                 |                                 |    |                |          |     |
|   | WW3636WSCDLL2         | Worksurface          | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
| WW0827SPM   | Corner post           | 1                    |            |                                 |                                 |                                 |                                 |    |                |          |     |
| WW2323MPM   | Kneespace Modesty     | 2                    |            |                                 |                                 |                                 |                                 |    |                |          |     |
| WW0827SRM   | Return Support Panel  | 2                    |            |                                 |                                 |                                 |                                 |    |                |          |     |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Models ending in 3 must be connected to 30" deep worksurface</li> <li>• Models ending in 2 must be connected to 24" deep worksurface</li> <li>• Assembly required</li> </ul> |                       |                      |            |                                 |                                 |                                 |                                 |    |                |          |     |

## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW3672CFELLM2 V405 G1C 405 461

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION       | QTY                  | LIST PRICE | DIMENSIONS                      |    |                                 |   |    | CARTONED WEIGHT | CUBIC FEET |
|--|-----------------------------|----------------------|------------|---------------------------------|----|---------------------------------|---|----|-----------------|------------|
|  |                             |                      |            | D                               | W  | H                               | A | KW |                 |            |
|   | <b>EXTENDED CORNER UNIT</b> |                      |            |                                 |    |                                 |   |    |                 |            |
|  | WW3672CFELLM2               | Left                 | \$ 1950    | 35 <sup>1</sup> / <sub>16</sub> | 72 | 28 <sup>1</sup> / <sub>16</sub> | — | —  | 173 lbs.        | 8.3        |
|  | WW3672CFERLM2               | Right                | 1950       | 35 <sup>1</sup> / <sub>16</sub> | 72 | 28 <sup>1</sup> / <sub>16</sub> | — | —  | 173 lbs.        | 8.3        |
|  | consists of                 |                      |            |                                 |    |                                 |   |    |                 |            |
|  | WW3672WSCEDLL2/RL2          | Worksurface          | 1          |                                 |    |                                 |   |    |                 |            |
|  | WW2427EPM                   | End Panel            | 1          |                                 |    |                                 |   |    |                 |            |
|  | WW3627EPM                   | End Panel            | 1          |                                 |    |                                 |   |    |                 |            |
|  | WW7023MPM                   | Kneespace Modesty    | 1          |                                 |    |                                 |   |    |                 |            |
|  | WW0827SRM                   | Return Support Panel | 1          |                                 |    |                                 |   |    |                 |            |
|  | WW3666CFELLM2               | Left                 | \$ 1880    | 35 <sup>3</sup> / <sub>16</sub> | 66 | 28 <sup>1</sup> / <sub>16</sub> | — | —  | 164 lbs.        | 7.8        |
|  | WW3666CFERLM2               | Right                | 1880       | 35 <sup>3</sup> / <sub>16</sub> | 66 | 28 <sup>1</sup> / <sub>16</sub> | — | —  | 164 lbs.        | 7.8        |
|  | consists of                 |                      |            |                                 |    |                                 |   |    |                 |            |
|  | WW3666WSCEDLL2/RL2          | Worksurface          | 1          |                                 |    |                                 |   |    |                 |            |
|  | WW2427EPM                   | End Panel            | 1          |                                 |    |                                 |   |    |                 |            |
| WW3627EPM  | End Panel                   | 1                    |            |                                 |    |                                 |   |    |                 |            |
| WW6423MPM  | Kneespace Modesty           | 1                    |            |                                 |    |                                 |   |    |                 |            |
| WW0827SRM  | Return Support Panel        | 1                    |            |                                 |    |                                 |   |    |                 |            |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Must be connected to 24" deep worksurface</li> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> </ul> |                             |                      |            |                                 |    |                                 |   |    |                 |            |

|  | MODEL NO./DESCRIPTION           | QTY                  | LIST PRICE | DIMENSIONS                      |    |     |   |    | CARTONED WEIGHT | CUBIC FEET |
|--|---------------------------------|----------------------|------------|---------------------------------|----|-----|---|----|-----------------|------------|
|  |                                 |                      |            | D                               | W  | H   | A | KW |                 |            |
|   | <b>EXTENDED CORNER UNIT TFL</b> |                      |            |                                 |    |     |   |    |                 |            |
|  | WW3672CFELLLM2                  | Left                 | \$ 1726    | 35 <sup>1</sup> / <sub>16</sub> | 72 | 28% | — | —  | 173 lbs.        | 8.3        |
|  | WW3672CFERLLM2                  | Right                | 1726       | 35 <sup>1</sup> / <sub>16</sub> | 72 | 28% | — | —  | 173 lbs.        | 8.3        |
|  | consists of                     |                      |            |                                 |    |     |   |    |                 |            |
|  | WW3672WSCEDLLL2/RLL2            | Worksurface          | 1          |                                 |    |     |   |    |                 |            |
|  | WW2427EPM                       | End Panel            | 1          |                                 |    |     |   |    |                 |            |
|  | WW3627EPM                       | End Panel            | 1          |                                 |    |     |   |    |                 |            |
|  | WW7023MPM                       | Kneespace Modesty    | 1          |                                 |    |     |   |    |                 |            |
|  | WW0827SRM                       | Return Support Panel | 1          |                                 |    |     |   |    |                 |            |
|  | WW3666CFELLLM2                  | Left                 | \$ 1667    | 35 <sup>3</sup> / <sub>16</sub> | 66 | 28% | — | —  | 164 lbs.        | 7.8        |
|  | WW3666CFERLLM2                  | Right                | 1667       | 35 <sup>3</sup> / <sub>16</sub> | 66 | 28% | — | —  | 164 lbs.        | 7.8        |
|  | consists of                     |                      |            |                                 |    |     |   |    |                 |            |
|  | WW3666WSCEDLLL2/RLL2            | Worksurface          | 1          |                                 |    |     |   |    |                 |            |
|  | WW2427EPM                       | End Panel            | 1          |                                 |    |     |   |    |                 |            |
| WW3627EPM  | End Panel                       | 1                    |            |                                 |    |     |   |    |                 |            |
| WW6423MPM  | Kneespace Modesty               | 1                    |            |                                 |    |     |   |    |                 |            |
| WW0827SRM  | Return Support Panel            | 1                    |            |                                 |    |     |   |    |                 |            |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Must be connected to 24" deep worksurface</li> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> </ul> |                                 |                      |            |                                 |    |     |   |    |                 |            |

## WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

### SAMPLE MODEL NUMBER:

WW2448RLEFLM2 NCW 7MB G1C KS1B CW 461

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY                  | LIST PRICE | DIMENSIONS |                                 |                                 |   |    | CARTONED CUBIC |      |  |
|--|-----------------------|----------------------|------------|------------|---------------------------------|---------------------------------|---|----|----------------|------|--|
|  |                       |                      |            | D          | W                               | H                               | A | KW | WEIGHT         | FEET |  |
| <b>RETURN FILE/FILE FULL PEDESTAL</b><br><br>Right shown   | WW2448RLEFLM2         | Left                 | \$ 1026    | 24         | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 33 | 136 lbs.       | 16.7 |  |
|  | WW2448RREFLM2         | Right                | 1026       | 24         | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 33 | 136 lbs.       | 16.7 |  |
|  | consists of           |                      |            |            |                                 |                                 |   |    |                |      |  |
|  | WW2448WSSVDL          | Worksurface          | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW2315PUFFM           | F/F Pedestal         | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW3223MPM             | Kneespace Modesty    | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW0827SRM             | Return Support Panel | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW2442RLEFLM2         | Left                 | \$ 992     | 24         | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 27 | 127 lbs.       | 16.4 |  |
|  | WW2442RREFLM2         | Right                | 992        | 24         | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 27 | 127 lbs.       | 16.4 |  |
|  | consists of           |                      |            |            |                                 |                                 |   |    |                |      |  |
| WW2442WSSVDL   | Worksurface           | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| WW2315PUFFM  | F/F Pedestal          | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| WW2623MPM  | Kneespace Modesty     | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| WW0827SRM  | Return Support Panel  | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Grain direction runs front-to-back</li> <li>• Assembly required</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                       |                      |            |            |                                 |                                 |   |    |                |      |  |

|  |                      |                      |        |    |                                 |                                |   |    |          |      |  |
|--|----------------------|----------------------|--------|----|---------------------------------|--------------------------------|---|----|----------|------|--|
| <b>RETURN FILE/FILE FULL PEDESTAL TFL</b><br><br>Right shown   | WW2448RLEFLLM2       | Left                 | \$ 963 | 24 | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | 33 | 136 lbs. | 16.7 |  |
|  | WW2448RREFLLM2       | Right                | 963    | 24 | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | 33 | 136 lbs. | 16.7 |  |
|  | consists of          |                      |        |    |                                 |                                |   |    |          |      |  |
|  | WW2448WSSVDLL        | Worksurface          | 1      |    |                                 |                                |   |    |          |      |  |
|  | WW2315PUFFM          | F/F Pedestal         | 1      |    |                                 |                                |   |    |          |      |  |
|  | WW3223MPM            | Kneespace Modesty    | 1      |    |                                 |                                |   |    |          |      |  |
|  | WW0827SRM            | Return Support Panel | 1      |    |                                 |                                |   |    |          |      |  |
|  | WW2442RLEFLLM2       | Left                 | \$ 934 | 24 | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | 27 | 127 lbs. | 16.4 |  |
|  | WW2442RREFLLM2       | Right                | 934    | 24 | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | 27 | 127 lbs. | 16.4 |  |
|  | consists of          |                      |        |    |                                 |                                |   |    |          |      |  |
| WW2442WSSVDLL  | Worksurface          | 1                    |        |    |                                 |                                |   |    |          |      |  |
| WW2315PUFFM  | F/F Pedestal         | 1                    |        |    |                                 |                                |   |    |          |      |  |
| WW2623MPM  | Kneespace Modesty    | 1                    |        |    |                                 |                                |   |    |          |      |  |
| WW0827SRM  | Return Support Panel | 1                    |        |    |                                 |                                |   |    |          |      |  |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Grain direction runs front-to-back</li> <li>• Assembly required</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                      |                      |        |    |                                 |                                |   |    |          |      |  |

## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

### SAMPLE MODEL NUMBER:

WW2448RLEYLM3 NCW 7MB G1C KS1B CW 461

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY                  | LIST PRICE | DIMENSIONS |                                 |                                 |   |    | CARTONED CUBIC |      |  |
|--|-----------------------|----------------------|------------|------------|---------------------------------|---------------------------------|---|----|----------------|------|--|
|  |                       |                      |            | D          | W                               | H                               | A | KW | WEIGHT         | FEET |  |
| <b>RETURN FILE/FILE ¾ PEDESTAL</b><br><br><br>Right shown   | WW2448RLEYLM3         | Left                 | \$ 1231    | 24         | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 33 | 116 lbs.       | 12.4 |  |
|  | WW2448RREYLM3         | Right                | 1231       | 24         | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 33 | 116 lbs.       | 12.4 |  |
|  | consists of           |                      |            |            |                                 |                                 |   |    |                |      |  |
|  | WW2448WSSVDL          | Worksurface          | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW2315PUBFM           | B/F Pedestal         | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW4827MPM             | Full Overlay Modesty | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW0827SRM             | Return Support Panel | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW2427EPM             | End Panel            | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW2442RLEYLM3         | Left                 | \$ 1184    | 24         | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 27 | 109 lbs.       | 12.3 |  |
|  | WW2442RREYLM3         | Right                | 1184       | 24         | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 27 | 109 lbs.       | 12.3 |  |
| consists of  |                       |                      |            |            |                                 |                                 |   |    |                |      |  |
| WW2442WSSVDL   | Worksurface           | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| WW2315PUBFM  | B/F Pedestal          | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| WW4227MPM  | Full Overlay Modesty  | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| WW0827SRM  | Return Support Panel  | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| WW2427EPM  | End Panel             | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Grain direction runs front-to-back</li> <li>• Assembly required</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                       |                      |            |            |                                 |                                 |   |    |                |      |  |

|  | MODEL NO./DESCRIPTION | QTY                  | LIST PRICE | DIMENSIONS |                                 |                                 |   |    | CARTONED CUBIC |      |  |
|--|-----------------------|----------------------|------------|------------|---------------------------------|---------------------------------|---|----|----------------|------|--|
|  |                       |                      |            | D          | W                               | H                               | A | KW | WEIGHT         | FEET |  |
| <b>RETURN FILE/FILE ¾ PEDESTAL TFL</b><br><br><br>Right shown   | WW2448RLEYLLM3        | Left                 | \$ 1168    | 24         | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 33 | 116 lbs.       | 12.4 |  |
|  | WW2448RREYLLM3        | Right                | 1168       | 24         | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 33 | 116 lbs.       | 12.4 |  |
|  | consists of           |                      |            |            |                                 |                                 |   |    |                |      |  |
|  | WW2448WSSVDLL         | Worksurface          | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW2315PUBFM           | B/F Pedestal         | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW4827MPM             | Full Overlay Modesty | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW0827SRM             | Return Support Panel | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW2427EPM             | End Panel            | 1          |            |                                 |                                 |   |    |                |      |  |
|  | WW2442RLEYLLM3        | Left                 | \$ 1126    | 24         | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 27 | 109 lbs.       | 12.3 |  |
|  | WW2442RREYLLM3        | Right                | 1126       | 24         | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | 27 | 109 lbs.       | 12.3 |  |
| consists of  |                       |                      |            |            |                                 |                                 |   |    |                |      |  |
| WW2442WSSVDLL  | Worksurface           | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| WW2315PUBFM  | B/F Pedestal          | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| WW4227MPM  | Full Overlay Modesty  | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| WW0827SRM  | Return Support Panel  | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| WW2427EPM  | End Panel             | 1                    |            |            |                                 |                                 |   |    |                |      |  |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Grain direction runs front-to-back</li> <li>• Assembly required</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                       |                      |            |            |                                 |                                 |   |    |                |      |  |

## WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW2448RSLFLM NCW G1C CW 461

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY                  | LIST PRICE | DIMENSIONS |                                 |                                 |   |    | CARTONED WEIGHT | CUBIC FEET |
|--|-----------------------|----------------------|------------|------------|---------------------------------|---------------------------------|---|----|-----------------|------------|
|  |                       |                      |            | D          | W                               | H                               | A | KW |                 |            |
|  <p>Right shown</p>  | <b>RETURN SHELL</b>   |                      |            |            |                                 |                                 |   |    |                 |            |
|  | WW2448RSLFLM          | Left                 | \$ 848     | 24         | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | —  | 95 lbs.         | 4.9        |
|  | WW2448RSRFLM          | Right                | 848        | 24         | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | —  | 95 lbs.         | 4.9        |
|  | consists of           |                      |            |            |                                 |                                 |   |    |                 |            |
|  | WW2448WSSVDL          | Worksurface          | 1          |            |                                 |                                 |   |    |                 |            |
|  | WW2427EPM             | End Panel            | 1          |            |                                 |                                 |   |    |                 |            |
|  | WW4827MPM             | Full Overlay Modesty | 1          |            |                                 |                                 |   |    |                 |            |
|  | WW0827SRM             | Return Support Panel | 1          |            |                                 |                                 |   |    |                 |            |
|  | WW2442RSLFLM          | Left                 | \$ 801     | 24         | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | —  | 88 lbs.         | 4.8        |
|  | WW2442RSRFLM          | Right                | 801        | 24         | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | — | —  | 88 lbs.         | 4.8        |
| consists of  |                       |                      |            |            |                                 |                                 |   |    |                 |            |
| WW2442WSSVDL   | Worksurface           | 1                    |            |            |                                 |                                 |   |    |                 |            |
| WW2427EPM  | End Panel             | 1                    |            |            |                                 |                                 |   |    |                 |            |
| WW4227MPM  | Full Overlay Modesty  | 1                    |            |            |                                 |                                 |   |    |                 |            |
| WW0827SRM  | Return Support Panel  | 1                    |            |            |                                 |                                 |   |    |                 |            |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Grain direction runs front-to-back</li> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                       |                      |            |            |                                 |                                 |   |    |                 |            |

|  |                         |                      |        |    |                                 |                                |   |   |         |     |
|--|-------------------------|----------------------|--------|----|---------------------------------|--------------------------------|---|---|---------|-----|
|  <p>Right shown</p>  | <b>RETURN SHELL TFL</b> |                      |        |    |                                 |                                |   |   |         |     |
|  | WW2448RSLFLLM           | Left                 | \$ 785 | 24 | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | — | 95 lbs. | 4.9 |
|  | WW2448RSRFLM            | Right                | 785    | 24 | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | — | 95 lbs. | 4.9 |
|  | consists of             |                      |        |    |                                 |                                |   |   |         |     |
|  | WW2448WSSVDLL           | Worksurface          | 1      |    |                                 |                                |   |   |         |     |
|  | WW2427EPM               | End Panel            | 1      |    |                                 |                                |   |   |         |     |
|  | WW4827MPM               | Full Overlay Modesty | 1      |    |                                 |                                |   |   |         |     |
|  | WW0827SRM               | Return Support Panel | 1      |    |                                 |                                |   |   |         |     |
|  | WW2442RSLFLLM           | Left                 | \$ 743 | 24 | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | — | 88 lbs. | 4.8 |
|  | WW2442RSRFLM            | Right                | 743    | 24 | 42 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>8</sub> | — | — | 88 lbs. | 4.8 |
| consists of  |                         |                      |        |    |                                 |                                |   |   |         |     |
| WW2442WSSVDLL  | Worksurface             | 1                    |        |    |                                 |                                |   |   |         |     |
| WW2427EPM  | End Panel               | 1                    |        |    |                                 |                                |   |   |         |     |
| WW4227MPM  | Full Overlay Modesty    | 1                    |        |    |                                 |                                |   |   |         |     |
| WW0827SRM  | Return Support Panel    | 1                    |        |    |                                 |                                |   |   |         |     |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Grain direction runs front-to-back</li> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                         |                      |        |    |                                 |                                |   |   |         |     |



## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW2448BEFLM NCW G1C CW 461

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION        | QTY                  | LIST PRICE | DIMENSIONS |                   |                   |                   |    | CARTONED CUBIC |         |     |
|--|------------------------------|----------------------|------------|------------|-------------------|-------------------|-------------------|----|----------------|---------|-----|
|  |                              |                      |            | D          | W                 | H                 | A                 | KW | WEIGHT         | FEET    |     |
|   | <b>BRIDGE</b><br>WW2448BEFLM |                      | \$ 676     | 24         | 48 $\frac{1}{16}$ | 28 $\frac{1}{16}$ | –                 | –  | 79 lbs.        | 4.5     |     |
|  | consists of                  |                      |            |            |                   |                   |                   |    |                |         |     |
|  | WW2448WSSVDL                 | Worksurface          | 1          |            |                   |                   |                   |    |                |         |     |
|  | WW4523MPM                    | Kneespace Modesty    | 1          |            |                   |                   |                   |    |                |         |     |
|  | WW0827SRM                    | Return Support Panel | 2          |            |                   |                   |                   |    |                |         |     |
|  | WW2442BEFLM                  |                      |            | \$ 632     | 24                | 42 $\frac{1}{16}$ | 28 $\frac{1}{16}$ | –  | –              | 71 lbs. | 4.3 |
|  | consists of                  |                      |            |            |                   |                   |                   |    |                |         |     |
|  | WW2442WSSVDL                 | Worksurface          | 1          |            |                   |                   |                   |    |                |         |     |
|  | WW4023MPM                    | Kneespace Modesty    | 1          |            |                   |                   |                   |    |                |         |     |
|  | WW0827SRM                    | Return Support Panel | 2          |            |                   |                   |                   |    |                |         |     |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Grain direction runs front-to-back</li> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                              |                      |            |            |                   |                   |                   |    |                |         |     |

|  |                                   |                      |        |        |                   |                   |     |   |         |         |     |
|--|-----------------------------------|----------------------|--------|--------|-------------------|-------------------|-----|---|---------|---------|-----|
|   | <b>BRIDGE TFL</b><br>WW2448BEFLLM |                      | \$ 613 | 24     | 48 $\frac{1}{16}$ | 28%               | –   | – | 79 lbs. | 4.5     |     |
|  | consists of                       |                      |        |        |                   |                   |     |   |         |         |     |
|  | WW2448WSSVDLL                     | Worksurface          | 1      |        |                   |                   |     |   |         |         |     |
|  | WW4523MPM                         | Kneespace Modesty    | 1      |        |                   |                   |     |   |         |         |     |
|  | WW0827SRM                         | Return Support Panel | 2      |        |                   |                   |     |   |         |         |     |
|  | WW2442BEFLLM                      |                      |        | \$ 574 | 24                | 42 $\frac{1}{16}$ | 28% | – | –       | 71 lbs. | 4.3 |
|  | consists of                       |                      |        |        |                   |                   |     |   |         |         |     |
|  | WW2442WSSVDLL                     | Worksurface          | 1      |        |                   |                   |     |   |         |         |     |
|  | WW4023MPM                         | Kneespace Modesty    | 1      |        |                   |                   |     |   |         |         |     |
|  | WW0827SRM                         | Return Support Panel | 2      |        |                   |                   |     |   |         |         |     |
| <ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Grain direction runs front-to-back</li> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                                   |                      |        |        |                   |                   |     |   |         |         |     |

## WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

### SAMPLE MODEL NUMBER:

WW2472CKFLM2 VMC 5 G1C KRB MC 405

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY               | LIST PRICE | DIMENSIONS |                                 |                                 |                                 |                                 | CARTONED WEIGHT                 | CUBIC FEET |      |
|--|-----------------------|-------------------|------------|------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|------------|------|
|  |                       |                   |            | D          | W                               | H                               | A                               | KW                              |                                 |            |      |
| <b>KNEESPACE CREDENZA FULL PEDESTAL</b><br>  | WW2472CKFLM2          |                   | \$ 1568    | 24         | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35 <sup>1</sup> / <sub>16</sub> | 198 lbs.                        | 27.3       |      |
|  | consists of           |                   |            |            |                                 |                                 |                                 |                                 |                                 |            |      |
|  | WW2472WSSDL           | Worksurface       | 1          |            |                                 |                                 |                                 |                                 |                                 |            |      |
|  | WW2315PUFFM           | F/F Pedestal      | 2          |            |                                 |                                 |                                 |                                 |                                 |            |      |
|  | WW4223MPM             | Kneespace Modesty | 1          |            |                                 |                                 |                                 |                                 |                                 |            |      |
|  | WW2466CKFLM2          |                   |            | \$ 1518    | 24                              | 66                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35 <sup>1</sup> / <sub>16</sub> | 193 lbs.   | 27.1 |
|  | consists of           |                   |            |            |                                 |                                 |                                 |                                 |                                 |            |      |
|  | WW2466WSSDL           | Worksurface       | 1          |            |                                 |                                 |                                 |                                 |                                 |            |      |
|  | WW2315PUFFM           | F/F Pedestal      | 2          |            |                                 |                                 |                                 |                                 |                                 |            |      |
|  | WW3623MPM             | Kneespace Modesty | 1          |            |                                 |                                 |                                 |                                 |                                 |            |      |
| WW2460CKFLM2   |                       |                   | \$ 1484    | 24         | 60                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | 29 <sup>1</sup> / <sub>16</sub> | 187 lbs.                        | 26.8       |      |
| consists of  |                       |                   |            |            |                                 |                                 |                                 |                                 |                                 |            |      |
| WW2460WSSDL  | Worksurface           | 1                 |            |            |                                 |                                 |                                 |                                 |                                 |            |      |
| WW2315PUFFM  | F/F Pedestal          | 2                 |            |            |                                 |                                 |                                 |                                 |                                 |            |      |
| WW3023MPM  | Kneespace Modesty     | 1                 |            |            |                                 |                                 |                                 |                                 |                                 |            |      |
| <ul style="list-style-type: none"> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                       |                   |            |            |                                 |                                 |                                 |                                 |                                 |            |      |

|  |                   |                   |         |         |                                 |                                 |                                 |                                 |                                 |          |      |
|--|-------------------|-------------------|---------|---------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----------|------|
| <b>KNEESPACE CREDENZA FULL PEDESTAL TFL</b><br>  | WW2472CKFLLM2     |                   | \$ 1478 | 24      | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35 <sup>1</sup> / <sub>16</sub> | 198 lbs.                        | 27.3     |      |
|  | consists of       |                   |         |         |                                 |                                 |                                 |                                 |                                 |          |      |
|  | WW2472WSSDLL      | Worksurface       | 1       |         |                                 |                                 |                                 |                                 |                                 |          |      |
|  | WW2315PUFFM       | F/F Pedestal      | 2       |         |                                 |                                 |                                 |                                 |                                 |          |      |
|  | WW4223MPM         | Kneespace Modesty | 1       |         |                                 |                                 |                                 |                                 |                                 |          |      |
|  | WW2466CKFLLM2     |                   |         | \$ 1435 | 24                              | 66                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35 <sup>1</sup> / <sub>16</sub> | 193 lbs. | 27.1 |
|  | consists of       |                   |         |         |                                 |                                 |                                 |                                 |                                 |          |      |
|  | WW2466WSSDLL      | Worksurface       | 1       |         |                                 |                                 |                                 |                                 |                                 |          |      |
|  | WW2315PUFFM       | F/F Pedestal      | 2       |         |                                 |                                 |                                 |                                 |                                 |          |      |
|  | WW3623MPM         | Kneespace Modesty | 1       |         |                                 |                                 |                                 |                                 |                                 |          |      |
| WW2460CKFLLM2  |                   |                   | \$ 1405 | 24      | 60                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | 29 <sup>1</sup> / <sub>16</sub> | 187 lbs.                        | 26.8     |      |
| consists of  |                   |                   |         |         |                                 |                                 |                                 |                                 |                                 |          |      |
| WW2460WSSDLL   | Worksurface       | 1                 |         |         |                                 |                                 |                                 |                                 |                                 |          |      |
| WW2315PUFFM  | F/F Pedestal      | 2                 |         |         |                                 |                                 |                                 |                                 |                                 |          |      |
| WW3023MPM  | Kneespace Modesty | 1                 |         |         |                                 |                                 |                                 |                                 |                                 |          |      |
| <ul style="list-style-type: none"> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                   |                   |         |         |                                 |                                 |                                 |                                 |                                 |          |      |

## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

### SAMPLE MODEL NUMBER:

WW2472CLFLM2 VMC 5 G1C KRB MC 405

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION |                   | QTY     | LIST PRICE | DIMENSIONS |                                 |                                 |                                 |                                 | CARTONED CUBIC |      |  |
|--|-----------------------|-------------------|---------|------------|------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----------------|------|--|
|  |                       |                   |         |            | D          | W                               | H                               | A                               | KW                              | WEIGHT         | FEET |  |
| <b>SINGLE PEDESTAL CREDENZA FULL PEDESTAL</b><br>   | WW2472CLFLM2          | Left              |         | \$ 1346    | 24         | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | 52 <sup>1</sup> / <sub>16</sub> | 172 lbs.       | 16.8 |  |
|  | WW2472CRFLM2          | Right             |         | 1346       | 24         | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | 52 <sup>1</sup> / <sub>16</sub> | 172 lbs.       | 16.8 |  |
|  | consists of           |                   |         |            |            |                                 |                                 |                                 |                                 |                |      |  |
|  | WW2472WSSDL           | Worksurface       | 1       |            |            |                                 |                                 |                                 |                                 |                |      |  |
|  | WW2315PUFFM           | F/F Pedestal      | 1       |            |            |                                 |                                 |                                 |                                 |                |      |  |
|  | WW5623MPM             | Kneespace Modesty | 1       |            |            |                                 |                                 |                                 |                                 |                |      |  |
|  | WW2427EPM             | End Panel         | 1       |            |            |                                 |                                 |                                 |                                 |                |      |  |
|  | WW2466CLFLM2          | Left              |         | \$ 1307    | 24         | 66                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | 49 <sup>1</sup> / <sub>16</sub> | 165 lbs.       | 16.4 |  |
|  | WW2466CRFLM2          | Right             |         | 1307       | 24         | 66                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | 49 <sup>1</sup> / <sub>16</sub> | 165 lbs.       | 16.4 |  |
|  | consists of           |                   |         |            |            |                                 |                                 |                                 |                                 |                |      |  |
|  | WW2466WSSDL           | Worksurface       | 1       |            |            |                                 |                                 |                                 |                                 |                |      |  |
|  | WW2315PUFFM           | F/F Pedestal      | 1       |            |            |                                 |                                 |                                 |                                 |                |      |  |
|  | WW5023MPM             | Kneespace Modesty | 1       |            |            |                                 |                                 |                                 |                                 |                |      |  |
|  | WW2427EPM             | End Panel         | 1       |            |            |                                 |                                 |                                 |                                 |                |      |  |
| WW2460CLFLM2   | Left                  |                   | \$ 1274 | 24         | 60         | 28 <sup>1</sup> / <sub>16</sub> | —                               | 43 <sup>1</sup> / <sub>16</sub> | 157 lbs.                        | 15.9           |      |  |
| WW2460CRFLM2   | Right                 |                   | 1274    | 24         | 60         | 28 <sup>1</sup> / <sub>16</sub> | —                               | 43 <sup>1</sup> / <sub>16</sub> | 157 lbs.                        | 15.9           |      |  |
| consists of  |                       |                   |         |            |            |                                 |                                 |                                 |                                 |                |      |  |
| WW2460WSSDL  | Worksurface           | 1                 |         |            |            |                                 |                                 |                                 |                                 |                |      |  |
| WW2315PUFFM  | F/F Pedestal          | 1                 |         |            |            |                                 |                                 |                                 |                                 |                |      |  |
| WW4323MPM  | Kneespace Modesty     | 1                 |         |            |            |                                 |                                 |                                 |                                 |                |      |  |
| WW2427EPM  | End Panel             | 1                 |         |            |            |                                 |                                 |                                 |                                 |                |      |  |
| <ul style="list-style-type: none"> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                       |                   |         |            |            |                                 |                                 |                                 |                                 |                |      |  |

|  |                   |                   |         |         |    |                                 |     |                                 |                                 |          |      |  |
|--|-------------------|-------------------|---------|---------|----|---------------------------------|-----|---------------------------------|---------------------------------|----------|------|--|
| <b>SINGLE PEDESTAL CREDENZA FULL PEDESTAL TFL</b><br>   | WW2472CLFLLM2     | Left              |         | \$ 1256 | 24 | 71 <sup>1</sup> / <sub>16</sub> | 28% | —                               | 52 <sup>1</sup> / <sub>16</sub> | 172 lbs. | 16.8 |  |
|  | WW2472CRFLLM2     | Right             |         | 1256    | 24 | 71 <sup>1</sup> / <sub>16</sub> | 28% | —                               | 52 <sup>1</sup> / <sub>16</sub> | 172 lbs. | 16.8 |  |
|  | consists of       |                   |         |         |    |                                 |     |                                 |                                 |          |      |  |
|  | WW2472WSSDLL      | Worksurface       | 1       |         |    |                                 |     |                                 |                                 |          |      |  |
|  | WW2315PUFFM       | F/F Pedestal      | 1       |         |    |                                 |     |                                 |                                 |          |      |  |
|  | WW5623MPM         | Kneespace Modesty | 1       |         |    |                                 |     |                                 |                                 |          |      |  |
|  | WW2427EPM         | End Panel         | 1       |         |    |                                 |     |                                 |                                 |          |      |  |
|  | WW2466CLFLLM2     | Left              |         | \$ 1224 | 24 | 66                              | 28% | —                               | 49 <sup>1</sup> / <sub>16</sub> | 165 lbs. | 16.4 |  |
|  | WW2466CRFLLM2     | Right             |         | 1224    | 24 | 66                              | 28% | —                               | 49 <sup>1</sup> / <sub>16</sub> | 165 lbs. | 16.4 |  |
|  | consists of       |                   |         |         |    |                                 |     |                                 |                                 |          |      |  |
|  | WW2466WSSDLL      | Worksurface       | 1       |         |    |                                 |     |                                 |                                 |          |      |  |
|  | WW2315PUFFM       | F/F Pedestal      | 1       |         |    |                                 |     |                                 |                                 |          |      |  |
|  | WW5023MPM         | Kneespace Modesty | 1       |         |    |                                 |     |                                 |                                 |          |      |  |
|  | WW2427EPM         | End Panel         | 1       |         |    |                                 |     |                                 |                                 |          |      |  |
| WW2460CLFLLM2  | Left              |                   | \$ 1195 | 24      | 60 | 28%                             | —   | 43 <sup>1</sup> / <sub>16</sub> | 157 lbs.                        | 15.9     |      |  |
| WW2460CRFLLM2  | Right             |                   | 1195    | 24      | 60 | 28%                             | —   | 43 <sup>1</sup> / <sub>16</sub> | 157 lbs.                        | 15.9     |      |  |
| consists of  |                   |                   |         |         |    |                                 |     |                                 |                                 |          |      |  |
| WW2460WSSDLL   | Worksurface       | 1                 |         |         |    |                                 |     |                                 |                                 |          |      |  |
| WW2315PUFFM  | F/F Pedestal      | 1                 |         |         |    |                                 |     |                                 |                                 |          |      |  |
| WW4323MPM  | Kneespace Modesty | 1                 |         |         |    |                                 |     |                                 |                                 |          |      |  |
| WW2427EPM  | End Panel         | 1                 |         |         |    |                                 |     |                                 |                                 |          |      |  |
| <ul style="list-style-type: none"> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                   |                   |         |         |    |                                 |     |                                 |                                 |          |      |  |

# WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


## TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

## SAMPLE MODEL NUMBER:

WW2472CKYLM3 VMC 5 G1C KRB MC 405

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY             | LIST PRICE | DIMENSIONS |                                 |                                 |                                 |                                 | CARTONED CUBIC |          |      |
|--|-----------------------|-----------------|------------|------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----------------|----------|------|
|  |                       |                 |            | D          | W                               | H                               | A                               | KW                              | WEIGHT         | FEET     |      |
| <b>KNEESPACE CREDENZA<br/>¾ PEDESTAL</b><br><br>   | WW2472CKYLM3          |                 | \$ 1921    | 24         | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35%                             | 232 lbs.       | 23.6     |      |
|  | consists of           |                 |            |            |                                 |                                 |                                 |                                 |                |          |      |
|  | WW2472WSSDL           | Worksurface     | 1          |            |                                 |                                 |                                 |                                 |                |          |      |
|  | WW2315PUBFM           | B/F Pedestal    | 2          |            |                                 |                                 |                                 |                                 |                |          |      |
|  | WW7227MPM             | Overlay Modesty | 1          |            |                                 |                                 |                                 |                                 |                |          |      |
|  | WW2427EPM             | End Panel       | 2          |            |                                 |                                 |                                 |                                 |                |          |      |
|  | WW2466CKYLM3          |                 |            | \$ 1875    | 24                              | 66                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35%            | 225 lbs. | 23.3 |
|  | consists of           |                 |            |            |                                 |                                 |                                 |                                 |                |          |      |
|  | WW2466WSSDL           | Worksurface     | 1          |            |                                 |                                 |                                 |                                 |                |          |      |
|  | WW2315PUBFM           | B/F Pedestal    | 2          |            |                                 |                                 |                                 |                                 |                |          |      |
| WW6627MPM  | Overlay Modesty       | 1               |            |            |                                 |                                 |                                 |                                 |                |          |      |
| WW2427EPM  | End Panel             | 2               |            |            |                                 |                                 |                                 |                                 |                |          |      |
| WW2460CKYLM3   |                       |                 | \$ 1839    | 24         | 60                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | 29 <sup>1</sup> / <sub>16</sub> | 217 lbs.       | 22.8     |      |
| consists of  |                       |                 |            |            |                                 |                                 |                                 |                                 |                |          |      |
| WW2460WSSDL  | Worksurface           | 1               |            |            |                                 |                                 |                                 |                                 |                |          |      |
| WW2315PUBFM  | B/F Pedestal          | 2               |            |            |                                 |                                 |                                 |                                 |                |          |      |
| WW6027MPM  | Overlay Modesty       | 1               |            |            |                                 |                                 |                                 |                                 |                |          |      |
| WW2427EPM  | End Panel             | 2               |            |            |                                 |                                 |                                 |                                 |                |          |      |
| <ul style="list-style-type: none"> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                       |                 |            |            |                                 |                                 |                                 |                                 |                |          |      |

|  |                 |                 |         |         |                                 |     |     |                                 |          |          |      |
|--|-----------------|-----------------|---------|---------|---------------------------------|-----|-----|---------------------------------|----------|----------|------|
| <b>KNEESPACE CREDENZA<br/>¾ PEDESTAL<br/>TFL</b><br><br>   | WW2472CKYLLM3   |                 | \$ 1831 | 24      | 71 <sup>1</sup> / <sub>16</sub> | 28% | —   | 35%                             | 232 lbs. | 23.6     |      |
|  | consists of     |                 |         |         |                                 |     |     |                                 |          |          |      |
|  | WW2472WSSDLL    | Worksurface     | 1       |         |                                 |     |     |                                 |          |          |      |
|  | WW2315PUBFM     | B/F Pedestal    | 2       |         |                                 |     |     |                                 |          |          |      |
|  | WW7227MPM       | Overlay Modesty | 1       |         |                                 |     |     |                                 |          |          |      |
|  | WW2427EPM       | End Panel       | 2       |         |                                 |     |     |                                 |          |          |      |
|  | WW2466CKYLLM3   |                 |         | \$ 1792 | 24                              | 66  | 28% | —                               | 35%      | 225 lbs. | 23.3 |
|  | consists of     |                 |         |         |                                 |     |     |                                 |          |          |      |
|  | WW2466WSSDLL    | Worksurface     | 1       |         |                                 |     |     |                                 |          |          |      |
|  | WW2315PUBFM     | B/F Pedestal    | 2       |         |                                 |     |     |                                 |          |          |      |
| WW6627MPM  | Overlay Modesty | 1               |         |         |                                 |     |     |                                 |          |          |      |
| WW2427EPM  | End Panel       | 2               |         |         |                                 |     |     |                                 |          |          |      |
| WW2460CKYLLM3  |                 |                 | \$ 1760 | 24      | 60                              | 28% | —   | 29 <sup>1</sup> / <sub>16</sub> | 217 lbs. | 22.8     |      |
| consists of  |                 |                 |         |         |                                 |     |     |                                 |          |          |      |
| WW2460WSSDLL   | Worksurface     | 1               |         |         |                                 |     |     |                                 |          |          |      |
| WW2315PUBFM  | B/F Pedestal    | 2               |         |         |                                 |     |     |                                 |          |          |      |
| WW6027MPM  | Overlay Modesty | 1               |         |         |                                 |     |     |                                 |          |          |      |
| WW2427EPM  | End Panel       | 2               |         |         |                                 |     |     |                                 |          |          |      |
| <ul style="list-style-type: none"> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                 |                 |         |         |                                 |     |     |                                 |          |          |      |

## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:


1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

### SAMPLE MODEL NUMBER:

WW2472CLYLM3 VMC 5 G1C KRB MC 405

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION |                 | QTY     | LIST PRICE | DIMENSIONS |                                 |                                 |                                 |          | CARTONED CUBIC |      |  |
|--|-----------------------|-----------------|---------|------------|------------|---------------------------------|---------------------------------|---------------------------------|----------|----------------|------|--|
|  |                       |                 |         |            | D          | W                               | H                               | A                               | KW       | WEIGHT         | FEET |  |
| <b>SINGLE PEDESTAL CREDENZA</b><br>¾ PEDESTAL<br>   | WW2472CLYLM3          | Left            |         | \$ 1538    | 24         | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35%      | 186 lbs.       | 15.3 |  |
|  | WW2472CRYLM3          | Right           |         | 1538       | 24         | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35%      | 186 lbs.       | 15.3 |  |
|  | consists of           |                 |         |            |            |                                 |                                 |                                 |          |                |      |  |
|  | WW2472WSSDL           | Worksurface     | 1       |            |            |                                 |                                 |                                 |          |                |      |  |
|  | WW2315PUBFM           | B/F Pedestal    | 1       |            |            |                                 |                                 |                                 |          |                |      |  |
|  | WW7227MPM             | Overlay Modesty | 1       |            |            |                                 |                                 |                                 |          |                |      |  |
|  | WW2427EPM             | End Panel       | 2       |            |            |                                 |                                 |                                 |          |                |      |  |
|  | WW2466CLYLM3          | Left            |         | \$ 1492    | 24         | 66                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35%      | 179 lbs.       | 15.0 |  |
|  | WW2466CRYLM3          | Right           |         | 1492       | 24         | 66                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | 35%      | 179 lbs.       | 15.0 |  |
|  | consists of           |                 |         |            |            |                                 |                                 |                                 |          |                |      |  |
|  | WW2466WSSDL           | Worksurface     | 1       |            |            |                                 |                                 |                                 |          |                |      |  |
|  | WW2315PUBFM           | B/F Pedestal    | 1       |            |            |                                 |                                 |                                 |          |                |      |  |
|  | WW6627MPM             | Overlay Modesty | 1       |            |            |                                 |                                 |                                 |          |                |      |  |
|  | WW2427EPM             | End Panel       | 2       |            |            |                                 |                                 |                                 |          |                |      |  |
| WW2460CLYLM3   | Left                  |                 | \$ 1456 | 24         | 60         | 28 <sup>1</sup> / <sub>16</sub> | —                               | 29 <sup>1</sup> / <sub>16</sub> | 171 lbs. | 14.5           |      |  |
| WW2460CRYLM3   | Right                 |                 | 1456    | 24         | 60         | 28 <sup>1</sup> / <sub>16</sub> | —                               | 29 <sup>1</sup> / <sub>16</sub> | 171 lbs. | 14.5           |      |  |
| consists of  |                       |                 |         |            |            |                                 |                                 |                                 |          |                |      |  |
| WW2460WSSDL  | Worksurface           | 1               |         |            |            |                                 |                                 |                                 |          |                |      |  |
| WW2315PUBFM  | B/F Pedestal          | 1               |         |            |            |                                 |                                 |                                 |          |                |      |  |
| WW6027MPM  | Overlay Modesty       | 1               |         |            |            |                                 |                                 |                                 |          |                |      |  |
| WW2427EPM  | End Panel             | 2               |         |            |            |                                 |                                 |                                 |          |                |      |  |
| <ul style="list-style-type: none"> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                       |                 |         |            |            |                                 |                                 |                                 |          |                |      |  |

|  |                 |                 |         |         |    |                                 |     |                                 |          |          |      |  |
|--|-----------------|-----------------|---------|---------|----|---------------------------------|-----|---------------------------------|----------|----------|------|--|
| <b>SINGLE PEDESTAL CREDENZA</b><br>¾ PEDESTAL<br>TFL<br>  | WW2472CLYLLM3   | Left            |         | \$ 1448 | 24 | 71 <sup>1</sup> / <sub>16</sub> | 28% | —                               | 35%      | 186 lbs. | 15.3 |  |
|  | WW2472CRYLLM3   | Right           |         | 1448    | 24 | 71 <sup>1</sup> / <sub>16</sub> | 28% | —                               | 35%      | 186 lbs. | 15.3 |  |
|  | consists of     |                 |         |         |    |                                 |     |                                 |          |          |      |  |
|  | WW2472WSSDLL    | Worksurface     | 1       |         |    |                                 |     |                                 |          |          |      |  |
|  | WW2315PUBFM     | B/F Pedestal    | 1       |         |    |                                 |     |                                 |          |          |      |  |
|  | WW7227MPM       | Overlay Modesty | 1       |         |    |                                 |     |                                 |          |          |      |  |
|  | WW2427EPM       | End Panel       | 2       |         |    |                                 |     |                                 |          |          |      |  |
|  | WW2466CLYLLM3   | Left            |         | \$ 1409 | 24 | 66                              | 28% | —                               | 35%      | 179 lbs. | 15.0 |  |
|  | WW2466CRYLLM3   | Right           |         | 1409    | 24 | 66                              | 28% | —                               | 35%      | 179 lbs. | 15.0 |  |
|  | consists of     |                 |         |         |    |                                 |     |                                 |          |          |      |  |
|  | WW2466WSSDLL    | Worksurface     | 1       |         |    |                                 |     |                                 |          |          |      |  |
|  | WW2315PUBFM     | B/F Pedestal    | 1       |         |    |                                 |     |                                 |          |          |      |  |
|  | WW6627MPM       | Overlay Modesty | 1       |         |    |                                 |     |                                 |          |          |      |  |
|  | WW2427EPM       | End Panel       | 2       |         |    |                                 |     |                                 |          |          |      |  |
| WW2460CLYLLM3  | Left            |                 | \$ 1377 | 24      | 60 | 28%                             | —   | 29 <sup>1</sup> / <sub>16</sub> | 171 lbs. | 14.5     |      |  |
| WW2460CRYLLM3  | Right           |                 | 1377    | 24      | 60 | 28%                             | —   | 29 <sup>1</sup> / <sub>16</sub> | 171 lbs. | 14.5     |      |  |
| consists of  |                 |                 |         |         |    |                                 |     |                                 |          |          |      |  |
| WW2460WSSDLL   | Worksurface     | 1               |         |         |    |                                 |     |                                 |          |          |      |  |
| WW2315PUBFM  | B/F Pedestal    | 1               |         |         |    |                                 |     |                                 |          |          |      |  |
| WW6027MPM  | Overlay Modesty | 1               |         |         |    |                                 |     |                                 |          |          |      |  |
| WW2427EPM  | End Panel       | 2               |         |         |    |                                 |     |                                 |          |          |      |  |
| <ul style="list-style-type: none"> <li>• Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location</li> </ul> |                 |                 |         |         |    |                                 |     |                                 |          |          |      |  |

## WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW3672DSFLM VCL G1A CL 461

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY             | LIST PRICE | DIMENSIONS                      |                                 |                                 |                                 |    | CARTONED WEIGHT | CUBIC FEET |     |
|--|-----------------------|-----------------|------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----|-----------------|------------|-----|
|  |                       |                 |            | D                               | W                               | H                               | A                               | KW |                 |            |     |
|  | WW3672DSFLM           |                 | \$ 1492    | 36 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | —  | 184 lbs.        | 8.1        |     |
|  | consists of           |                 |            |                                 |                                 |                                 |                                 |    |                 |            |     |
|  | WW3672WSSDL           | Worksurface     | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|  | WW7227MPM             | Modesty Panel   | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|  | WW3027EPM             | End Panel       | 2          |                                 |                                 |                                 |                                 |    |                 |            |     |
|  | WW3072DSFLM           |                 |            | \$ 1304                         | 30 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —  | —               | 167 lbs.   | 8.1 |
|  | consists of           |                 |            |                                 |                                 |                                 |                                 |    |                 |            |     |
|  | WW3072WSSDL           | Worksurface     | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|  | WW7227MPM             | Overlay Modesty | 1          |                                 |                                 |                                 |                                 |    |                 |            |     |
|  | WW3027EPM             | End Panel       | 2          |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW3066DSFLM  |                       |                 | \$ 1246    | 30 <sup>1</sup> / <sub>16</sub> | 66                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | —  | 158 lbs.        | 7.7        |     |
| consists of  |                       |                 |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW3066WSSDL  | Worksurface           | 1               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW6627MPM  | Overlay Modesty       | 1               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW3027EPM  | End Panel             | 2               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW3060DSFLM  |                       |                 | \$ 1188    | 30 <sup>1</sup> / <sub>16</sub> | 60                              | 28 <sup>1</sup> / <sub>16</sub> | —                               | —  | 149 lbs.        | 7.1        |     |
| consists of  |                       |                 |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW3060WSSDL  | Worksurface           | 1               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW6027MPM  | Overlay Modesty       | 1               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW3027EPM  | End Panel             | 2               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW3048DSFLM  |                       |                 | \$ 1108    | 30 <sup>1</sup> / <sub>16</sub> | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | —  | 132 lbs.        | 6.1        |     |
| consists of  |                       |                 |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW3048WSSDL  | Worksurface           | 1               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW4827MPM  | Overlay Modesty       | 1               |            |                                 |                                 |                                 |                                 |    |                 |            |     |
| WW3027EPM  | End Panel             | 2               |            |                                 |                                 |                                 |                                 |    |                 |            |     |

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Pedestals can be found on page 566
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW3672DSFLLM VCL G1A CL 461

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY             | LIST PRICE | DIMENSIONS                      |                                 |                                 |                                 |    | CARTONED CUBIC |          |     |
|--|-----------------------|-----------------|------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----|----------------|----------|-----|
|  |                       |                 |            | D                               | W                               | H                               | A                               | KW | WEIGHT         | FEET     |     |
| <b>DESK SHELL</b><br><b>TFL</b><br> | WW3672DSFLLM          |                 | \$ 1347    | 36 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>16</sub> | –                               | –  | 184 lbs.       | 8.1      |     |
|  | consists of           |                 |            |                                 |                                 |                                 |                                 |    |                |          |     |
|  | WW3672WSSDLL          | Worksurface     | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|  | WW7227MPM             | Modesty Panel   | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|  | WW3027EPM             | End Panel       | 2          |                                 |                                 |                                 |                                 |    |                |          |     |
|  | WW3072DSFLLM          |                 |            | \$ 1196                         | 30 <sup>1</sup> / <sub>16</sub> | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>16</sub> | –  | –              | 167 lbs. | 8.1 |
|  | consists of           |                 |            |                                 |                                 |                                 |                                 |    |                |          |     |
|  | WW3072WSSDLL          | Worksurface     | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|  | WW7227MPM             | Overlay Modesty | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|  | WW3027EPM             | End Panel       | 2          |                                 |                                 |                                 |                                 |    |                |          |     |
|  | WW3066DSFLLM          |                 |            | \$ 1147                         | 30 <sup>1</sup> / <sub>16</sub> | 66                              | 28 <sup>7</sup> / <sub>16</sub> | –  | –              | 158 lbs. | 7.7 |
|  | consists of           |                 |            |                                 |                                 |                                 |                                 |    |                |          |     |
|  | WW3066WSSDLL          | Worksurface     | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|  | WW6627MPM             | Overlay Modesty | 1          |                                 |                                 |                                 |                                 |    |                |          |     |
|  | WW3027EPM             | End Panel       | 2          |                                 |                                 |                                 |                                 |    |                |          |     |
| WW3060DSFLLM   |                       |                 | \$ 1098    | 30 <sup>1</sup> / <sub>16</sub> | 60                              | 28 <sup>7</sup> / <sub>16</sub> | –                               | –  | 149 lbs.       | 7.1      |     |
| consists of  |                       |                 |            |                                 |                                 |                                 |                                 |    |                |          |     |
| WW3060WSSDLL   | Worksurface           | 1               |            |                                 |                                 |                                 |                                 |    |                |          |     |
| WW6027MPM  | Overlay Modesty       | 1               |            |                                 |                                 |                                 |                                 |    |                |          |     |
| WW3027EPM  | End Panel             | 2               |            |                                 |                                 |                                 |                                 |    |                |          |     |
| WW3048DSFLLM   |                       |                 | \$ 1032    | 30 <sup>1</sup> / <sub>16</sub> | 48 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>16</sub> | –                               | –  | 132 lbs.       | 6.1      |     |
| consists of  |                       |                 |            |                                 |                                 |                                 |                                 |    |                |          |     |
| WW3048WSSDLL   | Worksurface           | 1               |            |                                 |                                 |                                 |                                 |    |                |          |     |
| WW4827MPM  | Overlay Modesty       | 1               |            |                                 |                                 |                                 |                                 |    |                |          |     |
| WW3027EPM  | End Panel             | 2               |            |                                 |                                 |                                 |                                 |    |                |          |     |

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Pedestals can be found on page 566
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

## WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW2472CSHFLM VCL G1A CL 461

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY             | LIST PRICE | DIMENSIONS |                                 |                                 |                                 |    | CARTONED WEIGHT | CUBIC FEET |     |
|--|-----------------------|-----------------|------------|------------|---------------------------------|---------------------------------|---------------------------------|----|-----------------|------------|-----|
|  |                       |                 |            | D          | W                               | H                               | A                               | KW |                 |            |     |
|  | <b>CREDENZA SHELL</b> |                 |            |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2472CSHFLM          |                 | \$ 1155    | 24         | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | —  | 140 lbs.        | 7.0        |     |
|  | consists of           |                 |            |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2472WSSDL           | Worksurface     | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW7227MPM             | Overlay Modesty | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2427EPM             | End Panel       | 2          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2466CSHFLM          |                 |            | \$ 1109    | 24                              | 66                              | 28 <sup>1</sup> / <sub>16</sub> | —  | —               | 133 lbs.   | 6.7 |
|  | consists of           |                 |            |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2466WSSDL           | Worksurface     | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW6627MPM             | Overlay Modesty | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2427EPM             | End Panel       | 2          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2460CSHFLM          |                 |            | \$ 1073    | 24                              | 60                              | 28 <sup>1</sup> / <sub>16</sub> | —  | —               | 125 lbs.   | 6.2 |
|  | consists of           |                 |            |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2460WSSDL           | Worksurface     | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW6027MPM             | Overlay Modesty | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2427EPM             | End Panel       | 2          |            |                                 |                                 |                                 |    |                 |            |     |
| WW2448CSHFLM   |                       |                 | \$ 988     | 24         | 48 <sup>7</sup> / <sub>16</sub> | 28 <sup>1</sup> / <sub>16</sub> | —                               | —  | 111 lbs.        | 5.3        |     |
| consists of  |                       |                 |            |            |                                 |                                 |                                 |    |                 |            |     |
| WW2448WSSDL  | Worksurface           | 1               |            |            |                                 |                                 |                                 |    |                 |            |     |
| WW4827MPM  | Overlay Modesty       | 1               |            |            |                                 |                                 |                                 |    |                 |            |     |
| WW2427EPM  | End Panel             | 2               |            |            |                                 |                                 |                                 |    |                 |            |     |

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Pedestals can be found on page 566
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location



## ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


### TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

### SAMPLE MODEL NUMBER:

WW2472CSHFLLM VCL G1A CL 461

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | QTY             | LIST PRICE | DIMENSIONS |                                 |                                 |                                 |    | CARTONED WEIGHT | CUBIC FEET |     |
|--|-----------------------|-----------------|------------|------------|---------------------------------|---------------------------------|---------------------------------|----|-----------------|------------|-----|
|  |                       |                 |            | D          | W                               | H                               | A                               | KW |                 |            |     |
| <b>CREDENZA SHELL</b><br><b>TFL</b><br> | WW2472CSHFLLM         |                 | \$ 1065    | 24         | 71 <sup>1</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>16</sub> | –                               | –  | 140 lbs.        | 7.0        |     |
|  | consists of           |                 |            |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2472WSSDLL          | Worksurface     | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW7227MPM             | Overlay Modesty | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2427EPM             | End Panel       | 2          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2466CSHFLLM         |                 |            | \$ 1026    | 24                              | 66                              | 28 <sup>7</sup> / <sub>16</sub> | –  | –               | 133 lbs.   | 6.7 |
|  | consists of           |                 |            |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2466WSSDLL          | Worksurface     | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW6627MPM             | Overlay Modesty | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2427EPM             | End Panel       | 2          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2460CSHFLLM         |                 |            | \$ 994     | 24                              | 60                              | 28 <sup>7</sup> / <sub>16</sub> | –  | –               | 125 lbs.   | 6.2 |
|  | consists of           |                 |            |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2460WSSDLL          | Worksurface     | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW6027MPM             | Overlay Modesty | 1          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2427EPM             | End Panel       | 2          |            |                                 |                                 |                                 |    |                 |            |     |
|  | WW2448CSHFLLM         |                 |            | \$ 925     | 24                              | 48 <sup>7</sup> / <sub>16</sub> | 28 <sup>7</sup> / <sub>16</sub> | –  | –               | 111 lbs.   | 5.3 |
| consists of  |                       |                 |            |            |                                 |                                 |                                 |    |                 |            |     |
| WW2448WSSDLL   | Worksurface           | 1               |            |            |                                 |                                 |                                 |    |                 |            |     |
| WW4827MPM  | Overlay Modesty       | 1               |            |            |                                 |                                 |                                 |    |                 |            |     |
| WW2427EPM  | End Panel             | 2               |            |            |                                 |                                 |                                 |    |                 |            |     |

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Pedestals can be found on page 566
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

# WAVEWORKS METAL

## PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Not to be used to support Epicenter

## TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Paint

## SAMPLE MODEL NUMBER:

WW2315PUBBFM 5 KRB 461


- See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS                      |    |                                |   |    | CARTONED WEIGHT | CUBIC FEET |
|---|-----------------------|------------|---------------------------------|----|--------------------------------|---|----|-----------------|------------|
|   |                       |            | D                               | W  | H                              | A | KW |                 |            |
| <b>PEDESTAL - UNDERSURFACE BOX/BOX/FILE</b> | WW3015PUBBFM          | \$ 518     | 28 <sup>1</sup> / <sub>16</sub> | 15 | 27 <sup>1</sup> / <sub>4</sub> | — | —  | 70 lbs.         | 13.0       |
|   | WW2315PUBBFM          | 513        | 22 <sup>3</sup> / <sub>4</sub>  | 15 | 27 <sup>1</sup> / <sub>4</sub> | — | —  | 62 lbs.         | 11.0       |




- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Pedestal is not for use as a stand alone unit
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Malibu and Beam pulls must be field installed

|  |             |        |                                 |    |                                |   |   |         |      |
|--|-------------|--------|---------------------------------|----|--------------------------------|---|---|---------|------|
| <b>PEDESTAL - UNDERSURFACE FILE/FILE</b> | WW3015PUFFM | \$ 472 | 28 <sup>1</sup> / <sub>16</sub> | 15 | 27 <sup>1</sup> / <sub>4</sub> | — | — | 70 lbs. | 13.0 |
|  | WW2315PUFFM | 469    | 22 <sup>3</sup> / <sub>4</sub>  | 15 | 27 <sup>1</sup> / <sub>4</sub> | — | — | 57 lbs. | 11.0 |



- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Pedestal is not for use as a stand alone unit
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Malibu and Beam pulls must be field installed

|   |              |        |                                 |    |                                |   |   |         |     |
|---|--------------|--------|---------------------------------|----|--------------------------------|---|---|---------|-----|
| <b>PEDESTAL - HANGING UNDERSURFACE BOX/FILE</b> | WW3015PUBBFM | \$ 386 | 28 <sup>1</sup> / <sub>16</sub> | 15 | 19 <sup>1</sup> / <sub>4</sub> | — | — | 46 lbs. | 8.3 |
|   | WW2315PUBBFM | 383    | 22 <sup>3</sup> / <sub>4</sub>  | 15 | 19 <sup>1</sup> / <sub>4</sub> | — | — | 46 lbs. | 8.3 |



- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- When utilizing the hanging pedestal with a 24" deep surface, the pedestal must be attached to the inside of the end panel
- When utilizing the hanging pedestal with a 30" or 36" deep surface, the pedestal must be used within a shell unit with modesty panel
- Must be utilized with end panels
- Pedestal is not for use as a stand alone unit
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**PRODUCT SPECIFICATIONS**

- Pedestals shipped with appropriate hardware
- Not to be used to support Epicenter

**TO ORDER, SPECIFY:**

1. Model Number
2. Pull
3. Locking
4. Fabric Grade/Color
5. Paint


**SAMPLE MODEL NUMBER:**

WW2315PMBFCM 5 KRB 2 20003 405

- See pages 535-536 for all options available in WaveWorks Metal

**MODEL NO./DESCRIPTION**

**MOBILE PEDESTAL -  
CUSHION TOP  
BOX/FILE 23" DEEP**



|              | GRADE / LIST PRICE |       |       |     |     |     |     |  |
|--------------|--------------------|-------|-------|-----|-----|-----|-----|--|
|              | 1                  | 2/COM | 3/COL | 4   | 5   | 6   | 7   |  |
| WW2315PMBFCM | \$ 665             | 687   | 697   | 713 | 731 | 760 | 800 |  |


|    | ALLIANCE GRADE / LIST PRICE |     |     |      |      |      |      |      |      |      |      |
|----|-----------------------------|-----|-----|------|------|------|------|------|------|------|------|
|    | A                           | B   | C   | D    | E    | F    | G    | H    | I    | J    |      |
| \$ | 702                         | 725 | 742 | 761  | 782  | 804  | 822  | 844  | 868  | 889  |      |
|    | K                           | L   | M   | N    | O    | P    | Q    | R    | S    | T    |      |
|    | \$                          | 925 | 996 | 1040 | 1063 | 1087 | 1110 | 1133 | 1155 | 1178 | 1200 |

**DIMENSIONS**

|       |                                |        |                                |           |     |
|-------|--------------------------------|--------|--------------------------------|-----------|-----|
| Depth | 22 <sup>3</sup> / <sub>4</sub> | Height | 22 <sup>3</sup> / <sub>4</sub> | Weight    | 93  |
| Width | 14 <sup>1</sup> / <sub>6</sub> |        |                                | Cubic Ft. | 9.4 |

- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery options
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**MOBILE PEDESTAL -  
CUSHION TOP  
BOX/FILE 23" DEEP  
WITH PULL**



|               | GRADE / LIST PRICE |       |       |     |     |     |     |  |
|---------------|--------------------|-------|-------|-----|-----|-----|-----|--|
|               | 1                  | 2/COM | 3/COL | 4   | 5   | 6   | 7   |  |
| WW2315PMBFC2M | \$ 730             | 752   | 762   | 778 | 796 | 825 | 865 |  |

|    | ALLIANCE GRADE / LIST PRICE |     |      |      |      |      |      |      |      |      |      |
|----|-----------------------------|-----|------|------|------|------|------|------|------|------|------|
|    | A                           | B   | C    | D    | E    | F    | G    | H    | I    | J    |      |
| \$ | 767                         | 790 | 807  | 826  | 847  | 869  | 887  | 909  | 933  | 954  |      |
|    | K                           | L   | M    | N    | O    | P    | Q    | R    | S    | T    |      |
|    | \$                          | 990 | 1061 | 1105 | 1128 | 1152 | 1175 | 1198 | 1220 | 1243 | 1265 |

**DIMENSIONS**

|       |                                |        |                                |           |     |
|-------|--------------------------------|--------|--------------------------------|-----------|-----|
| Depth | 22 <sup>3</sup> / <sub>4</sub> | Height | 23 <sup>3</sup> / <sub>4</sub> | Weight    | 93  |
| Width | 14 <sup>1</sup> / <sub>6</sub> |        |                                | Cubic Ft. | 9.4 |

- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery options
- Unit features a fixed pull for ease of mobility
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

# WAVEWORKS METAL

## PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Not to be used to support Epicenter

## TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Paint

## SAMPLE MODEL NUMBER:

WW2336LFM2M 5 KS1B 462


- See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION           | LIST PRICE | DIMENSIONS |     |     |   |    | CARTONED WEIGHT | CUBIC FEET |
|---|---------------------------------|------------|------------|-----|-----|---|----|-----------------|------------|
|   |                                 |            | D          | W   | H   | A | KW |                 |            |
| <b>LATERAL FILE - UNDERSURFACE FILE/FILE 23" DEEP</b> | WW2336LFM2M                     | \$ 911     | 22¾        | 36  | 27¼ | — | —  | 95 lbs.         | 15.0       |
|   | WW2330LFM2M                     | 870        | 22¾        | 30  | 27¼ | — | —  | 84 lbs.         | 12.8       |
|   | WW36CW2M Counterweight—2 Drawer | 163        | 1¾         | 23¾ | 11¾ | — | —  | 37 lbs.         | 0.1        |




- File drawers accommodate letter/legal side-to-side filing
- Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware on page 581
- **When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified**
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

|  |             |        |     |    |     |   |   |         |      |
|--|-------------|--------|-----|----|-----|---|---|---------|------|
| <b>LATERAL FILE - UNDERSURFACE FILE/FILE 18¾" DEEP</b> | WW1836LFM2M | \$ 745 | 18¾ | 36 | 27¼ | — | — | 87 lbs. | 14.0 |
|  | WW1830LFM2M | 676    | 18¾ | 30 | 27¼ | — | — | 78 lbs. | 11.8 |




- File drawers accommodate letter/legal side-to-side filing
- Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware on page 581
- Lateral file is not for use as a stand alone unit
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When ordering a worksurface, specify 24" deep with modified sizing

|  |            |        |     |    |     |   |   |         |      |
|--|------------|--------|-----|----|-----|---|---|---------|------|
| <b>HINGED DOOR - UNDERSURFACE DOUBLE DOOR 23" DEEP</b> | WW2336PFHM | \$ 968 | 22¾ | 36 | 27¼ | — | — | 95 lbs. | 15.0 |
|  | WW2330PFHM | 929    | 22¾ | 30 | 27¼ | — | — | 84 lbs. | 12.8 |



- Unit features standard adjustable shelf
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

|  |            |        |    |    |     |   |   |         |      |
|--|------------|--------|----|----|-----|---|---|---------|------|
| <b>HINGED DOOR - UNDERSURFACE DOUBLE DOOR 18" DEEP</b> | WW1836PFHM | \$ 840 | 18 | 36 | 27¼ | — | — | 87 lbs. | 14.0 |
|  | WW1830PFHM | 701    | 18 | 30 | 27¼ | — | — | 78 lbs. | 11.8 |



- Unit features standard adjustable shelf
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**PRODUCT SPECIFICATIONS**

- Pedestals shipped with appropriate hardware
- Not to be used to support Epicenter


**TO ORDER, SPECIFY:**

1. Model Number
2. Pull
3. Locking
4. Paint


**SAMPLE MODEL NUMBER:**

WW233629PU11M 5 KS1B 462


- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION  |                             | LIST PRICE | DIMENSIONS |     |     |   |    | CARTONED WEIGHT | CUBIC FEET |
|--|--|-----------------------------|------------|------------|-----|-----|---|----|-----------------|------------|
|  |  |                             |            | D          | W   | H   | A | KW |                 |            |
| <b>MULTI-FILE - UNDERSURFACE<br/>23" DEEP</b><br><br> | <b>FILE DRAWER ON LEFT</b>   | <b>FILE DRAWER ON RIGHT</b> |            |            |     |     |   |    |                 |            |
|  | WW233629PU11M  | WW233629PU10M               | \$ 1531    | 22¾        | 36  | 27¼ | — | —  | 95 lbs.         | 15.0       |
|  | WW233029PU11M  | WW233029PU10M               | 1296       | 22¾        | 30  | 27¼ | — | —  | 85 lbs.         | 12.4       |
|  | WW36CW2M   | Counterweight—2 Drawer      | 163        | 1½         | 23¾ | 11½ | — | —  | 37 lbs.         | 0.1        |
|  | <ul style="list-style-type: none"> <li>• File drawer utilizes drawer body sides for front-to-back letter filing</li> <li>• Additional filing hardware may be purchased for front-to-back filing capability in lateral file drawer</li> <li>• See additional filing hardware on page 581</li> <li>• <b>When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified</b></li> <li>• Not to be used to support Epicenter</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul> |                             |            |            |     |     |   |    |                 |            |

Right shown

|  |  |       |         |     |    |     |   |   |         |      |
|--|--|-------|---------|-----|----|-----|---|---|---------|------|
| <b>MULTI-FILE - UNDERSURFACE<br/>18¾" DEEP</b><br><br> | WW1830PUBBFLLM   | Left  | \$ 1272 | 18¾ | 30 | 27¼ | — | — | 78 lbs. | 11.8 |
|  | WW1830PUBBFLRM   | Right | 1272    | 18¾ | 30 | 27¼ | — | — | 78 lbs. | 11.8 |
|  | <ul style="list-style-type: none"> <li>• File drawer utilizes drawer body sides for front-to-back letter filing</li> <li>• Additional filing hardware may be purchased for front-to-back filing capability in lateral file drawer</li> <li>• See additional filing hardware on page 581</li> <li>• Multi-file is not for use as a stand alone unit</li> <li>• Not to be used to support Epicenter</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Metal multi-file units – "left" is opposite of what the veneer/laminate units are set-up</li> <li>• When ordering a worksurface, specify 24" deep with modified sizing</li> </ul> |       |         |     |    |     |   |   |         |      |

Left shown

|   | OPEN STORAGE   |                        | LIST PRICE | DIMENSIONS |     |     |   |    | CARTONED WEIGHT | CUBIC FEET |
|---|--|------------------------|------------|------------|-----|-----|---|----|-----------------|------------|
|   | ON LEFT  | ON RIGHT               |            | D          | W   | H   | A | KW |                 |            |
| <b>MIXED STORAGE - UNDERSURFACE<br/>23" DEEP</b><br><br> | WW233629PU33M  | WW233629PU32M          | \$ 1067    | 22¾        | 36  | 27¼ | — | —  | 95 lbs.         | 15.0       |
|   | WW233029PU33M  | WW233029PU32M          | 832        | 22¾        | 30  | 27¼ | — | —  | 85 lbs.         | 12.4       |
|   | WW36CW2M   | Counterweight—2 Drawer | 163        | 1½         | 23¾ | 11½ | — | —  | 37 lbs.         | 0.1        |
|   | <ul style="list-style-type: none"> <li>• File drawer utilizes drawer body sides for front-to-back letter filing</li> <li>• Additional filing hardware may be purchased for front-to-back filing capability in lateral file drawer</li> <li>• See additional filing hardware on page 581</li> <li>• <b>When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified</b></li> <li>• Not to be used to support Epicenter</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul> |                        |            |            |     |     |   |    |                 |            |

Right shown

# WAVEWORKS METAL

## PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Not to be used to support Epicenter

## TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint


## SAMPLE MODEL NUMBER:

WW231522PUBFM 5 KRB 462

- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS       |    |                  |   |    | CARTONED WEIGHT | CUBIC FEET |
|--|-----------------------|------------|------------------|----|------------------|---|----|-----------------|------------|
|  |                       |            | D                | W  | H                | A | KW |                 |            |
| <b>OPEN BOOKCASE - UNDERSURFACE BOX/FILE HEIGHT 23" DEEP</b> | WW233629PUOSM         | \$ 670     | 22 $\frac{3}{4}$ | 36 | 27 $\frac{3}{4}$ | — | —  | 85 lbs.         | 15.0       |
|  | WW233029PUOSM         | 550        | 22 $\frac{3}{4}$ | 30 | 27 $\frac{3}{4}$ | — | —  | 75 lbs.         | 12.4       |


- Bookcase is not for use as a stand alone unit
- Not to be used to support Epicenter



## PEDESTAL - UNDERSURFACE BOX/FILE HEIGHT

|               |        |                  |    |                  |   |   |         |     |
|---------------|--------|------------------|----|------------------|---|---|---------|-----|
| WW231522PUBFM | \$ 418 | 22 $\frac{3}{4}$ | 15 | 21 $\frac{1}{8}$ | — | — | 46 lbs. | 8.3 |
|---------------|--------|------------------|----|------------------|---|---|---------|-----|


- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Pedestal is not for use as a stand alone unit
- Not intended to be used as a hanging pedestal
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



## BOX/LATERAL FILE - UNDERSURFACE BOX/FILE HEIGHT 23" DEEP

|                                 |        |                  |                  |                  |   |   |         |      |
|---------------------------------|--------|------------------|------------------|------------------|---|---|---------|------|
| WW233622PUBLM                   | \$ 696 | 22 $\frac{3}{4}$ | 36               | 21 $\frac{1}{8}$ | — | — | 85 lbs. | 15.0 |
| WW233022PUBLM                   | 627    | 22 $\frac{3}{4}$ | 30               | 21 $\frac{1}{8}$ | — | — | 75 lbs. | 12.4 |
| WW36CW2M Counterweight—2 Drawer | 163    | 1 $\frac{1}{2}$  | 23 $\frac{3}{4}$ | 11 $\frac{1}{8}$ | — | — | 37 lbs. | 0.1  |


- Box/Lateral File is not for use as a stand alone unit
- See additional filing hardware on page 581
- **When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified**
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



## BOOKCASE - UNDERSURFACE BOX/FILE HEIGHT 23" DEEP

|               |        |                  |    |                  |   |   |         |      |
|---------------|--------|------------------|----|------------------|---|---|---------|------|
| WW233622PUOSM | \$ 670 | 22 $\frac{3}{4}$ | 36 | 21 $\frac{1}{8}$ | — | — | 85 lbs. | 15.0 |
| WW233022PUOSM | 550    | 22 $\frac{3}{4}$ | 30 | 21 $\frac{1}{8}$ | — | — | 75 lbs. | 12.4 |

- Unit features standard adjustable shelf
- Bookcase not for use as a stand alone unit
- Not to be used to support Epicenter





Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

**TO ORDER, SPECIFY:**

1. Model Number
2. Pull
3. Locking
4. Paint

**SAMPLE MODEL NUMBER:**

WW1836LFF5DM 5 KRB 440

• See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION   | LIST PRICE | DIMENSIONS      |                  |                   |   |    | CARTONED WEIGHT | CUBIC FEET |
|---|---|------------|-----------------|------------------|-------------------|---|----|-----------------|------------|
|   |   |            | D               | W                | H                 | A | KW |                 |            |
|   | WW1842LFF2M 2 Drawer  | \$ 947     | 18              | 42               | 27 $\frac{3}{4}$  | – | –  | 121 lbs.        | 16.4       |
|   | QWW1836LFF2M 2 Drawer   | 832        | 18              | 36               | 27 $\frac{3}{4}$  | – | –  | 113 lbs.        | 14.2       |
|   | WW1836LFF2M 2 Drawer  | 832        | 18              | 36               | 27 $\frac{3}{4}$  | – | –  | 113 lbs.        | 14.2       |
|   | WW1830LFF2M 2 Drawer  | 777        | 18              | 30               | 27 $\frac{3}{4}$  | – | –  | 100 lbs.        | 12.0       |
|   | WW36CW2M Counterweight  | 163        | 1 $\frac{1}{2}$ | 23 $\frac{3}{4}$ | 11 $\frac{1}{2}$  | – | –  | 37 lbs.         | 0.1        |
| • Counterweight must be used unless ganging multiple lateral file units   |   |            |                 |                  |                   |   |    |                 |            |
|   | WW1842LFF3M 3 Drawer  | \$ 1245    | 18              | 42               | 39 $\frac{3}{16}$ | – | –  | 164 lbs.        | 23.0       |
|   | WW1836LFF3M 3 Drawer  | 1140       | 18              | 36               | 39 $\frac{3}{16}$ | – | –  | 146 lbs.        | 19.9       |
|   | WW1830LFF3M 3 Drawer  | 1081       | 18              | 30               | 39 $\frac{3}{16}$ | – | –  | 128 lbs.        | 16.8       |
|   | WW36CW2M Counterweight  | 163        | 1 $\frac{1}{2}$ | 23 $\frac{3}{4}$ | 11 $\frac{1}{2}$  | – | –  | 37 lbs.         | 0.1        |
|   | • Counterweight must be used unless ganging multiple lateral file units |            |                 |                  |                   |   |    |                 |            |
|   | WW1842LFF4M 4 Drawer  | \$ 1534    | 18              | 42               | 51 $\frac{1}{8}$  | – | –  | 191 lbs.        | 29.5       |
|   | QWW1836LFF4M 4 Drawer   | 1293       | 18              | 36               | 51 $\frac{1}{8}$  | – | –  | 169 lbs.        | 25.6       |
|   | WW1836LFF4M 4 Drawer  | 1293       | 18              | 36               | 51 $\frac{1}{8}$  | – | –  | 169 lbs.        | 25.6       |
|   | WW1830LFF4M 4 Drawer  | 1227       | 18              | 30               | 51 $\frac{1}{8}$  | – | –  | 148 lbs.        | 21.7       |
|   | WW36CW2M Counterweight  | 163        | 1 $\frac{1}{2}$ | 23 $\frac{3}{4}$ | 11 $\frac{1}{2}$  | – | –  | 37 lbs.         | 0.1        |
| • Counterweight must be used unless ganging multiple lateral file units   |   |            |                 |                  |                   |   |    |                 |            |
|   | WW1842LFF5M 5 Drawer  | \$ 1856    | 18              | 42               | 64 $\frac{1}{2}$  | – | –  | 212 lbs.        | 36.8       |
|   | WW1836LFF5M 5 Drawer  | 1710       | 18              | 36               | 64 $\frac{1}{2}$  | – | –  | 187 lbs.        | 31.9       |
|   | WW1830LFF5M 5 Drawer  | 1607       | 18              | 30               | 64 $\frac{1}{2}$  | – | –  | 162 lbs.        | 26.9       |
|   | WW36CW2M Counterweight  | 163        | 1 $\frac{1}{2}$ | 23 $\frac{3}{4}$ | 11 $\frac{1}{2}$  | – | –  | 37 lbs.         | 0.1        |
|   | • Counterweight must be used unless ganging multiple lateral file units |            |                 |                  |                   |   |    |                 |            |
|   | WW1842LFF5DM 5 Drawer with Recessed Door                                | \$ 1969    | 18              | 42               | 64 $\frac{1}{2}$  | – | –  | 212 lbs.        | 36.8       |
|   | WW1836LFF5DM 5 Drawer with Recessed Door                                | 1812       | 18              | 36               | 64 $\frac{1}{2}$  | – | –  | 187 lbs.        | 31.9       |
|   | WW1830LFF5DM 5 Drawer with Recessed Door                                | 1738       | 18              | 30               | 64 $\frac{1}{2}$  | – | –  | 162 lbs.        | 26.9       |
|   | WW36CW2M Counterweight  | 163        | 1 $\frac{1}{2}$ | 23 $\frac{3}{4}$ | 11 $\frac{1}{2}$  | – | –  | 37 lbs.         | 0.1        |
|   | • Counterweight must be used unless ganging multiple lateral file units |            |                 |                  |                   |   |    |                 |            |
| <ul style="list-style-type: none"> <li>• Drawer fronts are picture framed</li> <li>• File drawers accommodate side-to-side letter/legal filing</li> <li>• Additional filing hardware may be purchased for front-to-back filing capability</li> <li>• See additional filing hardware on page 581</li> <li>• Counterweight must be ordered separately; specify model only</li> <li>• Knockouts are standard to allow for ganging side-by-side</li> <li>• File cannot be moved loaded</li> <li>• Quick Delivery lateral files are available in Cinder (462) and Platinum Metallic (501) finishes</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Counterweights must be field installed for freestanding lateral files</li> </ul> |   |            |                 |                  |                   |   |    |                 |            |

# WAVEWORKS METAL

## PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

## TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Paint

## SAMPLE MODEL NUMBER:

WW2454VBWHL2M 5 KRB 462

- See pages 535-536 for all options available in WaveWorks Metal


| MODEL NO./DESCRIPTION                          | LIST PRICE | DIMENSIONS         |                     |                     |   |    | CARTONED WEIGHT | CUBIC FEET |
|--|------------|--------------------|---------------------|---------------------|---|----|-----------------|------------|
|  |            | D                  | W                   | H                   | A | KW |                 |            |
| <b>STORAGE CABINET WITH FILE/FILE PEDESTAL</b> |            |                    |                     |                     |   |    |                 |            |
| <b>LEFT HINGED</b>                             |            |                    |                     |                     |   |    |                 |            |
| <b>RIGHT HINGED</b>                            |            |                    |                     |                     |   |    |                 |            |
| WW1566VHL2M                                    | \$ 1271    | 23 $\frac{3}{8}$ " | 14 $\frac{1}{16}$ " | 65 $\frac{1}{16}$ " | — | —  | 140 lbs.        | 17.4       |
| WW1566VHR2M                                    |            |                    |                     |                     |   |    |                 |            |
| WW1554VHL2M                                    | 1192       | 23 $\frac{3}{8}$ " | 14 $\frac{1}{16}$ " | 53 $\frac{3}{8}$ "  | — | —  | 120 lbs.        | 14.4       |
| WW1554VHR2M                                    |            |                    |                     |                     |   |    |                 |            |



Left shown

- 54" storage cabinet contains 1 adjustable shelf
- 66" storage cabinet contains 2 adjustable shelves
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


| MODEL NO./DESCRIPTION                           | LIST PRICE | DIMENSIONS         |     |                     |   |    | CARTONED WEIGHT | CUBIC FEET |
|---|------------|--------------------|-----|---------------------|---|----|-----------------|------------|
|   |            | D                  | W   | H                   | A | KW |                 |            |
| <b>STORAGE/WARDROBE WITH FILE/FILE PEDESTAL</b> |            |                    |     |                     |   |    |                 |            |
| <b>LEFT HINGED</b>                              |            |                    |     |                     |   |    |                 |            |
| <b>RIGHT HINGED</b>                             |            |                    |     |                     |   |    |                 |            |
| WW2466VHHL2M                                    | \$ 1749    | 23 $\frac{3}{8}$ " | 24" | 65 $\frac{1}{16}$ " | — | —  | 170 lbs.        | 26.6       |
| WW2466VHR2M                                     |            |                    |     |                     |   |    |                 |            |
| WW2454VHHL2M                                    | 1629       | 23 $\frac{3}{8}$ " | 24" | 53 $\frac{3}{8}$ "  | — | —  | 145 lbs.        | 21.9       |
| WW2454VHR2M                                     |            |                    |     |                     |   |    |                 |            |



Left shown

- Removable coat rod is standard
- Storage cabinet in 54" unit contains 1 adjustable shelf
- Storage cabinet in 66" unit contains 2 adjustable shelves
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

| MODEL NO./DESCRIPTION                                    | LIST PRICE | DIMENSIONS         |     |                     |   |    | CARTONED WEIGHT | CUBIC FEET |
|--|------------|--------------------|-----|---------------------|---|----|-----------------|------------|
|  |            | D                  | W   | H                   | A | KW |                 |            |
| <b>STORAGE BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL</b> |            |                    |     |                     |   |    |                 |            |
| <b>LEFT HINGED</b>                                       |            |                    |     |                     |   |    |                 |            |
| <b>RIGHT HINGED</b>                                      |            |                    |     |                     |   |    |                 |            |
| WW2466VBWHL2M  | \$ 1945    | 23 $\frac{3}{8}$ " | 24" | 65 $\frac{1}{16}$ " | — | —  | 180 lbs.        | 26.6       |
| WW2466VBWHR2M  |            |                    |     |                     |   |    |                 |            |
| WW2454VBWHL2M  | 1802       | 23 $\frac{3}{8}$ " | 24" | 53 $\frac{3}{8}$ "  | — | —  | 152 lbs.        | 21.9       |
| WW2454VBWHR2M  |            |                    |     |                     |   |    |                 |            |



Right shown

- Removable coat rod is standard
- 54" storage bookcase/wardrobe contains 1 adjustable shelf
- 66" storage bookcase/wardrobe contains 2 adjustable shelves
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available



**PRODUCT SPECIFICATIONS**

- Highbacks shipped with appropriate hardware

**TO ORDER, SPECIFY:**


1. Model Number
2. Pull
3. Locking
4. Paint

**SAMPLE MODEL NUMBER:**

WW7237HBRM 5 KRB 440


- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS |     |     |   |    | CARTONED WEIGHT | CUBIC FEET |
|--|-----------------------|------------|------------|-----|-----|---|----|-----------------|------------|
|  |                       |            | D          | W   | H   | A | KW |                 |            |
| <b>HIGHBACK ORGANIZER RECESSED DOORS</b> | WW7237HBRM            | \$ 1271    | 15         | 71¼ | 37½ | – | –  | 170 lbs.        | 21.9       |
|  | WW6037HBRM            | 1092       | 15         | 59¾ | 37½ | – | –  | 145 lbs.        | 18.3       |
|  | WW4837HBRM            | 1011       | 15         | 47¾ | 37½ | – | –  | 120 lbs.        | 11.1       |
|  | WW4237HBRM            | 929        | 15         | 41¾ | 37½ | – | –  | 95 lbs.         | 3.9        |
|  | WW3637HBRM            | 841        | 15         | 35¾ | 37½ | – | –  | 75 lbs.         | 2.0        |




- Not intended for use on table desking
- An end panel, support panel, or pedestal must be located under end panels of highback for proper support
- 36", 42" and 48" units have 1 locking door; 60" and 72" units have 2 individually locking doors
- Doors recess into top of cabinet
- 72" and 60" units: Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- 36", 42" and 48" units: Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Back of highback has cutouts for cable routing
- Some assembly required
- Reference tack board applicability on page 752

**HIGHBACK ORGANIZER FLIPPER DOORS WITH SOFT CLOSE HINGE**

|  |            |         |     |     |     |   |   |          |      |
|--|------------|---------|-----|-----|-----|---|---|----------|------|
|  | WW7237HBFM | \$ 1458 | 14½ | 71¼ | 37½ | – | – | 170 lbs. | 21.9 |
|  | WW6037HBFM | 1283    | 14½ | 59¾ | 37½ | – | – | 145 lbs. | 18.3 |
|  | WW4837HBFM | 1107    | 14½ | 47¾ | 37½ | – | – | 120 lbs. | 11.1 |
|  | WW4237HBFM | 1025    | 14½ | 41¾ | 37½ | – | – | 95 lbs.  | 3.9  |
|  | WW3637HBFM | 935     | 14½ | 35¾ | 37½ | – | – | 75 lbs.  | 2.0  |

- Not intended for use on table desking
- An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support
- Doors flip up over the top of the unit
- Features soft close hinges
- 36", 42" and 48" units have 1 locking door; 60" and 72" units have 2 individually locking doors
- 72" and 60" units: Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- 36", 42" and 48" units: Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Back of highback has cutouts for cable routing
- Some assembly required
- Reference tack board applicability on page 752

**HIGHBACK ORGANIZER NO DOORS**

|   |            |         |    |     |     |   |   |          |      |
|---|------------|---------|----|-----|-----|---|---|----------|------|
|  | WW7237HBEM | \$ 1175 | 15 | 71¼ | 37½ | – | – | 170 lbs. | 21.9 |
|   | WW6037HBEM | 1000    | 15 | 59¾ | 37½ | – | – | 145 lbs. | 18.3 |
|   | WW4837HBEM | 965     | 15 | 47¾ | 37½ | – | – | 120 lbs. | 11.1 |
|   | WW4237HBEM | 884     | 15 | 41¾ | 37½ | – | – | 95 lbs.  | 3.9  |
|   | WW3637HBEM | 792     | 15 | 35¾ | 37½ | – | – | 75 lbs.  | 2.0  |

- Not intended for use on table desking
- An end panel, support panel, or pedestal must be located under end panels of highback for proper support
- Back of highback has cutouts for cable routing
- Some assembly required
- Reference tack board applicability on page 752

# WAVEWORKS METAL

## PRODUCT SPECIFICATIONS

- Overheads shipped with appropriate hardware

## TO ORDER, SPECIFY:


- Model Number
- Locking
- Paint

## SAMPLE MODEL NUMBER:

WW4814SOFTM KRB 461


- See pages 535-536 for all options available in WaveWorks Metal

| MODEL NO./DESCRIPTION | GRADE A | GRADE B/<br>COM | LIST<br>PRICE | DIMENSIONS |     |     |   |    | CARTONED<br>WEIGHT | CUBIC<br>FEET |
|-----------------------|---------|-----------------|---------------|------------|-----|-----|---|----|--------------------|---------------|
|                       |         |                 |               | D          | W   | H   | A | KW |                    |               |
| <b>TACK BOARD</b>     |         |                 |               |            |     |     |   |    |                    |               |
| NAC6820TBMA Railroad  | \$ 376  | \$ 445          |               | ½          | 68¾ | 19¾ | — | —  | 13 lbs.            | 2.2           |
| NAC5620TBMA Railroad  | \$ 296  | \$ 349          |               | ½          | 56¾ | 19¾ | — | —  | 9 lbs.             | 1.8           |
| NAC4420TBMA Railroad  | \$ 268  | \$ 311          |               | ½          | 44¾ | 19¾ | — | —  | 8 lbs.             | 1.5           |
| NAC3820TBMA Railroad  | \$ 252  | \$ 290          |               | ½          | 38¾ | 19¾ | — | —  | 7 lbs.             | 1.3           |
| NAC3220TBMA Railroad  | \$ 231  | \$ 263          |               | ½          | 32¾ | 19¾ | — | —  | 6 lbs.             | 1.0           |



- For use with WaveWorks metal highback organizers only
- Tack board is unfinished on back
- Hardware is included to attach to highback organizer
- See page 536 for fabric options
- Reference tack board applicability on page 752


## OVERHEAD STORAGE CABINET RECESSED DOOR EXHIBIT MOUNT



|             |        |  |     |     |     |   |   |         |      |
|-------------|--------|--|-----|-----|-----|---|---|---------|------|
| WW4814SOFTM | \$ 732 |  | 14% | 47¾ | 16% | — | — | 67 lbs. | 11.7 |
| WW4214SOFTM | 713    |  | 14% | 41¾ | 16% | — | — | 62 lbs. | 11.5 |
| WW3614SOFTM | 698    |  | 14% | 35¾ | 16% | — | — | 57 lbs. | 10.1 |
| WW3014SOFTM | 680    |  | 14% | 29¾ | 16% | — | — | 43 lbs. | 6.6  |

- Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately
- Filler strip is removable in the field if overhead is used with tack/marker board insert
- Door recesses into top of cabinet
- Unit features 1 door
- Unit features an open back
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## OVERHEAD STORAGE CABINET FLIPPER DOOR WITH SOFT CLOSE HINGE EXHIBIT MOUNT



|              |        |  |                                 |     |     |   |   |         |      |
|--------------|--------|--|---------------------------------|-----|-----|---|---|---------|------|
| WW4814SOF2TM | \$ 827 |  | 14 <sup>1</sup> / <sub>16</sub> | 47¾ | 16% | — | — | 67 lbs. | 11.7 |
| WW4214SOF2TM | 809    |  | 14 <sup>1</sup> / <sub>16</sub> | 41¾ | 16% | — | — | 62 lbs. | 11.5 |
| WW3614SOF2TM | 791    |  | 14 <sup>1</sup> / <sub>16</sub> | 35¾ | 16% | — | — | 57 lbs. | 10.1 |
| WW3014SOF2TM | 777    |  | 14 <sup>1</sup> / <sub>16</sub> | 29¾ | 16% | — | — | 43 lbs. | 6.6  |

- Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately
- Filler strip is removable in the field if overhead is used with tack/marker board insert
- Door flips up over the top of the unit
- Features soft close hinges
- Unit features 1 door
- Unit features an open back
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**PRODUCT SPECIFICATIONS**

- Overheads shipped with appropriate hardware

**TO ORDER, SPECIFY:**


1. Model Number
2. Paint

**SAMPLE MODEL NUMBERS:**

WW3642BCOFM 501  
11N72EXP1 462


- See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS |     |     |   |    | CARTONED WEIGHT | CUBIC FEET |
|--|-----------------------|------------|------------|-----|-----|---|----|-----------------|------------|
|  |                       |            | D          | W   | H   | A | KW |                 |            |
| <b>OVERHEAD STORAGE CABINET<br/>NO DOORS<br/>EXHIBIT MOUNT</b> | WW4814SOETM           | \$ 684     | 14%        | 47% | 16% | — | —  | 67 lbs.         | 11.7       |
|  | WW4214SOETM           | 668        | 14%        | 41% | 16% | — | —  | 62 lbs.         | 11.5       |
|  | WW3614SOETM           | 651        | 14%        | 35% | 16% | — | —  | 57 lbs.         | 10.1       |
|  | WW3014SOETM           | 633        | 14%        | 29% | 16% | — | —  | 43 lbs.         | 6.6        |



- Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately
- Filler strip is removable in the field if overhead is used with tack/marker board insert
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail

**EXHIBIT WALL RAIL**




**WALL RAIL**

|            |                     |        |   |     |    |   |   |         |     |
|------------|---------------------|--------|---|-----|----|---|---|---------|-----|
| 11N72EXP1  | 1 Rail/No faceplate | \$ 100 | ¾ | 72  | 1¾ | — | — | 6 lbs.  | 0.7 |
| 11N144EXP1 | 1 Rail/No faceplate | 145    | ¾ | 144 | 1¾ | — | — | 12 lbs. | 1.4 |

- Includes 1 wall rail and 2 alignment brackets
- Specify 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic or 503 Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert


**2 SHELF BOOKCASE**



|             |  |        |     |     |     |   |   |         |      |
|-------------|--|--------|-----|-----|-----|---|---|---------|------|
| WW3642BCOFM |  | \$ 605 | 15½ | 35½ | 41½ | — | — | 82 lbs. | 16.9 |
|-------------|--|--------|-----|-----|-----|---|---|---------|------|

- Not intended for use as set-on surface storage
- Shelves are ¾" thick
- Shaded shelves are adjustable


**3 SHELF BOOKCASE**



|             |  |        |     |     |     |   |   |          |      |
|-------------|--|--------|-----|-----|-----|---|---|----------|------|
| WW3654BCOFM |  | \$ 698 | 15½ | 35½ | 53½ | — | — | 103 lbs. | 21.6 |
|-------------|--|--------|-----|-----|-----|---|---|----------|------|

- Not intended for use as set-on surface storage
- Shelves are ¾" thick
- Shaded shelves are adjustable

**4 SHELF BOOKCASE**



|             |  |        |     |     |     |   |   |          |      |
|-------------|--|--------|-----|-----|-----|---|---|----------|------|
| WW3666BCOFM |  | \$ 808 | 15½ | 35½ | 65½ | — | — | 124 lbs. | 26.2 |
|-------------|--|--------|-----|-----|-----|---|---|----------|------|

- Not intended for use as set-on surface storage
- Shelves are ¾" thick
- Shaded shelves are adjustable

# WAVEWORKS METAL

## PRODUCT SPECIFICATIONS

- See pages 537-541 for modesty panel matrix and guidelines


## TO ORDER, SPECIFY:

1. Model Number
2. Paint

## SAMPLE MODEL NUMBER:


WW4827MPM 440

- See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS |    |    |   |    | CARTONED CUBIC |      |
|---|-----------------------|------------|------------|----|----|---|----|----------------|------|
|   |                       |            | D          | W  | H  | A | KW | WEIGHT         | FEET |
| <b>MODESTY PANEL FULL OVERLAY MODESTY</b><br> | WW9627MPM             | \$ 298     | 1½         | 96 | 27 | – | –  | 32 lbs.        | 3.0  |
|   | WW8427MPM             | 280        | 1½         | 84 | 27 | – | –  | 29 lbs.        | 2.5  |
|   | WW7227MPM             | 246        | 1½         | 72 | 27 | – | –  | 24 lbs.        | 2.1  |
|   | WW6627MPM             | 233        | 1½         | 66 | 27 | – | –  | 22 lbs.        | 2.0  |
|   | WW6027MPM             | 219        | 1½         | 60 | 27 | – | –  | 20 lbs.        | 1.8  |
|   | WW5427MPM             | 214        | 1½         | 54 | 27 | – | –  | 18 lbs.        | 1.6  |
|   | WW4827MPM             | 212        | 1½         | 48 | 27 | – | –  | 16 lbs.        | 1.4  |
|   | WW4227MPM             | 197        | 1½         | 42 | 27 | – | –  | 15 lbs.        | 1.3  |
|   | WW3627MPM             | 180        | 1½         | 36 | 27 | – | –  | 13 lbs.        | 1.1  |
|   | WW3427MPM             | 170        | 1½         | 34 | 27 | – | –  | 13 lbs.        | 1.0  |
|   | WW3027MPM             | 163        | 1½         | 30 | 27 | – | –  | 12 lbs.        | 0.9  |

- Modesty panel completely covers back of pedestals and kneespace and from underside of worksurface to floor

## MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT



|           |       |        |    |    |     |   |   |         |     |
|-----------|-------|--------|----|----|-----|---|---|---------|-----|
| WW9621MPM | Metal | \$ 267 | 1½ | 96 | 21¼ | – | – | 30 lbs. | 2.9 |
| WW8421MPM | Metal | 246    | 1½ | 84 | 21¼ | – | – | 27 lbs. | 2.4 |
| WW7221MPM | Metal | 214    | 1½ | 72 | 21¼ | – | – | 22 lbs. | 2.0 |
| WW6621MPM | Metal | 200    | 1½ | 66 | 21¼ | – | – | 20 lbs. | 1.9 |
| WW6021MPM | Metal | 188    | 1½ | 60 | 21¼ | – | – | 18 lbs. | 1.7 |
| WW5421MPM | Metal | 183    | 1½ | 54 | 21¼ | – | – | 16 lbs. | 1.5 |
| WW4821MPM | Metal | 180    | 1½ | 48 | 21¼ | – | – | 14 lbs. | 1.3 |
| WW4221MPM | Metal | 164    | 1½ | 42 | 21¼ | – | – | 13 lbs. | 1.2 |
| WW3621MPM | Metal | 150    | 1½ | 36 | 21¼ | – | – | 11 lbs. | 1.0 |
| WW3021MPM | Metal | 131    | 1½ | 30 | 21¼ | – | – | 10 lbs. | 0.8 |

- Modesty panel completely covers back of pedestals and kneespace and from underside of worksurface to floor

**PRODUCT SPECIFICATIONS**

- See pages 537-541 for modesty panel matrix and guidelines


**TO ORDER, SPECIFY:**

1. Model Number
2. Paint

**SAMPLE MODEL NUMBER:**

WW9423MPM 440

- See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS |     |    |   |    | CARTONED CUBIC |      |
|---|-----------------------|------------|------------|-----|----|---|----|----------------|------|
|   |                       |            | D          | W   | H  | A | KW | WEIGHT         | FEET |
| <b>MODESTY PANEL<br/>KNEESPACE MODESTY</b><br><br> | WW9423MPM             | \$ 271     | 1½         | 93¼ | 23 | – | –  | 32 lbs.        | 2.8  |
|   | WW8323MPM             | 251        | 1½         | 82¾ | 23 | – | –  | 29 lbs.        | 2.5  |
|   | WW8223MPM             | 251        | 1½         | 81¼ | 23 | – | –  | 25 lbs.        | 2.4  |
|   | WW8023MPM             | 251        | 1½         | 79½ | 23 | – | –  | 28 lbs.        | 2.4  |
|   | WW7123MPM             | 223        | 1½         | 70½ | 23 | – | –  | 23 lbs.        | 2.1  |
|   | WW7023MPM             | 223        | 1½         | 69¾ | 23 | – | –  | 23 lbs.        | 2.1  |
|   | WW6923MPM             | 209        | 1½         | 69  | 23 | – | –  | 23 lbs.        | 2.1  |
|   | WW6823MPM             | 209        | 1½         | 67¾ | 23 | – | –  | 23 lbs.        | 2.0  |
|   | WW6623MPM             | 209        | 1½         | 65¾ | 23 | – | –  | 22 lbs.        | 2.0  |
|   | WW6523MPM             | 209        | 1½         | 64¾ | 23 | – | –  | 22 lbs.        | 2.0  |
|   | WW6423MPM             | 209        | 1½         | 63¾ | 23 | – | –  | 21 lbs.        | 1.9  |
|   | WW5923MPM             | 197        | 1½         | 58¾ | 23 | – | –  | 20 lbs.        | 1.8  |
|   | WW5823MPM             | 197        | 1½         | 57¾ | 23 | – | –  | 20 lbs.        | 1.7  |
|   | WW5723MPM             | 197        | 1½         | 57  | 23 | – | –  | 19 lbs.        | 1.7  |
|   | WW5623MPM             | 197        | 1½         | 55¾ | 23 | – | –  | 19 lbs.        | 1.7  |
|   | WW54A23MPM            | 193        | 1½         | 54  | 23 | – | –  | 19 lbs.        | 1.6  |
|   | WW5423MPM             | 193        | 1½         | 53¾ | 23 | – | –  | 18 lbs.        | 1.6  |
|   | WW5323MPM             | 193        | 1½         | 52¾ | 23 | – | –  | 18 lbs.        | 1.6  |
|   | WW52A23MPM            | 193        | 1½         | 52¾ | 23 | – | –  | 18 lbs.        | 1.6  |
|   | WW5223MPM             | 193        | 1½         | 51¾ | 23 | – | –  | 18 lbs.        | 1.6  |
|   | WW5023MPM             | 191        | 1½         | 49¾ | 23 | – | –  | 17 lbs.        | 1.5  |
|   | WW4723MPM             | 191        | 1½         | 46¾ | 23 | – | –  | 16 lbs.        | 1.4  |
|   | WW4523MPM             | 180        | 1½         | 45¾ | 23 | – | –  | 16 lbs.        | 1.4  |
|   | WW4423MPM             | 180        | 1½         | 45½ | 23 | – | –  | 15 lbs.        | 1.3  |
|   | WW4323MPM             | 180        | 1½         | 43¾ | 23 | – | –  | 15 lbs.        | 1.3  |
|   | WW42A23MPM            | 179        | 1½         | 42½ | 23 | – | –  | 14 lbs.        | 1.3  |
|   | WW4223MPM             | 179        | 1½         | 41¾ | 23 | – | –  | 15 lbs.        | 1.3  |
|   | WW4123MPM             | 168        | 1½         | 40¾ | 23 | – | –  | 15 lbs.        | 1.2  |
|   | WW40A23MPM            | 168        | 1½         | 40½ | 23 | – | –  | 14 lbs.        | 1.2  |
|   | WW4023MPM             | 168        | 1½         | 39¾ | 23 | – | –  | 14 lbs.        | 1.2  |
|   | WW3923MPM             | 162        | 1½         | 39½ | 23 | – | –  | 14 lbs.        | 1.2  |
|   | WW3823MPM             | 162        | 1½         | 37½ | 23 | – | –  | 14 lbs.        | 1.2  |

- Modesty panels are pre-drilled for installation
- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3"
- Modesty panel not applicable for attachment to suspended pedestals
- Shell units must be used with suspended pedestals
- See pages 538-541 for planning guideline chart

# WAVEWORKS METAL

## PRODUCT SPECIFICATIONS

- See pages 537-541 for modesty panel matrix and guidelines

## TO ORDER, SPECIFY:


1. Model Number
2. Paint

## SAMPLE MODEL NUMBER:

WW3623MPM 501

- See pages 535-536 for all options available in WaveWorks Metal


|  | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS |     |    |   |    | CARTONED CUBIC |      |
|--|-----------------------|------------|------------|-----|----|---|----|----------------|------|
|  |                       |            | D          | W   | H  | A | KW | WEIGHT         | FEET |
| <b>MODESTY PANEL<br/>KNEESPACE MODESTY<br/>(CONTINUED)</b> | WW3623MPM             | \$ 162     | 1½         | 36  | 23 | – | –  | 13 lbs.        | 1.1  |
|  | WW3523MPM             | 157        | 1½         | 34¾ | 23 | – | –  | 13 lbs.        | 1.1  |
|  | WW3423MPM             | 154        | 1½         | 33¾ | 23 | – | –  | 13 lbs.        | 1.0  |
|  | WW3323MPM             | 154        | 1½         | 33¼ | 23 | – | –  | 13 lbs.        | 1.0  |
|  | WW3223MPM             | 150        | 1½         | 31¾ | 23 | – | –  | 12 lbs.        | 1.0  |
|  | WW3123MPM             | 150        | 1½         | 30¾ | 23 | – | –  | 12 lbs.        | 1.0  |
|  | WW3023MPM             | 150        | 1½         | 30  | 23 | – | –  | 12 lbs.        | 0.9  |
|  | WW2923MPM             | 150        | 1½         | 28¾ | 23 | – | –  | 11 lbs.        | 0.9  |
|  | WW2823MPM             | 150        | 1½         | 27¾ | 23 | – | –  | 11 lbs.        | 0.9  |
|  | WW2723MPM             | 148        | 1½         | 27¼ | 23 | – | –  | 11 lbs.        | 0.8  |
|  | WW2623MPM             | 148        | 1½         | 25¾ | 23 | – | –  | 9 lbs.         | 0.7  |
|  | WW2323MPM             | 144        | 1½         | 22¾ | 23 | – | –  | 9 lbs.         | 0.7  |
|  | WW2023MPM             | 144        | 1½         | 19¾ | 23 | – | –  | 8 lbs.         | 0.7  |
|  | WW1723MPM             | 142        | 1½         | 16¾ | 23 | – | –  | 7 lbs.         | 0.7  |
|  | WW1423MPM             | 138        | 1½         | 13¾ | 23 | – | –  | 6 lbs.         | 0.7  |



- Modesty panels are pre-drilled for installation
- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3"
- Modesty panel not applicable for attachment to suspended pedestals
- Shell units must be used with suspended pedestals
- See pages 538-541 for planning guideline chart

## NON-DEFACING PEDESTAL KIT


|        |       |   |   |   |   |   |   |        |     |
|--------|-------|---|---|---|---|---|---|--------|-----|
| WWMNDF | \$ 51 | – | – | – | – | – | – | 1 lbs. | 0.3 |
|--------|-------|---|---|---|---|---|---|--------|-----|



- Allows attachment of pedestal to modesty panel without drilling holes in sides of cabinet
- Includes hardware for attachment
- Environmental grey finish
- Order 1 non-defacing kit per pedestal
- Specify model number only

## NON-DEFACING COLUMN LEG KIT

|         |        |       |   |   |   |   |   |        |     |
|---------|--------|-------|---|---|---|---|---|--------|-----|
| WWSBNDF | Cinder | \$ 51 | – | – | – | – | – | 1 lbs. | 0.3 |
|---------|--------|-------|---|---|---|---|---|--------|-----|



- Allows attachment of column to metal modesty panel without defacing the column
- Available in 4 paint options: Designer White (405), Cinder (462), Platinum Metallic (501) and Satin Nickel Metallic (503)






**TO ORDER, SPECIFY:**

1. Model Number
2. Paint

**SAMPLE MODEL NUMBER:**

WW1827EPM 405

• See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION   | LIST PRICE | DIMENSIONS         |                 |                  |   |    | CARTONED CUBIC |      |
|---|---|------------|--------------------|-----------------|------------------|---|----|----------------|------|
|   |   |            | D                  | W               | H                | A | KW | WEIGHT         | FEET |
| <b>FULL END PANEL<br/>WORKSURFACE HEIGHT</b><br><br> | WW3627EPM   | \$ 289     | 34 $\frac{3}{8}$   | 1 $\frac{1}{4}$ | 27 $\frac{1}{4}$ | – | –  | 37 lbs.        | 1.1  |
|   | WW3027EPM   | 259        | 28 $\frac{11}{16}$ | 1 $\frac{1}{4}$ | 27 $\frac{1}{4}$ | – | –  | 30 lbs.        | 1.0  |
|   | WW2427EPM   | 229        | 22 $\frac{3}{8}$   | 1 $\frac{1}{4}$ | 27 $\frac{1}{4}$ | – | –  | 25 lbs.        | 0.8  |
|   | <ul style="list-style-type: none"> <li>• Non-structural and non-handed</li> <li>• Designed for securement to modesty panel</li> <li>• Intended use for single pedestal desks/credenzas</li> <li>• Includes 2 glides</li> <li>• In single pedestal applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability</li> </ul>  |            |                    |                 |                  |   |    |                |      |
| <b>FULL END PANEL<br/>(BOX/FILE HEIGHT)</b><br><br>  | WW2421EPM   | \$ 212     | 22 $\frac{3}{8}$   | 1 $\frac{1}{4}$ | 21 $\frac{1}{4}$ | – | –  | 20 lbs.        | 0.6  |
|   | <ul style="list-style-type: none"> <li>• Non-structural and non-handed</li> <li>• Designed for securement to modesty panel</li> <li>• Includes 2 glides</li> <li>• In single pedestal applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability</li> </ul>  |            |                    |                 |                  |   |    |                |      |
| <b>HALF END PANEL</b><br><br>                       | WW1827EPM   | \$ 208     | 16                 | 1 $\frac{1}{4}$ | 27 $\frac{1}{4}$ | – | –  | 19 lbs.        | 0.6  |
|   | <ul style="list-style-type: none"> <li>• Non-structural and non-handed</li> <li>• Designed for securement to modesty panel</li> <li>• Includes 2 glides</li> <li>• In applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability</li> <li>• Utilize on all corner surfaces with cylinder leg and for continuous surface connections when needing additional support</li> </ul> |            |                    |                 |                  |   |    |                |      |
| <b>SUPPORT PANEL</b><br><br>                       | WW1227SSM   | \$ 159     | 11 $\frac{3}{8}$   | 1 $\frac{1}{4}$ | 27 $\frac{1}{4}$ | – | –  | 10 lbs.        | 0.4  |
|   | <ul style="list-style-type: none"> <li>• Non-structural and non-handed</li> <li>• Designed for securement to modesty panel</li> <li>• Utilize on 36" corner surfaces only with cylinder leg and for continuous surface connections</li> <li>• Includes 2 glides</li> <li>• In applications without modesty panels, a gusset bracket must be purchased to ensure structural stability</li> </ul>                             |            |                    |                 |                  |   |    |                |      |
| <b>SUPPORT PANEL<br/>(BOX/FILE HEIGHT)</b><br><br> | WW1221SSM   | \$ 90      | 11 $\frac{3}{8}$   | 1 $\frac{1}{4}$ | 21 $\frac{1}{4}$ | – | –  | 13 lbs.        | 0.8  |
|   | <ul style="list-style-type: none"> <li>• Non-structural and non-handed</li> <li>• Designed for securement to modesty panel</li> <li>• Includes 2 glides</li> <li>• In applications without modesty panels, a gusset bracket must be purchased to ensure structural stability</li> </ul>   |            |                    |                 |                  |   |    |                |      |

# WAVEWORKS METAL



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

### TO ORDER, SPECIFY:


1. Model Number
2. Paint

### SAMPLE MODEL NUMBER:

WW0827SRM 462


- See pages 535-536 for all options available in WaveWorks Metal

|                             | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS         |                   |                    |   |    | CARTONED CUBIC |      |
|-----------------------------|-----------------------|------------|--------------------|-------------------|--------------------|---|----|----------------|------|
|                             |                       |            | D                  | W                 | H                  | A | KW | WEIGHT         | FEET |
| <b>RETURN SUPPORT PANEL</b> | WW0827SRM             | \$ 89      | 7 $\frac{3}{8}$ "  | 1 $\frac{1}{4}$ " | 27 $\frac{3}{4}$ " | — | —  | 7 lbs.         | 0.2  |
|                             | WW1227SRM             | 127        | 11 $\frac{3}{8}$ " | 1 $\frac{1}{4}$ " | 27 $\frac{3}{4}$ " | — | —  | 9 lbs.         | 0.4  |



- Non-structural and non-handed
- Designed for securement to modesty panel
- Utilize 1 return support panel for returns
- Utilize 2 return support panels for bridge units
- Includes 1 glide for WW0827SRM; includes 2 glides for WW1227SRM
- Use WW0827SRM to create 24"D return
- Use WW1227SRM to create 30"D return

### T-SUPPORT PANEL HALF HEIGHT



#### INTENDED FOR USE WITH 1 $\frac{1}{16}$ " THICK WORKSURFACE MODELS


|            |       |        |                     |                   |                   |   |   |         |     |
|------------|-------|--------|---------------------|-------------------|-------------------|---|---|---------|-----|
| WWN3605STM | Metal | \$ 207 | 35 $\frac{7}{8}$ "  | 1 $\frac{1}{4}$ " | 4 $\frac{1}{2}$ " | — | — | 19 lbs. | 2.0 |
| WWN3005STM | Metal | 184    | 29 $\frac{1}{16}$ " | 1 $\frac{1}{4}$ " | 4 $\frac{1}{2}$ " | — | — | 17 lbs. | 1.8 |
| WWN2405STM | Metal | 168    | 22 $\frac{1}{16}$ " | 1 $\frac{1}{4}$ " | 4 $\frac{1}{2}$ " | — | — | 14 lbs. | 1.6 |

#### INTENDED FOR USE WITH 1 $\frac{3}{16}$ " THICK WORKSURFACE MODELS

|           |       |        |                     |                   |                   |   |   |         |     |
|-----------|-------|--------|---------------------|-------------------|-------------------|---|---|---------|-----|
| WW3606STM | Metal | \$ 207 | 35 $\frac{7}{8}$ "  | 1 $\frac{1}{4}$ " | 5 $\frac{1}{2}$ " | — | — | 19 lbs. | 2.0 |
| WW3006STM | Metal | 184    | 29 $\frac{1}{16}$ " | 1 $\frac{1}{4}$ " | 5 $\frac{1}{2}$ " | — | — | 17 lbs. | 1.8 |
| WW2406STM | Metal | 168    | 22 $\frac{1}{16}$ " | 1 $\frac{1}{4}$ " | 5 $\frac{1}{2}$ " | — | — | 14 lbs. | 1.6 |

- Some assembly required
- Specify with worksurfaces when overlapping box/file height storage, T-support panel will sit on box/file height storage and support worksurface height worksurfaces

### UNDERSURFACE SUPPORT RAIL (WORKSURFACE)



|             |  |        |                   |     |    |   |   |        |     |
|-------------|--|--------|-------------------|-----|----|---|---|--------|-----|
| QNAC0248SUR |  | \$ 200 | 2 $\frac{3}{4}$ " | 48" | 1" | — | — | 5 lbs. | 0.5 |
| NAC0248SUR  |  | 200    | 2 $\frac{3}{4}$ " | 48" | 1" | — | — | 5 lbs. | 0.5 |
| QNAC0236SUR |  | 171    | 2 $\frac{3}{4}$ " | 36" | 1" | — | — | 3 lbs. | 0.3 |
| NAC0236SUR  |  | 171    | 2 $\frac{3}{4}$ " | 36" | 1" | — | — | 3 lbs. | 0.3 |

- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1 $\frac{3}{16}$ " worksurface and greater than 60" on a 1 $\frac{1}{16}$ " worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces








**TO ORDER, SPECIFY:**

1. Model Number
2. Paint

**SAMPLE MODEL NUMBERS:**

WW0827SPM 480  
 WWGB  
 WW0127CPFSM

• See pages 535-536 for all options available in WaveWorks Metal

|  | MODEL NO./DESCRIPTION   | LIST PRICE | DIMENSIONS |     |     |   |    | CARTONED CUBIC |      |
|--|---|------------|------------|-----|-----|---|----|----------------|------|
|  |   |            | D          | W   | H   | A | KW | WEIGHT         | FEET |
| <b>CORNER POST</b><br>                                | WW0827SPM   | \$ 287     | 8          | 8   | 27¼ | — | —  | 11 lbs.        | 1.6  |
|  | <ul style="list-style-type: none"> <li>• Creates corner unit utilizing modesty panels</li> <li>• Designed to secure modesty panels to corner unit</li> <li>• Corner post must be used with modesty panels</li> <li>• Includes 1 glide</li> </ul>  |            |            |     |     |   |    |                |      |
| <b>GUSSET BRACKET</b><br>                             | WWGB  | \$ 31      | 9%         | —   | 9%  | — | —  | 1 lbs.         | 0.2  |
|  | <ul style="list-style-type: none"> <li>• When modesty panels are not utilized, gusset brackets are required for stabilization and support of end and support panels</li> <li>• Non-handed</li> <li>• Includes 1 bracket</li> <li>• Specify model number only</li> <li>• Gusset Brackets are not to be used in place of support panels</li> </ul>  |            |            |     |     |   |    |                |      |
| <b>MODESTY FILLER STRIP (WORKSURFACE HEIGHT)</b><br> | WW0127CPFSM   | \$ 54      | 1%         | 1   | 27% | — | —  | 1 lbs.         | 0.2  |
|  | <ul style="list-style-type: none"> <li>• Utilize to close space between back of pedestal and wall</li> <li>• Utilize for 24" deep surfaces/undersurface pedestals</li> <li>• Non-handed</li> <li>• Specify model number only</li> </ul>   |            |            |     |     |   |    |                |      |
| <b>MODESTY FILLER STRIP (BOX/FILE HEIGHT)</b><br>   | WW0121CPFSM   | \$ 38      | 1%         | 1   | 21¼ | — | —  | 1 lbs.         | 0.2  |
|  | <ul style="list-style-type: none"> <li>• Utilize to close space between back of pedestal and wall</li> <li>• Utilize for 24" deep surfaces/undersurface pedestals</li> <li>• Non-handed</li> <li>• Specify model number only</li> </ul>   |            |            |     |     |   |    |                |      |
| <b>LATERAL FILE FILING HARDWARE</b><br>             | WW15FFB   | \$ 31      | ¾          | 15¾ | ¾   | — | —  | 1 lbs.         | 2.0  |
|  | <ul style="list-style-type: none"> <li>• Allows front-to-back letter filing</li> <li>• Set of 2</li> <li>• Front-to back file bars provide:                             <ul style="list-style-type: none"> <li>2 rows of letter or 1 row of legal in 30" W</li> <li>2 rows of letter or 2 rows of legal in 36" W</li> <li>3 rows of letter or 2 rows of legal in 42" W</li> </ul> </li> </ul> |            |            |     |     |   |    |                |      |

# WAVEWORKS METAL




**TO ORDER, SPECIFY:**

1. Model Number

**SAMPLE MODEL NUMBER:**

NAC0612PT

• See pages 535-536 for all options available in WaveWorks Metal

|   | MODEL NO./DESCRIPTION  | LIST PRICE | DIMENSIONS |    |    |   |    | CARTONED CUBIC |      |
|---|--|------------|------------|----|----|---|----|----------------|------|
|   |  |            | D          | W  | H  | A | KW | WEIGHT         | FEET |
| <b>PENCIL TRAY</b><br>            | NAC0612PT      Black   | \$ 33      | 5½         | 12 | 1½ | — | —  | 1 lbs.         | 0.2  |
|   | <ul style="list-style-type: none"> <li>• Holds pencils, pens, rulers, etc.</li> <li>• For use in WaveWorks Metal box drawer</li> </ul> |            |            |    |    |   |    |                |      |
| <b>BOX DRAWER DIVIDER</b><br>     | NAC1303DD      Black   | \$ 28      | 12¾        | 3¾ | —  | — | —  | 1 lbs.         | 0.2  |
|   | <ul style="list-style-type: none"> <li>• For use in WaveWorks Metal box drawer</li> </ul>  |            |            |    |    |   |    |                |      |
| <b>OVERHEAD/SHELF DIVIDER</b><br> | NAC9SD      Black (Set of 3)   | \$ 67      | 6          | 9¼ | 7  | — | —  | 1 lbs.         | 0.3  |
|   | <ul style="list-style-type: none"> <li>• Sits in a WaveWorks Metal highback organizer or overhead</li> </ul>                           |            |            |    |    |   |    |                |      |