

UNIFRAME® CAFETERIA TABLES & CONVERTIBLE BENCH

PRICE LIST

January 3, 2011 Updated March 30, 2022

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.

Product Color Options	3
Uniframe® Rectangular Tables with Seating	
General Information	4
Uniframe® Rectangular Tables with Seating (Freight Excluded)	
Rectangular Table with Benches Rectangular Table with Split Benches	6
Rectangular Table with Stool Seats	8
Uniframe® Rectangular Tables with Seating (Delivered) Rectangular Table with Benches	10
Rectangular Table with Split Benches	11
Rectangular Table with Stool Seats	12
Uniframe® Round Tables with Seating	
General Information	14
Uniframe® Round Tables with Seating (Freight Excluded)	
Round Table with Split Benches	16
Round Table with Stool Seats	17
Uniframe® Round Tables with Seating (Delivered)	
Round Table with Split Benches	19
Round Table with Stool Seats	20
Uniframe® Tables without Seating	
General Information	22
Uniframe® Tables without Seating (Freight Excluded)	
Rectangular Table	24
Round Table	25
Oval Table Square Table	26 27
Hexagonal Table	28
Octagonal Table	29
Round Stand-up Height Table	30
Rectangular Table	31
Round Table	32
Oval Table	33
Square Table	34
Hexagonal Table	35
Octagonal Table	36
Round Stand-up Height Table	37
Uniframe® Wheelchair Accessible Tables with Seating General Information	38
Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches	39
Rectangular Table with Stool Seats	40
Unifyene® Whoolehoir Acceptible Tables with Costing (Delivered)	
Uniframe® Wheelchair Accessible Tables with Seating (Delivered) Rectangular Table with Benches	42
Rectangular Table with Stool Seats	43
General Information	45
Rectangular Table	46
Round Table	47
Oval Table	48
Square Table	49
Hexagonal Table Octagonal Table	50 51
Uniframe® Wheelchair Accessible Tables without Seating (Delivered) Rectangular Table	52
Round Table	53
Oval Table	54
Square Table	55

	√ %
_ 1	1

Contents Refer to KI Terms & Conditions document or visit ki.com.

Hexagonal Table Octagonal Table	56 57
Uniframe® Convertible Bench	
General Information	58
Product Color Options	60
Uniframe® Convertible Bench (Freight Exc	luded)
Uniframe® Convertible Bench (Delivered)	62
Uniframe® Tables from KI	

Uniframe® Tables Product Color Options



Uniframe® Tables
Product Color Options

						•	
Surface Finish - Laminate		Castle Oak	BLCO	Nordic	PND	Honey Bee	EHY
Belair	LBQ	Casual Linen	BLCU	Purple Haze	PPH	Light Tone	ELG
Biltmore Cherry	LBT	Cherry Storm	BLCX	Rubber Ducky	PRK	Mardi Gras	EMG
Black	LBK	Classic Linen	BLCI	Sand	PSA	Misty Brown	EMY
Brighton Walnut	LBW	Cloud Zephyr	BLCL	Surf's Up	PSP	Nemo	ENE
Canyon Zephyr	LCA	Cocobala	BLCC	Twilight Shadow	PTI	Nordic	END
Castle Oak	LC0	Crisp Linen	BLRI	Ultra Blue	PUB	Poppy Red	EPR
Casual Linen	LCU	Desert Zephyr	BLDZ	Zesty Lime	PZL	Purple Haze	EPH
Cherry Storm	LCX	Dove Grey	BLDG	Stool Color - Thermoset Hard Plastic (CX)		Rubber Ducky	ERK
Classic Linen	LCI	Fired Steel	BLIL	Blue	СВ	Sand	ESA
Cloud Zephyr	LCL	Flax Linen	BLXF	Dark Grey	CD	Sky Blue	ESK
Cocobala	LCC	Florence Walnut	BLFC	Light Grey	CL	Surf's Up	ESP
Crisp Linen	LRI	Forged Steel	BLOL	Navy Blue	CN	Twilight Shadow	ETI
Desert Zephyr	LDZ	Friston Ash	BLFH	wavy bluc	OIV	Ultra Blue	EUB
Dove Grey	LDG	Frosty White	BLFW	Frame Color		Warm Grey	EWG
Fired Steel	LIL	Graphite Nebula	BLGN	Black	BL	Zesty Lime	EZL
Flax Linen	LXF	Grey	BLGE	Blue Grey	GR	Edge Color for 73P Edge	
Florence Walnut	LFC	High Rise	BLHE	Bronze Metallic	ZM	Belair	EBQ
Forged Steel	LOL	Hollyberry	BLHY	Cayenne	CY	Biltmore Cherry	EBT
Friston Ash	LFH	Irish Linen	BLIH	Champagne Metallic	CM	Black	EBL
Frosty White	LFW	Island	BLID	Chrome	CH	Blue Grey	EGR
Graphite Nebula	LGN	Italian Silver Ash	BLIT	Cool Grey	CG	Brighton Walnut	EBW
Grey	LGE	Kensington Maple	BLKM	Cottonwood	CO	Castle Oak	ECO
High Rise	LHE	Lapis Blue	BLLB	Earthen Clay	EY		
Hollyberry	LHY	Markerboard White	BLMK	Espresso Metallic	EX	Cayenne	ECY
Irish Linen	LIH	Misted Zephyr	BLMR	Everglade Shade	EV	Cherry Storm	ECX
Island	LID	Monticello Maple	BLMT	Flannel	FN	Cool Grey	ECG
Italian Silver Ash	LIT	Nickel Evolv	BLNV	Glitz Metallic	GZ	Earthen Clay	EEY
Kensington Maple	LKM	North Sea	BLNA	Hazy Jade	HJ	Everglade Shade	EEV
Lapis Blue	LLB	Ocean	BLON	Honey Bee	HY	Flannel	EFN
Markerboard White	LMK	Pearl Bisque	BLPB	Light Tone	LG	Florence Walnut	EFC
Misted Zephyr	LMR	Pearl Silver	BLPS	Mardi Gras	MG	Friston Ash	EFH
Monticello Maple	LMT	Pressed Linen	BLPR	Misty Brown	MY	Frosty White	EFW
Nickel Evolv	LNV	River Cherry	BLRY	Nemo	NE	Hazy Jade	EHJ
North Sea	LNA	Rugged Linen	BLRG	Nordic	ND	Honey Bee	EHY
Ocean	LON	Satin Stainless	BLSS	Purple Haze	PH	Italian Silver Ash	EIT
Pearl Bisque	LPB	Shadow Zephyr	BLSR	Rubber Ducky	RK	Kensington Maple	EKM
Pearl Silver	LPS	Silicon Evolv	BLSV	Sand	SA	Light Tone	ELG
Pressed Linen	LPR	Sterling Ash	BLAZ	Starlight Silver Metallic	SX	Mardi Gras	EMG
River Cherry	LRY	Tailored Linen	BLTL	Surf's Up	SP	Misty Brown	EMY
Rugged Linen	LRG	Titanium Evolv	BLTV	Twilight Shadow	TI	Monticello Maple	EMT
Satin Stainless	LSS	White Nebula	BLWL	Ultra Blue	UB	Nemo	ENE
Shadow Zephyr	LSR	White Sand	BLWN	Warm Grey	WG	Nordic	END
Silicon evolv	LSV	Windsor Mahogany	BLWY	Zesty Lime	ZL	Poppy Red	EPR
Sterling Ash	LAZ			Zosty Limo	2L	Purple Haze	EPH
Tailored Linen	LTL	Stool Color - Polypropylene (PY)		Edge Color for PR Edge		River Cherry	ERY
Titanium evolv	LTV	Black	PBL	Black	EBL	Rubber Ducky	ERK
White Nebula	LWL	Blue Grey	PGR			Sand	ESA
White Sand	LWN	Cayenne	PCY	Edge Color for BN Edge		Sky Blue	ESK
Windsor Mahogany	LWY	Cool Grey	PCG	Black	EBL	Sterling Ash	EAZ
		Earthen Clay	PEY	Blue Grey	EGR	Surf's Up	ESP
Bench Surface FinishLaminate		Everglade Shade	PEV	Cayenne	ECY	Twilight Shadow	ETI
Belair	BLBQ	Hazy Jade	PHJ	Cool Grey	ECG	Ultra Blue	EUB
Biltmore Cherry	BLBT	Honey Bee	PHY	Earthen Clay	EEY	Warm Grey	EWG
Black	BLBK	Light Tone	PLG	Everglade Shade	EEV	Windsor Mahogany	EWY
Brighton Walnut		Mardi Gras	PMG	Flannel	EFN	Zesty Lime	EZL
BLBW		Misty Brown	PMY	Frosty White	EFW		
Canyon Zephyr	BLCA	Nemo	PNE	Hazy Jade	EHJ		

Finish Cards	<u>Paints</u>	Wood/Veneer	Molded Edges	Hard Plastics
View color swatches for items listed within this document.	Plastics/Polv	Laminates	Edae Styles	Glass





Rectangular Tables with Benches (UF12BE)

Rectangular Tables with Split Benches (UF12SB)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•



Bullnose Edge



73P Edge



Perfect Edge

Seating Capacity:

Model	Max. Child Capacity	Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity
UF12BE	20	16	16	12
UF10BE	16	12	12	8
UF08BE	12	12	8	8
UF12SB	16	16	16	8
UF128	16	16	16	16
UF126	12	12	12	12
UF106	12	12	12	12
UF084	8	8	8	8



Rectangular Tables with Stool Seats (UF128)

Features	
Solid core top	•
High-pressure laminate surface	•
Bullnose edge	•
73P edge	•
Perfect edge	•
27" height	•
29" height	•

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are of solid core warp-resistant construction. Center core is 5/8* thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2* radius.

Benche

Bench supports are robotically welded steel construction of 14-gauge tubular frame steel

with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. Each split bench requires two plates. Full benches for 8' tables require two plates; full benches for 10' and 12' tables require three plates. No field assembly required.

210013

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is

13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Eages

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface

edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of eight per table

Casters

Large 4" diameter heavy-duty hard rubber swivel

casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of the table top when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed to applicable UL standards and requirements by Underwriters Laboratories. Inc.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit


5

Uniframe® Rectangular Tables with Seating General Information


Uniframe® Rectangular Tables with Seating General Information





DIMENSIONS-Rectangular Tables with Benches




Model UF/BE












Model UF/SB


Model #	Α	В	С	D	Е	F	G	Н	ı	J
UF12/SB/29	139.5"	59.5"	30.0"	29.5"	16.9"	79.75"	33.5""	41.75"	27.56"	11.25"
UF12/SB/27	139.5"	59.0"	30.0"	27.5"	16.9"	77.75"	33.5"	41.75"	27.56"	11.25"
UF12/BE/29	139.5"	56.5"	30.0"	29.5"	16.9"	79.75"	33.5"	41.75"	62.75"	8.5"
UF12/BE/27	139.5"	56.5"	30.0"	27.5"	16.9"	77.75"	33.5"	41.75""	62.75"	8.5"
UF10/BE/29	120.0"	56.5"	30.0"	29.5"	16.9"	71.75"	33.5"	41.75"	53.88"	8.5"
UF10/BE/27	120.0"	56.5"	30.0"	27.5"	16.9"	69.75"	33.5"	41.75"	53.88"	8.5"
UF08/BE/29	96.0"	56.5"	30.0"	29.5"	16.9"	61.75"	33.5"	41.75"	42.63"	8.5"
UF08/BE/27	96.0"	56.5"	30.0"	27.5"	16.9"	59.75"	33.5"	41.75"	42.63"	8.5"

DIMENSIONS-Rectangular Tables with stools










Model #	Α	В	С	D	Е	F	G	Н
UF12/8/29	139.5"	56.5"	30.0"	29.4"	16.8"	79.75"	33.8"	41.75"
UF12/8/27	139.5"	56.5""	30.0"	27.4"	16.8"	77.75"	33.8"	41.75"
UF12/6/29	139.5"	56.5""	30.0"	29.4"	16.8"	79.75"	33.8"	41.75"
UF12/6/27	139.5"	56.5"	30.0"	27.4"	16.8"	77.75"	33.8"	41.75"
UF10/6/29	120.0"	56.5"	30.0"	29.4"	16.8"	71.75"	33.8"	41.75"
UF10/6/27	120.0"	56.5"	30.0"	27.4"	16.8"	69.75"	33.8"	41.75"
UF08/4/29	96.0"	56.5"	30.0"	29.4"	16.8"	61.75"	33.8"	41.75"
UF08/4/27	96.0"	56.5"	30.0"	27.4"	16.8"	59.75"	33.8"	41.75"

Uniframe® Rectangular Tables with Seating (Freight Excluded)

Rectangular Table with Benches



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish. Refer to the **Product Color Options** page in this

price list. Surface finish offerings are based on edge style selections.

Edge color offerings are based on edge style selections.

Select bench surface.

Θ

0

(3)

(3)

Θ

0

(3)

Refer to the Product Color Options page in this price list.

GSelect bench edge color.

Refer to the Product Color Options page in this Edge color offerings are based on edge style

selections.

Select frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

Select surface edge color. Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

341.0#

371.0#

2219


2264

2774

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

Uniframe® Rectangular Tables with Seating (Freight Excluded)



2774

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

162

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Split Benches



385.0#

Packaged Flat Vinyl T-Edge

\$ 2611

3/4" 73P

\$ 2818

Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Split Benches

Perfect Edge

\$ 3166

Chrome

Upcharge

add to list price

\$ 180

			MODEL	NUMBE	R					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color
$\overline{}$	Rectangular Table with Split Benches	59 x 139-1/2"	UF12SB							
\sim	Available in 12' modelsUnitized all-steel frames provide superior									
	stability and durability									
	 KI's exclusive combination pneumatic 									
	lift assist and torsional energy storage system results in a controlled, effortless									
	folding. Also holds tables in a teepee									
UFRCS	position for easy cleaning									
	Storage lock standard for added safetyGravity lock stabilizes tables in the open									
	position and eliminates possibility of									
	tables folding unexpectedly									
	Listed to applicable UL standards and requirements by Underwriters Laborate									
	requirements by Underwriters Laborato- ries, Inc									
	 Dimensions include overall depth and 									
	width of table and seating									
			A	ß	.		A	G	⊢ (A)	(i)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish. Refer to the Product Color Options page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select bench surface.

Refer to the **Product Color Options** page in this

GSelect bench edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats

ries, Inc

• Dimensions include overall depth and width of table and seating



Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats

Chrome Upcharge add to list price \$ 157 172 186 180

				MODEL N	UMBER								\geq		
												Y			
				Basic	Edge		Surface	Edge	Stool	Frame	Approx. Packagi	d Flat Viny		3/4" 73P Edge	Perfect Edge
	MODEL	Features	D x W	Model	Style	Height	Finish	Color	Color	Color	Weight	(BN)		73P)	(PR)
	Rectangular Table with Stool Seats -	8 Stools	60-1/2 x 96"	UF084/PY							299.0	\$ 2347	, ,	2464	\$ 2594
		12 Stools	60-1/2 x 120"	UF106/PY							353.0	2475	i	2600	2732
	Available in 8', 10' and 12' models	12 Stools	60-1/2 x 139-1/2"	UF126/PY							377.0	2595	i	2725	2865
	 Unitized all-steel frames provide superior stability and durability 	16 Stools	60-1/2 x 139-1/2"	UF128/PY							385.0	2694		2827	2967
	KI's exclusive combination pneumatic														
	lift assist and torsional energy storage														
UFRCP	system results in a controlled, effortless folding. Also holds tables in a teepee														
	position for easy cleaning														
	 Storage lock standard for added safety 														
	Gravity lock stabilizes tables in the open position and aliminates possibility of														
	position and eliminates possibility of tables folding unexpectedly														
	Listed to applicable UL standards and														
	requirements by Underwriters Laborato-														

(3)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish. Refer to the Product Color Options page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

0

Θ

0

(3)

Select stool color - Polypropylene (PY). Refer to the Product Color Options page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and

SPECIAL SERVICES

Special Carton Marking With specially marked information

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats



299.0#

353.0#

377.0#

385.0#

Packaged Flat Vinyl T-Edge

2702

2823

3001

3/4" 73P

\$ 2630

2836

2965

3150

Uniframe® Rectangular Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats

Perfect Edge

2958

3092

3270

\$ 2750

Chrome

Upcharge

add to list price

\$ 157

172

186

180

				MODEL N	UMBER					
	MODEL	Features	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color
$\overline{}$	Rectangular Table with Stools - Thermo-	8 Stools	60-1/2 x 96"	UF084/CX						
	set Hard Plastic	12 Stools	60-1/2 x 120"	UF106/CX						
	 Available in 8', 10' and 12' models Unitized all-steel frames provide superior 	12 Stools	60-1/2 x 139-1/2"	UF126/CX						
	stability and durability	16 Stools	60-1/2 x 139-1/2"	UF128/CX						
(16°) 73	 KI's exclusive combination pneumatic 									
	lift assist and torsional energy storage									
UFRCT	system results in a controlled, effortless folding. Also holds tables in a teepee									
	position for easy cleaning									
	Storage lock standard for added safety									
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
	tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato- ries, Inc									
	Dimensions include overall depth and									
	width of table and seating									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame (CX). finish and stool material.

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 27" high 29 - 29" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select stool color - Thermoset Hard Plastic

0

Θ

0

Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.


SPECIAL SERVICES **Special Carton Marking**

With specially marked information

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Uniframe® Rectangular Tables with Seating (Delivered)

Rectangular Table with Benches



Uniframe® Rectangular Tables with Seating (Delivered)

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
295.0#	\$ 2297	\$ 2606	\$ 2742	\$ 184
341.0#	2496	2693	3015	186
371.0#	2545	2886	3118	183

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

Select height. **29** - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

• Select surface edge color.

Refer to the Product Color Options page in this

Edge color offerings are based on edge style selections.

Select bench surface.

Refer to the Product Color Options page in this

Θ

(3)

0

(3)

Θ

0

Select bench edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Rectangular Tables with Seating (Delivered)


folding. Also holds tables in a teepee

· Dimensions include overall depth and width of table and seating

position for easy cleaning Storage lock standard for added safety · Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly · Listed to applicable UL standards and requirements by Underwriters Laborato-

ries, Inc

Rectangular Table with Split Benches



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

Select height. - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

• Select surface edge color.

Refer to the Product Color Options page in this

Edge color offerings are based on edge style selections.

Select bench surface.

(3)

Θ

0

(3)

(3)

Θ

0

Refer to the Product Color Options page in this

Select bench edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Approx.

385.0#

Packaged Flat Vinyl T-Edge

\$ 2932

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

Uniframe® Rectangular Tables with Seating (Delivered) Rectangular Table with Split Benches

\$ 3166

3/4" 73P

Perfect Edge \$ 3560

Chrome Upcharge add to list price

\$ 204

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Rectangular Tables with Seating (Delivered) Rectangular Table with Stool Seats



Uniframe® Rectangular Tables with Seating (Delivered) Rectangular Table with Stool Seats

				MODEL N	IUMBER											
				Rasin	Edge		Surface	Edge	Stool	Frame	Approx.	Flat Vinyl T-Edge	3/4" 73P Edge	Perfect Edge	Chrome Upcharg add to li	ge
	MODEL	Features	D x W	Basic Model	Style	Height	Finish		Color	Color	Weight	(BN)	(73P)	(PR)	price	31
$\overline{}$	Rectangular Table with Stool Seats -	8 Stools	60-1/2 x 96"	UF084/PY							299.0#	\$ 2637	\$ 2770	\$ 2916	\$	178
		12 Stools	60-1/2 x 120"	UF106/PY							353.0#	2784	2921	3069		192
	Available in 8', 10' and 12' models	12 Stools	60-1/2 x 139-1/2"	UF126/PY							377.0#	2917	3063	3220		210
	Unitized all-steel frames provide superior stability and durability	16 Stools	60-1/2 x 139-1/2"	UF128/PY							385.0#	3027	3177	3334		204
	KI's exclusive combination pneumatic															
	lift against and torgional anargy atorgas															

UFRCP

-	KI S EXCIUSIVE COMBINATION PHEUMATIC			
	lift assist and torsional energy storage			
	system results in a controlled, effortless folding. Also holds tables in a teepee			
	position for easy cleaning			
	Storage lock standard for added safety			
•	Gravity lock stabilizes tables in the open position and eliminates possibility of			
	tables folding unexpectedly			
•	Listed to applicable UL standards and			
	requirements by Underwriters Laborato-			
	ries, Inc Dimensions include overall depth and			
٠	width of table and seating			
	· ·			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with finish and stool material.

BSelect edge style.

Select height.

27 - 27" high **29** - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select stool color - Polypropylene (PY). Refer to the Product Color Options page in this

Θ

0

Ø

(3)

(3)

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Rectangular Tables with Seating (Delivered) Rectangular Table with Stool Seats



Weight

299.0#

353.0#

377.0#

385.0#

Packaged Flat Vinyl T-Edge

(BN)

\$ 2817

3037

3174

3372

3/4" 73P

\$ 2955

3187

3332

3541

Perfect Edge

3325

3476

3674

(PR)

\$ 3091

Edge (73P)

Uniframe® Rectangular Tables with Seating (Delivered) Rectangular Table with Stool Seats

Chrome

Upcharge

add to list

\$ 178

192

210

204

price

				MODEL N	UMBER					
	MODEL	Features	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color
UFRCT	set Hard Plastic 12 9 • Available in 8', 10' and 12' models 12 9 • Unitized all-steel frames provide superior	8 Stools 12 Stools 12 Stools 16 Stools	60-1/2 x 96" 60-1/2 x 120" 60-1/2 x 139-1/2" 60-1/2 x 139-1/2"	UF084/CX UF106/CX UF126/CX UF128/CX						
				A	•	Θ	0	(3	•	Θ

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

Select height.

27 - 27" high **29** - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

Select stool color - Thermoset Hard Plastic

(CX). Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Round Tables with Seating







Round Tables with Split Benches (UFRD5SB/BN/CH)

Round Tables with Stool Seats (UFRD58/PR/PB)

reatures	
----------	--


Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•




Bullnose Edge



73P Edge



Perfect Edge



UFRD5SB

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Bench supports shall be robotically welded steel construction consisting of a 14-gauge tubular

frame with 6" square, heavy-duty 11-gauge steel plates welded to the uprights. Benches are secured to the steel plates with deep thread screws. There shall be two plates for each split bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Table top and bench edges are finished in one of

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface

edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frame finish is one of the following: A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black

B. Chrome Finish: Bright and semi-bright duplex

nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining. scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end

of the bench unit or outermost stool when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).


INFORMATION


Warranty


Refer to KI Terms & Conditions document or visit


Uniframe® Round Tables with Seating General Information

DIMENSIONS-Round Tables with Benches











Model #	Α	В	С	D	E	F	G	Н
UFRD5/SB/29	81.5"	81.1"	60.0"	29.2"	17.2"	52.3"	39.0"	26.5"
UFRD5/SB/27	81.5"	81.1"	60.0"	27.2"	17.2"	52.3"	39.0"	26.5"





Uniframe® Round Tables with Seating General Information

DIMENSIONS-Round Tables with Stools









Model #	А	В	С	D	Е	F	G	Н
UFRD5/SB/29	83.75"	86"	60.7"	29.2"	17.2"	52.3"	39.0"	26.5"
UFRD5/SB/27	83.75"	86"	60.7"	27.2"	17.2"	52.3"	39.0"	26.5"
UFRD5/CX/29	83.75"	86"	60.7"	29.2"	17.2"	52.3"	39.0"	26.5"
UFRD5/CX/27	83.75"	86"	60.7"	27.2"	17.2"	52.3"	39.0"	26.5"



Uniframe® Round Tables with Seating (Freight Excluded) Round Table with Split Benches

		MODEL	NUMBER											
														Chrome
		Basic	Edge		Surface	Edge	Rench	Bench	Frame	Approx. Packaged	Flat Vinyl T-Edge	3/4" 73P Edge	Perfect Edge	Upcharge add to list
	MODEL DIA	Basic Model	Edge Style	Height	Surface Finish	Color	Surface	Edge Color	Color	Weight	(BN)	Edge (73P)	(PR)	price
	Round Table with Split Benches 81"	UFRD5SB								335.0#	\$ 2508	\$ 2633	\$ 3042	\$ 152
	Unitized all-steel frames provide superior stability and durability													
	KI's exclusive combination pneumatic													
	lift assist and torsional energy storage													
	system results in a controlled, effortless folding. Also holds tables in a teepee													
UFRDS	position for easy cleaning													
טראטט	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 													
	position and eliminates possibility of													
	tables folding unexpectedly													
	Listed to applicable UL standards and requirements by Underwriters Laborato-													
	ries, Inc													
	Dimensions include overall depth and width of table and seating; Diameter of													
	top is 60"													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

OSelect surface finish. Refer to the **Product Color Options** page in this

price list. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Θ

0

Θ

Select bench surface. Refer to the Product Color Options page in this price list.

GSelect bench edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

selections. Select frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.



Uniframe® Round Tables with Seating (Freight Excluded) Round Table with Stool Seats

MODEL NUMBER			
	Chrome		
Basic Edge Surface Edge Stool Frame Packaged Flat Vinyl T-Edge Edge Perfect Edge	Chrome Upcharge add to list		
MODEL DIA Model Style Height Finish Color Color Weight (PR) Hat Vinyl 1-Edge Edge Perfect Edge Weight (BN) (73P) (PR)	price		
Round Table with Stool Seats - Polypro- 86" UFRD58/PY 331.0# \$ 2044 \$ 2146 \$ 2292	\$ 152		
pylene			
Unitized all-steel frames provide superior stability and durability			



· Diameter of top is 60"

	1 1 22 1 1 22 1 1 1 1 2 1 2 2 2 2 2 2 2			
	stability and durability			
•	KI's exclusive combination pneumatic			
	lift assist and torsional energy storage			
	system results in a controlled, effortless			
	folding. Also holds tables in a teepee			
	position for easy cleaning			
•	Available in 8-stool model only			
	Storage lock standard for added safety			
•	Gravity lock stabilizes tables in the open			
	position and eliminates possibility of tables folding unexpectedly			
•	Listed to applicable UL standards and			
	requirements by Underwriters Laborato-			
	ries, Inc			
•	Dimensions include overall depth and			
	width of table and seating			

3

Θ

0

(3)

(3)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

selections.

Select surface edge color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

Select stool color - Polypropylene (PY). Refer to the Product Color Options page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have\$12 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.


position for easy cleaning · Available in 8-stool model only Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements by Underwriters Laborato-

 Dimensions include overall depth and width of table and seating · Diameter of top is 60"

ries. Inc



Uniframe® Round Tables with Seating (Freight Excluded) Round Table with Stool Seats



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

(3)

0

(3)

(3)

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish.

Refer to the Product Color Options page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select stool color - Thermoset Hard Plastic

Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping


Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.

Round Table with Split Benches



Uniframe® Round Tables with Seating (Delivered) Round Table with Split Benches

			MODEL	NUMBER	R										
															Chusana
									Bench		Approx.		3/4" 73P		Chrome Upcharge
			Basic	Edge		Surface	Edge	Bench	Edge	Frame	Packaged	Flat Vinyl T-Edge	Edge	Perfect Edge	add to list
	MODEL	DIA	Model	Style	Height	Finish	Color	Surface	Color	Color	Weight	(BN)	(73P)	(PR)	price
	Round Table with Split Benches	81"	UFRD5SB								335.0#	\$ 2818	\$ 2959	\$ 3419	\$ 172
	Unitized all-steel frames provide superior stability and durability	r													



- KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning
- Storage lock standard for added safety
- · Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly
- Listed to applicable UL standards and requirements by Underwriters Laborato-
- Dimensions include overall depth and width of table and seating; Diameter of top is 60"

A	6	Θ	0	A	a	æ

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select bench surface.

Refer to the Product Color Options page in this price list.

0

GSelect bench edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

selections. Select frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES **Special Carton Marking**


With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.



Uniframe® Round Tables with Seating (Delivered) Round Table with Stool Seats

	MODEL	. NUMBER										
			A	A								Chromo
			A	A				Approx.		3/4" 73P		Chrome Upcharge add to list
	Basic	Edge		Surface	Edge	Stool	Frame	Packaged	Flat Vinyl T-Edge	Edge	Perfect Edge	add to list
MODEL DIA	Model	Style		Finish	Color	Color	Color	Weight	(BN)	(73P)	(PR)	price
Round Table with Stool Seats - Polypro- 86"	UFRD58/F	PY 🗆 🗆						331.0#	\$ 2297	\$ 2412	\$ 2578	\$ 172
pylene												
Unitized all-steel frames provide superior												
stability and durability												



nuullu lable willi sluul seals - Fulypiu-	00	OTTIBOOTT 1				L
pylene						ı
 Unitized all-steel frames provide superior 						ĺ
stability and durability						۱
 KI's exclusive combination pneumatic 						ı
lift assist and torsional energy storage						Ī
system results in a controlled, effortless						ı
folding. Also holds tables in a teepee						ı
ů i						ı
position for easy cleaning						ı
 Available in 8-stool model only 						ı
 Storage lock standard for added safety 						l
 Gravity lock stabilizes tables in the open 						I
position and eliminates possibility of						ı
tables folding unexpectedly						L
 Listed to applicable UL standards and 						ı
requirements by Underwriters Laborato-						ĺ
ries, Inc						۱
Dimensions include overall depth and						ı
						ĺ
width of table and seating						۱
 Diameter of top is 60" 						ĺ

(3)

Θ

0

(3)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

OSelect surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select surface edge color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

Select stool color - Polypropylene (PY). Refer to the Product Color Options page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

UFRDT

Uniframe® Round Tables with Seating (Delivered)

folding. Also holds tables in a teepee

 Dimensions include overall depth and width of table and seating · Diameter of top is 60"

position for easy cleaning · Available in 8-stool model only Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements by Underwriters Laborato-

ries. Inc



Uniframe® Round Tables with Seating (Delivered) Round Table with Stool Seats

		MOD	DEL NUM	VIBER										
														Chrome
		Basic		Edgo		Curfoco	Edga	Ctool	Frama	Approx. Packaged	Flat Vinyl T-Edge	3/4" 73P	Perfect Edge	Chrome Upcharge add to list
	MODEL D	IA Model		Edge Style	Height	Finish	Edge Color	Color	Color	Weight	(BN)	Edge (73P)	(PR)	price
	Round Table with Stool Seats - Thermoset 86	6" UFRD5	58/CX					_		331.0#	\$ 2507	\$ 2631	\$ 2788	\$ 172
	Hard Plastic													
	 Unitized all-steel frames provide superior stability and durability 													
	KI's exclusive combination pneumatic													
	lift assist and torsional energy storage													
G	system results in a controlled, effortless				l									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

Δ

(3)

0

(3

(3

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

OSelect surface finish. Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic

Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Tables without Seating



Uniframe® Tables without Seating







Oval Table (UFOV66)



Round Table (UFRD5)

Enaturos

i Gatures			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P edge	•	•	•
Perfect edge	•	•	•
27" height	•	•	•
29" height	•	•	•









T-Style Leg



Bullnose Edge

73P Edge

Perfect Edge

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semi-open position to halt downward movement. Safety lock can be released from either side of the table.

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded

unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel. pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round

14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.



Tables ship fully assembled. Rectangular tables

Laboratories in compliance with testing for public

without seating are listed with Underwriters

safety (Mobile Folding Tables).







Square Table (UFSQ4) Hexagonal Table (UFHX4) Octagonal Table (UFOC5) Stand-Up Table (UFSU5)

Features				
Solid core top	•	•	•	•
High-pressure laminate surface	•	•	•	•
Bullnose edge	•	•	•	•
73P edge	•	•	•	•
Perfect edge	•	•	•	•
27" height	•	•	•	
29" height	•	•	•	
42" height				•


INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Uniframe® Tables without Seating

DIMENSIONS-Rectangular Tables without Seating





Model #	Α	В	С	D	E	F
UFRT12/29	139.5"	30"	29"	79.75"	33.5"	28.0"
UFRT12/27	139.5"	30"	27"	77.75"	33.5"	28.0"
UFRT10/29	120"	30"	29"	71.75"	33.5"	28.0"
UFRT10/27	120"	30"	27"	69.75"	33.5"	28.0"
UFRT08/29	96"	30"	29"	61.75"	33.5"	28.0"
UFRT08/27	96"	30"	27"	59.75"	33.5"	28.0"
WAUFRT12	139.5"	30"	31"	81.75"	33.5"	28.0"
WAUFRT10	120"	30"	31"	73.75"	33.5"	28.0"
WAUFRT08	96"	30"	31"	63.75"	33.5"	28.0"




Uniframe® Tables without Seating General Information

DIMENSIONS-Shaped Mobile Tables Without Seating







Model #	А	В	С	D	Е	F	G	Н
UFRD6/29	72"	72"		29"	42.5"	40.75"	12.0"	37.0"
UFRD6/27	72"	72"		27"	42.5"	38.75"	12.0"	37.0"
UFRD5/29	60"	60"		29"	42.5"	40.75"	12.0"	37.0"
UFRD5/27	60"	60"		27"	42.5"	38.75"	12.0"	37.0"
UFRD4/29	48"	48"		29"	42.5"	40.75"	12.0"	37.0"
UFRD4/27	48"	48"		27"	42.5"	38.75"	12.0"	37.0"
UFOV72/29	72"	60"		29"	42.5"	40.75"	12.0"	37.0"
UFOV72/27	72"	60"		27"	42.5"	38.75"	12.0"	37.0"
UFOV66/29	66"	60"		29"	42.5"	40.75"	12.0"	37.0"
UFOV66/27	66"	60"		27"	42.5"	38.75"	12.0"	37.0"
UFSQ4/29	48"	48"		29"	42.5"	40.75"	12.0"	37.0"
UFSQ4/27	48"	48"		27"	42.5"	38.75"	12.0"	37.0"
UFHX4/29	56"	48"	24.5"	29"	42.5"	40.75"	12.0"	37.0"
UFHX4/27	56"	48"	24.5"	27"	42.5"	38.75"	12.0"	37.0"
UFOC5/29	60"	60"	24.5"	29"	42.5"	40.75"	12.0"	37.0"
UFOC5/27	60"	60"	24.5"	27"	42.5"	38.75"	12.0"	37.0"
UFSU5/42	60"	60"		42"	42.5"	53.75"	12.0"	37.0"
UFSU4/42	48"	48"		42"	42.5"	53.75"	12.0"	37.0"
WAUFRD6	72"	72"		31"	42.5"	42.75"	12.0"	37.0"
WAUFRD5	60"	60"		31"	42.5"	42.75"	12.0"	37.0"
WAUFRD4	48"	48"		31"	42.5"	42.75"	12.0"	37.0"
WAUFOV72	72"	69"		31"	42.5"	42.75"	12.0"	37.0"
WAUFOV66	66"	60"		31"	42.5"	42.75"	12.0"	37.0"
WAUFSQ4	48"	48"		31"	42.5"	42.75"	12.0"	37.0"
WAUFHX4	56"	48"		31"	42.5"	42.75"	12.0"	37.0"
WAUFOC5	60"	60"		31"	42.5"	42.75"	12.0"	37.0"



Uniframe® Tables without Seating (Freight Excluded) Rectangular Table

			MODEL	NUMBER								
												Chrome
	MODEL	D x W	Basic Model	Edge Style Heig	Surfac	e Edge Color	Frame	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Upcharge add to list price
^	Rectangular Table - Without Seating	30 x 96"	UFRT08					179.0#	\$ 1300	\$ 1367	\$ 1481	\$ 141
	 Unitized all-steel frames provide superio 	r 30 x 120"						200.0#	1426	1498	1558	78
	stability and durabilityKl's exclusive combination pneumatic	30 x 139-1/2"	UFRT12					225.0#	1566	1648	1700	66
	> lift assist and torsional energy storage											
	system results in a controlled, effortless											
	folding. Also holds tables in a teepee position for easy cleaning											
UFRCN	Available in 8', 10' and 12' models											
	 Storage lock standard for added safety 											
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 											
	tables folding unexpectedly											
	 T-leg design furnishes maximum leg 											
	room and seating capacity Listed to applicable UL standards and											
	requirements by Underwriters Laborato-											
	ries, Inc.											
	 Ideal for multi-purpose seating 											
			A	B (0	(3	•					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

• Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

selections.

 Select surface edge color. Refer to the **Product Color Options** page in this

Basic model includes base no. of table with codes for length of table, edge treatment and

Select frame color.

selections.

Refer to the Product Color Options page in this

Edge color offerings are based on edge style

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

freight excluded. Freight class 150.

Ships assembled, FOB Green Bay, WI 54302,



Uniframe® Tables without Seating (Freight Excluded) Round Table

		MODEL NUMBER						Chrome
		Basic Edge Surfac	o Edgo Eromo	Approx. Packaged	Flat Vinyl T-Edge	3/4" 73P	Perfect Edge	Upcharge add to list
	MODEL	Basic Edge Surface Model Style Height Finish	e Edge Frame Color Color	Weight	(BN)	Edge (73P)	(PR)	price
	Round Table - Without Seating 4	48" UFRD4 🗆 🗆 🗆		98.0#	\$ 1042	\$ 1093	\$ 1222	\$ 29
	Unitized all-steel frames provide superior exhibits and durability.	60" UFRD5 🗆 🗆 🗆 🗆 🗆		132.0#	1100	1156	1281	31
		72" UFRD6 🗆 🗆 🗆		158.0#	1480	1554	1825	32
	lift assist and torsional energy storage							
	system results in a controlled, effortless							
UFRDN	folding. Also holds tables in a teepee							
	position for easy cleaningStorage lock standard for added safety							
	Gravity lock stabilizes tables in the open							
	position and eliminates possibility of							
	tables folding unexpectedly Safety lock engages in a semi-open							
	position to halt downward opening							
	movement							
	T-leg design furnishes maximum leg							
	room and seating capacity • Dimensions include overall depth and							
	width of table							
	Ideal for multi-purpose seating							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

 Select surface edge color. Refer to the **Product Color Options** page in this

0

Θ

0

(3

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

room and seating capacity • Dimensions include overall depth and

· Ideal for multi-purpose seating

width of table

Uniframe® Tables without Seating (Freight Excluded)

		N	MODEL N	UMBER									
													Chromo
									Approx.		3/4" 73P		Chrome Upcharge
		B	Basic Model	Edge Style H		Surface Finish	Edge	Frame Color	Approx. Packaged	Flat Vinyl T-Edge	Edge (73P)	Perfect Edge	Upcharge add to list
	MODEL D x	x L M	iodel	Style	Height	Finish	Color	Color	Weight	(BN)	(73P)	(PR)	price
	Oval Table - Without Seating 60	x 66" U	FOV66						143.0#	\$ 1299	\$ 1364	\$ 1547	\$ 29
	Unitized all-steel frames provide superior 60 :	x 72" U	FOV72	000 1					151.0#	1348	1418	1630	32
\sim	Stability and durability												
	KI's exclusive combination pneumatic lift assist and torsional energy storage												
R	system results in a controlled, effortless												
UFOVN	folding. Also holds tables in a teepee												
UFOVIN	position for easy cleaning			_									
	Storage lock standard for added safety			\rightarrow									
	Gravity lock stabilizes tables in the open												
	position and eliminates possibility of												
	tables folding unexpectedly Safety lock engages in a semi-open												
	position to halt downward opening												
	movement												
	T-leg design furnishes maximum leg												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

27 - 27" high - 29" high

• Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

0

Θ

0

(3

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.



Uniframe® Tables without Seating (Freight Excluded) Square Table

		MODE	EL NUMB	BER								Chrome
MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Upcharge add to list price
Square Table - Without Seating Unitized all-steel frames provide superior stability and durability Ki's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless	or	' UFSQ4						108.0#	\$ 990	\$ 1042	\$ 1172	\$ 33

UFSQN

	A	3	О	0	3	3
 Ideal for multi-purpose seating 						
width of table						
Dimensions include overall depth and						
 T-leg design furnishes maximum leg room and seating capacity 						
movement						
position to halt downward opening						
tables folding unexpectedlySafety lock engages in a semi-open						
position and eliminates possibility of						
Gravity lock stabilizes tables in the open						
Storage lock standard for added safety						
folding. Also holds tables in a teepee position for easy cleaning						
system results in a controlled, effortless						
lift assist and torsional energy storage						
stability and durabilityKi's exclusive combination pneumatic						
Unitized all-steel frames provide superior						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

Select edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high

• Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

· Ideal for multi-purpose seating



Uniframe® Tables without Seating (Freight Excluded) Hexagonal Table

								•			
		MODE	L NUMBER				Арргох.		3/4" 73P		Chrome Upcharge
		Basic	Edge Style Heig	Surfac	e Edge Color	Frame Color	Approx. Packaged	Flat Vinyl T-Edge	Edge (73P)	Perfect Edge	Upcharge add to list
	MODEL DIA	Model	Style Heig	ht Finish	Color	Color	Weight	(BN)	(73P)	(PR)	price
	Hexagonal Table - Without Seating 48"	UFHX4					101.0#	\$ 1100	\$ 1156	\$ 1281	\$ 31
	 Unitized all-steel frames provide superior 										
	stability and durability										
	KI's exclusive combination pneumatic										
10g	lift assist and torsional energy storage										
UFHXN	system results in a controlled, effortless										
	folding. Also holds tables in a teepee position for easy cleaning										
	Storage lock standard for added safety										
	Gravity lock stabilizes tables in the open										
	position and eliminates possibility of										
	tables folding unexpectedly										
	Safety lock engages in a semi-open										
	position to halt downward opening										
	movement										
	T-leg design furnishes maximum leg room and seating capacity										
	Dimensions include overall depth and										
	width of table										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

0

Θ

0

(3

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

• Select surface finish. Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.



Uniframe® Tables without Seating (Freight Excluded) Octagonal Table

			MODE	L NUMB	ER								
													Chrome
					4				Approx.		3/4" 73P		Upcharge add to list
			Basic	Edge	/	Surface	Edge	Frame	Packaged	Flat Vinyl T-Edge	Edge	Perfect Edge	add to list
	MODEL	DIA	Model	Style	Height	Finish	Color	Color	Weight	(BN)	(73P)	(PR)	price
	Octagonal Table - Without Seating • Unitized all-steel frames provide superio	60"	UFOC5		100				134.0#	\$ 1136	\$ 1191	\$ 1327	\$ 39
		or											
	stability and durability					1							
•	 KI's exclusive combination pneumatic 												
	lift assist and torsional energy storage				4								

UFOCN

ODEL	חות	IVIOUCI	Otylo	Tibigiit	1 1111311	00101	00101
ctagonal Table - Without Seating	60"	UFOC5					
Unitized all-steel frames provide superior							
stability and durability							
KI's exclusive combination pneumatic							
lift assist and torsional energy storage							
system results in a controlled, effortless						ĺ	
folding. Also holds tables in a teepee							
position for easy cleaning							
Storage lock standard for added safety							
Gravity lock stabilizes tables in the open							
position and eliminates possibility of							
tables folding unexpectedly							
Safety lock engages in a semi-open							
position to halt downward opening							
movement							
T-leg design furnishes maximum leg							
room and seating capacity							
Dimensions include overall depth and width of table							
Ideal for multi-purpose seating							
		A	3	Θ	O	(3	(a)
			•		•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high - 29" high

• Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

folding. Also holds tables in a teepee

position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly

Round Stand-up Height Table



Uniframe® Tables without Seating (Freight Excluded) Round Stand-up Height Table

		M	ODEL N	NUMBER								
												Ohaana
								Annrov		3/4" 73P		Unrome
		Bas	sic F	Edge	Surface	Edge	Frame	Approx. Packaged	Flat Vinyl T-Edge	Edge	Perfect Edge	Chrome Upcharge add to list
	MODEL D	IA Mo	odel S	Style Height	Finish	Color	Color	Weight	(BN)	(73P)	(PR)	price
	Round Stand-up Height Table - Without 4	8" UFS	SU4	□□□ 42				109.0#	\$ 1156	\$ 1213	\$ 1331	\$ 29
		0" UFS	SU5	□□□ 42				129.0#	1216	1276	1388	27
	 Unitized all-steel frames provide superior 											
	stability and durability											
	Kl's exclusive combination pneumatic											
45	lift assist and torsional energy storage system results in a controlled, effortless											

UFRDU

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

42 - 42" high

• Select surface finish.

selections.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe® Tables without Seating (Delivered) Rectangular Table



Uniframe® Tables without Seating (Delivered) Rectangular Table

			MODEL	NUMBER									Chrome
								Approx.			3/4" 73P		Upcharge
			Basic Model	Edge Style He	Sur	face E	Edge Fra Color Co	Approx. me Packaged		Flat Vinyl T-Edge	Edge	Perfect Edge	Upcharge add to list
	MODEL	D x W	Model	Style He	ght Fini	sh (Color Co	or Weight		(BN)	3/4" 73P Edge (73P)	(PR)	price
	Rectangular Table - Without Seating	30 x 96"	UFRT08					179.0#		\$ 1463	\$ 1536	\$ 1664	\$ 159
	Unitized all-steel frames provide superior	or 30 x 120"	UFRT10					200.0#		1602	1685	1753	89
	stability and durability									1761	1851	1912	75
	 KI's exclusive combination pneumatic 	30 x 139-1/2"	UFNIIZ							1/01	1001	1912	75
	> lift assist and torsional energy storage												
	system results in a controlled, effortless	ŀ											
	folding. Also holds tables in a teepee												
UFRCN	position for easy cleaningAvailable in 8', 10' and 12' models												
	Storage lock standard for added safety												
	Gravity lock stabilizes tables in the open												
	position and eliminates possibility of												
	tables folding unexpectedly												
	 T-leg design furnishes maximum leg 												
	room and seating capacity												
	Listed to applicable UL standards and												
	requirements by Underwriters Laborato	-											
	ries, Inc.												
	Ideal for multi-purpose seating												
			Δ	B	9 (D	(3	•					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

• Select surface finish. Refer to the **Product Color Options** page in this

price list. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

• T-leg design furnishes maximum leg room and seating capacity · Dimensions include overall depth and

· Ideal for multi-purpose seating

width of table



Uniframe® Tables without Seating (Delivered) Round Table

		l N	MODEL	NOMREK									
													Chrome
	MODEL	DIA M	asic Model	Edge Style Hei	Su aht Fin	urface I	Edge Color	Frame Color	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Upcharge add to list price
	Round Table - Without Seating	48" U	IFRD4		9				98.0#	\$ 1170	\$ 1228	\$ 1373	\$ 33
	 Unitized all-steel frames provide superior 	60" U	IFRD5	000 00					132.0#	1237	1299	1440	36
									158.0#	1663	1747	2051	37
	lift assist and torsional energy storage												
	system results in a controlled, effortless												
UFRDN	folding. Also holds tables in a teepee position for easy cleaning												
	 Storage lock standard for added safety 												
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 												
	tables folding unexpectedly												
	 Safety lock engages in a semi-open 												
	position to halt downward opening												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

• Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Θ

3

O

(3

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.



Uniframe® Tables without Seating (Delivered)

	MODEL			Edge Style	R Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
	Oval Table - Without Seating	60 x 66" UF	IFOV66						143.0#	\$ 1460	\$ 1531	\$ 1737	\$ 33
	 Unitized all-steel frames provide superior 	60 x 72" UF	IFOV72						151.0#	1516	1595	1832	37
	stability and durability								1-11-11-11				
	Kl's exclusive combination pneumatic												
•	lift assist and torsional energy storage system results in a controlled, effortless												
	folding. Also holds tables in a teepee												
UFOVN	position for easy cleaning												
	 Storage lock standard for added safety 												
	 Gravity lock stabilizes tables in the open 												
	position and eliminates possibility of												
	tables folding unexpectedly												
	 Safety lock engages in a semi-open position to halt downward opening 												
	movement												
	 T-leg design furnishes maximum leg 												
	room and seating capacity												
	Dimensions include overall depth and												
	width of tableIdeal for multi-purpose seating												
	- ideal for multi-purpose seating												
			A	B	Θ	0	(3	•					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

• Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.



Uniframe® Tables without Seating (Delivered) Square Table

				MODE	L NUME	BER								
												0/41/700		Chrome
				Basic	Edge		Surface	Edge	Frame	Approx. Packaged	Flat Vinyl T-Edge	3/4" 73P Edge	Perfect Edge	Upcharge add to list
		MODEL	D x W	Model	Style	Height	Finish	Color	Color	Weight	(BN)	(73P)	(PR)	price
	$\overline{}$	Square Table - Without Seating	48 x 48"	UFSQ4						108.0#	\$ 1114	\$ 1170	\$ 1318	\$ 38
		Unitized all-steel frames provide superior	r											
\rightarrow	~	stability and durabilityKI's exclusive combination pneumatic												
•		lift assist and torsional energy storage												
		system results in a controlled, effortless												

UFSQN

	(A)	3	Θ	0	(3	(3
Ideal for multi-purpose seating						
width of table						
Dimensions include overall depth and						
room and seating capacity						
movement T-leg design furnishes maximum leg						
position to halt downward opening						
Safety lock engages in a semi-open						
tables folding unexpectedly						
Gravity lock stabilizes tables in the open position and eliminates possibility of						
Storage lock standard for added safety						
position for easy cleaning						
folding. Also holds tables in a teepee						
lift assist and torsional energy storage system results in a controlled, effortless						
KI's exclusive combination pneumatic						
stability and durability						
- management			I			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

• Select surface finish.

Surface finish offerings are based on edge style

selections.

 Select surface edge color. Refer to the **Product Color Options** page in this

27 - 27" high 29 - 29" high

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe® Tables without Seating (Delivered) Hexagonal Table



Uniframe® Tables without Seating (Delivered) Hexagonal Table

		MODEL NUMBER						Chrome
MODEL	DIA 1	Basic Edge Model Style Heigh	Surface Edge Frame of the Finish Color Color	Approx. Packaged Weight	at Vinyl T-Edge BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Upcharge add to list price
UFHXN UF	all-steel frames provide superior and durability lusive combination pneumatic and torsional energy storage results in a controlled, effortless Also holds tables in a teepee for easy cleaning lock standard for added safety lock stabilizes tables in the open and eliminates possibility of olding unexpectedly ock engages in a semi-open to halt downward opening ent sign furnishes maximum leg and seating capacity ions include overall depth and	UFHX4		101.0#	1237	\$ 1299	\$ 1440	\$ 36

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

codes for length of table, edge treatment and

BSelect edge style.

- 3/4" 73P edge - Perfect edge

29 - 29" high

• Select surface finish.

Refer to the **Product Color Options** page in this

Basic model includes base no. of table with

Select frame color.

Θ

0

3

(3

BN - Flat vinyl T-edge

Select height. **27** - 27" high

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Edge color offerings are based on edge style selections.

Refer to the Product Color Options page in this (BL) Std-no upcharge, all other colors have

\$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.



Uniframe® Tables without Seating (Delivered) Octagonal Table

		MODEL MOMBER									
											Chrome
							Approx.	·	3/4" 73P	V	Upcharge add to list
		Basic	Edge		Surface	Edge Fra		Flat Vinyl T-Edge	Edge	Perfect Edge	add to list
MODEL	DIA	Model	Style	Height	Finish	Color Co	or Weight	(BN)	(73P)	(PR)	price
Octagonal Table - Without		UFOC5					□ 134.0#	\$ 1276	\$ 1340	\$ 1489	\$ 44
Unitized all-steel frames	provide superior										
etability and durability			1	1							



10DEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color
ctagonal Table - Without Seating	60"	UFOC5					
Unitized all-steel frames provide superior							
stability and durability							
KI's exclusive combination pneumatic							
lift assist and torsional energy storage							
system results in a controlled, effortless							
folding. Also holds tables in a teepee							
position for easy cleaning							
Storage lock standard for added safety							
Gravity lock stabilizes tables in the open							
position and eliminates possibility of							
tables folding unexpectedly							
Safety lock engages in a semi-open							
position to halt downward opening							
movement							
T-leg design furnishes maximum leg							
room and seating capacity							
Dimensions include overall depth and							
width of table							
Ideal for multi-purpose seating							
		A	3	Θ	O	(3	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

27 - 27" high 29 - 29" high

• Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

selections.

 Select surface edge color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

freight prepaid. Freight class 150.

Shipping Ships assembled, FOB Green Bay, WI 54302,

Uniframe® Tables without Seating (Delivered)

Round Stand-up Height Table



Uniframe® Tables without Seating (Delivered) Round Stand-up Height Table

				MODE	L NUMBE	R								
										Annroy		2/4" 720		Chrome
				Basic	Edge		Surface	Edge I	Frame	Approx. Packaged	Flat Vinyl T-Edge	3/4" 73P Edge	Perfect Edge	Upcharge add to list
		MODEL	DIA		Style	Height	Finish	Color	Color	Weight	(BN)	(73P)	(PR)	price
_		Round Stand-up Height Table - Without	48"	UFSU4						109.0#	\$ 1299	\$ 1365	\$ 1494	\$ 33
		Seating	60"			42				129.0#	1367	1436	1559	31
	19 1	Unitized all-steel frames provide superior Abbility and dynability.	or											
		stability and durability KI's exclusive combination pneumatic												

UFRDU

system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety

lift assist and torsional energy storage

 Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly

 Safety lock engages in a semi-open position to halt downward opening

 T-leg design furnishes maximum leg room and seating capacity

3 Θ 0 **3**

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 42" high

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

Select frame color.

selections.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.





Wheelchair Accessible Tables w/Benches (WAUF12BE)

Wheelchair Accessible Tables w/Stools (WAUF126)

Features

1 60(11)65		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
31-3/4" height	•	•







Bullnose Edge

73P Edge

Perfect Edge

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Benche

Bench supports are robotically welded steel

construction of 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. There shall be three plates for each full bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13° diameter.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core

and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

ames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-weld-ed. Horizontal and vertical tubing is 1-1/4" OD 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame. not the table too.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant.

Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Casters

Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end of the bench unit or outermost stool when in the

open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

ides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION


Warranty

Refer to KI Terms & Conditions document or visit

Rectangular Table with Benches

width of table and seating

Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Benches



0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 31" high 31

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select bench surface.

Θ

0

✐

(3)

Θ

0

Δ

Refer to the Product Color Options page in this

GSelect bench edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

freight excluded. Freight class 200.

Shipping Ships assembled, FOB Green Bay, WI 54302,

Chrome

Upcharge

add to list

\$ 152

price

Rectangular Table with Stool Seats


Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats

Approx.
Packaged Flat Vinyl T-Edge Edge Perfect Edge (PR)

Weight (BN) (73P) (PR)

312.0# \$ 2475 \$ 2600 \$ 2726 \$ 173

2822



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

31 - 31" high

Select surface finish.
Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select stool color - Polypropylene (PY).
Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

316.0#

FINISH INFORMATION

Additional Laminate Offering

2691

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight excluded.** Freight class 200.

173

Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded) Rectangular Table with Stool Seats

Perfect Edge

2976

\$ 2838

3/4" 73P

\$ 2714

2856

Chrome

Upcharge

add to list price

\$ 173

173

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
	WA Rectangular Table w/Stools - Thermo-	60-1/2 x 139-1/2"	WAUF126/CX		31					
	set Hard Plastic	60-1/2 x 139-1/2"	WAUF128/CX		31					
UWRCT	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of table Thermoset Hard Plastic stool seats Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and width of table and seating 									
			A	3	•	Ð	3	•	О	I

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

• Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic

Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Approx.

312.0#

316.0#

Packaged Flat Vinyl T-Edge

\$ 2584

2717

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.



Approx.

309.0#

Packaged Flat Vinyl T-Edge

\$ 2426

3/4" 73P

\$ 2675

Uniframe® Wheelchair Accessible Tables with Seating (Delivered) Rectangular Table with Benches

Perfect Edge

\$ 2967

Chrome

Upcharge

add to list price

\$ 172

			MODEL NU	MBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color	
	Wilcolonan Moodoolalo Mootangalar labio	56-1/2 x 139-1/2"	WAUF12BE		31						
	with BenchesHeight to top of surface is 31-3/4"										
	31" clearance from floor to underside of										
	table										
	Full bench										
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 										
	position and eliminates possibility of										
UWRCB	tables folding unexpectedly										
	 Listed to applicable UL standards and 										
	requirements Underwriters Laboratories, Inc										
	Dimensions include overall depth and										
	width of table and seating										
			A	B	Θ	O	3	3	Ө	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge
 - Perfect edge

Select height.

- 31" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

• Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select bench surface.

Refer to the Product Color Options page in this price list.

GSelect bench edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.



Approx.

312.0#

316.0#

Packaged Flat Vinyl T-Edge

\$ 2784

Uniframe® Wheelchair Accessible Tables with Seating (Delivered) Rectangular Table with Stool Seats

Perfect Edge

\$ 3064

3173

Chrome

Upcharge

add to list price

\$ 196

			MODEL NUM	BER						
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
	WA Rectangular Table with Stool Seats -	60-1/2 x 139-1/2"	WAUF126/PY		31					
	Polypropylene	60-1/2 x 139-1/2"	WAUF128/PY		31					
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 									
	table									
	Polypropylene stool seats									
W	Storage lock standard for added safetyGravity lock stabilizes tables in the open									
UWRCP	position and eliminates possibility of									
	tables folding unexpectedly									
	 Listed to applicable UL standards and requirements Underwriters Laboratories, 									
	Inc									
	 Dimensions include overall depth and width of table and seating 									
	widin of table and seating									
				_		_	_			
			A	0	Θ	0	€	G	Ø	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

31 - 31" high

OSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select stool color - Polypropylene (PY). Refer to the **Product Color Options** page in this

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool

3/4" 73P

\$ 2921

3026

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.



Approx.

312.0#

316.0#

Packaged Flat Vinyl T-Edge

\$ 2906

3/4" 73P

\$ 3051

3209

Uniframe® Wheelchair Accessible Tables with Seating (Delivered) Rectangular Table with Stool Seats

Perfect Edge

\$ 3189

3343

Chrome

Upcharge

add to list price

\$ 196

			MODEL NUM	BER						Ī
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	
	Territoriangular rabio tr/otobio ilionno		WAUF126/CX		31					L
	set Hard Plastic	60-1/2 x 139-1/2"	WAUF128/CX		31					ı
UWRCT	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of table Thermoset Hard Plastic stool seats Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Listed to applicable UL standards and requirements Underwriters Laboratories, Inc Dimensions include overall depth and width of table and seating 									
			A	B	0	0	(3	(3	(A)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge
 - Perfect edge

Select height.

31 - 31" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic

Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 200.

Uniframe® Wheelchair Accessible Tables without Seating



Uniframe® Wheelchair Accessible Tables without Seating







WA Rectangular Table (WAUFRT12)

WA Round Table (WAUFRD5)

WA Oval Table (WAUFOV66)

Features			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge	•	•	•
Perfect Edge	•	•	•
31-3/4" height	•	•	•



Bullnose Edge



73P Edge





Perfect Edge

T-Style Leg







WA Square Table

WA Hexagonal Table

WA Octagonal Table

	(WAUFSQ4)	(WAUFHX4)	(WAUFOC5)
Features			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge	•	•	•
Perfect Edge	•	•	•
31-3/4" height	•	•	•

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semi-open position to halt downward movement. Safety lock can be released from either side of the table.

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without

Table frames are fabricated using a welded

unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel. pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round

14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of gravity lock is possible from either side

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

For increased surface area and durability, non-marring 1.25" x 12" glides made of ABS plastic material are standard. Set of four per table.


Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Unitrame® Wheelchair Accessible Tables without Seating (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Basic model includes base no. of table with codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 31" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to the **Product Color Options** page in this

A Select basic model.

Select frame color. Refer to the Product Color Options page in this

selections.

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

Edge color offerings are based on edge style

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code

Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Shipping


SPECIAL SERVICES

Special Carton Marking

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

With specially marked information N/C

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 31" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color. Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Model

WAUFOV66

MODEL NUMBER

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Chrome 3/4" 73P Upcharge Flat Vinyl T-Edge Perfect Edge add to list (73P) price

\$ 1563

1647



Wheelchair Accessible Oval Table -Without Seating Storage lock standard for added safety

MODEL

- · Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly
- position to halt downward opening movement
- room and seating capacity
- 31" clearance from floor to underside of

Safety lock engages in a semi-open T-leg design furnishes maximum leg Height to top of surface is 31-3/4" A **(3**) Θ 0 Ø

DxL

60 x 66"

60 x 72"

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 31" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

selections.

Select frame color. Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge.

Edge color offerings are based on edge style

Approx.

Packaged

132.0#

140.0#

Surface Edge

Height Finish

□□□ 31

WAUF0V72 □□□ 31

Frame

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

\$ 1312

\$ 1379

1437

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

28


27

\$

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 31" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.


SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Unitrame® Wheelchair Accessible Tables without Seating (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 31" high 31

OSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Select frame color. Refer to the Product Color Options page in this

selections.

(BL) Std-no upcharge, all other colors have \$12 upcharge, see price column for Chrome upcharge

Edge color offerings are based on edge style

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.


SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 31" high 31

OSelect surface finish. Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

selections. Select frame color.

Refer to the Product Color Options page in this (BL) Std-no upcharge, all other colors have

Edge color offerings are based on edge style

\$12 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES Special Carton Marking


With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.



Uniframe® Wheelchair Accessible Tables without Seating (Delivered)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 31" high

OSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.



Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

			MODEL N	UMBER				_				
								Approx.	F	3/4" 73P		Chrome Upcharge
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Frame Color Color	Packaged Weight	Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	Upcharge add to list price
	Wheelchair Accessible Round Table -	48"	WAUFRD4		31			89.0#	\$ 1186	\$ 1243	\$ 1394	\$ 37
	Without Seating		WAUFRD5					115.0#	1259	1323	1465	33
	Storage lock standard for added safetyGravity lock stabilizes tables in the open	72"	WAUFRD6		31			149.0#	1687	1771	2074	31
	position and eliminates possibility of											
	tables folding unexpectedly											
UWRDN	Safety lock engages in a semi-open											
	position to halt downward opening movement											
	T-leg design furnishes maximum leg											
	room and seating capacity											
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 	f										
	table	•										
			Δ	3	Θ	O	9 9					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge
 - Perfect edge

Select height.

31 - 31" high

OSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

			MODEL NUI	MBER									
	MODEL		Basic Model	Edge Style	Height	Surface Finish	Edge Color	Approx. Frame Packaged Color Weight		Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
								□□ 132.0#		\$ 1477	\$ 1551	\$ 1757	\$ 32
	Without Seating	60 x 72"	WAUF0V72		31			□□ 140.0#		1538	1615	1852	31
	Storage lock standard for added safetyGravity lock stabilizes tables in the open												
	position and eliminates possibility of												
	tables folding unexpectedly												
UWOVN	 Safety lock engages in a semi-open position to halt downward opening 												
	movement												
	T-leg design furnishes maximum leg												
	room and seating capacityHeight to top of surface is 31-3/4"												
	31" clearance from floor to underside of												
	table												
			_					_					
			A	$oldsymbol{\Theta}$	Θ	O	ⅎ	(3					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge
 - Perfect edge

Select height.

31 - 31" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select frame color.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.


SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.



Uniframe® Wheelchair Accessible Tables without Seating (Delivered)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Basic model includes base no. of table with codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 31" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

A Select basic model.

Select frame color.

selections.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

Edge color offerings are based on edge style

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.


SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

codes for length of table, edge treatment and

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 31" high

DSelect surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this

Basic model includes base no. of table with

Select frame color.

selections.

Refer to the Product Color Options page in this

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome

Edge color offerings are based on edge style

upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C


Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

14

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Octagonal Table



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

Pricing is "Freight Excluded".

BSelect edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

Select height.

31 - 31" high

②Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to the **Product Color Options** page in this price list

Edge color offerings are based on edge style

Select frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$69 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

·--

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Uniframe® Convertible Bench

General Information



Uniframe® Convertible Bench

eneral Information





Shown as Bench with Worksurface (UCB)

Shown as Bench with Back Support (UCB)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Bench height 17"	•	•
Top height 27"	•	
Top height 29"	•	
Onen denth 29-1/2"	•	•





Bullnose Edge

73P Edge



Tops/Backs and Benches

Tops/backs and benches are of solid core 3/4" thick warp-resistant construction. Center core is 45 PCF high-density particleboard. A .030 high-pressure laminate face is used for the top surface with a .030 high-pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 2-1/2" radius. Tops measure 14-3/4" wide by 3/4" thick by the length of the bench.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

Frames

Table frames are fabricated using a welded untitzed construction, integrating all structural steel members and the ganging mechanism into a self-supporting unit. The top/back support apron is 18-gauge bent and welded steel tubing, using double tube construction for leg support vertical and leg support bottom cross tube. The main pivot folding action is heavy-duty 14-gauge steel tubing coupled with thick 11-gauge saddles. The lower leg base shall be welded to the leg assembly.

Frame Finish

Painted frame finish is non-chipping electrostatically applied and baked. Finish is black only.

Ganging Mechanism

Steel ganging mechanism is provided on all tables as standard, allowing two tables to be locked to-

gether into a common unit. Mechanism is located on end of foot for ease of operation.

Bench Support Foot Caps

Bench support foot caps are non-marring rubber.

Jasters

Large 4" diameter hard rubber swivel casters, two locking and two non-locking, provide easy and safe maneuverability.

General

Convertible benches ship knocked down in two boxes for customer assembly (unassembled). Benches are listed with Underwriters Laboratories in compliance with testing for public safety (Folding Rollaway Tables).





Shown as 2 Benches Ganged Together (UCB-two units)

Shown as 2 Benches Nested Together (UCB-two units)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Folded height 33-1/4"		•
Folded depth 22"		•
Bench height 17"	•	
Top height 27"	•	
Top height 29"	•	

INFORMATION


Warranty


Refer to KI Terms & Conditions document or visit ki.com

N


Uniframe® Convertible Bench General Information

DIMENSIONS-Convertible Bench









Uniframe® Convertible Bench



Uniframe® Convertible Bench Product Color Options


Surface FinishLaminate		Flannel	EFN	Zesty Lime	EZL
Belair	LBQ	Frosty White	EFW _	rama Calar	
Biltmore Cherry	LBT	Hazy Jade	EHJ F	rame Color	-
Black	LBK	Honey Bee	EHY	Black	BL
Brighton Walnut	LBW	Light Tone	ELG I	eg Finish	
Canyon Zephyr	LCA	Mardi Gras	EMG	Black leg finish	BLF
Castle Oak	LC0	Misty Brown	EMY	Chrome leg finish	CHF
Casual Linen	LCU	Nemo	ENE	officiale leg fillish	OH
Cherry Storm	LCX	Nordic	END		
Classic Linen	LCI	Poppy Red	EPR		
Cloud Zephyr	LCL	Purple Haze	EPH		
Cocobala	LCC	Rubber Ducky	ERK		
Crisp Linen	LRI	Sand	ESA		
		Sky Blue	ESK		
Desert Zephyr	LDZ	Surf's Up	ESP		
Dove Grey	LDG	·	ETI		
Fired Steel	LIL	Twilight Shadow			
Flax Linen	LXF	Ultra Blue	EUB		
Florence Walnut	LFC	Warm Grey	EWG		
Forged Steel	LOL	Zesty Lime	EZL		
Friston Ash	LFH	Edge Color for 73P Edge			
Frosty White	LFW	Belair	EBQ		
Graphite Nebula	LGN		EBT		
Grey	LGE	Biltmore Cherry			
High Rise	LHE	Black	EBL		
Hollyberry	LHY	Blue Grey	EGR		
Irish Linen	LIH	Brighton Walnut	EBW		
Island	LID	Castle Oak	ECO		
Italian Silver Ash	LIT	Cayenne	ECY		
Kensington Maple	LKM	Cherry Storm	ECX		
Lapis Blue	LLB	Cool Grey	ECG		
Markerboard White	LMK	Earthen Clay	EEY		
Misted Zephyr	LMR	Everglade Shade	EEV		
Monticello Maple	LMT	Flannel	EFN		
Nickel Evolv	LNV	Florence Walnut	EFC		
North Sea	LNA	Friston Ash	EFH		
		Frosty White	EFW		
Ocean	LON	Hazy Jade	EHJ		
Pearl Bisque	LPB	Honey Bee	EHY		
Pearl Silver	LPS	Italian Silver Ash	EIT		
Pressed Linen	LPR	Kensington Maple	EKM		
River Cherry	LRY	Light Tone	ELG		
Rugged Linen	LRG	Mardi Gras	EMG		
Satin Stainless	LSS	Misty Brown	EMY		
Shadow Zephyr	LSR	Monticello Maple	EMT		
Silicon evolv	LSV	Nemo	ENE		
Sterling Ash	LAZ	Nordic	END		
Tailored Linen	LTL				
Titanium evolv	LTV	Poppy Red	EPR		
White Nebula	LWL	Purple Haze	EPH		
White Sand	LWN	River Cherry	ERY		
Windsor Mahogany	LWY	Rubber Ducky	ERK		
		Sand	ESA		
Edge Color for BN Edge		Sky Blue	ESK		
Black	EBL	Sterling Ash	EAZ		
Blue Grey	EGR	Surf's Up	ESP		
Cayenne	ECY	Twilight Shadow	ETI		
Cool Grey	ECG	Ultra Blue	EUB		
Earthen Clay	EEY	Warm Grey	EWG		
Everglade Shade	EEV	Windsor Mahogany	EWY		

Finish Cards	<u>Paints</u>	Wood/Veneer	Molded Edges	Hard Plastics
View color swatches for items listed within this document	Plastics/Polv	Laminates	Edae Styles	Glass

Uniframe® Convertible Bench (Freight Excluded)



Uniframe® Convertible Bench (Freight Excluded)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

 Basic model includes length of bench.
- Select edge style.


 BN Flat vinyl T-edge
 73P 3/4" 73P edge

Height 27 - 27" high 29 - 29" high

- ②Select surface finish.

 Refer to the **Product Color Options** page in this price list.
- Select surface edge color.
 Refer to the **Product Color Options** page in this price list.
 Edge color offerings are based on edge style selections.

Frame Color



GLeg Finish
BLF - Black leg finish

SPECIAL SERVICES

Special Carton Marking

With specially marked information


nipping

Ships knocked down, FOB Bonduel, WI 54107, freight excluded. Freight class 85.

Uniframe® Convertible Bench (Delivered)



Uniframe® Convertible Bench (Delivered)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes length of bench.

Select edge style.

BN - Flat vinyl T-edge
73P - 3/4" 73P edge

Height
27 - 27" high

29 - 29" high

Delect surface finish.

Refer to the **Product Color Options** page in this price list.

Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

Frame Color

BLF - Black leg finish
CHF - Chrome leg finish; add \$24

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.







Uniframe tables have ample doorway clearance and can be moved in the safe, closed and locked position through standard door openings.




For safety and convenience, the storage lock engages automatically when the table is folded and can't move out of correct alignment like competitor' tables can. The lock release is easily accessible from either side of the table without a long reach under the unit.



Textured polypropylene stool seats are standard or choose the Thermoset Hard Plastic option. Thermoset Hard Plastic provides the ultimate seat for lasting appearance and cleaning



Uniframe rectangular tables provide sufficient clearance between top halves to prevent fingers from being caught or pinched. Pinch-free center hinges also assure safe operation. build-up during storage.



KI's unique design stores stool seats parallel to the tabletop, discouraging children from climbing and minimizing dust



Split benches have a generous 4-1/2" clearance between seats for greater comfort and easy access.



T-legs increase knee room and seating capacity around the table and eliminate the need to straddle table leg uprights.



KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding operation. So much so, these tables are the easiest to operate...bar none!



Uniframe rectangular tables automatically stay in a teepee (semi-folded) position for safe, fast and easy floor cleaning. Just lift slightly, clean and push back down.



For non-rectangular units the semi-open safety lock prevents injury from downward opening by keeping the table in a semi-open position until fingers are out of



KI attaches stools to a heavy, 11-gauge, metal plate before shipping. This provides greater strength, durability and stability than the competitors' plastic sleeve and pin style stools that require field installation. With polypropylene stools, white marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool.



The exclusive caster support has a sleek tamperresistant cover that won't trap dust, dirt or food and won't scuff shoes.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000411/KI/PDF

