

## Staks building blocks

---






## Table of contents

|                                   |       |
|-----------------------------------|-------|
| Elevations                        | 3     |
| Panels/assembly tools             | 4     |
| Panel organizers/panel tackboards | 5     |
| Privacy panels/panel shelving     | 6     |
| Panel accessories                 | 7     |
| Height adjustable                 | 8-11  |
| Worksurfaces                      | 12    |
| Worksurface supports              | 13    |
| Worksurace privacy panels         | 14    |
| Brackets                          | 15    |
| Pedestals                         | 16-23 |
| Step credenzas                    | 24-25 |
| Floor storage                     | 26    |
| Floor storage cushions            | 27    |
| Mobile pedestals                  | 28    |
| Wall mounted storage              | 29-30 |
| Media panels                      | 31-33 |
| Worksurface storage               | 34    |
| Highback organizers/tackboards    | 35    |
| Slide out storage towers          | 36    |
| Towers                            | 37-41 |
| Bookcases/laterals                | 42    |
| Electrical/data                   | 43-44 |
| Power supplies                    | 45    |
| Wire management                   | 46    |
| Lighting                          | 47    |
| Work accessories                  | 48    |
| Binny                             | 49    |


## Elevations

- Total height when a panel is used with privacy panels, or panel mounted storage
- Refer to panel overhead and privacy panel sections for additional information


### 33" panel



### 42" panel



### 48" panel



## Panels

- Panels heights: 33"h, 42"h, 48"h
- Widths: available in ½" increments between 24"w and 59"w
- Vertical grain direction on panels
- Corner options: square and rounded
- Panels are supported by connecting into surfaces and storage with brackets.
- Wall start available for panel to wall attachment



Square corner  
6-PAN-33/\_\_\_ (33"h panel)  
6-PAN-42/\_\_\_ (42"h panel)  
6-PAN-48/\_\_\_ (48"h panel)



Single round corner,  
left side (model option)



Single round corner,  
right side (model option)




Double round corner  
(model option)



Wall start  
SWP-L\_\_\_

## Assembly tools


- It is suggested to order the below tools that pertain to your typical for ease of installation
- Leveler wrench - use to adjust leveler glides on panels and storage items
- Cantilever gauge - use to pilot bore panels for cantilever brackets in both desk and low height mounting applications
- 120 degree panel gauge - use to position panels for 120 degree clusters
- Refer to installation guide for proper use



TOOL-1  
Leveler wrench



TOOL-2  
Cantilever gauge



TOOL-3  
120 degree panel gauge



## Panel organizers

- Organizers 30-42"w have two openings
- Organizers 48"w have three openings
- Organizers 54-84"w have four openings
- Organizers must be used with wall panel support, see worksurface supports section
- Organizers are center mounted to panel and attached using press fit brackets
- Organizers can be used in combination with a shared shelf, see panel shelving section
- Doors and backs available in veneer, TFL, acrylic, white backed glass and dry erase laminate
- Optional locks for veneer and TFL doors

### Single sided organizer - 10"h or 15"h



Two openings on one side, no door option



Four openings on one side, doors available on 15"h version only

### Shared organizer - 10"h or 15"h



Alternating openings, doors available on 15"h version only



Centered split openings, doors available on 15"h version only



On side openings, doors available on 15"h version only

### Centered split organizer - 10"h or 15"h



Divider down center with two 6"d openings both sides



Divider down center with four 6"d openings both sides

## Panel tackboards

- Tackboards available in standard widths of 27-96"w, in 1/8" increments
- Tackboard attaches with heavy duty velcro



Square corner



Rounded/square corner  
Non handed



Rounded corner

## Privacy panels

- Side mount privacy panel is 11"h. Adds 8.5" to overall panel height and extends 2.5" below panel top, for use along aisle ways only. Use with PVPBKT-1 saddle bracket
- Center mount privacy panel is either 8"h or 11"h. Privacy panel height, and bracket offset from panel, adds 8.5" or 11.5" to overall panel height, for use along aisle or spine. Use with PVPBKT-2 saddle bracket
- Routed privacy panel is available in 10"h and 13"h, panel recesses into wall panel by 1.5". 10"h privacy panel adds 8.5" of overall panel height, and 13"h privacy panel adds 11.5" to overall panel height. Factory installed route only
- Privacy panel materials available in variety of acrylic and glass, in clear, frosted and tinted. Refer to price guide for available applications and widths



Side bracket mount



Center bracket mount



Routed panel

## Panel shelving

- Shelving and transaction counters must be used with wall panel support, see worksurface supports section
- Shelving and transaction counters are installed centered on the panel with press fit brackets
- Shared shelf can be used alone, or with organizers for a layered look
- Transaction counter typically used on 42"h panel



Shared shelf



Transaction counter

## Panel accessories

- Planter boxes rest on top of the wall panel and are center mounted. The boxes can be set in any location along the panel width. Available with or without a liner
- Hanging items cannot be used with privacy panel toppers, shelving or organizers. Markerboard cannot be used above workspace
- Markerboard is a 24"x24" dry erase marker board on both sides
- Lamp has a 360 degree rotating lamp, LED bulb, and a 15' power cord with a cord mounted rocker switch



Small planter box  
6-PB12



Medium planter box  
6-PB18



Large planter box  
6-PB24



Pen holder  
6-APH



Coat hook  
6-ACH



Bag knob  
6-ABK



Markerboard  
6-AMB



Lamp  
6-ALP

## Height adjustable

### Metal leg rectangular surface

- Use with surfaces 22"d or 30"d, and 48"w to 72"w
- Pneumatic or electric base
- Rectangular or square post leg
- Center or offset leg
- Flat or tubular foot, glide or caster
- Cord is 10' long

### Height adjustable wing top

- 58"w or 70"w, longest depth side is 36"d, shortest is 24"d
- Desk can be left or right handed
- Electric base, flat foot with glide
- Cord is 10' long


### Rectangular surface




Rectangular post leg




Square post leg




Center leg



Offset leg



Tubular foot,  
glide or caster



Flat foot,  
glide or caster


### Wing surface



Left hand  
6-\_\_ 36HALWT



Right hand  
6-\_\_ 36HARWT



Flat foot,  
glide only

## Height adjustable

### Enclosed height adjustable general notes

- Optional height adjustable modesty for desk models, fixed to underside of surface
- Not recommended for use with tackboards
- Vertical wire management column provided within units

### Bridge

- Depth 22"d, widths in 42"w or 48"w
- Center grommet standard

### Return

- Depth 22"d, widths in 42"w or 48"w
- Center grommet standard

### Double pedestal desk

- Front modesty can be recessed, or symmetrical breakfront
- Box/box/file and file/file storage

### Bridge and return



Bridge  
6-2248HABR shown



Return  
6-2248HARPR shown

### Double pedestal desk



Recessed modesty  
6-\_\_3\_HADPR



Symmetrical  
breakfront modesty  
6-\_\_3\_HADPFT



User side

## Height adjustable

### General

- **Note:** Drawer depths are 13.125"d

### Single pedestal desk

- Front modesty can be recessed, or asymmetrical breakfront
- Available as stand alone, or with connected bridge or return

#### -Stand alone desk

- 30"x60", 36"x60", 30"x66", 36"x66", 30"x72", 36"x72"

#### -Desk with connected bridge or return

- Desk: 30"x60", 30"x66", 36"x66", 30"x72", 36"x72"
- Bridge or return: 42"w or 48"w, depth 22"d

#### -Grommets

- Optional on desk positioned left, right, or both
- Grommets standard on bridge or return

### Shell desk

- Front modesty is available in slim symmetrical breakfront only
- Available as stand alone, or with connected bridge or return

#### -Stand alone desk

- 30"x60", 36"x60", 30"x66", 36"x66", 30"x72", 36"x72"

#### -Desk with connected bridge or return

- Desk: 30"x66", 36"x66", 30"x72", 36"x72"
- Bridge or Return: 42"w or 48"w, depth 22"d

#### -Grommets

- Optional desk grommet, positioned left, right, or both
- Grommet standard on bridge and return

### Single pedestal desk



Recessed modesty



Asymmetrical breakfront modesty



Single pedestal user side left hand shown



Desk with connected bridge



Desk with connected return

### Shell desk



Slim symmetrical breakfront modesty



User side



User side with connected bridge



User side with connected return

## Height adjustable

### Runoff desk

- Two surface shapes, rectangular or sweep
- Low height base cabinet, 16.5"d or 22"d
- Two runoff support options, metal column for sweep top, metal column with foot for rectangular top, or panel base for either top
- Two center cabinet configuration options
- Four storage options for approach side and user side, in any combination
- Wire management
  - Grommet standard in base cabinet
  - Optional grommets for main surface

### Sweep top sizes

- Overall 68"w x 48"d, surface size 66"w x 46"d
- Overall 68"w x 54"d, surface size 66"w x 52"d
- Overall 68"w x 60"d, surface size 66"w x 58"d
- Overall 74"w x 60"d, surface size 72"w x 58"d

### Rectangular top sizes

- Overall 68"w x 48"d, surface size 66"w x 30"d
- Overall 68"w x 54"d, surface size 66"w x 30"d
- Overall 68"w x 60"d, surface size 66"w x 30"d
- Overall 74"w x 60"d, surface size 72"w x 30"d

### Surface shapes



Rectangular surface



Sweep top surface

### Runoff supports



Column post  
For sweep top



Column with foot  
For rectangular top



Panel  
For sweep or rectangular top

### Center cabinet options



Removable panel



Shelf insert

### Approach and user side cabinet options



Open with shelf,  
Door with shelf



Box file,  
Open with metal shelf

## Worksurfaces

**16.5"d and 22"d Rectangular surfaces available in desk or low height, all other surfaces available in desk height only**

- Rectangular: 16.5"d, 22"d, 30"d, 36"d
- Soft rectangular: 22"d, 30"d, 36"d (two rounded corners)
- Bow front: 30"d (36"d at deepest), 36"d (42"d at deepest)
- P Shaped: 36"d at narrow end, 42"d at widest point
- Concave: 30"d at widest point
- Bullet: 30"d, 36"d
- Half bullet left and right: 22"d
- Trapezoid: 22"d at narrow end, 30.5"d at widest point
- Half trapezoid left and right: 22"d at narrow end, 30.5"d at widest point
- Collaborative left and right: 22"d at each end  
\*See reference typical
- Half round: 48"w x 24"d
- Quarter round: 22"d and 30"d connecting ends
- Corner unit: 36.5"w, 42.5"w, 56.5"w  
22" along connecting seam, grain direction can be specified left, right, diagonal or vertical
- 120 degree corner: 35.639"w, 41.639"w, 47.639"w  
22" along connecting seam, diagonal grain direction  
\*See reference typical
- 120 degree extended corner: 57.639"w  
22" along connecting seam, diagonal grain direction  
\*See reference typical
- 120 degree asymmetrical corner, 35.639"w, 41.639"w, 47.639"w, 22" along connecting seam, diagonal grain direction  
\*See reference typical
- Surface is shorter on left or right side, depending on hand, to allow for tower connection



Rectangular  
16.5"d, 22"d, 30"d and 36"d  
6-MCT-



Soft rectangular  
22"d, 30"d and 36"d  
6-RST-



Bow front  
36"d and 42"d  
6-MBT-



P-Shaped - left or right hand  
36"d at narrowest,  
42"d at widest  
6-PT(L/R)



Concave  
30.5"d at widest  
6-CVT-



Bullet  
30"d and 36"d  
6-BT



Half bullet - left or  
right hand 22"d  
6-BT(L/R)



Trapezoid  
22"d / 30.5"d  
flared on both sides  
6-TZT



Half trapezoid - left or right hand  
22"d / 30.5"d  
flared on user side only  
6-TZT(L/R)



Collaborative - left or right hand  
22"d at each end  
\*See reference typical  
6-ECT(L/R)



Half Round  
48"w x 24"d  
6-HLF



Quarter round  
22"d and 30"d connecting end  
6-QT



Corner unit  
36.5"w, 42.5"w, 56.5"w  
22"d connecting end  
6-CU



Short corner for 120 station  
35.6"w, 41.6"w, 47.6"w  
\*See reference typical



Extended corner for 120 station  
57.6"w  
\*See reference typical



Asymmetrical corner for 120  
station  
35.6"w, 41.6"w, 47.6"w  
\*See reference typical



Collaborative surface  
reference typical, right hand  
shown



Short corner surface  
reference typical



Extended corner surface  
reference typical



Asymmetrical corner surface  
reference typical, right hand  
shown



## Worksurface supports

- Support panel is used to create L support with end panel or back panel
- Support base is used to support surfaces at a seam, or support a wider surface at the center, not to be used with wall panels
- Wall panel support is used to support surfaces and stabilize wall panels, must be used with overheads, shared shelving, and transaction counters, a wall panel can replace a cantilever
- Corner shelf required to stabilize wall panels when using height adjustable tables
- Wing end assemblies are used to create a breakfront modesty on desk approach side, when used with back panel
- End panels include angle brackets for support. One bracket for 22"d surface, two brackets for 30"/36"d surface. Vertical grain direction
- Back panels available as static or fold down. Static back panels in TFL will have horizontal grain pattern, and veneer back panels will have vertical grain pattern. **Note:** For static panel with access slot, minimum back panel width is 22"w
- Veneer legs to be used with peninsula or runoff surface only, cannot be used to create a table desk, available in desk height, or standing height. **Note:** Because of the unique color of the hardwoods, these finishes will be a solid paint color: MRO, OSL, PCO, MGO, MBM, MHM, DST and SVC
- Metal square, cylinder, square column and peninsula legs are used to support runoff and peninsula desks
- Metal Reese leg comes as set of 2
- H and O Legs, available with and without inserts
  - 22"w, and 30"w are provided as set of 2
  - 36"w legs are single base
- MBAR support bar must be used when H and O legs create a table desk, a veneer or laminate modesty is recommended to hide viewing the bar from the approach side
- Riser supports: utilize P shape when a hutch or additional storage weight is placed on top of the surface, T and drawer versions are not intended to be used with additional weight on top of the surface



Support panel



Support base



Wall panel support



Panel corner support



Wing end assemblies



End panel



Back panel, static  
no wire access\*



Back panel, static  
optional wire access\*



Back panel w/ fold  
down access



Veneer leg



Metal square



Metal cylinder



Metal square column



Metal peninsula support



Metal reese



H leg  
shown with insert



O leg  
insert available



Freestanding H/O leg  
table desk support



T-shape riser



P-shape riser



Riser drawer pedestal

\*Static back panels shown in TFL, horizontal grain. Veneer static panels will be vertical grain

## Worksurface privacy panels

Refer to price guide for additional information regarding brackets, finishes and sizing

### Below surface modesty

- Extends 12" below surface
- Horizontal grain for woodgrain TFL modesty, vertical grain for veneer modesty
- Acrylic modesty requires 6-MPB-2 brackets, ordered separately, brackets for TFL and veneer modesty panels will ship standard with the modesty

### Worksurface edge modesty

- 23.75"h, extends 11.5" above surface and 11" below
- Worksurface edge modesty's are available in TFL, veneer, frosted acrylic, and fabric, all material options can be specified with square or round corners, rounded fabric version only available in limited knits
- All edge modesty styles will offset from surface by 1.5" to allow for wire management
- Woodgrain TFL modesty will be horizontal grain and must be ordered with bracket style WEBKT-2

- Veneer modesty will be vertical grain and must be ordered with bracket style WEBKT-2
- Optional tackboard available for TFL and veneer worksurface edge modesty's, both square and round
- Acrylic modesty must be ordered with bracket style WEBKT-1, refer to price guide for quantity of brackets needed

### Worksurface privacy panel

- Worksurface privacy panels are 11"h
- Acrylic privacy panels can be set on surface using WPPBKT-2 brackets. Brackets sold separately
- Veneer, TFL and fabric privacy panels are set on only. Brackets are integrated into panel, available in square or rounded edges. Rounded fabric version only available in limited knits
- All set on surface brackets utilize anti-skid tape on underneath side of brackets to prevent movement on the worksurface, but do not permanently attach

### Below surface modesty



TFL - horizontal grain



Veneer - vertical grain



Frosted acrylic

### Worksurface edge modesty



TFL, square or rounded corners



Veneer, square or rounded corners



Optional tackboard for TFL or veneer edge modesty panel, square or rounded corners



Frosted acrylic, square or rounded corners



Fabric, square or rounded corners. Limited knits for rounded version

### Acrylic privacy panel



WPPBKT-2 bracket

### Veneer, TFL or fabric privacy panel




TFL or veneer square or rounded corners




Fabric square or rounded corners. Limited knits for rounded version

## Brackets

- Open cantilever is standard version used in Staks open plan
- Concealed cantilever can be used along aisle ways, concealed cantilever should not take the place of all open cantilevers
- Mini cantilever can be used in pairs to support surface corners
- Worksurface to storage brackets connect surfaces to pedestals and tower sides, and surfaces to panels
- Worksurface straightener is used when span of unsupported worksurface is greater than 48" w
- Pedestal to wall brackets are used with 19"d pedestals, use PEDBKT-1 (Z shaped) for standard back pedestals, use PEDBKT-2 (L shaped) for hinged back pedestals
- Clamp plates are used to adjoining two surfaces together at a seam
- Press fit brackets are used to connect transaction counters, shared shelves and organizers to Staks wall panels
- Saddle brackets are used to attach privacy panel to Staks wall panels
- Worksurface privacy panel brackets attaches modesty to surface top. Use WPPBKT-2 for clamp mount. For .25" thick materials only. Set on surface bracket does not permanently attach, uses anti-skid tape
- Worksurface edge modesty brackets clamps edge modesty to the front of worksurface. Use WEBKT-1 for acrylic, WEBKT-2 for TFL and veneer, and WEBKT-3 for fabric
- Height adjustable leg wall panel bracket attaches Staks panel to height adjustable leg. Set of 2
- Mounting block used for PD-1 pencil drawer when worksurface straighteners are used




Open cantilever  
**OWSBKT22**



Concealed cantilever  
**WSBKT22**




Mini cantilever  
**WSBKT**




Worksurface to storage  
bracket **SCWBKT-1**




Worksurface straightener  
**SPTR\_22**




Clamp plate  
**CP-1**




Undersurface modesty  
bracket, acrylic  
**6-MPB-2**




Worksurface edge modesty  
bracket, acrylic  
**WEBKT-1**




Worksurface edge modesty  
bracket, wood or TFL  
**WEBKT-2**



Worksurface edge modesty  
bracket, fabric  
**WEBKT-3**




Worksurface privacy panel  
bracket, set on  
**WPPBKT-2**



Pedestal wall bracket,  
Z shape  
**PEDBKT-1**



Pedestal wall bracket,  
L shape  
**PEDBKT-2**




Press fit bracket  
**PFBKT-1**




Saddle bracket,  
side mount  
**PVPBKT-1**



Saddle bracket,  
center mount  
**PVPBKT-2**



Height adjustable leg to  
wall panel bracket  
**6-HAWPB**



Mounting block  
**6-TFBLK**

## Pedestals


### Overview

- Pedestals can create three heights: 29"h, 23"h, and 17"h
- Riser and leg options available for most pedestals in most height options
- Pedestals can have finished or unfinished backs 15.625"w box/box file and file/file pedestals also available in 30"d and 36"d

### Riser and leg options

- Riser support - available in TFL or veneer. Not for use on pedestals less than 24"w
- 3" metal square leg - two per package. Can straddle pedestal seams
- 9.5"h metal rectangular leg - two per package, two versions, one for end of run, and one to adjoin two pedestals at a seam

### Height reference



### Riser and leg options



No leg/riser support



TFL or veneer  
riser support



3" Metal square leg



9.5" Metal rectangular leg

## Pedestals 16"

- Heights: 29"h and 23"h
- All pedestals are available in 24"w, 30"w or 36"w
- Worksurface required
- Pedestals cannot be freestanding
- Refer to price guide for additional information

### 29"h Worksurface height, no riser/leg support



Box/box/file



Open/box/file



File/file



Open with shelf

### 29"h Worksurface height, 3"h metal leg



Tray/box/file



Open/box/file



Open with shelf

### 23"h Low height, no riser/leg support



Box/box/file



Open/box/file

### 23"h Low height, 3"h metal leg



Tray/file



Open/file



Open with shelf

## Pedestals Worksurface height, no riser/leg

- Creates a 29" worksurface height
- Utility pedestal features bottom file drawer for side to side filing, two box drawers hidden by top drawer face
- CPU pedestal features slide out shelf, door can be left or right hinged, 8"w interior
- Worksurface required
- Pedestals cannot be freestanding
- Refer to price guide for additional information

### 12"w Pedestals



Box/box/file




Open/box/file



File/file




Utility pedestal



Utility interior



CPU pedestal



CPU interior

### 15.625"w Pedestals



Box/box/file



Open/box/file



File/file

### 30"w Pedestals



Multi file, left



Multi file, right

### 24"w, 30"w, 36"w Pedestals



Box/box/file



Open/box/file



Double door



Sliding door



Open with shelf



Open no shelf

### 42"w, 48"w Pedestal



Sliding door

## Pedestals Low height, no riser/leg

- Creates a 23"h worksurface height
- Box/box/file pedestals become tray file pedestal
- Worksurface required
- Pedestals cannot be freestanding
- Refer to price guide for additional information

### 15.625"w Pedestals



Tray/file



Open/file

### 24"w, 30"w, 36"w Pedestals



Tray/file



Open/file



Double door



Sliding door



Open with shelf



Open no shelf

### 42"w, 48"w Pedestal



Sliding door

## Pedestals Bench height, no riser/leg

- Creates a 17"h worksurface height
- Can be used with floor storage cushions
- Pedestals cannot be freestanding
- Refer to price guide for additional information

### 24"w, 30"w, 36"w Pedestals



Tray drawers



File drawer



Double door



Sliding door



Open with shelf



Open no shelf



## Pedestals Worksurface height, 3" h square metal leg

- Creates a 29" h worksurface height
- Pedestals cannot be freestanding
- Worksurface required
- Refer to price guide for additional information

### 12" w Pedestals



Tray/box/file



Open/box/file

### 15.625" w Pedestals



Tray/box/file



Open/box/file

### 24" w, 30" w, 36" w Pedestals



Tray/box/file



Open/box/file



Double door



Sliding door



Open with shelf



Open no shelf

### 42" w, 48" w Pedestal



Sliding door





## Pedestals Low height, 3" h square metal leg

- Creates a 23" h worksurface height
- Pedestals cannot be freestanding
- Worksurface required
- Refer to price guide for additional information

### 15.625" w Pedestals



Tray/file



Open/file

### 24" w, 30" w, 36" w Pedestals



Tray/file



Open/file



Double door



Sliding door



Open with shelf



Open no shelf

### 42" w, 48" w Pedestal



Sliding door

## Pedestals Bench height, 3" h square metal leg

- Creates a 17" h surface height
- Pedestals cannot be freestanding
- Can be used with floor storage cushions
- Refer to price guide for additional information

### 24" w, 30" w, 36" w Pedestals



Tray drawers



File drawer



Double door



Sliding door



Open with shelf



Open no shelf

## Pedestals Worksurface height, 3" h riser support

- Creates a 29" worksurface height
- Riser height 3"
- Worksurface required
- Refer to price guide for additional information

### 24"w, 30"w, 36"w Pedestals



### 42"w, 48"w Pedestal



Sliding door

## Pedestals Low height, 3" h riser support

- Creates a 23" worksurface height
- Widths, 24"w, 30"w and 36"w
- Worksurface required
- Refer to price guide for additional information



## Pedestals Bench height, 3" h riser support

- Creates a 17" worksurface height
- Widths, 24"w, 30"w and 36"w
- Can be used with floor storage cushions
- Refer to price guide for additional information



## Pedestals Worksurface height, 9.5" h rectangular support

- Creates a 29" worksurface height
- Worksurface required
- Refer to price guide for additional information

### 15.625" w Pedestals



Tray/file



Open/file

### 24" w, 30" w, 36" w Pedestals



Tray/file



Open/file



Double door



Sliding door



Open with shelf



Open no shelf

### 42" w, 48" w Pedestal



Sliding door

## Pedestals Bench height, 9.5" h rectangular leg

- Creates a 23" worksurface height
- Widths, 24" w, 30" w and 36" w
- Can be used with floor storage cushions
- Refer to price guide for additional information



Tray drawers



File drawer



Double door



Sliding door



Open with shelf



Open no shelf

## Step credenza Base cabinet

- Height: 23"h
- Depth: 17"d or 22"d
- Width: 48"w or 60"w
  - 48"w features a 30"w opening and 18"w opening
  - 60"w features a 36"w opening and a 24"w opening
- Larger opening dictates left or right hand of unit
- Base can be handed left or right
- Standard on 9.5"h metal legs
- Can be used with or without upper units shown below
- Smaller opening - 18"w or 24"w depending on overall width
  - Opening options - Open or fixed shelf
- Larger opening - 30"w or 36"w depending on overall width
  - Opening options - Open, fixed shelf, or file drawer

**Shown as left hand for below images**

### Standard base model



Open (larger side) /  
open (smaller side)

### Larger opening options (shown on left)



Shelf



Drawer

### Smaller opening options (shown on right)



Fixed shelf

## Step credenza Upper cabinet

- Height: 19"h or 25"h
  - 19"h creates 42" overall height when used with base
  - 25"h creates 48" overall height when used with base
- Depth: 17"d or 22"d
- Width: 30"w or 36"w
  - 30"w features two 15"w openings
  - 36"w features a 21"w and a 15"w opening
- Side 1 location dictates left or right hand of unit
- Side 1: 15"w or 21"w depending on overall width
  - Opening options: open, fixed shelf, rectangular door, rounded door, metal shelf
- Side 2: 15"w regardless of overall width
  - Bottom fixed shelf standard regardless of option chosen
  - Opening options: open, metal shelf, drawer, shelf, shelf/drawer, metal shelf/drawer
- Upper can be placed anywhere along lower credenza width

Shown as left hand for below images

### Standard base model



Open (side 1) / open (side 2)

### Side 1 opening options (shown on left)



Open (side 1) / open (side 2)



Shelf



Metal shelf



Rectangular door



Rounded door

### Side 2 opening options (shown on right)



Top: metal shelf  
Bottom: open



Top: open  
Bottom: drawer



Top: TFL/veneer shelf  
Bottom: open



Top: TFL/veneer shelf,  
Bottom: drawer



Top: metal shelf  
Bottom: drawer

## Floor storage

### Floor storage general notes

- Handed left or right
- Widths: 48"w or 60"w
- 30"w Lateral file drawer for 48"w unit, 36"w lateral file drawer with 60"w unit
- Adjustable shelf in open area
- Optional felt top, or use with floor storage cushions

### 22"d Storage

- Must be used with riser or leg, cannot be a freestanding unit
- 23"h When used with riser or 3" metal leg
- 29"h When used with 9.5"h rectangular leg
- Box drawer on unit with no riser, tray drawer on unit with riser

### 19"d Storage

- Height: 23"h, with or without riser
- Box drawer on unit with no riser, tray drawer on unit with riser

### 19"d Storage



No riser - 23"h



With riser - 23"h

### 22"d Storage



Riser - 23"h



3" Metal legs - 23"h



9.5" Metal legs - 29"h

## Floor storage Cushions

### General

- Use over bench or low height storage
- Field installed
- Height: 1.5"h

### Round

- Diameter: 20" dia
- Can be placed anywhere along storage, does not permanently attach
- Anti slip material on underneath side keeps cushion securely into place

### Full depth

- Not for use with medial panels
- Widths: 24"w, 30"w, 36"w, 48"w, 60"w, 72"w, 90"w
- Depth: 21.875"d
- Attaches to storage with dual lock strip

### Media panel depth

- For use with media panels
- Widths: 24"w, 30"w, 36"w, 48"w, 60"w, 72"w, 90"w
- Depth: 21.875"d
- Attaches to storage with dual lock strip

### Round



20" Round on short pedestal



20" Round on wide pedestal

### Full depth



24"w, 30"w, 36"w



48"w, 60"w, 72"w, 90"w

### Media panel depth



20" Round on short pedestal



20" Round on wide pedestal

## Mobile pedestals

- Mobile pedestal has optional back notch to fit over height adjustable leg bases
- Mobile pedestal top can be finished, or unfinished for use with a cushion


### Mobile pedestals



Box/file




Shelf file



Shelf file interior



Shelf



Shelf interior



Optional notch for height adjustable legs



Optional cushion



## Wall mounted storage

### Wall shelves

- Cabinets are fixed directly to the shelves to create a floating look and ship as one unit
- Storage boxes are 30"w, specified on left or right
- Not for use with wallmount tackboards or tasklights

### Wallmount storage box

- Available in 10"h or 15"h
- Door versions come in 15"h only
- Storage boxes that are 30"w and 36"w will have two doors
- Storage boxes 48"w and above have doors at each end, and an open center

### Wall shelves



Open shelf



Shelf with open cabinet



Shelf with sliding door cabinet

### Wallmount storage box



30"w and 36"w



48"w and longer



Small openings



Large openings  
54"w and wider only

## Wall mounted storage

### Organizers

- Heights: 18.5"h and 30.5"h
- Widths: 30"w to 106"w
- 18.5"h - max width is 106"w
- 30.5"h - max width is 72"w
- Models include no doors, sliding doors, and hinged doors
- Optional locking for hinged laminate and veneer doors
- Optional tackboards and task lights specified separately

### Tackboards

- Mounts to wall and overhead for stability
- Not to be used with wallmount shelves or storage boxes

### 18.5"h Organizers



No doors



Hinged doors



Sliding doors



### 30.5"h Organizers



No doors



Hinged doors



Sliding doors



### Tackboards



Tackboard

## Media panels Desk height

- For use over desk height worksurfaces or storage
- Materials: TFL or veneer (vertical grain), fabric, or markerboard. **Note:** Fabric panels wider than 42" w will be two pieces
- Creates an overall height of 72"h. **Note:** 12"h shelving with storage organizer will be an overall height of 76"h when used with 31"h wall panel
- When used with a tv, it is recommend to field cut access holes and provide an outlet behind the panel
- Mounts directly to the wall, mounting hardware included
- Widths: 24"w - 60"w, in 1/8" increments
- Depth: 1.375"d
- Heights:
  - 24.5"h, use under 18.5"h overheads
  - 28"h, use under 15"h storage box
  - 31"h, use under 12"h shelf
  - 33"h, use under 10"h storage box
  - 43"h, no wallmounted storage above
- 43"h media panel features optional shelves. Can be specified in any combination of top, middle, and bottom. Optional trim strip on shelving. 5 lbs maximum per linear foot

### With wall mounted overheads



Use under 18.5"h overhead  
6-W24MP (TFL/Veneer)  
6-U24MP (Fabric)  
6-L24MP (Markerboard)



Use under 15"h storage box  
6-W28MP (TFL/Veneer)  
6-U28MP (Fabric)  
6-L28MP (Markerboard)



Use under 10"h storage box  
6-W33MP (TFL/Veneer)  
6-U33MP (Fabric)  
6-L33MP (Markerboard)

### With wall mounted shelf



Use under 12"h shelf, no storage organizer  
6-W31MP (TFL/Veneer)  
6-U31MP (Fabric)  
6-L31MP (Markerboard)



6-W31MP shown under 16"h shelf with storage organizer. Overall height 76"h

### With no wall mounded storage



6-W43MP (TFL/Veneer)  
6-U43MP (Fabric)  
6-L43MP (Markerboard)



Optional top, middle, and bottom shelves shown. **Note:** For 43"h TFL and veneer panels only

## Media panels Low height

- For use over low height worksurfaces or storage
- Materials: TFL or veneer (vertical grain), fabric, or markerboard. **Note:** Fabric panels wider than 42" w will be two pieces
- Creates an overall height of 72"h. **Note:** 12"h shelving with storage organizer will be an overall height of 76"h when used with 37"h wall panel
- When used with a tv, it is recommend to field cut access holes and provide an outlet behind the panel
- Mounts directly to the wall, mounting hardware included
- Widths: 24"w - 60"w, in 1/8" increments
- Depth: 1.375"d
- Heights:
  - 30.5"h, use under 18.5"h overheads
  - 34"h, use under 15"h storage box
  - 37"h, use under 12"h shelf
  - 39"h, use under 10"h storage box
  - 49"h, no wallmounted storage above
- 49"h media panel features optional shelves. Can be specified in any combination of top, middle, and bottom. Optional trim strip on shelving. 5 lbs maximum per linear foot

### With wall mounted overheads



Use under 18.5"h overhead  
6-W30MP (TFL/Veneer)  
6-U30MP (Fabric)  
6-L30MP (Markerboard)



Use under 15"h storage box  
6-W34MP (TFL/Veneer)  
6-U34MP (Fabric)  
6-L34MP (Markerboard)



Use under 10"h storage box  
6-W39MP (TFL/Veneer)  
6-U39MP (Fabric)  
6-L39MP (Markerboard)

### With wall mounted shelf



Use under 12"h shelf, no storage organizer  
6-W37MP (TFL/Veneer)  
6-U37MP (Fabric)  
6-L37MP (Markerboard)



6-W37MP shown under 16"h shelf with storage organizer. Overall height 76"h

### With no wall mounded storage



6-W49MP (TFL/Veneer)  
6-U49MP (Fabric)  
6-L49MP (Markerboard)



Optional top, middle, and bottom shelves shown. **Note:** For 49"h TFL and veneer panels only

## Media panels Bench height

- For use over bench height worksurfaces or storage
- Materials: TFL or veneer (vertical grain), fabric, or markerboard. **Note:** Fabric panels wider than 42" w will be two pieces
- Creates an overall height of 72"h. **Note:** 12"h shelving with storage organizer will be an overall height of 76"h when used with 43"h wall panel
- When used with a tv, it is recommend to field cut access holes and provide an outlet behind the panel
- Mounts directly to the wall, mounting hardware included
- Widths: 24"w - 60"w, in 1/8" increments
- Depth: 1.375"d
- Heights:
  - 36.5"h, use under 18.5"h overheads
  - 40"h, use under 15"h storage box
  - 43"h, use under 12"h shelf
  - 45"h, use under 10"h storage box
  - 55"h, no wallmounted storage above
- 55"h media panel features optional shelves. Can be specified in any combination of top, middle, and bottom. Optional trim strip on shelving. 5 lbs maximum per linear foot

### With wall mounted overheads



Use under 18.5"h overhead  
6-W36MP (TFL/Veneer)  
6-U36MP (Fabric)  
6-L36MP (Markerboard)



Use under 15"h storage box  
6-W40MP (TFL/Veneer)  
6-U40MP (Fabric)  
6-L40MP (Markerboard)



Use under 10"h storage box  
6-W45MP (TFL/Veneer)  
6-U45MP (Fabric)  
6-L45MP (Markerboard)

### With wall mounted shelf



Use under 12"h shelf, no storage organizer  
6-W42MP (TFL/Veneer)  
6-U42MP (Fabric)  
6-L42MP (Markerboard)



6-W43MP shown under 16"h shelf with storage organizer. Overall height 76"h

### With no wall mounded storage



6-W55MP (TFL/Veneer)  
6-U55MP (Fabric)  
6-L55MP (Markerboard)



Optional top, middle, and bottom shelves shown. **Note:** For 55"h TFL and veneer panels only

## Worksurface storage

### Worksurface cabinet - single door

- 15" w x 15" d, 25" h and 43" h height options
- 25" h Has one adjustable shelf
- 43" h Has two adjustable shelves
- Optional lock available for TFL and veneer doors
- Hinged right or left door

### Worksurface cabinet - double door

- 15" d; widths, 30" w or 36" w; heights, 25" h or 43" h
- 25" h Has one adjustable shelf
- 43" h Has two adjustable shelves
- Optional lock available for TFL and veneer doors
- Hinged right and left door

### Transaction counter

- Transaction counter for worksurface height surfaces
- Widths available in 30-84" w, refer to price guide for all options available
- 13" h Clearance

### Bookcase Organizers

- Standard with finished back, TFL or veneer material option.
- 25" h Models have one adjustable shelf.
- 43" h Models have one adjustable and one fixed shelf
- 55" h Models have two adjustable shelves and one fixed shelf
- Width for 25" h versions: 22", 24", 30" and 36"
- Width for 43" h and 55" h versions: 24", 30" and 36"



Single cabinet - short



Single cabinet - tall



Double cabinet - short



Double cabinet - tall



Transaction counter



Bookcase organizer 22"



Bookcase organizer - short



Bookcase organizer - tall

## Highback organizers

- Highback organizers include wire management for task lights
- Highback organizers must be supported below the surface at each end, and at the center of the unit
- Optional locks available on hinged laminate or veneer doors
- Optional tackboards and task lights specified separately



Hinged doors



Multi, hinged doors with shelving



No doors



Sliding doors

## Highback tackboards

- Highback organizer can be used with or without tackboard
- Markerboard is a dry erase laminate



Tackboard



## Towers Slide out storage

- Width: 17" w
- Heights: 42" h or 48" h
- Depths: 22" d and 30" d
- Markerboard option for slide out door back
- Interior component sizing and spacing will vary based on height and depth specified
- File drawer options become storage drawers on 22" d towers
- Left or right handed
- Refer to price guide for additional information

### S\_1 Model

- Base model - Coat hook, felt pocket, stationary shelving
- Add on options - USB power, storage tray, file drawer

### S\_2 Model

- Base model - Coat hook, box drawer, shelving
- Add on options - USB power, file drawer

### S\_3 Model

- Base model - Coat hook, stationary shelving
- Add on options - USB power, file drawer

### S\_1 Model - shown as 30" d



42" h S\_1 Model, base unit

42" h S\_1 Model, w/ options

48" h S\_1 Model, base unit

48" h S\_1 Model, w/ options

### S\_2 Model - shown as 30" d



42" h S\_2 Model, base unit

42" h S\_2 Model, w/ options

48" h S\_2 Model, base unit

48" h S\_2 Model, w/ options

### S\_3 Model - shown as 30" d



42" h S3 Model, base unit

42" h S3 Model, w/ options

48" h S3 Model, base unit

48" h S3 Model, w/ options



## Towers Single user

- Depth: 22"d
- Width: 15.625"w
- Heights: 42"h, 48"h, 54"h, 72"h, 84"h
- 22"d is for single sided use
- Optional locking
- Full door interior available as wardrobe or shelving
- Single file drawer shelving section available as open, open with door, or door
- Double file drawer shelving section available as open side, open front, or door
- Door towers hinged left or right

- Metal adjustable shelving option for:
  - SC3 towers 42"h, 48"h, or 54"h
  - SC6 towers 54"h, 72"h or 84"h
- **Note:** Refer to Specify and Price for interior component information regarding filing capabilities, fixed shelves, and adjustable shelves

### Elevation reference

- 42"h / 48"h - 3 Sections total
- 54"h - 4 Sections total
- 72"h - 5 Sections total
- 84"h - 6 Sections total



### Full door



Full door  
6-1654RSC1 shown  
R7 hanging bar



Full door  
6-1654RSC1 shown  
R7 hanging bar

### Single file drawer



Open/file  
6-1654SC3 shown



6-1654SC3  
metal shelving option  
(42"h, 48"h or 54"h only)



Open/door/file  
6-1654SC4 shown



Door/file  
6-1654SC2 shown

### Double file drawer



Open/file/file  
6-1654SC6 shown



6-1654SC6  
metal shelving option  
(54"h, 72"h, or 84"h only)



Door/file/file  
6-1654RSC5 shown



Open side/file/file  
6-1654SC14 shown


## Towers Double user

- Depth: 48"d
- Width: 15.625"w
- Heights: 42"h, 48"h, 54"h, 72"h, 84"h
- Two user/double sided tower. Features the same storage at each end
- Optional locking
- Full door interior available as wardrobe or shelving
- Single file drawer shelving section available as open, open with door, or door
- Double file drawer shelving section available as open front, door, or open side
- Door towers hinged left or right

- **Note:** Refer to Specify and Price for interior component information regarding filing capabilities, fixed shelves, and adjustable shelves

### Elevation reference

- 42"h / 48"h - 3 Sections total
- 54"h - 4 Sections total
- 72"h - 5 Sections total
- 84"h - 6 Sections total



### Full door



Single door  
6-1654SC1D  
R7 hanging bar shown



Single door  
6-1654SC1D  
R8 shelves shown

### Single file drawer



Open/file  
6-1654SC3D shown



Open/door/file  
6-1654SC4D shown



Door/file  
6-1654SC2D shown

### Double file drawer



Open/file/file  
6-1654SC6D shown



Door/file/file  
6-1654SC5D shown



Open/file/file  
6-1654SC14D shown

## Towers With legs

- Depth: 22"d
- Width: 15.625"w
- Overall height: 72"h (Tower height is 65.5"h, must be used with 9.5"h 6-RLEG or 6-RELEG)
- Full door interior available as wardrobe or shelving
- Single file drawer shelving section available as open, open with door, or door
- Metal adjustable shelving option for SC3 towers
- Towers with doors handed left or right
- **Note:** Refer to Specify and Price for interior component information regarding filing capabilities, fixed shelves, and stationary shelves

### Full door



6-1663RSC1  
(R7 hanging bar)



(R8 shelving)

### Single file drawer



Open/file  
6-1663SC3 shown



SC3 metal  
shelving option



Open/door/file  
6-1663RSC4 shown



Door/file  
6-1663RSC2

## Towers Lateral storage

- Depth: 22"d
- Widths: 24"w, 30"w, or 36"
- Heights: 42"h, 48"h, 54"h, 72"h
- Optional locking
- Single and double lateral towers have option for open shelving, single door, or double door. Single door tower is handed left or right
- SC13 triple lateral towers available in 54"h or 72"h only. 54"h features single open shelf, 72"h features double open shelf
- **Note:** Refer to Specify and Price for interior component information regarding filing capabilities, fixed shelves, and adjustable shelves

### Single lateral



Open/lateral  
6-3054SC3 shown



Door/open/lateral  
6-3054LSC11 shown



Double door/lateral  
6-3054SC2 shown

### Double lateral



Open/double lateral  
6-3054SC6 shown



Door/open/double lateral  
6-3054LSC12 shown



Double door/double lateral  
6-3054SC5 shown

### Triple lateral



54"h open/triple lateral  
6-3054SC13 shown



72"h open/triple lateral  
6-3072SC13 shown

## Towers Wardrobe

### General

- Depth: 22"d
- Heights: 42"h, 48"h, 54"h, 72"h
- Optional pull on laminate or veneer doors
- Optional locking
- **Note:** Refer to Specify and Price for interior component information regarding filing capabilities, fixed shelves, and adjustable shelves

### Storage wardrobe

- Widths: 24"w, 30"w, 36"w
- Left section: Two adjustable and one stationary shelves
- Right section: Full length storage with hanging bar, and one stationary shelf

### File/lateral wardrobes

- Widths: 24"w, 36"w, 40"w
- 24"w features single or double file
- 36"w and 40"w feature single or double lateral file
- Open, or door shelving above file drawers
- SC7 and SC9 tower models have option for metal shelving on 42"h, 48"h, and 54"h towers

### Storage wardrobe



6-3054SC1 shown

### Single file/lateral



Open/file  
6-2454LSC7 shown



SC7 metal shelving  
42"h, 48"h, 54"h only



Open/lateral  
6-3654LSC7 shown



Single door/file  
6-2454LSC8 shown



Double door/lateral  
6-3654LSC8 shown

### Double file/lateral



Open/double file  
6-2454LSC9 shown



SC9 metal shelving  
42"h, 48"h, 54"h only



Open/double lateral  
6-3654LSC9 shown



Single door/double file  
6-2454LSC10 shown



Double door/double lateral  
6-3654LSC10 shown

## Bookcases

- Depth: 14"d
- Widths: 30"w and 36"w
- Heights:
  - 29"h One adjustable shelf
  - 42"h Two adjustable shelves
  - 54"h Two adjustable shelves, one stationary
  - 72"h Three adjustable shelves, one stationary



29"h  
6-3029BC shown



42"h  
6-3042BC shown



54"h  
6-3054BC shown



72"h  
6-3072BC shown

## Laterals

- Lateral files include finished top and back, and anti-tilt mechanism for freestanding application
- Widths, 24"w, 30"w, 36"w
- Heights:
  - 29"h Two drawer
  - 42"h Three drawer
  - 54"h Four drawer



29"h  
6-N3029LF2 shown



42"h  
6-N3042LF2 shown




54"h  
6-N3054LF2 shown

## Electrical 2 circuit / 4 wire


- Infeed options include: liquid tight, metal, NYC code, plug and play and rotating, all infeeds are 6' long except for the rotating infeed, which is a quick disconnect wall outlet allowing cords to be removed from wall when hardwiring, \*note: plug and play infeed limits system, must use all circuit I duplexes
- Transition harness allows 4 wire components to work off 8 wire system
- H block allows connection of up to four jumpers
- Receptacle connector allows connection of two duplex receptacles
- Duplexes available in Circuit I or Circuit II




Hardwired infeed -  
liquid tight or metal  
PWF2L / PWF2M



Hardwired infeed -  
NYC  
PWF2NYC



Plug and play infeed  
PWF20AMP



Rotating infeed  
PWF2QD




Power jumper  
MCJ5W\_M




Transition harness  
24" w  
MCJ5W8M



H Block  
HCB



Receptacle connector  
JC-1




Duplex and bracket  
DPLX\_

## Electrical 3 circuit / 5 wire

- Infeed options include: liquid tight, metal, NYC code and plug and play. Liquid and metal infeeds are 10', NYC code and plug and play infeeds are 6' long, \*note: plug and play infeed limits system, must use all circuit I duplexes
- Y connector used to connect power infeed to any jumper junction and power block
- Power blocks are double sided and house duplex receptacles
- Power block bracket mounts power block to underside of surface, one bracket for single blocks, two brackets for double and extended blocks
- Duplexes available in circuit I, II and III



Hardwired infeed -  
liquid tight or metal  
PWF5L120 / PWF5M120




Hardwired infeed -  
NYC  
PWF5NYC




Plug and play infeed  
PWF5M20AMP




Power jumper  
MCJ5W\_M




Y connector  
YCB5




Single power block,  
double sided  
PB5S1




Double power block,  
double sided  
PB5D1



Extended double power  
block, double sided  
DPB5S\_



Power block bracket  
PBBKTA2




Duplex  
DPX5W\_

## Electrical 4 circuit / 8 wire

- Infeed options include: liquid tight, metal, NYC code, plug and play, rotating and title 24, liquid and metal infeeds are 10', NYC code and plug and play infeeds are 6' long except for the rotating infeed, which is a quick disconnect wall outlet allowing cords to be removed from wall when hardwiring, **Note:** plug and play infeed limits system, must use all circuit I duplexes
- H block allows connection of up to four jumpers
- Jumper connector allows connection of two jumpers
- Duplexes available in circuit I, II, III and IV
- Power blocks are available as single (half), or double sided and house duplex receptacles. **Note:** half power block recommended for use with open plan typicals when wall panels are used
- Power block bracket mounts power block to underside of surface, one bracket for single blocks, two brackets for double blocks




Hardwired infeed -  
Liquid Tight or metal  
PWF3L120 / PWF3M120




Hardwired infeed -  
NYC  
PWF3NYC



Plug and play infeed  
PWF3M20AMP



Rotating infeed  
PWF3QD




Title 24 infeed  
PWF4M120N




Power jumper  
MCJ8W\_M




H Block  
HCB




Jumper connector  
JC-2




Duplex  
DPX8W\_




Power block,  
single half (1 duplex)  
PHBS1




Power block,  
single (2 duplexes)  
PBS1



Power block,  
double half (2 duplexes)  
PHBD1




Power block,  
double (4 duplexes)  
PBD1




Power box bracket  
PBBKT1

## Data

- While most end users may prefer to supply their own data items, OFS does offer the below data solutions, coordinate with your end user to determine the best scenario for their needs
- Data module box can be mounted anywhere underneath the surface, includes two adapter ports, and adapter kit for jacks and couplers
- Standard inserts available are RJ-11 voice hard wire jack and RJ-45 voice and data hard wire jack, all other jack options to be sourced separately



Data box  
DM1



Voice jack RJ-11  
Data jack RJ-45



## Power supplies

- OFS offers a wide variety of recessed, undermount, and clamp mounted power supplies. You can view all available power options through this [link](#)



PS-3UM




PS-3CM



PS-77



PS-69



PS-71



PS-92




PS-100



PS-90

## Wire management

- Rectangular grommets are 2"d x 3.375"w and require a cutout machined at the factory
- Round grommets are 2" diameter and are to be installed on surfaces, field install only
- Wire pass through grommets are 2.375"d, and used on panels to protect wires that pass through, field install only
- Power pole is available for open plan applications, when power is starting in the ceiling, blank two compartment pole, furnished unwired without outlets, industry size knockouts
- Velcro wire manager strip comes in pack of four, not intended for heavy duty cabling
- Cable management clip, mounts to underside of surface, three positions, not intended for heavy duty cabling
- Plastic, wire basket, and PET wire manager are used to manage jumper and user cords horizontally along underside of surface
- Wire management cord stay comes as a set of two, and can manage cords 1/4" diameter along any TFL or veneer item
- Vertebra cable manager can be used to manage data cords vertically at an infeed location, and for fixed height table desks
- Adjustable height wire manager commonly used in stand alone height adjustable table applications
- Table to table connection and fabric wire manager commonly used to manage wires that span from a height adjustable surface to a fixed height surface, fabric wire manager can also be used to manage infeed and data cords in a vertical application



Rectangular grommet  
RGB-1 / RGN-1



Round grommet  
CGB-1



Wall pass through  
grommet  
DSCGB-1



Power pole  
PWRP1



Velcro wire manager  
WM-V4



Cable management  
undersurface clip  
CM30-NR



Plastic wire manager  
WM2-\_\_



Wire basket manager  
WBT-\_\_H



PET wire manager  
WM-P-\_\_



Cord stay  
WMCS




Fabric wire manager  
WM-HA6



Vertebra cable manager  
CMV-AL



Height adjustable  
table desk manager  
WM-HA



Height adjustable  
table to table manager  
WM-HA-

## Lighting

### Tambient lighting

- Single sided light application - brackets available to mount to surface, or to Staks panel
- Double sided light application - brackets available to mount to surface, or to Staks panel
- Round mast monitor arm - clamp mount for surface, supports 1-3 monitors, optional USB ports integrated into base
- Square mast monitor arm - clamp mount for surface, supports 2 monitors, optional USB ports integrated into base
- Tambient lighting accessories include: Wireless control hub, wireless switch, self powered vacancy sensor, active circuit transmitter, control cable,
- Review price guide for more detailed information

### Task lights (for wallmount organizers only)

- Fluorescent (TL-1, TL-2 and TL-6) - TL-1 cannot be used with 30" or 36"w wallmount organizers, on/off switch
- LED warm light (TL-9, TL-10) - Black LED task light, on/off switch
- LED Energy Efficient 5200K (TL-14, TL-15, TL-16) - Silver frame, On/Off Switch
- LED task light efficient 3000K TL-27 TL-28 TL-29 TL-30 - Black alloy frame, touch and hold dimming

### Surface task light

- Adjustable light has on/off switch, all other preview lights touch and hold dimming

### Tambient



Single sided light



Double sided light




Round mast monitor arm



Square mast monitor arm

### Task lights




Fluorescent  
TL-1, TL-2, TL-6



LED  
TL-9, TL-10



LED  
TL-14, TL-15, TL-16



LED  
TL-27, TL-28, TL-29, TL-30

### Surface task light



Adjustable clamp on  
TL-20

## Work accessories

### Keyboard trays

- Keyboard Arm KBA-1 and Wood Tray WKT to be used together
- Keyboard Arm KBA-2 - Arm assembly with built in clamps, no additional tray needed
- Keyboard KBA-3 features integrated keyboard and mouse tray
- Wood Keyboard Tray WK/S - extendable tray

### Monitor arms

- Monitor arm MA-1 (single) and MA-1D (double) - clamp on

### Sit to stand

- Sit to stand monitor/keyboard arm, available with single or double monitor arm
- Desktop sit to stand workstation integrated keyboard tray, space for two monitors, available in white finish


### Storage add ons

- Pencil tray not for use with MPD12 multi file pedestal or 12" w pedestals
- Pencil drawer - black molded plastic, flush mount
- Hanging drawer mounts to underside of surface, upper tray drawer, lower shelf, \*refer to price guide for compatibility


### Misc items

- CPU Holder - mounts to underside of surface
- Rare Earth Magnets (MGT-1) - use for glass board with anodized backer, set of 5


### Keyboard trays




Keyboard arm  
KBA-1




Wood tray  
WKT



Keyboard arm  
KBA-2




Keyboard tray  
KBA-3




Wood keyboard tray  
WK/S

### Monitor arms




Single arm  
MA-1




Double arm  
MA-1D

### Sit to stand




Monitor/keyboard arm  
\*single arm shown  
MKA-1S\_




Workstation  
SSW-1W


### Storage add ons



Pencil tray  
DA16-1




Pencil drawer  
PD-1



Hanging drawer  
HDS

### Misc items



CPU holder  
CPUH-1



Rare earth magnets  
MGT-1

## Binny

- Molded PET storage tote in two sizes, wide or tall, with leather pull strap, pull attached with rivets
- Attached under surface with rail, for use with Staks, Agile, Applause and Heya height adjustable tables
- Rails come in standard height, or extended to clear worksurface obstructions
- Tote finishes: Charcoal, Tan, Steel Blue
- Strap finishes: Chocolate, Carbon, Natural
- Rivet finishes: Black or Brass
- Rail finishes: any standard or studio powder coat
- Wide tote accessories: nameplate, lid, large accessory tray, small accessory tray, nine section divider
- Tall tote accessories: nameplate, lid, large accessory tray, small accessory tray, and divider

### Wide Binny tote



Tan tote, Chocolate strap, Black rivets, Rust rail



Steel Blue tote, Natural strap, Black rivets, Luster Grey rail



Charcoal tote, Carbon strap, Brass rivets, Gold rail

### Wide Binny rails



Wide rail, standard



Wide rail, extended

### Wide Binny tote accessories



Nameplate



Lid



Large accessory tray



Small accessory tray



Divider

### Tall Binny tote



Tan tote, Natural strap, Black rivets, Turmeric rail



Steel Blue tote, Carbon strap, Brass rivets, Oiled Bronze rail



Charcoal tote, Chocolate strap, Brass rivets, Heron rail

### Tall Binny rails



Wide rail, standard



Wide rail, extended

### Tall Binny tote accessories



Nameplate



Lid



Large accessory tray



Small accessory tray