

STUDIO ELEMENTS

LOFT WOOD

STONESOURCE

Colors at a glance

Highly contrasting earth tones with a great decorative value, offerd in five color variations.



Tobacco



Walnut



Blend



Natural



Ash

6 x 36 in / 14.8 x 90.2 cm image variations

Formats and finishes at a glance


This collection is offered in a variety of sizes including a classic long and wide plank style.



8 x 48 in / 19.8 x 120.1 cm
Pressed
Matte



6 x 36 in / 14.8 x 90.2 cm
Pressed
Matte



6 x 24 in / 14.8 x 60.1 cm
Pressed
Matte



8 x 48 in / 19.8 x 120.1 cm Loft Wood Walnut Matte Pressed Glazed Porcelain Tile



Loft Wood, *Tobacco*



8 x 48 in / 19.8 x 120.1 cm
Pressed
Matte 4500-0011-0



6 x 36 in / 14.8 x 90.2 cm
Pressed
Matte 4500-0010-0



6 x 24 in / 14.8 x 60.1 cm
Pressed
Matte 4500-0009-0

IMAGE VARIATIONS
This collection has a wide variety
of tile facings by size to
maximize the realism it can
convey within a design space.

6 x 24 in / 14.8 x
60.1 cm Actual: 150
x 600 x 9 mm 48
images

6 x 36 in / 14.8 x
90.2 cm Actual: 150
x 900 x 9 mm 48
images

8 x 48 in / 19.8 x
120.1 cm Actual: 200
x 1200 x 10 mm 24
images



6 x 36 in / 14.8 x 90.2 cm image variations

Loft Wood, *Blend*



8 x 48 in / 19.8 x 120.1 cm
Pressed
Matte 4500-0005-0



6 x 36 in / 14.8 x 90.2 cm
Pressed
Matte 4500-0004-0



6 x 24 in / 14.8 x 60.1 cm
Pressed
Matte 4500-0003-0

IMAGE VARIATIONS
This collection has a wide variety
of tile facings by size to
maximize the realism it can
convey within a design space.

6 x 24 in / 14.8 x
60.1 cm Actual: 150
x 600 x 9 mm 48
images

6 x 36 in / 14.8 x
90.2 cm Actual: 150
x 900 x 9 mm 48
images

8 x 48 in / 19.8 x
120.1 cm Actual: 200
x 1200 x 10 mm 24
images



6 x 36 in / 14.8 x 90.2 cm image variations

Loft Wood, *Walnut*



8 x 48 in / 19.8 x 120.1 cm
Pressed
Matte 4500-0014-0



6 x 36 in / 14.8 x 90.2 cm
Pressed
Matte 4500-0013-0



6 x 24 in / 14.8 x 60.1 cm
Pressed
Matte 4500-0012-0

IMAGE VARIATIONS
This collection has a wide variety of tile facings by size to maximize the realism it can convey within a design space.

6 x 24 in / 14.8 x 60.1 cm Actual: 150 x 600 x 9 mm 48 images

6 x 36 in / 14.8 x 90.2 cm Actual: 150 x 900 x 9 mm 48 images

8 x 48 in / 19.8 x 120.1 cm Actual: 200 x 1200 x 10 mm 24 images



6 x 36 in / 14.8 x 90.2 cm image variations

Loft Wood, *Natural*



8 x 48 in / 19.8 x 120.1 cm
Pressed
Matte 4500-0008-0



6 x 36 in / 14.8 x 90.2 cm
Pressed
Matte 4500-0007-0



6 x 24 in / 14.8 x 60.1 cm
Pressed
Matte 4500-0006-0

IMAGE VARIATIONS
This collection has a wide variety
of tile facings by size to
maximize the realism it can
convey within a design space.

6 x 24 in / 14.8 x
60.1 cm Actual: 150
x 600 x 9 mm 48
images

6 x 36 in / 14.8 x
90.2 cm Actual: 150
x 900 x 9 mm 48
images

8 x 48 in / 19.8 x 120.1
cm Actual: 200 x 1200
x 10 mm 24 images



6 x 36 in / 14.8 x 90.2 cm image variations

Loft Wood, *Ash*



8 x 48 in / 19.8 x 120.1 cm
Pressed
Matte 4500-0002-0



6 x 36 in / 14.8 x 90.2 cm
Pressed
Matte 4500-0001-0



6 x 24 in / 14.8 x 60.1 cm
Pressed
Matte 4500-0000-0

IMAGE VARIATIONS
This collection has a wide variety
of tile facings by size to
maximize the realism it can
convey within a design space.

6 x 24 in / 14.8 x
60.1 cm Actual: 150
x 600 x 9 mm 48
images

6 x 36 in / 14.8 x
90.2 cm Actual: 150
x 900 x 9 mm 48
images

8 x 48 in / 19.8 x 120.1
cm Actual: 200 x 1200
x 10 mm 24 images



6 x 36 in / 14.8 x 90.2 cm image variations

Packaging information

Key logistical details including item codes and product specifications.

Loft WoodProduct & Packaging Information															
	ACTUAL DIMENSIONS	THICKNESS	ASH ITEM CODE	BLEND ITEM CODE	NATURAL ITEM CODE	TOBACCO ITEM CODE	WALNUT ITEM CODE	LBS BOX	KGS BOX	PCS BOX	SQFT BOX	M² BOX	BXS SKID	SQFT SKID	M² SKID
8 x 48 in / 19.8 x 120.1 cm	19.8 x 120.1 cm	10 mm	4500-0002-0	4500-0005-0	4500-0008-0	4500-0011-0	4500-0014-0	59.81	27.13	5	12.81	1.2	33	422.73	39.6
6 x 36 in / 14.8 x 90.2 cm	148 x 902 mm	9 mm	4500-0001-0	4500-0004-0	4500-0007-0	4500-0010-0	4500-0013-0	46.81	21.23	8	12	1.08	39	468	42.12
6 x 24 in / 14.8 x 60.1 cm	14.8 x 60.1 cm	9 mm	4500-0000-0	4500-0003-0	4500-0006-0	4500-0009-0	4500-0012-0	54.19	24.58	14	14	1.26	40	560	50.4

Technical information

Tile collection performance based on industry standards.

Technical Information			
	WATER ABSORPTION	ANSI / ISO - [%]	< 0.5%
	ABRASION RESISTANCE	ANSI / ISO	CLASS 4
	SCRATCH HARDNESS	ANSI / ISO - [Mohs]	7
	BREAKING STRENGTH	ANSI - [lbf] ISO - [N]	≥300 ≥1300
	SHADE VARIATION		V4
	SLIP RESISTANCE	ANSI - DCOF (WET) ISO - R VALUE	MATTE ≥0.55 (ID, IW, IW+, EW*, O/G*) MATTE R9
	CHEMICAL RESISTANCE	ANSI / ISO	CLASS A
	STAIN RESISTANCE	ANSI ISO	CLASS A / CLASS 5
	FROST RESISTANCE	ANSI / ISO	PASS

Test values are based on ANSI / ISO standards according to: ANSI A137.1 - Porcelain tile P1 Class, ISO 13006 - G - Bia Group, En 14411 - G - Bia Group. Variances in test values can occur in different production lots.

Usage recommendations

Recommendations for suitable applications.

Usage Recommendations*		MATTE GLAZED PORCELAIN	
APPLICATION		WALL	FLOOR
INTERIOR	RESIDENTIAL	•	ID, IW, IW+, EW*, O/G*
	COMMERCIAL	•	ID, IW, IW+, EW*, O/G*
	HEAVY COMMERCIAL	•	
EXTERIOR	RESIDENTIAL / COMMERCIAL	•	ID, IW, IW+, EW*, O/G*

* These recommendations are not defined by ANSI/ISO standards.

DCOF Classifications per ANSI A326.3: [ID]: Interior, Dry [IW]: Interior, Wet [IW+]: Interior, Wet Plus [EW]: Exterior, Wet [O/G]: Oils/Greases

* Factors other than the noted DCOF result must also be taken into consideration. Such factors include, but are not limited to, expected contaminants, drainage, surface texture, effect of structure on the DCOF measurement, number of grout joints, traction-enhancing features, and intended use in addition to the other criteria noted in standard ANSI A326.3

